3 1761 054789177

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

**WORKS OF
PROFESSOR CECIL H. PEABODY**

PUBLISHED BY

JOHN WILEY & SONS.

Thermodynamics of the Steam-engine and other Heat-engines.

This work is intended for the use of students in technical schools, and gives the theoretical training required by engineers. Fifth Edition, Rewritten, vi + 543 pages, 117 figures. 8vo, cloth, \$5.00.

Tables of the Properties of Steam and other Vapors, and Temperature-Entropy Table.

These tables were prepared for the use of students in technical schools and colleges, and of engineers in general. Seventh Edition, Rewritten. 8vo, vi + 130 pages, cloth, \$1.00.

Valve-gears for Steam-engines.

This book is intended to give engineering students instruction in the theory and practice of designing valve-gears for steam-engines. Second Edition, Revised and Enlarged. 8vo, v + 142 pages, 33 folding-plates, cloth, \$2.50.

Steam-boilers.

By Prof. Cecil H. Peabody and Prof. Edward F. Miller. Nearly 400 pages; 142 illustrations. 8vo, cloth, \$4.00.

Manual of the Steam-engine Indicator.

151 pages; 98 figures. 12mo, cloth, \$1.50.

Naval Architecture.

v + 616 pages; 217 figures. 8vo, cloth, \$7.50.

School of Science

TABLES OF
THE PROPERTIES OF STEAM
AND OTHER VAPORS
AND
TEMPERATURE-ENTROPY
TABLE

BY
CECIL H. PEABODY

PROFESSOR OF NAVAL ARCHITECTURE AND MARINE ENGINEERING
MASSACHUSETTS INSTITUTE OF TECHNOLOGY

SEVENTH EDITION, REWRITTEN
FIRST THOUSAND

NEW YORK
JOHN WILEY & SONS

LONDON: CHAPMAN & HALL, LIMITED

1907

Department of Mechanical Engineering

COPYRIGHT, 1888, 1907,
BY
CECIL H. PEABODY

Stanhope Press
F. H. GILSON COMPANY
BOSTON, U.S.A.

PREFACE.

THE Tables of the Properties of Steam were calculated twenty years ago to accompany the author's Thermodynamics of the Steam Engine; since that time important experimental investigations have been made by Callendar, Barnes, Knoblauch and Thomas. The tables have been recomputed, introducing this information and with certain changes which will be found to facilitate their use. All the tables for saturated steam have columns of entropy due to vaporization; and the table in metric units has been made into a conversion table by aid of which properties can be found in either metric or English units or a combination of the two systems may be used.

The development of the steam-turbine has given prominence to adiabatic computations for steam and has emphasized the facts that the usual methods are tedious and cannot be worked inversely. To meet this difficulty various diagrams have been devised, all of which have certain inconveniences; if they have a convenient scale, they are so large as to be awkward to carry or to use; all have important problems represented by curves which render interpolation troublesome.

To facilitate the solution of all adiabatic problems (and many others) a Temperature-Entropy Table has been constructed for saturated and superheated steam. For engineering purposes the answers for such problems may be read directly from the table; greater refinement can be had by interpolation when that is thought desirable. That part of the table which refers to saturated steam may be relied upon to give the nearest unit in the last place of significant figures; the degree of accuracy to be attributed to the several properties of saturated steam can be determined from the statements of experimental data and derivation of formulæ given in the Introduction. The properties of superheated steam are given with as much accuracy as conditions warrant. This part of the table offers solutions of problems that cannot be readily obtained otherwise.

Original data are given in the Introduction so far as possible, and computations and transformations of equations are set down at length

so that each one may decide for himself what degree of accuracy he shall attribute to the properties and methods presented.

The actual work of recomputing the Tables of Properties of Steam and of constructing the Temperature-Entropy Table has been done by Mr. Harold A. Everett, S.B., who has also read the proofs. How much that means can be appreciated by those familiar with such undertakings.

C. H. P.

SEPTEMBER, 1907.

CONTENTS.

	Page
INTRODUCTION	1
Table I. STEAM, ENGLISH UNITS, DEGREES	33
Table II. STEAM, ENGLISH UNITS, POUNDS	43
Table III. STEAM, FRENCH AND ENGLISH UNITS	52
Table IV. ETHER	64
Table V. ALCOHOL	65
Table VI. CHLOROFORM	66
Table VII. CARBON BISULPHIDE	67
Table VIII. CARBON TETRACHLORIDE	68
Table IX. ACETON	69
Table X. AMMONIA	70
Table XI. SULPHUR DIOXIDE	71
Table XII. SPECIFIC VOLUMES OF LIQUIDS	72
Table XIII. VOLUMES OF HOT WATER	72
Table XIV. INCHES OF MERCURY AND POUNDS	73
Table XV. CORRECTIVE FACTORS, SUPERHEATED STEAM	74
TEMPERATURE-ENTROPY TABLE	75
NAPIERIAN LOGARITHMS	128
FOUR-PLACE LOGARITHMS	130

PROPERTIES OF STEAM AND OTHER VAPORS.

INTRODUCTION.

FOR engineering purposes steam is generated in a boiler which is partially filled with water, and arranged to receive heat from the fire in the furnace.

The ebullition is usually energetic, and more or less water is mingled with the steam; but if there is a fair allowance of steam space over the water, and if proper arrangements are provided for withdrawing the steam, it will be found when tested to contain a small amount of water, usually between half a per cent and a per cent and a half. Steam which contains a considerable percentage of water is passed through a separator which removes almost all of it. Such steam is considered to be approximately dry.

If the steam is quite free from water it is said to be dry and saturated; steam from a boiler with a large steam space and which is making steam very slowly is nearly if not quite dry.

Steam which is withdrawn from the boiler may be heated to a higher temperature than that found in the boiler, and is then said to be superheated.

Saturated Steam. — Our knowledge of the properties of saturated steam and other vapors is due mainly to the experiments of Regnault,* who determined the relations of the temperature and pressure, the total heat of vaporization, and the heat of the liquid for many volatile liquids. Since his time, Rowland's determination of the mechanical equivalent of heat has given a more exact determination of the specific heat of water at low temperatures, and recently Dr. Barnes has given a very precise determination of that property for water. Again, certain work by Knoblauch, Linde and Klebe, has given us a good knowledge of the properties of superheated steam which can be extended to give the specific volumes of saturated steam over a considerable range of temperature; in the proper place a comparison will be made with the usual theoretical computations for volumes.

* *Mémoires de l'Institut de France*, etc., tome xxvi.

Pressure of Saturated Steam. — As a conclusion from all the experiments on the tension of saturated steam, Regnault * gives the following data: —

TEMPERATURE C.	PRESSURE MM. OF MERCURY.
— 32	0.32
— 16	1.29
0	4.60
25	23.55
50	91.98
75	288.50
100	760.00
130	2030.0
160	4651.6
190	9426.
220	17390.
— 20	0.91
+ 40	54.91

From these data he calculated, by the aid of seven-place logarithms, the following formulæ, which give the pressure in millimetres of mercury for any temperature in degrees Centigrade: —

A. For steam from -32° to 0° C,

$$p = a + ba^n.$$

$$a = -0.08038.$$

$$\log b = 9.6024724 - 10.$$

$$\log \alpha = 0.033398.$$

$$n = 32^{\circ} - t.$$

B. For steam from 0° to 100° C,

$$\log p = a - b\alpha^n + c\beta^n.$$

$$a = 4.7384380.$$

$$\log b = 0.6116485.$$

$$\log c = 8.1340339 - 10.$$

$$\log \alpha = 9.9967249 - 10.$$

$$\log \beta = 0.006865036.$$

$$n = t.$$

* *Memoires de l'Institut de France*, etc., tome xxi.

- C. For steam from 100° to 220° C,
 $\log p = a - b\alpha^n + c\beta^n$,
 $a = 5.4583895$.
 $\log b = 0.4121470$.
 $\log c = 7.7448901 - 10$.
 $\log \alpha = 9.997412127 - 10$.
 $\log \beta = 0.007590697$.
 $n = t - 100$.
- D. For steam from -20° to 220° C,
 $\log p = a - b\alpha^n - c\beta^n$,
 $a = 6.2640348$.
 $\log b = 0.1397743$.
 $\log c = 0.6924351$.
 $\log \alpha = 9.994049292 - 10$.
 $\log \beta = 9.998343862 - 10$.
 $n = t + 20$.

By aid of the formulæ *A* and *B*, Regnault calculated and recorded tables of the pressures of saturated steam for temperatures from -32° to 100° C. The formula *D* was calculated from the data given above for the temperatures -20° , $+40^{\circ}$, 100° , 160° , and 220° C., and was intended to represent the whole range of experiments. By this formula, instead of formula *C*, he calculated the pressures set down in his tables for temperatures from 100° C. to 220° C. In the calculations of the constants and in their application to computations of pressures at given temperatures, there is an inevitable loss of accuracy so that the results do not agree satisfactorily with the original data.

Equations for the Pressure of Steam at Paris. — In view of the preceding statements, it appeared desirable to re-calculate the constants for Equations *B* and *C*, with a degree of accuracy that should exclude any doubt as to the reliability of the results. Accordingly, the logarithms required were taken from Vega's ten-place table, and then the remainder of the calculations were carried on with natural numbers, checking by independent methods, with the following results:—

- B. For steam from 0° to 100° C,
 $\log p = a - b\alpha^n + c\beta^n$.
 $a = 4.7393622142$.
 $\log b = 0.6117400190$.
 $\log c = 8.1320378383 - 10$.
 $\log \alpha = 9.996725532820 - 10$.
 $\log \beta = 0.006864675924$.
 $n = t$.

C. For steam from 100° to 220° C,
 $\log p = a - b\alpha^n + c\beta^n.$
 $a = 5.4574301234.$
 $\log b = 0.4119787931.$
 $\log c = 7.7417476470 - 10.$
 $\log \alpha = 9.99741106346 - 10.$
 $\log \beta = 0.007642489113.$
 $n = t - 100.$

To show the degree of accuracy attained, the following tables are given:—

EQUATION B.

$t.$	$p.$	LOG p FROM TABLE OF LOGARITHMS.	LOG p CALCULATED BY EQUATION.
0	4.60	0.6627578317	
25	23.55	1.3719909115	1.37199097
50	91.98	1.9636934052	1.96369346
75	288.50	2.4601458175	2.46014587
100	760	2.8808135923	2.88081365

EQUATION C.

$t.$	$p.$	LOG p FROM TABLE OF LOGARITHMS.	LOG p CALCULATED BY EQUATION.
100	760.00	2.8808135923	
130	2030.0	3.3074960379	3.307496036
160	4651.6	3.6676023618	3.667602359
190	9426	3.9743274354	3.974327428
220	17390	4.2402995820	4.240299575

The results from Equation C are quite satisfactory; for the errors come in the ninth place of decimals, and one place of decimals is unavoidably lost in the application of the formula. Equation B was calculated after Equation C and the numerical work was not carried to so large a number of decimal places. For the calculation of tables, the constants are carried to seven places of significant figures only; this gives six significant figures in the result, of which five are recorded in the tables.

Pressure of Steam at Latitude 45°. — **French System.** — It is customary to reduce all measurements to the latitude of 45°, and to sea-level. The standard thermometer should then have its boiling and freezing points

determined under, or reduced to such conditions. The value of g , the acceleration due to gravity, is, at Paris, latitude $48^{\circ} 50' 14''$ and 60 metres above sea-level, 9.809218 metres; and at 45° , and at sea-level, it is 9.806056 metres. Consequently, 760 mm. of mercury at 45° gives a pressure equal to that of 759.755 mm. at Paris; and this corresponds to a temperature of $99^{\circ}.9991$ C.

In other words, the thermometer which is standard at 45° has each degree 0.99991 of the length of the degree of a thermometer standard at Paris.

To reduce Equation B to 45° latitude, we have

$$\log p = a + \log \frac{980.9218}{980.6056} - b\alpha^{0.99991t} + c\beta^{0.99991t};$$

and for Equation C ,

$$\begin{aligned} \log p &= a + \log \frac{980.9218}{980.6056} - b\alpha^{(0.99991t-100)} + c\beta^{(0.99991t-100)} \\ &= a + \log \frac{980.9218}{980.6056} - b\alpha^{-0.00009(t-100)} + c\beta^{-0.00009(t-100)}. \end{aligned}$$

The resulting equations which were used in calculating Table III are

B . For steam from 0° to 100° C. at 45° latitude,

$$\log p = a_1 - b_1\alpha_1^n + c_1\beta_1^n.$$

$$a_1 = 4.739502.$$

$$\log b_1 = 0.6117400.$$

$$\log c_1 = 8.13204 - 10.$$

$$\log \alpha_1 = 9.996725828 - 10.$$

$$\log \beta_1 = 0.0068641.$$

$$n = t.$$

C . For steam from 100° to 220° C. at 45° latitude,

$$\log p = a_1 - b_1\alpha_1^n + c_1\beta_1^n.$$

$$a_1 = 5.457570.$$

$$\log b_1 = 0.4120021.$$

$$\log c_1 = 7.74168 - 10.$$

$$\log \alpha_1 = 9.997411296 - 10.$$

$$\log \beta_1 = 0.0076418.$$

$$n = t - 100.$$

Pressure of Steam at Latitude 45°. — **English System.** — To reduce the equations for the pressure of steam, so that they will give the pressures in pounds on the square inch for degrees Fahrenheit, there are required the comparison of measures of length, and of weight, the comparison of the scales of the thermometers, and the specific gravity of mercury.

Professor Rogers * gives for the length of the metre, 39.3702 inches.

Professor Miller † gives for the weight of one kilogram, 2.20462125 pounds.

Regnault gives, for the weight of one litre of mercury, 13.5959 kilograms.

The degree Fahrenheit is $\frac{9}{5}$ of the length of the degree Centigrade.

$$\text{Let} \quad k = \frac{13.5959 \times 2.204621}{39.3702^2};$$

then the equations *B* and *C* have for the reduction to degrees Fahrenheit, and pounds on the square inch,

$$\begin{aligned} \log p &= a_1 + \log k - b\alpha_1^{\frac{1}{3}n} + c\beta_1^{\frac{1}{3}n}, \\ \log p &= a_1 + \log k - b_1\alpha_1^{\frac{1}{3}n} + c_1\beta_1^{\frac{1}{3}n}. \end{aligned}$$

The resulting equations, which were used in calculating Table I, are :—

B. For steam from 32° to 212° F., in pounds on the square inch,

$$\begin{aligned} \log p &= a_2 - b\alpha_2^n + c\beta_2^n. \\ a_2 &= 3.025908. \\ \log b &= 0.6117400. \\ \log c &= 8.13204 - 10. \\ \log \alpha_2 &= 9.998181015 - 10. \\ \log \beta_2 &= 0.0038134. \\ n &= t - 32. \end{aligned}$$

C. For steam from 212° to 428° F., in pounds on the square inch,

$$\begin{aligned} \log p &= a_2 - b_1\alpha_2^n + c_1\beta_2^n. \\ a_2 &= 3.743976. \\ \log b_1 &= 0.4120021. \\ \log c_1 &= 7.74168 - 10. \\ \log \alpha_2 &= 9.998561831 - 10. \\ \log \beta_2 &= 0.0042454. \\ n &= t - 212. \end{aligned}$$

* *Proceedings of the Am. Acad. of Arts and Sciences*, 1882–83, also *Additional Observations*, etc.

† *Phil. Transactions*, cxlvi., 1856.

All of the foregoing equations make the pressure a function of the temperature on the scale of the air-thermometer. It will be assumed that the difference between that scale and the absolute scale may be neglected.

Pressure of Other Vapors. — Regnault determined also the pressure of a large number of saturated vapors at various temperatures, and deduced equations for each. The equations and the constants as determined by him for the commoner vapors are given in the following table:

	$\log p$	a	b	c
Alcohol	$a - b\alpha^n + c\beta^n$	5.4562028	4.9809960	0.0483397
Ether	$a + b\alpha^n - c\beta^n$	5.0286298	0.0002284	3.1906390
Chloroform	$a - b\alpha^n - c\beta^n$	5.2253893	2.9531281	0.0668673
Carbon bisulphide	$a - b\alpha^n - c\beta^n$	5.4011662	3.4405663	0.2857386
Carbon tetrachloride	$a - b\alpha^n - c\beta^n$	12.0962331	9.1375180	1.9674890

	$\log a$	$\log \beta$	n	Limits.
Alcohol	I.99708557	I.9409485	$t + 20$	$-20^\circ, +150^\circ \text{ C.}$
Ether	0.0145775	I.996877	$t + 20$	$-20^\circ, +120^\circ \text{ C.}$
Chloroform	I.9974144	I.9868176	$t - 20$	$+20^\circ, +164^\circ \text{ C.}$
Carbon bisulphide	I.9977628	I.9911997	$t + 20$	$-20^\circ, +140^\circ \text{ C.}$
Carbon tetrachloride	I.9997120	I.9949780	$t + 20$	$-20^\circ, +188^\circ \text{ C.}$

Zeuner * states that there is a slight error in Regnault's calculation of the constants for acetone, and gives instead

$$\begin{aligned}\log p &= a - b\alpha^n + c\beta^n; \\ a &= 5.3085419; \\ \log b\alpha^n &= +0.5312766 - 0.0026148 t; \\ \log c\beta^n &= -0.9645222 - 0.0215592 t.\end{aligned}$$

Differential Coefficient $\frac{dp}{dt}$. — As will be seen later, the differential coefficient $\frac{dp}{dt}$ is used in calculating the volume and density of saturated vapors.

From the general equation of the form,

$$\log p = a + b\alpha^n + c\beta^n,$$

differentiation gives

$$\frac{1}{p} \frac{dp}{dt} = \frac{1}{M^2} b \log \alpha \cdot \alpha^n + \frac{1}{M^2} c \log \beta \cdot \beta^n,$$

in which M is the modulus of the common system of logarithms.

* Mechanische Wärmetheorie.

The equation may be written,

$$\frac{1}{p} \frac{dp}{dt} = A\alpha^n + B\beta^n.$$

The calculation of the values of the constants gives the following results for latitude 45° :—

French units.

B. For 0° to 100° C., mm. of mercury,

$$\log A = 8.8512729 - 10.$$

$$\log B = 6.69305 - 10.$$

$$\log \alpha_1 = 9.996725828 - 10.$$

$$\log \beta_1 = 0.0068641.$$

C. For 100° to 220° C., mm. of mercury,

$$\log A = 8.5495158 - 10.$$

$$\log B = 6.34931 - 10.$$

$$\log \alpha_1 = 9.997411296 - 10.$$

$$\log \beta_1 = 0.0076418.$$

English units.

B. For 32° to 212° F., pounds on the square inch,

$$\log A = 8.5960005 - 10.$$

$$\log B = 6.43778 - 10.$$

$$\log \alpha_2 = 9.998181015 - 10.$$

$$\log \beta_2 = 0.0038134.$$

C. For 212° to 428° F., pounds on the square inch,

$$\log A = 8.2942434 - 10.$$

$$\log B = 6.09403 - 10.$$

$$\log \alpha_2 = 9.998561831 - 10.$$

$$\log \beta_2 = 0.0042454.$$

The following table gives values for several other vapors:

	SIGN.		Log ($A\alpha^n$)	Log ($B\beta^n$)
	$A\alpha^n$	$B\beta^n$		
Alcohol	+	—	—1.1720041—0.0029143 <i>t</i>	—2.9992701—0.0590515 <i>t</i>
Ether	+	+	—1.3396624—0.0031223 <i>t</i>	—4.4616396+0.0145775 <i>t</i>
Chloroform	+	+	—1.3410130—0.0025856 <i>t</i>	—2.0667124—0.0131824 <i>t</i>
Carbon bisulphide .	+	+	—1.4339778—0.0022372 <i>t</i>	—2.0511078—0.0088003 <i>t</i>
Carbon tetrachloride	+	+	—1.8611078—0.0002880 <i>t</i>	—1.3812195—0.0050220 <i>t</i>
Aceton	+	+	—1.3268535—0.0026148 <i>t</i>	—1.9064582—0.0215592 <i>t</i>
			<i>t</i> , temperature C.	

Standard Temperature. — It is customary to refer all calculations for gases to the standard conditions of the pressure of the atmosphere (760 mm. of mercury) and to the freezing-point of water. Formerly the freezing-point was taken as the standard temperature for water and steam as even now it is the initial point for tables of the properties of saturated vapors. But the investigation of the mechanical equivalent of heat by Rowland resulted in a determination of the specific heat of water with much greater delicacy than is possible by Regnault's method of mixtures, and showed that the freezing-point is not well adapted for the standard temperature for water. It has been the habit of many physicists for many years to take 15°C. as the standard temperature, and this corresponds substantially with 62°F. , at which the English units of measure are standard.

Mechanical Equivalent of Heat. — The most authoritative determination of the mechanical equivalent of heat appears to be that by Rowland,* from which the work required to raise the temperature of one pound of water from 62° to 63°F. is

778 foot-pounds.

This is equivalent to

427 metre kilograms

in the metric system. Since his experiments were made this important physical constant has been investigated by several experimenters, and also a recomputation of his results has been made after a recomparison of his thermometers. The conclusion appears to be that his results may be a little small, but the differences are not important, and it is not certain that the conclusion is valid. There seems, therefore, no sufficient reason for changing the accepted values given above.

Specific Heat of Water. — The most reliable determination of the specific heat of water is that by Dr. Barnes,† who used an electrical method devised by Professor Callendar and himself, and who extended the method to and below freezing-point by carefully cooling water without the formation of ice to -5°C. This method gives relative results with great refinement, and gives also a good confirmation of Rowland's determination of the mechanical equivalent of heat. Dr. Barnes reports values of the specific heat of water up to 95°C. In the following table his results are quoted from 0° to 55°C. ; from 55° to 95° his results have

* *Proc. Am. Acad.*, vol. xv. (N. S. vii), 1879.

† *Physical Review*, vol. xv, p. 71, 1902..

been slightly increased to join with results determined by recomputing Regnault's experiments on the heat of the liquid for water (which experiments range from 110° C. to 180° C.) by allowing for the true specific heat at low temperature from Dr. Barnes's experiments. The maximum effect of modifying Dr. Barnes's results is to increase the heat of the liquid at 95° by one-tenth of one per cent.

Temperature.		Specific Heat.	Temperature.		Specific Heat.	Temperature.		Specific Heat.
C.	F.		C.	F.		C.	F.	
0	32	1.0094	45	113	0.99760	90	194	1.00705
5	41	1.00530	50	122	0.99800	95	103	1.00855
10	50	1.00230	55	131	0.99850	100	212	1.01010
15	59	1.00030	60	140	0.99940	120	248	1.01620
20	68	0.99895	65	149	1.00040	140	284	1.02230
25	77	0.99806	70	158	1.00150	160	320	1.02850
30	86	0.99759	75	167	1.00275	180	356	1.03475
35	95	0.99735	80	176	1.00415	200	392	1.04100
40	104	0.99735	85	188	1.00557	220	428	1.04760

Heat of the Liquid. — The heat required to raise one unit of weight of any liquid from freezing-point to a given temperature is called the heat of the liquid at that temperature; and also at the corresponding pressure. Since the specific heat for water varies we may obtain the heat of the liquid by integration as indicated by the equation

$$q = \int c dt.$$

In order to use this equation it would be necessary to obtain an empirical equation connecting the specific heat with the temperature; such an equation has not been proposed and would probably be complex. Another method is to draw a curve with temperatures as abscissæ and specific heats as ordinates and integrate graphically. The fact that the specific heat is nearly equal to unity at all temperatures and that consequently the heat of the liquid for the Centigrade thermometer is not very different from the temperature suggests the following method :

Let

$$c = 1 + k$$

where k is the difference between the specific heat and unity at any temperature, k being positive or negative as the case may be.

Then

$$q = t + \int k dt,$$

which may be obtained by plotting values of k as ordinates and integrating graphically, which will have the advantage that the required curve may be drawn to a large scale and give correspondingly accurate results. The values for the heat of the liquid for water in the tables were obtained in this way.

The following table gives equations for the heats of the liquid for various substances as determined by Regnault:

HEAT OF THE LIQUID.

Alcohol	$q = 0.54754t + 0.0011218t^2 + 0.000002206t^3$
Ether	$q = 0.52901t + 0.0002959t^2$
Chloroform	$q = 0.23235t + 0.0000507t^2$
Carbon bisulphide	$q = 0.23523t + 0.0000815t^2$
Carbon tetrachloride	$q = 0.19798t + 0.0000906t^2$
Aceton	$q = 0.50643t + 0.0003965t^2$

Total Heat. — This term is defined as the heat required to raise a unit of weight of water from freezing-point to a given temperature, and to entirely evaporate it at that temperature. The experiments made by Regnault were in the reverse order; that is, steam was led from a boiler into the calorimeter and there condensed. Knowing the initial and final weights of the calorimeter, the temperature of the steam, and the initial and final temperatures of the water in the calorimeter, he was able, after applying the necessary corrections, to calculate the total heats for the several experiments.

As a conclusion of the work, he gives the following values for the total heats: —

10°	610	By equation, 609.6
63°	625	625.2
100°	637	
195°	666	

Assuming an equation of the form

$$H = A + Bt,$$

Regnault calculated the constants from the values given for 100° and 195°, and gives the equation

$$H = 606.5 + 0.305t.$$

For the Fahrenheit scale the equation becomes

$$H = 1091.7 + 0.305 (t - 32).$$

An investigation of the original experimental results, allowing for the true specific heat of the water in the calorimeter, showed that the probable errors of the method of determining the total heat were larger than the deviations of the true specific heats from unity, the value assumed by Regnault; and, further, it appeared that his equation represents our best knowledge of the total heat of steam. There appears to be no reason for changing this equation till new experimental values shall be supplied. The deviation of individual experimental results from corresponding computations by the equation is likely to be one in five hundred. There is further some uncertainty whether the method of drawing steam from the boiler did not involve some error due to entrained moisture. The best check upon Regnault's results is a comparison with Knoblauch's work on superheated steam.

The total heats for various fluids are given by the following equations:

Ether	$H = 94$	$+ 0.45t - 0.00055556t^2$
Chloroform	$H = 67$	$+ 0.1375t$
Carbon bisulphide	$H = 90$	$+ 0.14601t - 0.0004123t^2$
Carbon tetrachloride	$H = 52$	$+ 0.14625t - 0.000172t^2$
Aceton	$H = 140.5$	$+ 0.36644t - 0.000516t^2$

Specific Volume of Liquids. — The coefficient of expansion of most liquids is large as compared with that of solids, but it is small as compared with that of gases or vapors. Again, the specific volume of a vapor is large compared with that of the liquid from which it is formed. Consequently the error of neglecting the increase of volume of a liquid with the rise of temperature is small in equations relating to the thermodynamics of a saturated vapor, or of a mixture of a liquid and its vapor when a considerable part by weight of the mixture is vapor. It is, therefore, customary to consider the specific volume of a liquid to be constant.

Table XII, giving the specific volumes of various liquids, was taken from the *Phys.-Chem. Tabellen* of Landolt and Börnstein.

Volume of Water. — Table XIII gives the volumes of water compared with its volume at 4°. From 0° to 100° C., the values are those given by

Rossetti. Above 100° , the values are those calculated by the equations given by Hirn.*

Volumes of Liquids. — The volumes of liquids at high temperatures, compared with the volume at freezing-point, are represented by the following equations given by Hirn:—

		Logs
Water 100° C. to 200° C. (vol. at 4° C. = unity)	$v=1+0.00010867875t$	6.0361445-10
	+0.0000036073653 t^2	4.4781862-10
	+0.000000028730422 t^3	1.4583419-10
	-0.000000000066457031 t^4	8.8225409-20
Alcohol 30° C. to 160° C. (vol. at 0° C. = unity)	$v=1+0.00073892265t$	6.8685991-10
	+0.00001055235 t^2	3.0233492-10
	-0.00000092480842 t^3	2.9660517-10
	+0.0000000040413567 t^4	0.6065278-10
Ether 30° C. to 130° C. (vol. at 0° C. = unity)	$v=1+0.0013489059t$	7.1299817-10
	+0.0000065537 t^2	4.8164860-10
	-0.00000034490756 t^3	2.5377028-10
	+0.0000000033772062 t^4	0.5285571-10
Carbon bisulphide 30° to 160° C. (vol. at 0° C. = unity)	$v=1+0.0011680559t$	7.0674636-10
	+0.0000016489598 t^2	4.2172103-10
	-0.0000000081119062 t^3	0.9091229-10
	+0.00000000060946589 t^4	8.7849494-20
Carbon tetrachloride 30° to 160° C. (vol. at 0° C. = unity)	$v=1+0.0010671883t$	7.0282409-10
	+0.0000035651378 t^2	4.5520763-10
	-0.000000014949281 t^3	2.1746202-10
	+0.00000000085182318 t^4	9.9303494-20

Heat of Vaporization. — If the heat of the liquid be subtracted from the total heat, the remainder is called the heat of vaporization, and is represented by r , so that

$$r = H - q.$$

Internal and External Latent Heat. — The heat of vaporization overcomes external pressure, and changes the state from liquid to vapor at constant temperature and pressure. Let the specific volume of the saturated vapor be s , and that of the liquid be σ , then the change of volume is $s - \sigma = u$, on passing from the liquid to the vaporous state. The external work is

$$p(s - \sigma) = pu,$$

and the corresponding amount of heat, or the external latent heat, is

$$Ap(s - \sigma) = Apu,$$

A being the reciprocal of the mechanical equivalent of heat.

* *Annales de Chimie et de Physique.*, 1867.

The heat required to do the disgregation work, or the internal latent heat, is

$$\rho = r - A p u.$$

Specific Volume and Density of Steam. — On account of the great difficulty of direct determination of the weight of saturated steam, it is customary to calculate the specific volume of steam by aid of the following equation, derived by the application of the principles of thermodynamics to the general equation representing the properties of saturated vapor: —

$$s = \frac{r}{AT} \cdot \frac{1}{\frac{dp}{dt}} + \sigma,$$

in which A is the reciprocal of the mechanical equivalent of heat, T is the temperature from the absolute zero, and σ is the volume of one unit of weight of the liquid from which the vapor is formed. The differential coefficient $\frac{dp}{dt}$ can be calculated by aid of the equations on page 8.

The absolute temperature is obtained by adding 273 to the temperature in degrees Centigrade, or 459.5 to the temperature in degrees Fahrenheit.

The volumes and densities of saturated steam given in Tables I and III were calculated by this method.

It is of interest to consider the degree of accuracy that may be expected from this method of calculating the density of saturated vapor. The value of r depends on H and q , the total heat and the heat of the liquid; the latter is now well known, but the total heat is probably in doubt to the extent of $\frac{1}{8000}$ and may be more. The absolute temperature T appears to be better known and may be subject to an error of no more than $\frac{1}{10000}$ or $\frac{1}{8000}$; and the mechanical equivalent $\frac{1}{A}$ of heat is perhaps as well determined as the absolute temperature. The least satisfactory factor in the expression is the differential coefficient $\frac{dp}{dt}$, which is derived by differentiating one of the empirical equations on pages 5 and 6. It is true that the resulting equations on page 8 afford a ready means of computing values of the coefficient with great apparent accuracy, but some idea of the essential vagueness of the method may be obtained by comparing computations of the specific volume of saturated steam at 212° C., a point for which

either equation B_1 or equation C_1 will give the pressure as 14.6967 pounds per square inch. The specific volume by aid of equation on page 14, using equation B_1 for determining the differential coefficient, is 26.62, while the differential coefficient from equation C_1 gives 26.71; the discrepancy is about $\frac{1}{100}$; or if the mean 26.66 be taken as the probable value, either computed value is subject to an error of $\frac{1}{100}$.

Quality or Dryness Factor. — All the properties of saturated steam, such as pressure, volume, and heat of vaporization, depend on the temperature only, and are determinable either by direct experiment or by computation, and are commonly taken from tables calculated for the purpose.

Many of the problems met in engineering deal with mixtures of liquid and vapor, such as water and steam. In such problems it is convenient to represent the proportions of water and steam by a variable known as the quality or the dryness factor; this factor, x , is defined as that portion of each pound of the mixture which is steam; the remnant, $1 - x$, is consequently water.

Specific Volume of Wet Steam. — If a pound of a homogeneous mixture of water and steam is x part steam, then the specific volume may be represented by

$$v = xs + (1 - x)\sigma = xu + \sigma$$

where u is the increase of volume due to vaporization.

Intrinsic Energy. — It has been shown that the heat of vaporization can be broken into the two parts $A p u$ and ρ , the first being required to do external work and the second internal work; the latter part together with the heat of the liquid form the heat equivalent of the intrinsic energy so that

$$E = \frac{1}{A}(\rho + q),$$

or if only x part is vaporized

$$E = \frac{1}{A}(x\rho + q).$$

Entropy. — In the discussion of steam-engines or other heat engines, it is convenient to begin by considering the way in which steam (or other working substance) would behave if the cylinder were made of non-conducting material. Afterwards the effect of the actual material can

be investigated. The expansion line which an indicator would draw under such conditions is called an adiabatic line. Calculations for adiabatic changes of steam can be made by aid of a special function devised for the purpose and called entropy. A discussion of adiabatic actions and of entropy can be found in any text-book on Thermodynamics; for example, on pages 17 and 31 of the *Thermodynamics of the Steam Engine* by the author. It is sufficient for our present purpose to consider that entropy can be expressed numerically and that the numerical values enter into the calculation of certain engineering problems.

It is customary to represent entropy in general by ϕ , but entropy may be represented by θ in dealing with a liquid like water.

The second law of thermodynamics enables us to deduce the equation

$$d\phi = \frac{dQ}{T},$$

in which dQ is an infinitesimal amount of heat added at the absolute temperature T . This equation is the basis of the calculation of entropy.

Entropy of Vaporization. — If a pound of steam at the temperature t (or absolute temperature T) is partially vaporized, the heat expended for that purpose is xr ; the temperature being constant the above equation may be directly integrated giving

$$\phi - \phi_0 = \frac{xr}{T} = x \frac{r}{T}.$$

In Tables I, II, and III values of $\frac{r}{T}$ are given for each degree or each pound as the case may be.

Entropy of the Liquid. — The increase of entropy due to heating water from freezing-point to any temperature t may be represented by the equation

$$\theta = \int \frac{dq}{T} = \int \frac{cdt}{T}.$$

Inspection of the table on page 10 shows that the specific heat of water is but little larger than unity; it is convenient to represent it by the expression

$$c = 1 + k;$$

and this expression introduced in the preceding equation gives

$$\theta = \int \frac{dt}{T} + \int \frac{kdt}{T} = \log_e \frac{T}{T_0} + \int_{t_0}^t k \frac{dt}{T},$$

in which t_0 and T_0 are the temperature by the thermometer of freezing, and the corresponding absolute temperature. The first part of the above expression for the entropy of the liquid can be computed readily, and the second part (which is small) can be determined graphically with great precision. This method was used for the tables of the properties of saturated steam.

To obtain the entropy of any liquid named on page 11, we may first differentiate the proper equation to obtain dq and then integrate as indicated by the equation

$$\theta = \int \frac{dq}{T}.$$

The values given in Tables IV to IX were determined in this way, and those for the two following tables were computed in the same manner.

Entropy of a Mixture of a Liquid and its Vapor. — The increase in entropy due to heating a unit of weight of a liquid from freezing-point to the temperature t and then vaporizing x portion of it is

$$\theta + \frac{xr}{T},$$

where θ is the entropy of the liquid, r is the heat of vaporization, and T is the absolute temperature. For steam $\frac{r}{T}$ may be taken from the tables; for other vapors it must usually be calculated.

For any other state determined by x_1 and t_1 we shall have, for the increase of entropy above that of the liquid at freezing-point,

$$\frac{x_1 r_1}{T_1} + \theta_1.$$

The change of entropy in passing from one state to another is

$$\phi - \phi_1 = \frac{xr}{T} + \theta - \frac{x_1 r_1}{T_1} - \theta_1.$$

When the condition of the mixture of a liquid and its vapor is given by the pressure and value of x , then a table giving the properties at each pound may be conveniently used for this work.

Adiabatic Equation for a Liquid and its Vapor. — During an adiabatic change the entropy is constant, so that the preceding equation gives

$$\frac{x_1 r_1}{T_1} + \theta_1 = \frac{x_2 r_2}{T_2} + \theta_2.$$

When the initial state, determined by x_1 and t_1 or p_1 , is known and the final temperature t_2 , or the final pressure p_2 , the final value x_2 may be found by this equation. The initial and final volumes may be calculated by the equations

$$v_1 = x_1 u_1 + \sigma \text{ and } v_2 = x_2 u_2 + \sigma.$$

Tables of the properties of saturated vapor commonly give the specific volume s but

$$s = u + \sigma.$$

The value of σ for water is 0.016, and for other liquids will be found in Table XII.

For example, one pound of dry steam at 100 pounds absolute has the following properties found in Table II:

$$t_1 = 327^\circ.6 \text{ F.} \quad \frac{r_1}{T_1} = 1.1228 \quad \theta_1 = 0.4743 \quad s_1 = 4.409 \quad x_1 = 1$$

If the final pressure is 15 pounds absolute, we have

$$t_2 = 213^\circ.0 \text{ F.} \quad \frac{r_2}{T_2} = 1.4358 \quad \theta_2 = 0.3141 \quad s_2 = 26.21$$

whence

$$\begin{aligned} 1.5971 &= 1.4358 x + 0.3141 \\ \therefore x_2 &= .8935 \end{aligned}$$

The initial and final volumes are

$$\begin{aligned} v_1 &= s_1 = 4.409 \\ v_2 &= x_2 u_2 + \sigma = 23.40 \end{aligned}$$

Such a problem cannot be solved inversely, that is we cannot assume a final volume and determine directly the temperature and pressure corresponding. The Temperature-Entropy Table to be explained later

will, however, give an approximate solution directly, and an exact solution by interpolation.

External Work during Adiabatic Expansion. — Since no heat is transmitted during an adiabatic expansion, all of the intrinsic energy lost is changed into external work, so that

$$W = E_1 - E_2 = \frac{1}{A} (q_1 - q_2 + x_1 p_1 - x_2 p_2)$$

For example, the external work of one pound of dry steam in expanding adiabatically from 100 pounds to 15 pounds absolute is

$$W = 778 (298.1 - 181.3 + 1 \times 802.4 - 0.8935 \times 89.30)$$

$$W = 121.3 \times 778 = 94,370 \text{ foot-pounds.}$$

Attention should be called to the unavoidable defect of this method of calculation of external work during adiabatic expansion, in that it depends on taking the difference of quantities which are of the same order of magnitude. For example, the above calculation appears to give four places of significant figures, while, as a matter of fact, the total heat H from which p is derived is affected by a probable error of $\frac{1}{500}$ or perhaps more. Both the quantities

$$q_1 + x_1 p_1 \text{ and } q_2 + x_2 p_2$$

have a numerical value somewhere near 1000, and an error of $\frac{1}{500}$ is nearly equivalent to two thermal units, so that the probable error of the above calculation is nearly two per cent. For a wider range of temperature the error is less, and for a narrower range it is of course larger. This matter should be borne in mind in considering the use of approximate methods of calculation, for example, by aid of a diagram like the temperature-entropy diagram.

Heat Contents. — The heat required to raise one pound of water from freezing-point to a given temperature t corresponding to a pressure p , and to vaporize a part x at that pressure is represented by

$$xv + q;$$

this quantity may be called the heat contents.

Rankine's Cycle.—An important investigation for the steam-engine may be made by aid of the accompanying figure which represents the indicator diagram from a steam-engine without clearance and with a nonconducting cylinder. Steam is admitted at an absolute pressure p_1 from a to b ; adiabatic expansion follows from b to c ; finally the steam is exhausted from c to d at the pressure p_2 . The external work during admission for one pound of steam having the quality x_1 is

$$p_1 v_1 = p_1 (x_1 u_1 + \sigma);$$

the external work during expansion is

$$E_1 - E_2 = \frac{1}{A} (q_1 - q_2 + x_1 p_1 - x_2 p_2);$$

and the external work during exhaust is

$$p_2 v_2 = p_2 (x_2 u_2 + \sigma)$$

which must be subtracted since it is done by the piston on the steam. The effective work of the cycle is

$$p_1 v_1 + E_1 - E_2 - p_2 v_2$$

or substituting the proper values

$$W = \frac{1}{A} (q_1 + x_1 p_1 + A p_1 x_1 u_1 - q_1 - x_2 p_2 - A p_2 x_2 u_2) + (p_1 + p_2) \sigma;$$

the last term is small and may be dropped.

Remembering that

$$r = \rho + A p u,$$

we have

$$W = \frac{1}{A} (q_1 + x_1 r_1 - q_2 - x_2 r_2).$$

The values of r and q may be taken from Tables I, II, or III, and the value of x_2 can be determined by aid of the equation

$$\frac{x_1 r_1}{T_1} + \theta_1 = \frac{x_2 r_2}{T_2} + \theta_2.$$

By the first law of thermodynamics the difference between the heat supplied to an engine and the heat rejected, is equivalent to the work done, provided there are no losses; therefore,

$$Q_1 - Q_2 = x_1 r_1 + q_1 - (x_2 r_2 + q_2).$$

This most important conclusion can be stated as follows: the heat changed into work by a steam-engine working on Rankine's cycle, is equal to the difference in the heat contents of the steam supplied to and exhausted by the engine.

This same expression is found in the discussion of steam-turbines.

Problems of this nature can be solved immediately by aid of the Temperature-Entropy Table.

Superheated Steam. — A dry and saturated vapor, not in contact with the liquid from which it is formed, may be heated to a temperature greater than that corresponding to the given pressure for the same vapor when saturated; such a vapor is said to be superheated. When far removed from the temperature of saturation, such a vapor follows the laws of perfect gases very nearly, but near the temperature of saturation the departure from those laws is too great to allow of calculations by them for engineering purposes.

All the characteristic equations that have been proposed have been derived from the equation

$$pv = RT,$$

which is very nearly true for the so-called perfect gases at moderate temperatures and pressures; it is, however, well known that the equation does not give satisfactory results at very high pressures or very low temperatures. To adapt this equation to represent superheated gas, a corrective term is added to the right-hand side which may most conveniently be assumed to be a function of the temperature and pressure, so that calculations by it may be made to join on to those for saturated steam.

The most satisfactory characteristic equation of this sort is that given by Knoblauch,* Linde, and Klebe,

$$pv = BT - p(1 + ap)\left[C\left(\frac{373}{T}\right)^3 - D\right]$$

p the pressure is in kilograms per square metre, v is in cubic metres, and T is the absolute temperature by the Centigrade thermometer. The constants have the following values:

$$B = 47.10, \quad a = 0.000002, \quad C = 0.031, \quad D = 0.0052.$$

In the English system of units, the pressures being in pounds per

* *Mitteilungen über Forschungsarbeiten*, etc., Heft 21, S. 33, 1905.

square foot, the volumes in cubic feet per pound, and the temperatures in the Fahrenheit scale, we have

$$pv = 85.85 T - p (1 + 0.00000976 p) \left(\frac{150,300,000}{T^3} - 0.0833 \right)$$

The following equation may be used with the pressure in pounds per square *inch*:

$$pv = 0.5962 T - p (1 + 0.0014 p) \left(\frac{150,300,000}{T^3} - 0.0833 \right).$$

The labor of calculation is principally in reducing the corrective term, and especially in the computation of the factor containing the temperature. Table XV gives values of this factor for each five degrees from 100° to 600° F.; the maximum error in the calculation of volume by aid of the table is about 0.4 of one per cent at 336 pounds pressure and 428° F.; that is at the upper limit of our table for saturated steam. At 150 pounds and 358° F., which is about the middle range of our table for saturated steam, the error is not more than 0.2 of one per cent, which is not greater than the probable error of the equation itself under those conditions. At lower pressures and at higher temperatures the error tends to diminish.

The following simple equation is proposed by Tumlriz* based on experiments by Battelli.

$$pv = BT - C_p,$$

where p is the pressure in kilograms per square metre, v the specific volume in cubic metres, and T the absolute temperature Centigrade. The constants to agree with Knoblauch's work should be

$$B = 47.10, \quad C = 0.016.$$

In the English system with the pressure in pounds per square foot and the volumes in cubic feet, for absolute temperatures Fahrenheit,

$$pv = 85.85 T - 0.256 p.$$

This equation has a maximum error of 0.8 of one per cent as compared with Knoblauch's equation.

Specific Heat. — Two investigations have been made of the specific heat of superheated steam at constant pressure, one by Professor Knoblauch † and Dr. Jakob and the other by Professor Thomas

* *Math. Naturw. Kl. Wien*, 1899, IIa S. 1058.

† *Mitteilungen über Forschungsarbeiten* Heft 36, p. 109.

and Mr. Short; * the results of the latter's investigation have been communicated for use in this book in anticipation of the publication of the completed report.

Professor Knoblauch's report gives the results of the investigations made under his direction in the form of a table giving specific heats at various temperatures and pressures and in a diagram, which can be found in the original memoir, and he also gives a table of mean specific heats from the temperature of saturation to various temperatures at several pressures. This latter table is given here in both the metric system and in the English system of units.

SPECIFIC HEAT OF SUPERHEATED STEAM.

Knoblauch and Jakob.

		1	2	4	6	8	10	12	14	16	18	20
<i>p</i> Kg. per Sq. Cm.		14.2	28.4	56.9	85.3	113.8	142.2	170.6	199.1	227.5	156.0	284.4
<i>p</i> Lbs. per Sq. In.		99°	120°	143°	158°	169°	179°	187°	194°	200°	206°	211°
<i>t</i> Cent.		210°	248°	289°	316°	336°	350°	368°	381°	392°	403°	412°
<i>t</i> Fahr.												
Fahr.	Cent.											
212°	100°	0.463	...	...	...	...	...	...	...	...	...	...
302°	150°	0.462	0.478	0.515	...	...	...	...	...	...	...	...
392°	200°	0.462	0.475	0.502	0.530	0.560	0.597	0.635	0.677	...	...	...
482°	250°	0.463	0.474	0.495	0.514	0.532	0.552	0.570	0.588	0.609	0.635	0.664
572°	300°	0.464	0.475	0.492	0.505	0.517	0.530	0.541	0.550	0.561	0.572	0.585
662°	350°	0.468	0.477	0.492	0.503	0.512	0.522	0.529	0.536	0.543	0.550	0.557
752°	400°	0.473	0.481	0.494	0.504	0.512	0.520	0.526	0.531	0.537	0.542	0.547

The construction of this table is readily understood from the following example:— *Required* the heat needed to superheat a kilogram of steam at 4 kilograms per square centimetre from saturation to 300° C. The saturation temperature (to the nearest degree) is 143° C.; so that the steam at 300° is superheated 157°, and for this is required the heat

$$157 \times 0.492 = 77.2 \text{ calories.}$$

The experiments of Professor Knoblauch were made at 2, 4, 6, and 8 kilograms per square centimetre; the remainder of the table was obtained from the diagram which was extended by aid of cross-curves to the extent indicated. Within the limits of the experimental work the table may be used with confidence, the greatest error being probably not more than

* Thesis by Mr. Short, Cornell University.

one third of one per cent. Extrapolated results are probably less reliable than those obtained directly by Professor Thomas.

The following table gives the mean specific heat of superheated steam as measured on a facsimile of Professor Thomas's original diagram without extrapolation.

SPECIFIC HEAT OF SUPERHEATED STEAM.

Thomas and Short.

Degrees of Superheat Fahr.	Pressure Lbs. per Sq. In. (Absolute.)						
	6	15	30	50	100	200	400
20°	0.536	0.547	0.558	0.571	0.593	0.621	0.649
50°	0.522	0.532	0.542	0.555	0.575	0.600	0.621
100°	0.503	0.512	0.524	0.537	0.557	0.581	0.599
150°	0.486	0.496	0.508	0.522	0.544	0.567	0.585
200°	0.471	0.480	0.424	0.509	0.533	0.556	0.574
250°	0.456	0.466	0.481	0.496	0.522	0.546	0.564
300°	0.442	0.453	0.468	0.484	0.511	0.537	0.554

Here again the arrangement of the table can be made evident by an example: — *Required* the heat needed to superheat steam 100 degrees at 200 pounds per square inch absolute. The mean specific heat from saturation is 0.557, so that the heat required is 58.7 thermal units.

Total Heat. — In the solution of problems that arise in engineering it is convenient to use the total amount of heat required to raise one pound of water from freezing-point to the temperature of saturated steam at the given pressure and to vaporize it and to superheat it at that pressure to the given temperature. This total heat may be represented by the expression

$$H = q + r + c_p (t - t_s)$$

where t is the temperature of the superheated steam, t_s is the temperature of saturated steam at the given pressure p , and q and r are the corresponding heat of the liquid and heat of vaporization. The mean specific heat c_p may usually be selected from one of the given tables without interpolation, as a small variation does not have a very large effect.

The total heats or heat contents of superheated steam in the temperature-entropy table were obtained by the following method. From Pro-

fessor Thomas's diagram giving mean specific heats, specific heats at various temperatures and at a given pressure were obtained, and the curves thus obtained were faired after a comparison with curves constructed with Professor Knoblauch's specific heats at those temperatures. These curves were then integrated graphically and the results checked by comparison with his mean specific heats.

Entropy. — By the entropy of superheated steam is meant the increase of entropy due to heating water from freezing-point to the temperature of saturated steam at the given pressure, to the vaporization and to the superheating at that pressure. This operation may be represented as follows:

$$\theta + \frac{r}{T_s} + \int_{T_s}^T \frac{c_p dt}{T}$$

in which T is the absolute temperature of the superheated steam, and T_s is the temperature of the saturated steam at the given pressure; θ and $\frac{r}{T}$ can be taken from Table I. The last term was obtained for the temperature-entropy table by graphical integration of curves plotted with values of $\frac{c_p}{T}$ derived from the curves of specific heats at various temperatures just described under the previous section.

Properties of Sulphur Dioxide. — One of the most interesting and important applications of the theory of superheated vapors is found in the approximate calculation of properties of certain volatile liquids which are used in refrigerating-machines, and for which we have not sufficient experimental data to construct tables in the manner followed for the fluids already discussed.

All attempts in this line have followed the example of Ledoux, who made the first attempt and who naturally took for the basis of his investigations the form of equation proposed by Zeuner for superheated steam, namely,

$$pv = BT - Cp^a.$$

Investigations by Knoblauch already discussed show that this equation can be considered only a crude approximation for steam, and consequently less confidence can be placed on investigations by its aid than we formerly thought. Nevertheless, in our present condition and until more complete experimental data are available we are constrained to

use some such approximate method, and it does not appear profitable to recompute tables at this time.

Fortunately Regnault determined the relation of temperature and pressure, and gave the following equations for pressure in millimetres of mercury, the temperature being on the Centigrade thermometer.

SULPHUR DIOXIDE.	AMMONIA.
$\log p = a - b\alpha^n - c\beta^n$	$\log p = a - b\alpha^n - c\beta^n$
$a = 5.6663790$	$a = 11.5043330$
$b = 3.0146890$	$b = 7.4503520$
$c = 0.1465400$	$c = 0.9499674$
$\log \alpha = 9.9972989 - 10$	$\log \alpha = 9.9996014 - 10$
$\log \beta = 9.9872900 - 10$	$\log \beta = 9.9939729 - 10$
$n = t + 28$	$n = t + 22$
Limits, $-28, +62$.	Limits, $-22, +82$.

The corresponding equations for pressures in pounds per square inch for temperatures Fahrenheit are:

SULPHUR DIOXIDE.	AMMONIA.
$\log p = a - b\alpha^n - c\beta^n$	$\log p = a - b\alpha^n - c\beta^n$
$a = 3.9527847$	$a = 9.7907380$
$\log b = 0.4792425$	$\log b = 0.8721769 - 10$
$\log c = 9.1659562 - 10$	$\log c = 9.9777087 - 10$
$\log \alpha = 9.9984994 - 10$	$\log \alpha = 9.9997786 - 10$
$\log \beta = 9.99293890 - 10$	$\log \beta = 9.9966516 - 10$
$n = t + 18^\circ.4 \text{ F.}$	$n = t + 7.6^\circ \text{ F.}$

In the *Thermodynamics of the Steam-engine* by the author, pages 117 to 126, this calculation has been carried out with the best ascertained properties of the superheated vapors of sulphur dioxide and ammonia with the following results:

SULPHUR DIOXIDE.	AMMONIA.
French units, $pv = 14.5 T - 48 p^{0.22}$	$pv = 54.3 T - 142 p^{\frac{1}{3}}$
English units, $pv = 26.4 T - 184 p^{0.22}$	$pv = 99 T - 710 p^{\frac{1}{3}}$

The application of these equations to the vapors when saturated gives the following results:

HEAT OF VAPORIZATION.

SULPHUR DIOXIDE.

AMMONIA.

French units, $r = 98 - 0.27t$ $r = 300 - 0.8t$ English units, $r = 176 - 0.27(t - 32)$ $r = 540 - 0.8(t - 32)$

SPECIFIC HEAT OF THE LIQUID.

SULPHUR DIOXIDE.

AMMONIA.

 $c = 0.4$ $c = 1.1$

Tables X and XI were calculated by aid of the equations written, and may be of use for approximate calculations, in default of more reliable tables.

Other Data. — For convenience the following data are assembled: —

Length of the metre in inches	39.37.
Weight of the kilogram in pounds	2.2046.
Weight of : litre (1 cu. decimetre) of mercury . .	13.5959 kilos.
One horse power, in foot pounds per second . .	550.
<i>Cheval à vapeur</i> , in kilogrammetres per second . .	75.
Normal pressure of the atmosphere	$\left\{ \begin{array}{l} 760 \text{ mm. of mercury.} \\ 10,333 \text{ kilos per sq. m.} \\ 14.7 \text{ lbs. per sq. in.} \\ 2116 \text{ lbs. per sq. ft.} \\ 29.921 \text{ in. of mercury.} \end{array} \right.$
One inch of mercury is equivalent to	0.4912 pound.
Absolute temperature of freezing-point	$\left\{ \begin{array}{l} 273^{\circ} \text{ C.} \\ 491^{\circ}.5 \text{ F.} \end{array} \right.$
Mechanical equivalent of heat	$\left\{ \begin{array}{l} 427 \text{ meter-kilograms.} \\ 778 \text{ foot-pounds.} \end{array} \right.$

Explanation of Tables. — Table I, which in a sense is the fundamental table for English units, has been computed by the proper equations and methods as already explained, for each degree Fahrenheit; and may be relied upon to have no errors of calculation greater than half a unit in the last significant figure. The proper degree of accuracy to be attributed to any property may be judged from the preceding statements of data and transformations. In general, attention has been given to this matter, each property being stated with the degree of accuracy considered proper, avoiding superfluous figures; an exception will be found in the earlier

parts of Tables I and II where the heat of vaporization is stated to five significant figures, while the data may appear to warrant only four; but there are conveniences in keeping one decimal place throughout these tables for this property.

Table II is made by interpolation from Table I, but the work has been carried on in such a manner that it has practically the same degree of accuracy.

Table III was computed directly from the proper equation for each degree Centigrade. English equivalents are added so that ready conversions can be made from one system to the other or a combination of the two systems may be used.

Tables IV to IX were taken from "Zeuner's Mechanische Warmetheorie," making a correction for the true value of the mechanical equivalent of heat, instead of Joule's earlier value, and adding columns of entropy of the liquid.

Tables X and XI for sulphur dioxide and ammonia were calculated by the approximate method described earlier; though open to a considerable degree of error they may be used till better information can be obtained.

Tables XII and XIII do not appear to call for comment.

Table XIV has been computed to aid in reducing data from tests where pressures are recorded in inches of mercury. Pressures measured in inches of mercury are usually less than that of the atmosphere and the reading gives the vacuum, which is to be subtracted from the barometric reading to find the absolute pressure in inches of mercury. The table then gives the pressure in pounds per square inch which can be taken to Table II to find the properties of steam.

Table XV has been computed to reduce the labor of calculating the volume of superheated steam. It gives the value of the factor

$$\frac{150,300,000}{T^3} - 0.0833,$$

in Knoblauch's equation on page 21 for English units. By aid of this table the volume for a given temperature and pressure can be readily computed. The inverse calculation assuming the volume cannot be made directly, but such problems can be resolved by trial without much labor. If the pressure and volume are assumed the temperature can be found neglecting the correction term, and this will enable us to enter the table at nearly the right place.

TEMPERATURE-ENTROPY TABLE.

This table has been made to facilitate the solution of problems involving adiabatic action for steam and some other problems.

It gives for each degree Fahrenheit and for each hundredth of a unit of entropy, the quality, heat contents and specific volume, both for moist and for superheated steam. For convenience the pressures corresponding to the temperatures are also given.

The properties named may be more exactly stated as follows:—

Moist Steam

Quality, x ; the portion of a pound which is steam.

Heat contents, $xr + q$.

Specific volume, $v = xu + \sigma$.

Superheated Steam

Quality, $t - t_{sat}$; the number of degrees of superheating.

Heat contents, $r + q + c_p (t - t_{sat})$.

Specific volume, v .

The table is arranged in groups of eight triple columns, four on each of two pages, which face each other. Such a group is continued from the highest to the lowest temperature; then comes the next group of eight triple columns, etc. Commonly the solution of a given problem may be found in a single group or in two successive groups. It is important to note this feature of arrangement to avoid aimless search.

For engineering purposes it will be found sufficient to take the nearest temperature of saturated steam and the nearest column of entropy, and to take from the corresponding place in the table the required quantities. At the highest temperature (420° F.), the error of half a degree of temperature corresponds to an error of a pound and a half in pressure; the other properties have the following errors: heat contents 0.15 of a B.T.U., and specific volume 0.008 of a cubic foot, which latter amounts to half of one per cent. At lower temperature the variation of pressure is progressively less, but the other two properties named are affected to about the same degree. Such errors if they were carried into computations and united with other errors in such a way as to occasion greater uncertainties would be liable to be inconvenient; but when found in the

final results of computations and their limits known, are not likely to cause trouble.

On the other hand the error of half a hundredth of a unit of entropy will at 400° correspond to 0.51 of a per cent of priming or moisture in the steam, and will carry a like error into all of the work. This uncertainty of using the table without interpolation will be nearly the same throughout the table.

Should the errors named be considered to be too large in any case, greater accuracy can be had by interpolation. Direct interpolation for temperature or for entropy can be made with facility; cross-interpolation will be somewhat more troublesome.

The use of the tables can best be illustrated by a few examples.

Example 1. — Given the pressure by the gauge 150.3 pounds (165 absolute) and the priming 2.0 per cent ($x = 0.980$) to find the entropy, heat contents and specific volume. This condition is found most nearly on page 78 and gives

$$\phi = 1.54 \qquad xr + q = 1176.8 \qquad v = 2.699.$$

Example 2. — Given the pressure 150.3 pounds by the gauge and the temperature 508° F., to find the entropy, heat contents and specific volume. The superheating is 142° and the temperature of saturated steam corresponding to 165 pounds absolute is 366° F. These conditions are found on page 93 and give

$$\phi = 1.65 \qquad r + q + c_p(t - t_s) = 1274 \qquad v = 3.395.$$

Example 3. — Required the amount of heat changed into work per pound of steam for Rankine's cycle, the initial pressure being 150.3 pounds by the gauge and the exhaust being under a vacuum of 26 inches of mercury. The steam initially has 1.0 per cent of priming, and the barometer stands at 30 inches of mercury.

The exhaust pressure is 4 inches of mercury which by Table XIV corresponds to 1.96 pound. The initial absolute pressure is found by adding the equivalent of 30 inches of mercury or

$$14.7 \text{ pounds to } 150.3 \text{ giving } 165.0.$$

The solution of this problem is found in the column for entropy 1.55.

	p	t	x	$xt + q$	v
Initial	165	366	.990	1185.0	2.726
Final	2	126	.784	<u>899.1</u>	137.4
Heat changed into work B.T.U.				285.9	

Example 4. — Required the velocity of discharge from a nozzle which takes steam at 150.3 pounds by the gauge and expands down to 26 inches of vacuum; the initial priming being .01 and the barometer being at 30 inches.

The available heat is the same as that for the previous problem, namely, 285.9 B.T.U. for an adiabatic expansion. The velocity without friction would be

$$V = \sqrt{2 \times 32.2 \times 778 \times 285.9} = 3786.$$

If an allowance of ten per cent be made for friction the velocity will be

$$V = \sqrt{2 \times 32.2 \times 778 \times 0.90 \times 285.9} = 3590.$$

The specific volume at exit can be found as follows: — The heat that would be changed into work with an allowance of ten per cent for friction will be

$$0.90 \times 285.9 = 257.2 \text{ B.T.U.}$$

Subtracting from the initial heat contents leaves

$$1185 - 257 = 928 \text{ B.T.U.}$$

for the heat contents at 126° F. at the discharge, and this property is found for the entropy 1.60; the corresponding specific volume is 142 cubic feet.

Example 5. — Suppose that the conditions of example 3 are applied to a steam-turbine which has four pressure stages. For adiabatic expansion the available heat per stage will be

$$285.9 \div 4 = 71.4 \text{ B.T.U.}$$

This quantity may be subtracted four times successively from the initial heat contents and the results will be the heat contents for the

intermediate and final pressures. All the properties are to be located in the columns for entropy 1.55. The results are as follows: —

	INITIAL STAGE.	SECOND STAGE.	THIRD STAGE.	FOURTH STAGE.	DISCHARGE.
Heat contents	1185.0	1113.5	1042.1	970.6	899.1
Temperatures	366	299	237	180	126
Pressures	165	66.2	23.7	7.50	1.99

A full discussion of this method with allowance for friction and other losses together with its limitations will be found in the author's "Thermodynamics of the Steam Engine."

TABLE I.
SATURATED STEAM.

ENGLISH UNITS

Temperature, Degrees Fabr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight in Pounds of One Cubic Foot.	Temperature, Degrees Fabr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>s_{pr}</i>	<i>s</i>	<i>r/T</i>	<i>v</i>	<i>γ</i>	<i>t</i>
32	0.0800 ₃₆	0.0	1091.7	1035.8	55.9	0.0000	2.2211	3395 ₁₂₇	0.0002945 ₁₁₅	32
33	0.0926 ₃₇	1.0	1092.0	1035.0	56.0	0.0021	2.2152	3268 ₁₂₃	0.0003060 ₁₂₀	33
34	0.0963 ₃₉	2.0	1090.3	1034.2	56.1	0.0041	2.2094	3145 ₁₁₆	0.0003180 ₁₂₁	34
35	0.1002 ₄₀	3.0	1089.6	1033.5	56.1	0.0061	2.2035	3029 ₁₁₂	0.0003301 ₁₂₇	35
36	0.1042 ₄₁	4.0	1088.9	1032.7	56.2	0.0082	2.1975	2917 ₁₀₇	0.0003428 ₁₃₁	36
37	0.1083 ₄₃	5.0	1088.2	1031.9	56.3	0.0102	2.1916	2810 ₁₀₄	0.0003559 ₁₃₆	37
38	0.1126 ₄₄	6.1	1087.4	1031.1	56.3	0.0122	2.1858	2706 ₉₉	0.0003695 ₁₄₁	38
39	0.1170 ₄₆	7.1	1086.7	1030.3	56.4	0.0142	2.1800	2607 ₉₅	0.0003836 ₁₄₅	39
40	0.1216 ₄₈	8.1	1086.0	1029.5	56.5	0.0163	2.1741	2512 ₉₁	0.0003981 ₁₅₀	40
41	0.1264 ₄₉	9.1	1085.3	1028.7	56.6	0.0183	2.1684	2421 ₈₇	0.0004131 ₁₅₄	41
42	0.1313 ₅₁	10.1	1084.7	1028.0	56.7	0.0203	2.1628	2334 ₈₅	0.0004285 ₁₆₁	42
43	0.1364 ₅₃	11.1	1084.0	1027.2	56.8	0.0223	2.1572	2249 ₈₀	0.0004446 ₁₆₄	43
44	0.1417 ₅₄	12.1	1083.3	1026.4	56.9	0.0243	2.1516	2169 ₇₇	0.0004610 ₁₇₀	44
45	0.1471 ₅₇	13.1	1082.6	1025.7	56.9	0.0262	2.1459	2092 ₇₄	0.0004780 ₁₇₅	45
46	0.1528 ₅₈	14.1	1081.9	1024.9	57.0	0.0282	2.1402	2018 ₇₁	0.0004955 ₁₈₁	46
47	0.1586 ₆₀	15.1	1081.2	1024.1	57.1	0.0302	2.1346	1947 ₆₉	0.0005136 ₁₈₈	47
48	0.1646 ₆₂	16.1	1080.5	1023.3	57.2	0.0322	2.1291	1878 ₆₆	0.0005324 ₁₉₅	48
49	0.1708 ₆₅	17.1	1079.8	1022.5	57.3	0.0342	2.1236	1812 ₆₃	0.0005519 ₁₉₉	49
50	0.1773 ₆₆	18.1	1079.1	1021.7	57.4	0.0361	2.1180	1749 ₆₀	0.0005718 ₂₀₅	50
51	0.1839 ₆₉	19.1	1078.4	1021.0	57.4	0.0381	2.1124	1689 ₅₉	0.0005923 ₂₁₂	51
52	0.1908 ₇₁	20.1	1077.7	1020.2	57.5	0.0401	2.1069	1630 ₅₆	0.0006135 ₂₁₈	52
53	0.1979 ₇₃	21.1	1077.0	1019.4	57.6	0.0420	2.1014	1574 ₅₄	0.0006353 ₂₂₆	53
54	0.2052 ₇₆	22.1	1076.3	1018.6	57.7	0.0440	2.0960	1520 ₅₂	0.0006579 ₂₃₃	54
55	0.2128 ₇₈	23.1	1075.6	1017.8	57.8	0.0459	2.0906	1468 ₅₀	0.0006812 ₂₄₀	55
56	0.2206 ₈₁	24.1	1074.9	1017.0	57.9	0.0479	2.0851	1418 ₄₈	0.0007052 ₂₄₇	56
57	0.2287 ₈₃	25.1	1074.2	1016.2	58.0	0.0498	2.0797	1370 ₄₆	0.0007299 ₂₅₄	57
58	0.2370 ₈₆	26.1	1073.5	1015.5	58.0	0.0517	2.0744	1324 ₄₅	0.0007553 ₂₆₃	58
59	0.2456 ₈₉	27.1	1072.8	1014.7	58.1	0.0537	2.0691	1279 ₄₂	0.0007816 ₂₆₈	59
60	0.2545 ₉₂	28.1	1072.1	1013.9	58.2	0.0556	2.0638	1237 ₄₁	0.0008084 ₂₇₈	60
61	0.2637 ₉₄	29.1	1071.4	1013.1	58.3	0.0575	2.0585	1196 ₄₀	0.0008362 ₂₈₉	61
62	0.2731 ₉₈	30.1	1070.8	1012.4	58.4	0.0594	2.0533	1156 ₃₈	0.0008651 ₂₉₄	62
63	0.2829 ₁₀₀	31.1	1070.1	1011.6	58.5	0.0614	2.0481	1118 ₃₇	0.0008945 ₃₀₄	63

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY, Weight in Pounds of One Cubic Foot.	Temperature, Degrees Fahr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	$\frac{r}{T}$	<i>s</i>	<i>γ</i>	<i>t</i>
64	0.2929 ₁₀₄	32.1	1069.4	1010.8	58.6	0.0633	2.0431	1081.37	0.0009249 ₃₁₃	64
65	0.3033 ₁₀₇	33.1	1068.7	1010.0	58.7	0.0652	2.0378	1044.33	0.0009562 ₃₂₆	65
66	0.3140 ₁₁₀	34.1	1068.0	1009.3	58.7	0.0671	2.0324	1011.33	0.0009888 ₃₃₂	66
67	0.3250 ₁₁₄	35.1	1067.3	1008.5	58.8	0.0690	2.0272	978.5 ₃₁₆	0.001022 ₃₅	67
68	0.3364 ₁₁₇	36.1	1066.6	1007.7	58.9	0.0709	2.0221	946.9 ₃₀₅	0.001057 ₃₅	68
69	0.3481 ₁₂₁	37.1	1065.9	1006.9	59.0	0.0728	2.0169	916.4 ₂₉₄	0.001092 ₃₆	69
70	0.3602 ₁₂₄	38.1	1065.2	1006.1	59.1	0.0747	2.0118	887.0 ₂₈₃	0.001128 ₃₇	70
71	0.3726 ₁₂₈	39.1	1064.5	1005.3	59.2	0.0766	2.0066	858.7 ₂₇₃	0.001165 ₃₈	71
72	0.3854 ₁₃₂	40.1	1063.8	1004.5	59.3	0.0784	2.0015	831.4 ₂₆₄	0.001203 ₃₉	72
73	0.3986 ₁₃₆	41.1	1063.1	1003.7	59.4	0.0803	1.9964	805.0 ₂₅₄	0.001242 ₄₁	73
74	0.4122 ₁₄₀	42.1	1062.4	1002.9	59.5	0.0822	1.9914	779.6 ₂₄₄	0.001283 ₄₂	74
75	0.4262 ₁₄₄	43.1	1061.7	1002.2	59.5	0.0841	1.9863	755.2 ₂₃₇	0.001325 ₄₂	75
76	0.4406 ₁₄₉	44.1	1061.0	1001.4	59.6	0.0859	1.9813	731.5 ₂₂₈	0.001367 ₄₄	76
77	0.4555 ₁₅₃	45.1	1060.3	1000.6	59.7	0.0878	1.9763	708.7 ₂₁₉	0.001411 ₄₅	77
78	0.4708 ₁₅₇	46.1	1059.6	999.8	59.8	0.0896	1.9713	686.8 ₂₁₂	0.001456 ₄₆	78
79	0.4865 ₁₆₂	47.1	1058.9	999.0	59.9	0.0915	1.9663	665.6 ₂₀₄	0.001502 ₄₈	79
80	0.5027 ₁₆₇	48.1	1058.2	998.2	60.0	0.0934	1.9614	645.2 ₁₉₇	0.001550 ₄₉	80
81	0.5194 ₁₇₁	49.1	1057.5	997.4	60.1	0.0952	1.9565	625.5 ₁₉₁	0.001599 ₅₀	81
82	0.5365 ₁₇₇	50.1	1056.9	996.7	60.2	0.0971	1.9516	606.4 ₁₈₅	0.001649 ₅₂	82
83	1.5542 ₁₈₁	51.1	1056.2	995.9	60.3	0.0989	1.9468	587.9 ₁₇₈	0.001701 ₅₃	83
84	0.5723 ₁₈₇	52.1	1055.5	995.1	60.4	0.1007	1.9420	570.1 ₁₇₁	0.001754 ₅₄	84
85	0.5910 ₁₉₂	53.1	1054.8	994.3	60.5	0.1026	1.9372	553.0 ₁₆₆	0.001808 ₅₅	85
86	0.6102 ₁₉₇	54.1	1054.1	993.6	60.5	0.1044	1.9324	536.4 ₁₆₀	0.001864 ₅₈	86
87	0.6299 ₂₀₃	55.1	1053.4	992.8	60.6	0.1062	1.9276	520.4 ₁₅₆	0.001922 ₅₉	87
88	0.6502 ₂₀₉	56.1	1052.7	992.0	60.7	0.1081	1.9228	504.8 ₁₄₈	0.001981 ₆₀	88
89	0.6711 ₂₁₄	57.1	1052.0	991.2	60.8	0.1099	1.9180	490.0 ₁₄₄	0.002041 ₆₂	89
90	0.6925 ₂₂₁	58.1	1051.3	990.4	60.9	0.1117	1.9132	475.6 ₁₃₉	0.002103 ₆₄	90
91	0.7146 ₂₂₆	59.1	1050.6	989.6	61.0	0.1135	1.9085	461.7 ₁₃₆	0.002167 ₆₅	91
92	0.7372 ₂₃₃	60.1	1049.9	988.8	61.1	0.1153	1.9037	448.1 ₁₃₁	0.002232 ₆₇	92
93	0.7605 ₂₃₉	61.1	1049.2	988.0	61.2	0.1171	1.8990	435.0 ₁₂₆	0.002299 ₆₈	93
94	0.7844 ₂₄₆	62.1	1048.5	987.2	61.3	0.1189	1.8943	422.4 ₁₂₂	0.002367 ₇₁	94
95	0.8090 ₂₅₂	63.1	1047.8	986.4	61.4	0.1207	1.8896	410.2 ₁₁₈	0.002438 ₇₃	95
96	0.8342 ₂₅₉	64.1	1047.1	985.6	61.5	0.1225	1.8850	398.4 ₁₁₅	0.002511 ₇₄	96
97	0.8601 ₂₆₆	65.0	1046.5	984.9	61.6	0.1243	1.8805	386.9 ₁₁₀	0.002585 ₇₅	97
98	0.8867 ₂₇₃	66.0	1045.8	984.1	61.7	0.1261	1.8759	375.9 ₁₀₇	0.002660 ₇₈	98
99	0.9140 ₂₈₁	67.0	1045.1	983.3	61.8	0.1279	1.8713	365.2 ₁₀₅	0.002738 ₈₀	99
100	0.9421 ₂₈₈	68.0	1044.4	982.6	61.8	0.1297	1.8667	354.7 ₉₉	0.002818 ₈₂	100
101	0.9709 ₂₉₁	69.0	1043.7	981.8	61.9	0.1314	1.8621	344.8 ₉₆	0.002900 ₈₄	101
102	1.000 ₃₁	70.0	1043.1	981.1	62.0	0.1332	1.8575	335.2 ₉₃	0.002984 ₈₅	102
103	1.031 ₃₁	71.0	1042.4	980.3	62.1	0.1350	1.8530	325.9 ₉₁	0.003069 ₈₈	103
104	1.062 ₃₂	72.0	1041.7	979.5	62.2	0.1368	1.8485	316.8 ₈₈	0.003157 ₉₀	104

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight, in Pounds, of One Cubic Foot.	Temperature, Degrees Fahr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>s_{ap}</i>	<i>θ</i>	$\frac{r}{T}$	<i>v</i>	<i>γ</i>	<i>t</i>
105	1.094 ₃₃	73.0	1041.0	978.7	62.3	0.1385	1.8440	308.0 ₉₆	0.003247 ₈₃	105
106	1.127 ₃₃	74.0	1040.3	977.9	62.4	0.1403	1.8396	295.4 ₈₂	0.003340 ₉₄	106
107	1.160 ₃₅	75.0	1039.6	977.1	62.5	0.1421	1.8351	291.2 ₇₉	0.003434 ₉₆	107
108	1.195 ₃₅	76.0	1038.9	976.3	62.6	0.1438	1.8306	283.3 ₇₇	0.003530 ₉₈	108
109	1.230 ₃₆	77.0	1038.2	975.5	62.7	0.1456	1.8261	275.6 ₇₅	0.003628 ₁₀₂	109
110	1.266 ₃₈	78.0	1037.5	974.7	62.8	0.1473	1.8217	268.1 ₇₂	0.003730 ₁₀₄	110
111	1.304 ₃₈	79.0	1036.8	973.9	62.9	0.1491	1.8173	260.9 ₇₁	0.003834 ₁₀₆	111
112	1.342 ₃₉	80.0	1036.1	973.1	63.0	0.1508	1.8129	253.8 ₆₈	0.003940 ₁₀₉	112
113	1.381 ₄₀	81.0	1035.4	972.3	63.1	0.1526	1.8085	247.0 ₆₆	0.004049 ₁₁₁	113
114	1.421 ₄₁	82.0	1034.7	971.5	63.2	0.1543	1.8042	240.4 ₆₄	0.004160 ₁₁₄	114
115	1.462 ₄₂	83.0	1034.0	970.7	63.3	0.1560	1.7998	234.0 ₆₂	0.004274 ₁₁₆	115
116	1.504 ₄₃	84.0	1033.3	969.9	63.4	0.1578	1.7955	227.8 ₆₀	0.004390 ₁₁₉	116
117	1.547 ₄₄	85.0	1032.6	969.1	63.5	0.1595	1.7912	221.8 ₅₈	0.004509 ₁₂₁	117
118	1.591 ₄₅	86.0	1031.9	968.3	63.6	0.1612	1.7868	216.0 ₅₅	0.004630 ₁₂₅	118
119	1.636 ₄₇	87.0	1031.2	967.5	63.7	0.1630	1.7825	210.3 ₅₅	0.004755 ₁₂₈	119
120	1.683 ₄₇	88.0	1030.5	966.7	63.8	0.1647	1.7782	204.8 ₅₃	0.004883 ₁₃₀	120
121	1.730 ₄₉	89.0	1029.8	966.0	63.8	0.1664	1.7740	199.5 ₅₂	0.005013 ₁₃₄	121
122	1.779 ₅₀	90.0	1029.2	965.3	63.9	0.1682	1.7699	194.3 ₅₀	0.005147 ₁₃₆	122
123	1.829 ₅₁	91.0	1028.5	964.5	64.0	0.1699	1.7657	189.3 ₄₈	0.005283 ₁₃₈	123
124	1.880 ₅₂	92.0	1027.8	963.7	64.1	0.1716	1.7615	184.5 ₄₇	0.005421 ₁₄₁	124
125	1.932 ₅₃	93.0	1027.1	962.9	64.2	0.1733	1.7573	179.8 ₄₆	0.005562 ₁₄₆	125
126	1.985 ₅₅	94.0	1026.4	962.1	64.3	0.1750	1.7531	175.2 ₄₅	0.005708 ₁₄₉	126
127	2.040 ₅₆	95.0	1025.7	961.3	64.4	0.1767	1.7489	170.7 ₄₃	0.005857 ₁₅₃	127
128	2.096 ₅₇	96.0	1025.0	960.5	64.5	0.1784	1.7447	166.4 ₄₁	0.006010 ₁₅₅	128
129	2.153 ₅₉	97.0	1024.3	959.7	64.6	0.1801	1.7405	162.3 ₄₂	0.006165 ₁₅₉	129
130	2.212 ₆₀	98.0	1023.6	958.9	64.7	0.1818	1.7364	158.1 ₃₉	0.006324 ₁₆₁	130
131	2.272 ₆₁	99.0	1022.9	958.1	64.8	0.1835	1.7323	154.2 ₃₈	0.006485 ₁₆₄	131
132	2.333 ₆₃	100.0	1022.2	957.3	64.9	0.1852	1.7281	150.4 ₃₇	0.006649 ₁₆₈	132
133	2.396 ₆₄	101.0	1021.5	956.5	65.0	0.1869	1.7240	146.7 ₃₆	0.006817 ₁₇₃	133
134	2.460 ₆₆	102.0	1020.8	955.7	65.1	0.1886	1.7200	143.1 ₃₆	0.006990 ₁₇₆	134
135	2.526 ₆₇	103.0	1020.1	954.9	65.2	0.1902	1.7159	139.5 ₃₄	0.007166 ₁₇₉	135
136	2.593 ₆₉	104.0	1019.4	954.1	65.3	0.1919	1.7118	136.1 ₃₃	0.007345 ₁₈₃	136
137	2.662 ₇₀	105.0	1018.7	953.3	65.4	0.1936	1.7078	132.8 ₃₂	0.007528 ₁₈₅	137
138	2.732 ₇₂	106.0	1018.0	952.5	65.5	0.1952	1.7037	129.6 ₃₁	0.007713 ₁₉₁	138
139	2.804 ₇₃	107.0	1017.3	951.7	65.6	0.1969	1.6997	126.5 ₃₁	0.007904 ₁₉₆	139
140	2.877 ₇₆	108.0	1016.6	950.9	65.7	0.1986	1.6957	123.4 ₃₀	0.008100 ₁₉₈	140
141	2.953 ₇₆	109.0	1015.9	950.1	65.8	0.2002	1.6918	120.4 ₂₉	0.008298 ₂₀₄	141
142	3.029 ₇₉	110.0	1015.3	949.4	65.9	0.2019	1.6879	117.5 ₂₈	0.008502 ₂₀₈	142
143	3.108 ₈₀	111.0	1014.6	948.6	66.0	0.2036	1.6840	114.7 ₂₇	0.008710 ₂₀₉	143
144	3.188 ₈₂	112.0	1013.9	947.8	66.1	0.2052	1.6800	112.0 ₂₆	0.008929 ₂₁₄	144
145	3.270 ₈₃	113.0	1013.2	947.0	66.2	0.2069	1.6761	109.4 ₂₆	0.009145 ₂₂₀	145

Temperature, Degrees Fabr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight, in Pounds, of One Cubic Foot.	Temperature, Degrees Fabr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	$\frac{r}{T}$	<i>s</i>	<i>γ</i>	<i>t</i>
146	3.353 ⁸⁶	114.0	1012.5	946.2	66.3	0.2085	1.6722	106.8 ²⁵	0.009363 ²²⁵	146
147	3.439 ⁸⁷	115.0	1011.8	945.4	66.4	0.2102	1.6683	104.3 ²⁴	0.009588 ²²⁸	147
148	3.526 ⁸⁹	116.0	1011.1	944.6	66.5	0.2118	1.6644	101.9 ²⁴	0.009816 ²³⁴	148
149	3.615 ⁹¹	117.0	1010.4	943.8	66.6	0.2135	1.6605	99.54 ²³⁰	0.01005 ²³	149
150	3.706 ⁹³	118.0	1009.7	943.0	66.7	0.2151	1.6566	97.24 ²²⁵	0.01028 ²⁴	150
151	3.799 ⁹⁵	119.0	1009.0	942.2	66.8	0.2168	1.6527	94.99 ²¹⁸	0.01052 ²⁵	151
152	3.894 ⁹⁷	120.0	1008.3	941.5	66.8	0.2184	1.6488	92.81 ²¹³	0.01077 ²⁵	152
153	3.991 ⁹⁹	121.0	1007.6	940.7	66.9	0.2200	1.6450	90.68 ²⁰⁶	0.01102 ²⁶	153
154	4.090 ¹⁰¹	122.0	1006.9	939.9	67.0	0.2217	1.6412	88.62 ²⁰¹	0.01128 ²⁷	154
155	4.191 ¹⁰⁴	123.0	1006.2	939.1	67.1	0.2233	1.6374	86.61 ¹⁹⁵	0.01155 ²⁷	155
156	4.295 ¹⁰⁵	124.0	1005.5	938.3	67.2	0.2249	1.6336	84.66 ¹⁹²	0.01182 ²⁷	156
157	4.400 ¹⁰⁸	125.0	1004.8	937.5	67.3	0.2265	1.6298	82.74 ¹⁸⁶	0.01209 ²⁷	157
158	4.508 ¹⁰⁹	126.0	1004.1	936.7	67.4	0.2282	1.6261	80.88 ¹⁸¹	0.01236 ²⁸	158
159	4.617 ¹¹²	127.0	1003.4	935.9	67.5	0.2298	1.6224	79.07 ¹⁷⁶	0.01264 ²⁹	159
160	4.729 ¹¹⁵	128.0	1002.7	935.1	67.6	0.2314	1.6186	77.31 ¹⁷¹	0.01293 ³⁰	160
161	4.844 ¹¹⁶	129.0	1002.0	934.3	67.7	0.2330	1.6148	75.60 ¹⁶⁷	0.01323 ³⁰	161
162	4.960 ¹¹⁹	130.0	1001.4	933.6	67.8	0.2347	1.6111	73.93 ¹⁶³	0.01353 ³⁰	162
163	5.079 ¹²¹	131.0	1000.7	932.8	67.9	0.2363	1.6075	72.30 ¹⁵⁸	0.01383 ³¹	163
164	5.200 ¹²⁴	132.0	1000.0	932.0	68.0	0.2379	1.6038	70.72 ¹⁵⁵	0.01414 ³²	164
165	5.324 ¹²⁶	133.0	999.3	931.2	68.1	0.2395	1.6002	69.17 ¹⁵⁰	0.01446 ³²	165
166	5.450 ¹²⁹	134.0	998.6	930.4	68.2	0.2411	1.5965	67.67 ¹⁴⁶	0.01478 ³²	166
167	5.579 ¹³¹	135.0	997.9	929.6	68.3	0.2427	1.5928	66.21 ¹⁴⁴	0.01510 ³⁴	167
168	5.710 ¹³⁴	136.0	997.2	928.8	68.4	0.2443	1.5891	64.77 ¹⁴⁰	0.01544 ³⁴	168
169	5.844 ¹³⁷	137.0	996.5	928.0	68.5	0.2459	1.5855	63.37 ¹³⁷	0.01578 ³⁵	169
170	5.981 ¹³⁹	138.0	995.8	927.2	68.6	0.2475	1.5819	62.00 ¹³³	0.01613 ³⁵	170
171	6.120 ¹⁴²	139.0	995.1	926.4	68.7	0.2491	1.5783	60.67 ¹²⁸	0.01648 ³⁶	171
172	6.262 ¹⁴⁵	140.0	994.4	925.6	68.8	0.2506	1.5747	59.39 ¹²⁶	0.01684 ³⁶	172
173	6.407 ¹⁴⁷	141.0	993.7	924.8	68.9	0.2522	1.5711	58.13 ¹²³	0.01720 ³⁷	173
174	6.554 ¹⁵⁰	142.0	993.0	924.1	68.9	0.2538	1.5675	56.90 ¹²⁰	0.01757 ³⁸	174
175	6.704 ¹⁵⁴	143.0	992.3	923.3	69.0	0.2554	1.5639	55.70 ¹¹⁶	0.01795 ³⁹	175
176	6.858 ¹⁵⁶	144.0	991.6	922.5	69.1	0.2570	1.5604	54.54 ¹¹⁵	0.01834 ³⁹	176
177	7.014 ¹⁵⁹	145.0	990.9	921.7	69.2	0.2585	1.5569	53.39 ¹¹²	0.01873 ⁴⁰	177
178	7.173 ¹⁶²	146.0	990.2	920.5	69.3	0.2601	1.5533	52.27 ¹⁰⁸	0.01913 ⁴¹	178
179	7.335 ¹⁶⁵	147.0	989.5	920.1	69.4	0.2617	1.5498	51.19 ¹⁰⁵	0.01954 ⁴¹	179
180	7.500 ¹⁶⁸	148.0	988.8	919.3	69.5	0.2633	1.5463	50.14 ¹⁰⁴	0.01995 ⁴²	180
181	7.668 ¹⁷²	149.0	988.1	918.5	69.6	0.2648	1.5428	49.10 ¹⁰¹	0.02037 ⁴³	181
182	7.840 ¹⁷⁴	150.1	987.4	917.7	69.7	0.2664	1.5393	48.09 ⁹⁸	0.02080 ⁴³	182
183	8.014 ¹⁷⁸	151.1	986.7	916.9	69.8	0.2680	1.5358	47.11 ⁹⁶	0.02123 ⁴⁴	183
184	8.192 ¹⁸¹	152.1	986.0	916.1	69.9	0.2696	1.5323	46.15 ⁹⁵	0.02167 ⁴⁵	184
185	8.373 ¹⁸⁵	153.1	985.3	915.3	70.0	0.2711	1.5288	45.20 ⁹²	0.02212 ⁴⁶	185
186	8.558 ¹⁸⁸	154.1	984.6	914.5	70.1	0.2727	1.5254	44.28 ⁹⁰	0.02258 ⁴⁷	186

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight in Pounds, of One Cubic Foot.	Temperature, Degrees Fahr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>spu</i>	<i>s</i>	<i>s_v</i>	<i>v</i>	<i>γ</i>	<i>t</i>
187	8.746 ₁₉₁	155.1	983.9	913.8	70.1	0.2742	1.5219	43.38 ₈₇	0.02305 ₄₇	187
188	8.937 ₁₉₅	156.1	983.2	913.0	70.2	0.2758	1.5185	42.51 ₈₅	0.02352 ₄₈	188
189	9.132 ₁₉₈	157.1	982.5	912.2	70.3	0.2773	1.5150	41.66 ₈₃	0.02400 ₄₉	189
190	9.330 ₂₀₂	158.1	981.8	911.4	70.4	0.2789	1.5116	40.83 ₈₂	0.02448 ₅₀	190
191	9.532 ₂₀₆	159.1	981.1	910.6	70.5	0.2805	1.5082	40.01 ₇₉	0.02495 ₅₁	191
192	9.738 ₂₀₉	160.1	980.4	909.8	70.6	0.2820	1.5048	39.22 ₇₈	0.02550 ₅₁	192
193	9.947 ₂₁₃	161.1	979.7	909.0	70.7	0.2835	1.5015	38.44 ₇₆	0.02601 ₅₃	193
194	10.16 ₂₂	162.1	979.0	908.2	70.8	0.2851	1.4981	37.68 ₇₄	0.02654 ₅₄	194
195	10.38 ₂₂	163.1	978.3	907.4	70.9	0.2866	1.4947	36.94 ₇₃	0.02708 ₅₄	195
196	10.60 ₂₂	164.1	977.6	906.7	70.9	0.2882	1.4913	36.21 ₇₁	0.02762 ₅₅	196
197	10.82 ₂₃	165.1	976.9	905.9	71.0	0.2897	1.4880	35.50 ₆₉	0.02817 ₅₆	197
198	11.05 ₂₃	166.2	976.1	905.0	71.1	0.2912	1.4846	34.81 ₆₇	0.02873 ₅₆	198
199	11.28 ₂₄	167.2	975.4	904.2	71.2	0.2928	1.4813	34.14 ₆₆	0.02929 ₅₈	199
200	11.52 ₂₄	168.2	974.7	903.4	71.3	0.2943	1.4779	33.48 ₆₄	0.02987 ₅₉	200
201	11.76 ₂₄	169.2	974.0	902.6	71.4	0.2958	1.4746	32.84 ₆₄	0.03046 ₆₀	201
202	12.00 ₂₅	170.2	973.4	901.9	71.5	0.2973	1.4714	32.20 ₆₁	0.03106 ₆₀	202
203	12.25 ₂₆	171.2	972.7	901.2	71.5	0.2989	1.4682	31.59 ₆₀	0.03166 ₆₁	203
204	12.51 ₂₆	172.2	972.0	900.4	71.6	0.3004	1.4650	30.99 ₅₉	0.03227 ₆₂	204
205	12.77 ₂₆	173.2	971.3	899.6	71.7	0.3019	1.4617	30.40 ₅₇	0.03286 ₆₃	205
206	13.03 ₂₆	174.2	970.6	898.8	71.8	0.3034	1.4585	29.83 ₅₇	0.03352 ₆₆	206
207	13.29 ₂₇	175.2	969.9	898.0	71.9	0.3049	1.4552	29.26 ₅₆	0.03418 ₆₆	207
208	13.56 ₂₈	176.2	969.2	897.2	72.0	0.3064	1.4520	28.70 ₅₄	0.03484 ₆₇	208
209	13.84 ₂₈	177.2	968.5	896.5	72.0	0.3079	1.4488	28.16 ₅₃	0.03551 ₆₈	209
210	14.12 ₂₉	178.3	967.7	895.6	72.1	0.3095	1.4455	27.63 ₅₂	0.03619 ₇₀	210
211	14.41 ₂₉	179.3	967.0	894.8	72.2	0.3110	1.4422	27.11 ₄₅	0.03689 ₆₂	211
212	14.70 ₂₉	180.3	966.3	893.9	72.4	0.3125	1.4390	26.66 ₄₅	0.03751 ₆₆	212
213	14.99 ₃₀	181.3	965.6	893.0	72.6	0.3140	1.4358	26.21 ₄₈	0.03817 ₇₀	213
214	15.29 ₃₀	182.3	964.9	892.2	72.7	0.3155	1.4326	25.73 ₄₈	0.03887 ₇₃	214
215	15.59 ₃₁	183.3	964.2	891.4	72.8	0.3170	1.4295	25.25 ₄₆	0.03960 ₇₄	215
216	15.90 ₃₁	184.3	963.5	890.6	72.9	0.3185	1.4263	24.79 ₄₅	0.04034 ₇₄	216
217	16.21 ₃₂	185.2	962.8	889.9	72.9	0.3200	1.4232	24.34 ₄₄	0.04108 ₇₆	217
218	16.53 ₃₃	186.3	962.1	889.1	73.0	0.3215	1.4200	23.90 ₄₄	0.04184 ₇₉	218
219	16.86 ₃₃	187.4	961.3	888.2	73.1	0.3230	1.4168	23.46 ₄₃	0.04263 ₇₉	219
220	17.19 ₃₃	188.4	960.6	887.5	73.1	0.3244	1.4137	23.03 ₄₂	0.04342 ₈₁	220
221	17.52 ₃₄	189.4	959.9	886.7	73.2	0.3259	1.4106	22.61 ₄₁	0.04423 ₈₂	221
222	17.86 ₃₅	190.4	959.3	886.0	73.3	0.3274	1.4075	22.20 ₃₉	0.04506 ₈₂	222
223	18.21 ₃₅	191.4	958.6	885.2	73.4	0.3289	1.4045	21.81 ₃₉	0.04587 ₈₃	223
224	18.50 ₃₅	192.4	957.9	884.4	73.5	0.3304	1.4014	21.42 ₃₈	0.04670 ₈₄	224
225	18.91 ₃₇	193.4	957.2	883.7	73.5	0.3319	1.3984	21.04 ₃₇	0.04754 ₈₆	225
226	19.28 ₃₇	194.4	956.5	882.9	73.6	0.3333	1.3954	20.67 ₃₈	0.04840 ₈₉	226
227	19.65 ₃₇	195.4	955.8	882.1	73.7	0.3348	1.3923	20.29 ₃₆	0.04929 ₈₉	227

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY.		Temperature, Degrees Fahr.
									Weight, in Pounds, of One Cubic Foot.	Weight, in Pounds, of One Cubic Foot.	
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	$\frac{r}{T}$	<i>s</i>	<i>γ</i>	<i>γ</i>	<i>t</i>
228	20.02 ³⁸	196.5	955.0	881.2	73.8	0.3363	1.3892	19.93 ³⁵	0.05018 ⁸⁹		228
229	20.40 ³⁸	197.5	954.3	880.5	73.8	0.3378	1.3861	19.58 ³⁴	0.05107 ⁹⁰		229
230	20.78 ³⁹	198.5	953.6	879.7	73.9	0.3392	1.3831	19.24 ³³	0.05197 ⁹²		230
231	21.17 ⁴⁰	199.5	952.9	878.9	74.0	0.3407	1.3800	18.91 ³³	0.05289 ⁹⁴		231
232	21.57 ⁴¹	200.5	952.2	878.2	74.0	0.3422	1.3770	18.58 ³²	0.05383 ⁹⁵		232
233	21.98 ⁴¹	201.5	951.5	877.4	74.1	0.3436	1.3740	18.26 ³²	0.05478 ⁹⁷		233
234	22.39 ⁴¹	202.5	950.8	876.6	74.2	0.3451	1.3710	17.94 ³¹	0.05575 ⁹⁹		234
235	22.80 ⁴³	203.6	950.0	875.7	74.3	0.3466	1.3679	17.63 ³⁰	0.05674 ⁹⁹		235
236	23.23 ⁴³	204.6	949.3	874.9	74.4	0.3480	1.3649	17.33 ³⁰	0.05773 ¹⁰¹		236
237	23.66 ⁴³	205.6	948.6	874.2	74.4	0.3495	1.3619	17.03 ²⁹	0.05874 ¹⁰²		237
238	24.09 ⁴⁴	206.6	947.9	873.4	74.5	0.3509	1.3590	16.74 ²⁹	0.05976 ¹⁰³		238
239	24.53 ⁴⁵	207.6	947.2	872.6	74.6	0.3524	1.3560	16.45 ²⁸	0.06079 ¹⁰⁵		239
240	24.98 ⁴⁶	208.6	946.5	871.9	74.6	0.3538	1.3531	16.17 ²⁷	0.06184 ¹⁰⁶		240
241	25.44 ⁴⁶	209.6	945.8	871.1	74.7	0.3553	1.3502	15.90 ²⁷	0.06290 ¹⁰⁷		241
242	25.90 ⁴⁷	210.7	945.1	870.3	74.8	0.3567	1.3473	15.63 ²⁶	0.06397 ¹⁰⁹		242
243	26.37 ⁴⁸	211.7	944.4	869.5	74.9	0.3582	1.3444	15.37 ²⁶	0.06506 ¹¹¹		243
244	26.85 ⁴⁸	212.7	943.7	868.7	75.0	0.3596	1.3415	15.11 ²⁵	0.06617 ¹¹²		244
245	27.33 ⁴⁹	213.7	943.0	868.0	75.0	0.3611	1.3386	14.86 ²⁵	0.06729 ¹¹⁴		245
246	27.82 ⁵⁰	214.7	942.3	867.2	75.1	0.3625	1.3357	14.61 ²⁴	0.06843 ¹¹⁵		246
247	28.32 ⁵⁰	215.7	941.6	866.4	75.2	0.3639	1.3328	14.37 ²³	0.06958 ¹¹⁶		247
248	28.82 ⁵²	216.7	940.9	865.6	75.3	0.3654	1.3299	14.14 ²³	0.07074 ¹¹⁸		248
249	29.34 ⁵²	217.7	940.2	864.8	75.4	0.3668	1.3270	13.91 ²³	0.07192 ¹²⁰		249
250	29.86 ⁵²	218.8	939.4	864.0	75.4	0.3683	1.3241	13.68 ²²	0.07312 ¹²¹		250
251	30.38 ⁵⁴	219.8	938.7	863.2	75.5	0.3697	1.3212	13.46 ²²	0.07433 ¹²²		251
252	30.92 ⁵⁴	220.8	938.0	862.4	75.6	0.3711	1.3183	13.24 ²²	0.07555 ¹²⁶		252
253	31.46 ⁵⁵	221.8	937.3	861.6	75.7	0.3726	1.3154	13.02 ²¹	0.07680 ¹²⁸		253
254	32.01 ⁵⁶	222.8	936.6	860.9	75.7	0.3740	1.3126	12.81 ²¹	0.07808 ¹²⁸		254
255	32.57 ⁵⁷	223.8	935.9	860.1	75.8	0.3754	1.3098	12.60 ²¹	0.07936 ¹²⁸		255
256	33.14 ⁵⁷	224.9	935.1	859.2	75.9	0.3768	1.3070	12.39 ²⁰	0.08064 ¹³²		256
257	33.71 ⁵⁸	225.9	934.4	858.4	76.0	0.3782	1.3042	12.19 ¹⁹	0.08196 ¹³³		257
258	34.29 ⁵⁹	226.9	933.7	857.7	76.0	0.3797	1.3014	12.00 ¹⁹	0.08329 ¹³⁵		258
259	34.88 ⁶⁰	227.9	933.0	856.9	76.1	0.3811	1.2986	11.81 ¹⁹	0.08464 ¹³⁷		259
260	35.48 ⁶¹	229.0	932.2	856.0	76.2	0.3825	1.2957	11.62 ¹⁸	0.08601 ¹³⁸		260
261	36.09 ⁶²	230.0	931.5	855.2	76.3	0.3839	1.2929	11.44 ¹⁸	0.08739 ¹⁴⁰		261
262	36.71 ⁶²	231.0	930.9	854.5	76.4	0.3853	1.2902	11.26 ¹⁸	0.08879 ¹⁴²		262
263	37.33 ⁶³	232.0	930.2	853.8	76.4	0.3867	1.2875	11.08 ¹⁷	0.09021 ¹⁴³		263
264	37.96 ⁶⁴	233.0	929.5	853.0	76.5	0.3881	1.2848	10.91 ¹⁷	0.09164 ¹⁴⁵		264
265	38.60 ⁶⁵	234.0	928.8	852.2	76.6	0.3895	1.2820	10.74 ¹⁷	0.09309 ¹⁴⁶		265
266	39.25 ⁶⁶	235.0	928.1	851.4	76.7	0.3909	1.2792	10.57 ¹⁶	0.09455 ¹⁵⁰		266
267	39.91 ⁶⁷	236.1	927.3	850.6	76.7	0.3923	1.2764	10.41 ¹⁶	0.09604 ¹⁵¹		267
268	40.58 ⁶⁸	237.1	926.6	849.8	76.8	0.3937	1.2737	10.25 ¹⁶	0.09755 ¹⁵²		268

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight in Pounds, of One Cubic Foot.	Temperature, Degrees Fahr.
t	p	q	r	s	Apw	θ	$\frac{r}{T}$	v	γ	i
269	41.26 ⁹⁹	238.1	925.9	819.0	76.9	0.3951	1.2710	10.09	0.00907	269
270	41.95 ⁹⁹	239.1	925.2	848.2	77.0	0.3965	1.2683	9.937 ¹⁵	0.009153	270
271	42.64 ⁹⁹ 71	240.2	924.4	847.4	77.0	0.3979	1.2655	9.785 ¹⁵² 149	0.01022 ¹⁶ 16	271
272	43.35 ⁷¹	241.2	923.7	846.6	77.1	0.3993	1.2628	9.636 ¹⁴⁷	0.01038 ¹⁶	272
273	44.06 ⁷²	242.2	923.0	845.8	77.2	0.4007	1.2601	9.489 ¹⁴⁴	0.01054 ¹⁶	273
274	44.78 ⁷⁴	243.2	922.3	845.0	77.3	0.4021	1.2574	9.345 ¹⁴¹	0.01070 ¹⁶	274
275	45.52 ⁷⁴	244.2	921.6	844.2	77.4	0.4035	1.2547	9.204 ¹³⁸	0.01086 ¹⁷	275
276	46.26 ⁷⁵	245.3	920.8	843.4	77.4	0.4049	1.2520	9.066 ¹³⁶	0.01103 ¹⁷	276
277	47.01 ⁷⁶	246.3	920.1	842.6	77.5	0.4063	1.2493	8.930 ¹³⁴	0.01120 ¹⁷	277
278	47.77 ⁷⁸	247.3	919.4	841.8	77.6	0.4077	1.2466	8.796 ¹³²	0.01137 ¹⁷	278
279	48.55 ⁷⁸	248.3	918.7	841.0	77.7	0.4091	1.2440	8.664 ¹²⁸	0.01154 ¹⁷	279
280	49.33 ⁷⁹	249.4	917.9	840.2	77.7	0.4104	1.2413	8.536 ¹²⁶	0.01171 ¹⁸	280
281	50.12 ⁸⁰	250.4	917.2	839.4	77.8	0.4118	1.2387	8.410 ¹²⁵	0.01189 ¹⁸	281
282	50.92 ⁸²	251.4	916.6	838.7	77.9	0.4132	1.2361	8.285 ¹²³	0.01207 ¹⁸	282
283	51.74 ⁸² 82	252.4	915.9	837.9	78.0	0.4146	1.2335	8.162 ¹¹⁹	0.01225 ¹⁸ 15	283
284	52.56 ⁸³	253.4	915.2	837.1	78.1	0.4160	1.2309	8.043 ¹¹⁷	0.01243 ¹⁸	284
285	53.39 ⁸⁵	254.5	914.4	836.3	78.1	0.4173	1.2283	7.926 ¹¹⁶	0.01261 ¹⁹	285
286	54.24 ⁸⁵ 85	255.5	913.7	835.5	78.2	0.4187	1.2257	7.810 ¹¹³	0.01280 ¹⁹	286
287	55.09 ⁸⁷	256.5	913.0	834.7	78.3	0.4201	1.2231	7.697 ¹¹¹	0.01299 ¹⁹	287
288	55.96 ⁸⁷	257.5	912.3	833.9	78.4	0.4215	1.2205	7.586 ¹¹¹	0.01318 ¹⁹	288
289	56.83 ⁸⁷ 89	258.6	911.5	833.1	78.4	0.4228	1.2179	7.475 ¹⁰⁸	0.01337 ²⁰	289
290	57.72 ⁹⁰	259.6	910.8	832.3	78.5	0.4242	1.2153	7.367 ¹⁰⁵	0.01357 ²⁰	290
291	58.65 ⁹¹	260.6	910.1	831.5	78.6	0.4255	1.2127	7.262 ¹⁰³	0.01377 ²⁰	291
292	59.53 ⁹² 92	261.6	909.4	830.7	78.7	0.4269	1.2101	7.159 ¹⁰³	0.01397 ²⁰	292
293	60.45 ⁹³	262.7	908.6	829.9	78.7	0.4283	1.2075	7.056 ¹⁰⁰	0.01417 ²⁰	293
294	61.38 ⁹⁵	263.7	907.9	829.1	78.8	0.4297	1.2049	6.956 ⁹⁹	0.01437 ²¹	294
295	62.33 ⁹⁵ 95	264.7	907.2	828.3	78.9	0.4310	1.2023	6.857 ⁹⁷	0.01458 ²¹	295
296	63.28 ⁹⁷	265.7	906.5	827.5	79.0	0.4324	1.1998	6.760 ⁹⁵	0.01479 ²¹	296
297	64.25 ⁹⁸	266.7	905.8	826.7	79.1	0.4337	1.1972	6.665 ⁹⁴	0.01500 ²¹	297
298	65.23 ⁹⁹ 99	267.8	905.0	825.9	79.1	0.4351	1.1947	6.571 ⁹²	0.01521 ²²	298
299	66.22 ¹⁰⁰	268.8	904.3	825.1	79.2	0.4364	1.1922	6.479 ⁹¹	0.01543 ²²	299
300	67.22 ¹⁰²	269.8	903.6	824.3	79.3	0.4378	1.1897	6.388 ⁸⁸	0.01565 ²²	300
301	68.24 ¹⁰³ 103	270.8	902.9	823.5	79.4	0.4391	1.1872	6.300 ⁸⁷	0.01587 ²²	301
302	69.27 ¹⁰³	271.9	902.2	822.8	79.4	0.4405	1.1847	6.213 ⁸⁷	0.01609 ²³	302
303	70.30 ¹⁰⁶	272.9	901.5	822.0	79.5	0.4418	1.1822	6.126 ⁸⁴	0.01632 ²³	303
304	71.36 ¹⁰⁶ 106	273.9	900.8	821.2	79.6	0.4432	1.1799	6.042 ⁸³	0.01655 ²³	304
305	72.42 ¹⁰⁸	274.9	900.1	820.4	79.7	0.4445	1.1774	5.959 ⁸¹	0.01678 ²³	305
306	73.50 ¹⁰⁹	276.0	899.3	819.5	79.8	0.4458	1.1749	5.878 ⁸⁰	0.01701 ²⁴	306
307	74.59 ¹¹⁰ 110	277.0	898.6	818.8	79.8	0.4472	1.1724	5.798 ⁸⁰	0.01725 ²⁴	307
308	75.69 ¹¹¹	278.0	897.9	818.0	79.9	0.4485	1.1699	5.718 ⁷⁸	0.01749 ²⁴	308
309	76.80 ¹¹³ 113	279.1	897.1	817.1	80.0	0.4499	1.1674	5.640 ⁷⁶	0.01773 ²⁴	309

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight in Pounds, of One Cubic Foot.	Temperature, Degrees Fabr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	$\frac{r}{T}$	<i>s</i>	<i>γ</i>	<i>t</i>
310	77.93 ¹¹⁴	280.1	896.4	816.4	80.0	0.4512	1.1649	5.564 ⁷⁴	0.1797 ²⁴	310
311	79.07 ¹¹⁶	281.1	895.7	815.6	80.1	0.4525	1.1625	5.490 ⁷⁴	0.1821 ²⁵	311
312	80.23 ¹¹⁶	282.1	895.0	814.8	80.2	0.4538	1.1600	5.416 ⁷³	0.1846 ²⁵	312
313	81.39 ¹¹⁸	283.2	894.2	813.9	80.3	0.4552	1.1576	5.343 ⁷¹	0.1871 ²⁶	313
314	82.57 ¹²⁰	284.2	893.5	813.2	80.3	0.4565	1.1551	5.272 ⁷¹	0.1897 ²⁶	314
315	83.77 ¹²¹	285.2	892.8	812.4	80.4	0.4578	1.1527	5.201 ⁶⁹	0.1923 ²⁶	315
316	84.98 ¹²²	286.2	892.1	811.6	80.5	0.4592	1.1503	5.132 ⁶⁸	0.1949 ²⁶	316
317	86.20 ¹²³	287.3	891.3	810.8	80.5	0.4605	1.1479	5.064 ⁶⁷	0.1975 ²⁶	317
318	87.43 ¹²⁵	288.3	890.6	810.0	80.6	0.4618	1.1455	4.997 ⁶⁷	0.2001 ²⁷	318
319	88.68 ¹²⁷	289.3	889.9	809.2	80.7	0.4631	1.1431	4.931 ⁶⁴	0.2028 ²⁷	319
320	89.95 ¹²⁸	290.4	889.1	808.3	80.8	0.4644	1.1407	4.867 ⁶⁴	0.2055 ²⁷	320
321	91.23 ¹²⁹	291.4	888.4	807.6	80.8	0.4658	1.1383	4.803 ⁶²	0.2082 ²⁷	321
322	92.52 ¹³⁰	292.4	887.8	806.9	80.9	0.4671	1.1360	4.741 ⁶²	0.2109 ²⁸	322
323	93.82 ¹³²	293.4	887.1	806.1	81.0	0.4684	1.1336	4.679 ⁶¹	0.2137 ²⁸	323
324	95.14 ¹³⁴	294.5	886.3	805.3	81.0	0.4697	1.1312	4.618 ⁶⁰	0.2165 ²⁹	324
325	96.48 ¹³⁵	295.5	885.6	804.5	81.1	0.4710	1.1289	4.558 ⁵⁹	0.2194 ²⁹	325
326	97.83 ¹³⁷	296.5	884.9	803.7	81.2	0.4723	1.1265	4.499 ⁵⁷	0.2223 ²⁹	326
327	99.20 ¹⁴	297.5	884.1	802.9	81.2	0.4736	1.1241	4.442 ⁵⁷	0.2252 ²⁹	327
328	100.6 ¹⁴	298.6	883.4	802.1	81.3	0.4749	1.1218	4.385 ⁵⁶	0.2281 ²⁹	328
329	102.0 ¹⁴	299.6	882.7	801.3	81.4	0.4762	1.1194	4.329 ⁵⁶	0.2310 ³⁰	329
330	103.4 ¹⁴	300.6	882.0	800.6	81.4	0.4775	1.1171	4.273 ⁵⁴	0.2340 ³⁰	330
331	104.8 ¹⁴	301.7	881.2	799.7	81.5	0.4789	1.1147	4.219 ⁵⁴	0.2370 ³⁰	331
332	106.2 ¹⁵	302.7	880.5	798.9	81.6	0.4802	1.1124	4.165 ⁵²	0.2400 ³¹	332
333	107.7 ¹⁵	303.7	879.8	798.2	81.6	0.4815	1.1101	4.113 ⁵²	0.2431 ³¹	333
334	109.2 ¹⁵	304.8	879.0	797.3	81.7	0.4828	1.1078	4.061 ⁵¹	0.2462 ³¹	334
335	110.7 ¹⁵	305.8	878.3	796.5	81.8	0.4841	1.1055	4.010 ⁵⁰	0.2493 ³²	335
336	112.2 ¹⁵	306.8	877.6	795.8	81.8	0.4854	1.1032	3.960 ⁵⁰	0.2525 ³²	336
337	113.7 ¹⁵	307.9	876.8	794.9	81.9	0.4867	1.1009	3.910 ⁴⁹	0.2557 ³³	337
338	115.2 ¹⁶	308.9	876.1	794.1	82.0	0.4880	1.0986	3.861 ⁴⁸	0.2590 ³³	338
339	116.8 ¹⁵	309.9	875.4	793.4	82.0	0.4892	1.0963	3.813 ⁴⁷	0.2623 ³³	339
340	118.3 ¹⁶	310.9	874.7	792.6	82.1	0.4905	1.0940	3.766 ⁴⁷	0.2656 ³³	340
341	119.9 ¹⁶	312.0	873.9	791.7	82.2	0.4918	1.0918	3.719 ⁴⁵	0.2689 ³⁴	341
342	121.5 ¹⁶	313.0	873.3	791.1	82.2	0.4931	1.0896	3.674 ⁴⁵	0.2722 ³⁴	342
343	123.1 ¹⁷	314.0	872.6	790.3	82.3	0.4944	1.0873	3.629 ⁴⁵	0.2756 ³⁴	343
344	124.8 ¹⁶	315.1	871.8	789.4	82.4	0.4957	1.0850	3.584 ⁴⁴	0.2790 ³⁵	344
345	126.4 ¹⁷	316.1	871.1	788.7	82.4	0.4970	1.0828	3.540 ⁴³	0.2825 ³⁵	345
346	128.1 ¹⁷	317.1	870.4	787.9	82.5	0.4982	1.0806	3.497 ⁴²	0.2860 ³⁵	346
347	129.8 ¹⁷	318.2	869.6	787.0	82.6	0.4995	1.0783	3.455 ⁴²	0.2895 ³⁵	347
348	131.5 ¹⁷	319.2	868.9	786.3	82.6	0.5008	1.0761	3.413 ⁴²	0.2930 ³⁶	348
349	133.2 ¹⁷	320.2	868.2	785.5	82.7	0.5021	1.0738	3.371 ⁴¹	0.2966 ³⁶	349
350	134.9 ¹⁸	321.3	867.4	784.7	82.7	0.5034	1.0716	3.330 ⁴⁰	0.3002 ³⁷	350

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Pounds, of One Cubic Foot.	Temperature, Degrees Fahr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>Ap</i>	<i>e</i>	<i>v</i>	<i>v</i>	<i>w</i>	<i>t</i>
351	136.7 ¹⁸	322.3	866.7	783.9	82.8	0.5047	1.0693	3.290 ³⁹	0.3039 ³⁷	351
352	138.5 ¹⁸	323.3	866.0	783.1	82.9	0.5059	1.0671	3.251 ³⁹	0.3076 ³⁷	352
353	140.3 ¹⁸	324.4	865.2	782.3	82.9	0.5072	1.0649	3.212 ³⁹	0.3113 ³⁷	353
354	142.1 ¹⁸	325.4	864.5	781.5	83.0	0.5085	1.0627	3.174 ³⁸	0.3151 ³⁸	354
355	143.9 ¹⁸	326.4	863.8	780.8	83.0	0.5097	1.0605	3.136 ³⁸	0.3189 ³⁸	355
356	145.7 ¹⁹	327.5	863.0	779.9	83.1	0.5110	1.0583	3.098 ³⁸	0.3228 ³⁹	356
357	147.6 ¹⁹	328.5	862.3	779.1	83.2	0.5123	1.0561	3.061 ³⁶	0.3267 ³⁹	357
358	149.5 ¹⁹	329.5	861.6	778.4	83.2	0.5135	1.0540	3.025 ³⁶	0.3306 ³⁹	358
359	151.4 ¹⁹	330.6	860.8	777.5	83.3	0.5148	1.0518	2.989 ³⁵	0.3345 ⁴⁰	359
360	153.3 ²⁰	331.6	860.1	776.8	83.3	0.5161	1.0496	2.954 ³⁵	0.3385 ⁴¹	360
361	155.3 ²⁰	332.6	859.4	776.0	83.4	0.5173	1.0475	2.919 ³⁵	0.3426 ⁴¹	361
362	157.2 ²⁰	333.7	858.7	775.3	83.4	0.5186	1.0453	2.885 ³⁴	0.3467 ⁴¹	362
363	159.2 ²⁰	334.7	858.0	774.5	83.5	0.5199	1.0432	2.851 ³³	0.3508 ⁴¹	363
364	161.2 ²⁰	335.7	857.3	773.7	83.6	0.5211	1.0410	2.818 ³³	0.3549 ⁴²	364
365	163.2 ²⁰	336.8	856.5	772.9	83.6	0.5224	1.0389	2.785 ³²	0.3591 ⁴²	365
366	165.2 ²¹	337.8	855.8	772.1	83.7	0.5236	1.0367	2.753 ³²	0.3633 ⁴²	366
367	167.3 ²¹	338.8	855.1	771.4	83.7	0.5249	1.0346	2.721 ³¹	0.3675 ⁴³	367
368	169.4 ²¹	339.9	854.3	770.6	83.7	0.5261	1.0324	2.690 ³¹	0.3718 ⁴³	368
369	171.5 ²¹	340.0	853.6	769.8	83.8	0.5274	1.0303	2.659 ³¹	0.3761 ⁴⁴	369
370	173.6 ²¹	341.9	852.9	769.0	83.9	0.5286	1.0281	2.628 ³⁰	0.3805 ⁴⁴	370
371	175.7 ²²	343.0	852.1	768.2	83.9	0.5299	1.0260	2.598 ³⁰	0.3849 ⁴⁵	371
372	177.9 ²²	344.0	851.4	767.4	84.0	0.5311	1.0239	2.568 ²⁹	0.3894 ⁴⁵	372
373	180.1 ²²	345.0	850.7	766.7	84.0	0.5324	1.0217	2.539 ²⁹	0.3939 ⁴⁵	373
374	182.3 ²²	346.1	849.9	765.8	84.1	0.5336	1.0196	2.510 ²⁹	0.3984 ⁴⁶	374
375	184.5 ²²	347.1	849.2	765.1	84.1	0.5349	1.0175	2.481 ²⁸	0.4030 ⁴⁷	375
376	186.7 ²³	348.2	848.4	764.2	84.2	0.5361	1.0154	2.453 ²⁸	0.4077 ⁴⁷	376
377	189.0 ²³	349.2	847.7	763.5	84.2	0.5374	1.0133	2.425 ²⁷	0.4124 ⁴⁷	377
378	191.3 ²³	350.2	847.0	762.7	84.3	0.5386	1.0113	2.398 ²⁷	0.4171 ⁴⁷	378
379	193.6 ²³	351.3	846.2	761.9	84.3	0.5398	1.0092	2.371 ²⁷	0.4218 ⁴⁸	379
380	195.9 ²³	352.3	845.5	761.2	84.3	0.5411	1.0072	2.344 ²⁶	0.4266 ⁴⁸	380
381	198.2 ²⁴	353.3	844.8	760.4	84.4	0.5423	1.0050	2.318 ²⁶	0.4314 ⁴⁸	381
382	200.6 ²⁴	354.4	844.1	759.7	84.4	0.5435	1.0030	2.292 ²⁵	0.4362 ⁴⁹	382
383	203.0 ²⁴	355.4	843.4	758.9	84.5	0.5448	1.0010	2.267 ²⁵	0.4411 ⁴⁹	383
384	205.4 ²⁵	356.5	842.6	758.1	84.5	0.5460	0.9990	2.242 ²⁵	0.4460 ⁵¹	384
385	207.9 ²⁴	357.5	841.9	757.3	84.6	0.5473	0.9969	2.217 ²⁵	0.4511 ⁵¹	385
386	210.3 ²⁵	358.5	841.2	756.6	84.6	0.5485	0.9948	2.192 ²⁴	0.4562 ⁵²	386
387	212.8 ²⁵	359.6	840.4	755.7	84.7	0.5497	0.9928	2.168 ²⁴	0.4614 ⁵²	387
388	215.3 ²⁵	360.6	839.7	755.0	84.7	0.5509	0.9907	2.144 ²⁴	0.4666 ⁵²	388
389	217.8 ²⁶	361.7	838.9	754.2	84.7	0.5522	0.9887	2.120 ²³	0.4718 ⁵²	389
390	220.4 ²⁶	362.7	838.2	753.4	84.8	0.5534	0.9867	2.097 ²³	0.4770 ⁵³	390
391	223.0 ²⁶	363.7	837.5	752.7	84.8	0.5546	0.9847	2.074 ²³	0.4823 ⁵⁴	391

SATURATED STEAM—TABLE I.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight, in Pounds, of One Cubic Foot.	Temperature, Degrees Fahr.
<i>t</i>	<i>p</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>Apw</i>	<i>θ</i>	$\frac{r}{T}$	<i>s</i>	<i>γ</i>	<i>t</i>
392	225.6 ₂₆	364.8	836.7	751.8	84.9	0.5558	0.9826	2.051 ₂₃	0.4877 ₅₄	392
393	228.2 ₂₆	365.8	836.0	751.1	84.9	0.5571	0.9806	2.028 ₂₂	0.4931 ₅₅	393
394	230.8 ₂₇	366.9	835.2	750.3	84.9	0.5583	0.9786	2.006 ₂₂	0.4986 ₅₆	394
395	233.5 ₂₇	367.9	834.5	749.5	85.0	0.5595	0.9766	1.984 ₂₂	0.5040 ₅₆	395
396	236.2 ₂₇	368.9	833.8	748.8	85.0	0.5607	0.9746	1.962 ₂₁	0.5096 ₅₇	396
397	238.9 ₂₇	370.0	833.0	748.0	85.0	0.5619	0.9726	1.941 ₂₁	0.5152 ₅₇	397
398	241.6 ₂₈	371.0	832.3	747.2	85.1	0.5632	0.9706	1.920 ₂₁	0.5209 ₅₈	398
399	244.4 ₂₈	372.0	831.6	746.5	85.1	0.5644	0.9686	1.899 ₂₁	0.5266 ₅₇	399
400	247.2 ₂₈	373.1	830.8	745.7	85.1	0.5656	0.9666	1.878 ₂₀	0.5324 ₅₈	400
401	250.0 ₂₉	374.1	830.1	745.0	85.1	0.5668	0.9647	1.858 ₂₀	0.5382 ₅₉	401
402	252.9 ₂₈	375.2	829.4	744.2	85.2	0.5680	0.9627	1.838 ₂₀	0.5441 ₅₉	402
403	255.7 ₂₉	376.2	828.7	743.5	85.2	0.5692	0.9608	1.818 ₂₀	0.5500 ₆₀	403
404	258.6 ₂₉	377.3	827.9	742.7	85.2	0.5704	0.9588	1.798 ₁₉	0.5560 ₆₁	404
405	261.5 ₃₀	378.3	827.2	741.9	85.3	0.5716	0.9569	1.779 ₁₉	0.5621 ₆₁	405
406	264.5 ₃₀	379.4	826.4	741.1	85.3	0.5728	0.9549	1.760 ₁₉	0.5682 ₆₂	406
407	267.5 ₃₀	380.4	825.7	740.4	85.3	0.5741	0.9529	1.741 ₁₉	0.5744 ₆₂	407
408	270.5 ₃₀	381.4	825.0	739.7	85.3	0.5753	0.9509	1.722 ₁₈	0.5806 ₆₃	408
409	273.5 ₃₀	382.5	824.2	738.8	85.4	0.5765	0.9490	1.704 ₁₈	0.5869 ₆₃	409
410	276.5 ₃₁	383.5	823.5	738.1	85.4	0.5777	0.9470	1.686 ₁₈	0.5931 ₆₄	410
411	279.6 ₃₁	384.6	822.7	737.3	85.4	0.5789	0.9451	1.668 ₁₈	0.5995 ₆₄	411
412	282.7 ₃₂	385.6	822.0	736.6	85.4	0.5801	0.9431	1.650 ₁₇	0.6059 ₆₅	412
413	285.9 ₃₁	386.7	821.2	735.8	85.4	0.5813	0.9412	1.633 ₁₇	0.6124 ₆₅	413
414	289.0 ₃₂	387.7	820.5	735.0	85.5	0.5825	0.9393	1.616 ₁₇	0.6189 ₆₆	414
415	292.2 ₃₂	388.7	819.8	734.3	85.5	0.5837	0.9374	1.599 ₁₇	0.6255 ₆₆	415
416	295.4 ₃₃	389.8	819.0	733.5	85.5	0.5849	0.9355	1.582 ₁₇	0.6321 ₆₇	416
417	298.7 ₃₂	390.8	818.3	732.8	85.5	0.5861	0.9336	1.565 ₁₇	0.6388 ₆₈	417
418	301.9 ₃₃	391.9	817.5	732.0	85.5	0.5873	0.9317	1.548 ₁₆	0.6456 ₆₉	418
419	305.2 ₃₄	392.9	816.8	731.3	85.5	0.5885	0.9298	1.532 ₁₆	0.6525 ₇₁	419
420	308.6 ₃₃	394.0	816.0	730.5	85.5	0.5896	0.9279	1.516 ₁₆	0.6596 ₇₁	420
421	311.9 ₃₄	395.0	815.3	729.8	85.5	0.5908	0.9260	1.500 ₁₆	0.6667 ₇₂	421
422	315.3 ₃₄	396.1	814.6	729.0	85.6	0.5920	0.9241	1.484 ₁₆	0.6739 ₇₃	422
423	318.7 ₃₅	397.1	813.9	728.3	85.6	0.5932	0.9222	1.468 ₁₆	0.6812 ₇₄	423
424	322.2 ₃₅	398.2	813.1	727.5	85.6	0.5944	0.9203	1.452 ₁₆	0.6886 ₇₅	424
425	325.7 ₃₅	399.2	812.4	726.8	85.6	0.5955	0.9184	1.436 ₁₅	0.6961 ₇₅	425
426	329.2 ₃₅	400.3	811.6	726.0	85.6	0.5967	0.9165	1.421 ₁₅	0.7036 ₇₆	426
427	332.7 ₃₆	401.3	810.9	725.3	85.6	0.5979	0.9147	1.406 ₁₄	0.7112 ₇₆	427
428	336.3	402.3	810.2	724.6	85.6	0.5991	0.9129	1.392	0.7188	428

TABLE II.
SATURATED STEAM.

ENGLISH UNITS.

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work	Entropy of the Liquid	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY, Weight, in Pounds, of One Cubic Foot	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>ρ</i>	<i>ρ_{ex}</i>	<i>φ</i>	<i>φ_v</i>	<i>v</i>	<i>γ</i>	<i>p</i>
1	102.0 ²⁴³	70.0	1043.1	981.1	62.0	0.1332	1.8574	335.3 ^{161.3}	0.00298 ²⁷⁷	1
2	126.3 ¹⁵³	94.3	1026.2	961.9	64.3	0.1736	1.7519	174.0 ^{55.4}	0.00575 ²⁶⁸	2
3	141.6 ¹¹⁵	109.6	1015.5	949.6	65.9	0.2012	1.6895	118.6 ^{28.0}	0.00843 ²⁶¹	3
4	153.1 ⁹²	121.1	1007.5	940.6	66.9	0.2201	1.6447	90.60 ^{17.22}	0.01104 ²⁵⁹	4
5	162.3 ⁷⁸	130.3	1001.2	933.4	67.8	0.2351	1.6100	73.38 ^{11.56}	0.01363 ²⁵⁵	5
6	170.1 ⁶⁸	138.1	995.7	927.1	68.6	0.2478	1.5815	61.82 ^{8.32}	0.01618 ²⁵¹	6
7	176.9 ⁶⁰	144.9	991.0	921.8	69.2	0.2584	1.5571	53.50 ^{6.31}	0.01869 ²⁵⁰	7
8	182.9 ⁵⁴	151.0	986.7	916.9	69.8	0.2679	1.5359	47.19 ^{4.96}	0.02119 ²⁴⁹	8
9	188.3 ⁴⁹	156.4	983.0	912.8	70.2	0.2763	1.5174	42.23 ^{3.95}	0.02368 ²⁴⁶	9
10	193.2 ⁴⁶	161.4	979.5	908.8	70.7	0.2839	1.5006	38.25 ^{3.29}	0.02614 ²⁴⁶	10
11	197.8 ⁴²	166.0	976.3	905.2	71.1	0.2909	1.4853	34.96 ^{2.75}	0.02860 ²⁴⁵	11
12	202.0 ³⁹	170.2	973.4	901.9	71.5	0.2973	1.4714	32.21 ^{2.32}	0.03105 ²⁴³	12
13	205.9 ³⁷	174.1	970.6	898.8	71.8	0.3032	1.4586	29.89 ^{2.03}	0.03348 ²⁴²	13
14	209.6 ³⁴	177.8	968.0	895.9	72.1	0.3088	1.4467	27.86 ^{1.66}	0.03590 ²²⁷	14
15	213.0 ³³	181.3	965.6	893.0	72.6	0.3141	1.4358	26.20 ^{1.55}	0.03817 ²⁴⁰	15
16	216.3 ³¹	184.6	963.3	890.4	72.9	0.3190	1.4254	24.65 ^{1.38}	0.04057 ²⁴⁰	16
17	219.4 ³⁰	187.8	961.1	888.0	73.1	0.3236	1.4155	23.27 ^{1.22}	0.04297 ²³⁸	17
18	222.4 ²⁸	190.8	959.0	885.7	73.3	0.3280	1.4062	22.05 ^{1.10}	0.04535 ²³⁸	18
19	225.2 ²⁷	193.7	957.0	883.5	73.5	0.3322	1.3975	20.95 ^{1.00}	0.04773 ²³⁸	19
20	227.9 ²⁷	196.5	955.0	881.3	73.7	0.3362	1.3892	19.95 ^{0.90}	0.05011 ²³⁷	20
21	230.6 ²⁵	199.1	953.2	879.3	73.9	0.3400	1.3813	19.05 ^{0.81}	0.05248 ²³⁶	21
22	233.1 ²⁴	201.6	951.4	877.3	74.1	0.3437	1.3737	18.24 ^{0.75}	0.05484 ²³⁵	22
23	235.5 ²³	204.1	949.6	875.3	74.3	0.3472	1.3665	17.49 ^{0.70}	0.05719 ²³⁵	23
24	237.8 ²²	206.4	948.0	873.5	74.5	0.3506	1.3596	16.79 ^{0.63}	0.05954 ²³⁴	24
25	240.0 ²²	208.7	946.4	871.8	74.6	0.3539	1.3529	16.16 ^{0.58}	0.06188 ²³²	25
26	242.2 ²¹	210.9	944.9	870.1	74.8	0.3571	1.3463	15.58 ^{0.55}	0.06420 ²³³	26
27	244.3 ²¹	213.1	943.4	868.4	75.0	0.3601	1.3403	15.03 ^{0.51}	0.06653 ²³⁴	27
28	246.4 ¹⁹	215.1	942.0	866.9	75.1	0.3630	1.3343	14.52 ^{0.46}	0.06887 ²³⁰	28
29	248.3 ²⁰	217.1	940.6	865.3	75.3	0.3659	1.3286	14.06 ^{0.44}	0.07117 ²³⁰	29
30	250.3 ¹⁹	219.1	939.2	863.8	75.4	0.3687	1.3232	13.62 ^{0.41}	0.07347 ²²⁹	30
31	252.2 ¹⁸	221.0	937.9	862.3	75.6	0.3714	1.3179	13.21 ^{0.40}	0.07576 ²³⁰	31
32	254.0 ¹⁸	222.8	936.6	860.9	75.7	0.3739	1.3127	12.81 ^{0.37}	0.07806 ²³¹	32

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>ρ</i>	<i>Apw</i>	<i>θ</i>	<i>r</i> / <i>T</i>	<i>s</i>	<i>γ</i>	<i>p</i>
33	255.8	224.6	935.3	859.4	75.9	0.3764	1.3075	12.44	0.08037	33
34	257.5 ¹⁷	226.4	934.0	858.0	76.0	0.3790	1.3026	12.09 ³⁴	0.08268 ²³¹	34
35	259.2 ¹⁷	228.1	932.9	856.7	76.1	0.3814	1.2979	11.77 ³²	0.08496 ²²⁸	35
								30	226	
36	260.9 ¹⁶	229.8	931.7	855.4	76.3	0.3837	1.2932	11.47 ²⁹	0.08722 ²²⁶	36
37	262.5 ¹⁶	231.5	930.5	854.1	76.4	0.3859	1.2887	11.18 ²⁸	0.08948 ²²⁶	37
38	264.1 ¹⁵	233.1	929.4	852.9	76.5	0.3881	1.2844	10.90 ²⁶	0.09174 ²²⁴	38
								28		
39	265.6 ¹⁵	234.6	928.3	851.7	76.6	0.3903	1.2801	10.64 ²⁵	0.09398 ²³⁷	39
40	267.1 ¹⁵	236.2	927.2	850.5	76.8	0.3925	1.2759	10.39 ²⁴	0.09625 ²²⁷	40
41	268.6 ¹⁵	237.7	926.2	849.3	76.9	0.3946	1.2718	10.15 ²²	0.09852 ²²	41
								22		
42	270.1 ¹⁴	239.2	925.1	848.1	77.0	0.3967	1.2679	9.925	0.1007 ²³	42
43	271.5 ¹⁴	240.7	924.1	847.0	77.1	0.3987	1.2641	9.709 ²¹⁶	0.1030 ²²	43
44	272.9 ¹⁴	242.1	923.1	845.9	77.2	0.4006	1.2604	9.502 ²⁰⁷	0.1052 ²³	44
								198		
45	274.3 ¹⁴	243.5	922.1	844.8	77.3	0.4025	1.2566	9.304 ¹⁹⁰	0.1075 ²²	45
46	275.7 ¹³	244.9	921.1	843.7	77.4	0.4044	1.2529	9.114 ¹⁸³	0.1097 ²³	46
47	277.0 ¹³	246.3	920.1	842.6	77.5	0.4062	1.2493	8.931 ¹⁷⁵	0.1120 ²²	47
								175		
48	278.3 ¹³	247.6	919.2	841.6	77.6	0.4080	1.2458	8.756 ¹⁶⁸	0.1142 ²²	48
49	279.6 ¹²	248.9	918.3	840.6	77.7	0.4098	1.2424	8.588 ¹⁵⁹	0.1164 ²²	49
50	280.8 ¹³	250.2	917.4	839.6	77.8	0.4115	1.2391	8.429 ¹⁵⁶	0.1186 ²³	50
								156		
51	282.1 ¹²	251.5	916.5	838.6	77.9	0.4133	1.2359	8.273 ¹⁵⁰	0.1209 ²²	51
52	283.3 ¹²	252.7	915.7	837.7	78.0	0.4150	1.2327	8.123 ¹⁴²	0.1231 ²²	52
53	284.5 ¹²	253.9	914.8	836.7	78.1	0.4167	1.2295	7.981 ¹³⁹	0.1253 ²²	53
								139		
54	285.7 ¹²	255.2	913.9	835.7	78.2	0.4183	1.2263	7.842 ¹³³	0.1275 ²²	54
55	286.9 ¹²	256.4	913.0	834.7	78.3	0.4199	1.2232	7.709 ¹²⁹	0.1297 ²²	55
56	288.1 ¹¹	257.6	912.2	833.8	78.4	0.4215	1.2201	7.580 ¹²⁶	0.1319 ²³	56
								126		
57	289.2 ¹¹	258.8	911.3	832.9	78.5	0.4231	1.2172	7.454 ¹²⁰	0.1342 ²²	57
58	290.3 ¹¹	259.9	910.6	832.1	78.5	0.4246	1.2144	7.334 ¹¹⁵	0.1364 ²¹	58
59	291.4 ¹¹	261.0	909.8	831.2	78.6	0.4261	1.2116	7.219 ¹¹²	0.1385 ²²	59
								112		
60	292.5 ¹¹	262.1	909.1	830.3	78.7	0.4276	1.2088	7.107 ¹¹⁰	0.1407 ²²	60
61	293.6 ¹¹	263.2	908.3	829.4	78.8	0.4291	1.2060	6.997 ¹⁰⁵	0.1429 ²²	61
62	294.7 ¹⁰	264.3	907.5	828.6	78.9	0.4305	1.2033	6.892 ¹⁰²	0.1451 ²²	62
								102		
63	295.7 ¹⁰	265.4	906.7	827.8	79.0	0.4319	1.2006	6.790 ¹⁰⁰	0.1473 ²²	63
64	296.7 ¹¹	266.5	905.9	827.0	79.0	0.4333	1.1980	6.690 ⁹⁸	0.1495 ²²	64
65	297.8 ¹⁰	267.5	905.2	826.2	79.1	0.4347	1.1953	6.592 ⁹³	0.1517 ²²	65
								93		
66	298.8 ¹⁰	268.6	904.4	825.3	79.2	0.4361	1.1927	6.499 ⁹⁰	0.1539 ²¹	66
67	299.8 ¹⁰	269.6	903.7	824.5	79.3	0.4375	1.1902	6.409 ⁸⁷	0.1560 ²²	67
68	300.8 ⁹	270.6	903.0	823.7	79.3	0.4388	1.1877	6.322 ⁸⁶	0.1582 ²²	68
								86		
69	301.7 ¹⁰	271.6	902.3	823.0	79.4	0.4401	1.1853	6.236 ⁸⁵	0.1604 ²²	69
70	302.7 ¹⁰	272.6	901.7	822.3	79.5	0.4414	1.1829	6.151 ⁸¹	0.1626 ²¹	70
71	303.7 ⁹	273.6	901.0	821.5	79.6	0.4427	1.1806	6.070 ⁷⁹	0.1647 ²²	71
								79		
72	304.6 ⁹	274.5	900.4	820.8	79.6	0.4440	1.1783	5.991 ⁷⁴	0.1669 ²²	72
73	305.5 ¹⁰	275.5	899.7	820.0	79.7	0.4452	1.1761	5.915 ⁷⁴	0.1691 ²¹	73

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid	Heat of Vap- orization	Heat Equiva- lent of Inter- nal Work	Heat Equiva- lent of In- ternal Work	Entropy of the Liquid	Entropy of Vaporiza- tion	Specific Volume	Density— Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>Apr</i>	<i>e</i>	<i>r</i> <i>T</i>	<i>v</i>	<i>γ</i>	<i>p</i>
74	306 5 ₉	276 5	898 9	819 1	79 8	0 4464	1 1736	5 841 ₇₂	0 1712 ₂₂	74
75	307 4 ₉	277 4	898 3	818 6	79 8	0 4477	1 1714	5 769 ₇₂	0 1734 ₂₁	75
76	308 3 ₉	278 3	897 7	817 9	79 9	0 4489	1 1691	5 697 ₇₀	0 1755 ₂₂	76
77	309 2 ₉	279 2	897 0	817 0	80 0	0 4501	1 1669	5 627 ₆₇	0 1777 ₂₂	77
78	310 1 ₉	280 1	896 4	816 4	80 0	0 4513	1 1646	5 560 ₆₆	0 1799 ₂₁	78
79	310 9 ₉	281 0	895 8	815 7	80 1	0 4525	1 1626	5 494 ₆₃	0 1820 ₂₁	79
80	311 8 ₉	281 9	895 1	815 0	80 2	0 4536	1 1605	5 431 ₆₁	0 1841 ₂₂	80
81	312 7 ₈	282 8	894 5	814 3	80 2	0 4548	1 1583	5 368 ₆₃	0 1863 ₂₁	81
82	313 5 ₉	283 7	893 9	813 6	80 3	0 4559	1 1563	5 307 ₆₁	0 1884 ₂₂	82
83	314 4 ₈	284 6	893 2	812 9	80 4	0 4570	1 1541	5 246 ₅₈	0 1906 ₂₂	83
84	315 2 ₈	285 4	892 7	812 3	80 4	0 4581	1 1522	5 188 ₅₇	0 1928 ₂₁	84
85	316 0 ₈	286 2	892 1	811 6	80 5	0 4592	1 1503	5 131 ₅₆	0 1949 ₂₂	85
86	316 8 ₈	287 1	891 5	811 0	80 5	0 4603	1 1484	5 075 ₅₅	0 1971 ₂₁	86
87	317 6 ₈	287 9	890 9	810 3	80 6	0 4614	1 1465	5 020 ₅₃	0 1992 ₂₁	87
88	318 4 ₈	288 8	890 3	809 7	80 6	0 4624	1 1445	4 967 ₅₂	0 2013 ₂₁	88
89	319 2 ₈	289 5	889 8	809 0	80 7	0 4634	1 1426	4 915 ₅₁	0 2034 ₂₁	89
90	320 0 ₈	290 3	889 3	808 4	80 8	0 4644	1 1407	4 864 ₅₀	0 2055 ₂₂	90
91	320 8 ₈	291 1	888 7	807 8	80 8	0 4655	1 1388	4 814 ₄₈	0 2077 ₂₁	91
92	321 6 ₈	291 9	888 1	807 2	80 9	0 4665	1 1369	4 766 ₄₈	0 2098 ₂₁	92
93	322 4 ₇	292 7	887 6	806 6	80 9	0 4675	1 1350	4 716 ₄₇	0 2119 ₂₂	93
94	323 1 ₈	293 5	887 0	806 0	81 0	0 4685	1 1333	4 671 ₄₆	0 2141 ₂₁	94
95	323 9 ₇	294 3	886 4	805 4	81 0	0 4695	1 1314	4 625 ₄₅	0 2162 ₂₁	95
96	324 6 ₇	295 1	885 9	804 8	81 1	0 4704	1 1298	4 580 ₄₄	0 2183 ₂₂	96
97	325 4 ₇	295 9	885 3	804 2	81 1	0 4714	1 1279	4 536 ₄₄	0 2205 ₂₁	97
98	326 1 ₈	296 6	884 8	803 6	81 2	0 4723	1 1262	4 492 ₄₂	0 2226 ₂₁	98
99	326 9 ₇	297 3	884 3	803 0	81 2	0 4733	1 1243	4 450 ₄₁	0 2247 ₂₁	99
100	327 6 ₇	298 1	883 8	802 4	81 3	0 4743	1 1227	4 409 ₄₁	0 2268 ₂₂	100
101	328 3 ₇	298 8	883 3	801 9	81 3	0 4753	1 1211	4 368 ₄₀	0 2290 ₂₁	101
102	329 0 ₇	299 6	882 7	801 3	81 4	0 4763	1 1194	4 328 ₄₀	0 2311 ₂₁	102
103	329 7 ₇	300 3	882 2	800 8	81 4	0 4773	1 1178	4 288 ₃₈	0 2332 ₂₁	103
104	330 4 ₇	301 1	881 6	800 2	81 5	0 4782	1 1161	4 250 ₃₈	0 2353 ₂₁	104
105	331 1 ₇	301 8	881 1	799 6	81 5	0 4791	1 1145	4 212 ₃₇	0 2374 ₂₁	105
106	331 8 ₇	302 5	880 6	799 1	81 6	0 4800	1 1129	4 175 ₃₇	0 2395 ₂₁	106
107	332 5 ₇	303 2	880 2	798 6	81 6	0 4809	1 1112	4 138 ₃₆	0 2416 ₂₁	107
108	333 2 ₇	303 9	879 7	798 0	81 7	0 4818	1 1096	4 102 ₃₅	0 2437 ₂₁	108
109	333 9 ₇	304 6	879 2	797 5	81 7	0 4827	1 1080	4 067 ₃₅	0 2458 ₂₂	109
110	334 6 ₇	305 3	878 7	796 9	81 8	0 4836	1 1064	4 032 ₃₄	0 2480 ₂₁	110
111	335 2 ₆	306 0	878 2	796 4	81 8	0 4844	1 1050	3 998 ₃₃	0 2501 ₂₁	111
112	335 9 ₇	306 7	877 7	795 9	81 8	0 4852	1 1034	3 965 ₃₃	0 2522 ₂₁	112
113	336 6 ₇	307 4	877 2	795 3	81 9	0 4861	1 1018	3 932 ₃₂	0 2543 ₂₁	113
114	337 2 ₇	308 1	876 7	794 8	81 9	0 4869	1 1004	3 900 ₃₂	0 2564 ₂₁	114

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>o</i>	<i>r</i> <i>T</i>	<i>s</i>	<i>γ</i>	<i>p</i>
115	337.9 ₆	308.8	876.2	794.3	82.0	0.4878	1.0988	3.868 ₃₁	0.2585 ₂₁	115
116	338.5 ₆	309.5	875.7	793.8	82.0	0.4886	1.0974	3.837 ₃₀	0.2606 ₂₁	116
117	339.1 ₇	310.1	875.3	793.3	82.0	0.4894	1.0961	3.807 ₃₁	0.2627 ₂₂	117
118	339.8 ₆	310.8	874.8	792.8	82.1	0.4902	1.0946	3.776 ₃₀	0.2649 ₂₁	118
119	340.4 ₆	311.4	874.4	792.3	82.1	0.4911	1.0931	3.746 ₂₉	0.2670 ₂₁	119
120	341.0 ₇	312.0	874.0	791.8	82.2	0.4919	1.0918	3.717 ₂₈	0.2691 ₂₀	120
121	341.7 ₆	312.7	873.5	791.3	82.2	0.4927	1.0903	3.689 ₂₈	0.2711 ₂₁	121
122	342.3 ₆	313.3	873.0	790.7	82.3	0.4935	1.0889	3.661 ₂₈	0.2732 ₂₁	122
123	342.9 ₆	313.9	872.6	790.2	82.3	0.4943	1.0875	3.633 ₂₈	0.2753 ₂₁	123
124	343.5 ₆	314.5	872.2	789.8	82.3	0.4951	1.0861	3.605 ₂₇	0.2774 ₂₁	124
125	344.1 ₆	315.1	871.8	789.3	82.4	0.4959	1.0848	3.578 ₂₆	0.2795 ₂₀	125
126	344.7 ₆	315.8	871.3	788.8	82.4	0.4967	1.0835	3.552 ₂₆	0.2815 ₂₁	126
127	345.3 ₆	316.4	870.9	788.3	82.5	0.4975	1.0821	3.526 ₂₆	0.2836 ₂₁	127
128	345.9 ₆	317.0	870.4	787.9	82.5	0.4981	1.0808	3.500 ₂₅	0.2857 ₂₁	128
129	346.5 ₆	317.6	870.0	787.5	82.5	0.4989	1.0794	3.475 ₂₅	0.2878 ₂₁	129
130	347.1 ₆	318.3	869.5	787.0	82.6	0.4997	1.0781	3.450 ₂₅	0.2899 ₂₁	130
131	347.7 ₆	318.9	869.1	786.5	82.6	0.5004	1.0768	3.425 ₂₄	0.2920 ₂₁	131
132	348.3 ₆	319.5	868.7	786.1	82.6	0.5012	1.0754	3.401 ₂₄	0.2941 ₂₁	132
133	348.9 ₆	320.1	868.3	785.6	82.7	0.5019	1.0740	3.377 ₂₄	0.2962 ₂₀	133
134	349.5 ₅	320.7	867.8	785.1	82.7	0.5027	1.0727	3.353 ₂₄	0.2982 ₂₁	134
135	350.0 ₆	321.3	867.4	784.7	82.7	0.5034	1.0715	3.329 ₂₃	0.3003 ₂₁	135
136	350.6 ₆	321.9	867.0	784.2	82.8	0.5042	1.0702	3.306 ₂₃	0.3024 ₂₁	136
137	351.2 ₅	322.4	866.6	783.8	82.8	0.5049	1.0689	3.283 ₂₂	0.3045 ₂₁	137
138	351.7 ₆	323.0	866.2	783.4	82.8	0.5055	1.0677	3.261 ₂₁	0.3066 ₂₀	138
139	352.3 ₆	323.6	865.8	782.9	82.9	0.5062	1.0664	3.240 ₂₂	0.3086 ₂₁	139
140	352.9 ₅	324.2	865.3	782.4	82.9	0.5070	1.0651	3.218 ₂₁	0.3107 ₂₁	140
141	353.4 ₆	324.8	864.9	781.9	82.9	0.5077	1.0640	3.197 ₂₁	0.3128 ₂₁	141
142	354.0 ₅	325.4	864.5	781.5	83.0	0.5085	1.0627	3.176 ₂₁	0.3149 ₂₁	142
143	354.5 ₆	326.0	864.1	781.1	83.0	0.5092	1.0616	3.155 ₂₁	0.3170 ₂₁	143
144	355.1 ₅	326.5	863.7	780.7	83.0	0.5098	1.0603	3.134 ₂₁	0.3191 ₂₁	144
145	355.6 ₅	327.0	863.4	780.3	83.1	0.5105	1.0592	3.113 ₂₀	0.3212 ₂₁	145
146	356.1 ₆	327.6	863.0	779.9	83.1	0.5112	1.0581	3.093 ₁₉	0.3233 ₂₀	146
147	356.7 ₅	328.1	862.6	779.5	83.1	0.5119	1.0568	3.074 ₂₀	0.3253 ₂₁	147
148	357.2 ₅	328.7	862.2	779.0	83.2	0.5125	1.0557	3.054 ₁₉	0.3274 ₂₀	148
149	357.7 ₆	329.2	861.8	778.6	83.2	0.5131	1.0546	3.035 ₁₉	0.3294 ₂₁	149
150	358.3 ₅	329.8	861.4	778.2	83.2	0.5138	1.0534	3.016 ₁₉	0.3315 ₂₁	150
151	358.8 ₅	330.4	861.0	777.8	83.3	0.5145	1.0522	2.997 ₁₉	0.3336 ₂₁	151
152	359.3 ₅	330.9	860.6	777.4	83.3	0.5152	1.0511	2.978 ₁₈	0.3357 ₂₁	152
153	359.8 ₅	331.4	860.3	777.0	83.3	0.5159	1.0500	2.960 ₁₈	0.3378 ₂₁	153
154	360.3 ₆	331.9	859.9	776.6	83.4	0.5166	1.0489	2.942 ₁₈	0.3399 ₂₁	154
155	360.9 ₅	332.4	859.6	776.2	83.4	0.5172	1.0477	2.924 ₁₈	0.3420 ₂₁	155

SATURATED STEAM—TABLE II.

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
P	t	q	r	s	Apw	o	$\frac{r}{T}$	v	γ	P
156	361.4 ₅	333.0	859.2	775.8	83.4	0.5178	1.0466	2.906 ₁₇	0.3441 ₂₀	156
157	361.9 ₅	333.5	858.8	775.3	83.4	0.5184	1.0456	2.889 ₁₇	0.3461 ₂₀	157
158	362.4 ₅	334.1	858.4	774.9	83.5	0.5191	1.0445	2.872 ₁₇	0.3482 ₂₁	158
159	362.9	334.6	858.1	774.6	83.5	0.5198	1.0434	2.855 ₁₇	0.3503 ₂₁	159
160	363.4 ₅	335.1	857.7	774.2	83.5	0.5204	1.0423	2.838 ₁₇	0.3524 ₂₁	160
161	363.9 ₅	335.6	857.4	773.9	83.5	0.5210	1.0412	2.821 ₁₇	0.3545 ₂₁	161
162	364.4	336.1	857.0	773.4	83.6	0.5216	1.0402	2.804 ₁₆	0.3566 ₂₁	162
163	364.9 ₅	336.7	856.6	773.0	83.6	0.5222	1.0391	2.788 ₁₆	0.3587 ₂₁	163
164	365.4 ₅	337.2	856.2	772.6	83.6	0.5229	1.0381	2.772 ₁₆	0.3608 ₂₁	164
165	365.9	337.7	855.9	772.2	83.7	0.5235	1.0370	2.756 ₁₅	0.3629 ₂₀	165
166	366.4 ₅	338.2	855.5	771.8	83.7	0.5241	1.0359	2.741 ₁₅	0.3649 ₂₀	166
167	366.9 ₅	338.7	855.2	771.5	83.7	0.5247	1.0348	2.726 ₁₅	0.3669 ₂₀	167
168	367.3	339.2	854.8	771.1	83.7	0.5253	1.0338	2.711 ₁₅	0.3689 ₂₀	168
169	367.8 ₅	339.7	854.5	770.7	83.8	0.5259	1.0328	2.696 ₁₅	0.3709 ₂₁	169
170	368.3 ₅	340.2	854.1	770.3	83.8	0.5265	1.0318	2.681 ₁₅	0.3730 ₂₁	170
171	368.8	340.7	853.7	770.0	83.8	0.5271	1.0308	2.666 ₁₄	0.3751 ₂₀	171
172	369.2 ₄	341.2	853.4	769.6	83.8	0.5277	1.0298	2.652 ₁₅	0.3771 ₂₁	172
173	369.7 ₅	341.6	853.1	769.2	83.9	0.5283	1.0288	2.637 ₁₄	0.3792 ₂₁	173
174	370.2	342.1	852.7	768.8	83.9	0.5289	1.0277	2.623 ₁₅	0.3813 ₂₁	174
175	370.7 ₅	342.6	852.4	768.4	83.9	0.5295	1.0266	2.608 ₁₄	0.3834 ₂₁	175
176	371.1 ₅	343.1	852.0	768.0	83.9	0.5301	1.0257	2.594 ₁₄	0.3855 ₂₁	176
177	371.6	343.6	851.7	767.7	83.9	0.5306	1.0247	2.580 ₁₄	0.3876 ₂₁	177
178	372.1 ₅	344.0	851.4	767.4	84.0	0.5312	1.0237	2.566 ₁₃	0.3897 ₂₁	178
179	372.5 ₅	344.5	851.1	767.1	84.0	0.5317	1.0227	2.553 ₁₃	0.3918 ₂₀	179
180	373.0	344.9	850.8	766.8	84.0	0.5323	1.0217	2.540 ₁₃	0.3938 ₂₀	180
181	373.4 ₄	345.4	850.5	766.4	84.0	0.5329	1.0207	2.527 ₁₄	0.3958 ₂₁	181
182	373.9 ₅	345.9	850.1	766.0	84.1	0.5335	1.0197	2.513 ₁₃	0.3979 ₂₁	182
183	374.3	346.4	849.7	765.6	84.1	0.5340	1.0188	2.500 ₁₃	0.4000 ₂₁	183
184	374.8 ₅	346.9	849.3	765.2	84.1	0.5346	1.0179	2.487 ₁₂	0.4021 ₂₁	184
185	375.2 ₅	347.4	849.0	764.9	84.1	0.5351	1.0170	2.475 ₁₃	0.4041 ₂₀	185
186	375.7	347.8	848.7	764.6	84.1	0.5357	1.0161	2.462 ₁₂	0.4062 ₂₀	186
187	376.1 ₄	348.3	848.3	764.2	84.2	0.5363	1.0152	2.450 ₁₃	0.4082 ₂₁	187
188	376.6 ₄	348.8	848.0	763.8	84.2	0.5368	1.0142	2.437 ₁₂	0.4103 ₂₁	188
189	377.0	349.2	847.7	763.5	84.2	0.5374	1.0133	2.425 ₁₂	0.4124 ₂₁	189
190	377.4 ₄	349.7	847.4	763.2	84.2	0.5379	1.0124	2.413 ₁₂	0.4145 ₂₁	190
191	377.9 ₅	350.1	847.1	762.8	84.3	0.5385	1.0115	2.401 ₁₁	0.4166 ₂₀	191
192	378.3	350.6	846.7	762.4	84.3	0.5390	1.0106	2.390 ₁₂	0.4186 ₂₀	192
193	378.8 ₅	351.0	846.4	762.1	84.3	0.5395	1.0097	2.378 ₁₂	0.4206 ₂₁	193
194	379.2 ₄	351.5	846.1	761.8	84.3	0.5400	1.0088	2.366 ₁₁	0.4227 ₂₁	194
195	379.6 ₄	351.9	845.8	761.5	84.3	0.5406	1.0080	2.355 ₁₂	0.4248 ₂₁	195
196	380.0 ₅	352.3	845.5	761.2	84.3	0.5412	1.0071	2.343 ₁₂	0.4269 ₂₀	196

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>Apu</i>	<i>θ</i>	<i>r</i> <i>T</i>	<i>s</i>	<i>γ</i>	<i>p</i>
197	380.5	352.8	845.2	760.8	84.4	0.5417	1.0062	2.331 ₁₂	0.4289 ₂₀	197
198	380.9	353.2	844.9	760.5	84.4	0.5422	1.0053	2.319 ₁₀	0.4309 ₂₀	198
199	381.3	353.6	844.6	760.2	84.4	0.5427	1.0044	2.309 ₁₀	0.4329 ₂₀	199
200	381.7	354.1	844.3	759.9	84.4	0.5432	1.0035	2.299 ₁₀	0.4349 ₂₀	200
201	382.2	354.5	844.0	759.5	84.5	0.5437	1.0026	2.289 ₁₀	0.4369 ₂₀	201
202	382.6	354.9	843.7	759.2	84.5	0.5443	1.0018	2.279 ₁₁	0.4389 ₂₁	202
203	383.0	355.4	843.4	758.9	84.5	0.5448	1.0010	2.268 ₁₁	0.4410 ₂₁	203
204	383.4	355.8	843.1	758.6	84.5	0.5453	1.0002	2.257 ₁₁	0.4431 ₂₀	204
205	383.8	356.3	842.7	758.2	84.5	0.5458	.9994	2.246 ₁₀	0.4451 ₂₁	205
206	384.2	356.8	842.4	757.8	84.6	0.5463	.9986	2.236 ₁₀	0.4472 ₂₁	206
207	384.6	357.2	842.1	757.5	84.6	0.5469	.9977	2.226 ₁₀	0.4493 ₂₁	207
208	385.1	357.6	841.8	757.2	84.6	0.5474	.9968	2.216 ₁₁	0.4514 ₂₀	208
209	385.5	358.0	841.5	756.9	84.6	0.5479	.9959	2.205 ₁₀	0.4534 ₂₁	209
210	385.9	358.4	841.2	756.6	84.6	0.5484	.9950	2.195 ₁₀	0.4555 ₂₁	210
211	386.3	358.8	841.0	756.3	84.6	0.5489	.9942	2.185 ₉	0.4576 ₂₁	211
212	386.7	359.2	840.7	756.0	84.7	0.5493	.9934	2.176 ₉	0.4597 ₂₀	212
213	387.1	359.6	840.4	755.7	84.7	0.5497	.9926	2.167 ₁₀	0.4617 ₂₁	213
214	387.5	360.1	840.0	755.3	84.7	0.5502	.9918	2.157 ₁₀	0.4638 ₂₁	214
215	387.9	360.5	839.7	755.0	84.7	0.5507	.9909	2.147 ₁₀	0.4659 ₂₁	215
216	388.3	360.9	839.5	754.8	84.7	0.5512	.9901	2.137 ₉	0.4680 ₂₁	216
217	388.7	361.3	839.2	754.5	84.7	0.5518	.9893	2.128 ₉	0.4701 ₂₀	217
218	389.1	361.7	838.9	754.2	84.7	0.5523	.9885	2.119 ₉	0.4721 ₂₀	218
219	389.5	362.1	838.6	753.8	84.8	0.5528	.9878	2.110 ₉	0.4741 ₂₁	219
220	389.8	362.5	838.3	753.5	84.8	0.5532	.9871	2.101 ₉	0.4762 ₂₀	220
221	390.2	362.9	838.0	753.2	84.8	0.5536	.9863	2.092 ₉	0.4782 ₂₁	221
222	390.6	363.3	837.8	753.0	84.8	0.5541	.9855	2.083 ₉	0.4803 ₂₁	222
223	391.0	363.7	837.5	752.7	84.8	0.5546	.9847	2.074 ₉	0.4824 ₂₁	223
224	391.4	364.1	837.2	752.4	84.8	0.5551	.9839	2.065 ₉	0.4845 ₂₁	224
225	391.8	364.5	836.9	752.0	84.8	0.5556	.9830	2.056 ₉	0.4866 ₂₀	225
226	392.2	364.9	836.7	751.7	84.9	0.5560	.9822	2.047 ₉	0.4886 ₂₁	226
227	392.6	365.3	836.4	751.5	84.9	0.5565	.9814	2.038 ₈	0.4907 ₂₁	227
228	392.9	365.7	836.1	751.2	84.9	0.5570	.9807	2.030 ₉	0.4928 ₂₁	228
229	393.3	366.1	835.8	750.9	84.9	0.5574	.9800	2.021 ₈	0.4949 ₂₀	229
230	393.7	366.6	835.4	750.5	84.9	0.5579	.9792	2.013 ₈	0.4969 ₂₁	230
231	394.1	367.0	835.1	750.2	84.9	0.5584	.9784	2.005 ₉	0.4990 ₂₁	231
232	394.5	367.4	834.8	749.9	84.9	0.5588	.9776	1.996 ₈	0.5011 ₂₀	232
233	394.8	367.8	834.6	749.6	85.0	0.5593	.9769	1.988 ₈	0.5031 ₂₀	233
234	395.2	368.1	834.4	749.4	85.0	0.5597	.9762	1.980 ₈	0.5051 ₂₀	234
235	395.6	368.4	834.2	749.2	85.0	0.5602	.9755	1.972 ₈	0.5071 ₂₁	235
236	395.9	368.8	833.9	748.9	85.0	0.5606	.9748	1.964 ₈	0.5092 ₂₀	236
237	396.3	369.2	833.6	748.6	85.0	0.5611	.9740	1.956 ₈	0.5112 ₂₁	237

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density, Weight in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>s</i>	<i>Apr</i>	<i>e</i>	<i>v</i>	<i>v</i>	<i>v</i>	<i>p</i>
238	396.7	360.7	833.3	748.3	85.0	0.5615	.9732	1.948 ₈	0.5133 ₂₁	238
239	397.0	370.1	833.0	748.0	85.0	0.5620	.9725	1.940 ₈	0.5154 ₂₁	239
240	397.4	370.4	832.7	747.7	85.0	0.5624	.9718	1.932 ₇	0.5175 ₂₀	240
241	397.8	370.7	832.6	747.5	85.1	0.5629	.9711	1.925 ₈	0.5195 ₂₀	241
242	398.1	371.1	831.3	747.2	85.1	0.5633	.9604	1.917 ₇	0.5215 ₂₁	242
243	398.5	371.5	832.0	746.9	85.1	0.5638	.9606	1.910 ₈	0.5236 ₂₁	243
244	398.9	371.9	831.7	746.6	85.1	0.5642	.9688	1.902 ₇	0.5257 ₂₁	244
245	399.2	372.2	831.5	746.4	85.1	0.5646	.9681	1.895 ₈	0.5278 ₂₁	245
246	399.6	372.6	831.2	746.1	85.1	0.5651	.9674	1.887 ₈	0.5299 ₂₁	246
247	399.9	373.0	830.9	745.8	85.1	0.5655	.9668	1.879 ₇	0.5320 ₂₁	247
248	400.3	373.4	830.6	745.5	85.1	0.5659	.9661	1.872 ₇	0.5341 ₂₀	248
249	400.6	373.7	830.4	745.3	85.1	0.5664	.9654	1.865 ₇	0.5361 ₂₀	249
250	401.0	374.1	830.1	745.0	85.1	0.5668	.9647	1.858 ₇	0.5381 ₂₀	250
251	401.3	374.5	829.9	744.7	85.2	0.5672	.9641	1.851 ₇	0.5401 ₂₀	251
252	401.7	374.8	829.7	744.5	85.2	0.5676	.9634	1.844 ₇	0.5421 ₂₁	252
253	402.0	375.2	829.4	744.2	85.2	0.5681	.9627	1.837 ₇	0.5442 ₂₁	253
254	402.4	375.6	829.1	743.9	85.2	0.5685	.9620	1.830 ₇	0.5463 ₂₁	254
255	402.7	375.9	828.9	743.7	85.2	0.5689	.9613	1.823 ₇	0.5484 ₂₁	255
256	403.1	376.3	828.6	743.4	85.2	0.5693	.9606	1.816 ₇	0.5505 ₂₁	256
257	403.4	376.7	828.3	743.1	85.2	0.5698	.9599	1.809 ₇	0.5526 ₂₁	257
258	403.8	377.0	828.1	742.9	85.2	0.5702	.9592	1.802 ₆	0.5547 ₂₁	258
259	404.1	377.4	827.8	742.6	85.2	0.5706	.9585	1.796 ₇	0.5568 ₂₀	259
260	404.5	377.8	827.5	742.3	85.2	0.5710	.9578	1.789 ₇	0.5588 ₂₁	260
261	404.8	378.1	827.3	742.0	85.3	0.5714	.9572	1.783 ₇	0.5609 ₂₁	261
262	405.2	378.5	827.0	741.7	85.3	0.5718	.9565	1.777 ₇	0.5630 ₂₁	262
263	405.5	378.8	826.8	741.5	85.3	0.5722	.9559	1.770 ₇	0.5651 ₂₁	263
264	405.8	379.2	826.5	741.2	85.3	0.5726	.9552	1.763 ₆	0.5672 ₂₁	264
265	406.2	379.6	826.2	740.9	85.3	0.5730	.9545	1.757 ₇	0.5693 ₂₁	265
266	406.5	379.9	826.0	740.7	85.3	0.5734	.9539	1.750 ₆	0.5714 ₂₀	266
267	406.8	380.2	825.8	740.5	85.3	0.5738	.9532	1.744 ₆	0.5734 ₂₁	267
268	407.2	380.6	825.5	740.2	85.3	0.5742	.9525	1.738 ₆	0.5755 ₂₁	268
269	407.5	380.9	825.3	740.0	85.3	0.5746	.9519	1.732 ₆	0.5776 ₂₁	269
270	407.9	381.3	825.0	739.7	85.3	0.5750	.9512	1.726 ₆	0.5797 ₂₀	270
271	408.2	381.6	824.8	739.5	85.3	0.5754	.9505	1.720 ₇	0.5817 ₂₁	271
272	408.5	382.0	824.5	739.2	85.3	0.5759	.9499	1.713 ₆	0.5838 ₂₁	272
273	408.8	382.3	824.3	738.9	85.4	0.5763	.9493	1.707 ₆	0.5859 ₂₁	273
274	409.2	382.7	824.0	738.6	85.4	0.5767	.9486	1.701 ₆	0.5880 ₂₁	274
275	409.5	383.0	823.8	738.4	85.4	0.5771	.9480	1.695 ₆	0.5901 ₂₁	275
276	409.8	383.4	823.5	738.1	85.4	0.5775	.9474	1.689 ₆	0.5922 ₂₁	276
277	410.2	383.7	823.3	737.9	85.4	0.5779	.9467	1.683 ₆	0.5943 ₂₁	277
278	410.5	384.0	823.1	737.7	85.4	0.5782	.9460	1.677 ₅	0.5964 ₂₁	278

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid	Entropy of Vaporiza- tion.	Specific Volume.	DENSITY. Weight, in Pounds, of One Cubic Foot.	Pressure, Pounds per Square Inch.
<i>p</i>	<i>t</i>	<i>q</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	$\frac{T}{T'}$	<i>s</i>	<i>γ</i>	<i>p</i>
279	410.8	384.4	822.8	737.4	85.4	0.5786	.9454	1.672 ₆	0.5985 ₂	279
280	411.1	384.7	822.6	737.2	85.4	0.5790	.9448	1.666 ₆	0.600 ₂	280
281	411.4	385.0	822.4	737.0	85.4	0.5794	.9442	1.660 ₆	0.602 ₂	281
282	411.8	385.4	822.1	736.7	85.4	0.5798	.9435	1.654 ₅	0.604 ₂	282
283	412.1	385.7	821.9	736.5	85.4	0.5802	.9429	1.649 ₆	0.606 ₂	283
284	412.4	386.0	821.7	736.3	85.4	0.5806	.9423	1.643 ₅	0.608 ₂	284
285	412.7	386.4	821.4	776.0	85.4	0.5809	.9416	1.638 ₆	0.610 ₂	285
286	413.0	386.7	821.2	735.8	85.4	0.5813	.9410	1.632 ₅	0.612 ₂	286
287	413.4	387.1	820.9	735.5	85.4	0.5817	.9404	1.627 ₆	0.614 ₂	287
288	413.7	387.4	820.7	735.2	85.5	0.5821	.9399	1.621 ₅	0.616 ₂	288
289	414.0	387.7	820.5	735.0	85.5	0.5825	.9393	1.616 ₅	0.618 ₂	289
290	414.3	388.0	820.3	734.8	85.5	0.5829	.9387	1.611 ₆	0.620 ₃	290
291	414.6	388.3	820.1	734.6	85.5	0.5832	.9382	1.605 ₅	0.623 ₂	291
292	414.9	388.6	819.9	734.4	85.5	0.5836	.9377	1.600 ₅	0.625 ₂	292
293	415.3	388.9	819.7	734.2	85.5	0.5840	.9370	1.595 ₆	0.627 ₂	293
294	415.6	389.3	819.4	733.9	85.5	0.5843	.9363	1.589 ₅	0.629 ₂	294
295	415.9	389.7	819.1	733.6	85.5	0.5847	.9357	1.584 ₅	0.631 ₂	295
296	416.2	390.0	818.9	733.4	85.5	0.5851	.9351	1.579 ₅	0.633 ₂	296
297	416.5	390.3	818.7	733.2	85.5	0.5854	.9345	1.574 ₆	0.635 ₂	297
298	416.8	390.6	818.5	733.0	85.5	0.5858	.9340	1.568 ₅	0.637 ₂	298
299	417.1	390.9	818.3	732.8	85.5	0.5862	.9334	1.563 ₅	0.639 ₃	299
300	417.4	391.3	818.0	732.5	85.5	0.5866	.9328	1.558 ₅	0.642 ₂	300
301	417.7	391.6	817.7	732.2	85.5	0.5869	.9322	1.553 ₅	0.644 ₂	301
302	418.0	391.9	817.5	732.0	85.5	0.5873	.9317	1.548 ₅	0.646 ₂	302
303	418.3	392.2	817.3	731.8	85.5	0.5876	.9311	1.543 ₅	0.648 ₂	303
304	418.6	392.5	817.1	731.6	85.5	0.5880	.9306	1.538 ₅	0.650 ₂	304
305	418.9	392.8	816.9	731.4	85.5	0.5884	.9300	1.533 ₅	0.652 ₂	505
306	419.2	393.1	816.7	731.2	85.5	0.5888	.9294	1.528 ₄	0.654 ₂	306
307	419.5	393.5	816.4	730.9	85.5	0.5891	.9288	1.524 ₄	0.656 ₂	307
308	419.8	393.8	816.2	730.7	85.5	0.5894	.9282	1.519 ₅	0.658 ₂	308
309	420.1	394.1	816.0	730.5	85.5	0.5898	.9277	1.514 ₅	0.660 ₂	309
310	420.4	394.4	815.8	730.3	85.5	0.5901	.9271	1.509 ₅	0.662 ₂	310
311	420.7	394.8	815.5	730.0	85.5	0.5905	.9255	1.504 ₄	0.664 ₂	311
312	421.0	395.1	815.3	729.8	85.5	0.5908	.9260	1.500 ₅	0.666 ₃	312
313	421.3	395.4	815.0	729.5	85.5	0.5912	.9254	1.495 ₅	0.669 ₂	313
314	421.6	395.7	814.8	729.2	85.6	0.5916	.9249	1.490 ₅	0.671 ₂	314
315	421.9	396.0	814.6	729.0	85.6	0.5919	.9243	1.485 ₅	0.673 ₂	315
316	422.2	396.3	814.4	728.8	85.6	0.5922	.9237	1.480 ₅	0.675 ₂	316
317	422.5	396.6	814.2	728.6	85.6	0.5926	.9231	1.475 ₄	0.677 ₂	317
318	422.8	396.9	814.0	728.4	85.6	0.5929	.9226	1.471 ₄	0.679 ₂	318
319	423.1	397.2	813.8	728.2	85.6	0.5933	.9220	1.467 ₅	0.681 ₂	319

SATURATED STEAM—TABLE II.

Pressure, Pounds per Square Inch.	Temperature, Degrees Fahr.	Heat of the Liquid.	Heat of Vap- orization.	Heat Equiva- lent of Inter- nal Work.	Heat Equiva- lent of Ex- ternal Work.	Entropy of the Liquid.	Entropy of Vaporiza- tion.	Specific Volume.	Density.		Pressure, Pounds per Square Inch.
									Weight in Pounds of One Cubic Foot.		
320	423.4	397.5	813.6	728.0	85.6	0.5936	.9214	1.462 ₅	0.683 ₃		320
321	423.7	397.8	813.4	727.8	85.6	0.5940	.9209	1.457 ₄	0.686 ₃		321
322	424.0	398.1	813.1	727.5	85.6	0.5943	.9204	1.453 ₅	0.688 ₃		322
323	424.2	398.4	812.9	727.3	85.6	0.5946	.9199	1.448 ₅	0.691 ₂		323
324	424.5	398.7	812.7	727.1	85.6	0.5949	.9193	1.443 ₅	0.693 ₂		324
325	424.8	399.0	812.5	726.9	85.6	0.5952	.9188	1.439 ₅	0.695 ₂		325
326	425.1	399.3	812.3	726.7	85.6	0.5956	.9182	1.434 ₄	0.697 ₂		326
327	425.4	399.6	812.1	726.5	85.6	0.5959	.9176	1.430 ₄	0.699 ₂		327
328	425.7	399.9	811.9	726.3	85.6	0.5963	.9171	1.426 ₄	0.701 ₂		328
329	426.0	400.2	811.7	726.1	85.6	0.5967	.9166	1.422 ₅	0.703 ₃		329
330	426.2	400.5	811.4	725.8	85.6	0.5970	.9161	1.417 ₄	0.706 ₂		330
331	426.5	400.8	811.2	725.6	85.6	0.5973	.9156	1.413 ₄	0.708 ₂		331
332	426.8	401.1	811.0	725.4	85.6	0.5977	.9151	1.409 ₄	0.710 ₂		332
333	427.1	401.4	810.8	725.2	85.6	0.5980	.9145	1.405 ₄	0.712 ₂		333
334	427.4	401.7	810.6	725.0	85.6	0.5983	.9140	1.401 ₄	0.714 ₂		334
335	427.6	402.0	810.4	724.8	85.6	0.5987	.9136	1.397 ₄	0.716 ₂		335
336	427.9	402.3	810.2	724.6	85.6	0.5990	.9131	1.393 ₄	0.718 ₂		336

TABLE III.

SATURATED STEAM.

FRENCH AND ENGLISH CONVERSION TABLES.*

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE.			HEAT OF THE LIQUID.		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fahr. <i>t</i>
	Milli- meters of Mer- cury. <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>	Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
0	4.602 ₃₃₉	.006257 ₄₆₁	0.0890 ₆₅	0.00	0.0	606.5	1091.7	575.4	1035.8	32
1	4.941 ₃₆₂	.006718 ₄₉₂	0.0955 ₇₁	1.01	1.8	605.8	1090.4	574.6	1034.4	33.8
2	5.303 ₃₈₆	.007210 ₅₂₅	0.1026 ₇₄	2.02	3.6	605.1	1089.1	573.8	1033.0	35.6
3	5.689 ₄₁₁	.007735 ₅₅₈	0.1100 ₇₉	3.03	5.5	604.4	1087.9	573.1	1031.5	37.4
4	6.100 ₄₃₆	.008293 ₅₉₃	0.1179 ₈₅	4.03	7.3	603.7	1086.6	572.3	1030.1	39.2
5	6.536 ₄₆₅	.008886 ₆₃₃	0.1264 ₉₀	5.04	9.1	603.0	1085.3	571.5	1028.7	41.0
6	7.001 ₄₉₃	.009519 ₆₇₉	0.1354 ₉₅	6.04	10.9	602.3	1084.1	570.7	1027.3	42.8
7	7.494 ₅₂₅	.010198 ₇₁	0.1449 ₁₀₂	7.05	12.7	601.5	1082.8	569.9	1025.9	44.6
8	8.019 ₅₅₇	.01090 ₇₆	0.1551 ₁₀₇	8.05	14.5	600.8	1081.6	569.1	1024.5	46.4
9	8.576 ₅₉₁	.01166 ₈₀	0.1658 ₁₁₅	9.05	16.3	600.1	1080.3	568.3	1023.1	48.2
10	9.167 ₆₂₈	.01246 ₈₆	0.1773 ₁₂₁	10.06	18.1	599.5	1079.1	567.6	1021.7	50.0
11	9.795 ₆₆₅	.01332 ₉₀	0.1894 ₁₂₉	11.06	19.9	598.8	1077.8	566.8	1020.3	51.8
12	10.46 ₇₀	.01422 ₉₅	0.2023 ₁₃₆	12.06	21.7	598.1	1076.6	566.0	1018.9	53.6
13	11.16 ₇₅	.01517 ₁₀₂	0.2159 ₁₄₄	13.06	23.5	597.4	1075.3	565.2	1017.5	55.4
14	11.91 ₇₉	.01619 ₁₀₈	0.2303 ₁₅₃	14.06	25.3	596.7	1074.1	564.4	1016.1	57.2
15	12.70 ₈₄	.01727 ₁₁₄	0.2456 ₁₆₃	15.06	27.1	596.0	1072.8	563.7	1014.7	59.0
16	13.54 ₈₈	.01841 ₁₂₀	0.2619 ₁₇₀	16.06	28.9	595.3	1071.6	562.9	1013.3	60.8
17	14.42 ₉₄	.01961 ₁₂₇	0.2789 ₁₈₁	17.06	30.7	594.6	1070.3	562.1	1011.9	62.6
18	15.36 ₉₉	.02088 ₁₃₅	0.2970 ₁₉₂	18.06	32.5	593.9	1069.1	561.3	1010.5	64.4
19	16.35 ₁₀₅	.02223 ₁₄₃	0.3162 ₂₀₂	19.06	34.3	593.2	1067.8	560.5	1009.1	66.2
20	17.40 ₁₁₀	.02366 ₁₄₉	0.3364 ₂₁₄	20.06	36.1	592.5	1066.6	559.7	1007.7	68.0
21	18.50 ₁₁₆	.02515 ₁₅₈	0.3578 ₂₂₅	21.06	37.9	591.8	1065.3	558.9	1006.3	69.8
22	19.66 ₁₂₃	.02673 ₁₆₇	0.3803 ₂₃₈	22.06	39.7	591.1	1064.1	558.1	1004.9	71.6
23	20.89 ₁₃₀	.02840 ₁₇₇	0.4041 ₂₅₀	23.06	41.5	590.4	1062.8	557.4	1003.4	73.4
24	22.19 ₁₃₆	.03017 ₁₈₅	0.4291 ₂₆₄	24.06	43.3	589.7	1061.6	556.6	1002.0	75.2
25	23.55 ₁₄₄	.03202 ₁₉₆	0.4555 ₂₇₉	25.05	45.1	589.0	1060.3	555.8	1000.6	77.0
26	24.99 ₁₅₂	.03398 ₂₀₆	0.4834 ₂₉₃	26.05	46.9	588.3	1059.1	555.0	999.2	78.8
27	26.51 ₁₆₀	.03604 ₂₁₈	0.5127 ₃₀₉	27.05	48.7	587.6	1057.8	554.3	997.8	80.6
28	28.11 ₁₆₈	.03822 ₂₂₈	0.5436 ₃₂₅	28.05	50.5	586.9	1056.6	553.5	996.4	82.4
29	29.79 ₁₇₆	.04050 ₂₄₀	0.5761 ₃₄₁	29.04	52.3	586.3	1055.3	552.7	995.0	84.2
30	31.55 ₁₈₆	.04290	0.6102 ₃₆₀	30.04	54.1	585.7	1054.1	552.0	993.6	86.0

* NOTE: This table gives the Metric values for one kilogram and the English values for one pound at corresponding temperatures. If refinement is desired Table I should be used.

TABLE III.

SATURATED STEAM.

FRENCH AND ENGLISH CONVERSION TABLES.*

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF EXTER- NAL WORK		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories.	B.T.U.			Cubic Meters per Kilo.	Cubic Feet per Pound.	Weight in Kilo- grams of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
<i>t</i>	<i>A pu</i>	<i>A pu</i>	<i>o</i>	$\frac{r}{T}$	<i>s</i>	<i>s</i>	<i>γ</i>	<i>γ</i>	<i>t</i>
0	31.1	55.9	0	2.2211	212.0	3395.220	0.004717	0.0002946	32
1	31.2	56.0	0.0037	2.2105	198.2	3175.212	0.005045	0.0003150	33.8
2	31.3	56.2	0.0074	2.2000	185.0	2963.195	0.005405	0.0003375	35.6
3	31.3	56.3	0.0110	2.1890	172.8	2768.179	0.005787	0.0003613	37.4
4	31.4	56.5	0.0146	2.1789	161.6	2589.168	0.006188	0.0003862	39.2
5	31.5	56.6	0.0183	2.1684	151.2	2421.153	0.006614	0.0004131	41
6	31.6	56.8	0.0219	2.1583	141.6	2268.146	0.007062	0.0004409	42.8
7	31.7	56.9	0.0256	2.1482	132.5	2122.133	0.007547	0.0004713	44.6
8	31.7	57.1	0.0290	2.1379	124.2	1989.124	0.008052	0.0005028	46.4
9	31.8	57.2	0.0326	2.1279	116.4	1865.116	0.008591	0.0005362	48.2
10	31.9	57.4	0.0361	2.1180	109.3	1749.107	0.009140	0.0005718	50
11	32.0	57.5	0.0397	2.1081	102.5	1642.99	0.009756	0.0006090	51.8
12	32.1	57.7	0.0433	2.0983	96.33	1543.95	0.010386	0.0006481	53.6
13	32.2	57.8	0.0467	2.0885	90.42	1448.87	0.011057	0.0006906	55.4
14	32.3	58.0	0.0502	2.0786	84.95	1361.82	0.011777	0.0007348	57.2
15	32.3	58.1	0.0537	2.0691	79.87	1279.75	0.012527	0.0007819	59
16	32.4	58.3	0.0571	2.0595	75.16	1204.71	0.013308	0.0008306	60.8
17	32.5	58.4	0.0607	2.0502	70.73	1133.66	0.014138	0.0008826	62.6
18	32.6	58.6	0.0641	2.0410	66.60	1067.62	0.015019	0.0009372	64.4
19	32.7	58.7	0.0675	2.0313	62.73	1005.558	0.015940	0.0009950	66.2
20	32.8	58.9	0.0709	2.0221	59.12	946.9540	0.016911	0.001056	68
21	32.9	59.1	0.0743	2.0129	55.74	892.9507	0.017941	0.001120	69.8
22	33.0	59.2	0.0776	2.0035	52.58	842.2474	0.019021	0.001187	71.6
23	33.0	59.4	0.0811	1.9945	49.62	794.8445	0.020151	0.001258	73.4
24	33.1	59.5	0.0845	1.9854	46.84	750.3416	0.02135	0.001333	75.2
25	33.2	59.7	0.0878	1.9763	44.25	708.7388	0.02260	0.001411	77
26	33.3	59.9	0.0911	1.9673	41.82	669.9365	0.02391	0.001493	78.8
27	33.4	60.0	0.0945	1.9584	39.54	633.4343	0.02529	0.001579	80.6
28	33.5	60.2	0.0978	1.9496	37.40	599.1322	0.02674	0.001669	82.4
29	33.6	60.3	0.1011	1.9409	35.39	566.9305	0.02826	0.001764	84.2
30	33.7	60.5	0.1044	1.9324	33.50	536.4283	0.02985	0.001864	86

* NOTE. This table gives the Metric values for one kilogram and the English values for one pound at corresponding temperatures. If refinement is desired Table I should be used.

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE.			HEAT OF THE LIQUID.		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fahr. <i>t</i>
	Milli- meters of Mer- cury <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>	Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
31	33.41 ₁₉₅	0.04543 ₂₆₅	0.6462 ₃₇₇	31.04	55.9	585.0	1052.9	551.2	992.2	87.8
32	35.36 ₂₀₆	0.04808 ₂₇₉	0.6839 ₃₉₇	32.04	57.7	584.3	1051.6	550.4	990.7	89.6
33	37.42 ₂₁₅	0.05087 ₂₉₄	0.7236 ₄₁₇	33.04	59.5	583.6	1050.3	549.6	989.2	91.4
34	39.57 ₂₂₆	0.05381 ₃₀₇	0.7653 ₄₃₇	34.03	61.3	582.9	1049.0	548.8	987.8	93.2
35	41.83 ₂₃₈	0.05688 ₃₂₃	0.8090 ₄₆₀	35.03	63.1	582.2	1047.8	548.1	986.4	95.0
36	44.21 ₂₄₉	0.06011 ₃₃₉	0.8550 ₄₈₁	36.03	64.9	581.5	1046.6	547.3	985.0	96.8
37	46.70 ₂₆₁	0.06350 ₃₅₅	0.9031 ₅₀₅	37.02	66.6	580.8	1045.4	546.5	983.6	98.6
38	49.31 ₂₇₄	0.06705 ₃₇₂	0.9536 ₅₃₀	38.02	68.4	580.1	1044.2	545.7	982.2	100.4
39	52.05 ₂₈₆	0.07077 ₃₈₉	1.0066 ₅₅₃	39.02	70.2	579.4	1042.9	544.9	980.9	102.2
40	54.91 ₃₀₁	0.07466 ₄₁₀	1.0619 ₅₈₃	40.02	72.0	578.7	1041.7	544.1	979.5	104.0
41	57.92 ₃₁₄	0.07876 ₄₂₇	1.1202 ₆₀₇	41.01	73.8	578.0	1040.4	543.3	978.1	105.8
42	61.06 ₃₂₉	0.08303 ₄₄₇	1.1809 ₆₃₆	42.01	75.6	577.3	1039.2	542.5	976.6	107.6
43	64.35 ₃₄₅	0.08750 ₄₆₉	1.2445 ₆₆₈	43.01	77.4	576.6	1037.9	541.7	975.2	109.4
44	67.80 ₃₆₀	0.09219 ₄₈₈	1.3113 ₆₉₄	44.01	79.2	575.9	1036.7	540.9	973.7	111.2
45	71.40 ₃₇₆	0.09707 ₅₁₃	1.3807 ₇₂₉	45.00	81.0	575.2	1035.4	540.1	972.3	113.0
46	75.16 ₃₉₄	0.10220 ₅₃₆	1.4536 ₇₆₂	46.00	82.8	574.5	1034.1	539.3	970.9	114.8
47	79.10 ₄₁₁	0.10756 ₅₅₈	1.5298 ₇₉₅	47.00	84.6	573.8	1032.9	538.5	969.5	116.6
48	83.21 ₄₃₀	0.11314 ₅₈₅	1.6093 ₈₃₁	48.00	86.4	573.1	1031.6	537.7	968.0	118.4
49	87.51 ₄₄₇	0.11899 ₆₀₈	1.6924 ₈₆₅	48.99	88.2	572.4	1030.5	537.0	966.7	120.2
50	91.98 ₄₆₇	0.12507 ₆₃₄	1.7789 ₉₀₁	49.99	90.0	571.8	1029.2	536.3	965.3	122.0
51	96.65 ₄₈₉	0.13141 ₆₆₃	1.8690 ₉₄₄	50.99	91.8	571.1	1027.9	535.5	963.9	123.8
52	101.54 ₅₁₀	0.13804 ₆₉₃	1.9634 ₉₈₆	51.99	93.6	570.4	1026.7	534.6	962.4	125.6
53	106.64 ₅₃₁	0.14497 ₇₂₃	2.0620 ₁₀₂₇	52.99	95.4	569.7	1025.4	533.8	961.0	127.4
54	111.95 ₅₅₄	0.15220 ₇₅₄	2.1647 ₁₀₇₂	53.98	97.2	569.0	1024.2	533.0	959.5	129.2
55	117.49 ₅₇₆	0.15974 ₇₈₃	2.2719 ₁₁₁₄	54.98	99.0	568.3	1022.9	532.2	958.1	131.0
56	123.25 ₆₀₁	0.16757 ₈₁₇	2.3833 ₁₁₆₂	55.98	100.8	567.6	1021.7	531.5	956.7	132.8
57	129.26 ₆₂₅	0.17574 ₈₅₀	2.4995 ₁₂₀₉	56.98	102.6	566.9	1020.4	530.8	955.3	134.6
58	135.51 ₆₅₁	0.18424 ₈₈₄	2.6204 ₁₂₅₉	57.98	104.4	566.2	1019.2	530.0	953.8	136.4
59	142.02 ₆₇₈	0.19308 ₉₂₂	2.7463 ₁₃₁₁	58.97	106.2	565.5	1017.9	529.2	952.4	138.2
60	148.80 ₇₀₅	0.20230 ₉₅₉	2.8774 ₁₃₆₃	59.97	108.0	564.8	1016.6	528.4	950.9	140.0
61	155.85 ₇₃₃	0.21189 ₉₉₆	3.0137 ₁₄₁₈	60.97	109.8	564.1	1015.3	527.6	949.5	141.8
62	163.18 ₇₆₂	0.22185 ₁₀₃₇	3.1555 ₁₄₇₄	61.97	111.6	563.4	1014.1	526.8	948.0	143.6
63	170.80 ₇₉₂	0.23222 ₁₀₇₅	3.3029 ₁₅₃₁	62.97	113.4	562.7	1012.9	526.0	946.7	145.4
64	178.72 ₈₂₃	0.24297 ₁₁₂₀	3.4560 ₁₅₉₂	63.98	115.2	562.0	1011.7	525.1	945.2	147.2
65	186.95 ₈₅₅	0.25417 ₁₁₆₃	3.6152 ₁₆₅₄	64.98	117.0	561.3	1010.4	524.3	943.8	149.0
66	195.56 ₈₈₈	0.26580 ₁₂₀₇	3.7806 ₁₇₁₇	65.98	118.8	560.6	1009.2	523.5	942.4	150.8
67	204.38 ₉₂₂	0.27787 ₁₂₅₄	3.9523 ₁₇₈₃	66.98	120.6	559.9	1007.8	522.7	940.9	152.6
68	213.66 ₉₅₇	0.29041 ₁₃₀₁	4.1306 ₁₈₅₁	67.98	122.4	559.2	1006.6	521.9	939.5	154.4
69	223.17 ₉₉₂	0.30342 ₁₃₄₈	4.3157 ₁₉₁₈	68.98	124.2	558.5	1005.3	521.1	938.0	156.2
70	233.09 ₁₀₃₀	0.31690 ₁₄₀₁	4.5075 ₁₉₉₂	69.98	126.0	557.9	1004.1	520.5	936.7	158.0

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF EXTER- NAL WORK.		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories	B.T.U.			Cubic Meters per kilo	Cubic Feet per pound.	Weight, in kilo- grams, of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
t	Apr	Apr	o	°	s	s	γ	γ	t
31	33.8	60.7	0.1077	1.9238	31.72	508.1	0.03153	0.001968	87.8
32	33.9	60.9	0.1110	1.9152	30.05	481.4	0.03328	0.002077	89.6
33	34.0	61.0	0.1142	1.9066	28.48	456.2	0.03511	0.002192	91.4
34	34.1	61.2	0.1175	1.8981	27.00	432.5	0.03704	0.002312	93.2
35	34.1	61.4	0.1207	1.8896	25.62	410.2	0.03903	0.002438	95.0
36	34.2	61.6	0.1239	1.8814	24.31	389.4	0.04114	0.002568	96.8
37	34.3	61.7	0.1272	1.8732	23.07	369.5	0.04335	0.002708	98.6
38	34.4	61.9	0.1304	1.8649	21.91	351.0	0.04564	0.002849	100.4
39	34.5	62.0	0.1336	1.8566	20.81	333.3	0.04805	0.003000	102.2
40	34.6	62.2	0.1368	1.8485	19.78	316.8	0.05056	0.003157	104.0
41	34.7	62.4	0.1399	1.8405	18.80	301.1	0.05319	0.003321	105.8
42	34.8	62.6	0.1431	1.8324	17.88	286.4	0.05593	0.003492	107.6
43	34.9	62.7	0.1463	1.8243	17.02	272.6	0.05875	0.003668	109.4
44	35.0	62.9	0.1494	1.8164	16.20	259.5	0.06173	0.003854	111.2
45	35.1	63.1	0.1526	1.8085	15.42	247.0	0.06485	0.004049	113.0
46	35.2	63.3	0.1557	1.8007	14.69	235.3	0.06807	0.004250	114.8
47	35.3	63.4	0.1588	1.7929	14.00	224.3	0.07143	0.004458	116.6
48	35.4	63.6	0.1619	1.7851	13.34	213.7	0.07496	0.004679	118.4
49	35.5	63.7	0.1650	1.7774	12.71	203.6	0.07868	0.004912	120.2
50	35.6	63.9	0.1682	1.7699	12.13	194.3	0.08244	0.005147	122.0
51	35.7	64.1	0.1713	1.7623	11.58	185.5	0.08636	0.005391	123.8
52	35.8	64.3	0.1743	1.7548	11.05	177.0	0.09050	0.005650	125.6
53	35.9	64.4	0.1774	1.7472	10.55	169.0	0.09479	0.005917	127.4
54	36.0	64.6	0.1804	1.7397	10.08	161.5	0.09921	0.006192	129.2
55	36.1	64.8	0.1835	1.7323	9.628	154.2	0.1039	0.006485	131.0
56	36.2	65.0	0.1865	1.7249	9.203	147.4	0.1087	0.006784	132.8
57	36.2	65.2	0.1895	1.7175	8.800	141.0	0.1136	0.007092	134.6
58	36.3	65.3	0.1925	1.7102	8.417	134.8	0.1188	0.007418	136.4
59	36.4	65.5	0.1955	1.7029	8.054	129.0	0.1242	0.007752	138.2
60	36.5	65.7	0.1986	1.6957	7.703	123.4	0.1298	0.008100	140.0
61	36.6	65.9	0.2016	1.6886	7.377	118.2	0.1356	0.008460	141.8
62	36.7	66.1	0.2046	1.6815	7.065	113.2	0.1415	0.008834	143.6
63	36.8	66.2	0.2075	1.6745	6.768	108.4	0.1478	0.009225	145.4
64	36.9	66.4	0.2105	1.6675	6.483	103.8	0.1543	0.009634	147.2
65	37.0	66.6	0.2135	1.6605	6.213	99.54	0.1610	0.01005	149.0
66	37.1	66.8	0.2164	1.6536	5.959	95.45	0.1678	0.01048	150.8
67	37.2	66.9	0.2194	1.6467	5.717	91.58	0.1749	0.01092	152.6
68	37.3	67.1	0.2123	1.6398	5.484	87.84	0.1823	0.01138	154.4
69	37.4	67.2	0.2153	1.6329	5.262	84.29	0.1900	0.01188	156.2
70	37.5	67.4	0.2282	1.6261	5.051	80.88	0.1980	0.01236	158.0

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE.				HEAT OF THE LIQUID.		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fahr. <i>t</i>
	Milli- meters of Mer- cury. <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>		Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
71	243.39	0.33091	4.7067	70.98	127.8	557.2	1002.9	519.7	935.3	159.8	
72	254.07 ¹⁰⁶⁸	0.34544	4.9132 ²⁰⁶⁵	71.99	129.6	556.5	1001.6	518.9	933.9	161.6	
73	265.14 ¹¹⁰⁷ 1148	0.36050	5.1273 ²¹⁴¹ 2220	72.99	131.4	555.8	1000.4	518.1	932.4	163.4	
74	276.62 ¹¹⁸⁹	0.37609	5.3493 ²²⁹⁹	73.99	133.2	555.1	999.1	517.3	931.0	165.2	
75	288.51 ¹²³²	0.39226	5.5792 ²³⁸³	74.99	135.0	554.4	997.9	516.5	929.6	167.0	
76	300.83 ¹²⁷⁶	0.40900	5.8175 ²⁴⁶⁷	76.00	136.8	553.7	996.6	515.7	928.2	168.8	
77	313.59 ¹³²¹	0.42636	6.0642 ²⁵⁵⁵	77.00	138.6	553.0	995.4	514.8	926.8	170.6	
78	326.80 ¹³⁶⁸	0.44433	6.3197 ²⁶⁴⁵	78.00	140.4	552.3	994.2	514.0	925.4	172.4	
79	340.48 ¹⁴¹⁵	0.46293	6.5842 ²⁷³⁶	79.01	142.2	551.6	992.9	513.2	923.9	174.2	
80	354.63 ¹⁴⁶⁴	0.48217	6.8578 ²⁸³¹	80.01	144.0	550.9	991.6	512.5	922.5	176.0	
81	369.27 ¹⁵¹⁴	0.50205	7.1409 ²⁹²⁸	81.02	145.8	550.2	990.3	511.7	921.1	177.8	
82	384.41 ¹⁵⁶⁷	0.52264	7.4337 ³⁰³⁰	82.02	147.6	549.5	989.1	510.9	919.6	179.6	
83	400.08 ¹⁶¹⁹	0.54395	7.7367 ³¹³²	83.03	149.4	548.8	987.8	510.1	918.2	181.4	
84	416.27 ¹⁶⁷⁴	0.56598	8.0499 ³²³¹	84.03	151.2	548.1	986.6	509.3	916.7	183.2	
85	433.01 ¹⁷³⁰	0.58870	8.3730 ³³⁵¹	85.04	153.1	547.4	985.3	508.5	915.3	185.0	
86	450.31 ¹⁷⁸⁷	0.61238	8.7081 ³⁴⁵⁶	86.04	154.9	546.7	984.0	507.7	913.9	186.8	
87	468.18 ¹⁸⁴⁶	0.63656	9.0537 ³⁵⁶⁹	87.05	156.7	545.9	982.8	506.9	912.5	188.6	
88	486.64 ¹⁹⁰⁷	0.66162	9.4106 ³⁶⁸⁴	88.06	158.5	545.2	981.5	506.1	911.0	190.4	
89	505.71 ¹⁹⁶⁹	0.68755	9.779 ³⁸¹	89.06	160.3	544.5	980.3	505.2	909.6	192.2	
90	525.40 ²⁰³²	0.71435	10.160 ³⁹³	90.07	162.1	543.9	979.0	504.5	908.2	194.0	
91	545.72 ²⁰⁹⁸	0.74195	10.553 ⁴⁰⁶	91.08	163.9	543.2	977.8	503.9	906.9	195.8	
92	566.70 ²¹⁶⁴	0.77050	10.959 ⁴¹⁸	92.08	165.7	542.5	976.6	503.1	905.5	197.6	
93	588.34 ²²³³	0.79988	11.377 ⁴³²	93.09	167.5	541.8	975.2	502.2	904.0	199.4	
94	610.67 ²³⁰³	0.83025	11.809 ⁴⁴⁵	94.10	169.3	541.1	974.0	501.4	902.6	201.2	
95	633.70 ²³⁷⁵	0.86155	12.254 ⁴⁶⁰	95.11	171.2	540.4	972.7	500.6	901.2	203.0	
96	657.45 ²⁴⁴⁸	0.89388	12.714 ⁴⁷³	96.12	173.0	539.7	971.4	499.8	899.7	204.8	
97	681.93 ²⁵²⁴	0.92715	13.187 ⁴⁸⁸	97.12	174.8	539.0	970.1	499.0	898.3	206.6	
98	707.17 ²⁶⁰²	0.96145	13.675 ⁵⁰³	98.13	176.6	538.3	969.0	498.4	896.9	208.4	
99	733.19 ²⁶⁸¹	0.99680	14.178 ⁵¹⁹	99.14	178.5	537.6	967.6	497.5	895.4	210.2	
100	760.00 ²⁷⁵	1.0333	14.697 ⁵³²	100.2	180.3	536.8	966.3	496.6	893.9	212.0	
101	787.5 ²⁸³	1.0707	15.229 ⁵⁴⁷	101.2	182.1	536.1	965.0	495.8	892.5	213.8	
102	815.8 ²⁹²	1.1093	15.776 ⁵⁶⁵	102.2	183.9	535.4	963.7	494.9	891.0	215.6	
103	845.0 ³⁰¹	1.1490	16.341 ⁵⁸²	103.2	185.7	534.7	962.5	494.1	889.6	217.4	
104	875.1 ³⁰⁹	1.1898	16.923 ⁵⁹⁸	104.2	187.6	534.0	961.1	493.4	888.0	219.2	
105	906.0 ³¹⁹	1.2319	17.521 ⁶¹⁶	105.2	189.4	533.3	959.9	492.6	886.7	221.0	
106	937.9 ³²⁸	1.2752	18.137 ⁶³⁴	106.2	191.2	532.6	958.7	491.8	885.3	222.8	
107	970.7 ³³⁷	1.3198	18.771 ⁶⁵²	107.2	193.0	531.9	957.4	491.0	883.9	224.6	
108	1004.4 ³⁴⁷	1.3656	19.423 ⁶⁷¹	108.2	194.8	531.2	956.2	490.3	882.6	226.4	
109	1039.1 ³⁵⁶	1.4129	20.094 ⁶⁸⁹	109.3	196.7	530.4	954.8	489.5	881.1	228.2	
110	1074.7 ³⁶⁷	1.4612	20.783 ⁷⁰⁹	110.3	198.5	529.8	953.6	488.8	879.7	230.0	

SATURATED STEAM—TABLE III.

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF EXTER- NAL WORK.		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories.	B.T.U.			Cubic Meters per Kilo	Cubic Feet per Pound	Weight, in Kilo- grams of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
t	Apu	Apu	o	T	o	o	γ	γ	t
71	37.6	67.6	0.2311	1.6194	4.850 ¹⁹¹	77.60 ³⁰⁶	0.2062 ⁸⁴	0.01287 ⁵³	159.8
72	37.7	67.8	0.2340	1.6126	4.659 ¹⁸⁴	74.63 ²⁹⁵	0.2146 ⁸⁰	0.01340 ⁵⁵	161.6
73	37.8	67.9	0.2369	1.6060	4.475 ¹⁷³	71.68 ²⁸¹	0.2235 ⁹¹	0.01395 ⁵⁷	163.4
74	37.9	68.1	0.2398	1.5994	4.300 ¹⁶⁶	68.87 ²⁶⁶	0.2326 ⁹³	0.01452 ⁵⁸	165.2
75	38.0	68.3	0.2427	1.5928	4.134 ¹⁶⁰	66.21 ²⁵⁵	0.2419 ⁹⁷	0.01510 ⁶¹	167.0
76	38.1	68.5	0.2456	1.5862	3.974 ¹⁵²	63.66 ²⁴⁴	0.2516 ¹⁰⁰	0.01571 ⁶²	168.8
77	38.2	68.6	0.2484	1.5797	3.822 ¹⁴⁵	61.22 ²³²	0.2616 ¹⁰⁴	0.01633 ⁶⁵	170.6
78	38.3	68.8	0.2513	1.5733	3.677 ¹³⁹	58.90 ²²³	0.2720 ¹⁰⁶	0.01698 ⁶⁷	172.4
79	38.4	68.9	0.2541	1.5668	3.538 ¹³²	56.67 ²¹³	0.2826 ¹¹⁰	0.01765 ⁶⁹	174.2
80	38.4	69.1	0.2570	1.5604	3.406 ¹²⁸	54.54 ²⁰³	0.2936 ¹¹⁵	0.01834 ⁷⁰	176.0
81	38.5	69.3	0.2598	1.5540	3.278 ¹²¹	52.51 ¹⁹⁴	0.3051 ¹¹⁷	0.01904 ⁷³	177.8
82	38.6	69.5	0.2626	1.5477	3.157 ¹¹⁷	50.57 ¹⁸⁷	0.3168 ¹²¹	0.01977 ⁷⁶	179.6
83	38.7	69.6	0.2654	1.5414	3.040 ¹¹¹	48.70 ¹⁷⁸	0.3289 ¹²⁵	0.02053 ⁷⁸	181.4
84	38.8	69.8	0.2682	1.5351	2.929 ¹⁰⁷	46.92 ¹⁷²	0.3414 ¹³⁰	0.02131 ⁸¹	183.2
85	38.9	70.0	0.2711	1.5288	2.822 ¹⁰²	45.20 ¹⁶⁴	0.3544 ¹³⁴	0.02212 ⁸⁴	185.0
86	39.0	70.2	0.2739	1.5226	2.720 ⁹⁸	43.56 ¹⁵⁶	0.3676 ¹³⁸	0.02296 ⁸⁶	186.8
87	39.1	70.3	0.2767	1.5164	2.622 ⁹³	42.00 ¹⁴⁹	0.3814 ¹⁴⁰	0.02381 ⁸⁸	188.6
88	39.2	70.5	0.2795	1.5103	2.529 ⁹⁰	40.51 ¹⁴⁴	0.3954 ¹⁴⁶	0.02469 ⁹¹	190.4
89	39.3	70.6	0.2823	1.5042	2.439 ⁸⁶	39.07 ¹³⁹	0.4100 ¹⁵⁰	0.02560 ⁹⁴	192.2
90	39.4	70.8	0.2851	1.4981	2.353 ⁸²	37.68 ¹³⁰	0.4250 ¹⁵³	0.02654 ⁹⁵	194.0
91	39.4	70.9	0.2879	1.4921	2.271 ⁸⁰	36.38 ¹²⁸	0.4403 ¹⁶¹	0.02749 ¹⁰⁰	195.8
92	39.5	71.1	0.2906	1.4861	2.191 ⁷⁶	35.10 ¹²²	0.4564 ¹⁶⁴	0.02840 ¹⁰³	197.6
93	39.6	71.2	0.2934	1.4801	2.115 ⁷²	33.88 ¹¹⁷	0.4728 ¹⁶⁷	0.02952 ¹⁰⁵	199.4
94	39.7	71.4	0.2961	1.4741	2.043 ⁷¹	32.71 ¹¹²	0.4895 ¹⁷⁶	0.03057 ¹⁰⁹	201.2
95	39.8	71.5	0.2989	1.4682	1.972 ⁶⁷	31.59 ¹⁰⁸	0.5071 ¹⁷⁸	0.03166 ¹¹²	203.0
96	39.9	71.7	0.3016	1.4623	1.905 ⁶⁵	30.51 ¹⁰⁴	0.5249 ¹⁸⁶	0.03278 ¹¹⁵	204.8
97	40.0	71.9	0.3043	1.4564	1.840 ⁶²	29.47 ⁹⁹	0.5435 ¹⁸⁹	0.03393 ¹¹⁸	206.6
98	40.0	72.0	0.3070	1.4506	1.778 ⁵⁹	28.48 ⁹⁴	0.5624 ¹⁹³	0.03511 ¹²⁰	208.4
99	40.1	72.2	0.3097	1.4448	1.719 ⁵⁴	27.54 ⁸⁸	0.5817 ¹⁸⁹	0.03631 ¹²⁰	210.2
100	40.3	72.4	0.3125	1.4390	1.665 ⁵²	26.66 ⁸²	0.6006 ¹⁹⁴	0.03751 ¹¹⁹	212.0
101	40.4	72.6	0.3152	1.4333	1.613 ⁵³	25.84 ⁸⁵	0.6200 ²¹⁰	0.03870 ¹³²	213.8
102	40.5	72.8	0.3179	1.4276	1.560 ⁵¹	24.99 ⁸²	0.6410 ²¹⁷	0.04002 ¹³⁵	215.6
103	40.6	72.9	0.3205	1.4219	1.509 ⁵⁰	24.17 ⁸⁰	0.6627 ²²⁷	0.04137 ¹⁴²	217.4
104	40.6	73.0	0.3232	1.4162	1.459 ⁴⁷	23.37 ⁷⁶	0.6854 ²²⁸	0.04279 ¹⁴⁴	219.2
105	40.7	73.2	0.3259	1.4106	1.412 ⁴⁵	22.61 ⁷²	0.7082 ²³³	0.04423 ¹⁴⁵	221.0
106	40.8	73.3	0.3286	1.4051	1.367 ⁴⁴	21.89 ⁷⁰	0.7315 ²⁴⁴	0.04568 ¹⁵¹	222.8
107	40.9	73.5	0.3312	1.3996	1.323 ⁴²	21.19 ⁶⁷	0.7559 ²⁴⁷	0.04719 ¹⁵⁴	224.6
108	40.9	73.6	0.3339	1.3941	1.281 ⁴¹	20.52 ⁶⁶	0.7806 ²⁵⁹	0.04873 ¹⁶²	226.4
109	41.0	73.8	0.3365	1.3886	1.240 ³⁹	19.86 ⁶²	0.8065 ²⁶¹	0.05035 ¹⁶²	228.2
110	41.1	73.9	0.3392	1.3831	1.201 ³⁷	19.24 ⁵⁹	0.8326 ²⁶⁵	0.05197 ¹⁶⁵	230.0

SATURATED STEAM—TABLE III.

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE.			HEAT OF THE LIQUID.		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fahr. <i>t</i>
	Milli- meters of Mer- cury. <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>	Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
111	1111.4	1.5110	21.492	111.3	200.3	529.1	952.3	488.0	878.3	231.8
112	1149.1	1.5623	22.221	112.3	202.1	528.4	951.1	487.2	877.0	233.6
113	1187.9	1.6151	22.972	113.3	203.9	527.7	949.8	486.5	875.4	235.4
114	1227.7	1.6692	23.741	114.3	205.8	527.0	948.5	485.6	874.0	237.2
115	1268.7	1.7248	24.533	115.3	207.6	526.3	947.2	484.8	872.6	239.0
116	1310.7	1.7820	25.346	116.4	209.4	525.5	945.9	484.0	871.2	240.8
117	1353.9	1.8408	26.182	117.4	211.2	524.8	944.5	483.2	869.7	242.6
118	1398.3	1.9011	27.040	118.4	213.0	524.1	943.3	482.4	868.3	244.4
119	1443.8	1.9630	27.920	119.4	214.9	523.4	942.2	481.7	867.0	246.2
120	1490.5	2.0265	28.824	120.4	216.7	522.7	940.9	480.9	865.6	248.0
121	1538.5	2.0918	29.752	121.4	218.5	522.0	939.6	480.2	864.2	249.8
122	1587.7	2.1586	30.703	122.5	220.4	521.2	938.2	479.3	862.7	251.6
123	1638.3	2.2274	31.681	123.5	222.2	520.5	937.0	478.5	861.2	253.4
124	1690.1	2.2978	32.683	124.5	224.1	519.8	935.7	477.7	859.8	255.2
125	1743.3	2.3701	33.711	125.5	225.9	519.1	934.4	476.9	858.4	257.0
126	1797.8	2.4443	34.766	126.5	227.7	518.4	933.2	476.2	857.0	258.8
127	1853.7	2.5203	35.847	127.5	229.5	517.6	931.8	475.3	855.5	260.6
128	1911.0	2.5982	36.955	128.6	231.4	516.9	930.6	474.5	854.2	262.4
129	1969.7	2.6780	38.090	129.6	233.3	516.2	929.3	473.7	852.8	264.2
130	2029.8	2.7599	39.255	130.6	235.1	515.6	928.1	473.0	851.4	266.0
131	2091.5	2.8436	40.445	131.6	236.9	514.9	926.8	472.3	850.0	267.8
132	2154.8	2.9297	41.670	132.6	238.7	514.2	925.5	471.5	848.6	269.6
133	2219.5	3.0176	42.921	133.7	240.6	513.5	924.2	470.6	847.0	271.4
134	2285.8	3.1078	44.203	134.7	242.4	512.8	922.9	469.8	845.6	273.2
135	2353.7	3.2000	45.515	135.7	244.2	512.1	921.6	469.1	844.2	275.0
136	2423.2	3.2946	46.860	136.7	246.0	511.4	920.2	468.2	842.7	276.8
137	2494.4	3.3914	48.237	137.7	247.9	510.7	919.0	467.4	841.3	278.6
138	2567.2	3.4904	49.645	138.8	249.7	510.0	917.6	466.6	839.8	280.4
139	2641.7	3.5916	51.085	139.8	251.6	509.2	916.5	465.8	838.5	282.2
140	2717.9	3.6953	52.56	140.8	253.4	508.6	915.2	465.0	837.1	284.0
141	2795.9	3.8015	54.07	141.8	255.3	507.9	913.8	464.2	835.6	285.8
142	2875.7	3.9098	55.61	142.8	257.1	507.0	912.6	463.4	834.2	287.6
143	2957.3	4.0208	57.19	143.9	259.0	506.2	911.2	462.6	832.8	289.4
144	3040.8	4.1340	58.80	144.9	260.8	505.5	910.0	461.8	831.4	291.2
145	3126.1	4.2500	60.45	145.9	262.7	504.8	908.6	461.0	829.9	293.0
146	3213.3	4.3689	62.14	146.9	264.5	504.1	907.3	460.2	828.5	294.8
147	3302.5	4.4898	63.86	148.0	266.4	503.3	906.2	459.4	827.2	296.6
148	3393.6	4.6142	65.63	149.0	268.2	502.6	904.8	458.7	825.7	298.4
149	3486.7	4.7408	67.43	150.0	270.1	501.9	903.6	457.9	824.3	300.2
150	3581.9	4.8701	69.27	151.0	271.9	501.3	902.2	457.1	822.8	302.0

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF EXTER- NAL WORK.		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories.	B.T.U.			Cubic Meters per Kilo.	Cubic Feet per Pound.	Weight, in Kilo- grams, of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
t	Aps	Aps	o	T	s	s	γ	γ	i
111	41.2	74.0	0.3418	1.3776	1.164	18.65 ³⁸	0.8591 ²⁷⁴	0.05362 ¹⁷²	231.8
112	41.3	74.2	0.3445	1.3722	1.128 ³⁶	18.07 ⁵⁶	0.8865 ²⁸⁴	0.05534 ¹⁷⁷	233.6
113	41.3	74.3	0.3471	1.3668	1.093 ³⁴	17.51 ⁵⁵	0.9149 ²⁹⁴	0.05711 ¹⁸⁵	235.4
114	41.4	74.5	0.3498	1.3614	1.059	16.96 ⁵¹	0.9443 ²⁹⁴	0.05896 ¹⁸³	237.2
115	41.5	74.6	0.3524	1.3560	1.027 ³¹	16.45 ⁴⁰	0.9737 ³⁰³	0.06079 ¹⁸⁷	239.0
116	41.6	74.7	0.3550	1.3507	0.9961 ³⁰⁰	15.96 ⁴⁸	1.004 ³¹	0.06266 ¹⁹⁴	240.8
117	41.6	74.9	0.3576	1.3455	0.9661 ²⁹⁰	15.48 ⁴⁷	1.035 ³²	0.06460 ²⁰²	242.6
118	41.7	75.0	0.3602	1.3403	0.9371 ²⁷⁷	15.01 ⁴⁴	1.067 ³³	0.06662 ²⁰¹	244.4
119	41.8	75.2	0.3628	1.3351	0.9094 ²⁷²	14.57 ⁴³	1.100 ³⁴	0.06863 ²¹¹	246.2
120	41.9	75.3	0.3654	1.3299	0.8822 ²⁵⁶	14.14 ⁴²	1.134 ³³	0.07074 ²¹⁵	248.0
121	41.9	75.4	0.3680	1.3247	0.8566 ²⁵¹	13.72 ⁴⁰	1.167 ³⁶	0.07289 ²¹⁹	249.8
122	42.0	75.6	0.3705	1.3195	0.8315 ²⁴²	13.32 ³⁹	1.203 ³⁶	0.07508 ²²⁶	251.6
123	42.1	75.7	0.3731	1.3144	0.8073 ²³³	12.93 ³⁷	1.239 ³⁷	0.07734 ²²⁸	253.4
124	42.2	75.9	0.3756	1.3093	0.7840 ²²⁵	12.56 ³⁷	1.276 ³⁷	0.07962 ²³⁴	255.2
125	42.3	76.0	0.3782	1.3042	0.7615 ²¹⁶	12.19 ³⁴	1.313 ³⁸	0.08196 ²⁴³	257.0
126	42.3	76.1	0.3807	1.2992	0.7399 ²¹¹	11.85 ³⁴	1.351 ⁴⁰	0.08439 ²⁴⁹	258.8
127	42.4	76.3	0.3833	1.2942	0.7188 ²⁰²	11.51 ³²	1.391 ⁴⁰	0.08688 ²⁴⁹	260.6
128	42.5	76.4	0.3858	1.2892	0.6986 ¹⁹⁵	11.19 ³¹	1.431 ⁴²	0.08937 ²⁵⁴	262.4
129	42.6	76.6	0.3884	1.2842	0.6791 ¹⁸⁷	10.88 ³¹	1.473 ⁴¹	0.09191 ²⁷⁰	264.2
130	42.6	76.7	0.3909	1.2792	0.6604 ¹⁸³	10.57 ²⁸	1.514 ⁴³	0.09461 ²⁵⁷	266.0
131	42.7	76.8	0.3934	1.2743	0.6421 ¹⁷⁷	10.29 ²⁹	1.557 ⁴⁵	0.09718 ²⁸²	267.8
132	42.8	77.0	0.3959	1.2694	0.6244 ¹⁷¹	10.00 ²⁷²	1.602 ⁴⁵	0.1000 ²⁸	269.6
133	42.9	77.1	0.3985	1.2645	0.6073 ¹⁶⁶	9.728 ²⁶⁶	1.647 ⁴⁶	0.1028 ²⁹	271.4
134	43.0	77.3	0.4010	1.2596	0.5907 ¹⁶⁰	9.462 ²⁵⁸	1.693 ⁴⁷	0.1057 ²⁹	273.2
135	43.0	77.4	0.4035	1.2547	0.5747 ¹⁵⁵	9.204 ²⁴⁴	1.740 ⁴⁸	0.1086 ³⁰	275.0
136	43.1	77.5	0.4060	1.2499	0.5592 ¹⁵⁰	8.957 ²⁴⁰	1.788 ⁵⁰	0.1116 ³¹	276.8
137	43.2	77.7	0.4085	1.2451	0.5442 ¹⁴⁴	8.717 ²³⁰	1.838 ⁵⁰	0.1147 ³¹	278.6
138	43.3	77.8	0.4110	1.2403	0.5298 ¹⁴⁰	8.487 ²²⁵	1.888 ⁵¹	0.1178 ³²	280.4
139	43.3	78.0	0.4135	1.2356	0.5158 ¹³⁷	8.262 ²¹⁹	1.939 ⁵³	0.1210 ³³	282.2
140	43.4	78.1	0.4160	1.2309	0.5021 ¹³⁰	8.043 ²⁰⁹	1.992 ⁵³	0.1243 ³³	284.0
141	43.5	78.2	0.4185	1.2262	0.4891 ¹²⁷	7.834 ²⁰³	2.045 ⁵⁴	0.1276 ³⁴	285.8
142	43.6	78.3	0.4209	1.2215	0.4764 ¹²⁴	7.631 ¹⁹⁸	2.099 ⁵⁶	0.1310 ³⁵	287.6
143	43.6	78.5	0.4234	1.2168	0.4640 ¹¹⁹	7.433 ¹⁹¹	2.155 ⁵⁷	0.1345 ³⁶	289.4
144	43.7	78.6	0.4259	1.2121	0.4521 ¹¹⁶	7.242 ¹⁸⁶	2.212 ⁵⁸	0.1381 ³⁶	291.2
145	43.8	78.7	0.4283	1.2075	0.4405 ¹¹²	7.056 ¹⁷⁹	2.270 ⁵⁹	0.1417 ³⁷	293.0
146	43.9	78.8	0.4307	1.2029	0.4293 ¹⁰⁸	6.877 ¹⁷³	2.329 ⁶⁰	0.1454 ³⁸	294.8
147	44.0	79.0	0.4332	1.1983	0.4185 ¹⁰⁵	6.704 ¹⁶⁸	2.389 ⁶²	0.1492 ³⁸	296.6
148	44.0	79.1	0.4356	1.1937	0.4080 ¹⁰²	6.536 ¹⁶⁴	2.451 ⁶³	0.1530 ³⁹	298.4
149	44.1	79.3	0.4380	1.1892	0.3978 ⁹⁸	6.372 ¹⁵⁹	2.514 ⁶³	0.1569 ⁴⁰	300.2
150	44.2	79.4	0.4405	1.1847	0.3880 ⁹⁷	6.213 ¹⁵³	2.577 ⁶⁶	0.1609 ⁴¹	302.0

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE.			HEAT OF THE LIQUID.		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fahr. <i>t</i>
	Milli- meters of Mer- cury. <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>	Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
151	3679.1 ⁹⁹³	5.0023 ¹³⁵⁰	71.15 ^{1.92}	152.1	273.8	500.6	900.9	456.3	821.4	303.8
152	3778.4 ¹⁰¹⁴	5.1373 ¹³⁷⁸	73.07 ^{1.96}	153.1	275.6	499.8	899.6	455.5	820.0	305.6
153	3879.8 ¹⁰³⁵	5.2751 ¹⁴⁰⁶	75.03 ^{2.00}	154.1	277.4	499.1	898.4	454.7	818.5	307.4
154	3983.3 ¹⁰⁵⁷	5.4157 ¹⁴³⁵	77.03 ^{2.04}	155.1	279.2	498.2	897.0	453.9	817.0	309.2
155	4089.0 ¹⁰⁷⁹	5.5592 ¹⁴⁶⁹	79.07 ^{2.09}	156.2	281.1	497.6	895.7	453.1	815.6	311.0
156	4196.9 ¹¹⁰²	5.7061 ¹⁴⁹⁷	81.16 ^{2.13}	157.2	283.0	496.9	894.4	452.4	814.1	312.8
157	4307.1 ¹¹²⁴	5.8558 ¹⁵²⁶	83.29 ^{2.17}	158.2	284.8	496.1	893.0	451.5	812.7	314.6
158	4419.5 ¹¹⁴⁸	6.0084 ¹⁵⁶¹	85.46 ^{2.22}	159.3	286.7	495.4	891.8	450.7	811.3	316.4
159	4534.3 ¹¹⁷¹	6.1645 ¹⁵⁹⁶	87.68 ^{2.27}	160.3	288.5	494.7	890.4	449.9	809.8	318.2
160	4651.4 ¹¹⁹⁵	6.3241 ¹⁶²⁴	89.95 ^{2.31}	161.3	290.4	494.0	889.1	449.1	808.3	320.0
161	4770.9 ¹²¹⁸	6.4865 ¹⁶⁵⁹	92.26 ^{2.36}	162.3	292.2	493.2	887.8	448.2	806.9	321.8
162	4892.7 ¹²⁴³	6.6524 ¹⁶⁸⁸	94.62 ^{2.40}	163.4	294.1	492.5	886.6	447.5	805.5	323.6
163	5017 ¹²⁷	6.8212 ¹⁷²²	97.02 ^{2.45}	164.4	295.9	491.8	885.2	446.8	804.1	325.4
164	5144 ¹²⁹	6.9934 ¹⁷⁵⁸	99.47 ^{2.50}	165.4	297.7	491.0	883.9	445.9	802.6	327.2
165	5273 ¹³²	7.1692 ¹⁷⁹³	101.97 ^{2.55}	166.5	299.6	490.3	882.7	445.1	801.3	329.0
166	5405 ¹³⁴	7.3485 ¹⁸²¹	104.52 ^{2.59}	167.5	301.5	489.6	881.4	444.3	799.8	330.8
167	5539 ¹³⁷	7.5306 ¹⁸⁶³	107.11 ^{2.65}	168.5	303.3	488.9	880.1	443.6	798.5	332.6
168	5676 ¹⁴⁰	7.7169 ¹⁹⁰⁵	109.76 ^{2.71}	169.5	305.1	488.1	878.8	442.8	797.0	334.4
169	5816 ¹⁴³	7.9074 ¹⁹³³	112.47 ^{2.75}	170.6	307.0	487.4	877.4	442.0	795.6	336.2
170	5959 ¹⁴⁵	8.1007 ¹⁹⁸³	115.22 ^{2.82}	171.6	308.9	486.8	876.1	441.2	794.1	338.0
171	6104 ¹⁴⁷	8.2990 ¹⁹⁹⁷	118.04 ^{2.84}	172.6	310.7	486.1	874.9	440.4	792.8	339.8
172	6251 ¹⁵¹	8.4987 ²⁰⁵³	120.88 ^{2.92}	173.7	312.6	485.3	873.6	439.6	791.3	341.6
173	6402 ¹⁵³	8.7040 ²⁰⁸¹	123.80 ^{2.96}	174.7	314.5	484.6	872.3	438.9	790.0	343.4
174	6555 ¹⁵⁷	8.9121 ²¹³⁰	126.76 ^{3.03}	175.7	316.3	483.8	870.9	438.1	788.4	345.2
175	6712 ¹⁵⁹	9.1251 ²¹⁶⁶	129.79 ^{3.08}	176.8	318.2	483.1	869.6	437.2	787.0	347.0
176	6871 ¹⁶²	9.3417 ²²⁰⁰	132.87 ^{3.13}	177.8	320.0	482.4	868.3	436.5	785.6	348.8
177	7033 ¹⁶⁵	9.5617 ²²⁴³	136.00 ^{3.19}	178.8	321.8	481.6	867.0	435.7	784.2	350.6
178	7198 ¹⁶⁸	9.7860 ²²⁸	139.19 ^{3.25}	179.9	323.7	480.9	865.7	435.0	782.8	352.4
179	7366 ¹⁷¹	10.014 ²³³	142.44 ^{3.31}	180.9	325.6	480.2	864.4	434.1	781.4	354.2
180	7537 ¹⁷⁵	10.247 ²³⁸	145.73 ^{3.38}	181.9	327.5	479.5	863.0	433.4	779.9	356.0
181	7712 ¹⁷⁷	10.485 ²⁴¹	149.13 ^{3.43}	183.0	329.3	478.7	861.7	432.5	778.5	357.8
182	7889 ¹⁸¹	10.726 ²⁴⁶	152.56 ^{3.50}	184.0	331.2	478.0	860.4	431.8	777.1	359.6
183	8070 ¹⁸³	10.972 ²⁴⁹	156.06 ^{3.54}	185.0	333.0	477.2	859.1	430.9	775.7	361.4
184	8253 ¹⁸⁷	11.221 ²⁵⁵	159.60 ^{3.62}	186.1	334.9	476.5	857.8	430.2	774.3	363.2
185	8440 ¹⁹¹	11.476 ²⁵⁹	163.23 ^{3.69}	187.1	336.8	475.8	856.5	429.3	772.9	365.0
186	8631 ¹⁹³	11.735 ²⁶²	166.91 ^{3.73}	188.1	338.6	475.1	855.2	428.6	771.5	366.8
187	8824 ¹⁹⁷	11.997 ²⁶⁸	170.64 ^{3.81}	189.2	340.5	474.3	853.8	427.7	770.0	368.6
188	9021 ²⁰¹	12.265 ²⁷³	174.45 ^{3.89}	190.2	342.4	473.6	852.6	427.0	768.7	370.4
189	9222 ²⁰⁴	12.538 ²⁷⁷	178.34 ^{3.93}	191.2	344.2	492.9	851.2	426.3	767.2	372.2
190	9426 ²⁰⁷	12.815 ²⁸²	182.27 ^{4.01}	192.3	346.1	472.2	849.9	425.5	765.8	374.0

SATURATED STEAM—TABLE III.

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF EXTER- NAL WORK.		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories.	B.T.U.			Cubic Meters per kilo	Cubic Feet per pound.	Weight, in kilo- grams, of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
t	Apr	Apr	g	gr	s	s	γ	γ	t
151	44.3	79.5	0.4429	1.1802	0.3783 ₉₃	6.060 ₁₄₉	2.643 ₆₇	0.1650 ₄₂	303.8
152	44.3	79.7	0.4433	1.1757	0.3690 ₉₀	5.911 ₁₄₄	2.710 ₆₈	0.1692 ₄₂	305.6
153	44.4	79.8	0.4477	1.1713	0.3600 ₈₈	5.767 ₁₄₁	2.776 ₆₉	0.1734 ₄₃	307.4
154	44.5	80.0	0.4501	1.1709	0.3512 ₈₅	5.626 ₁₃₆	2.847 ₇₁	0.1777 ₄₄	309.2
155	44.6	80.1	0.4525	1.1625	0.3427 ₈₂	5.490 ₁₃₂	2.918 ₇₂	0.1821 ₄₅	311.0
156	44.6	80.2	0.4549	1.1681	0.3345 ₈₀	5.358 ₁₂₈	2.990 ₇₃	0.1866 ₄₆	312.8
157	44.7	80.4	0.4573	1.1637	0.3265 ₇₈	5.230 ₁₂₅	3.063 ₇₅	0.1912 ₄₇	314.6
158	44.8	80.5	0.4596	1.1593	0.3187 ₇₆	5.105 ₁₂₂	3.138 ₇₆	0.1959 ₄₈	316.4
159	44.8	80.7	0.4620	1.1560	0.3111 ₇₃	4.983 ₁₁₆	3.214 ₇₈	0.0071 ₄₈	318.2
160	44.9	80.8	0.4644	1.1407	0.3038 ₇₁	4.867 ₁₁₄	3.292 ₇₈	0.2055 ₄₉	320.0
161	45.0	80.9	0.4668	1.1364	0.2967 ₆₉	4.753 ₁₁₁	3.370 ₈₁	0.2104 ₅₀	321.8
162	45.1	81.0	0.4692	1.1321	0.2898 ₆₇	4.642 ₁₀₇	3.451 ₈₁	0.2154 ₅₁	323.6
163	45.1	81.2	0.4715	1.1278	0.2831 ₆₆	4.535 ₁₀₆	3.532 ₈₃	0.2205 ₅₃	325.4
164	45.2	81.3	0.4739	1.1236	0.2765 ₆₃	4.429 ₁₀₀	3.617 ₈₄	0.2258 ₅₂	327.2
165	45.3	81.4	0.4763	1.1194	0.2702 ₆₂	4.329 ₁₀₀	3.701 ₈₇	0.2310 ₅₅	329.0
166	45.3	81.5	0.4786	1.1152	0.2640 ₆₀	4.229 ₉₆	3.788 ₈₈	0.2365 ₅₅	330.8
167	45.4	81.6	0.4810	1.1110	0.2580 ₅₈	4.133 ₉₃	3.876 ₈₉	0.2420 ₅₅	332.6
168	45.4	81.8	0.4833	1.1068	0.2522 ₅₇	4.040 ₉₁	3.965 ₉₂	0.2475 ₅₇	334.4
169	45.5	81.9	0.4857	1.1027	0.2465 ₅₅	3.949 ₈₈	4.057 ₉₂	0.2532 ₅₈	336.2
170	45.6	82.0	0.4880	1.0986	0.2410 ₅₃	3.861 ₈₅	4.149 ₉₄	0.2590 ₅₈	338.0
171	45.7	82.1	0.4903	1.0945	0.2357 ₅₂	3.776 ₈₄	4.243 ₉₅	0.2648 ₆₁	339.8
172	45.7	82.2	0.4926	1.0904	0.2305 ₅₁	3.692 ₈₁	4.338 ₁₀₁	0.2709 ₆₀	341.6
173	45.8	82.4	0.4949	1.0863	0.2254 ₅₀	3.611 ₈₀	4.437 ₁₀₁	0.2769 ₆₄	343.4
174	45.8	82.5	0.4972	1.0823	0.2204 ₄₈	3.531 ₇₆	4.537 ₁₀₁	0.2833 ₆₂	345.2
175	45.9	82.6	0.4995	1.0783	0.2156 ₄₇	3.455 ₇₆	4.638 ₁₀₄	0.2895 ₆₅	347.0
176	46.0	82.7	0.5018	1.0743	0.2109 ₄₅	3.379 ₇₃	4.742 ₁₀₃	0.2960 ₆₅	348.8
177	46.0	82.8	0.5041	1.0703	0.2064 ₄₄	3.306 ₇₀	4.845 ₁₀₅	0.3025 ₆₇	350.6
178	46.1	82.9	0.5064	1.0663	0.2020 ₄₄	3.236 ₇₁	4.950 ₁₁₁	0.3092 ₆₈	352.4
179	46.2	83.0	0.5087	1.0623	0.1976 ₄₂	3.165 ₆₇	5.061 ₁₁₀	0.3160 ₆₈	354.2
180	46.2	83.1	0.5110	1.0583	0.1934 ₄₁	3.098 ₆₆	5.171 ₁₁₂	0.3228 ₇₀	356.0
181	46.3	83.2	0.5123	1.0544	0.1893 ₄₀	3.032 ₆₄	5.283 ₁₁₄	0.3298 ₇₁	357.8
182	46.3	83.3	0.5146	1.0505	0.1853 ₃₉	2.968 ₆₂	5.397 ₁₁₆	0.3369 ₇₂	359.6
183	46.4	83.4	0.5168	1.0466	0.1814 ₃₈	2.906 ₆₁	5.513 ₁₁₈	0.3441 ₇₄	361.4
184	46.4	83.5	0.5191	1.0427	0.1776 ₃₇	2.845 ₆₀	5.631 ₁₁₉	0.3515 ₇₆	363.2
185	46.5	83.6	0.5224	1.0389	0.1739 ₃₆	2.785 ₅₇	5.750 ₁₂₂	0.3591 ₇₅	365.0
186	46.5	83.7	0.5246	1.0350	0.1703 ₃₆	2.728 ₅₈	5.872 ₁₂₇	0.3666 ₇₉	366.8
187	46.6	83.8	0.5269	1.0311	0.1667 ₃₄	2.670 ₅₄	5.999 ₁₂₅	0.3745 ₇₈	368.6
188	46.6	83.9	0.5291	1.0272	0.1633 ₃₃	2.616 ₅₃	6.124 ₁₂₆	0.3823 ₇₉	370.4
189	46.7	84.0	0.5314	1.0234	0.1600 ₃₃	2.563 ₅₃	6.250 ₁₃₂	0.3902 ₈₂	372.2
190	46.8	84.1	0.5336	1.0196	0.1567 ₃₂	2.510 ₅₁	5.382 ₁₃₃	0.3984 ₈₃	374.0

Temperature, Degrees Centi- grade. <i>t</i>	PRESSURE			HEAT OF THE LIQUID		HEAT OF VAPORIZATION.		HEAT EQUIVA- LENT OF IN- TERNAL WORK.		Temperature, Degrees Fabr. <i>t</i>
	Milli- meters of Mer- cury. <i>p</i>	Kilo- grams per Square Centi- meter. <i>p</i>	Pounds per Square Inch. <i>p</i>	Calories. <i>q</i>	B.T.U. <i>q</i>	Calories. <i>r</i>	B.T.U. <i>r</i>	Calories. <i>p</i>	B.T.U. <i>p</i>	
191	9633 ²¹¹	13.097 ²⁸⁷	186.28 ^{4.08}	193.3	347.9	471.5	848.6	424.8	764.4	375.8
192	9844 ²¹⁴	13.384 ²⁹¹	190.36 ^{4.14}	194.4	349.8	470.7	847.1	423.9	763.0	377.6
193	10058 ²¹⁸	13.675 ²⁹⁷	194.50 ^{4.22}	195.4	351.7	470.0	845.9	423.2	761.6	379.4
194	10276 ²²²	13.972 ³⁰¹	198.72 ^{4.29}	196.4	353.5	469.2	844.7	422.4	760.3	381.2
195	10498 ²²⁶	14.273 ³⁰⁸	203.01 ^{4.37}	197.5	355.4	468.5	843.4	421.6	758.9	383.0
196	10724 ²²⁹	14.581 ³¹¹	207.38 ^{4.43}	198.5	357.3	467.8	842.0	420.8	757.4	384.8
197	10953 ²³³	14.892 ³¹⁷	211.81 ^{4.50}	199.5	359.2	467.1	840.7	420.0	756.1	386.6
198	11186 ²³⁸	15.209 ³²⁴	216.31 ^{4.61}	200.6	361.1	466.3	839.4	419.2	754.6	388.4
199	11424 ²⁴⁰	15.533 ³²⁶	220.92 ^{4.64}	201.6	362.9	465.6	838.0	418.4	753.2	390.2
200	11664 ²⁴⁵	15.859 ³³⁴	255.56 ^{4.74}	202.7	364.8	464.8	836.7	417.6	751.8	392.0
201	11909 ²⁴⁹	16.193 ³³⁷	230.30 ^{4.81}	203.7	366.7	464.1	835.5	417.0	750.5	393.8
202	12158 ²⁵³	16.530 ³⁴⁵	235.11 ^{4.89}	204.7	368.5	463.4	834.1	416.3	749.1	395.6
203	12411 ²⁵⁷	16.875 ³⁴⁸	240.00 ^{4.97}	205.8	370.4	462.6	832.7	415.4	747.7	397.4
204	12668 ²⁶²	17.223 ³⁵⁷	244.97 ^{5.06}	206.8	372.3	461.9	831.4	414.7	746.4	399.2
205	12930 ²⁶⁵	17.580 ³⁵⁹	250.03 ^{5.12}	207.9	374.1	461.1	830.1	413.8	745.0	401.0
206	13195 ²⁷⁰	17.939 ³⁶⁸	255.15 ^{5.22}	208.9	376.0	460.4	828.8	413.1	743.6	402.8
207	13465 ²⁷⁴	18.307 ³⁷²	260.37 ^{5.30}	210.0	377.9	459.6	827.5	412.3	742.2	404.6
208	13739 ²⁷⁹	18.679 ³⁷⁹	265.67 ^{5.40}	211.0	379.8	458.9	826.1	411.6	740.9	406.4
209	14018 ²⁸³	19.058 ³⁸⁴	271.07 ^{5.41}	212.0	381.6	458.1	824.8	410.7	739.5	408.2
210	14301 ²⁸⁷	19.442 ³⁹⁰	276.54 ^{5.55}	213.1	383.5	457.5	823.5	410.1	738.1	410.0
211	14588 ²⁹²	19.832 ³⁹⁸	282.09 ^{5.64}	214.1	385.4	456.7	822.1	409.3	736.7	411.8
212	14880 ²⁹⁷	20.230 ⁴⁰⁴	287.73 ^{5.75}	215.2	387.3	456.0	820.8	408.6	735.3	413.6
213	15177 ³⁰¹	20.634 ⁴⁰⁹	293.48 ^{5.82}	216.2	389.2	455.3	819.5	407.9	734.1	415.4
214	15478 ³⁰⁷	21.043 ⁴¹⁸	299.30 ^{5.94}	217.3	391.1	454.5	818.2	407.0	732.7	417.2
215	15785 ³¹¹	21.461 ⁴²³	305.24 ^{6.01}	218.3	392.9	453.8	816.8	406.3	731.3	419.0
216	16096 ³¹⁵	21.884 ⁴²⁸	311.25 ^{6.09}	219.3	394.8	453.1	815.4	405.5	729.9	420.8
217	16411 ³²¹	22.312 ⁴³⁶	317.34 ^{6.21}	220.4	396.7	452.3	814.1	404.8	728.5	422.6
218	16732 ³²⁶	22.748 ⁴⁴³	323.55 ^{6.30}	221.4	398.5	451.6	812.7	404.0	727.2	424.4
219	17058 ³³¹	23.191 ⁴⁵¹	329.85 ^{6.41}	222.5	400.4	450.8	811.4	403.3	725.8	426.2
220	17389	23.642	336.26	223.5	402.3	450.1	810.1	402.5	724.6	428.0

SATURATED STEAM—TABLE III.

Temperature, Degrees Centi- grade.	HEAT EQUIVALENT OF FRICTIONAL WORK.		Entropy of the Liquid.	Entropy of Vaporization.	SPECIFIC VOLUME.		DENSITY.		Temperature, Degrees Fahr.
	Calories.	B.T.U.			Cubic Meters per Kilo.	Cubic Feet per Pound.	Weight, in Kilo- grams, of One Cubic Meter.	Weight, in Pounds, of One Cubic Foot.	
<i>t</i>	<i>Apu</i>	<i>Apu</i>	<i>g</i>	<i>g'</i>	<i>g</i>	<i>g</i>	<i>γ</i>	<i>γ</i>	<i>t</i>
191	46.8	84.2	0.5358	1.0158	0.1535	2.459 ⁵⁰	6.515 ¹³⁴	0.4067 ⁸⁴	375.8
192	46.9	84.3	0.5381	1.0121	0.1504 ³¹	2.409 ⁴⁸	6.649 ¹³⁵	0.4151 ⁸⁴	377.6
193	46.9	84.3	0.5303	1.0084	0.1474 ³⁰	2.361 ⁴⁸	6.784 ¹⁴¹	0.4235 ⁸⁸	379.4
194	46.9	84.4	0.5326	1.0047	0.1444 ²⁹	2.313 ⁴⁶	6.925 ¹⁴²	0.4323 ⁸⁸	381.2
195	47.0	84.5	0.5448	1.0010	0.1415 ²⁸	2.267 ⁴⁵	7.067 ¹⁴³	0.4411 ⁸⁹	383.0
196	47.0	84.6	0.5470	0.9973	0.1387 ²⁷	2.222 ⁴³	7.210 ¹⁴³	0.4500 ⁸⁹	384.8
197	47.1	84.7	0.5492	0.9936	0.1360 ²⁷	2.179 ⁴⁴	7.353 ¹⁴⁹	0.4589 ⁹⁵	386.6
198	47.1	84.7	0.5514	0.9899	0.1333 ²⁷	2.135 ⁴³	7.502 ¹⁵⁵	0.4684 ⁹⁶	388.4
199	47.2	84.8	0.5536	0.9862	0.1306 ²⁶	2.092 ⁴¹	7.657 ¹⁵⁶	0.4780 ⁹⁷	390.2
200	47.2	84.9	0.5558	0.9826	0.1280 ²⁶	2.051 ⁴²	7.813 ¹⁶¹	0.4877 ¹⁰¹	392.0
201	47.2	84.9	0.5580	0.9790	0.1254 ²⁴	2.009 ³⁹	7.974 ¹⁵⁶	0.4978 ¹⁰²	393.8
202	47.3	85.0	0.5602	0.9754	0.1230 ²⁴	1.970 ³⁸	8.130 ¹⁶²	0.5076 ¹⁰⁰	395.6
203	47.3	85.0	0.5624	0.9718	0.1206 ²³	1.932 ³⁷	8.292 ¹⁶¹	0.5176 ¹⁰¹	397.4
204	47.3	85.1	0.5646	0.9682	0.1183 ²³	1.895 ³⁷	8.453 ¹⁶⁸	0.5277 ¹⁰⁵	399.2
205	47.4	85.1	0.5668	0.9646	0.1160 ²³	1.858 ³⁷	8.621 ¹⁷⁴	0.5382 ¹⁰⁹	401.0
206	47.4	85.2	0.5690	0.9610	0.1137 ²²	1.821 ³⁵	8.795 ¹⁷⁴	0.5491 ¹⁰⁸	402.8
207	47.4	85.2	0.5712	0.9575	0.1115 ²¹	1.786 ³⁴	8.969 ¹⁷²	0.5599 ¹⁰⁹	404.6
208	47.4	85.3	0.5733	0.9540	0.1094 ²¹	1.752 ³³	9.141 ¹⁷⁹	0.5708 ¹¹¹	406.4
209	47.5	85.3	0.5755	0.9505	0.1073 ²¹	1.719 ³³	9.320 ¹⁸⁶	0.5817 ¹¹⁴	408.2
210	47.5	85.4	0.5777	0.9470	0.1052 ²⁰	1.686 ³³	9.506 ¹⁸⁴	0.5931 ¹¹⁹	410.0
211	47.5	85.4	0.5799	0.9435	0.1032 ¹⁹	1.653 ³⁰	9.690 ¹⁸²	0.6050 ¹¹³	411.8
212	47.5	85.4	0.5820	0.9400	0.1013 ¹⁹	1.622 ³⁰	9.872 ¹⁸⁸	0.6163 ¹¹⁸	413.6
213	47.5	85.5	0.5842	0.9366	0.0994 ¹⁹	1.592 ³⁰	10.06 ²⁰	0.6281 ¹²¹	415.4
214	47.6	85.5	0.5863	0.9332	0.0975 ¹⁹	1.562 ³⁰	10.26 ²⁰	0.6402 ¹²³	417.2
215	47.6	85.5	0.5885	0.9298	0.0956 ¹⁸	1.532 ²⁹	10.46 ²⁰	0.6525 ¹²⁸	419.0
216	47.6	85.5	0.5906	0.9264	0.0938 ¹⁸	1.503 ²⁹	10.66 ²¹	0.6653 ¹³¹	420.8
217	47.6	85.5	0.5927	0.9230	0.0920 ¹⁷	1.474 ²⁸	10.87 ²⁰	0.6784 ¹³²	422.6
218	47.6	85.6	0.5948	0.9196	0.0903 ¹⁷	1.446 ²⁷	11.07 ²²	0.6916 ¹³¹	424.4
219	47.6	85.6	0.5969	0.9162	0.0886 ¹⁷	1.419 ²⁷	11.29 ²³	0.7047 ¹⁴¹	426.2
220	47.6	85.6	0.5991	0.9129	0.0869 ¹⁷	1.392 ²⁷	11.51 ²³	0.7188 ¹⁴¹	428.0

TABLE IV.
SATURATED VAPOR OF ETHER.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density. In Kilos, of One Cubic Meter.	Temperature, Degrees Centi- grade.
<i>t</i>	<i>p</i>	<i>q</i>	<i>H</i>	<i>r</i>	<i>ρ</i>	<i>Apu</i>	<i>θ</i>	<i>v</i>	<i>γ</i>	<i>t</i>
0	184.39	0.00	94.00	94.00	86.45	7.55	0.0000	1.278	0.728	0
10	286.83	5.32	98.44	93.12	85.37	7.75	0.01909	0.8440	1.185	10
20	432.78	10.70	102.78	92.08	84.13	7.95	0.03772	0.5741	1.742	20
30	634.80	16.14	107.00	90.86	82.72	8.14	0.05593	0.4013	2.492	30
40	907.04	21.63	111.11	89.48	81.15	8.33	0.07374	0.2877	3.746	40
50	1264.8	27.19	115.11	87.92	79.41	8.51	0.09117	0.2108	4.744	50
60	1725.0	32.80	119.00	86.20	77.53	8.67	0.1083	0.1580	6.329	60
70	2304.9	38.48	122.78	84.30	75.49	8.81	0.1250	0.1203	8.313	70
80	3022.8	44.21	126.44	82.23	73.32	8.91	0.1415	0.0932	10.73	80
90	3898.3	50.00	130.00	80.00	71.03	8.97	0.1576	0.0731	13.68	90
100	4953.3	55.86	133.44	77.58	68.62	8.96	0.1735	0.0577	17.33	100
110	6214.6	61.77	136.78	75.01	66.13	8.88	0.1891	0.0459	21.79	110
120	7719.2	67.74	140.00	72.26	63.57	8.69	0.2045	0.0364	27.47	120

TABLE V.
SATURATED VAPOR OF ALCOHOL.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density.		Temperature, Degrees Centi- grade.
									Weight, in Kilos, of One Cubic Meter.		
t	p	q	H	r	ρ	Apu	θ	v	γ		t
0	12.70	0.00	236.5	236.50	223.38	13.12	0.0000	32.21	0.03105		0
10	24.23	5.59	244.4	238.81	225.29	13.52	0.01996	17.39	0.05750		10
20	44.46	11.42	252.0	240.58	226.56	14.02	0.04003	9.847	0.1016		20
30	78.52	17.49	258.0	240.51	226.03	14.48	0.06029	5.753	0.1738		30
40	133.69	23.71	262.0	238.29	223.44	14.85	0.08073	3.465	0.2886		40
50	219.90	30.21	264.0	233.79	218.59	15.10	0.1014	2.143	0.4666		50
60	350.21	37.37	265.0	227.63	212.38	15.25	0.1223	1.359	0.7358		60
70	541.15	44.58	265.2	220.62	205.28	15.34	0.1435	0.8855	1.129		70
80	812.91	52.11	265.2	213.09	197.69	15.40	0.1650	0.5921	1.689		80
90	1189.3	59.97	266.0	206.03	190.54	15.49	0.1868	0.4073	2.455		90
100	1697.6	68.18	267.3	199.12	183.54	15.58	0.2090	0.2874	3.479		100
110	2367.6	76.74	269.6	192.86	177.15	15.71	0.2315	0.2083	4.801		110
120	3231.7	85.67	272.5	186.83	170.97	15.86	0.2544	0.1544	6.477		120
130	4323.0	94.98	276.0	181.02	164.99	16.03	0.2776	0.1170	8.547		130
140	5674.6	104.70	280.5	175.80	159.55	16.25	0.3013	0.0905	11.05		140
150	7318.4	114.82	285.3	170.48	154.03	16.45	0.3254	0.0714	14.01		150

TABLE VI.
SATURATED VAPOR OF CHLOROFORM.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density, Weight, in Kilos, of One Cubic Meter.	Temperature, Degrees Centi- grade.
<i>t</i>	<i>p</i>	<i>q</i>	<i>H</i>	<i>r</i>	<i>ρ</i>	<i>Apu</i>	<i>θ</i>	<i>s</i>	<i>γ</i>	<i>t</i>
0	59.72	0.00	67.00	67.00	62.45	4.55	0.00000	2.377	0.4207	0
10	100.47	2.33	68.38	66.04	61.29	4.75	0.00836	1.475	0.6780	10
20	160.47	4.67	69.75	65.08	60.14	4.94	0.01646	0.9601	1.042	20
30	247.51	7.02	71.12	64.10	59.00	5.10	0.02432	0.6437	1.554	30
40	369.26	9.37	72.50	63.13	57.87	5.26	0.03196	0.4449	2.248	40
50	535.05	11.74	73.87	62.13	56.73	5.40	0.03940	0.3155	3.170	50
60	755.44	14.12	75.25	61.13	55.60	5.53	0.04664	0.2291	4.356	60
70	1042.1	16.51	76.62	60.11	54.45	5.66	0.05369	0.1700	5.88	70
80	1407.6	18.91	78.00	59.09	53.31	5.78	0.06057	0.1286	7.78	80
90	1865.2	21.32	79.37	58.05	52.16	5.89	0.06729	0.0991	10.09	90
100	2428.5	23.74	80.75	57.01	51.01	6.00	0.07386	0.0777	12.87	100
110	3111.0	26.17	82.12	55.95	49.84	6.11	0.08027	0.0618	16.18	110
120	3925.7	28.61	83.50	54.89	48.67	6.22	0.08655	0.0500	20.00	120
130	4885.1	31.06	84.87	53.81	47.48	6.33	0.09270	0.0410	24.39	130
140	6000.2	33.52	86.25	52.73	46.30	6.43	0.09872	0.0340	29.4	140
150	7280.6	35.99	87.62	51.63	45.10	6.53	0.10462	0.0286	35.0	150
160	8734.2	38.47	89.00	50.53	43.90	6.63	0.11041	0.0243	41.2	160

TABLE VII.
SATURATED VAPOR OF CARBON BISULPHIDE.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density, Weight, in Kilos, of one Cubic Meter.	Temperature, Degrees Centi- grade.
t	p	q	H	r	ρ	Apu	φ	v	γ	t
0	127.91	0.00	90.00	90.00	82.76	7.24	0.00000	1.766	0.5662	0
10	198.46	2.36	91.42	89.06	81.58	7.48	0.00847	1.177	0.8496	10
20	298.03	4.74	92.76	88.02	80.31	7.71	0.01670	0.8071	1.239	20
30	434.62	7.13	94.01	86.88	78.97	7.91	0.02472	0.5684	1.759	30
40	617.53	9.54	95.18	85.64	77.54	8.10	0.03252	0.4098	2.440	40
50	857.07	11.96	96.27	84.31	76.04	8.27	0.04013	0.3017	3.315	50
60	1164.5	14.41	97.28	82.87	74.45	8.42	0.04756	0.2264	4.417	60
70	1552.1	16.86	98.20	81.34	72.78	8.56	0.05482	0.1726	5.794	70
80	2032.5	19.34	99.04	79.70	71.03	8.67	0.06192	0.1338	7.473	80
90	2619.1	21.83	99.80	77.97	69.20	8.77	0.06886	0.1052	9.51	90
100	3325.2	24.34	100.48	76.14	67.29	8.85	0.07566	0.0837	11.95	100
110	4164.1	26.86	101.07	74.21	65.31	8.90	0.08233	0.0674	14.84	110
120	5148.8	29.40	101.58	72.18	63.24	8.94	0.08886	0.0549	18.21	120
130	6291.6	31.96	102.01	70.05	61.09	8.96	0.09527	0.0452	22.12	130
140	7604.0	34.53	102.36	67.83	58.88	8.95	0.10157	0.0375	26.7	140
150	9095.9	37.12	102.62	65.50	56.58	8.92	0.10775	0.0314	31.8	150

TABLE VIII.
SATURATED VAPOR OF CARBON TETRACHLORIDE.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density. Weight, in Kilos, of One Cubic Meter.	Temperature, Degrees Centi- grade.
<i>t</i>	<i>p</i>	<i>q</i>	<i>H</i>	<i>r</i>	<i>ρ</i>	<i>Apu</i>	<i>θ</i>	<i>s</i>	<i>γ</i>	<i>t</i>
0	32.95	0.00	52.00	52.00	48.54	3.46	0.00000	3.272	0.3056	0
10	55.97	1.99	53.44	51.45	47.85	3.60	0.00714	2.005	0.4987	10
20	90.99	3.99	54.86	50.87	47.13	3.74	0.01409	1.283	0.7794	20
30	142.27	6.02	56.23	50.21	46.33	3.88	0.02087	0.8510	1.175	30
40	214.81	8.06	57.58	49.52	45.51	4.01	0.02749	0.5831	1.715	40
50	314.38	10.12	58.88	48.76	44.62	4.14	0.03396	0.4109	2.434	50
60	447.43	12.20	60.16	47.96	43.69	4.25	0.04028	0.2969	3.368	60
70	621.15	14.30	61.40	47.10	42.75	4.35	0.04648	0.2192	4.562	70
80	843.29	16.42	62.60	46.18	41.74	4.44	0.04255	0.1650	6.061	80
90	1122.3	18.55	63.77	45.22	40.50	4.72	0.05849	0.1263	7.92	90
100	1467.1	20.70	64.90	44.20	39.62	4.58	0.06432	0.0980	10.20	100
110	1887.4	22.87	66.01	43.14	38.52	4.62	0.07006	0.0770	12.99	110
120	2393.7	25.06	67.07	42.01	37.36	4.65	0.07569	0.0611	16.37	120
130	2996.9	27.27	68.10	40.83	36.18	4.65	0.08122	0.0490	20.41	130
140	3709.0	29.49	69.10	39.61	34.95	4.63	0.08666	0.0395	25.3	140
150	4543.1	31.73	70.07	38.34	33.75	4.59	0.09201	0.0321	31.2	150
160	5513.1	34.00	71.00	37.00	32.47	4.53	0.09729	0.0262	38.2	160

TABLE IX.
SATURATED VAPOR OF ACETON.
FRENCH UNITS.

Temperature, Degrees Centi- grade.	Pressure, Millimeters of Mercury.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density. Weight, in Kilos, of One Cubic Meter.	Temperature, Degrees Centi- grade.
<i>t</i>	<i>p</i>	<i>q</i>	<i>H</i>	<i>r</i>	<i>ρ</i>	<i>Apu</i>	<i>θ</i>	<i>v</i>	<i>γ</i>	<i>t</i>
0	63.33	0.00	140.50	140.50	131.82	8.68	0.00000	4.275	0.2339	0
10	110.32	5.10	144.11	139.01	129.51	9.50	0.01832	2.686	0.3723	10
20	180.08	10.29	147.62	137.33	127.16	10.17	0.03627	1.758	0.5688	20
30	280.05	15.55	151.03	135.48	124.83	10.65	0.05389	1.187	0.8425	30
40	419.35	20.89	154.33	133.44	121.39	11.05	0.07119	0.8227	1.215	40
50	608.81	26.31	157.53	131.22	119.86	11.36	0.08820	0.5830	1.715	50
60	860.96	31.81	160.63	128.82	117.22	11.60	0.1049	0.4215	2.372	60
70	1189.9	37.39	163.62	126.23	114.43	11.80	0.1214	0.3106	3.220	70
80	1611.1	43.05	166.51	123.46	111.49	11.97	0.1376	0.2328	4.296	80
90	2140.8	48.79	169.30	120.51	108.41	12.10	0.1536	0.1773	5.640	90
100	2796.2	54.61	171.98	117.37	105.17	12.20	0.1694	0.1372	7.289	100
110	3594.3	60.50	174.56	114.06	101.78	12.28	0.1850	0.1076	9.294	110
120	4552.0	66.48	177.04	110.56	98.23	12.33	0.2004	0.0856	11.68	120
130	5684.9	72.54	179.42	106.88	94.53	12.35	0.2156	0.0689	14.51	130
140	7007.6	78.67	181.69	103.02	90.67	12.35	0.2306	0.0561	17.83	140

TABLE X.
SATURATED VAPOR OF AMMONIA.
ENGLISH UNITS.

Temperature, Degrees Fah- renheit.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density, in pounds, of One Cubic Foot.	Temperature, Degrees Fah- renheit.
<i>t</i>	<i>p</i>	<i>q</i>	<i>H</i>	<i>r</i>	<i>p</i>	<i>Apu</i>	<i>θ</i>	<i>v</i>	<i>γ</i>	<i>t</i>
-40	9.93	-79	519	598	550	48	-0.1737	26.1	0.0383	-40
-35	11.53	-74	520	594	546	48	-0.1607	22.6	0.0442	-35
-30	13.36	-68	522	590	541	49	-0.1482	19.7	0.0507	-30
-25	15.40	-63	523	586	537	49	-0.1354	17.3	0.0580	-25
-20	17.70	-57	525	582	532	50	-0.1229	15.2	0.0660	-20
-15	20.25	-52	526	578	528	50	-0.1102	13.3	0.0750	-15
-10	23.10	-46	528	574	524	50	-0.0982	11.8	0.0848	-10
-5	26.25	-41	529	570	519	51	-0.0859	10.5	0.0956	-5
0	29.74	-35	531	566	515	51	-0.0738	9.32	0.108	0
5	33.58	-30	532	562	511	51	-0.0619	8.31	0.120	5
10	37.80	-24	534	558	506	52	-0.0501	7.44	0.134	10
15	42.43	-19	535	554	502	52	-0.0386	6.68	0.150	15
20	47.49	-13	537	550	497	53	-0.0271	6.02	0.166	20
25	53.01	-8	538	546	493	53	-0.0157	5.43	0.184	25
30	59.01	-2	540	542	489	53	-0.0044	4.92	0.203	30
35	65.53	3	541	538	484	54	0.0067	4.46	0.225	35
40	72.59	9	543	534	480	54	0.0177	4.06	0.247	40
45	80.21	14	544	530	475	55	0.0287	3.70	0.270	45
50	88.44	20	546	526	471	55	0.0395	3.38	0.296	50
55	97.30	25	547	522	467	55	0.0502	3.09	0.323	55
60	106.82	31	549	518	462	56	0.0608	2.84	0.352	60
65	117.04	36	550	514	458	56	0.0713	2.61	0.383	65
70	127.98	42	552	510	454	56	0.0817	2.40	0.416	70
75	139.67	47	553	506	449	57	0.0921	2.22	0.451	75
80	152.15	53	555	502	445	57	0.1023	2.05	0.488	80
85	165.47	58	556	498	441	57	0.1124	1.90	0.527	85
90	179.64	64	558	494	436	58	0.1224	1.76	0.568	90
95	194.70	69	559	490	432	58	0.1324	1.63	0.612	95
100	210.70	75	561	486	428	58	0.1423	1.52	0.657	100

TABLE XI.
SATURATED VAPOR OF SULPHUR DIOXIDE.
ENGLISH UNITS.

Temperature, Degrees Fah- renheit.	Pressure, Pounds per Square Inch.	Heat of the Liquid.	Total Heat.	Heat of Vaporization.	Heat equivalent of Internal Work.	Heat equivalent of External Work.	Entropy of the Liquid.	Specific Volume.	Density, in Pounds, of One Cubic Foot.	Temperature, Degrees Fah- renheit.
t	p	q	H	r	ρ	Δpρ	θ	v	γ	t
-40	3.14	-29	166	195	182	13	-0.0632	23.0	0.0434	-40
-35	3.70	-27	167	194	180	14	-0.0584	19.7	0.0507	-35
-30	4.34	-25	168	193	179	14	-0.0539	17.0	0.0590	-30
-25	5.07	-23	168	191	177	14	-0.0492	14.7	0.0682	-25
-20	5.90	-21	169	190	176	14	-0.0447	12.7	0.0785	-20
-15	6.83	-19	170	189	175	14	-0.0401	11.1	0.0901	-15
-10	7.88	-17	170	187	173	14	-0.0357	9.73	0.103	-10
-5	9.05	-15	171	186	172	14	-0.0312	8.56	0.117	-5
0	10.35	-13	172	185	170	15	-0.0268	7.54	0.133	0
5	11.81	-11	172	183	168	15	-0.0225	6.67	0.150	5
10	13.41	-9	173	182	167	15	-0.0182	5.93	0.169	10
15	15.19	-7	174	181	166	15	-0.0140	5.29	0.189	15
20	17.15	-5	174	179	164	15	-0.0098	4.72	0.212	20
25	19.30	-3	175	178	163	15	-0.0057	4.23	0.236	25
30	21.66	-1	176	177	162	15	-0.0016	3.81	0.263	30
35	24.24	1	176	175	160	15	0.0024	3.43	0.291	35
40	27.06	3	177	174	158	16	0.0064	3.10	0.322	40
45	30.12	5	177	172	156	16	0.0104	2.81	0.356	45
50	33.45	7	178	171	155	16	0.0144	2.58	0.390	50
55	37.07	9	179	170	154	16	0.0182	2.32	0.430	55
60	40.98	11	179	168	152	16	0.0221	2.11	0.473	60
65	45.20	13	180	167	151	16	0.0259	1.94	0.516	65
70	49.75	15	181	166	150	16	0.0297	1.78	0.563	70
75	54.64	17	181	164	148	16	0.0334	1.63	0.614	75
80	59.90	19	182	163	146	17	0.0372	1.50	0.668	80
85	65.54	21	183	162	145	17	0.0409	1.38	0.725	85
90	71.57	23	183	160	143	17	0.0445	1.27	0.786	90
95	78.02	25	184	159	142	17	0.0482	1.18	0.849	95
100	84.90	27	185	158	141	17	0.0518	1.09	0.917	100

TABLE XII.

SPECIFIC GRAVITY AND SPECIFIC VOLUME OF LIQUIDS.

Name of Liquid.	Specific Gravity, compared with Water at 4° C.	Specific Volume, Cubic Meters per Kilo.
Alcohol, C_2H_5O	0.80625 [Mendelejeff, 1869] . . .	0.001240
Ether, $C_4H_{10}O$	0.736 [Kopp, 1860]	0.001358
Chloroform	1.527 [Thorpe, 1880]	0.000655
Carbon bisulphide, CS_2	1.2922 [Thorpe, 1880]	0.000774
Carbon tetrachloride, CCl_4	1.6320 [Thorpe, 1880]	0.000613
Aceton, C_2H_5O	0.81 [Zander, 1882]	0.00123
Sulphur Dioxide, SO_2	1.4336 [Andréeff, 1859]	0.0006981
Ammonia, NH_3	0.6364 [Andréeff, 1859]	0.001571

TABLE XIII.

VOLUME OF WATER.

Vol. at 4° C. = 1.

[Rossetti, 1871] and [Hirn, 1867].

Temper- ature.	Volume.	Temper- ature.	Volume.	Temper- ature.	Volume.	Temper- ature.	Volume.
10	1.000253	60	1.01691	110	1.0512	160	1.1018
20	1.001744	70	1.02256	120	1.0599	170	1.1139
30	1.00425	80	1.02887	130	1.0694	180	1.1268
40	1.00770	90	1.03567	140	1.0795	190	1.1403
50	1.01195	100	1.04312	150	1.0903	200	1.1544

TABLE XIV.

CONVERSION TABLE.

INCHES OF MERCURY AND POUNDS PER SQUARE INCH.

		1	2	3	4	5	6	7	8	9
0	0.00	0.05	0.10	0.15	0.20	0.25	0.29	0.34	0.39	0.44
1	0.49	0.54	0.59	0.64	0.69	0.74	0.79	0.84	0.88	0.93
2	0.98	1.03	1.08	1.13	1.18	1.23	1.28	1.33	1.38	1.42
3	1.47	1.52	1.57	1.62	1.67	1.72	1.77	1.82	1.87	1.91
4	1.96	2.01	2.06	2.11	2.16	2.21	2.26	2.31	2.36	2.41
5	2.46	2.51	2.55	2.60	2.65	2.70	2.75	2.80	2.85	2.90
6	2.95	3.00	3.05	3.09	3.14	3.19	3.24	3.29	3.34	3.39
7	3.44	3.49	3.54	3.59	3.63	3.68	3.73	3.78	3.83	3.88
8	3.93	3.98	4.03	4.08	4.13	4.18	4.22	4.27	4.32	4.37
9	4.42	4.47	4.52	4.57	4.62	4.67	4.72	4.76	4.81	4.86
10	4.91	4.96	5.01	5.06	5.11	5.16	5.21	5.26	5.30	5.35
11	5.40	5.45	5.50	5.55	5.60	5.65	5.70	5.75	5.80	5.85
12	5.89	5.94	5.99	6.04	6.09	6.14	6.19	6.24	6.29	6.34
13	6.39	6.43	6.48	6.53	6.58	6.63	6.68	6.73	6.78	6.83
14	6.88	6.93	6.97	7.02	7.07	7.12	7.17	7.22	7.27	7.32
15	7.37	7.42	7.47	7.52	7.56	7.61	7.66	7.71	7.76	7.81
16	7.86	7.91	7.96	8.01	8.06	8.10	8.15	8.20	8.25	8.30
17	8.35	8.40	8.45	8.50	8.55	8.60	8.64	8.69	8.74	8.79
18	8.84	8.89	8.94	8.99	9.04	9.09	9.14	9.19	9.23	9.28
19	9.33	9.38	9.43	9.48	9.53	9.58	9.63	9.68	9.73	9.77
20	9.82	9.87	9.92	9.97	10.02	10.07	10.12	10.17	10.22	10.27
21	10.32	10.37	10.41	10.46	10.51	10.56	10.61	10.66	10.71	10.76
22	10.81	10.86	10.90	10.95	11.00	11.05	11.10	11.15	11.20	11.25
23	11.30	11.35	11.40	11.44	11.49	11.54	11.59	11.64	11.69	11.74
24	11.79	11.84	11.89	11.94	11.99	12.03	12.08	12.13	12.18	12.23
25	12.28	12.33	12.38	12.43	12.48	12.53	12.57	12.62	12.67	12.72
26	12.77	12.82	12.87	12.92	12.97	13.02	13.07	13.11	13.16	13.21
27	13.26	13.31	13.36	13.41	13.46	13.51	13.56	13.61	13.66	13.70
28	13.75	13.80	13.85	13.90	13.95	14.00	14.05	14.10	14.15	14.20
29	14.24	14.29	14.34	14.39	14.44	14.49	14.54	14.59	14.64	14.69
30	14.74	14.78	14.83	14.88	14.93	14.98	15.03	15.08	15.13	15.18

TABLE XV.
CORRECTIVE FACTORS FOR SUPERHEATED STEAM.

Values of the factor $\frac{150,300,000}{T^3} - 0.0833$.

Temperature.		Value. of Factor.	Temperature.		Value. of Factor.	Temperature.		Value of Factor.
Fahr.	Abs.		Fahr.	Abs.		Fahr.	Abs.	
200	659.5	0.441	335	794.5	0.216	470	929.5	0.104
205	664.5	0.429	340	799.5	0.211	475	934.5	0.101
210	669.5	0.417	345	804.5	0.205	480	939.5	0.098
215	674.5	0.405	350	809.5	0.200	485	944.5	0.095
220	679.5	0.395	355	814.5	0.195	490	949.5	0.092
225	684.5	0.385	360	819.5	0.190	495	954.5	0.090
230	689.5	0.375	365	824.5	0.185	500	959.5	0.087
235	694.5	0.365	370	829.5	0.180	505	964.5	0.084
240	699.5	0.356	375	834.5	0.175	510	969.5	0.082
245	704.5	0.347	380	839.5	0.171	515	974.5	0.079
250	709.5	0.338	385	844.5	0.166	520	979.5	0.077
255	714.5	0.329	390	849.5	0.162	525	984.5	0.074
260	719.5	0.320	395	854.5	0.158	530	989.5	0.072
265	724.5	0.312	400	859.5	0.153	535	994.5	0.070
270	729.5	0.304	405	864.5	0.149	540	999.5	0.067
275	734.5	0.296	410	869.5	0.145	545	1004.5	0.065
280	739.5	0.288	415	874.5	0.141	550	1009.5	0.063
285	744.5	0.281	420	879.5	0.138	555	1014.5	0.061
290	749.5	0.274	425	884.5	0.134	560	1019.5	0.059
295	754.5	0.267	430	889.5	0.131	565	1024.5	0.057
300	759.5	0.260	435	894.5	0.127	570	1029.5	0.055
305	764.5	0.253	440	899.5	0.123	575	1034.5	0.053
310	769.5	0.247	445	904.5	0.120	580	1039.5	0.051
315	774.5	0.240	450	909.5	0.117	585	1044.5	0.049
320	779.5	0.234	455	914.5	0.113	590	1049.5	0.047
325	784.5	0.228	460	919.5	0.110	595	1054.5	0.045
330	789.5	0.222	465	924.5	0.107			

TEMPERATURE-ENTROPY TABLE.

THIS table gives the properties of moist and of superheated steam at each degree of temperature Fahrenheit, and for each hundredth of a unit of entropy.

At the left hand of each page are given the temperatures and the corresponding pressures of saturated steam; the lines across the tables are, therefore, constant pressure lines, and for moist steam are also constant temperature lines.

The table is divided by a broken line which corresponds roughly to the saturation line; properties to the left of that line are for moist steam and to the right are for superheated steam.

The triple-columns are headed with the entropy, and are constant entropy lines; they can be used for solving problems concerning adiabatic operations in a closed cylinder, and similar problems.

At any point in the table, determined by the entropy and the pressure (or the corresponding temperature of saturated steam), there are given three properties: —

(1) *The quality*, which for moist steam is the proportion of a pound that is steam, and for superheated steam is the number of degrees of superheating.

(2) *The heat contents*, or the number of thermal units required to change a pound of water at freezing into steam at the given pressure and with the given quality.

(3) *The specific volume* in cubic feet per pound.

For examples, solved by aid of the table, see page 30.

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
420	308.6	3	1212	1.515	17	1221	1.555	32	1230	1.596	47	1239	1.645
419	305.2	2	1211	1.526	16	1220	1.572	31	1229	1.610	46	1238	1.659
418	301.9	1	1210	1.540	15	1219	1.580	30	1228	1.625	44	1237	1.672
417	298.7	0	1209	1.555	14	1218	1.595	29	1227	1.640	43	1236	1.686
416	295.4	9996	1208.5	1.581	13	1217	1.610	28	1227	1.654	42	1235	1.701
415	292.2	9988	1207.5	1.597	12	1216	1.623	27	1226	1.669	41	1234	1.715
414	289.0	9981	1206.6	1.613	11	1215	1.638	26	1225	1.682	40	1233	1.730
413	285.9	9974	1205.7	1.629	10	1214	1.650	25	1224	1.697	39	1232	1.744
412	282.7	9965	1204.7	1.644	9	1213	1.663	24	1223	1.711	38	1231	1.759
411	279.6	9958	1203.8	1.661	8	1212	1.678	23	1222	1.726	37	1230	1.774
410	276.5	9949	1202.8	1.677	7	1212	1.695	21	1220	1.740	36	1229	1.790
409	273.5	9942	1201.9	1.694	6	1211	1.710	20	1219	1.758	35	1228	1.805
408	270.5	9934	1201.0	1.711	5	1210	1.725	19	1218	1.772	34	1227	1.820
407	267.5	9926	1200.0	1.728	4	1209	1.740	18	1217	1.788	32	1226	1.837
406	264.5	9920	1199.2	1.746	3	1208	1.755	17	1217	1.803	31	1225	1.853
405	261.6	9912	1198.2	1.763	2	1207	1.771	16	1216	1.820	30	1224	1.869
404	258.6	9904	1197.3	1.781	1	1206	1.787	15	1215	1.836	29	1223	1.886
403	255.7	9896	1196.3	1.799	0	1205	1.805	14	1214	1.853	28	1222	1.902
402	252.9	9888	1195.3	1.818	9992	1204.0	1.836	13	1213	1.869	27	1221	1.920
401	250.0	9881	1194.3	1.836	9985	1202.9	1.856	12	1212	1.885	26	1220	1.936
400	247.2	9874	1193.4	1.854	9977	1202.0	1.875	11	1211	1.902	25	1219	1.953
399	244.4	9865	1192.4	1.873	9968	1201.0	1.884	9	1209	1.920	24	1218	1.971
398	241.7	9858	1191.5	1.892	9961	1200.0	1.913	8	1208	1.938	22	1217	1.990
397	238.9	9851	1190.6	1.912	9954	1199.1	1.932	7	1208	1.946	21	1216	2.007
396	236.2	9843	1189.6	1.931	9945	1198.1	1.951	6	1207	1.964	20	1215	2.025
395	233.5	9835	1188.6	1.951	9938	1197.2	1.971	5	1206	1.992	19	1214	2.044
394	230.8	9828	1187.7	1.971	9930	1196.3	1.991	4	1205	2.010	18	1213	2.063
393	228.2	9819	1186.7	1.992	9921	1195.3	2.012	3	1204	2.030	17	1212	2.082
392	225.6	9813	1185.8	2.012	9914	1194.3	2.033	2	1203	2.048	16	1211	2.100
391	223.0	9804	1184.8	2.033	9905	1193.3	2.054	1	1202	2.067	15	1210	2.120
390	220.4	9796	1183.9	2.054	9898	1192.3	2.075	9999	1200.9	2.096	14	1209	2.140
389	217.8	9789	1182.9	2.075	9890	1191.4	2.097	9991	1199.9	2.118	12	1208	2.160
388	215.3	9781	1181.9	2.097	9881	1190.4	2.119	9983	1198.9	2.141	11	1207	2.180
387	212.8	9773	1180.9	2.119	9874	1189.4	2.141	9975	1197.8	2.163	10	1206	2.200
386	210.3	9765	1179.9	2.141	9865	1188.4	2.163	9966	1196.8	2.185	9	1205	2.220
385	207.9	9757	1179.0	2.163	9857	1187.4	2.185	9958	1195.8	2.208	8	1204	2.241
384	205.4	9750	1178.0	2.186	9851	1186.5	2.208	9951	1194.8	2.231	7	1203	2.262
383	203.0	9744	1177.1	2.209	9843	1185.5	2.232	9943	1193.9	2.254	6	1202	2.284
382	200.6	9735	1176.1	2.232	9835	1184.5	2.254	9934	1192.9	2.277	5	1201	2.306
381	198.3	9727	1175.1	2.255	9827	1183.5	2.278	9926	1191.9	2.301	4	1200	2.328
380	195.9	9720	1174.2	2.278	9819	1182.6	2.302	9918	1190.9	2.325	2	1199	2.350
379	193.6	9713	1173.2	2.302	9812	1181.6	2.326	9911	1190.0	2.350	1	1198	2.373
378	191.3	9704	1172.2	2.326	9803	1180.6	2.350	9902	1189.0	2.374	0	1197	2.396
377	189.0	9696	1171.2	2.351	9795	1179.6	2.375	9894	1188.0	2.399	9992	1196.3	2.423
376	186.7	9689	1170.2	2.377	9788	1178.6	2.401	9886	1187.0	2.425	9985	1195.3	2.449
375	184.5	9680	1169.2	2.402	9779	1177.5	2.426	9877	1185.9	2.450	9975	1194.2	2.475
374	182.3	9674	1168.3	2.429	9772	1176.5	2.453	9870	1184.9	2.477	9968	1193.2	2.502
373	180.1	9665	1167.3	2.455	9762	1175.5	2.479	9860	1183.9	2.504	9958	1192.2	2.528

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.56			1.57			1.58			1.59		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
420	308.6	64	1249	1.686	79	1258	1.728	97	1268	1.778	114	1278	1.827
419	305.2	62	1247	1.701	78	1257	1.743	96	1267	1.792	113	1277	1.841
418	301.9	61	1246	1.716	77	1256	1.758	95	1266	1.808	112	1276	1.858
417	298.7	60	1245	1.731	76	1255	1.773	94	1265	1.822	110	1275	1.872
416	295.4	59	1245	1.745	75	1254	1.788	92	1264	1.838	109	1274	1.888
415	292.2	58	1244	1.760	73	1253	1.803	91	1263	1.854	108	1273	1.904
414	289.0	57	1243	1.776	72	1252	1.819	90	1262	1.870	106	1272	1.920
413	285.9	55	1242	1.791	71	1251	1.834	88	1260	1.886	105	1271	1.937
412	282.7	54	1241	1.806	70	1250	1.851	87	1259	1.902	104	1270	1.953
411	279.6	53	1240	1.821	68	1249	1.867	86	1258	1.919	102	1268	1.970
410	276.5	52	1239	1.837	67	1248	1.883	85	1257	1.934	101	1267	1.986
409	273.5	51	1238	1.853	66	1247	1.900	83	1256	1.950	100	1266	2.003
408	270.5	49	1237	1.869	65	1246	1.916	82	1255	1.967	98	1265	2.020
407	267.5	48	1236	1.885	63	1245	1.933	81	1254	1.984	97	1264	2.039
406	264.5	47	1235	1.902	62	1244	1.950	79	1253	2.002	96	1263	2.056
405	261.6	46	1234	1.918	61	1243	1.967	78	1252	2.020	94	1262	2.073
404	258.6	45	1233	1.934	60	1242	1.984	77	1251	2.037	93	1261	2.092
403	255.7	43	1232	1.950	59	1241	2.002	75	1250	2.055	92	1260	2.110
402	252.9	42	1231	1.967	57	1240	2.019	74	1249	2.073	90	1258	2.128
401	250.0	41	1230	1.984	56	1239	2.037	73	1248	2.091	89	1257	2.146
400	247.2	40	1229	2.002	55	1238	2.054	72	1247	2.110	88	1256	2.165
399	244.4	39	1228	2.020	54	1237	2.073	70	1246	2.129	86	1255	2.184
398	241.7	38	1227	2.038	53	1236	2.092	69	1245	2.147	85	1254	2.203
397	238.9	36	1225	2.057	51	1234	2.110	68	1244	2.165	84	1253	2.223
396	236.2	35	1224	2.075	50	1233	2.139	66	1242	2.184	82	1252	2.243
395	233.5	34	1223	2.094	49	1232	2.148	65	1241	2.204	81	1251	2.263
394	230.8	33	1222	2.113	48	1231	2.167	64	1240	2.224	80	1250	2.283
393	228.2	32	1221	2.131	46	1230	2.186	63	1239	2.244	78	1248	2.303
392	225.6	30	1220	2.150	45	1229	2.205	61	1238	2.265	77	1247	2.324
391	223.0	29	1219	2.170	44	1228	2.225	60	1237	2.286	76	1246	2.344
390	220.4	28	1218	2.190	43	1227	2.245	59	1236	2.306	74	1245	2.365
389	217.8	27	1217	2.210	42	1226	2.266	57	1235	2.327	73	1244	2.386
388	215.3	26	1216	2.230	40	1225	2.287	56	1234	2.349	72	1243	2.408
387	212.8	24	1215	2.250	39	1224	2.308	55	1233	2.370	70	1242	2.430
386	210.3	23	1214	2.271	38	1223	2.330	54	1232	2.391	69	1241	2.451
385	207.9	22	1213	2.293	37	1222	2.351	52	1231	2.413	68	1240	2.474
384	205.4	21	1212	2.315	35	1221	2.372	51	1230	2.434	66	1239	2.496
383	203.0	20	1211	2.338	34	1220	2.394	50	1229	2.458	65	1238	2.520
382	200.6	18	1210	2.360	33	1219	2.418	48	1228	2.480	64	1237	2.542
381	198.3	17	1209	2.383	32	1218	2.440	47	1227	2.502	62	1235	2.566
380	195.9	16	1208	2.405	30	1217	2.463	46	1226	2.526	61	1234	2.590
379	193.6	15	1207	2.429	29	1216	2.486	44	1224	2.550	60	1233	2.613
378	191.3	14	1206	2.452	28	1215	2.509	43	1223	2.575	58	1232	2.639
377	189.0	12	1205	2.476	27	1214	2.533	42	1222	2.599	57	1231	2.662
376	186.7	11	1204	2.500	26	1213	2.556	41	1221	2.624	55	1229	2.686
375	184.5	10	1203	2.524	24	1211	2.580	39	1220	2.648	54	1228	2.712
374	182.3	9	1202	2.548	23	1210	2.605	38	1219	2.672	52	1227	2.739
373	180.1	8	1201	2.572	22	1209	2.630	37	1218	2.699	51	1226	2.764

TEMPERATURE-ENTROPY TABLE

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
372	177.9	9658	1166.3	2.481	9756	1174.6	2.504	9853	1182.9	2.531	9951	1191.2	2.556
371	175.7	9650	1165.3	2.508	9748	1173.6	2.532	9845	1181.9	2.558	9943	1190.2	2.583
370	173.6	9642	1164.3	2.535	9739	1172.6	2.560	9836	1180.9	2.585	9934	1189.1	2.611
369	171.5	9634	1163.3	2.563	9731	1171.6	2.588	9828	1179.9	2.613	9925	1188.1	2.639
368	169.4	9626	1162.3	2.591	9723	1170.6	2.616	9820	1178.9	2.642	9917	1187.1	2.668
367	167.3	9618	1161.3	2.618	9715	1169.5	2.643	9811	1177.8	2.670	9908	1186.0	2.696
366	165.3	9611	1160.3	2.647	9708	1168.6	2.673	9804	1176.8	2.699	9901	1185.0	2.726
365	163.2	9603	1159.3	2.676	9700	1167.6	2.701	9796	1175.8	2.728	9892	1184.0	2.755
364	161.2	9595	1158.3	2.705	9691	1166.5	2.731	9787	1174.8	2.758	9883	1183.0	2.785
363	159.2	9587	1157.3	2.734	9683	1165.5	2.762	9779	1173.7	2.788	9875	1182.0	2.815
362	157.2	9580	1156.3	2.765	9676	1164.5	2.792	9772	1172.7	2.819	9867	1181.0	2.847
361	155.3	9573	1155.3	2.795	9669	1163.5	2.822	9764	1171.7	2.850	9860	1179.9	2.878
360	153.3	9565	1154.3	2.827	9661	1162.5	2.855	9756	1170.7	2.882	9852	1178.9	2.910
359	151.4	9558	1153.3	2.858	9653	1161.5	2.886	9748	1169.7	2.914	9843	1177.9	2.942
358	149.5	9550	1152.3	2.890	9645	1160.5	2.918	9740	1168.6	2.946	9834	1176.8	2.975
357	147.6	9542	1151.3	2.921	9637	1159.5	2.951	9732	1167.6	2.979	9826	1175.8	3.008
356	145.8	9535	1150.3	2.955	9629	1158.4	2.984	9724	1166.6	3.012	9818	1174.7	3.042
355	143.9	9526	1149.3	2.988	9621	1157.4	3.018	9715	1165.6	3.047	9809	1173.7	3.076
354	142.1	9518	1148.3	3.022	9612	1156.4	3.052	9706	1164.6	3.081	9801	1172.7	3.111
353	140.3	9511	1147.3	3.055	9605	1155.4	3.086	9699	1163.5	3.115	9793	1171.7	3.145
352	138.5	9503	1146.2	3.090	9597	1154.3	3.121	9690	1162.5	3.150	9784	1170.6	3.181
351	136.7	9495	1145.2	3.125	9588	1153.3	3.155	9682	1161.4	3.186	9775	1169.5	3.217
350	135.0	9487	1144.2	3.160	9581	1152.3	3.191	9674	1160.4	3.222	9767	1168.5	3.253
349	133.2	9479	1143.2	3.195	9572	1151.3	3.228	9665	1159.3	3.259	9758	1167.4	3.290
348	131.5	9471	1142.2	3.233	9564	1150.3	3.265	9657	1158.3	3.297	9750	1166.4	3.328
347	129.8	9465	1141.2	3.271	9556	1149.3	3.303	9659	1157.3	3.335	9742	1165.4	3.366
346	128.1	9456	1140.2	3.308	9548	1148.2	3.340	9641	1156.2	3.372	9733	1164.3	3.404
345	126.4	9448	1139.1	3.346	9540	1147.2	3.378	9633	1155.2	3.411	9725	1163.2	3.443
344	124.8	9441	1138.1	3.384	9533	1146.2	3.417	9625	1154.2	3.451	9717	1162.2	3.483
343	123.2	9432	1137.1	3.424	9524	1145.1	3.457	9616	1153.1	3.491	9708	1161.1	3.523
342	121.5	9425	1136.1	3.464	9516	1144.1	3.497	9608	1152.1	3.531	9700	1160.1	3.564
341	119.9	9418	1135.0	3.504	9509	1143.0	3.538	9601	1151.0	3.572	9692	1159.0	3.605
340	118.4	9410	1134.0	3.545	9501	1142.0	3.579	9593	1150.0	3.614	9684	1158.0	3.647
339	116.8	9403	1133.0	3.586	9494	1140.9	3.621	9585	1148.9	3.656	9676	1156.9	3.691
338	115.2	9394	1131.9	3.628	9485	1139.9	3.663	9576	1147.9	3.698	9667	1155.8	3.733
337	113.7	9387	1130.9	3.671	9477	1138.8	3.707	9568	1146.8	3.742	9659	1154.8	3.778
336	112.2	9378	1129.8	3.715	9469	1137.8	3.751	9559	1145.7	3.787	9650	1153.7	3.822
335	110.7	9371	1128.8	3.759	9461	1136.8	3.795	9552	1144.7	3.831	9642	1152.6	3.867
334	109.2	9363	1127.8	3.803	9453	1135.8	3.840	9544	1143.7	3.877	9634	1151.6	3.913
333	107.7	9355	1126.7	3.849	9445	1134.7	3.886	9535	1142.6	3.923	9625	1150.5	3.960
332	106.3	9347	1125.7	3.894	9437	1133.6	3.931	9527	1141.5	3.969	9617	1149.4	4.006
331	104.8	9339	1124.7	3.941	9429	1132.6	3.979	9519	1140.5	4.017	9609	1148.4	4.055
330	103.4	9332	1123.7	3.988	9421	1131.5	4.027	9511	1139.4	4.065	9600	1147.3	4.103
329	102.0	9323	1122.6	4.037	9413	1130.5	4.076	9502	1138.4	4.114	9591	1146.2	4.153
328	100.6	9317	1121.6	4.086	9406	1129.5	4.125	9495	1137.4	4.164	9584	1145.2	4.204
327	99.2	9309	1120.5	4.136	9398	1128.4	4.176	9487	1136.3	4.215	9575	1144.1	4.255
326	97.8	9300	1119.5	4.185	9389	1127.3	4.225	9478	1135.2	4.265	9566	1143.0	4.305
325	96.5	9293	1118.4	4.237	9381	1126.3	4.277	9470	1134.1	4.317	9558	1142.0	4.358

TEMPERATURE-ENTROPY TABLE

79

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot	1.56			1.57			1.58			1.59		
		Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.
372	177.9												
371	175.7	5	1200	2.596	21	1208	2.654	35	1217	2.724	50	1225	2.790
370	173.6	7	1198	2.620	19	1207	2.680	34	1216	2.751	49	1224	2.817
		4	1197	2.646	18	1206	2.706	33	1215	2.775	47	1223	2.842
369	171.5	3	1196	2.672	17	1205	2.732	32	1214	2.802	46	1222	2.870
368	169.4	2	1195	2.700	16	1204	2.760	30	1213	2.831	45	1221	2.898
367	167.3	1	1194	2.725	14	1203	2.786	29	1212	2.859	43	1219	2.925
366	165.3	9997	1193.3	2.752	13	1202	2.814	28	1211	2.886	42	1218	2.953
365	163.2	9988	1192.3	2.782	12	1201	2.842	26	1209	2.913	41	1217	2.982
364	161.2	9979	1191.2	2.812	11	1200	2.870	25	1208	2.941	39	1216	3.011
363	159.2	9971	1190.2	2.843	10	1199	2.899	24	1207	2.970	38	1215	3.042
362	157.2	9963	1189.2	2.874	8	1198	2.928	23	1206	2.999	37	1214	3.070
361	155.3	9955	1188.1	2.906	7	1197	2.957	21	1205	3.027	35	1213	3.100
360	153.3	9946	1187.1	2.938	6	1196	2.986	20	1204	3.055	34	1212	3.129
359	151.4	9938	1186.1	2.971	5	1195	3.017	19	1203	3.086	33	1211	3.160
358	149.5	9929	1185.0	3.004	3	1193	3.047	17	1202	3.118	31	1209	3.192
357	147.6	9921	1183.9	3.037	2	1192	3.079	16	1201	3.149	30	1208	3.222
356	145.8	9913	1182.9	3.070	1	1191	3.108	15	1200	3.181	29	1207	3.253
355	143.9	9904	1181.9	3.105	9998	1190.0	3.135	13	1198	3.211	27	1206	3.286
354	142.1	9895	1180.8	3.141	9989	1189.0	3.170	12	1197	3.243	26	1205	3.319
353	140.3	9887	1179.8	3.176	9980	1187.9	3.206	11	1196	3.275	25	1204	3.350
352	138.5	9878	1178.7	3.211	9971	1186.8	3.242	10	1195	3.306	23	1203	3.383
351	136.7	9869	1177.6	3.247	9962	1185.7	3.278	8	1194	3.342	22	1202	3.417
350	135.0	9861	1176.6	3.284	9954	1184.7	3.315	7	1193	3.377	21	1201	3.450
349	133.2	9851	1175.5	3.321	9945	1183.6	3.352	6	1192	3.411	19	1199	3.487
348	131.5	9843	1174.5	3.359	9936	1182.6	3.391	4	1190	3.447	18	1198	3.524
347	129.8	9835	1173.5	3.398	9928	1181.6	3.430	3	1189	3.481	17	1197	3.560
346	128.1	9826	1172.4	3.436	9919	1180.5	3.468	2	1188	3.518	15	1196	3.595
345	126.4	9817	1171.3	3.475	9910	1179.4	3.508	0	1187	3.552	14	1195	3.632
344	124.8	9809	1170.3	3.516	9901	1178.3	3.549	9994	1186.3	3.582	13	1194	3.671
343	123.2	9800	1169.2	3.556	9892	1177.2	3.590	9984	1185.2	3.623	11	1193	3.710
342	121.5	9792	1168.1	3.597	9884	1176.1	3.631	9975	1184.1	3.665	10	1192	3.750
341	119.9	9785	1167.1	3.639	9876	1175.1	3.673	9968	1183.0	3.707	9	1191	3.790
340	118.4	9776	1166.0	3.681	9867	1174.0	3.716	9958	1182.0	3.750	7	1189	3.830
339	116.8	9767	1164.9	3.724	9859	1172.9	3.759	9950	1180.9	3.794	6	1188	3.870
338	115.2	9758	1163.8	3.768	9849	1171.8	3.803	9940	1179.8	3.838	5	1187	3.910
337	113.7	9750	1162.7	3.812	9841	1170.7	3.848	9932	1178.7	3.883	3	1186	3.955
336	112.2	9741	1161.6	3.857	9831	1169.6	3.893	9922	1177.6	3.929	2	1185	3.995
335	110.7	9732	1160.6	3.903	9823	1168.5	3.939	9913	1176.5	3.975	1	1184	4.035
334	109.2	9724	1159.6	3.949	9814	1167.5	3.986	9904	1175.4	4.022	9995	1183.4	4.059
333	107.7	9715	1158.5	3.996	9805	1166.4	4.033	9895	1174.3	4.070	9985	1182.3	4.107
332	106.3	9707	1157.4	4.043	9796	1165.3	4.080	9886	1173.2	4.118	9976	1181.1	4.155
331	104.8	9698	1156.3	4.092	9788	1164.2	4.130	9878	1172.1	4.167	9967	1180.0	4.205
330	103.4	9690	1155.2	4.140	9779	1163.1	4.179	9869	1171.0	4.217	9958	1178.9	4.255
329	102.0	9680	1154.1	4.192	9770	1162.1	4.229	9859	1170.0	4.268	9949	1177.8	4.307
328	100.6	9673	1153.1	4.243	9762	1161.0	4.281	9851	1168.9	4.320	9940	1176.7	4.359
327	99.2	9665	1152.0	4.294	9754	1159.9	4.333	9843	1167.8	4.372	9932	1175.6	4.412
326	97.8	9655	1150.9	4.346	9744	1158.8	4.384	9833	1166.6	4.424	9921	1174.5	4.463
325	96.5	9647	1149.8	4.398	9735	1157.7	4.437	9824	1165.5	4.478	9913	1173.4	4.518

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
324	95.1	9284	1117.3	4.288	9372	1125.2	4.329	9461	1133.0	4.370	9549	1140.8	4.411
323	93.8	9276	1116.3	4.340	9364	1124.1	4.382	9452	1131.9	4.423	9541	1139.8	4.464
322	92.5	9268	1115.2	4.395	9356	1123.1	4.437	9444	1130.9	4.479	9532	1138.7	4.520
321	91.2	9262	1114.2	4.449	9349	1122.0	4.492	9437	1129.8	4.534	9525	1137.6	4.576
320	90.0	9255	1113.2	4.505	9342	1121.0	4.548	9430	1128.8	4.591	9518	1136.6	4.633
319	88.7	9246	1112.1	4.560	9333	1119.9	4.603	9421	1127.7	4.646	9508	1135.5	4.690
318	87.4	9238	1111.1	4.617	9325	1118.8	4.661	9413	1126.6	4.705	9500	1134.4	4.748
317	86.2	9230	1110.0	4.675	9317	1117.8	4.719	9405	1125.5	4.763	9492	1133.3	4.808
316	85.0	9222	1108.9	4.733	9308	1116.6	4.778	9395	1124.4	4.823	9482	1132.1	4.867
315	83.8	9215	1107.9	4.793	9301	1115.6	4.839	9388	1123.4	4.884	9475	1131.1	4.929
314	82.6	9207	1106.8	4.855	9293	1114.6	4.900	9380	1122.3	4.946	9466	1130.0	4.992
313	81.4	9199	1105.8	4.916	9285	1113.5	4.962	9372	1121.2	5.008	9458	1128.9	5.054
312	80.2	9191	1104.7	4.979	9277	1112.4	5.025	9363	1120.1	5.072	9449	1127.8	5.119
311	79.1	9183	1103.6	5.042	9269	1111.3	5.090	9355	1119.0	5.137	9441	1126.7	5.184
310	77.9	9175	1102.5	5.106	9261	1110.2	5.154	9347	1117.9	5.201	9432	1125.6	5.249
309	76.8	9167	1101.5	5.171	9253	1109.2	5.220	9338	1116.8	5.268	9424	1124.5	5.317
308	75.7	9159	1100.4	5.238	9244	1108.1	5.287	9330	1115.7	5.336	9415	1123.4	5.385
307	74.6	9151	1099.3	5.307	9236	1107.0	5.356	9322	1114.6	5.406	9407	1122.3	5.455
306	73.5	9144	1098.3	5.376	9229	1106.0	5.426	9314	1113.6	5.476	9399	1121.3	5.526
305	72.4	9135	1097.1	5.444	9220	1104.8	5.495	9305	1112.4	5.546	9390	1120.1	5.596
304	71.4	9127	1096.0	5.515	9211	1103.7	5.567	9296	1111.3	5.618	9381	1118.9	5.669
303	70.3	9120	1095.0	5.588	9204	1102.7	5.639	9289	1110.3	5.691	9373	1117.9	5.743
302	69.3	9111	1093.9	5.662	9196	1101.6	5.714	9280	1109.2	5.767	9365	1116.8	5.819
301	68.2	9104	1092.8	5.737	9188	1100.4	5.790	9273	1108.0	5.843	9357	1115.6	5.896
300	67.2	9096	1091.7	5.812	9180	1099.3	5.865	9264	1106.9	5.918	9348	1114.5	5.973
299	66.2	9089	1090.7	5.890	9173	1098.3	5.944	9257	1105.9	5.998	9341	1113.5	5.053
298	65.2	9081	1089.6	5.968	9164	1097.2	6.023	9248	1104.8	6.078	9332	1112.3	6.433
297	64.3	9072	1088.5	6.048	9156	1096.1	6.102	9240	1103.7	6.159	9323	1111.2	6.215
296	63.3	9064	1087.4	6.128	9148	1095.0	6.185	9231	1102.5	6.241	9314	1110.0	6.297
295	62.3	9057	1086.3	6.212	9140	1093.9	6.268	9223	1101.4	6.325	9306	1108.9	6.382
294	61.4	9049	1085.2	6.296	9132	1092.8	6.353	9215	1100.3	6.411	9298	1107.8	6.469
293	60.5	9041	1084.1	6.382	9124	1091.7	6.439	9207	1099.2	6.498	9290	1106.7	6.556
292	59.5	9033	1083.1	6.469	9116	1090.6	6.527	9198	1098.1	6.586	9281	1105.6	6.645
291	58.6	9026	1082.0	6.556	9108	1089.5	6.615	9191	1097.0	6.675	9273	1104.5	6.735
290	57.7	9017	1080.9	6.645	9100	1088.4	6.705	9182	1095.9	6.765	9264	1103.4	6.826
289	56.8	9010	1079.8	6.737	9092	1087.3	6.797	9174	1094.8	6.859	9256	1102.2	6.920
288	56.0	9001	1078.7	6.830	9083	1086.2	6.891	9165	1093.6	6.953	9246	1101.1	7.015
287	55.1	8993	1077.6	6.924	9075	1085.1	6.986	9157	1092.5	7.049	9238	1100.0	7.112
286	54.2	8986	1076.5	7.020	9067	1084.0	7.083	9149	1091.4	7.146	9230	1098.9	7.210
285	53.4	8978	1075.4	7.118	9060	1082.9	7.188	9141	1090.3	7.246	9222	1097.7	7.311
284	52.6	8969	1074.3	7.216	9050	1081.7	7.281	9131	1089.1	7.345	9213	1096.5	7.411
283	51.7	8961	1073.2	7.316	9042	1080.6	7.382	9123	1088.0	7.447	9204	1095.4	7.514
282	50.9	8954	1072.1	7.420	9035	1079.5	7.487	9115	1086.9	7.553	9196	1094.3	7.620
281	50.1	8947	1071.0	7.526	9028	1078.4	7.594	9109	1085.8	7.661	9189	1093.2	7.729
280	49.33	8939	1069.9	7.633	9020	1077.3	7.701	9101	1084.7	7.769	9181	1092.1	7.838
279	48.55	8930	1068.8	7.739	9010	1076.2	7.809	9091	1083.6	7.877	9171	1090.9	7.947
278	47.77	8922	1067.6	7.850	9003	1075.0	7.921	9083	1082.4	7.990	9163	1089.7	8.061
277	47.01	8915	1066.5	7.963	8995	1073.9	8.034	9075	1081.3	8.104	9155	1088.6	8.176

TEMPERATURE-ENTROPY TABLE

81

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.56			1.57			1.58			1.59		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
324 95.1	9637	1148.7	4.452	9726	1156.5	4.491	9814	1164.3	4.532	9903	1172.2	4.573	
323 93.8	9629	1147.6	4.505	9717	1155.4	4.546	9805	1163.2	4.587	9893	1171.1	4.628	
322 92.5	9620	1146.5	4.562	9708	1154.3	4.603	9796	1162.1	4.645	9885	1169.9	4.686	
321 91.2	9613	1145.4	4.618	9701	1153.2	4.659	9889	1161.0	4.702	9877	1168.8	4.744	
320 90.0	9605	1144.4	4.676	9693	1152.2	4.718	9781	1160.0	4.760	9868	1167.8	4.803	
319 88.0	9596	1143.2	4.733	9683	1151.0	4.776	9770	1158.8	4.818	9858	1166.6	4.861	
318 87.4	9587	1142.2	4.792	9675	1149.9	4.835	9762	1157.7	4.878	9849	1165.5	4.922	
317 86.2	9579	1141.0	4.852	9666	1148.8	4.896	9753	1156.6	4.939	9840	1164.4	4.983	
316 85.0	9569	1139.9	4.912	9656	1147.6	4.957	9743	1155.4	5.000	9830	1163.1	5.045	
315 83.8	9562	1138.9	4.974	9648	1146.6	5.019	9735	1154.3	5.063	9822	1162.1	5.106	
314 82.6	9553	1137.8	5.037	9640	1145.5	5.083	9726	1153.2	5.128	9813	1161.0	5.173	
313 81.4	9544	1136.7	5.101	9631	1144.4	5.147	9717	1152.1	5.192	9804	1159.8	5.238	
312 82.2	9536	1135.5	5.165	9622	1143.2	5.212	9708	1151.0	5.258	9794	1158.7	5.305	
311 79.1	9527	1134.4	5.231	9613	1142.1	5.279	9699	1149.8	5.325	9785	1157.5	5.372	
310 77.9	9518	1133.3	5.297	9604	1141.0	5.345	9690	1148.7	5.391	9776	1156.4	5.439	
309 76.8	9510	1132.2	5.364	9595	1139.9	5.413	9681	1147.6	5.461	9767	1155.3	5.508	
308 75.7	9501	1131.1	5.434	9586	1138.8	5.482	9672	1146.4	5.531	9757	1154.1	5.579	
307 74.6	9492	1130.0	5.505	9577	1137.6	5.554	9663	1145.3	5.603	9748	1153.0	5.652	
306 73.5	9484	1128.9	5.576	9569	1136.6	5.626	9655	1144.2	5.676	9740	1151.9	5.725	
305 72.4	9474	1127.7	5.647	9559	1135.3	5.697	9644	1143.0	5.748	9729	1150.6	5.798	
304 71.4	9466	1126.6	5.720	9551	1134.2	5.771	9635	1141.8	5.823	9720	1149.5	5.873	
303 70.3	9458	1125.5	5.795	9542	1133.2	5.847	9627	1140.8	5.899	9712	1148.4	5.949	
302 69.3	9449	1124.4	5.872	9534	1132.0	5.924	9618	1139.6	5.977	9702	1147.2	6.028	
301 68.2	9441	1123.2	5.949	9525	1130.8	6.002	9610	1138.5	6.055	9694	1146.1	6.107	
300 67.2	9432	1122.1	6.026	9516	1129.7	6.080	9600	1137.3	6.134	9685	1144.9	6.187	
299 66.2	9424	1121.1	6.107	9508	1128.6	6.161	9592	1136.2	6.216	9676	1143.8	6.270	
298 65.2	9416	1119.9	6.188	9499	1127.5	6.243	9583	1135.0	6.298	9667	1142.6	6.353	
297 64.3	9407	1118.8	6.270	9490	1126.4	6.326	9574	1133.9	6.382	9657	1141.5	6.437	
296 63.3	9398	1117.6	6.353	9481	1125.2	6.410	9564	1132.7	6.466	9648	1140.3	6.523	
295 62.3	9390	1116.5	6.439	9473	1124.1	6.497	9556	1131.6	6.554	9639	1139.1	6.611	
294 61.4	9381	1115.4	6.526	9464	1122.9	6.584	9547	1130.5	6.642	9630	1138.0	6.699	
293 60.5	9373	1114.3	6.614	9456	1121.8	6.673	9538	1129.4	6.731	9621	1136.9	6.790	
292 59.5	9364	1113.1	6.704	9446	1120.6	6.764	9529	1128.2	6.823	9611	1135.7	6.880	
291 58.6	9355	1112.0	6.795	9438	1119.5	6.855	9520	1127.1	6.915	9603	1134.6	6.975	
290 57.7	9347	1110.9	6.887	9429	1118.4	6.947	9511	1125.9	7.008	9593	1133.4	7.068	
289 56.8	9338	1109.7	6.981	9421	1117.2	7.043	9503	1124.7	7.104	9585	1132.2	7.166	
288 56.0	9328	1108.5	7.078	9410	1116.0	7.140	9492	1123.5	7.202	9574	1131.0	7.264	
287 55.1	9320	1107.4	7.175	9402	1114.9	7.238	9484	1122.4	7.301	9566	1129.9	7.364	
286 54.2	9312	1106.3	7.274	9394	1113.8	7.337	9475	1121.2	7.401	9557	1128.7	7.465	
285 53.4	9304	1105.2	7.375	9385	1112.6	7.440	9467	1120.0	7.504	9548	1127.5	7.569	
284 52.6	9294	1104.0	7.476	9375	1111.4	7.541	9456	1118.9	7.607	9537	1126.3	7.672	
283 51.7	9286	1102.9	7.580	9367	1110.3	7.646	9448	1117.7	7.712	9529	1125.2	7.778	
282 50.9	9277	1101.8	7.687	9358	1109.2	7.754	9439	1116.6	7.821	9520	1124.0	7.888	
281 50.1	9270	1100.7	7.797	9351	1108.1	7.865	9431	1115.5	7.933	9512	1122.9	8.001	
280 49.33	9262	1099.5	7.907	9342	1106.9	7.976	9423	1114.3	8.044	9503	1121.7	8.113	
279 48.55	9252	1098.2	8.017	9332	1105.7	8.086	9412	1113.1	8.156	9493	1120.5	8.225	
278 47.77	9243	1097.1	8.131	9323	1104.5	8.211	9404	1111.9	8.272	9484	1119.2	8.343	
277 47.01	9235	1096.0	8.248	9315	1104.3	8.319	9395	1110.7	8.390	9475	1118.0	8.462	

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
276	46.26	8907	1065.4	8.077	8987	1072.8	8.149	9067	1080.2	8.221	9147	1087.5	8.293
275	45.52	8898	1064.3	8.192	8978	1071.7	8.265	9058	1079.0	8.339	9137	1086.4	8.411
274	44.78	8891	1063.2	8.310	8970	1070.5	8.385	9050	1077.8	8.459	9129	1085.2	8.532
273	44.06	8883	1062.1	8.431	8962	1069.4	8.506	9042	1076.7	8.582	9121	1084.1	8.656
272	43.35	8875	1061.0	8.555	8954	1068.3	8.631	9033	1075.6	8.708	9113	1082.9	8.783
271	42.64	8867	1059.9	8.679	8946	1067.2	8.756	9025	1074.5	8.833	9104	1081.8	8.910
270	41.95	8859	1058.7	8.805	8937	1066.0	8.883	9016	1073.3	8.961	9095	1080.6	9.039
269	41.26	8851	1057.6	8.932	8929	1064.9	9.012	9008	1072.2	9.091	9087	1079.5	9.170
268	40.58	8843	1056.5	9.066	8921	1063.8	9.146	9000	1071.0	9.227	9078	1078.3	9.306
267	39.91	8835	1055.4	9.199	8913	1062.6	9.281	8992	1069.9	9.362	9070	1077.1	9.443
266	39.26	8826	1054.2	9.331	8904	1061.4	9.414	8983	1068.7	9.497	9061	1075.9	9.579
265	38.60	8818	1053.1	9.473	8896	1060.3	9.557	8974	1067.6	9.640	9052	1074.8	9.724
264	37.96	8810	1051.9	9.614	8888	1059.2	9.699	8966	1066.4	9.784	9044	1073.6	9.869
263	37.33	8803	1050.8	9.755	8880	1058.1	9.841	8958	1065.3	9.927	9036	1072.5	10.01
262	36.71	8795	1049.7	9.905	8872	1056.9	9.992	8950	1064.1	10.08	9027	1071.3	10.16
261	36.09	8788	1048.6	10.05	8865	1055.8	10.14	8942	1063.0	10.23	9020	1070.2	10.32
260	35.48	8780	1047.4	10.20	8857	1054.6	10.29	8934	1061.8	10.38	9011	1069.0	10.47
259	34.88	8771	1046.3	10.36	8848	1053.4	10.45	8925	1060.6	10.54	9002	1067.8	10.63
258	34.29	8763	1045.1	10.52	8839	1052.2	10.61	8916	1059.4	10.70	8993	1066.6	10.79
257	33.71	8755	1044.0	10.67	8832	1051.1	10.77	8909	1058.3	10.86	8985	1065.5	10.95
256	33.14	8747	1042.9	10.84	8823	1050.0	10.93	8900	1057.2	11.03	8977	1064.3	11.12
255	32.57	8738	1041.7	11.01	8815	1048.8	11.11	8891	1056.0	11.20	8967	1063.1	11.30
254	32.01	8730	1040.5	11.18	8806	1047.6	11.28	8883	1054.7	11.38	8959	1061.9	11.48
253	31.46	8722	1039.4	11.36	8798	1046.5	11.46	8874	1053.6	11.55	8950	1060.8	11.65
252	30.92	8714	1038.2	11.54	8791	1045.4	11.64	8866	1052.5	11.74	8942	1059.6	11.84
251	30.38	8707	1037.1	11.72	8782	1044.2	11.82	8858	1051.3	11.92	8934	1058.4	12.02
250	29.86	8698	1035.9	11.90	8774	1043.0	12.00	8849	1050.1	12.11	8925	1057.2	12.21
249	29.34	8690	1034.8	12.09	8765	1041.9	12.19	8841	1048.9	12.30	8916	1056.0	12.40
248	28.82	8682	1033.6	12.27	8757	1040.7	12.38	8832	1047.7	12.49	8907	1054.8	12.59
247	28.32	8674	1032.5	12.47	8749	1039.6	12.57	8825	1046.6	12.68	8900	1053.7	12.79
246	27.82	8666	1031.3	12.66	8741	1038.4	12.77	8816	1045.4	12.88	8891	1052.5	12.99
245	27.33	8658	1030.2	12.85	8733	1037.3	12.96	8807	1044.3	13.09	8882	1051.3	13.18
244	26.85	8650	1029.0	13.07	8725	1036.1	13.18	8800	1043.1	13.20	8874	1050.1	13.41
243	26.37	8642	1027.9	13.28	8717	1035.0	13.40	8791	1042.0	13.51	8865	1049.0	13.63
242	25.90	8635	1026.8	13.50	8709	1033.8	13.61	8783	1040.8	13.73	8857	1047.8	13.84
241	25.44	8626	1025.6	13.72	8700	1032.6	13.83	8774	1039.6	13.95	8848	1046.6	14.07
240	24.98	8619	1024.4	13.94	8693	1031.4	14.06	8766	1038.3	14.18	8840	1045.3	14.29
239	24.53	8610	1023.2	14.16	8684	1030.2	14.29	8758	1037.2	14.41	8832	1044.2	14.53
238	24.09	8603	1022.0	14.40	8676	1029.0	14.52	8750	1036.0	14.65	8823	1043.0	14.77
237	23.66	8594	1020.9	14.64	8668	1027.9	14.76	8741	1034.8	14.89	8815	1041.8	15.01
236	23.23	8587	1019.7	14.88	8660	1026.7	15.01	8733	1033.6	15.13	8806	1040.6	15.26
235	22.80	8578	1018.5	15.12	8651	1025.5	15.25	8724	1032.4	15.38	8797	1039.4	15.51
234	22.39	8570	1017.3	15.37	8642	1024.2	15.50	8715	1031.2	15.64	8788	1038.1	15.77
233	21.98	8562	1016.1	15.63	8635	1023.1	15.77	8707	1030.0	15.90	8780	1036.9	16.03
232	21.57	8553	1014.9	15.89	8626	1021.9	16.03	8699	1028.8	16.16	8771	1035.7	16.30
231	21.18	8546	1013.8	16.16	8618	1020.8	16.30	8690	1027.7	16.43	8763	1034.5	16.57
230	20.78	8538	1012.7	16.43	8610	1019.6	16.57	8682	1026.5	16.70	8755	1033.3	16.84
229	20.40	8529	1011.4	16.70	8601	1018.3	16.84	8674	1025.2	16.98	8746	1032.1	17.12

Temperature, Degrees Fahr	Pressure, Pounds per Square Inch	1.56			1.57			1.58			1.59		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
276	46.26	9226	1094.9	8.366	9306	1102.2	8.438	9386	1109.6	8.516	9466	1116.9	8.583
276	45.52	9217	1093.7	8.484	9297	1101.1	8.558	9377	1108.4	8.631	9456	1115.7	8.704
274	44.78	9209	1092.5	8.607	9288	1099.9	8.681	9368	1107.2	8.755	9447	1114.5	8.829
273	44.06	9200	1091.4	8.731	9280	1098.8	8.806	9359	1106.1	8.882	9438	1113.4	8.957
272	43.35	9192	1090.3	8.859	9271	1097.6	8.935	9350	1104.9	9.012	9429	1112.2	9.088
271	42.64	9183	1089.1	8.987	9262	1096.4	9.064	9341	1103.7	9.142	9420	1111.0	9.219
270	41.95	9174	1087.9	9.117	9253	1095.2	9.196	9332	1102.5	9.274	9410	1109.8	9.352
269	41.26	9165	1086.8	9.249	9244	1094.1	9.328	9323	1101.3	9.408	9401	1108.6	9.487
268	40.58	9157	1085.6	9.387	9235	1092.9	9.467	9314	1100.1	9.548	9392	1107.4	9.628
267	39.91	9148	1084.4	9.525	9227	1091.7	9.606	9305	1098.9	9.688	9383	1106.2	9.769
266	39.26	9139	1083.2	9.661	9217	1090.4	9.743	9295	1097.7	9.826	9373	1104.9	9.908
265	38.60	9130	1082.1	9.807	9208	1089.3	9.891	9286	1096.5	9.975	9364	1103.8	10.06
264	37.96	9122	1080.9	9.953	9200	1088.1	10.04	9277	1095.3	10.12	9355	1102.6	10.21
263	37.33	9113	1079.7	10.10	9191	1087.0	10.18	9269	1094.2	10.27	9346	1101.4	10.36
262	36.71	9105	1078.5	10.25	9182	1085.8	10.34	9260	1093.0	10.43	9337	1100.2	10.51
261	36.09	9097	1077.4	10.41	9174	1084.6	10.50	9252	1091.8	10.58	9329	1099.0	10.67
260	35.48	9088	1076.2	10.56	9165	1083.4	10.65	9243	1090.6	10.74	9320	1097.8	10.83
259	34.88	9079	1075.0	10.72	9156	1082.2	10.81	9233	1089.4	10.90	9310	1096.6	10.99
258	34.29	9070	1073.8	10.88	9147	1080.9	10.98	9224	1088.1	11.07	9301	1095.3	11.16
257	33.71	9062	1072.7	11.05	9139	1079.8	11.14	9215	1087.0	11.23	9292	1094.1	11.33
256	33.14	9053	1071.5	11.22	9130	1078.6	11.31	9206	1085.8	11.41	9283	1092.9	11.50
255	32.57	9044	1070.3	11.39	9120	1077.4	11.49	9196	1084.6	11.59	9273	1091.7	11.68
254	32.01	9035	1069.0	11.57	9111	1076.1	11.67	9187	1083.3	11.77	9263	1090.4	11.87
253	31.46	9026	1067.9	11.75	9102	1075.0	11.85	9178	1082.1	11.95	9254	1089.2	12.05
252	30.92	9018	1066.7	11.94	9094	1073.8	12.04	9170	1080.9	12.14	9246	1088.0	12.24
251	30.38	9009	1065.5	12.13	9085	1072.6	12.23	9161	1079.7	12.33	9236	1086.8	12.43
250	29.86	9001	1064.3	12.31	9076	1071.4	12.42	9152	1078.5	12.52	9227	1085.6	12.62
249	29.34	8992	1063.1	12.51	9067	1070.2	12.61	9142	1077.3	12.72	9218	1084.4	12.82
248	28.82	8983	1061.9	12.70	9058	1069.0	12.81	9133	1076.0	12.91	9208	1083.1	13.02
247	28.32	8975	1060.7	12.90	9050	1067.8	13.01	9125	1074.8	13.11	9200	1081.9	13.22
246	27.82	8966	1059.5	13.10	9041	1066.6	13.21	9115	1073.6	13.32	9190	1080.7	13.43
245	27.33	8957	1058.4	13.29	9031	1065.4	13.41	9106	1072.5	13.52	9181	1079.5	13.63
244	26.85	8949	1057.2	13.52	9023	1064.2	13.63	9098	1071.3	13.75	9172	1078.3	13.86
243	26.37	8940	1056.0	13.74	9014	1063.0	13.85	9088	1070.1	13.97	9163	1077.1	14.08
242	25.90	8931	1054.8	13.96	9006	1061.8	14.08	9080	1068.8	14.19	9154	1075.9	14.31
241	25.44	8923	1052.6	14.19	8997	1060.6	14.30	9071	1067.6	14.42	9145	1074.6	14.54
240	24.98	8914	1052.3	14.41	8988	1059.3	14.53	9062	1066.3	14.65	9136	1073.3	14.77
239	24.53	8905	1051.1	14.65	8979	1058.1	14.77	9053	1065.1	14.89	9127	1072.1	15.01
238	24.09	8897	1049.9	14.89	8971	1056.9	15.02	9044	1063.9	15.14	9118	1070.9	15.26
237	23.66	8888	1048.7	15.14	8961	1055.7	15.26	9035	1062.7	15.39	9108	1069.7	15.51
236	23.23	8880	1047.5	15.39	8953	1054.5	15.52	9026	1061.5	15.64	9099	1068.4	15.77
235	22.80	8871	1046.3	15.64	8944	1053.3	15.77	9017	1060.2	15.90	9090	1067.1	16.03
234	22.39	8861	1045.0	15.90	8934	1052.0	16.03	9007	1058.9	16.16	9080	1065.8	16.29
233	21.98	8853	1043.8	16.17	8926	1050.8	16.30	8998	1057.7	16.43	9071	1064.6	16.56
232	21.57	8844	1042.6	16.43	8916	1049.5	16.57	8989	1056.4	16.70	9062	1063.3	16.84
231	21.18	8835	1041.4	16.71	8908	1048.3	16.84	8980	1055.2	16.98	9053	1062.1	17.12
230	20.78	8827	1040.2	16.98	8899	1047.1	17.12	8972	1054.0	17.26	9044	1060.9	17.40
229	20.40	8818	1039.0	17.27	8890	1045.9	17.41	8962	1052.8	17.55	9034	1059.6	17.69

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	8521	1010.2	16.98	8593	1017.1	17.13	8665	1024.0	17.27	8737	1030.8	17.41
227	19.64	8513	1009.1	17.27	8584	1015.9	17.42	8656	1022.8	17.56	8728	1029.6	17.71
226	19.28	8505	1007.9	17.58	8576	1014.7	17.73	8648	1021.6	17.88	8720	1028.4	18.02
225	18.91	8496	1006.7	17.88	8568	1013.5	18.03	8639	1020.4	18.18	8711	1027.2	18.33
224	18.56	8488	1005.5	18.18	8560	1012.3	18.33	8631	1019.2	18.49	8702	1026.0	18.64
223	18.21	8480	1004.4	18.50	8552	1011.2	18.65	8623	1018.0	18.81	8694	1024.8	18.96
222	17.86	8472	1003.2	18.81	8543	1010.0	18.97	8614	1016.8	19.12	8686	1023.6	19.28
221	17.52	8465	1002.0	19.14	8536	1008.8	19.30	8607	1015.6	19.46	8678	1022.4	19.62
220	17.19	8457	1000.8	19.48	8528	1007.6	19.64	8599	1014.4	19.80	8670	1021.2	19.97
219	16.86	8449	999.6	19.82	8519	1006.4	19.99	8590	1013.1	20.15	8660	1019.9	20.32
218	16.53	8440	998.3	20.17	8510	1005.1	20.34	8581	1011.8	20.51	8651	1018.6	20.68
217	16.21	8432	997.1	20.52	8502	1003.9	20.69	8572	1010.6	20.86	8642	1017.4	21.04
216	15.90	8424	995.9	20.88	8494	1002.7	21.06	8564	1009.4	21.23	8634	1016.2	21.40
215	15.59	8416	994.7	21.25	8485	1001.5	21.43	8555	1008.2	21.60	8625	1015.0	21.78
214	15.29	8407	993.5	21.63	8477	1000.3	21.81	8547	1007.0	21.99	8617	1013.7	22.17
213	14.99	8399	992.3	22.01	8469	999.1	22.20	8539	1005.8	22.38	8608	1012.5	22.56
212	14.70	8391	991.1	22.37	8461	997.9	22.56	8530	1004.6	22.74	8600	1011.3	22.93
211	14.41	8383	989.9	22.73	8452	996.7	22.92	8522	1004.4	23.10	8591	1010.1	23.29
210	14.12	8375	988.7	23.14	8444	995.4	23.33	8513	1002.1	23.52	8582	1008.8	23.71
209	13.84	8366	987.5	23.56	8435	994.2	23.75	8504	1000.9	23.95	8574	1007.5	24.14
208	13.57	8358	986.3	23.99	8427	993.0	24.19	8496	999.6	24.38	8565	1006.3	24.58
207	13.29	8350	985.1	24.43	8419	991.7	24.63	8487	998.4	24.83	8556	1005.1	25.04
206	13.03	8342	983.8	24.88	8410	990.5	25.09	8479	997.2	25.29	8547	1003.8	25.50
205	12.77	8333	982.6	25.33	8402	989.3	25.54	8470	995.9	25.75	8539	1002.6	25.96
204	12.51	8325	981.4	25.80	8393	988.0	26.01	8462	994.7	26.22	8530	1001.3	26.43
203	12.25	8317	980.2	26.27	8385	986.8	26.49	8453	993.4	26.70	8521	1000.1	26.92
202	12.01	8309	979.0	26.76	8377	985.6	26.97	8445	992.2	27.19	8513	998.9	27.41
201	11.76	8302	977.8	27.26	8369	984.4	27.49	8437	991.0	27.71	8505	997.6	27.93
200	11.52	8293	976.5	27.77	8361	983.1	27.99	8429	989.7	28.22	8496	996.3	28.45
199	11.28	8285	975.3	28.28	8352	981.9	28.52	8420	988.5	28.75	8487	995.1	28.98
198	11.05	8277	974.1	28.81	8345	980.7	29.05	8412	987.3	29.28	8479	993.9	29.52
197	10.82	8268	972.8	29.35	8335	979.4	29.59	8402	985.9	29.83	8470	992.5	30.07
196	10.60	8259	971.5	29.91	8327	978.1	30.15	8394	984.7	30.39	8461	991.2	30.64
195	10.38	8252	970.4	30.48	8319	976.9	30.73	8385	983.4	30.98	8452	990.0	31.22
194	10.16	8243	969.1	31.06	8310	975.6	31.31	8377	982.2	31.56	8443	988.7	31.81
193	9.95	8235	967.9	31.66	8302	974.4	31.91	8369	981.0	32.17	8435	987.5	32.42
192	9.74	8227	966.7	32.27	8293	973.2	32.53	8360	979.7	32.79	8426	986.2	33.05
191	9.53	8218	965.4	32.88	8285	971.9	33.15	8351	978.4	33.41	8417	984.9	33.68
190	9.33	8210	964.2	33.52	8277	970.7	33.79	8343	977.2	34.06	8409	983.7	34.33
189	9.13	8202	963.0	34.17	8268	969.5	34.45	8334	976.0	34.72	8400	982.4	35.00
188	8.94	8194	961.7	34.83	8260	968.2	35.11	8326	974.7	35.39	8391	981.1	35.67
187	8.75	8186	960.5	35.51	8252	967.0	35.80	8317	973.4	36.08	8383	979.9	36.37
186	8.56	8177	959.2	36.21	8243	965.7	36.50	8308	972.1	36.79	8374	978.6	37.08
185	8.37	8169	958.0	36.92	8235	964.5	37.22	8300	970.9	37.52	8365	977.4	37.81
184	8.19	8161	956.7	37.66	8226	963.2	37.96	8291	969.6	38.26	8356	976.0	38.56
183	8.01	8153	955.5	38.41	8218	961.9	38.71	8283	968.4	39.02	8348	974.8	39.33
182	7.84	8144	954.3	39.17	8209	960.7	39.48	8274	967.1	39.79	8339	973.5	40.10
181	7.67	8136	953.0	39.95	8201	959.4	40.27	8266	965.8	40.59	8331	972.2	40.90

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot.	1.56			1.57			1.58			1.59		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
228	20.02	8809	1037.7	17.56	8881	1044.6	17.70	8953	1051.5	17.84	9025	1058.3	17.99
227	19.64	8800	1036.5	17.86	8872	1043.4	18.00	8944	1050.3	18.15	9015	1057.1	18.29
226	19.28	8791	1035.3	18.17	8863	1042.2	18.32	8935	1049.0	18.47	9006	1055.9	18.62
225	18.91	8782	1034.1	18.48	8854	1041.0	18.63	8925	1047.8	18.78	8997	1054.6	18.93
224	18.56	8774	1032.8	18.79	8845	1039.7	18.95	8916	1046.5	19.10	8988	1053.3	19.25
223	18.21	8765	1031.6	19.12	8836	1038.5	19.27	8908	1045.3	19.43	8979	1052.1	19.58
222	17.86	8757	1030.4	19.44	8828	1037.2	19.60	8899	1044.0	19.76	8970	1050.9	19.91
221	17.52	8749	1029.2	19.78	8820	1036.0	19.94	8891	1042.8	20.10	8962	1049.7	20.26
220	17.19	8740	1028.0	20.13	8811	1034.8	20.29	8881	1041.6	20.45	8952	1048.4	20.62
219	16.86	8731	1026.7	20.48	8802	1033.5	20.65	8872	1041.3	20.81	8943	1047.1	20.98
218	16.53	8721	1025.4	20.84	8792	1032.2	21.01	8862	1039.0	21.18	8933	1045.8	21.35
217	16.21	8713	1024.2	21.21	8783	1031.0	21.38	8853	1037.7	21.55	8924	1044.5	21.72
216	15.90	8704	1022.9	21.58	8774	1029.7	21.75	8844	1036.4	21.92	8914	1043.2	22.10
215	15.59	8695	1021.7	21.96	8765	1028.5	22.13	8835	1035.2	22.31	8905	1042.0	22.49
214	15.29	8687	1020.5	22.35	8756	1027.2	22.53	8826	1033.9	22.71	8896	1040.7	22.89
213	14.99	8678	1019.3	22.74	8748	1026.0	22.93	8817	1032.7	23.11	8887	1039.4	23.29
212	14.70	8669	1018.0	23.11	8739	1024.7	23.30	8808	1031.4	23.48	8878	1038.1	23.67
211	14.41	8660	1016.8	23.48	8730	1023.5	23.67	8799	1030.2	23.86	8868	1036.9	24.04
210	14.12	8652	1015.5	23.90	8721	1022.2	24.10	8790	1028.9	24.29	8859	1035.6	24.48
209	13.84	8643	1014.2	24.34	8712	1020.9	24.53	8781	1027.6	24.73	8850	1034.3	24.92
208	13.57	8634	1013.0	24.78	8703	1019.7	24.98	8771	1026.3	25.17	8840	1033.0	25.37
207	13.29	8625	1011.7	25.24	8694	1018.4	25.44	8762	1025.1	25.64	8831	1031.7	25.84
206	13.03	8616	1010.5	25.70	8685	1017.1	25.91	8753	1023.8	26.11	8822	1030.4	26.32
205	12.77	8607	1009.2	26.17	8676	1015.9	26.37	8744	1022.5	26.58	8812	1029.1	26.79
204	12.51	8598	1007.9	26.65	8666	1014.6	26.86	8735	1021.2	27.07	8803	1027.8	27.28
203	12.25	8589	1006.7	27.13	8657	1013.3	27.35	8725	1019.9	27.56	8794	1026.6	27.78
202	12.01	8581	1005.5	27.63	8649	1012.1	27.85	8717	1018.7	28.07	8785	1025.3	28.29
201	11.76	8573	1004.2	28.15	8641	1010.8	28.38	8709	1017.4	28.60	8776	1024.0	28.82
200	11.52	8564	1002.9	28.67	8632	1009.5	28.90	8699	1016.1	29.13	8767	1022.7	29.35
199	11.28	8555	1001.7	29.21	8622	1008.2	29.44	8690	1014.8	29.67	8758	1021.4	29.90
198	11.05	8547	1000.4	29.75	8614	1007.0	29.99	8681	1013.6	30.22	8749	1020.2	30.45
197	10.82	8537	999.1	30.31	8604	1005.6	30.54	8671	1012.2	30.78	8738	1018.7	31.02
196	10.60	8528	997.8	30.88	8595	1004.3	31.12	8662	1010.9	31.36	8729	1017.4	31.61
195	10.38	8519	996.5	31.47	8586	1003.1	31.72	8653	1009.6	31.96	8720	1016.2	32.21
194	10.16	8510	995.2	32.07	8577	1001.8	32.32	8644	1008.3	32.57	8710	1014.9	32.82
193	9.95	8502	994.0	32.68	8568	1000.5	32.94	8635	1007.1	33.19	8702	1013.6	33.45
192	9.74	8493	992.7	33.31	8559	999.2	33.57	8626	1005.7	33.83	8692	1012.3	34.09
191	9.53	8483	991.4	33.94	8550	997.9	34.21	8616	1004.4	34.47	8682	1010.9	34.74
190	9.33	8475	990.2	34.60	8541	996.7	34.87	8607	1003.2	35.14	8673	1009.7	35.41
189	9.13	8466	988.9	35.27	8532	995.4	35.55	8598	1001.9	35.82	8664	1008.4	36.10
188	8.94	8457	987.6	35.95	8523	994.1	36.23	8589	1000.6	36.51	8655	1007.0	36.79
187	8.75	8449	986.4	36.65	8514	992.8	36.94	8580	999.3	37.22	8646	1005.8	37.51
186	8.56	8439	985.1	37.37	8505	991.5	37.66	8571	998.0	37.95	8636	1004.4	38.24
185	8.37	8431	983.8	38.11	8496	990.2	38.40	8562	996.7	38.70	8627	1003.1	38.99
184	8.19	8422	982.5	38.87	8487	988.9	39.17	8552	995.3	39.47	8617	1001.8	39.77
183	8.01	8413	981.2	39.63	8478	987.6	39.94	8543	994.1	40.25	8608	1000.5	40.55
182	7.84	8404	979.9	40.42	8469	986.4	40.73	8534	992.8	41.04	8599	999.2	41.35
181	7.67	8396	978.6	41.22	8460	985.0	41.54	8525	991.4	41.86	8590	997.8	42.18

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
180	7.50	8128	951.7	40.75	8192	958.1	41.08	8257	964.5	41.40	8322	970.8	41.72
179	7.34	8119	950.4	41.56	8184	956.8	41.89	8249	963.2	42.22	8313	969.6	42.55
178	7.17	8111	949.2	42.40	8176	955.6	42.73	8240	961.9	43.07	8304	968.3	43.41
177	7.01	8103	947.9	43.26	8167	954.3	43.61	8232	960.7	43.95	8296	967.0	44.29
176	6.86	8094	946.6	44.15	8158	953.0	44.50	8223	959.3	44.85	8287	965.7	45.20
175	6.70	8086	945.4	45.04	8150	951.7	45.40	8214	958.1	45.75	8278	964.4	46.11
174	6.55	8078	944.1	45.96	8142	950.5	46.33	8206	956.8	46.69	8269	963.1	47.05
173	6.41	8070	942.9	46.91	8133	949.2	47.28	8197	955.5	47.65	8261	961.9	48.02
172	6.26	8061	941.6	47.88	8125	947.9	48.25	8188	954.3	48.63	8252	960.6	49.01
171	6.12	8052	940.3	48.85	8116	946.6	49.24	8179	952.9	49.62	8243	959.2	50.01
170	5.98	8044	939.0	49.87	8107	945.3	50.27	8171	951.6	50.66	8234	957.9	51.05
169	5.84	8036	937.8	50.92	8099	944.1	51.32	8162	950.3	51.72	8225	956.6	52.12
168	5.71	8027	936.5	51.99	8090	942.8	52.40	8153	949.1	52.81	8216	955.3	53.22
167	5.58	8019	935.2	53.09	8082	941.5	53.51	8144	947.8	53.93	8207	954.0	54.34
166	5.45	8011	934.0	54.21	8073	940.2	54.63	8136	946.5	55.06	8199	952.7	55.48
165	5.32	8002	932.7	55.35	8065	938.9	55.78	8127	945.2	56.22	8190	951.4	56.65
164	5.20	7994	931.4	56.53	8056	937.6	56.97	8119	943.9	57.41	8181	950.1	57.86
163	5.08	7985	930.1	57.73	8048	936.3	58.18	8110	942.6	58.63	8172	948.8	59.08
162	4.960	7977	928.8	58.97	8039	935.0	59.43	8101	941.2	59.89	8163	947.5	60.35
161	4.844	7970	927.6	60.25	8032	933.8	60.72	8094	940.0	61.19	8156	946.2	61.66
160	4.729	7961	926.3	61.55	8023	932.5	62.03	8085	938.7	62.50	8147	944.9	62.98
159	4.617	7953	925.0	62.88	8014	931.2	63.37	8076	937.4	63.86	8138	943.5	64.35
158	4.508	7944	923.7	64.25	8006	929.9	64.75	8067	936.0	65.25	8129	942.2	65.75
157	4.400	7936	922.4	65.67	7998	928.6	66.17	8059	934.8	66.68	8120	940.9	67.19
156	4.295	7928	921.1	67.12	7989	927.3	67.63	8050	933.4	68.15	8111	939.6	68.67
155	4.191	7919	919.8	68.59	7980	926.0	69.12	8041	932.1	69.65	8102	938.3	70.17
154	4.090	7910	918.5	70.10	7971	924.6	70.64	8032	930.8	71.18	8093	936.9	71.72
153	3.991	7902	917.2	71.66	7963	923.4	72.21	8024	929.5	72.76	8085	935.6	73.31
152	3.894	7894	915.9	73.26	7954	922.0	73.82	8015	928.2	74.39	8076	934.3	74.95
151	3.799	7885	914.6	74.90	7946	920.7	75.48	8006	926.8	76.05	8067	932.9	76.62
150	3.706	7877	913.3	76.60	7937	919.4	77.18	7998	925.5	77.77	8058	931.6	78.36
149	3.615	7868	912.0	78.32	7928	918.1	78.92	7989	924.2	79.52	8049	930.3	80.12
148	3.526	7860	910.7	80.09	7920	916.8	80.71	7980	922.9	81.32	8040	929.0	81.93
147	3.439	7851	909.4	81.89	7911	915.5	82.51	7971	921.5	83.14	8031	927.6	83.76
146	3.353	7843	908.1	83.76	7903	914.2	84.40	7963	920.2	85.04	8023	926.3	85.68
145	3.270	7834	906.8	85.71	7894	912.8	86.36	7954	918.9	87.02	8013	924.9	87.67
144	3.188	7826	905.5	87.65	7886	911.5	88.32	7945	917.6	88.98	8005	923.6	89.65
143	3.108	7817	904.1	89.66	7877	910.2	90.34	7936	916.2	91.03	7995	922.2	91.71
142	3.029	7809	902.8	91.75	7868	908.9	92.45	7927	914.9	93.15	7987	920.9	93.84
141	2.953	7801	901.5	93.93	7860	907.5	94.64	7920	913.5	95.35	7979	919.6	96.06
140	2.877	7792	900.2	96.16	7851	906.2	96.89	7910	912.2	97.61	7969	918.2	98.34
139	2.804	7784	898.9	98.47	7843	904.9	99.21	7902	910.8	99.96	7961	916.8	100.7
138	2.732	7776	897.6	100.8	7834	903.5	101.5	7893	909.5	102.3	7952	915.5	103.1
137	2.662	7767	896.2	103.1	7825	902.2	103.9	7884	908.1	104.7	7942	914.1	105.5
136	2.593	7758	894.9	105.6	7817	900.8	106.4	7875	906.8	107.2	7934	912.7	108.0
135	2.526	7750	893.6	108.1	7808	899.5	108.9	7866	905.5	109.7	7925	911.4	110.5
134	2.460	7741	892.2	110.8	7799	898.1	111.6	7857	904.1	112.4	7915	910.0	113.3
133	2.396	7732	890.9	113.4	7790	896.8	114.3	7848	902.7	115.1	7906	908.6	116.0

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot.	1 56			1 57			1 58			1 59		
		Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume
180	7.50	8386	977.2	42.05	8451	983.6	42.37	8516	990.3	42.70	8580	996.4	43.02
179	7.34	8378	976.0	42.88	8442	982.3	43.22	8507	988.7	43.55	8571	995.1	43.88
178	7.17	8369	974.7	43.74	8433	981.1	44.08	8498	987.4	44.42	8562	993.8	44.75
177	7.01	8360	973.4	44.63	8424	979.8	44.98	8489	986.1	45.32	8553	992.5	45.66
176	6.86	8351	972.1	45.54	8415	978.4	45.89	8479	984.8	46.24	8543	991.1	46.59
175	6.70	8342	970.8	46.46	8406	977.1	46.82	8470	983.5	47.18	8534	990.8	47.53
174	6.55	8333	969.5	47.42	8397	975.8	47.78	8461	982.1	48.14	8525	988.5	48.50
173	6.41	8324	968.2	48.39	8388	974.5	48.76	8452	980.8	49.13	8515	987.2	49.50
172	6.26	8315	966.9	49.39	8379	973.2	49.76	8442	979.5	50.14	8506	985.8	50.82
171	6.12	8306	965.5	50.39	8369	971.8	50.78	8433	978.1	51.16	8496	984.4	51.55
170	5.98	8297	964.2	51.44	8360	970.5	51.83	8423	976.8	52.23	8487	983.1	52.62
169	5.84	8288	962.9	52.52	8351	969.2	52.92	8414	975.5	53.32	8477	981.8	53.72
168	5.71	8279	961.6	53.62	8342	967.9	54.03	8405	974.2	54.44	8468	980.4	54.85
167	5.58	8270	960.3	54.76	8333	966.6	55.17	8396	972.8	55.59	8459	979.1	56.00
166	5.45	8261	959.0	55.90	8324	965.2	56.33	8387	971.5	56.75	8449	977.7	57.18
165	5.32	8252	957.7	57.08	8315	963.9	57.51	8377	970.1	57.95	8440	976.4	58.38
164	5.20	8243	956.3	58.30	8306	962.6	58.74	8368	968.8	59.18	8430	975.0	59.62
163	5.08	8234	955.0	59.53	8296	961.2	59.98	8359	967.5	60.43	8421	973.7	60.88
162	4.960	8225	953.7	60.81	8287	959.9	61.27	8349	966.1	61.73	8411	972.3	62.19
161	4.844	8218	952.4	62.13	8280	958.6	62.59	8341	964.8	63.06	8403	971.0	63.53
160	4.729	8209	951.1	63.46	8270	957.3	63.94	8332	963.5	64.42	8394	969.7	64.89
159	4.617	8199	949.7	64.83	8261	955.9	65.32	8323	962.1	65.81	8384	968.3	66.29
158	4.508	8190	948.4	66.24	8252	954.6	66.74	8313	960.7	67.24	8375	966.9	67.74
157	4.400	8182	947.1	67.70	8243	953.3	68.20	8304	959.4	68.71	8366	965.6	69.23
156	4.295	8173	945.8	69.19	8234	951.9	69.71	8295	958.1	70.23	8356	964.2	70.74
155	4.191	8163	944.4	70.70	8224	950.5	71.23	8286	956.7	71.76	8347	962.8	72.29
154	4.090	8154	943.0	72.26	8215	949.2	72.80	8276	955.3	73.34	8337	961.5	73.88
153	3.991	8146	941.7	73.86	8206	947.9	74.42	8267	954.0	74.97	8328	960.1	75.52
152	3.894	8136	940.4	75.51	8197	946.5	76.08	8258	952.6	76.64	8318	958.7	77.20
151	3.799	8127	939.0	77.20	8188	945.1	77.77	8248	951.2	78.35	8309	957.3	78.92
150	3.706	8118	937.7	78.94	8179	943.8	79.53	8239	949.9	80.12	8300	956.0	80.70
149	3.615	8109	936.3	80.72	8169	942.4	81.32	8230	948.5	81.92	8290	954.6	82.52
148	3.526	8100	935.0	82.54	8160	941.1	83.16	8221	947.2	83.77	8281	953.3	84.38
147	3.439	8091	933.7	84.39	8151	939.7	85.01	8211	945.8	85.64	8271	951.8	86.27
146	3.353	8082	932.3	86.32	8142	938.4	86.96	8202	944.4	87.60	8262	950.5	88.24
145	3.270	8073	930.9	88.32	8133	937.0	88.97	8192	943.0	89.63	8252	949.1	90.28
144	3.188	8064	929.6	90.32	8124	935.7	90.99	8183	941.7	91.65	8243	947.7	92.32
143	3.108	8055	928.2	92.39	8114	934.3	93.07	8173	940.3	93.75	8233	946.3	94.43
142	3.029	8046	926.9	94.54	8105	932.9	95.23	8164	938.9	95.93	8224	944.9	96.63
141	2.953	8038	925.6	96.77	8097	931.6	97.49	8156	937.6	98.20	8215	943.6	98.91
140	2.877	8028	924.2	99.07	8087	930.2	99.80	8146	936.1	100.5	8205	942.1	101.3
139	2.804	8019	922.8	101.4	8078	928.8	102.2	8137	934.8	102.9	8196	940.8	103.7
138	2.732	8010	921.5	103.8	8069	927.4	104.6	8128	933.4	105.3	8187	939.4	106.1
137	2.662	8001	920.1	106.3	8060	926.0	107.0	8118	932.0	107.8	8177	938.0	108.6
136	2.593	7992	918.7	108.8	8050	924.7	109.6	8109	930.6	110.4	8167	936.6	111.2
135	2.526	7983	917.3	111.4	8041	923.3	112.2	8100	929.2	113.0	8158	935.2	113.8
134	2.460	7973	915.9	114.1	8032	921.9	114.9	8090	927.8	115.8	8148	933.7	116.6
133	2.396	7964	914.6	116.8	8022	920.5	117.7	8080	926.4	118.5	8138	932.3	119.4

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.52			1.53			1.54			1.55		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
132	2.333	7724	889.5	116.2	7782	895.4	117.0	7840	901.4	117.9	7897	907.3	118.8
131	2.272	7715	888.2	119.0	7773	894.1	119.9	7831	900.0	120.8	7889	905.9	121.6
130	2.212	7707	886.9	121.8	7764	892.8	122.8	7822	898.7	123.7	7880	904.6	124.6
129	2.153	7698	885.5	124.9	7756	891.4	125.9	7813	897.3	126.8	7871	903.2	127.7
128	2.096	7690	884.2	128.0	7747	890.1	128.9	7804	895.9	129.9	7862	901.8	130.8
127	2.040	7681	882.9	131.1	7738	888.8	132.1	7795	894.6	133.1	7853	900.5	134.0
126	1.985	7672	881.5	134.4	7729	887.4	135.4	7787	893.2	136.4	7844	899.1	137.4
125	1.932	7664	880.2	137.8	7721	886.1	138.8	7778	891.9	139.8	7834	897.8	140.9
124	1.880	7655	878.8	141.2	7712	884.6	142.3	7769	890.5	143.3	7825	896.3	144.4
123	1.829	7646	877.5	144.7	7703	883.3	145.8	7760	889.1	146.9	7816	895.0	148.0
122	1.779	7638	876.1	148.4	7694	881.9	149.5	7751	887.7	150.6	7807	893.5	151.7
121	1.730	7630	874.8	152.2	7687	880.6	153.3	7743	886.4	154.5	7799	892.2	155.6
120	1.683	7622	873.4	156.1	7678	879.2	157.2	7734	885.0	158.4	7790	890.8	159.5
119	1.636	7613	872.1	160.1	7669	877.9	161.3	7725	883.7	162.5	7781	889.4	163.6
118	1.591	7604	870.7	164.3	7660	876.5	165.5	7716	882.3	166.7	7772	888.0	167.9
117	1.547	7596	869.3	168.5	7651	875.1	169.7	7707	880.9	170.9	7763	886.6	172.6
116	1.504	7587	867.9	172.8	7642	873.7	174.1	7698	879.4	175.4	7754	885.2	176.2
115	1.462	7579	866.6	177.3	7634	872.4	178.6	7690	878.1	179.9	7745	883.8	181.2
114	1.421	7570	865.2	182.0	7625	871.0	183.3	7680	876.7	184.6	7736	882.4	186.0
113	1.381	7561	863.9	186.7	7616	869.6	188.1	7671	875.3	189.5	7727	881.0	190.8
112	1.342	7552	862.5	191.7	7608	868.2	193.1	7663	873.9	194.5	7718	879.6	195.9
111	1.304	7543	861.2	196.8	7598	866.8	198.2	7653	872.5	199.7	7708	878.2	201.1
110	1.266	7535	859.8	202.0	7590	865.4	203.5	7645	871.1	205.0	7700	876.8	206.4
109	1.230	7526	858.4	207.4	7581	864.1	208.9	7635	869.7	210.4	7690	875.4	211.9
108	1.195	7518	857.0	213.0	7572	862.7	214.5	7627	868.3	216.1	7681	874.0	217.6
107	1.160	7508	855.6	218.6	7563	861.3	220.2	7617	866.9	221.8	7672	872.6	223.4
106	1.127	7500	854.2	224.5	7554	859.9	226.2	7609	865.5	227.8	7663	871.2	229.4
105	1.094	7491	852.8	230.7	7546	858.5	232.4	7600	864.1	234.1	7654	869.8	235.7
104	1.062	7482	851.4	237.0	7536	857.1	238.8	7591	862.7	240.5	7645	868.3	242.2
103	1.031	7474	850.1	243.6	7528	855.7	245.3	7582	861.3	247.1	7636	866.9	248.8
102	1.000	7465	848.7	250.2	7519	854.3	252.0	7573	859.9	253.8	7627	865.5	255.6
101	0.971	7457	847.3	257.1	7511	852.9	259.0	7565	858.5	260.8	7618	864.1	262.7
100	0.942	7448	845.9	264.2	7502	851.5	266.1	7555	857.1	268.0	7609	862.7	269.9
99	0.914	7439	844.5	271.7	7493	850.1	273.6	7546	856.7	275.6	7600	861.3	277.5
98	0.887	7431	843.1	279.3	7484	848.7	281.3	7537	855.2	283.3	7591	859.8	285.3
97	0.860	7422	841.8	287.2	7475	847.4	289.2	7528	852.9	291.3	7581	858.5	293.3
96	0.834	7414	840.4	295.4	7467	846.0	297.5	7520	851.5	299.6	7573	857.1	301.7
95	0.809	7405	839.0	303.8	7458	844.6	305.9	7511	850.1	308.1	7564	855.7	310.3
94	0.784	7396	837.6	312.4	7449	843.1	314.7	7502	848.7	316.9	7555	854.2	319.1
93	0.761	7388	836.2	321.4	7440	841.7	323.6	7493	847.3	325.9	7546	852.8	328.2
92	0.737	7379	834.8	330.6	7431	840.3	333.0	7484	845.8	335.3	7536	851.3	337.7
91	0.715	7370	833.4	340.3	7422	838.9	342.7	7475	844.4	345.1	7527	849.9	347.5
90	0.693	7361	832.0	350.1	7413	837.5	352.6	7466	843.0	355.1	7518	848.4	357.5
89	0.671	7352	830.6	360.3	7404	836.1	362.8	7456	841.6	365.4	7509	847.0	367.9
88	0.650	7343	829.1	370.7	7395	834.6	373.3	7447	840.1	375.9	7499	845.5	378.6
87	0.630	7335	827.7	381.7	7387	833.2	384.4	7439	838.7	387.1	7490	844.1	389.8
86	0.610	7326	826.3	393.0	7378	831.8	395.7	7429	837.2	398.5	7481	842.7	401.3
85	0.591	7317	824.9	404.6	7368	830.3	407.5	7420	835.8	410.3	7472	841.2	413.2

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot.	1.56			1.57			1.58			1.59		
		Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.	Quality	Heat Con- tent.	Specific Volume.
132	2.332	7955	913.3	119.6	8013	919.1	120.5	8071	925.0	121.4	8129	930.9	122.3
131	2.272	7946	911.8	122.5	8004	917.7	123.4	8062	923.6	124.3	8119	929.5	125.2
130	2.212	7937	910.4	125.5	7995	916.3	126.4	8052	922.2	127.3	8110	928.1	128.2
129	2.153	7928	909.1	128.7	7986	915.0	129.6	8043	920.8	130.5	8100	926.7	131.5
128	2.096	7919	907.7	131.8	7976	913.6	132.7	8033	919.4	133.7	8091	925.3	134.6
127	2.040	7910	906.3	135.0	7967	912.2	136.0	8024	918.0	137.0	8081	923.9	137.9
126	1.985	7901	904.9	138.4	7958	910.8	139.4	8015	916.6	140.4	8072	922.5	141.4
125	1.932	7891	903.6	141.9	7948	909.4	142.9	8005	915.3	143.9	8062	921.1	145.0
124	1.880	7882	902.1	145.4	7939	908.0	146.5	7996	913.8	147.5	8052	919.6	148.6
123	1.829	7873	900.8	149.0	7930	906.6	150.1	7986	912.5	151.2	8043	918.3	152.8
122	1.779	7864	899.3	152.8	7920	905.1	153.9	7977	911.0	155.0	8033	916.8	156.1
121	1.730	7856	898.0	156.7	7912	903.8	157.8	7968	909.6	159.0	8025	915.4	160.1
120	1.683	7846	896.6	160.7	7903	902.4	161.8	7959	908.2	163.0	8015	914.0	164.2
119	1.636	7837	895.2	164.8	7893	901.0	166.0	7949	906.8	167.2	8005	912.6	168.4
118	1.591	7828	893.8	169.1	7884	899.6	170.3	7940	905.4	171.5	7996	911.1	172.7
117	1.547	7819	892.4	173.4	7875	898.2	174.7	7931	903.9	175.9	7986	909.7	177.1
116	1.504	7809	890.9	177.9	7865	896.7	179.2	7921	902.4	180.4	7976	908.2	181.7
115	1.462	7801	889.6	182.5	7856	895.3	183.8	7912	901.0	185.1	7967	906.8	186.4
114	1.421	7791	888.2	187.3	7847	893.9	188.6	7902	899.6	190.0	7958	905.4	191.3
113	1.381	7782	886.8	192.2	7837	892.5	193.6	7892	898.2	194.9	7948	904.0	196.3
112	1.342	7773	885.4	197.3	7828	891.1	198.7	7883	896.8	200.1	7938	902.5	201.5
111	1.304	7763	884.0	202.5	7819	889.7	204.0	7874	895.4	205.4	7929	901.1	206.9
110	1.266	7755	882.5	207.9	7809	888.2	209.4	7864	893.9	210.8	7919	899.6	212.3
109	1.230	7745	881.1	213.5	7800	886.8	215.0	7855	892.5	216.5	7909	898.2	218.0
108	1.195	7736	879.7	219.2	7790	885.4	220.7	7845	891.0	222.3	7900	896.7	223.8
107	1.160	7726	878.3	225.0	7781	884.0	226.6	7835	889.6	228.2	7890	895.3	229.8
106	1.127	7717	876.8	231.1	7772	882.5	232.7	7826	888.1	234.3	7880	893.8	235.9
105	1.094	7708	875.4	237.4	7763	881.1	239.1	7817	886.7	240.8	7871	892.4	242.4
104	1.062	7699	874.0	243.9	7753	879.6	245.6	7807	885.2	247.3	7861	890.9	249.0
103	1.031	7690	872.6	250.6	7744	878.2	252.4	7798	883.8	254.1	7851	889.5	255.9
102	1.000	7680	871.1	257.4	7734	876.8	259.3	7788	882.4	261.1	7842	888.0	262.9
101	0.971	7672	869.7	264.5	7726	875.3	266.4	7779	880.9	268.2	7833	886.5	270.1
100	0.942	7662	868.3	271.8	7716	873.8	273.7	7769	879.4	275.6	7823	885.0	277.5
99	0.914	7653	866.9	279.5	7707	872.4	281.4	7760	878.0	283.4	7813	883.6	285.3
98	0.887	7644	865.4	287.3	7697	871.0	289.3	7751	876.5	291.3	7804	882.1	293.3
97	0.860	7635	864.0	295.4	7688	869.6	297.4	7741	875.1	299.5	7794	880.7	301.6
96	0.834	7626	862.6	303.8	7679	868.2	305.9	7732	873.7	308.1	7785	879.3	310.2
95	0.809	7617	861.2	312.4	7670	866.8	314.6	7723	872.3	316.8	7776	877.9	319.0
94	0.784	7608	859.7	321.3	7660	865.3	323.6	7713	870.8	325.8	7766	876.4	328.0
93	0.761	7598	858.3	330.5	7651	863.9	332.8	7704	869.4	335.1	7756	874.9	337.4
92	0.737	7589	856.9	340.1	7641	862.4	342.4	7694	867.9	344.8	7746	873.4	347.1
91	0.715	7579	855.4	349.9	7632	860.9	352.4	7684	866.4	354.8	7737	871.9	357.2
90	0.693	7570	853.9	360.0	7622	859.4	362.5	7675	864.9	365.0	7727	870.4	367.5
89	0.671	7561	852.5	370.5	7613	858.0	373.0	7665	863.5	375.6	7717	868.9	378.1
88	0.650	7551	851.0	381.2	7603	856.5	383.8	7655	862.0	386.4	7707	867.4	389.1
87	0.630	7542	849.5	392.5	7594	855.1	395.2	7646	860.5	397.9	7698	866.0	400.6
86	0.610	7533	848.1	404.1	7585	853.6	406.8	7637	859.0	409.6	7688	864.5	412.4
85	0.591	7523	846.7	416.0	7575	852.1	418.9	7627	857.5	421.7	7678	863.0	424.6

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
420	308.6	134	1289	1.872	152	1298	1.920	172	1309	1.970	191	1319	2.015
419	305.2	132	1287	1.888	150	1297	1.935	170	1307	1.985	190	1318	2.030
418	301.9	131	1286	1.903	149	1296	1.952	169	1306	2.001	188	1317	2.047
417	298.7	129	1285	1.920	147	1294	1.969	167	1305	2.019	187	1316	2.064
416	295.4	128	1284	1.935	146	1293	1.984	166	1304	2.035	185	1314	2.080
415	292.2	127	1283	1.951	144	1292	2.002	164	1303	2.051	183	1313	2.097
414	289.0	125	1281	1.969	143	1291	2.019	163	1302	2.069	182	1312	2.115
413	285.9	124	1280	1.986	142	1290	2.036	161	1300	2.085	180	1310	2.131
412	282.7	122	1279	2.003	140	1289	2.053	160	1299	2.103	179	1309	2.150
411	279.6	121	1278	2.020	139	1288	2.071	158	1298	2.120	177	1308	2.168
410	276.5	119	1277	2.036	137	1287	2.089	157	1297	2.138	175	1307	2.186
409	273.5	118	1276	2.054	136	1286	2.106	155	1296	2.156	174	1306	2.204
408	270.5	117	1275	2.072	134	1284	2.124	154	1295	2.175	172	1304	2.222
407	267.5	115	1273	2.090	133	1283	2.141	152	1294	2.194	171	1303	2.241
406	264.5	114	1272	2.109	131	1282	2.160	151	1293	2.211	169	1302	2.261
405	261.6	112	1271	2.127	130	1281	2.178	149	1291	2.230	168	1301	2.281
404	258.6	111	1270	2.145	129	1280	2.197	148	1290	2.250	166	1300	2.300
403	255.7	110	1269	2.164	127	1279	2.216	146	1289	2.270	165	1299	2.319
402	252.9	108	1268	2.183	126	1278	2.235	145	1288	2.290	163	1297	2.339
401	250.0	107	1267	2.202	124	1276	2.254	143	1287	2.309	161	1296	2.360
400	247.2	105	1266	2.220	123	1275	2.273	142	1286	2.329	160	1295	2.380
399	244.4	104	1265	2.240	121	1274	2.292	140	1284	2.350	158	1294	2.400
398	241.7	103	1264	2.260	120	1273	2.312	139	1283	2.370	157	1293	2.420
397	238.9	101	1262	2.280	118	1272	2.332	137	1282	2.390	155	1291	2.441
396	236.2	100	1261	2.301	117	1271	2.352	136	1281	2.411	154	1290	2.463
395	233.5	98	1260	2.322	115	1269	2.374	134	1280	2.432	152	1289	2.486
394	230.8	97	1259	2.343	114	1268	2.395	133	1279	2.454	151	1288	2.508
393	228.2	96	1258	2.365	113	1267	2.416	131	1277	2.476	149	1287	2.530
392	225.6	94	1257	2.387	111	1266	2.437	130	1276	2.499	147	1285	2.552
391	223.0	93	1256	2.409	110	1265	2.459	128	1275	2.520	146	1284	2.574
390	220.4	92	1255	2.430	108	1264	2.482	127	1274	2.542	144	1283	2.596
389	217.8	90	1253	2.450	107	1263	2.504	125	1273	2.564	143	1282	2.620
388	215.3	89	1252	2.472	105	1261	2.526	123	1271	2.587	141	1281	2.645
387	212.8	87	1251	2.494	104	1260	2.550	122	1270	2.610	140	1280	2.669
386	210.3	86	1250	2.518	102	1259	2.572	120	1269	2.634	138	1278	2.692
385	207.9	84	1249	2.540	101	1258	2.595	119	1268	2.658	136	1277	2.718
384	205.4	83	1248	2.563	99	1257	2.620	117	1267	2.680	135	1276	2.742
383	203.0	82	1247	2.586	98	1256	2.643	116	1266	2.705	133	1275	2.768
382	200.6	80	1246	2.610	97	1255	2.669	114	1264	2.730	132	1274	2.792
381	198.3	79	1245	2.623	95	1254	2.693	113	1263	2.755	130	1272	2.819
380	195.9	77	1243	2.656	94	1253	2.717	111	1262	2.782	129	1271	2.844
379	193.6	76	1242	2.680	92	1251	2.744	110	1261	2.808	127	1270	2.870
378	191.3	75	1241	2.706	91	1250	2.769	108	1259	2.833	126	1269	2.897
377	189.0	73	1240	2.730	89	1249	2.794	107	1258	2.860	124	1268	2.923
376	186.7	72	1239	2.757	88	1248	2.820	105	1257	2.887	122	1266	2.952
375	184.5	70	1238	2.781	86	1247	2.849	104	1256	2.914	121	1265	2.979
374	182.3	69	1237	2.809	85	1246	2.874	102	1255	2.940	119	1264	3.007
373	180.1	68	1236	2.835	83	1244	2.900	101	1254	2.968	118	1263	3.032

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.64			1.65			1.66			1.67		
		Quality	Heat Con- tent.	Specific Volume	Quality	Heat Con- tent.	Specific Volume	Quality	Heat Con- tent.	Specific Volume	Quality	Heat Con- tent.	Specific Volume
420	308.6	212	1330	2.065	233	1341	2.117	255	1352	2.166	277	1363	2.223
419	305.2	210	1328	2.082	231	1339	2.133	254	1351	2.184	275	1362	2.240
418	301.9	209	1327	2.099	230	1338	2.151	252	1349	2.202	273	1360	2.260
417	298.7	207	1326	2.116	228	1337	2.170	250	1348	2.220	272	1359	2.279
416	295.4	206	1325	2.133	226	1335	2.186	248	1347	2.238	270	1358	2.297
415	292.2	204	1324	2.150	224	1334	2.204	247	1346	2.256	268	1356	2.315
414	289.0	202	1322	2.166	223	1333	2.222	245	1345	2.274	266	1355	2.333
413	285.9	201	1321	2.186	221	1332	2.240	243	1343	2.293	264	1353	2.352
412	282.7	199	1320	2.204	219	1330	2.260	241	1342	2.311	263	1352	2.370
411	279.6	198	1319	2.222	218	1329	2.278	240	1341	2.330	261	1351	2.390
410	276.5	196	1318	2.240	216	1328	2.296	238	1339	2.349	259	1350	2.410
409	273.5	194	1316	2.260	214	1326	2.314	236	1338	2.369	257	1348	2.429
408	270.5	193	1315	2.279	213	1325	2.333	234	1336	2.389	256	1347	2.449
407	267.5	191	1314	2.297	211	1324	2.352	233	1335	2.408	254	1346	2.469
406	264.5	189	1313	2.316	209	1323	2.372	231	1334	2.428	252	1345	2.490
405	261.6	188	1312	2.335	208	1322	2.392	229	1333	2.449	250	1343	2.510
404	258.6	186	1310	2.354	206	1320	2.412	227	1331	2.469	248	1342	2.530
403	255.7	185	1309	2.374	204	1319	2.433	226	1330	2.490	246	1340	2.550
402	252.9	183	1308	2.394	203	1318	2.454	224	1329	2.511	245	1339	2.571
401	250.0	181	1307	2.415	201	1317	2.475	222	1328	2.533	243	1328	2.593
400	247.2	180	1306	2.437	199	1315	2.496	221	1327	2.554	241	1327	2.606
399	244.4	178	1304	2.459	198	1314	2.518	219	1326	2.577	239	1325	2.629
398	241.7	176	1303	2.480	196	1313	2.539	217	1324	2.600	237	1324	2.661
397	238.9	175	1302	2.502	194	1312	2.560	215	1323	2.620	236	1323	2.684
396	236.2	173	1301	2.523	193	1311	2.582	213	1321	2.644	234	1322	2.709
395	233.5	172	1300	2.546	191	1309	2.605	212	1320	2.668	232	1320	2.733
394	230.8	170	1298	2.569	189	1308	2.629	210	1319	2.690	230	1320	2.757
393	228.2	168	1297	2.591	188	1307	2.650	208	1318	2.715	228	1327	2.781
392	225.6	167	1296	2.614	186	1306	2.675	207	1317	2.740	227	1326	2.805
391	223.0	165	1295	2.638	184	1304	2.700	205	1315	2.764	225	1325	2.831
390	220.4	163	1293	2.660	183	1303	2.724	203	1314	2.788	223	1324	2.856
389	217.8	162	1292	2.685	181	1302	2.748	201	1312	2.815	221	1322	2.881
388	215.3	160	1291	2.710	179	1300	2.772	200	1311	2.840	220	1321	2.909
387	212.8	159	1290	2.734	177	1299	2.798	198	1310	2.866	218	1320	2.935
386	210.3	157	1289	2.759	176	1298	2.822	196	1309	2.892	216	1319	2.960
385	207.9	155	1287	2.784	174	1297	2.850	194	1307	2.919	214	1317	2.987
384	205.4	154	1286	2.809	173	1296	2.876	193	1306	2.945	212	1316	3.015
383	203.0	152	1285	2.835	171	1295	2.902	191	1305	2.973	210	1315	3.041
382	200.6	150	1283	2.861	169	1293	2.930	189	1304	3.000	209	1314	3.070
381	198.3	149	1282	2.889	167	1292	2.958	187	1302	3.029	207	1312	3.098
380	195.9	147	1281	2.914	166	1291	2.984	186	1301	3.056	205	1311	3.125
379	193.6	146	1280	2.942	164	1290	2.013	184	1300	3.084	203	1310	3.155
378	191.3	144	1279	2.970	162	1288	3.040	182	1298	3.112	201	1308	3.182
377	189.0	142	1277	3.000	161	1287	3.070	180	1297	3.140	200	1307	3.210
376	186.7	141	1276	3.029	159	1286	3.100	179	1296	3.170	198	1306	3.241
375	184.5	139	1275	3.057	157	1285	3.129	177	1295	3.199	196	1305	3.270
374	182.3	137	1273	3.085	156	1284	3.158	175	1293	3.228	194	1303	3.300
373	180.1	136	1272	3.113	154	1282	3.186	173	1292	3.258	192	1302	3.330

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
372	177.9	66	1235	2.860	82	1243	2.927	99	1253	2.996	116	1262	3.060
371	175.7	65	1234	2.888	81	1242	2.954	98	1252	3.024	115	1261	3.087
370	173.6	63	1232	2.914	79	1241	2.980	96	1250	3.052	113	1259	3.017
369	171.5	62	1231	2.941	78	1240	3.010	94	1249	3.080	111	1258	3.147
368	169.4	61	1230	2.970	76	1239	3.039	93	1248	3.110	100	1257	3.177
367	167.3	59	1229	2.998	75	1238	3.069	91	1246	3.140	108	1256	3.206
366	165.3	58	1228	3.027	73	1236	3.098	90	1245	3.170	107	1255	3.237
365	163.2	56	1226	3.055	72	1235	3.127	88	1244	3.200	105	1253	3.267
364	161.2	55	1226	3.084	70	1234	3.155	87	1243	3.229	104	1252	3.300
363	159.2	54	1225	3.114	69	1233	3.185	85	1242	3.260	102	1251	3.332
362	157.2	52	1223	3.142	67	1232	3.215	84	1241	3.291	100	1250	3.364
361	155.3	51	1222	3.175	66	1231	3.246	82	1239	3.322	99	1249	3.397
360	153.3	49	1221	3.206	65	1230	3.277	81	1238	3.354	97	1247	3.430
359	151.4	48	1220	3.238	63	1228	3.310	79	1237	3.388	96	1246	3.463
358	149.5	46	1218	3.269	62	1227	3.340	78	1236	3.422	94	1245	3.498
357	147.6	45	1217	3.300	60	1226	3.374	76	1235	3.457	93	1244	3.532
356	145.8	44	1216	3.333	59	1225	3.406	75	1234	3.490	91	1243	3.569
355	143.9	42	1215	3.366	57	1224	3.440	73	1233	3.525	89	1241	3.605
354	142.1	41	1214	3.399	56	1223	3.473	72	1232	3.561	88	1240	3.641
353	140.3	39	1213	3.433	54	1221	3.509	70	1230	3.597	86	1239	3.680
352	138.5	38	1212	3.467	53	1220	3.543	69	1229	3.633	85	1238	3.716
351	136.7	37	1211	3.500	51	1219	3.579	67	1228	3.670	83	1237	3.754
350	135.0	35	1209	3.536	50	1218	3.615	66	1227	3.707	82	1236	3.790
349	133.2	34	1208	3.571	49	1217	3.651	64	1226	3.745	80	1234	3.829
348	131.5	32	1207	3.608	47	1216	3.690	63	1225	3.782	78	1233	3.867
347	129.8	31	1206	3.644	46	1215	3.727	61	1223	3.820	77	1232	3.906
346	128.1	30	1205	3.680	44	1213	3.761	59	1222	3.860	75	1231	3.945
345	126.4	28	1204	3.719	43	1212	3.800	58	1221	3.898	74	1230	3.985
344	124.8	27	1203	3.758	41	1211	3.840	56	1219	3.939	72	1229	4.024
343	123.2	25	1201	3.795	40	1210	3.880	55	1218	3.979	71	1228	4.063
342	121.5	24	1200	3.833	38	1209	3.920	53	1217	4.019	69	1226	4.105
341	119.9	23	1199	3.873	37	1208	3.960	52	1216	4.059	67	1225	4.145
340	118.4	21	1198	3.913	36	1207	4.000	50	1215	4.099	66	1224	4.188
339	116.8	20	1197	3.951	34	1206	4.040	49	1214	4.140	64	1222	4.230
338	115.2	18	1196	3.996	33	1205	4.080	47	1213	4.181	63	1221	4.275
337	113.7	17	1195	4.040	31	1203	4.120	46	1212	4.223	61	1220	4.320
336	112.2	16	1194	4.080	30	1202	4.165	44	1210	4.269	60	1219	4.365
335	110.7	14	1192	4.122	28	1201	4.209	43	1209	4.310	58	1218	4.410
334	109.2	13	1191	4.168	27	1200	4.250	41	1208	4.355	56	1216	4.458
333	107.7	11	1190	4.210	25	1198	4.295	40	1207	4.400	55	1215	4.503
332	106.3	10	1189	4.255	24	1197	4.343	38	1206	4.447	53	1214	4.551
331	104.8	9	1188	4.300	22	1196	4.390	37	1205	4.495	52	1213	4.600
330	103.4	7	1187	4.345	21	1195	4.435	35	1203	4.542	50	1212	4.646
329	102.0	6	1186	4.390	20	1194	4.485	34	1202	4.590	49	1211	4.695
328	100.6	4	1184	4.440	18	1193	4.533	32	1201	4.635	47	1209	4.747
327	99.2	3	1183	4.490	17	1192	4.582	31	1200	4.688	46	1208	4.799
326	97.8	2	1182	4.540	15	1190	4.631	29	1199	4.740	44	1207	4.850
325	96.5	0	1181	4.589	14	1189	4.685	28	1198	4.795	42	1206	4.900

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.64			1.65			1.66			1.67		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
372	177.9	134	1271	3.142	152	1281	3.215	172	1291	3.287	191	1301	3.360
371	175.7	133	1270	3.171	151	1280	3.243	170	1290	3.315	189	1300	3.390
370	173.6	131	1269	3.200	149	1279	3.272	168	1288	3.345	187	1298	3.421
369	171.5	129	1267	3.230	147	1277	3.303	166	1287	3.377	185	1297	3.453
368	169.4	128	1266	3.260	146	1276	3.334	165	1286	3.409	183	1295	3.487
367	167.3	126	1265	3.290	144	1275	3.365	163	1285	3.440	181	1294	3.519
366	165.3	124	1264	3.320	142	1274	3.395	161	1283	3.470	180	1293	3.550
365	163.2	123	1263	3.350	141	1273	3.429	159	1282	3.503	178	1292	3.584
364	161.2	121	1261	3.383	139	1271	3.461	158	1281	3.538	176	1290	3.618
363	159.2	120	1260	3.414	137	1270	3.495	156	1280	3.570	174	1289	3.650
362	157.2	118	1259	3.447	135	1269	3.527	154	1278	3.604	172	1288	3.685
361	155.3	116	1258	3.480	134	1268	3.560	152	1277	3.638	171	1287	3.720
360	153.3	115	1257	3.512	132	1266	3.594	151	1276	3.673	169	1285	3.755
359	151.4	113	1255	3.545	130	1265	3.628	149	1275	3.707	167	1284	3.790
358	149.5	111	1254	3.580	129	1264	3.662	147	1273	3.740	165	1283	3.828
357	147.6	110	1253	3.615	127	1263	3.699	145	1272	3.779	163	1281	3.865
356	145.8	108	1252	3.650	125	1261	3.735	144	1271	3.813	162	1280	3.903
355	143.9	107	1251	3.685	124	1260	3.771	142	1269	3.850	160	1279	3.939
354	142.1	105	1249	3.720	122	1259	3.806	140	1268	3.886	158	1277	3.978
353	140.3	103	1248	3.757	120	1258	3.843	138	1267	3.931	156	1276	4.019
352	138.5	102	1247	3.795	119	1257	3.882	137	1266	3.970	154	1275	4.058
351	136.7	100	1246	3.832	117	1255	3.920	135	1264	4.010	153	1274	4.097
350	135.0	98	1244	3.870	115	1254	3.960	133	1263	4.050	151	1272	4.137
349	133.2	97	1243	3.910	114	1253	3.999	131	1262	4.090	149	1271	4.179
348	131.5	95	1242	3.949	112	1252	4.038	130	1261	4.130	147	1270	4.222
347	129.8	93	1241	3.990	100	1250	4.079	128	1259	4.172	145	1268	4.266
346	128.1	92	1240	4.030	109	1249	4.120	126	1258	4.215	144	1267	4.309
345	126.4	90	1238	4.070	107	1248	4.161	124	1257	4.258	142	1266	4.351
344	124.8	89	1237	4.110	105	1246	4.204	123	1256	4.300	140	1265	4.397
343	123.2	87	1236	4.152	104	1245	4.245	121	1254	4.345	138	1263	4.440
342	121.5	85	1235	4.198	102	1244	4.292	119	1253	4.392	136	1262	4.488
341	119.9	84	1234	4.240	100	1243	4.337	117	1252	4.440	135	1261	4.531
340	118.4	82	1232	4.284	99	1242	4.382	116	1251	4.486	133	1260	4.580
339	116.8	80	1231	4.330	97	1240	4.429	114	1249	4.533	131	1258	4.629
338	115.2	79	1230	4.375	95	1239	4.475	112	1248	4.580	129	1257	4.680
337	113.7	77	1229	4.420	93	1238	4.520	110	1246	4.630	127	1255	4.729
336	112.2	76	1228	4.465	92	1237	4.568	109	1245	4.677	126	1254	4.780
335	110.7	74	1226	4.510	90	1235	4.618	107	1244	4.725	124	1253	4.830
334	109.2	72	1225	4.560	88	1234	4.668	105	1243	4.773	122	1252	4.880
333	107.7	71	1224	4.607	87	1233	4.717	103	1241	4.820	120	1250	4.930
332	106.3	69	1223	4.655	85	1231	4.765	102	1240	4.870	118	1249	4.983
331	104.8	67	1221	4.705	83	1230	4.815	100	1239	4.920	116	1247	5.035
330	103.4	66	1220	4.755	82	1229	4.865	98	1237	4.970	115	1246	5.090
329	102.0	64	1219	4.805	80	1228	4.917	96	1236	5.020	113	1245	5.143
328	100.6	63	1218	4.855	78	1226	4.969	95	1235	5.072	111	1244	5.198
327	99.2	61	1217	4.905	77	1225	5.023	93	1234	5.125	109	1242	5.253
326	97.8	59	1215	4.960	75	1224	5.077	91	1232	5.178	107	1241	5.309
325	96.5	58	1214	5.010	73	1223	5.130	89	1231	5.235	106	1240	5.365

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
324	95.1	9991	1180.0	4.614	12	1188	4.737	26	1196	4.845	41	1205	4.955
323	93.8	9982	1178.9	4.670	11	1187	4.790	25	1195	4.900	39	1203	5.010
322	92.5	9973	1177.8	4.728	9	1186	4.845	23	1194	4.955	38	1202	5.066
321	91.2	9964	1176.6	4.786	8	1185	4.900	22	1193	5.010	36	1201	5.123
320	90.0	9956	1175.6	4.846	7	1184	4.957	20	1192	5.064	35	1200	5.179
319	88.7	9946	1174.4	4.904	5	1182	5.012	19	1191	5.122	33	1199	5.236
318	87.4	9937	1173.3	4.965	4	1181	5.068	17	1189	5.178	31	1197	5.294
317	86.2	9927	1172.1	5.027	2	1180	5.125	16	1188	5.237	30	1196	5.351
316	85.0	9917	1170.9	5.089	1	1179	5.182	14	1187	5.295	28	1195	5.410
315	83.8	9909	1169.8	5.153	9995	1177.5	5.199	13	1186	5.353	27	1194	5.470
314	82.6	9899	1168.7	5.219	9986	1176.4	5.265	11	1184	5.412	25	1193	5.530
313	81.4	9890	1167.6	5.284	9976	1175.3	5.330	10	1183	5.473	24	1192	5.590
312	80.2	9880	1166.4	5.351	9967	1174.1	5.398	8	1182	5.537	22	1190	5.655
311	79.1	9871	1165.3	5.419	9957	1173.0	5.466	7	1181	5.599	20	1189	5.718
310	77.9	9862	1164.1	5.487	9948	1171.8	5.535	5	1180	5.663	19	1188	5.780
309	76.8	9852	1163.0	5.557	9938	1170.6	5.605	4	1179	5.729	17	1186	5.850
308	75.7	9843	1161.8	5.628	9928	1169.5	5.677	2	1177	5.793	16	1185	5.910
307	74.6	9833	1160.6	5.701	9919	1168.3	5.751	1	1176	5.860	14	1184	5.980
306	73.5	9825	1159.5	5.775	9910	1167.2	5.825	9995	1174.8	5.875	13	1183	6.04
305	72.4	9814	1158.3	5.848	9899	1165.9	5.899	9984	1173.6	5.950	11	1182	6.11
304	71.4	9805	1157.1	5.924	9890	1164.8	5.975	9974	1172.4	6.026	10	1181	6.18
303	70.3	9796	1156.0	6.001	9881	1163.7	6.053	9965	1171.3	6.105	8	1179	6.25
302	69.3	9787	1154.9	6.080	9871	1162.5	6.133	9956	1170.1	6.185	6	1178	6.33
301	68.2	9778	1153.7	6.160	9862	1161.3	6.213	9947	1168.9	6.266	5	1177	6.40
300	67.2	9769	1152.5	6.240	9853	1160.1	6.294	9937	1167.7	6.348	3	1175	6.48
299	66.2	9760	1151.4	6.323	9844	1159.0	6.378	9928	1166.6	6.432	2	1174	6.57
298	65.2	9750	1150.2	6.407	9834	1157.8	6.462	9918	1165.4	6.517	0	1173	6.65
297	64.3	9741	1149.0	6.492	9824	1156.6	6.548	9908	1164.2	6.603	9991	1171.7	6.659
296	63.3	9731	1147.8	6.578	9814	1155.4	6.634	9898	1162.9	6.691	9981	1170.5	6.747
295	62.3	9722	1146.7	6.667	9805	1154.3	6.724	9889	1161.8	6.781	9972	1169.3	6.838
294	61.4	9713	1145.5	6.756	9796	1153.1	6.814	9879	1160.6	6.872	9962	1168.1	6.929
293	60.5	9704	1144.4	6.847	9787	1151.9	6.906	9870	1159.4	6.964	9952	1166.9	7.022
292	59.5	9694	1143.2	6.940	9777	1150.7	6.999	9859	1158.2	7.058	9942	1165.7	7.118
291	58.6	9685	1142.0	7.034	9768	1149.6	7.093	9850	1157.1	7.153	9933	1164.5	7.213
290	57.7	9676	1140.9	7.129	9758	1148.4	7.189	9840	1155.9	7.249	9923	1163.3	7.310
289	56.8	9667	1139.7	7.227	9749	1147.2	7.287	9831	1154.7	7.349	9913	1162.1	7.410
288	56.0	9656	1138.5	7.326	9738	1146.0	7.387	9820	1153.5	7.449	9902	1160.9	7.512
287	55.1	9647	1137.3	7.426	9729	1144.8	7.488	9811	1152.3	7.551	9893	1159.7	7.614
286	54.2	9638	1136.2	7.529	9720	1143.6	7.591	9802	1151.1	7.655	9883	1158.5	7.719
285	53.4	9629	1135.0	7.633	9711	1142.4	7.697	9792	1150.9	7.761	9874	1157.3	7.826
284	52.6	9619	1133.8	7.737	9700	1141.2	7.802	9781	1148.6	7.867	9863	1156.1	7.932
283	51.7	9610	1132.6	7.844	9691	1140.0	7.910	9772	1147.4	7.976	9853	1154.9	8.042
282	50.9	9601	1131.4	7.955	9682	1138.8	8.022	9763	1146.2	8.088	9844	1153.7	8.155
281	50.1	9593	1130.3	8.069	9674	1137.6	8.137	9754	1145.1	8.203	9835	1152.5	8.271
280	49.33	9584	1129.1	8.182	9664	1136.5	8.251	9745	1143.9	8.318	9826	1151.3	8.387
279	48.55	9573	1127.9	8.295	9653	1135.2	8.365	9734	1142.6	8.433	9814	1150.0	8.503
278	47.77	9564	1126.6	8.414	9644	1134.0	8.484	9725	1141.4	8.554	9805	1148.7	8.624
277	47.01	9555	1125.4	8.533	9635	1132.8	8.605	9715	1140.2	8.676	9795	1147.5	8.747

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot.	1.64			1.65			1.66			1.67		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
324 95.1	56	1213	5.065	72	1222	5.185	88	1230	5.295	104	1239	5.420	
323 93.8	54	1211	5.119	70	1220	5.237	86	1229	5.350	102	1237	5.478	
322 92.5	53	1210	5.173	68	1219	5.297	84	1227	5.405	100	1236	5.533	
321 91.2	51	1209	5.230	67	1228	5.357	83	1226	5.465	98	1234	5.590	
320 90.0	50	1208	5.289	65	1227	5.415	81	1225	5.530	97	1233	5.650	
319 88.7	48	1207	5.347	63	1225	5.475	79	1224	5.590	95	1232	5.710	
318 87.4	46	1206	5.405	61	1224	5.535	77	1222	5.650	93	1231	5.770	
317 86.2	45	1205	5.465	60	1223	5.595	76	1221	5.715	91	1229	5.835	
316 85.0	43	1203	5.520	58	1221	5.655	74	1220	5.780	89	1228	5.900	
315 83.8	41	1202	5.585	56	1220	5.715	72	1218	5.840	88	1226	5.965	
314 82.6	40	1201	5.645	55	1209	5.779	70	1217	5.900	86	1225	6.03	
313 81.4	38	1199	5.705	53	1208	5.840	68	1216	5.965	84	1224	6.10	
312 80.2	36	1198	5.767	51	1206	5.905	67	1215	6.035	82	1223	6.17	
311 79.1	35	1197	5.830	50	1205	5.970	65	1213	6.10	80	1221	6.24	
310 77.9	33	1196	5.899	48	1204	6.035	63	1212	6.18	79	1220	6.31	
309 76.8	32	1195	5.966	46	1202	6.10	61	1210	6.25	77	1219	6.39	
308 75.7	30	1193	6.04	45	1201	6.17	60	1209	6.31	75	1218	6.46	
307 74.6	28	1192	6.10	43	1200	6.24	58	1208	6.39	73	1216	6.53	
306 73.5	27	1191	6.17	41	1199	6.32	57	1207	6.46	71	1215	6.60	
305 72.4	25	1190	6.25	40	1198	6.39	55	1206	6.54	70	1214	6.67	
304 71.4	23	1188	6.33	38	1196	6.46	53	1204	6.61	68	1213	6.75	
303 70.3	22	1187	6.40	36	1195	6.54	51	1203	6.69	66	1211	6.84	
302 69.3	20	1186	6.47	35	1194	6.62	50	1202	6.76	64	1210	6.92	
301 68.2	19	1185	6.55	33	1193	6.70	48	1201	6.84	62	1208	6.99	
300 67.2	17	1183	6.63	31	1191	6.77	46	1199	6.92	61	1207	7.07	
299 66.2	15	1182	6.70	30	1190	6.85	44	1198	7.00	59	1206	7.15	
298 65.2	14	1181	6.79	28	1189	6.93	43	1197	7.08	57	1205	7.24	
297 64.3	12	1179	6.87	26	1188	7.01	41	1196	7.16	55	1203	7.33	
296 63.3	10	1178	6.94	25	1187	7.10	39	1194	7.24	54	1202	7.40	
295 62.3	9	1177	7.03	23	1185	7.19	37	1193	7.33	52	1201	7.49	
294 61.4	7	1176	7.12	21	1184	7.27	36	1192	7.41	50	1200	7.58	
293 60.5	6	1175	7.20	20	1183	7.35	34	1191	7.50	48	1198	7.67	
292 59.5	4	1173	7.29	18	1181	7.44	32	1189	7.59	46	1197	7.76	
291 58.6	2	1172	7.38	16	1180	7.53	30	1188	7.68	44	1196	7.85	
290 57.7	1	1171	7.46	14	1178	7.63	29	1187	7.77	43	1195	7.95	
289 56.8	9995	1169.5	7.471	13	1177	7.72	27	1185	7.86	41	1193	8.04	
288 56.0	9984	1168.3	7.574	11	1176	7.81	25	1184	7.96	39	1192	8.14	
287 55.1	9974	1167.1	7.677	9	1175	7.91	23	1183	8.05	37	1190	8.24	
286 54.2	9965	1166.0	7.782	8	1174	8.00	22	1182	8.15	36	1189	8.33	
285 53.4	9955	1165.7	7.890	6	1172	8.10	20	1180	8.25	34	1188	8.43	
284 52.6	9944	1163.4	7.998	4	1171	8.20	18	1179	8.35	32	1187	8.54	
283 51.7	9934	1162.2	8.108	3	1170	8.30	16	1178	8.45	30	1185	8.64	
282 50.9	9924	1161.1	8.222	1	1169	8.39	15	1177	8.56	29	1184	8.74	
281 50.1	9916	1159.9	8.339	9997	1167.4	8.407	13	1175	8.66	27	1183	8.84	
280 49.33	9906	1158.7	8.456	9987	1166.1	8.525	11	1174	8.77	25	1182	8.95	
279 48.55	9895	1157.4	8.573	9975	1164.8	8.642	9	1172	8.88	23	1180	9.05	
278 47.77	9885	1156.1	8.695	9965	1163.5	8.765	8	1171	8.99	21	1179	9.17	
277 47.01	9875	1154.9	8.819	9955	1162.3	8.890	6	1170	9.10	20	1178	9.29	

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
276	46.26	9546	1124.3	8.655	9626	1131.7	8.728	9706	1139.0	8.799	9786	1146.4	8.872
275	45.52	9536	1123.1	8.778	9616	1130.5	8.851	9695	1137.8	8.924	9775	1145.2	8.997
274	44.78	9527	1121.9	8.904	9606	1129.2	8.978	9686	1136.5	9.051	9765	1143.9	9.126
273	44.06	9518	1120.7	9.032	9597	1128.0	9.108	9676	1135.3	9.182	9756	1142.7	9.257
272	43.35	9509	1119.5	9.164	9588	1126.8	9.241	9667	1134.1	9.316	9746	1141.5	9.392
271	42.64	9499	1118.3	9.296	9579	1125.6	9.374	9658	1132.9	9.450	9737	1140.2	9.527
270	41.95	9489	1117.1	9.431	9568	1124.3	9.509	9647	1131.6	9.586	9726	1138.9	9.665
269	41.26	9480	1115.9	9.567	9559	1123.2	9.646	9638	1130.4	9.724	9716	1137.7	9.804
268	40.58	9471	1114.7	9.709	9550	1122.0	9.789	9628	1129.2	9.869	9707	1136.5	9.949
267	39.91	9462	1113.5	9.851	9540	1120.8	9.932	9619	1128.0	10.02	9697	1135.3	10.09
266	39.26	9452	1112.2	9.991	9530	1119.5	10.07	9608	1126.7	10.16	9686	1134.0	10.24
265	38.60	9442	1111.0	10.14	9520	1118.3	10.22	9598	1125.5	10.31	9676	1132.8	10.39
264	37.96	9433	1109.8	10.29	9511	1117.0	10.38	9589	1124.3	10.46	9667	1131.5	10.55
263	37.33	9424	1108.6	10.44	9502	1115.8	10.53	9579	1123.1	10.61	9657	1130.3	10.70
262	36.71	9415	1107.4	10.60	9492	1114.6	10.69	9570	1121.8	10.78	9647	1129.1	10.86
261	36.09	9406	1106.2	10.76	9484	1113.4	10.85	9561	1120.6	10.94	9638	1127.9	11.03
260	35.48	9397	1105.0	10.92	9474	1112.2	11.01	9551	1119.4	11.10	9629	1126.6	11.19
259	34.88	9387	1103.8	11.09	9464	1109.9	11.18	9541	1118.1	11.27	9618	1125.3	11.36
258	34.29	9377	1102.5	11.25	9454	1109.6	11.35	9531	1116.8	11.44	9608	1124.0	11.53
257	33.71	9369	1101.3	11.42	9445	1108.5	11.52	9522	1115.6	11.61	9599	1122.8	11.70
256	33.14	9359	1100.1	11.60	9436	1107.3	11.69	9512	1114.4	11.79	9589	1121.6	11.88
255	32.57	9349	1098.9	11.78	9425	1106.0	11.88	9502	1113.1	11.97	9578	1120.3	12.07
254	32.01	9340	1097.6	11.96	9416	1104.7	12.06	9492	1111.8	12.16	9568	1119.0	12.26
253	31.46	9330	1096.4	12.15	9406	1103.5	12.25	9482	1110.6	12.34	9558	1117.8	12.44
252	30.92	9322	1095.2	12.34	9397	1102.3	12.44	9473	1109.4	12.54	9549	1116.5	12.64
251	30.38	9312	1094.0	12.53	9388	1101.1	12.64	9463	1108.2	12.74	9539	1115.3	12.84
250	29.86	9303	1092.7	12.73	9378	1099.8	12.83	9454	1106.9	12.93	9529	1114.0	13.04
249	29.34	9293	1091.5	12.93	9368	1098.6	13.03	9444	1105.6	13.14	9519	1112.7	13.24
248	28.82	9283	1090.2	13.13	9359	1097.3	13.23	9434	1104.3	13.34	9509	1111.4	13.44
247	28.32	9275	1089.0	13.33	9350	1096.1	13.44	9425	1103.1	13.54	9500	1110.2	13.65
246	27.82	9265	1087.8	13.54	9340	1094.8	13.65	9415	1101.9	13.76	9490	1108.9	13.86
245	27.33	9256	1086.6	13.74	9330	1093.6	13.85	9405	1100.7	13.96	9480	1107.7	14.07
244	26.85	9247	1085.3	13.97	9321	1092.4	14.08	9396	1099.4	14.20	9470	1106.4	14.31
243	26.37	9237	1084.1	14.20	9312	1091.2	14.31	9386	1098.2	14.43	9460	1105.2	14.54
242	25.90	9228	1082.9	14.42	9303	1089.9	14.54	9377	1096.9	14.66	9451	1103.9	14.77
241	25.44	9219	1081.6	14.66	9293	1088.6	14.78	9367	1095.6	14.89	9441	1102.6	15.01
240	24.98	9210	1080.3	14.89	9284	1087.3	15.01	9358	1094.3	15.13	9432	1101.3	15.25
239	24.53	9200	1079.1	15.13	9274	1086.1	15.26	9348	1093.1	15.38	9421	1100.1	15.50
238	24.09	9191	1077.8	15.39	9265	1084.8	15.51	9339	1091.8	15.63	9412	1098.8	15.76
237	23.66	9182	1076.6	15.64	9255	1083.6	15.76	9329	1090.6	15.89	9402	1097.5	16.01
236	23.23	9173	1075.4	15.90	9246	1082.3	16.02	9319	1089.3	16.15	9393	1096.2	16.28
235	22.80	9163	1074.1	16.15	9236	1081.0	16.28	9309	1088.0	16.41	9382	1094.9	16.54
234	22.39	9153	1072.8	16.42	9226	1079.7	16.55	9299	1086.6	16.68	9372	1093.6	16.81
233	21.98	9144	1071.6	16.70	9217	1078.5	16.83	9290	1085.4	16.96	9362	1092.3	17.10
232	21.57	9134	1070.3	16.97	9207	1077.2	17.11	9280	1084.1	17.24	9352	1091.0	17.38
231	21.18	9125	1069.1	17.26	9198	1076.0	17.39	9270	1082.9	17.53	9343	1089.8	17.67
230	20.78	9116	1067.8	17.54	9189	1074.7	17.68	9261	1081.6	17.82	9333	1088.5	17.96
229	20.40	9106	1066.5	17.83	9179	1073.4	17.97	9251	1080.3	18.11	9323	1087.2	18.25

TEMPERATURE-ENTROPY TABLE

97

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch	1 64			1 65			1 66			1 67		
		Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume
276 46.26	9866	1153.7	8.944	9945	1161.1	9.016		4	1164	9.22	15	1177	9.42
276 45.52	9855	1152.5	9.070	9934	1159.8	9.144		2	1167	9.31	16	1175	9.53
274 44.78	9845	1151.2	9.200	9924	1158.5	9.274		1	1166	9.45	14	1173	9.65
273 44.06	9835	1150.0	9.333	9915	1157.3	9.408	9994	1164.6	9.483		12	1172	9.78
272 43.35	9825	1148.8	9.469	9905	1156.1	9.545	9984	1163.4	9.621		11	1171	9.90
271 42.64	9816	1147.5	9.605	9895	1154.8	9.682	9974	1162.1	9.759		9	1170	10.03
270 41.95	9805	1146.2	9.743	9884	1153.5	9.821	9962	1160.8	9.900		7	1168	10.16
269 41.26	9795	1145.0	9.883	9874	1152.3	9.962	9952	1159.6	10.04		5	1167	10.29
268 40.58	9785	1143.8	10.03	9864	1151.1	10.11	9942	1158.3	10.19		3	1166	10.43
267 39.91	9775	1142.5	10.18	9854	1149.8	10.26	9932	1157.0	10.34		2	1165	10.56
266 39.26	9764	1141.2	10.32	9842	1148.5	10.40	9921	1155.7	10.49	9999	1163.0	10.57	
265 38.60	9754	1140.0	10.48	9832	1147.3	10.56	9910	1154.5	10.64	9988	1161.8	10.73	
264 37.96	9744	1138.7	10.63	9822	1146.0	10.72	9900	1153.2	10.80	9978	1160.5	10.89	
263 37.33	9735	1137.5	10.79	9812	1144.8	10.87	9890	1152.0	10.96	9968	1159.2	11.04	
262 36.71	9725	1136.3	10.95	9802	1143.5	11.04	9880	1150.7	11.12	9957	1157.9	11.21	
261 36.09	9716	1135.1	11.11	9793	1142.3	11.20	9870	1149.5	11.29	9948	1156.7	11.38	
260 35.48	9706	1133.8	11.28	9783	1141.0	11.37	9860	1148.2	11.46	9937	1155.4	11.55	
259 34.88	9695	1132.5	11.45	9772	1139.7	11.54	9849	1146.9	11.63	9926	1154.1	11.72	
258 34.29	9685	1131.2	11.62	9762	1138.3	11.71	9838	1145.5	11.81	9915	1152.7	11.90	
257 33.71	9676	1130.0	11.80	9752	1137.1	11.89	9829	1144.3	11.98	9906	1151.5	12.08	
256 33.14	9665	1128.7	11.98	9742	1135.9	12.07	9819	1143.0	12.17	9895	1150.2	12.26	
255 32.57	9654	1127.4	12.16	9731	1134.6	12.26	9807	1141.7	12.36	9883	1148.9	12.45	
254 32.01	9644	1126.1	12.35	9721	1133.2	12.45	9797	1140.4	12.55	9873	1147.5	12.65	
253 31.46	9634	1124.9	12.54	9710	1132.0	12.64	9786	1139.2	12.74	9862	1146.3	12.84	
252 30.92	9625	1123.6	12.74	9701	1130.7	12.84	9777	1137.9	12.94	9853	1145.0	13.04	
251 30.38	9615	1122.4	12.94	9691	1129.5	13.04	9766	1136.6	13.15	9842	1143.7	13.25	
250 29.86	9605	1121.1	13.14	9680	1128.2	13.24	9756	1135.3	13.35	9831	1142.4	13.45	
249 29.34	9594	1119.8	13.35	9670	1126.9	13.45	9745	1134.0	13.56	9820	1141.1	13.66	
248 28.82	9584	1118.5	13.55	9659	1125.6	13.66	9735	1132.6	13.76	9810	1139.7	13.87	
247 28.32	9575	1117.3	13.76	9650	1124.3	13.87	9725	1131.4	13.97	9800	1138.4	14.08	
246 27.82	9565	1116.0	13.97	9639	1123.0	14.08	9714	1130.1	14.19	9789	1137.1	14.30	
245 27.33	9554	1114.8	14.18	9629	1121.8	14.29	9704	1128.8	14.40	9779	1135.9	14.52	
244 26.85	9545	1113.5	14.42	9620	1120.5	14.54	9694	1127.5	14.65	9769	1134.6	14.76	
243 26.37	9535	1112.2	14.65	9609	1119.2	14.77	9684	1126.3	14.88	9758	1133.3	15.00	
242 25.90	9525	1110.9	14.89	9600	1117.9	15.00	9674	1125.0	15.12	9748	1132.0	15.24	
241 25.44	9515	1109.6	15.13	9589	1116.6	15.25	9663	1123.7	15.36	9737	1130.7	15.48	
240 24.98	9506	1108.3	15.37	9579	1115.3	15.49	9653	1122.3	15.61	9727	1129.3	15.73	
239 24.53	9495	1107.0	15.62	9569	1114.0	15.74	9643	1121.0	15.86	9716	1128.0	15.98	
238 24.09	9486	1105.7	15.88	9559	1112.7	16.00	9633	1119.7	16.13	9706	1126.7	16.25	
237 23.66	9475	1104.5	16.14	9549	1111.4	16.26	9622	1118.4	16.39	9696	1125.4	16.51	
236 23.23	9466	1103.2	16.40	9539	1110.1	16.53	9612	1117.1	16.66	9686	1124.0	16.79	
235 22.80	9455	1101.9	16.67	9529	1108.8	16.80	9602	1115.8	16.93	9675	1122.7	17.06	
234 22.39	9445	1100.5	16.94	9518	1107.4	17.07	9591	1114.4	17.21	9664	1121.3	17.34	
233 21.98	9435	1099.2	17.23	9508	1106.1	17.36	9581	1113.1	17.49	9654	1120.0	17.63	
232 21.57	9425	1097.9	17.51	9497	1104.8	17.65	9570	1111.8	17.78	9643	1118.7	17.92	
231 21.18	9415	1096.7	17.80	9488	1103.6	17.94	9560	1110.5	18.08	9633	1117.4	18.22	
230 20.78	9405	1095.4	18.10	9478	1102.3	18.24	9550	1109.2	18.37	9622	1116.1	18.51	
229 20.40	9395	1094.1	18.40	9467	1100.9	18.54	9539	1107.8	18.68	9611	1114.7	18.82	

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1. 60			1. 61			1. 62			1. 63		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	9097	1065.2	18.13	9169	1072.1	18.27	9241	1079.0	18.42	9313	1085.8	18.56
227	19.64	9087	1064.0	18.44	9159	1070.9	18.58	9231	1077.7	18.73	9303	1084.6	18.88
226	19.28	9078	1062.7	18.76	9150	1069.6	18.91	9221	1076.4	19.06	9293	1083.3	19.21
225	18.91	9068	1061.5	19.08	9140	1068.3	19.23	9211	1075.1	19.38	9283	1082.0	19.53
224	18.56	9059	1060.2	19.40	9130	1067.0	19.56	9202	1073.8	19.71	9273	1080.7	19.86
223	18.21	9050	1059.0	19.74	9121	1065.8	19.89	9192	1072.6	20.05	9264	1079.4	20.20
222	17.86	9041	1057.7	20.07	9112	1064.5	20.23	9183	1071.3	20.39	9254	1078.1	20.54
221	17.52	9032	1056.5	20.42	9103	1063.3	20.58	9174	1070.1	20.74	9245	1076.9	20.90
220	17.19	9023	1055.2	20.78	9094	1062.0	20.94	9165	1068.8	21.11	9235	1075.6	21.27
219	16.86	9013	1053.9	21.15	9084	1060.7	21.31	9154	1067.4	21.48	9225	1074.2	21.64
218	16.53	9003	1052.6	21.52	9073	1059.3	21.69	9144	1066.0	21.85	9214	1072.8	22.02
217	16.21	8994	1051.3	21.89	9064	1058.0	22.06	9134	1064.8	22.23	9205	1071.5	22.40
216	15.90	8984	1050.0	22.27	9055	1056.7	22.45	9125	1063.5	22.62	9195	1070.2	22.79
215	15.59	8975	1048.7	22.66	9045	1055.4	22.84	9115	1062.2	23.02	9185	1068.9	23.19
214	15.29	8966	1047.4	23.07	9036	1054.1	23.25	9105	1060.9	23.43	9175	1067.6	23.61
213	14.99	8956	1046.2	23.47	9026	1052.9	23.66	9096	1059.6	23.84	9165	1066.3	24.02
212	14.70	8947	1044.9	23.85	9017	1051.6	24.04	9086	1058.3	24.22	9156	1065.0	24.41
211	14.41	8938	1043.6	24.23	9007	1050.3	24.42	9076	1057.0	24.61	9146	1063.7	24.79
210	14.12	8928	1042.3	24.67	8997	1049.0	24.86	9067	1055.7	25.05	9136	1062.4	25.24
209	13.84	8919	1041.0	25.11	8988	1047.7	25.31	9057	1054.3	25.50	9126	1061.0	25.70
208	13.57	8909	1039.7	25.57	8978	1046.4	25.77	9047	1053.0	25.96	9116	1059.7	26.16
207	13.29	8900	1038.4	26.04	8968	1045.0	26.24	9037	1051.7	26.44	9106	1058.4	26.64
206	13.03	8890	1037.1	26.52	8959	1043.7	26.72	9027	1050.4	26.93	9096	1057.1	27.13
205	12.77	8881	1035.8	27.00	8949	1042.4	27.21	9018	1049.1	27.41	9086	1055.7	27.62
204	12.51	8871	1034.5	27.49	8939	1041.1	27.70	9008	1047.8	27.92	9076	1054.4	28.13
203	12.25	8862	1033.2	27.99	8930	1039.8	28.21	8998	1046.4	28.42	9066	1053.1	28.64
202	12.01	8853	1031.9	28.51	8921	1038.6	28.72	8989	1045.2	28.94	9057	1051.8	29.16
201	11.76	8844	1030.6	29.04	8912	1037.2	29.27	8980	1043.8	29.49	9048	1050.4	29.71
200	11.52	8835	1029.3	29.58	8902	1035.9	29.80	8970	1042.5	30.03	9038	1049.1	30.26
199	11.28	8825	1028.0	30.13	8893	1034.6	30.36	8960	1041.2	30.59	9028	1047.7	30.82
198	11.05	8816	1026.7	30.69	8883	1033.3	30.92	8951	1039.9	31.16	9018	1046.5	31.39
197	10.82	8806	1025.3	31.26	8873	1031.9	31.50	8940	1038.4	31.74	9007	1045.0	31.98
196	10.60	8796	1024.0	31.85	8863	1030.5	32.09	8930	1037.1	32.34	8997	1043.6	32.58
195	10.38	8787	1022.7	32.46	8854	1029.3	32.71	8921	1035.8	32.95	8988	1042.4	33.20
194	10.16	8777	1021.4	33.07	8844	1027.9	33.32	8911	1034.5	33.58	8977	1041.0	33.83
193	9.95	8768	1020.1	33.70	8835	1026.6	33.96	8901	1033.2	34.22	8968	1039.7	34.47
192	9.74	8758	1018.8	34.35	8825	1025.3	34.61	8891	1031.8	34.87	8958	1038.3	35.13
191	9.53	8749	1017.4	35.00	8815	1023.9	35.27	8881	1030.4	35.53	8948	1037.0	35.80
190	9.33	8740	1016.2	35.68	8806	1022.6	35.95	8872	1029.1	36.22	8938	1035.6	36.49
189	9.13	8730	1014.9	36.37	8796	1021.4	36.65	8863	1027.8	36.92	8929	1034.3	37.20
188	8.94	8721	1013.5	37.07	8787	1020.0	37.35	8852	1026.5	37.63	8918	1032.9	37.91
187	8.75	8712	1012.2	37.79	8777	1018.7	38.08	8843	1025.2	38.36	8909	1031.6	38.65
186	8.56	8702	1010.9	38.53	8767	1017.3	38.82	8833	1023.8	39.11	8898	1030.2	39.40
185	8.37	8693	1009.6	39.29	8758	1016.0	39.59	8823	1022.5	39.88	8889	1028.9	40.18
184	8.19	8683	1008.2	40.07	8748	1014.6	40.37	8813	1021.1	40.67	8878	1027.5	40.97
183	8.01	8673	1006.9	40.86	8739	1013.3	41.17	8804	1019.8	41.47	8869	1026.2	41.78
182	7.84	8664	1005.6	41.67	8729	1012.0	41.98	8794	1018.4	42.29	8859	1024.8	42.60
181	7.67	8655	1004.2	42.50	8720	1010.6	42.81	8785	1017.0	43.13	8849	1023.4	43.45

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.64			1.65			1.66			1.67		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	9385	1092.7	18.70	9457	1099.6	18.85	9529	1106.5	18.99	9601	1113.3	19.13
227	19.64	9375	1091.4	19.02	9446	1098.3	19.17	9518	1105.2	19.31	9590	1112.0	19.46
226	19.28	9365	1090.1	19.36	9436	1097.0	19.51	9508	1103.9	19.65	9580	1110.7	19.80
225	18.91	9354	1088.8	19.68	9426	1095.7	19.83	9497	1102.6	19.98	9560	1109.4	20.13
224	18.56	9345	1087.5	20.02	9416	1094.3	20.17	9487	1101.2	20.26	9559	1108.0	20.47
223	18.21	9335	1086.2	20.36	9406	1093.1	20.51	9477	1099.9	20.67	9548	1106.7	20.82
222	17.86	9325	1084.9	20.70	9396	1091.8	20.86	9467	1098.6	21.02	9538	1105.4	21.17
221	17.52	9316	1083.6	21.06	9387	1090.5	21.22	9458	1097.3	21.38	9529	1104.1	21.54
220	17.19	9306	1082.3	21.43	9377	1089.1	21.60	9448	1095.9	21.76	9518	1102.7	21.92
219	16.86	9296	1081.0	21.81	9366	1087.8	21.97	9437	1094.5	22.14	9507	1101.3	22.30
218	16.53	9285	1079.6	22.19	9355	1086.4	22.36	9426	1093.1	22.53	9496	1099.9	22.70
217	16.21	9275	1078.3	22.57	9345	1085.1	22.75	9415	1091.8	22.92	9486	1098.6	23.09
216	15.90	9265	1077.0	22.97	9335	1083.7	23.14	9405	1090.5	23.32	9475	1097.2	23.49
215	15.59	9255	1075.7	23.37	9325	1082.4	23.55	9395	1089.2	23.72	9465	1095.9	23.90
214	15.29	9245	1074.4	23.79	9315	1081.1	23.97	9385	1087.8	24.15	9454	1094.6	24.33
213	14.99	9235	1073.1	24.20	9305	1079.8	24.39	9374	1086.5	24.57	9444	1093.3	24.75
212	14.70	9225	1071.7	24.59	9295	1078.4	24.78	9364	1085.1	24.96	9434	1091.9	25.15
211	14.41	9215	1070.4	24.98	9284	1077.1	25.17	9354	1083.8	25.36	9423	1090.6	25.55
210	14.12	9205	1069.1	25.43	9274	1075.8	25.62	9343	1082.5	25.82	9413	1089.2	26.01
209	13.84	9195	1067.7	25.89	9264	1074.4	26.09	9333	1081.1	26.28	9402	1087.8	26.48
208	13.57	9185	1066.4	26.36	9254	1073.1	26.56	9322	1079.7	26.76	9391	1086.4	26.95
207	13.29	9175	1065.0	26.84	9243	1071.7	27.05	9312	1078.4	27.25	9381	1085.0	27.45
206	13.03	9165	1063.7	27.34	9233	1070.4	27.54	9302	1077.0	27.75	9370	1083.7	27.95
205	12.77	9154	1062.4	27.83	9223	1069.0	28.04	9291	1075.7	28.25	9360	1082.3	28.45
204	12.51	9144	1061.0	28.34	9213	1067.7	28.55	9281	1074.3	28.76	9349	1080.9	28.97
203	12.25	9134	1059.7	28.85	9202	1066.3	29.07	9270	1072.9	29.29	9338	1079.6	29.50
202	12.01	9125	1058.4	29.38	9193	1065.0	29.60	9261	1071.6	29.82	9329	1078.2	30.04
201	11.76	9115	1057.0	29.94	9183	1063.6	30.16	9251	1070.3	30.38	9319	1076.9	30.60
200	11.52	9105	1055.7	30.48	9173	1062.3	30.71	9241	1068.9	30.94	9308	1075.5	31.16
199	11.28	9095	1054.3	31.05	9163	1060.9	31.28	9230	1067.5	31.51	9298	1074.1	31.74
198	11.05	9086	1053.0	31.63	9153	1059.6	31.86	9220	1066.2	32.10	9288	1072.8	32.33
197	10.82	9074	1051.6	32.21	9142	1058.1	32.45	9209	1064.7	32.69	9276	1071.3	32.93
196	10.60	9064	1050.2	32.82	9131	1056.8	33.06	9198	1063.3	33.31	9265	1069.9	33.55
195	10.38	9054	1048.9	33.45	9121	1055.4	33.60	9188	1062.0	33.94	9255	1068.5	34.19
194	10.16	9044	1047.5	34.08	9111	1054.1	34.33	9178	1060.6	34.58	9244	1067.1	34.83
193	9.95	9035	1046.2	34.73	9101	1052.7	34.98	9168	1059.3	35.24	9234	1065.8	35.50
192	9.74	9024	1044.8	35.39	9091	1051.4	35.65	9157	1057.9	35.91	9224	1064.4	36.18
191	9.53	9014	1043.5	36.06	9080	1050.0	36.33	9147	1056.5	36.60	9213	1063.0	36.86
190	9.33	9004	1042.1	36.76	9070	1048.6	37.03	9137	1055.1	37.30	9203	1061.6	37.57
189	9.13	8995	1040.8	37.47	9061	1047.3	37.75	9127	1053.8	38.02	9193	1060.3	38.30
188	8.94	8984	1039.4	38.19	9050	1045.9	38.47	9116	1052.4	38.75	9182	1058.8	39.03
187	8.75	8974	1038.1	38.93	9040	1044.6	39.22	9106	1051.0	39.50	9172	1057.5	39.79
186	8.56	8964	1036.7	39.69	9030	1043.1	39.98	9095	1049.6	40.27	9161	1056.1	40.56
185	8.37	8954	1035.4	40.47	9020	1041.8	40.77	9085	1048.2	41.06	9150	1054.7	41.36
184	8.19	8944	1034.0	41.28	9009	1040.4	41.58	9074	1046.8	41.88	9140	1053.2	42.18
183	8.01	8934	1032.6	42.09	8999	1039.0	42.39	9064	1045.5	42.70	9129	1051.9	43.01
182	7.84	8924	1031.3	42.91	8989	1037.7	43.23	9054	1044.1	43.54	9119	1050.5	43.85
181	7.67	8914	1029.8	43.77	8979	1036.2	44.09	9044	1042.6	44.41	9109	1049.0	44.72

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
180	7.50	8645	1002.8	43.35	8710	1009.2	43.67	8774	1015.6	43.99	8839	1022.0	44.32
179	7.34	8636	1001.5	44.21	8700	1007.9	44.54	8765	1014.3	44.87	8829	1020.7	45.20
178	7.17	8626	1000.2	45.09	8691	1006.6	45.43	8755	1012.9	45.76	8820	1019.3	46.10
177	7.01	8617	998.9	46.01	8681	1005.2	46.35	8746	1011.6	46.69	8810	1018.0	47.04
176	6.86	8607	997.5	46.94	8671	1003.8	47.29	8735	1010.2	47.64	8799	1016.5	47.99
175	6.70	8598	996.1	47.89	8662	1002.5	48.25	8726	1008.8	48.60	8790	1015.2	48.96
174	6.55	8588	994.8	48.87	8652	1001.2	49.23	8716	1007.5	49.59	8780	1013.8	49.96
173	6.41	8579	993.5	49.87	8643	999.8	50.24	8706	1006.1	50.61	8770	1012.5	50.98
172	6.26	8569	992.1	50.89	8633	998.5	51.27	8696	1004.8	51.65	8760	1011.1	52.03
171	6.12	8559	990.7	51.93	8623	997.0	52.31	8686	1003.4	52.70	8749	1009.7	53.08
170	5.98	8550	989.4	53.01	8613	995.7	53.40	8676	1002.0	53.79	8740	1008.3	54.19
169	5.84	8540	988.1	54.12	8603	994.3	54.52	8667	1000.6	54.92	8730	1006.9	55.32
168	5.71	8531	986.7	55.25	8594	993.0	55.66	8657	999.3	56.07	8720	1005.5	56.48
167	5.58	8521	985.3	56.42	8584	991.6	56.84	8647	997.9	57.25	8710	1004.1	57.67
166	5.45	8512	984.0	57.60	8574	990.2	58.02	8637	996.5	58.45	8700	1002.8	58.87
165	5.32	8502	982.6	58.81	8565	988.9	59.24	8627	995.1	59.67	8690	1001.4	60.11
164	5.20	8493	981.3	60.06	8555	987.5	60.50	8617	993.7	60.94	8680	1000.0	61.38
163	5.08	8483	979.9	61.33	8545	986.1	61.78	8607	992.4	62.23	8670	998.6	62.68
162	4.960	8473	978.5	62.64	8536	984.7	63.10	8598	991.0	63.56	8660	997.2	64.02
161	4.844	8465	977.2	64.00	8527	983.4	64.47	8589	989.6	64.93	8651	995.8	65.40
160	4.729	8456	975.8	65.37	8517	982.0	65.85	8579	988.2	66.33	8641	994.4	66.80
159	4.617	8446	974.5	66.78	8508	980.7	67.27	8569	986.8	67.76	8631	993.0	68.24
158	4.508	8436	973.1	68.23	8498	979.3	68.73	8559	985.4	69.23	8621	991.6	69.72
157	4.400	8427	971.8	69.73	8489	977.9	70.23	8550	984.1	70.74	8611	990.3	71.25
156	4.295	8417	970.4	71.26	8479	976.5	71.78	8540	982.7	72.30	8601	988.8	72.82
155	4.191	8408	969.0	72.82	8469	975.1	73.35	8530	981.3	73.88	8591	987.4	74.41
154	4.090	8398	967.6	74.42	8459	973.7	74.96	8520	979.9	75.50	8581	986.0	76.04
153	3.991	8389	966.2	76.07	8450	972.4	76.62	8510	978.5	77.17	8571	984.6	77.72
152	3.894	8379	964.8	77.76	8440	971.0	78.33	8500	977.1	78.89	8561	983.2	79.45
151	3.799	8369	963.4	79.50	8430	969.5	80.07	8490	975.7	80.65	8551	981.8	81.22
150	3.706	8360	962.1	81.29	8420	968.2	81.88	8480	974.3	82.47	8541	980.4	83.05
149	3.615	8350	960.7	83.12	8410	966.8	83.72	8470	972.9	84.31	8531	978.9	84.91
148	3.526	8341	959.3	84.99	8401	965.4	85.60	8461	971.5	86.22	8521	977.6	86.83
147	3.439	8331	957.9	86.89	8391	964.0	87.52	8451	970.0	88.14	8511	976.1	88.77
146	3.353	8322	956.6	88.87	8381	962.6	89.51	8441	968.7	90.15	8501	974.7	90.79
145	3.270	8312	955.1	90.93	8371	961.2	91.59	8431	967.2	92.24	8491	973.3	92.89
144	3.188	8302	953.8	92.99	8362	959.8	93.65	8421	965.8	94.32	8481	971.9	94.99
143	3.108	8292	952.3	95.11	8352	958.4	95.79	8411	964.4	96.47	8470	970.4	97.16
142	3.029	8283	951.0	97.32	8342	957.0	98.02	8401	963.0	98.72	8461	969.0	99.41
141	2.953	8274	949.6	99.62	8333	955.6	100.3	8392	961.6	101.0	8452	967.6	101.8
140	2.877	8264	948.1	102.0	8323	954.1	102.7	8382	960.1	103.4	8441	966.1	104.2
139	2.804	8255	946.8	104.4	8314	952.7	105.2	8372	958.7	105.9	8431	964.7	106.7
138	2.732	8245	945.4	106.9	8304	951.3	107.6	8363	957.3	108.4	8421	963.3	109.1
137	2.662	8235	943.9	109.4	8294	949.9	110.1	8352	955.8	110.9	8411	961.8	111.7
136	2.593	8226	942.5	112.0	8284	948.5	112.7	8342	954.4	113.5	8401	960.4	114.3
135	2.526	8216	941.1	114.6	8274	947.1	115.4	8333	953.0	116.2	8391	959.0	117.1
134	2.460	8206	939.7	117.4	8264	945.6	118.3	8322	951.5	119.1	8380	957.5	119.9
133	2.396	8196	938.3	120.2	8254	944.2	121.1	8312	950.1	121.9	8370	956.0	122.8

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1 64			1 65			1 66			1 67		
		Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume
180	7.50	8904	1028.4	44.64	8968	1034.8	44.97	9033	1041.2	45.29	9098	1047.6	45.62
179	7.34	8894	1027.0	45.53	8958	1033.4	45.86	9023	1039.8	46.19	9087	1046.2	46.52
178	7.17	8884	1025.7	46.44	8948	1032.1	46.77	9013	1038.4	47.11	9077	1044.8	47.45
177	7.01	8874	1024.3	47.38	8938	1030.7	47.72	9002	1037.1	48.06	9067	1043.4	48.41
176	6.86	8863	1022.9	48.34	8928	1029.3	48.69	8992	1035.6	49.04	9056	1042.0	49.79
175	6.70	8853	1021.5	49.31	8917	1027.9	49.67	8981	1034.2	50.03	9045	1040.6	50.78
174	6.55	8843	1020.2	50.32	8907	1026.5	50.68	8971	1032.8	51.05	9035	1039.2	51.41
173	6.41	8833	1018.8	51.35	8897	1025.1	51.72	8961	1031.4	52.09	9024	1037.8	52.46
172	6.26	8823	1017.4	52.40	8887	1023.7	52.78	8950	1030.0	53.16	9014	1036.4	53.53
171	6.12	8813	1016.0	53.47	8876	1022.3	53.85	8940	1028.6	54.24	9003	1034.9	54.62
170	5.98	8803	1014.6	54.58	8866	1020.9	54.97	8929	1027.2	55.36	8992	1033.5	55.78
169	5.84	8793	1013.2	55.72	8856	1019.5	56.12	8919	1025.8	56.52	8982	1032.0	56.92
168	5.71	8783	1011.8	56.88	8846	1018.1	57.29	8908	1024.4	57.70	8971	1030.6	58.11
167	5.58	8773	1010.4	58.08	8836	1016.7	58.50	8898	1022.9	58.91	8961	1029.2	59.33
166	5.45	8762	1009.0	59.30	8825	1015.3	59.72	8888	1021.5	60.14	8950	1027.8	60.57
165	5.32	8752	1007.6	60.54	8815	1013.9	60.97	8877	1020.1	61.40	8940	1026.3	61.84
164	5.20	8742	1006.2	61.82	8804	1012.4	62.22	8867	1018.7	62.71	8929	1024.9	63.19
163	5.08	8732	1004.8	63.13	8794	1011.0	63.58	8856	1017.3	64.03	8919	1023.5	64.48
162	4.960	8722	1003.4	64.48	8784	1009.6	64.94	8846	1015.8	65.40	8908	1022.0	65.80
161	4.844	8713	1002.0	65.87	8775	1008.2	66.34	8837	1014.5	66.81	8899	1020.7	67.27
160	4.729	8703	1000.6	67.28	8765	1006.8	67.76	8826	1013.0	68.24	8888	1019.2	68.71
159	4.617	8693	999.2	68.73	8754	1005.4	69.22	8816	1011.6	69.71	8877	1017.8	70.19
158	4.508	8682	997.8	70.22	8744	1004.0	70.72	8805	1010.1	71.22	8867	1016.3	71.71
157	4.400	8673	996.4	71.76	8734	1002.6	72.26	8795	1008.8	72.77	8857	1014.9	73.28
156	4.295	8662	995.0	73.33	8724	1001.1	73.85	8785	1007.3	74.37	8846	1013.5	74.89
155	4.191	8652	993.6	74.93	8713	999.7	75.46	8774	1005.9	75.99	8835	1012.0	76.52
154	4.090	8642	992.1	76.58	8703	998.3	77.12	8764	1004.4	77.66	8824	1010.5	78.20
153	3.991	8632	990.7	78.27	8693	996.9	78.83	8753	1003.0	79.38	8814	1009.1	79.93
152	3.894	8622	989.3	80.02	8682	995.4	80.58	8743	1001.5	81.14	8803	1007.7	81.70
151	3.799	8611	987.9	81.80	8672	994.0	82.37	8732	1000.1	82.95	8793	1006.2	83.52
150	3.706	8601	986.5	83.64	8662	992.6	84.23	8722	998.7	84.81	8782	1004.8	85.40
149	3.615	8591	985.0	85.51	8651	991.1	86.11	8711	997.2	86.71	8772	1003.3	87.31
148	3.526	8581	983.6	87.44	8641	989.7	88.05	8701	995.8	88.67	8761	1001.9	89.28
147	3.439	8571	982.2	89.39	8631	988.2	90.02	8690	994.3	90.64	8750	1000.4	91.27
146	3.353	8561	980.8	91.43	8621	986.8	92.07	8680	992.9	92.71	8740	998.9	93.34
145	3.270	8550	979.3	93.54	8610	985.4	94.20	8670	991.4	94.85	8729	997.4	95.50
144	3.188	8540	977.9	95.68	8600	983.9	96.32	8659	990.0	96.99	8719	996.0	97.65
143	3.108	8530	976.4	97.84	8589	982.5	98.52	8649	988.5	99.20	8708	994.5	99.88
142	3.029	8520	975.0	100.1	8579	981.0	100.8	8638	987.0	101.5	8698	993.1	102.2
141	2.953	8511	973.6	102.5	8570	979.6	103.2	8629	985.6	103.9	8688	991.6	104.6
140	2.877	8500	972.1	104.9	8559	978.1	105.6	8618	984.1	106.3	8677	990.1	107.0
139	2.804	8490	970.7	107.4	8549	976.7	108.1	8608	982.7	108.9	8667	988.6	109.6
138	2.732	8480	969.3	109.9	8539	975.2	110.7	8597	981.2	111.4	8656	987.2	112.2
137	2.662	8469	967.8	112.5	8528	973.7	113.3	8587	979.7	114.0	8645	985.7	114.8
136	2.593	8459	966.3	115.1	8518	972.3	115.9	8576	978.3	116.7	8635	984.2	117.5
135	2.526	8449	964.9	117.9	8508	970.9	118.7	8566	976.8	119.5	8624	982.7	120.3
134	2.460	8439	963.4	120.7	8497	969.3	121.6	8555	975.3	122.4	8613	981.2	123.2
133	2.396	8428	962.0	123.6	8486	967.9	124.5	8544	973.8	125.3	8602	979.7	126.2

Temperature, Degrees Fahr.	Pressure Pounds per Square Inch.	1.60			1.61			1.62			1.63		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
132	2.333	8187	936.9	123.1	8245	942.8	124.0	8303	948.7	124.9	8360	954.6	125.7
131	2.272	8177	935.4	126.1	8235	941.3	127.0	8293	947.3	127.9	8350	953.2	128.8
130	2.212	8168	934.0	129.1	8225	939.9	130.0	8283	945.8	130.9	8340	951.7	131.9
129	2.153	8158	932.6	132.4	8215	938.5	133.3	8273	944.4	134.3	8330	950.3	135.2
128	2.096	8148	931.2	135.6	8206	937.1	136.5	8263	942.9	137.5	8320	948.8	138.4
127	2.040	8139	929.8	138.9	8196	935.7	139.9	8253	941.5	140.9	8310	947.4	141.9
126	1.985	8129	928.3	142.4	8186	934.2	143.4	8243	940.0	144.4	8300	945.9	145.4
125	1.932	8119	926.9	146.0	8176	932.8	147.0	8233	938.6	148.0	8290	944.5	149.0
124	1.880	8109	925.5	149.6	8166	931.3	150.7	8223	937.1	151.7	8280	943.0	152.8
123	1.829	8100	924.1	153.3	8156	929.9	154.4	8213	935.7	155.5	8269	941.6	156.5
122	1.779	8090	922.6	157.2	8146	928.4	158.3	8203	934.2	159.4	8259	940.1	160.5
121	1.730	8081	921.2	161.2	8138	927.0	162.3	8194	932.8	163.5	8250	938.6	164.6
120	1.683	8071	919.8	165.3	8128	925.6	166.5	8184	931.3	167.6	8240	937.1	168.8
119	1.636	8062	918.4	169.5	8118	924.2	170.7	8174	929.9	171.9	8230	935.7	173.1
118	1.591	8052	916.9	173.9	8108	922.7	175.1	8164	928.5	176.3	8220	934.2	177.6
117	1.547	8042	915.5	178.4	8098	921.2	179.6	8154	927.0	180.9	8210	932.7	182.1
116	1.504	8032	914.0	183.0	8088	919.7	184.2	8144	925.5	185.5	8199	931.2	186.8
115	1.462	8023	912.6	187.7	8079	918.3	189.0	8134	926.1	190.3	8190	929.8	191.6
114	1.421	8013	911.1	192.6	8068	916.8	194.0	8124	922.6	195.3	8179	928.3	196.6
113	1.381	8003	909.7	197.7	8058	915.4	199.0	8114	921.1	200.4	8169	926.9	201.8
112	1.342	7994	908.2	202.9	8049	913.9	204.3	8104	919.6	205.7	8159	925.4	207.1
111	1.304	7984	906.8	208.3	8039	912.5	209.7	8094	918.2	211.2	8149	923.9	212.6
110	1.266	7974	905.3	213.8	8029	911.0	215.3	8084	916.7	216.7	8139	922.4	218.2
109	1.230	7964	903.9	219.5	8019	909.6	221.0	8074	915.2	222.5	8128	920.9	224.0
108	1.195	7955	902.4	225.4	8009	908.1	226.9	8064	913.7	228.4	8118	919.4	230.0
107	1.160	7944	901.0	231.3	7999	906.6	232.9	8053	912.3	234.5	8108	917.9	236.1
106	1.127	7935	899.5	237.6	7989	905.1	239.2	8044	910.8	240.8	8098	916.4	242.5
105	1.094	7925	898.0	244.1	7979	903.6	245.8	8034	909.3	247.4	8088	914.9	249.1
104	1.062	7915	896.5	250.7	7969	902.1	252.5	8023	907.8	254.2	8077	913.4	255.9
103	1.031	7905	895.1	257.6	7959	900.7	259.4	8013	906.3	261.1	8067	911.9	262.9
102	1.000	7896	893.6	264.7	7950	899.2	266.5	8003	904.8	268.3	8057	910.4	270.1
101	0.971	7887	892.1	271.9	7941	897.7	273.8	7994	903.3	275.6	8048	908.9	277.5
100	0.942	7877	890.6	279.4	7930	896.2	281.3	7984	901.8	283.2	8037	907.4	285.1
99	0.914	7867	889.2	287.3	7920	894.8	289.3	7974	900.3	291.2	8027	905.9	293.2
98	0.887	7857	887.7	295.3	7910	893.3	297.4	7964	898.8	299.4	8017	904.4	301.4
97	0.860	7847	886.3	303.6	7901	891.9	305.7	7954	897.4	307.7	8007	903.0	309.8
96	0.834	7838	884.9	312.3	7891	890.4	314.4	7944	896.0	316.5	7997	901.5	318.6
95	0.809	7829	883.4	321.1	7881	888.9	323.3	7934	894.5	325.5	7987	900.0	327.6
94	0.784	7819	881.9	330.3	7871	887.4	332.5	7924	893.0	334.7	7977	898.5	337.0
93	0.761	7809	880.4	339.7	7861	885.9	342.0	7914	891.5	344.3	7967	897.0	346.6
92	0.737	7799	878.9	349.5	7851	884.4	351.8	7904	889.9	354.2	7957	895.5	356.5
91	0.715	7789	877.4	359.6	7841	882.9	362.0	7894	888.4	364.5	7946	894.0	366.9
90	0.693	7779	875.9	370.0	7831	881.4	372.5	7884	886.9	374.9	7936	892.4	377.4
89	0.671	7769	874.4	380.7	7821	879.9	383.2	7873	885.4	385.8	7926	890.9	388.4
88	0.650	7759	872.9	391.7	7811	878.4	394.3	7863	883.9	396.9	7915	889.3	399.6
87	0.630	7750	871.4	403.3	7802	876.9	406.0	7854	882.4	408.7	7905	887.8	411.4
86	0.610	7740	869.9	415.2	7792	875.4	417.9	7843	880.9	420.7	7895	886.3	423.5
85	0.591	7730	868.4	427.5	7781	873.9	430.3	7833	879.3	433.2	7885	884.8	436.0

TEMPERATURE-ENTROPY TABLE

103

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.64			1.65			1.66			1.67		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
132	2.333	8418	960.5	126.6	8476	966.4	127.5	8534	972.3	128.4	8592	978.3	129.2
131	2.272	8408	959.1	129.7	8466	965.0	130.5	8524	970.9	131.4	8581	976.8	132.3
130	2.212	8398	957.6	132.8	8455	963.5	133.7	8513	969.4	134.6	8571	975.3	135.5
129	2.153	8388	956.2	136.1	8445	962.0	137.0	8503	967.9	138.0	8560	973.8	138.9
128	2.096	8377	954.7	139.4	8435	960.6	140.4	8492	966.4	141.3	8549	972.3	142.3
127	2.040	8367	953.3	142.8	8424	959.1	143.8	8482	965.0	144.8	8539	970.8	145.8
126	1.985	8357	951.8	146.4	8414	957.6	147.4	8471	963.5	148.4	8528	969.3	149.4
125	1.932	8347	950.4	150.1	8404	956.2	151.1	8460	962.1	152.1	8517	967.7	153.1
124	1.880	8336	948.8	153.8	8393	954.6	154.9	8450	960.5	155.9	8507	966.3	156.9
123	1.829	8326	947.4	157.6	8388	953.2	158.7	8439	959.1	159.8	8496	964.9	160.8
122	1.779	8316	945.9	161.6	8372	951.7	162.7	8429	957.5	163.8	8485	963.3	164.9
121	1.730	8307	944.4	165.7	8363	950.2	166.8	8419	956.0	168.0	8476	961.8	169.1
120	1.683	8296	942.9	169.9	8353	948.7	171.1	8409	954.5	172.2	8465	960.3	173.4
119	1.636	8286	941.5	174.3	8342	947.3	175.4	8398	953.0	176.6	8454	958.8	177.8
118	1.591	8276	940.0	178.8	8332	945.8	180.0	8388	951.5	181.2	8444	957.3	182.4
117	1.547	8266	938.5	183.3	8321	944.3	184.6	8377	950.0	185.8	8433	955.8	187.0
116	1.504	8255	937.0	188.0	8311	942.8	189.3	8366	948.5	190.6	8422	954.2	191.9
115	1.462	8245	935.5	192.9	8301	941.3	194.2	8356	947.0	195.5	8412	952.8	196.8
114	1.421	8235	934.0	198.0	8290	939.8	199.3	8346	945.5	200.6	8401	951.3	202.0
113	1.381	8224	932.6	203.1	8280	938.3	204.5	8335	944.0	205.9	8390	949.8	207.2
112	1.342	8214	931.1	208.5	8269	936.8	209.9	8325	942.5	211.3	8380	948.2	212.7
111	1.304	8204	929.6	214.0	8259	935.3	215.5	8314	941.0	216.9	8369	946.7	218.3
110	1.266	8194	928.1	219.7	8249	933.8	221.1	8303	939.5	222.6	8358	945.2	224.1
109	1.230	8183	926.6	225.5	8238	932.3	227.0	8293	938.0	228.5	8347	943.7	230.1
108	1.195	8173	925.1	231.5	8228	930.8	233.1	8282	936.4	234.6	8337	942.1	236.2
107	1.160	8162	923.6	237.7	8217	929.3	239.3	8271	934.9	240.9	8326	940.6	242.4
106	1.127	8152	922.1	244.1	8207	927.7	245.7	8261	933.4	247.3	8315	939.0	249.0
105	1.094	8142	920.6	250.8	8196	926.2	252.4	8251	931.9	254.1	8304	937.5	255.8
104	1.062	8131	919.1	257.6	8186	924.7	259.3	8240	930.3	261.0	8294	936.0	262.7
103	1.031	8121	917.6	264.7	8175	923.2	266.4	8229	928.8	268.2	8283	934.5	269.9
102	1.000	8111	916.1	271.9	8165	921.7	273.7	8219	927.3	275.5	8273	932.9	277.3
101	0.971	8102	914.5	279.3	8155	920.2	281.2	8209	925.8	283.0	8263	931.4	284.9
100	0.942	8091	913.0	287.0	8144	918.6	288.9	8198	924.2	290.8	8252	929.8	292.7
99	0.914	8081	911.5	295.1	8134	917.1	297.1	8188	922.7	299.0	8241	928.3	301.0
98	0.887	8070	910.0	303.4	8124	915.6	305.4	8177	921.2	307.4	8230	926.7	309.4
97	0.860	8060	908.5	311.8	8113	914.1	313.9	8166	919.7	316.0	8220	925.2	318.0
96	0.834	8051	907.1	320.7	8104	912.6	322.8	8157	918.2	325.0	8210	923.7	327.1
95	0.809	8040	905.5	329.8	8093	911.1	332.0	8146	916.7	334.2	8199	922.2	336.3
94	0.784	8030	904.0	339.2	8083	909.6	341.4	8135	915.1	343.6	8188	920.6	345.9
93	0.761	8019	902.5	348.8	8072	908.1	351.1	8125	913.6	353.4	8177	919.1	355.7
92	0.737	8009	901.0	358.9	8062	906.5	361.2	8114	912.0	363.6	8167	917.5	365.9
91	0.715	7999	899.4	369.3	8051	905.0	371.7	8103	910.5	374.1	8156	916.0	376.6
90	0.693	7988	897.9	379.9	8040	903.4	382.4	8093	908.9	384.9	8145	914.4	387.4
89	0.671	7978	896.4	390.9	8030	901.9	393.5	8082	907.4	396.0	8134	912.9	398.6
88	0.650	7967	894.8	402.2	8019	900.3	404.8	8071	905.8	407.4	8123	911.2	410.1
87	0.630	7957	893.3	414.1	8009	898.8	416.8	8061	904.3	419.5	8113	909.7	422.2
86	0.610	7947	891.8	426.3	7999	897.2	429.0	8050	902.7	431.8	8102	908.1	434.6
85	0.591	7936	890.2	438.9	7988	895.7	441.7	8039	901.1	444.6	8091	906.5	447.4

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
420	308.6	...	...	...	...	...	...	...	...	...	...	...	...
419	305.2	300	1375	2.290	...	...	...	...	...	...	...	...	...
418	301.9	298	1373	2.310	...	...	...	...	...	...	...	...	...
417	298.7	296	1371	2.330	...	...	...	...	...	...	...	...	...
416	295.4	294	1370	2.349	...	...	...	...	...	...	...	...	...
415	292.2	292	1369	2.368	...	...	...	...	...	...	...	...	...
414	289.0	291	1368	2.387	...	...	...	...	...	...	...	...	...
413	285.9	289	1367	2.406	...	...	...	...	...	...	...	...	...
412	282.7	287	1365	2.425	...	...	...	...	...	...	...	...	...
411	279.6	285	1364	2.445	...	...	...	...	...	...	...	...	...
410	276.5	283	1362	2.464	...	...	...	...	...	...	...	...	...
409	273.5	281	1361	2.484	...	...	...	...	...	...	...	...	...
408	270.5	279	1359	2.505	...	...	...	...	...	...	...	...	...
407	267.5	278	1358	2.526	300	1369	2.586	...	...	...	...	...	...
406	264.5	276	1357	2.547	298	1368	2.608	...	...	...	...	...	...
405	261.6	274	1356	2.568	296	1367	2.629	...	...	...	...	...	...
404	258.6	272	1354	2.589	294	1365	2.650	...	...	...	...	...	...
403	255.7	270	1353	2.610	292	1364	2.672	...	...	...	...	...	...
402	252.9	268	1351	2.631	290	1362	2.696	...	...	...	...	...	...
401	250.0	266	1350	2.653	288	1361	2.719	...	...	...	...	...	...
400	247.2	264	1349	2.676	286	1360	2.740	...	...	...	...	...	...
399	244.4	263	1348	2.698	284	1358	2.764	...	...	...	...	...	...
398	241.7	261	1347	2.723	282	1357	2.788	...	...	...	...	...	...
397	238.9	259	1345	2.746	280	1355	2.810	...	...	...	...	...	...
396	236.2	257	1344	2.770	278	1354	2.835	...	...	...	...	...	...
395	233.5	255	1342	2.793	276	1353	2.860	...	...	...	...	...	...
394	230.8	253	1341	2.818	274	1351	2.885	299	1364	2.960	...	...	...
393	228.2	251	1339	2.843	272	1350	2.910	297	1363	2.985	...	...	...
392	225.6	249	1338	2.869	270	1349	2.936	295	1361	3.010	...	...	...
391	223.0	247	1337	2.894	269	1348	2.961	293	1360	3.035	...	...	...
390	220.4	246	1336	2.920	267	1346	2.988	291	1358	3.060	...	...	...
389	217.8	244	1335	2.946	265	1345	3.015	289	1357	3.186	...	...	...
388	215.3	242	1333	2.972	263	1344	3.041	286	1355	3.112	...	...	...
387	212.8	240	1332	3.000	261	1342	3.069	284	1353	3.140	...	...	...
386	210.3	238	1330	3.027	259	1341	3.096	282	1352	3.167	...	...	...
385	207.9	236	1329	3.054	257	1339	3.125	280	1351	3.296	...	...	...
384	205.4	234	1327	3.082	255	1338	3.152	278	1349	3.223	...	...	...
383	203.0	232	1326	3.110	253	1336	3.180	276	1348	3.251	300	1360	3.330
382	200.6	230	1325	3.139	251	1335	3.209	274	1347	3.280	298	1358	3.360
381	198.3	229	1324	3.170	249	1333	3.239	272	1345	3.310	296	1357	3.390
380	195.9	227	1322	3.198	247	1332	3.266	270	1344	3.340	294	1355	3.420
379	193.6	225	1321	3.227	245	1331	3.296	268	1342	3.370	292	1354	3.450
378	191.3	223	1319	3.257	243	1329	3.325	266	1341	3.400	290	1353	3.481
377	189.0	221	1318	3.287	241	1328	3.355	264	1339	3.431	287	1351	3.514
376	186.7	219	1317	3.317	239	1327	3.385	262	1338	3.464	285	1349	3.544
375	184.5	217	1315	3.346	238	1326	3.418	260	1337	3.497	283	1348	3.577
374	182.3	215	1314	3.376	236	1324	3.448	258	1335	3.529	281	1347	3.609
373	180.1	213	1312	3.407	234	1323	3.480	256	1334	3.560	279	1345	3.640

N. B. This page is left blank so that the tables on pages 106 and 107 may face each other.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
372	177.9	212	1311	3.438	232	1322	3.510	254	1333	3.594	276	1343	3.673
371	175.7	210	1310	3.469	230	1320	3.541	252	1331	3.628	274	1342	3.708
370	173.6	208	1309	3.500	228	1319	3.578	250	1330	3.660	272	1340	3.740
369	171.5	206	1307	3.534	226	1317	3.610	248	1328	3.694	270	1339	3.775
368	169.4	204	1306	3.567	224	1316	3.643	246	1327	3.728	268	1338	3.810
367	167.3	202	1305	3.600	222	1315	3.679	244	1326	3.763	266	1336	3.845
366	165.3	200	1303	3.634	220	1313	3.711	242	1324	3.798	263	1334	3.882
365	163.2	198	1302	3.669	218	1312	3.748	240	1323	3.831	261	1333	3.918
364	161.2	197	1301	3.702	216	1310	3.781	238	1321	3.868	259	1332	3.955
363	159.2	195	1300	3.738	214	1309	3.818	236	1320	3.905	257	1330	3.990
362	157.2	193	1298	3.773	212	1308	3.853	234	1319	3.940	255	1329	4.028
361	155.3	191	1297	3.809	210	1306	3.890	232	1317	3.979	253	1328	4.065
360	153.3	189	1295	3.845	208	1305	3.928	230	1316	4.015	251	1326	4.104
359	151.4	187	1294	3.880	206	1303	3.961	227	1314	4.054	248	1324	4.141
358	149.5	185	1292	3.918	204	1302	4.000	225	1312	4.092	246	1323	4.182
357	147.6	183	1291	3.954	203	1301	4.040	223	1311	4.131	244	1321	4.221
356	145.8	182	1290	3.991	201	1300	4.079	221	1310	4.171	242	1320	4.263
355	143.9	180	1289	4.029	199	1299	4.119	219	1308	4.210	240	1319	4.305
354	142.1	178	1288	4.069	197	1297	4.159	217	1307	4.251	238	1317	4.347
353	140.3	176	1286	4.109	195	1296	4.199	215	1306	4.293	235	1315	4.390
352	138.5	174	1285	4.149	193	1294	4.240	213	1304	4.337	233	1314	4.433
351	136.7	172	1283	4.189	191	1293	4.282	211	1303	4.379	231	1313	4.477
350	135.0	170	1282	4.230	189	1292	4.325	209	1302	4.420	229	1311	4.520
349	133.2	168	1280	4.272	187	1290	4.370	207	1300	4.466	227	1310	4.568
348	131.5	166	1279	4.315	185	1289	4.413	205	1299	4.512	224	1308	4.615
347	129.8	165	1278	4.360	183	1287	4.460	203	1297	4.560	222	1307	4.662
346	128.1	163	1277	4.405	181	1286	4.505	201	1296	4.608	220	1305	4.709
345	126.4	161	1275	4.451	179	1285	4.550	199	1295	4.655	218	1304	4.760
344	124.8	159	1274	4.495	177	1283	4.597	197	1293	4.704	216	1303	4.809
343	123.2	157	1273	4.542	175	1282	4.645	195	1292	4.752	214	1301	4.859
342	121.5	155	1271	4.590	173	1280	4.690	193	1290	4.800	212	1300	4.909
341	119.9	153	1270	4.638	171	1279	4.740	191	1289	4.850	210	1299	4.960
340	118.4	152	1269	4.685	170	1278	4.788	189	1288	4.900	208	1297	5.010
339	116.8	150	1268	4.733	168	1277	4.838	187	1286	4.950	205	1295	5.061
338	115.2	148	1266	4.783	166	1275	4.887	185	1285	5.000	203	1294	5.115
337	113.7	146	1265	4.832	164	1274	4.939	183	1284	5.055	201	1292	5.170
336	112.2	144	1263	4.880	162	1273	4.990	181	1282	5.105	199	1291	5.224
335	110.7	142	1262	4.930	160	1271	5.040	179	1281	5.160	197	1290	5.279
334	109.2	140	1261	4.980	158	1270	5.092	177	1280	5.212	195	1288	5.334
333	107.7	138	1259	5.032	156	1268	5.147	174	1278	5.272	193	1287	5.389
332	106.3	137	1258	5.086	154	1267	5.200	172	1276	5.322	191	1286	5.444
331	104.8	135	1257	5.140	152	1266	5.256	170	1275	5.380	189	1284	5.500
330	103.4	133	1256	5.195	150	1264	5.312	168	1274	5.435	186	1282	5.555
329	102.0	131	1254	5.250	148	1263	5.370	166	1272	5.493	184	1281	5.612
328	100.6	129	1253	5.309	146	1261	5.430	164	1271	5.550	182	1280	5.670
327	99.2	127	1252	5.365	144	1260	5.487	162	1269	5.610	180	1278	5.730
326	97.8	125	1250	5.420	142	1259	5.547	160	1268	5.670	178	1277	5.790
325	96.5	123	1249	5.480	140	1258	5.607	158	1266	5.730	176	1276	5.850

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.64			1.65			1.66			1.67		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
372	177.9	290	1354	3.765	...	...	...	...	...	...	...	...	...
371	175.7	297	1353	3.798	...	...	...	...	...	...	...	...	...
370	173.6	295	1351	3.833	...	...	...	...	...	...	...	...	...
369	171.5	292	1349	3.869	...	...	...	...	...	...	...	...	...
368	169.4	290	1348	3.904	...	...	...	...	...	...	...	...	...
367	167.3	288	1347	3.940	...	...	...	...	...	...	...	...	...
366	165.3	286	1345	3.976	...	...	...	...	...	...	...	...	...
365	163.2	284	1344	4.011	...	...	...	...	...	...	...	...	...
364	161.2	282	1343	4.049	...	...	...	...	...	...	...	...	...
363	159.2	280	1341	4.086	...	...	...	...	...	...	...	...	...
362	157.2	277	1339	4.123	...	...	...	...	...	...	...	...	...
361	155.3	275	1338	4.160	299	1349	4.260	...	...	...	...	...	...
360	153.3	273	1337	4.200	297	1348	4.302	...	...	...	...	...	...
359	151.4	271	1335	4.239	295	1346	4.343	...	...	...	...	...	...
358	149.5	269	1334	4.279	293	1345	4.385	...	...	...	...	...	...
357	147.6	267	1333	4.319	290	1343	4.428	...	...	...	...	...	...
356	145.8	264	1331	4.360	288	1342	4.470	...	...	...	...	...	...
355	143.9	262	1329	4.400	286	1340	4.513	...	...	...	...	...	...
354	142.1	260	1328	4.444	283	1338	4.557	...	...	...	...	...	...
353	140.3	258	1327	4.488	281	1337	4.602	...	...	...	...	...	...
352	138.5	256	1326	4.532	279	1336	4.647	...	...	...	...	...	...
351	136.7	254	1324	4.577	277	1335	4.695	...	...	...	...	...	...
350	135.0	252	1323	4.622	274	1333	4.743	299	1344	4.850	...	...	...
349	133.2	249	1321	4.669	272	1331	4.790	296	1342	4.900	...	...	...
348	131.5	247	1319	4.717	270	1330	4.839	294	1341	4.950	...	...	...
347	129.8	245	1318	4.766	267	1328	4.889	292	1339	5.000	...	...	...
346	128.1	243	1317	4.815	265	1327	4.935	290	1338	5.050	...	...	...
345	126.4	241	1315	4.868	263	1325	4.985	287	1336	5.105	...	...	...
344	124.8	239	1314	4.919	261	1324	5.037	285	1335	5.155	...	...	...
343	123.2	236	1312	4.970	258	1322	5.090	283	1334	5.208	...	...	...
342	121.5	234	1311	5.020	256	1321	5.140	280	1332	5.260	...	...	...
341	119.9	232	1309	5.075	254	1319	5.193	278	1330	5.315	300	1339	5.433
340	118.4	230	1308	5.124	252	1318	5.247	276	1329	5.367	298	1338	5.488
339	116.8	228	1307	5.179	249	1316	5.300	273	1327	5.420	296	1337	5.545
338	115.2	226	1305	5.230	247	1315	5.355	271	1326	5.475	293	1335	5.600
337	113.7	224	1304	5.286	245	1314	5.410	269	1325	5.530	291	1334	5.660
336	112.2	221	1302	5.340	242	1312	5.463	266	1323	5.585	289	1333	5.717
335	110.7	219	1300	5.395	240	1310	5.520	264	1321	5.640	286	1332	5.775
334	109.2	217	1299	5.450	238	1309	5.580	262	1320	5.700	284	1330	5.836
333	107.7	215	1298	5.502	236	1308	5.638	259	1318	5.760	281	1328	5.898
332	106.3	213	1297	5.560	233	1306	5.695	257	1317	5.820	279	1327	5.960
331	104.8	211	1295	5.620	231	1305	5.750	255	1316	5.882	277	1326	6.023
330	103.4	208	1293	5.675	229	1303	5.810	252	1314	5.940	274	1324	6.088
329	102.0	206	1292	5.735	226	1301	5.868	250	1313	6.007	272	1323	6.154
328	100.6	204	1290	5.795	224	1300	5.928	247	1311	6.070	269	1321	6.220
327	99.2	202	1289	5.850	222	1299	5.990	245	1309	6.130	267	1320	6.285
326	97.8	200	1288	5.910	220	1297	6.052	243	1308	6.195	264	1318	6.355
325	96.5	198	1286	5.970	217	1295	6.115	240	1306	6.260	262	1316	6.435

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
324	95.1	121	1247	5.535	139	1257	5.670	156	1265	5.790	174	1274	5.910
323	93.8	120	1246	5.595	137	1255	5.730	154	1264	5.850	172	1273	5.975
322	92.5	118	1245	5.655	135	1254	5.790	152	1262	5.910	170	1272	6.040
321	91.2	116	1244	5.715	133	1252	5.850	150	1261	5.975	168	1270	6.105
320	90.0	114	1242	5.775	131	1251	5.910	148	1260	6.040	165	1268	6.170
319	88.7	112	1241	5.835	129	1250	5.970	146	1258	6.105	163	1267	6.240
318	87.4	110	1239	5.900	127	1248	6.030	144	1257	6.175	161	1266	6.310
317	86.2	108	1238	5.965	125	1247	6.09	142	1256	6.240	159	1264	6.375
316	85.0	106	1237	6.030	123	1245	6.16	140	1254	6.310	157	1263	6.45
315	83.8	105	1236	6.09	121	1244	6.23	138	1253	6.380	155	1261	6.52
314	82.6	103	1234	6.16	119	1243	6.30	136	1251	6.450	153	1260	6.59
313	81.4	101	1233	6.23	117	1241	6.37	134	1250	6.525	151	1259	6.66
312	80.2	99	1232	6.30	116	1240	6.44	132	1249	6.60	149	1257	6.74
311	79.1	97	1230	6.37	114	1239	6.51	130	1247	6.67	147	1256	6.82
310	77.9	95	1229	6.44	112	1238	6.59	128	1246	6.74	144	1254	6.89
309	76.8	93	1227	6.51	110	1236	6.66	126	1244	6.82	142	1253	6.97
308	75.7	91	1226	6.59	108	1235	6.74	124	1243	6.89	140	1251	7.05
307	74.6	89	1225	6.67	106	1234	6.81	122	1242	6.97	138	1250	7.13
306	73.5	88	1224	6.74	104	1232	6.89	120	1240	7.05	136	1249	7.21
305	72.4	86	1222	6.82	102	1231	6.97	118	1239	7.14	134	1247	7.29
304	71.4	84	1221	6.90	100	1229	7.05	116	1238	7.22	132	1246	7.38
303	70.3	82	1220	6.98	98	1228	7.14	114	1236	7.30	130	1245	7.46
302	69.3	80	1218	7.06	96	1227	7.22	112	1235	7.38	128	1243	7.54
301	68.2	78	1217	7.14	94	1225	7.30	110	1233	7.47	126	1242	7.63
300	67.2	76	1215	7.23	92	1224	7.39	108	1232	7.55	124	1240	7.73
299	66.2	74	1214	7.31	90	1222	7.48	106	1231	7.64	122	1239	7.82
298	65.2	72	1213	7.39	88	1221	7.57	104	1229	7.73	119	1237	7.90
297	64.3	71	1212	7.48	86	1220	7.65	102	1228	7.82	117	1236	7.99
296	63.3	69	1210	7.57	85	1219	7.74	100	1227	7.91	115	1235	8.09
295	62.3	67	1209	7.66	83	1218	7.83	98	1225	8.00	113	1233	8.19
294	61.4	65	1208	7.75	81	1216	7.92	96	1224	8.09	111	1232	8.28
293	60.5	63	1206	7.84	79	1215	8.01	94	1223	8.18	109	1230	8.38
292	59.5	61	1205	7.93	77	1213	8.10	92	1221	8.28	107	1229	8.47
291	58.6	59	1204	8.03	75	1212	8.20	90	1220	8.38	105	1228	8.57
290	57.7	58	1203	8.13	73	1210	8.30	88	1218	8.48	103	1226	8.67
289	56.8	56	1201	8.22	71	1209	8.40	86	1217	8.58	101	1225	8.77
288	56.0	54	1200	8.32	69	1208	8.50	84	1216	8.68	99	1223	8.87
287	55.1	52	1198	8.42	67	1206	8.60	82	1214	8.79	97	1222	8.98
286	54.2	50	1197	8.51	65	1205	8.70	80	1213	8.89	95	1221	9.10
285	53.4	48	1196	8.61	63	1204	8.81	78	1212	9.00	93	1219	9.21
284	52.6	46	1194	8.72	61	1202	8.91	76	1210	9.10	91	1218	9.32
283	51.7	45	1193	8.83	60	1201	9.02	74	1209	9.22	89	1216	9.43
282	50.9	43	1192	8.94	58	1200	9.14	72	1207	9.33	87	1215	9.54
281	50.1	41	1191	9.05	56	1199	9.25	70	1206	9.44	85	1214	9.65
280	49.33	39	1189	9.16	54	1197	9.36	68	1205	9.55	83	1212	9.77
279	48.55	37	1188	9.27	52	1196	9.47	66	1203	9.67	81	1211	9.89
278	47.77	35	1186	9.38	50	1194	9.59	64	1202	9.78	79	1210	10.02
277	47.01	33	1185	9.50	48	1193	9.70	62	1200	9.90	76	1208	10.14

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.72			1.73			1.74			1.75		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
324	95.1	195	1284	6.05	215	1294	6.19	238	1305	6.33	260	1315	6.46
323	93.8	193	1283	6.11	213	1293	6.26	236	1304	6.40	257	1313	6.53
322	92.5	191	1282	6.18	210	1291	6.33	233	1302	6.46	255	1312	6.60
321	91.2	189	1280	6.25	208	1290	6.40	231	1300	6.53	252	1311	6.67
320	90.0	187	1279	6.32	206	1288	6.46	229	1299	6.60	250	1309	6.75
319	88.7	185	1278	6.39	204	1287	6.53	226	1297	6.67	248	1308	6.82
318	87.4	182	1276	6.45	201	1285	6.60	224	1296	6.75	245	1306	6.89
317	86.2	180	1274	6.53	199	1284	6.67	222	1295	6.83	243	1304	6.97
316	85.0	178	1273	6.60	197	1283	6.75	219	1293	6.90	240	1303	7.05
315	83.8	176	1272	6.67	194	1281	6.82	217	1291	6.98	238	1301	7.13
314	82.6	174	1270	6.75	192	1279	6.90	215	1290	7.06	235	1299	7.20
313	81.4	172	1269	6.82	190	1278	6.97	212	1288	7.14	233	1298	7.29
312	80.2	170	1268	6.90	188	1277	7.05	210	1287	7.22	231	1297	7.37
311	79.1	168	1267	6.97	185	1275	7.13	208	1286	7.30	228	1295	7.45
310	77.9	166	1265	7.05	183	1274	7.20	205	1284	7.38	226	1294	7.54
309	76.8	163	1263	7.13	181	1272	7.29	203	1283	7.46	224	1293	7.62
308	75.7	161	1262	7.20	179	1271	7.37	201	1281	7.54	221	1291	7.71
307	74.6	159	1261	7.29	176	1269	7.45	198	1279	7.63	219	1289	7.80
306	73.5	157	1259	7.37	174	1267	7.53	196	1278	7.72	216	1287	7.89
305	72.4	154	1257	7.46	172	1266	7.62	194	1277	7.80	214	1286	7.98
304	71.4	152	1256	7.54	170	1265	7.70	191	1275	7.89	211	1284	8.07
303	70.3	150	1255	7.63	167	1263	7.79	189	1273	7.98	209	1283	8.16
302	69.3	148	1253	7.71	165	1262	7.88	186	1271	8.07	207	1282	8.25
301	68.2	146	1252	7.80	163	1260	7.97	184	1270	8.16	204	1280	8.35
300	67.2	144	1250	7.89	161	1259	8.06	182	1269	8.25	202	1279	8.44
299	66.2	141	1248	7.99	158	1257	8.16	180	1268	8.35	199	1277	8.54
298	65.2	139	1247	8.08	156	1255	8.25	177	1266	8.44	197	1275	8.64
297	64.3	137	1246	8.17	154	1254	8.34	175	1264	8.54	195	1274	8.74
296	63.3	135	1244	8.26	151	1252	8.43	173	1263	8.64	192	1272	8.84
295	62.3	133	1243	8.36	149	1251	8.53	170	1261	8.74	190	1271	8.94
294	61.4	131	1242	8.46	147	1249	8.63	168	1260	8.85	187	1269	9.05
293	60.5	128	1240	8.56	145	1248	8.74	165	1258	8.95	185	1268	9.16
292	59.5	126	1238	8.66	143	1247	8.84	163	1257	9.05	183	1266	9.27
291	58.6	124	1237	8.76	140	1245	8.95	161	1255	9.16	180	1264	9.38
290	57.7	122	1236	8.86	138	1244	9.05	158	1253	9.27	178	1263	9.49
289	56.8	120	1234	8.96	136	1242	9.16	156	1252	9.38	175	1261	9.60
288	56.0	118	1233	9.06	134	1241	9.27	154	1251	9.50	173	1260	9.71
287	55.1	116	1232	9.18	132	1240	9.38	151	1249	9.61	170	1258	9.82
286	54.2	113	1230	9.29	129	1238	9.50	149	1247	9.72	168	1257	9.93
285	53.4	111	1228	9.40	127	1236	9.61	147	1246	9.84	166	1255	10.05
284	52.6	109	1227	9.51	125	1235	9.72	144	1244	9.95	163	1253	10.18
283	51.7	107	1226	9.63	123	1234	9.84	142	1243	10.07	161	1252	10.30
282	50.9	105	1224	9.74	120	1232	9.96	140	1242	10.20	158	1250	10.43
281	50.1	103	1223	9.86	118	1230	10.09	137	1240	10.33	156	1249	10.55
280	49.33	101	1222	9.98	116	1229	10.21	135	1238	10.46	153	1247	10.67
279	48.55	98	1220	10.10	114	1228	10.33	133	1237	10.58	151	1246	10.80
278	47.77	96	1218	10.23	112	1226	10.46	130	1235	10.71	149	1245	10.95
277	47.01	94	1217	10.36	109	1224	10.59	128	1234	10.84	146	1243	11.06

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
276	46.26	32	1184	9.62	46	1192	9.83	60	1199	10.04	74	1206	10.26
275	45.52	30	1183	9.74	44	1190	9.95	58	1198	10.15	72	1205	10.49
274	44.78	28	1181	9.86	42	1189	10.07	56	1196	10.28	70	1203	10.51
273	44.06	26	1180	9.98	41	1188	10.20	54	1195	10.40	68	1202	10.64
272	43.35	24	1178	10.10	39	1187	10.33	52	1193	10.54	66	1201	10.77
271	42.64	22	1177	10.23	37	1185	10.47	50	1192	10.67	64	1199	10.91
270	41.95	21	1176	10.36	35	1184	10.60	49	1191	10.80	62	1198	11.05
269	41.26	19	1175	10.50	33	1182	10.73	47	1190	10.94	60	1197	11.19
268	40.58	17	1173	10.64	31	1181	10.87	45	1188	11.08	58	1195	11.33
267	39.91	15	1172	10.76	29	1179	11.00	43	1187	11.22	56	1194	11.47
266	39.26	13	1170	10.90	27	1178	11.15	41	1186	11.37	54	1192	11.62
265	38.60	11	1169	11.05	25	1177	11.30	39	1184	11.52	52	1191	11.77
264	37.96	10	1168	11.19	23	1175	11.45	37	1183	11.67	50	1190	11.92
263	37.33	8	1167	11.33	21	1174	11.59	35	1181	11.81	49	1189	12.08
262	36.71	6	1165	11.48	20	1173	11.74	33	1180	11.96	47	1188	12.23
261	36.09	4	1164	11.63	18	1172	11.89	31	1178	12.12	45	1186	12.39
260	35.48	2	1162	11.78	16	1170	12.04	29	1177	12.27	43	1185	12.56
259	34.88	0	1161	11.93	14	1169	12.20	27	1176	12.45	41	1183	12.72
258	34.29	9992	1159.9	11.99	12	1167	12.36	25	1174	12.60	39	1182	12.89
257	33.71	9982	1158.6	12.17	10	1166	12.52	23	1173	12.78	37	1181	13.06
256	33.14	9972	1157.3	12.35	8	1164	12.69	21	1172	12.96	35	1179	13.24
255	32.57	9960	1156.0	12.55	6	1163	12.85	20	1171	13.14	33	1178	13.42
254	32.01	9949	1154.6	12.74	4	1161	13.02	18	1169	13.30	31	1177	13.60
253	31.46	9938	1153.4	12.94	2	1160	13.20	16	1168	13.49	29	1176	13.79
252	30.92	9928	1152.1	13.15	0	1159	13.37	14	1167	13.66	27	1174	13.96
251	30.38	9918	1150.8	13.35	9993	1157.8	13.45	12	1165	13.85	25	1172	14.16
250	29.86	9907	1149.5	13.55	9982	1156.5	13.66	10	1164	14.05	23	1171	14.35
249	29.34	9896	1148.2	13.77	9971	1155.2	13.87	8	1162	14.25	21	1170	14.55
248	28.82	9885	1146.8	13.98	9960	1153.9	14.08	6	1161	14.45	19	1168	14.75
247	28.32	9875	1145.5	14.19	9950	1152.6	14.30	4	1160	14.64	17	1167	14.94
246	27.82	9864	1144.2	14.41	9939	1151.3	14.52	2	1158	14.84	15	1165	15.15
245	27.33	9853	1142.9	14.63	9928	1150.0	14.74	0	1157	15.04	13	1164	15.35
244	26.85	9843	1141.6	14.87	9918	1148.6	14.99	9992	1155.7	15.10	12	1163	15.57
243	26.37	9832	1140.3	15.11	9907	1147.3	15.23	9981	1154.4	15.34	10	1162	15.79
242	25.90	9822	1139.0	15.35	9896	1146.0	15.47	9971	1153.0	15.58	8	1160	16.00
241	25.44	9811	1137.7	15.60	9885	1144.7	15.72	9959	1151.7	15.84	6	1159	16.23
240	24.98	9801	1136.3	15.85	9875	1143.3	15.97	9949	1150.3	16.09	4	1157	16.45
239	24.53	9790	1135.0	16.10	9864	1142.0	16.23	9938	1149.0	16.35	2	1156	16.69
238	24.09	9780	1133.6	16.37	9854	1140.6	16.49	9927	1147.6	16.62	0	1155	16.91
237	23.66	9769	1132.3	16.64	9842	1139.3	16.76	9916	1146.3	16.89	9989	1153.3	17.01
236	23.23	9759	1131.0	16.91	9832	1138.0	17.04	9905	1144.9	17.17	9979	1151.9	17.29
235	22.80	9748	1129.7	17.19	9821	1136.6	17.31	9894	1143.5	17.44	9967	1150.5	17.57
234	22.39	9737	1128.3	17.47	9810	1135.2	17.60	9882	1142.1	17.73	9955	1149.1	17.86
233	21.98	9726	1127.0	17.76	9799	1133.9	17.89	9872	1140.8	18.03	9945	1147.7	18.16
232	21.57	9715	1125.6	18.05	9788	1132.5	18.19	9861	1139.4	18.32	9933	1146.3	18.46
231	21.18	9705	1124.3	18.35	9777	1131.2	18.49	9850	1138.1	18.63	9922	1145.0	18.76
230	20.78	9695	1123.0	18.65	9767	1129.9	18.79	9839	1136.8	18.93	9912	1143.7	19.07
229	20.40	9684	1121.6	18.96	9756	1128.5	19.10	9828	1135.4	19.24	9900	1142.3	19.38

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.72			1.73			1.74			1.75		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
276	46.26	92	1216	10.48	107	1223	10.72	126	1233	10.97	144	1241	11.20
278	45.52	90	1214	10.60	105	1222	10.86	123	1231	11.10	141	1239	11.34
274	44.78	88	1213	10.74	103	1220	11.00	121	1229	11.24	139	1238	11.49
273	44.06	86	1212	10.87	101	1219	11.12	119	1228	11.39	137	1237	11.63
272	43.35	83	1210	11.00	99	1218	11.26	116	1226	11.51	134	1235	11.77
271	42.64	81	1208	11.15	96	1216	11.40	114	1225	11.66	132	1234	11.91
270	41.95	79	1207	11.29	94	1214	11.54	112	1224	11.80	129	1232	12.06
269	41.26	77	1206	11.43	92	1213	11.69	109	1222	11.94	127	1231	12.20
268	40.58	75	1204	11.57	90	1212	11.84	107	1220	12.10	124	1229	12.36
267	39.91	73	1203	11.72	88	1210	11.99	105	1219	12.25	122	1227	12.52
266	39.26	71	1202	11.87	86	1209	12.14	102	1217	12.40	120	1226	12.68
265	38.60	69	1200	12.03	83	1207	12.30	100	1216	12.56	117	1224	12.84
264	37.96	67	1199	12.19	81	1206	12.45	98	1214	12.71	115	1223	13.00
263	37.33	65	1197	12.34	79	1204	12.60	95	1212	12.88	113	1222	13.15
262	36.71	62	1195	12.50	77	1203	12.77	93	1211	13.04	110	1220	13.32
261	36.09	60	1194	12.67	75	1202	12.94	91	1210	13.20	108	1218	13.49
260	35.48	58	1193	12.84	73	1200	13.10	88	1208	13.38	105	1217	13.66
259	34.88	56	1191	13.00	70	1198	13.28	86	1207	13.55	103	1215	13.84
258	34.29	54	1190	13.18	68	1197	13.45	84	1205	13.73	101	1214	14.01
257	33.71	52	1189	13.36	66	1196	13.62	81	1203	13.90	98	1212	14.20
256	33.14	50	1187	13.54	64	1194	13.80	79	1202	14.09	96	1211	14.38
255	32.57	48	1186	13.70	62	1193	13.99	77	1201	14.28	93	1209	14.56
254	32.01	46	1184	13.90	60	1192	14.17	74	1199	14.46	91	1208	14.75
253	31.46	44	1183	14.09	58	1190	14.35	72	1197	14.65	89	1206	14.94
252	30.92	42	1182	14.28	55	1188	14.54	70	1196	14.83	86	1204	15.12
251	30.38	40	1180	14.46	53	1187	14.73	68	1195	15.03	84	1203	15.33
250	29.86	37	1178	14.66	51	1186	14.93	65	1193	15.24	81	1201	15.54
249	29.34	35	1177	14.86	49	1184	15.12	63	1191	15.45	79	1200	15.75
248	28.82	33	1176	15.05	47	1183	15.33	61	1190	15.65	77	1199	15.95
247	28.32	31	1174	15.27	45	1182	15.54	59	1189	15.86	74	1197	16.18
246	27.82	29	1173	15.48	43	1180	15.75	57	1188	16.08	72	1195	16.39
245	27.33	27	1172	15.69	41	1179	15.95	54	1186	16.30	70	1194	16.60
244	26.85	25	1170	15.90	39	1177	16.18	52	1184	16.51	67	1192	16.84
243	26.37	23	1169	16.11	36	1175	16.40	50	1183	16.75	65	1191	17.07
242	25.90	21	1167	16.33	34	1174	16.62	48	1181	16.98	62	1189	17.30
241	25.44	19	1166	16.55	32	1173	16.85	46	1180	17.21	60	1188	17.54
240	24.98	17	1165	16.78	30	1171	17.08	44	1179	17.45	58	1186	17.80
239	24.53	15	1163	17.00	28	1170	17.32	42	1177	17.70	56	1185	18.04
238	24.09	13	1162	17.24	26	1169	17.57	39	1175	17.95	53	1183	18.30
237	23.66	11	1160	17.48	24	1167	17.81	37	1174	18.20	51	1182	18.55
236	23.23	9	1159	17.71	22	1166	18.06	35	1173	18.46	49	1180	18.80
235	22.80	7	1158	17.97	20	1165	18.32	33	1172	18.72	46	1178	19.08
234	22.39	5	1156	18.21	18	1163	18.59	31	1170	18.99	44	1177	19.35
233	21.98	3	1155	18.49	16	1162	18.85	29	1169	19.24	42	1176	19.62
232	21.57	1	1153	18.75	14	1160	19.12	27	1168	19.50	40	1174	19.90
231	21.18	0.9995	1151.9	18.90	12	1159	19.40	25	1166	19.77	37	1172	20.18
230	20.78	0.9984	1150.6	19.21	10	1158	19.66	23	1165	20.05	35	1171	20.47
229	20.40	0.9972	1149.1	19.53	8	1156	19.93	21	1163	20.34	33	1170	20.75

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
228	20.02	9673	1120.2	19.28	9744	1127.1	19.42	9816	1134.0	19.56	9888	1140.8	19.71
227	19.64	9662	1118.9	19.60	9734	1125.8	19.75	9805	1132.7	19.90	9877	1139.5	20.04
226	19.28	9651	1117.6	19.95	9723	1124.4	20.10	9795	1131.3	20.25	9866	1138.1	20.39
225	18.91	9640	1116.3	20.28	9712	1123.1	20.43	9783	1129.9	20.58	9855	1136.8	20.73
224	18.56	9630	1114.9	20.63	9701	1121.7	20.78	9773	1128.5	20.93	9844	1135.4	21.09
223	18.21	9620	1113.6	20.98	9691	1120.4	21.14	9762	1127.2	21.29	9833	1134.0	21.45
222	17.86	9609	1112.2	21.33	9680	1119.0	21.49	9751	1125.8	21.65	9822	1132.6	21.81
221	17.52	9600	1110.9	21.70	9670	1117.7	21.86	9741	1124.5	22.03	9812	1131.3	22.19
220	17.19	9589	1109.5	22.08	9660	1116.3	22.25	9731	1123.1	22.41	9801	1129.9	22.57
219	16.86	9578	1108.1	22.47	9648	1114.9	22.64	9719	1121.7	22.80	9790	1128.5	22.97
218	16.53	9566	1106.7	22.86	9637	1113.5	23.03	9707	1120.3	23.20	9778	1127.0	23.37
217	16.21	9556	1105.4	23.26	9626	1112.1	23.43	9696	1118.9	23.60	9767	1125.6	23.77
216	15.90	9545	1104.0	23.66	9615	1110.7	23.84	9686	1117.5	24.01	9756	1124.3	24.18
215	15.59	9535	1102.7	24.08	9605	1109.4	24.25	9675	1116.2	24.43	9745	1122.9	24.61
214	15.29	9524	1101.3	24.51	9594	1108.0	24.69	9664	1114.8	24.86	9734	1121.5	25.04
213	14.99	9514	1100.0	24.94	9583	1106.7	25.12	9653	1113.4	25.30	9723	1120.1	25.48
212	14.70	9503	1098.6	25.33	9573	1105.3	25.52	9642	1112.0	25.71	9711	1118.7	25.89
211	14.41	9492	1097.3	25.73	9562	1103.9	25.92	9631	1110.6	26.11	9700	1117.3	26.30
210	14.12	9482	1095.9	26.20	9551	1102.5	26.39	9620	1109.2	26.58	9689	1115.9	26.77
209	13.84	9471	1094.4	26.67	9540	1101.1	26.86	9609	1107.8	27.06	9678	1114.5	27.25
208	13.57	9460	1093.1	27.15	9529	1099.8	27.35	9598	1106.4	27.55	9667	1113.1	27.74
207	13.29	9449	1091.7	27.65	9518	1098.4	27.85	9587	1105.0	28.05	9656	1111.7	28.25
206	13.03	9439	1090.3	28.16	9507	1097.0	28.36	9576	1103.6	28.56	9644	1110.3	28.77
205	12.77	9428	1088.9	28.66	9496	1095.6	28.87	9565	1102.2	29.08	9633	1108.9	29.29
204	12.51	9417	1087.6	29.18	9486	1094.2	29.40	9554	1100.8	29.61	9622	1107.5	29.82
203	12.25	9407	1086.2	29.72	9475	1092.8	29.93	9543	1099.4	30.15	9611	1106.1	30.36
202	12.01	9397	1084.9	30.26	9464	1091.5	30.48	9532	1098.1	30.69	9600	1104.7	30.91
201	11.76	9387	1083.5	30.83	9455	1090.1	31.05	9522	1096.7	31.27	9590	1103.3	31.49
200	11.52	9376	1082.1	31.39	9444	1088.7	31.62	9511	1095.3	31.84	9579	1101.9	32.07
199	11.28	9365	1080.7	31.97	9433	1087.3	32.20	9500	1093.8	32.43	9568	1100.4	32.66
198	11.05	9355	1079.3	32.56	9422	1085.9	32.80	9490	1092.5	33.03	9557	1099.1	33.27
197	10.82	9343	1077.8	33.17	9410	1084.4	33.41	9478	1091.0	33.65	9545	1097.5	33.88
196	10.60	9332	1076.4	33.79	9399	1083.0	34.04	9466	1089.5	34.28	9533	1096.1	34.52
195	10.38	9322	1075.1	34.44	9389	1081.6	34.68	9456	1088.2	34.93	9523	1094.7	35.18
194	10.16	9311	1073.7	35.08	9378	1080.2	35.34	9445	1086.7	35.59	9511	1093.3	35.84
193	9.95	9301	1072.3	35.75	9368	1078.8	36.01	9434	1085.4	36.26	9501	1091.9	36.52
192	9.74	9290	1070.9	36.44	9357	1077.4	36.70	9423	1083.9	36.96	9489	1090.4	37.22
191	9.53	9279	1069.5	37.13	9345	1076.0	37.39	9412	1082.5	37.66	9478	1089.0	37.92
190	9.33	9269	1068.1	37.84	9335	1074.6	38.11	9401	1081.1	38.38	9467	1087.6	38.65
189	9.13	9259	1066.8	38.57	9325	1073.2	38.85	9391	1079.7	39.12	9457	1086.2	39.40
188	8.94	9248	1065.3	39.31	9313	1071.8	39.59	9379	1078.3	39.87	9445	1084.7	40.15
187	8.75	9237	1063.9	40.07	9303	1070.4	40.36	9369	1076.9	40.64	9434	1083.3	40.93
186	8.56	9226	1062.5	40.85	9292	1069.0	41.14	9357	1075.4	41.43	9423	1081.9	41.72
185	8.37	9216	1061.1	41.66	9281	1067.6	41.95	9347	1074.0	42.25	9412	1080.5	42.54
184	8.19	9205	1059.7	42.48	9270	1066.1	42.78	9335	1072.6	43.08	9401	1079.0	43.38
183	8.01	9194	1058.3	43.31	9259	1064.7	43.62	9325	1071.2	43.93	9390	1077.6	44.23
182	7.84	9184	1056.9	44.17	9249	1063.3	44.48	9314	1069.8	44.79	9379	1076.2	45.10
181	7.67	9174	1055.4	45.04	9238	1061.8	45.36	9303	1068.2	45.68	9368	1074.7	46.00

TEMPERATURE-ENTROPY TABLE

113

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch	1.72			1.73			1.74			1.75		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	9960	1147.7	19.85	6	1155	20.21	18	1161	20.62	31	1168	21.05
227	19.64	9949	1146.4	20.19	4	1153	20.52	16	1160	20.91	29	1167	21.35
226	19.28	9938	1145.0	20.54	1	1151	20.82	14	1158	21.21	27	1166	21.66
225	18.91	9926	1143.6	20.89	9908	1150.4	21.04	12	1157	21.52	25	1164	21.99
224	18.56	9915	1142.2	21.24	9987	1149.0	21.39	10	1155	21.84	23	1163	22.32
223	18.21	9904	1140.9	21.60	9975	1147.7	21.76	8	1154	22.16	20	1161	22.65
222	17.86	9893	1139.5	21.96	9964	1146.3	22.12	6	1153	22.48	18	1159	22.98
221	17.52	9883	1138.1	22.35	9954	1144.9	22.51	4	1151	22.81	16	1158	23.32
220	17.19	9872	1136.7	22.74	9943	1143.5	22.90	2	1150	23.16	14	1157	23.66
219	16.86	9860	1135.3	23.13	9931	1142.1	23.30	0	1149	23.50	12	1155	24.03
218	16.53	9848	1133.8	23.54	9919	1140.6	23.71	9989	1147.3	23.87	10	1154	24.41
217	16.21	9837	1132.4	23.94	9907	1139.2	24.11	9977	1145.9	24.29	8	1153	24.78
216	15.90	9826	1131.0	24.36	9896	1137.8	24.53	9966	1144.5	24.71	6	1151	25.15
215	15.59	9815	1129.6	24.78	9885	1136.4	24.96	9955	1143.1	25.14	4	1150	25.55
214	15.29	9803	1128.2	25.22	9873	1135.0	25.40	9943	1141.7	25.58	2	1148	25.94
213	14.99	9792	1126.8	25.67	9862	1133.6	25.85	9931	1140.3	26.03	0	1147	26.35
212	14.70	9781	1125.4	26.08	9850	1132.2	26.26	9920	1138.9	26.45	9989	1145.6	26.63
211	14.41	9770	1124.0	26.49	9839	1130.8	26.67	9908	1137.5	26.86	9978	1144.2	27.05
210	14.12	9759	1122.6	26.96	9828	1129.3	27.15	9897	1136.0	27.35	9966	1142.7	27.54
209	13.84	9747	1121.2	27.45	9816	1127.9	27.64	9885	1134.6	27.84	9954	1141.2	28.03
208	13.57	9736	1119.8	27.94	9805	1126.5	28.14	9873	1133.1	28.34	9942	1139.8	28.53
207	13.29	9724	1118.4	28.45	9793	1125.0	28.65	9862	1131.7	28.86	9930	1138.4	29.06
206	13.03	9713	1116.9	28.97	9782	1123.6	29.18	9850	1130.3	29.38	9919	1136.9	29.59
205	12.77	9702	1115.5	29.49	9770	1122.2	29.70	9839	1128.8	29.91	9907	1135.5	30.12
204	12.51	9690	1114.1	30.03	9759	1120.7	30.24	9827	1127.4	30.45	9895	1134.0	30.67
203	12.25	9679	1112.7	30.58	9747	1119.3	30.79	9815	1125.9	31.01	9883	1132.6	31.22
202	12.01	9668	1111.3	31.13	9736	1117.9	31.35	9804	1124.5	31.57	9872	1131.2	31.79
201	11.76	9658	1109.9	31.72	9726	1116.5	31.94	9794	1123.1	32.16	9861	1129.7	32.38
200	11.52	9647	1108.4	32.30	9714	1115.0	32.52	9782	1121.6	32.75	9850	1128.2	32.98
199	11.28	9635	1107.0	32.89	9703	1113.6	33.12	9770	1120.2	33.36	9838	1126.8	33.59
198	11.05	9624	1105.6	33.50	9692	1112.2	33.74	9759	1118.8	33.97	9826	1125.4	34.21
197	10.82	9612	1104.1	34.12	9679	1110.7	34.36	9746	1117.2	34.60	9814	1123.8	34.84
196	10.60	9601	1102.6	34.76	9668	1109.2	35.01	9735	1115.8	35.25	9802	1122.3	35.49
195	10.38	9590	1101.3	35.42	9657	1107.6	35.67	9724	1114.3	35.92	9790	1120.9	36.17
194	10.16	9578	1099.8	36.09	9645	1106.3	36.34	9712	1112.9	36.59	9778	1119.4	36.85
193	9.95	9567	1098.4	36.78	9634	1104.9	37.03	9701	1111.5	37.29	9767	1118.0	37.54
192	9.74	9556	1097.0	37.48	9622	1103.5	37.74	9689	1110.0	38.00	9755	1116.5	38.26
191	9.53	9544	1095.5	38.19	9611	1102.0	38.45	9677	1108.5	38.72	9743	1115.0	38.98
190	9.33	9533	1094.1	38.92	9600	1100.6	39.19	9666	1107.1	39.46	9732	1113.6	39.73
189	9.13	9523	1092.7	39.67	9589	1099.2	39.95	9655	1105.7	40.22	9721	1112.1	40.50
188	8.94	9511	1091.2	40.43	9577	1097.7	40.71	9643	1104.2	40.99	9709	1110.6	41.27
187	8.75	9500	1089.8	41.21	9566	1096.3	41.50	9631	1102.7	41.78	9697	1109.2	42.07
186	8.56	9488	1088.3	42.01	9554	1094.8	42.31	9620	1101.2	42.60	9685	1107.7	42.89
185	8.37	9477	1086.9	42.84	9543	1093.4	43.13	9608	1099.8	43.43	9674	1106.3	43.73
184	8.19	9466	1085.4	43.68	9531	1091.9	43.99	9596	1098.3	44.29	9662	1104.7	44.59
183	8.01	9455	1084.0	44.54	9520	1090.4	44.85	9585	1096.9	45.16	9650	1103.3	45.46
182	7.84	9444	1082.6	45.42	9509	1089.0	45.73	9574	1095.4	46.04	9639	1101.8	46.35
181	7.67	9433	1081.1	46.32	9498	1087.5	46.63	9562	1093.9	46.95	9627	1100.3	47.27

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
180	7.50	9162	1054.0	45.94	9227	1060.4	46.26	9292	1066.8	46.59	9356	1073.2	46.91
179	7.34	9152	1052.6	46.85	9216	1059.0	47.18	9281	1065.4	47.51	9346	1071.7	47.84
178	7.17	9141	1051.2	47.78	9206	1057.6	48.12	9270	1063.9	48.46	9335	1070.3	48.79
177	7.01	9131	1049.8	48.75	9195	1056.1	49.09	9259	1062.5	49.44	9324	1068.9	49.78
176	6.86	9120	1048.3	49.74	9184	1054.7	50.09	9248	1061.0	50.44	9312	1067.4	50.79
175	6.70	9109	1046.9	50.74	9173	1053.3	51.09	9237	1059.6	51.45	9301	1065.9	51.81
174	6.55	9099	1045.5	51.77	9162	1051.8	52.13	9226	1058.2	52.50	9290	1064.5	52.86
173	6.41	9088	1044.1	52.83	9152	1050.4	53.20	9215	1056.7	53.57	9279	1063.1	53.94
172	6.26	9077	1042.7	53.91	9141	1049.0	54.29	9205	1055.3	54.67	9268	1061.6	55.04
171	6.12	9066	1041.2	55.00	9130	1047.5	55.39	9193	1053.8	55.77	9256	1060.1	56.16
170	5.98	9056	1039.8	56.14	9119	1046.1	56.54	9182	1052.3	56.93	9245	1058.6	57.32
169	5.84	9045	1038.3	57.32	9108	1044.6	57.72	9171	1050.9	58.12	9234	1057.2	58.52
168	5.71	9034	1036.9	58.52	9097	1043.2	58.92	9160	1049.5	59.33	9223	1055.7	59.74
167	5.58	9024	1035.5	59.75	9086	1041.7	60.16	9149	1048.0	60.58	9212	1054.3	60.99
166	5.45	9013	1034.0	60.99	9076	1040.3	61.41	9138	1046.5	61.84	9201	1052.8	62.26
165	5.32	9002	1032.6	62.27	9065	1038.8	62.70	9127	1045.1	63.13	9190	1051.3	63.57
164	5.20	8991	1031.1	63.59	9054	1037.4	64.03	9116	1043.6	64.47	9179	1049.9	64.91
163	5.08	8981	1029.7	64.93	9043	1035.9	65.38	9105	1042.2	65.83	9167	1048.4	66.28
162	4.960	8970	1028.3	66.32	9032	1034.5	66.77	9094	1040.7	67.23	9156	1046.9	67.69
161	4.844	8961	1026.9	67.74	9023	1033.1	68.21	9085	1039.3	68.68	9146	1045.5	69.15
160	4.729	8950	1025.4	69.19	9012	1031.6	69.67	9073	1037.8	70.15	9135	1044.0	70.62
159	4.617	8939	1023.9	70.68	9001	1030.1	71.17	9062	1036.3	71.66	9124	1042.5	72.14
158	4.508	8928	1022.5	72.21	8990	1028.7	72.71	9051	1034.8	73.21	9113	1041.0	73.70
157	4.400	8918	1021.1	73.79	8979	1027.2	74.30	9041	1033.4	74.80	9102	1039.6	75.31
156	4.295	8907	1019.6	75.41	8968	1025.8	75.93	9030	1031.9	76.44	9091	1038.1	76.96
155	4.191	8896	1018.1	77.05	8957	1024.3	77.58	9018	1030.4	78.11	9079	1036.6	78.64
154	4.090	8885	1016.7	78.74	8946	1022.8	79.28	9007	1028.9	79.82	9068	1035.1	80.36
153	3.991	8875	1015.2	80.48	8936	1021.4	81.03	8997	1027.5	81.58	9057	1033.6	82.13
152	3.894	8864	1013.8	82.27	8925	1019.9	82.83	8985	1026.0	83.39	9046	1032.1	83.96
151	3.799	8853	1012.3	84.10	8914	1018.4	84.67	8974	1024.5	85.25	9035	1030.6	85.82
150	3.706	8843	1010.8	85.99	8903	1017.0	86.57	8964	1023.0	87.16	9024	1029.1	87.75
149	3.615	8832	1009.4	87.91	8892	1015.4	88.51	8952	1021.5	89.11	9012	1027.6	89.71
148	3.526	8821	1007.9	89.89	8881	1014.0	90.50	8942	1020.1	91.11	9002	1026.2	91.73
147	3.439	8810	1006.4	91.89	8870	1012.5	92.52	8930	1018.6	93.14	8990	1024.6	93.77
146	3.353	8800	1005.0	93.98	8860	1011.0	94.62	8920	1017.1	95.20	8979	1023.2	95.90
145	3.270	8789	1003.5	96.15	8849	1009.5	96.81	8908	1015.6	97.46	8968	1021.6	98.11
144	3.188	8778	1002.0	98.32	8838	1008.1	98.99	8897	1014.1	99.65	8957	1020.1	100.3
143	3.108	8767	1000.5	100.6	8827	1006.6	101.2	8886	1012.6	101.9	8945	1018.6	102.6
142	3.029	8757	999.1	102.9	8816	1005.1	103.6	8875	1011.1	104.3	8935	1017.1	105.0
141	2.953	8747	997.6	105.3	8806	1003.6	106.0	8865	1009.6	106.7	8924	1015.6	107.5
140	2.877	8736	996.1	107.8	8795	1002.1	108.5	8854	1008.1	109.3	8913	1014.1	110.0
139	2.804	8725	994.6	110.4	8784	1000.6	111.1	8843	1006.6	111.9	8902	1012.6	112.6
138	2.732	8715	993.2	112.9	8774	999.1	113.7	8832	1005.1	114.5	8891	1011.1	115.2
137	2.662	8704	991.6	115.6	8762	997.6	116.4	8821	1003.6	117.1	8879	1009.5	117.9
136	2.593	8693	990.2	118.3	8751	996.1	119.1	8810	1002.1	119.9	8868	1008.0	120.7
135	2.526	8682	988.7	121.1	8741	994.6	121.9	8799	1000.6	122.7	8857	1006.5	123.6
134	2.460	8671	987.1	124.1	8729	993.1	124.9	8787	999.0	125.7	8846	1005.0	126.6
133	2.396	8660	985.7	127.0	8718	991.6	127.9	8776	997.5	128.7	8834	1003.4	129.6

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.72			1.73			1.74			1.75		
		Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume	Quality.	Heat Con- tent.	Specific Volume
180	7.50	9421	1079.6	47.24	9486	1086.0	47.54	9550	1092.4	47.83	9615	1098.7	48.21
179	7.34	9410	1078.1	48.17	9475	1084.5	48.50	9539	1090.9	48.83	9604	1097.3	49.16
178	7.17	9399	1076.7	49.13	9463	1083.1	49.46	9528	1089.4	49.80	9592	1095.8	50.14
177	7.01	9388	1075.2	50.12	9452	1081.6	50.46	9516	1088.0	50.81	9581	1094.3	51.15
176	6.86	9376	1073.7	51.14	9440	1080.1	51.49	9504	1086.4	51.84	9568	1092.8	52.19
175	6.70	9365	1072.3	52.16	9429	1078.6	52.52	9493	1085.0	52.88	9557	1091.3	53.23
174	6.55	9354	1070.8	53.22	9418	1077.2	53.59	9481	1083.5	53.95	9545	1089.8	54.31
173	6.41	9343	1069.4	54.31	9406	1075.7	54.68	9470	1082.0	55.05	9534	1088.4	55.42
172	6.26	9332	1067.9	55.42	9395	1074.2	55.80	9459	1080.6	56.17	9522	1086.9	56.55
171	6.12	9320	1066.4	56.54	9383	1072.7	56.93	9446	1079.0	57.31	9510	1085.3	57.70
170	5.98	9308	1064.9	57.71	9372	1071.2	58.10	9435	1077.5	58.50	9498	1083.8	58.89
169	5.84	9297	1063.5	58.92	9360	1069.8	59.32	9423	1076.0	59.72	9486	1082.3	60.12
168	5.71	9286	1062.0	60.15	9349	1068.3	60.55	9412	1074.6	60.96	9475	1080.8	61.37
167	5.58	9275	1060.5	61.41	9339	1066.8	61.82	9300	1073.1	62.24	9463	1079.3	62.66
166	5.45	9263	1059.1	62.69	9326	1065.3	63.11	9389	1071.6	63.53	9451	1077.8	63.96
165	5.32	9252	1057.6	64.00	9315	1063.8	64.43	9377	1070.1	64.86	9440	1076.3	65.29
164	5.20	9241	1056.1	65.35	9303	1062.3	65.79	9366	1068.6	66.23	9428	1074.8	66.67
163	5.08	9230	1054.6	66.73	9292	1060.8	67.18	9354	1067.1	67.63	9416	1073.3	68.08
162	4.960	9218	1053.1	68.15	9280	1059.3	68.61	9342	1065.5	69.07	9404	1071.8	69.53
161	4.844	9208	1051.7	69.62	9270	1057.9	70.08	9332	1064.1	70.55	9394	1070.3	71.02
160	4.729	9197	1050.2	71.10	9259	1056.4	71.58	9321	1062.6	72.06	9382	1068.8	72.54
159	4.617	9185	1048.7	72.63	9247	1054.9	73.12	9309	1061.1	73.61	9371	1067.2	74.09
158	4.508	9174	1047.2	74.20	9236	1053.4	74.70	9297	1059.5	75.20	9359	1065.7	75.69
157	4.400	9163	1045.7	75.82	9224	1051.9	76.33	9286	1058.1	76.83	9348	1064.2	77.34
156	4.295	9152	1044.2	77.48	9213	1050.4	78.00	9274	1056.5	78.52	9336	1062.7	79.04
155	4.191	9141	1042.7	79.17	9202	1048.9	79.70	9263	1055.0	80.22	9324	1061.2	80.75
154	4.090	9129	1041.2	80.90	9190	1047.3	81.44	9251	1053.5	81.98	9312	1059.6	82.52
153	3.991	9118	1039.7	82.68	9179	1045.9	83.24	9240	1052.0	83.79	9301	1058.1	84.34
152	3.894	9107	1038.2	84.52	9167	1044.3	85.08	9228	1050.5	85.64	9289	1056.6	86.21
151	3.799	9095	1036.7	86.40	9156	1042.8	86.97	9216	1048.9	87.54	9277	1055.0	88.12
150	3.706	9084	1035.2	88.34	9145	1041.3	88.92	9205	1047.4	89.51	9265	1053.5	90.10
149	3.615	9073	1033.7	90.31	9133	1039.8	90.91	9193	1045.9	91.51	9253	1052.0	92.11
148	3.526	9062	1032.2	92.34	9122	1038.3	92.95	9182	1044.4	93.56	9242	1050.5	94.18
147	3.439	9050	1030.7	94.39	9110	1036.8	95.02	9170	1042.8	95.64	9230	1048.9	96.27
146	3.353	9039	1029.2	96.54	9099	1035.3	97.18	9159	1041.3	97.82	9219	1047.4	98.45
145	3.270	9028	1027.7	98.76	9087	1033.7	99.42	9147	1039.8	100.1	9207	1045.8	100.7
144	3.188	9016	1026.2	101.0	9076	1032.2	101.7	9136	1038.3	102.3	9195	1044.3	103.0
143	3.108	9005	1024.6	103.3	9064	1030.7	104.0	9124	1036.7	104.6	9183	1042.7	105.3
142	3.029	8994	1023.1	105.7	9053	1029.2	106.4	9112	1035.2	107.1	9171	1041.2	107.8
141	2.953	8984	1021.6	108.2	9043	1027.6	108.9	9102	1033.6	109.6	9161	1039.7	110.3
140	2.877	8972	1020.1	110.7	9031	1026.1	111.4	9090	1032.1	112.2	9149	1038.1	112.9
139	2.804	8961	1018.6	113.4	9020	1024.6	114.1	9078	1030.5	114.8	9137	1036.5	115.6
138	2.732	8950	1017.1	116.0	9008	1023.0	116.7	9067	1029.0	117.5	9126	1035.0	118.3
137	2.662	8938	1015.5	118.7	8996	1021.5	119.5	9055	1027.4	120.2	9114	1033.4	121.0
136	2.593	8927	1014.0	121.5	8985	1019.9	122.3	9043	1025.9	123.1	9102	1031.8	123.9
135	2.526	8915	1012.5	124.4	8974	1018.4	125.2	9032	1024.4	126.0	9090	1030.3	126.8
134	2.460	8904	1010.9	127.4	8962	1016.8	128.2	9020	1022.8	129.1	9078	1028.7	129.9
133	2.396	8892	1009.4	130.5	8950	1015.3	131.3	9008	1021.2	132.2	9066	1027.1	133.0

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.68			1.69			1.70			1.71		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
132	2.333	8650	984.2	130.1	8708	990.1	131.0	8765	996.0	131.8	8823	1001.9	132.7
131	2.272	8639	982.7	133.2	8697	988.6	134.1	8754	994.5	135.0	8812	1000.4	135.9
130	2.212	8628	981.2	136.4	8686	987.1	137.3	8743	993.0	138.2	8801	998.9	139.1
129	2.153	8618	979.7	139.8	8675	985.6	140.8	8732	991.5	141.7	8790	997.3	142.7
128	2.096	8607	978.2	143.2	8664	984.1	144.2	8721	989.9	145.1	8779	995.8	146.1
127	2.040	8596	976.7	146.7	8653	982.6	147.7	8710	988.4	148.7	8767	994.3	149.7
126	1.985	8585	975.2	150.4	8642	981.0	151.4	8699	986.9	152.4	8756	992.7	153.4
125	1.932	8574	973.5	154.2	8631	979.5	155.2	8688	985.4	156.2	8745	991.2	157.2
124	1.880	8563	972.2	158.0	8620	978.0	159.0	8677	983.8	160.1	8734	989.7	161.1
123	1.829	8553	970.7	161.9	8609	976.5	163.0	8666	982.3	164.0	8722	988.2	165.1
122	1.779	8542	969.1	166.0	8598	974.9	167.1	8655	980.7	168.2	8711	986.6	169.3
121	1.730	8532	967.6	170.2	8589	973.4	171.3	8645	979.2	172.5	8701	985.1	173.6
120	1.683	8521	966.1	174.5	8577	971.9	175.7	8634	977.7	176.8	8690	983.5	178.0
119	1.636	8510	964.6	179.0	8566	970.4	180.2	8623	976.2	181.3	8679	982.0	182.5
118	1.591	8500	963.1	183.6	8556	968.9	184.8	8612	974.7	186.0	8668	980.4	187.2
117	1.547	8489	961.6	188.3	8545	967.4	189.5	8601	973.1	190.8	8656	978.9	192.0
116	1.504	8478	960.0	193.1	8533	965.8	194.4	8589	971.5	195.7	8645	977.3	196.9
115	1.462	8467	958.5	198.1	8523	964.3	199.4	8579	970.0	200.7	8634	975.8	202.0
114	1.421	8456	957.0	203.3	8512	962.7	204.6	8567	968.5	206.0	8623	974.2	207.3
113	1.381	8445	955.5	208.6	8501	961.2	210.0	8556	967.0	211.3	8611	972.7	212.7
112	1.342	8435	953.9	214.1	8490	959.7	215.5	8545	965.4	216.9	8600	971.1	218.3
111	1.304	8424	952.4	219.8	8479	958.2	221.2	8534	963.9	222.6	8589	969.6	224.1
110	1.266	8413	950.9	225.6	8468	956.6	227.0	8523	962.3	228.5	8578	968.8	230.0
109	1.230	8402	949.4	231.6	8457	955.1	233.1	8512	960.7	234.6	8566	966.4	236.1
108	1.195	8392	947.8	237.7	8446	953.5	239.3	8501	959.1	240.8	8555	964.8	242.4
107	1.160	8380	946.3	244.0	8435	952.0	245.6	8489	957.6	247.2	8544	967.3	248.8
106	1.127	8370	944.7	250.6	8424	950.4	252.2	8478	956.0	253.8	8533	961.7	255.5
105	1.094	8359	943.2	257.5	8413	948.8	259.1	8467	954.5	260.8	8522	960.1	262.5
104	1.062	8348	941.6	264.5	8402	947.2	266.2	8456	952.9	267.9	8510	958.5	269.6
103	1.031	8337	940.1	271.7	8391	945.7	273.5	8445	951.4	275.2	8499	957.0	277.0
102	1.000	8326	938.5	279.1	8380	944.1	280.9	8434	949.8	282.7	8488	955.4	284.5
101	0.971	8316	937.0	286.8	8370	942.6	288.6	8424	948.2	290.5	8478	953.8	292.3
100	0.942	8305	935.4	294.6	8359	941.0	296.5	8412	946.6	298.4	8466	952.2	300.3
99	0.914	8294	933.9	302.9	8348	939.5	304.9	8401	945.0	306.8	8455	950.6	308.8
98	0.887	8284	932.3	311.4	8337	937.9	313.4	8390	943.4	315.4	8444	949.0	317.4
97	0.860	8273	930.8	320.1	8326	936.4	322.3	8379	941.9	324.2	8432	947.5	326.2
96	0.834	8263	929.3	329.2	8316	934.8	331.3	8369	940.4	333.4	8422	946.0	335.5
95	0.809	8252	927.8	338.5	8305	933.3	340.7	8358	938.8	342.8	8411	944.4	345.0
94	0.784	8241	926.2	348.1	8294	931.7	350.3	8347	937.2	352.6	8399	942.8	354.8
93	0.761	8230	924.6	358.0	8283	930.1	360.3	8335	935.7	362.6	8388	941.3	364.9
92	0.737	8219	923.0	368.3	8272	928.5	370.7	8324	934.1	373.0	8377	939.6	375.4
91	0.715	8208	921.5	379.0	8261	927.0	381.4	8313	932.5	383.8	8365	938.0	386.2
90	0.693	8197	919.9	389.9	8250	925.4	392.3	8302	930.9	394.8	8354	936.4	397.3
89	0.671	8186	918.3	401.1	8238	923.8	403.7	8291	929.3	406.2	8343	934.8	408.8
88	0.650	8175	916.7	412.7	8227	922.2	415.3	8279	927.7	417.9	8331	933.1	420.6
87	0.630	8165	915.2	424.9	8217	920.6	427.6	8269	926.1	430.3	8320	931.6	433.0
86	0.610	8154	913.6	437.4	8206	919.0	440.1	8257	924.5	442.9	8309	930.0	445.7
85	0.591	8143	912.0	450.3	8194	917.4	453.1	8246	922.9	456.0	8298	928.3	458.9

TEMPERATURE-ENTROPY TABLE

117

Temperature, Degrees Fahr	Pressure, Pounds per Square Inch	1.72			1.73			1.74			1.75		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
132	2.213	8881	1007.8	133.6	8939	1013.7	134.4	8997	1019.6	135.3	9055	1025.6	136.2
131	2.272	8870	1006.3	136.8	8928	1012.2	137.7	8985	1018.1	138.6	9043	1024.0	139.4
130	2.212	8859	1004.8	140.1	8916	1010.7	141.0	8974	1016.6	141.9	9031	1022.5	142.8
129	2.153	8847	1003.2	143.6	8905	1009.1	144.5	8962	1015.0	145.5	9020	1020.9	146.4
128	2.096	8836	1001.7	147.0	8893	1007.6	148.0	8951	1013.4	148.9	9008	1019.3	149.9
127	2.040	8825	1000.2	150.6	8882	1006.1	151.6	8939	1011.9	152.6	8996	1017.8	153.6
126	1.985	8813	998.6	154.4	8870	1004.5	155.4	8927	1010.3	156.4	8984	1016.2	157.4
125	1.932	8802	997.1	158.3	8859	1003.0	159.3	8916	1008.8	160.3	8973	1014.7	161.3
124	1.880	8791	995.5	162.2	8847	1001.3	163.2	8904	1007.2	164.3	8961	1013.0	165.3
123	1.825	8779	994.0	166.2	8836	999.8	167.3	8892	1005.6	168.3	8949	1010.5	169.4
122	1.771	8768	992.4	170.4	8824	998.2	171.5	8881	1004.0	172.6	8937	1009.8	173.6
121	1.730	8758	990.9	174.7	8814	996.7	175.8	8870	1002.5	177.0	8927	1008.3	178.1
120	1.683	8746	989.3	179.1	8802	995.1	180.3	8859	1000.9	181.4	8915	1006.7	182.6
119	1.636	8735	987.8	183.7	8791	993.6	184.9	8847	999.4	186.1	8903	1005.1	187.2
118	1.591	8724	986.2	188.4	8780	992.0	189.6	8836	997.8	190.9	8892	1003.5	192.1
117	1.547	8712	984.6	193.2	8768	990.4	194.5	8824	996.2	195.7	8880	1001.9	197.0
116	1.504	8700	983.0	198.2	8756	988.8	199.5	8812	994.5	200.7	8868	1000.3	202.0
115	1.462	8690	981.5	203.3	8745	987.3	204.6	8801	993.0	205.9	8856	998.7	207.2
114	1.421	8678	979.9	208.6	8734	985.7	210.0	8789	991.4	211.3	8844	997.1	212.6
113	1.381	8667	978.4	214.1	8722	984.1	215.4	8777	989.8	216.8	8832	995.5	218.2
112	1.342	8656	976.8	219.7	8711	982.5	221.1	8766	988.2	222.5	8821	993.9	223.9
111	1.304	8644	975.3	225.5	8699	980.9	227.0	8754	986.6	228.4	8809	992.3	229.8
110	1.266	8633	973.7	231.4	8688	979.3	232.9	8743	985.0	234.4	8797	990.7	235.9
109	1.230	8621	972.1	237.6	8676	977.8	239.1	8731	983.4	240.6	8785	989.1	242.1
108	1.195	8610	970.5	243.9	8665	976.2	245.5	8719	981.8	247.0	8774	987.5	248.6
107	1.160	8598	968.9	250.4	8653	974.6	252.0	8707	980.2	253.6	8762	985.9	255.1
106	1.127	8587	967.3	257.1	8641	973.0	258.7	8696	978.6	260.4	8750	984.3	262.0
105	1.094	8576	965.7	264.1	8630	971.4	265.8	8684	977.0	267.5	8739	982.7	269.1
104	1.062	8564	964.1	271.3	8618	969.8	273.0	8672	975.4	274.7	8726	981.0	276.5
103	1.031	8553	962.6	278.7	8607	968.2	280.5	8661	973.8	282.3	8715	979.4	284.0
102	1.000	8542	961.0	286.3	8596	966.6	288.1	8649	972.2	289.9	8703	977.8	291.7
101	0.971	8531	959.4	294.2	8585	965.0	296.0	8639	970.6	297.9	8692	976.2	299.7
100	0.942	8519	957.8	302.2	8573	963.4	304.1	8627	969.0	306.0	8680	974.6	307.9
99	0.914	8508	956.2	310.7	8562	961.8	312.7	8615	967.4	314.6	8668	973.0	316.6
98	0.887	8497	954.6	319.4	8550	960.2	321.4	8603	965.8	323.4	8657	971.3	325.4
97	0.860	8486	953.1	328.3	8539	958.5	330.4	8592	964.2	332.4	8645	969.8	334.5
96	0.834	8475	951.5	337.6	8528	957.0	339.8	8581	962.6	341.9	8634	968.2	344.0
95	0.809	8464	949.9	347.2	8516	955.4	349.3	8569	961.0	351.5	8622	966.6	353.7
94	0.784	8452	948.3	357.0	8505	953.8	359.2	8558	959.4	361.5	8611	964.9	363.7
93	0.761	8441	946.7	367.2	8493	952.2	369.5	8546	957.8	371.8	8599	963.3	374.0
92	0.737	8429	945.1	377.7	8482	950.6	380.1	8534	956.1	382.4	8587	961.6	384.8
91	0.715	8418	943.5	388.7	8470	949.0	391.1	8523	954.5	393.5	8575	960.0	395.9
90	0.693	8406	941.9	399.8	8459	947.4	402.3	8511	952.9	404.8	8563	958.3	407.3
89	0.671	8395	940.3	411.3	8447	945.8	413.9	8499	951.3	416.5	8551	956.7	419.0
88	0.650	8383	938.6	423.2	8435	944.1	425.8	8487	949.6	428.4	8539	955.0	431.1
87	0.630	8372	937.0	435.7	8424	942.5	438.4	8476	948.0	441.1	8528	953.4	443.8
86	0.610	8361	935.4	448.5	8413	940.9	451.2	8464	946.3	454.0	8516	951.8	456.8
85	0.591	8349	933.8	461.7	8401	939.2	464.6	8452	944.7	467.4	8504	950.1	470.3

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.76			1.77			1.78			1.79		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
324	95.1	282	1324	6.64	...	...	...	...	...	...	...	...	...
323	93.8	280	1323	6.70	...	...	...	...	...	...	...	...	...
322	92.5	277	1321	6.76	300	1330	6.93	...	...	...	...	...	...
321	91.2	275	1320	6.84	297	1328	7.00	...	...	...	...	...	...
320	90.0	272	1318	6.91	295	1327	7.07	...	...	...	...	...	...
319	88.7	270	1317	6.99	292	1325	7.14	...	...	...	...	...	...
318	87.4	267	1315	7.07	289	1323	7.22	...	...	...	...	...	...
317	86.2	265	1314	7.15	287	1322	7.30	...	...	...	...	...	...
316	85.0	262	1312	7.23	284	1321	7.38	...	...	...	...	...	...
315	83.8	260	1310	7.30	282	1319	7.47	...	...	...	...	...	...
314	82.6	257	1309	7.38	279	1318	7.55	...	...	...	...	...	...
313	81.4	255	1307	7.47	276	1316	7.64	...	...	...	...	...	...
312	80.2	252	1305	7.55	274	1315	7.72	298	1325	7.91	...	...	...
311	79.1	250	1304	7.64	271	1313	7.80	296	1324	8.00	...	...	...
310	77.9	247	1302	7.72	268	1311	7.89	293	1322	8.09	...	...	...
309	76.8	245	1301	7.81	266	1310	7.98	290	1321	8.18	...	...	...
308	75.7	242	1299	7.90	263	1308	8.07	288	1319	8.27	...	...	...
307	74.6	240	1298	7.99	261	1307	8.16	285	1318	8.36	...	...	...
306	73.5	237	1296	8.08	258	1305	8.25	282	1316	8.45	...	...	...
305	72.4	235	1295	8.17	255	1304	8.34	279	1314	8.55	...	...	...
304	71.4	232	1293	8.26	253	1302	8.44	277	1313	8.64	...	...	...
303	70.3	230	1292	8.35	250	1301	8.54	274	1311	8.74	298	1321	8.96
302	69.3	227	1290	8.45	247	1299	8.64	271	1309	8.84	295	1320	9.06
301	68.2	225	1289	8.55	245	1298	8.74	269	1308	8.95	292	1318	9.17
300	67.2	222	1287	8.64	242	1296	8.84	266	1307	9.05	290	1317	9.27
299	66.2	220	1286	8.74	240	1295	8.94	263	1305	9.16	287	1315	9.37
298	65.2	217	1284	8.85	237	1293	9.04	260	1303	9.27	284	1313	9.48
297	64.3	214	1282	8.95	235	1292	9.14	258	1302	9.38	281	1312	9.59
296	63.3	212	1281	9.05	232	1290	9.25	255	1300	9.49	278	1310	9.70
295	62.3	209	1279	9.15	229	1288	9.35	252	1298	9.59	275	1308	9.80
294	61.4	207	1278	9.26	227	1287	9.46	250	1297	9.70	272	1306	9.92
293	60.5	204	1276	9.37	224	1285	9.57	247	1295	9.80	270	1305	10.03
292	59.5	202	1275	9.49	222	1284	9.68	244	1293	9.91	267	1303	10.15
291	58.6	199	1273	9.60	219	1282	9.80	242	1292	10.02	264	1302	10.27
290	57.7	197	1272	9.70	216	1280	9.91	239	1290	10.14	261	1300	10.40
289	56.8	194	1270	9.81	214	1279	10.02	236	1289	10.26	258	1298	10.52
288	56.0	192	1269	9.93	211	1277	10.14	234	1288	10.39	255	1297	10.64
287	55.1	189	1267	10.05	209	1276	10.26	231	1286	10.50	252	1295	10.77
286	54.2	187	1266	10.17	206	1274	10.40	228	1284	10.63	250	1294	10.90
285	53.4	184	1264	10.29	203	1272	10.52	225	1282	10.75	247	1292	11.03
284	52.6	182	1262	10.41	201	1271	10.64	223	1281	10.88	244	1290	11.16
283	51.7	179	1260	10.53	198	1269	10.77	220	1279	11.00	241	1288	11.30
282	50.9	177	1259	10.66	196	1268	10.90	217	1278	11.13	238	1287	11.44
281	50.1	174	1257	10.79	193	1266	11.03	215	1276	11.27	235	1285	11.57
280	49.33	172	1256	10.92	191	1265	11.16	212	1275	11.40	232	1283	11.70
279	48.55	169	1254	11.05	188	1263	11.30	209	1273	11.54	229	1282	11.84
278	47.77	167	1253	11.19	185	1261	11.43	207	1272	11.68	226	1280	11.99
277	47.01	164	1251	11.32	183	1260	11.57	204	1270	11.82	224	1279	12.13

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.80			1.81			1.82			1.83		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
324	93.1	...	...	...	...	...	...	...	...	...	...	...	...
323	93.8	...	...	...	...	...	...	...	...	...	...	...	...
322	92.6	...	...	...	...	...	...	...	...	...	...	...	...
321	91.2	...	...	...	...	...	...	...	...	...	...	...	...
320	90.0	...	...	...	...	...	...	...	...	...	...	...	...
319	88.7	...	...	...	...	...	...	...	...	...	...	...	...
318	87.4	...	...	...	...	...	...	...	...	...	...	...	...
317	86.2	...	...	...	...	...	...	...	...	...	...	...	...
316	85.0	...	...	...	...	...	...	...	...	...	...	...	...
315	83.8	...	...	...	...	...	...	...	...	...	...	...	...
314	82.6	...	...	...	...	...	...	...	...	...	...	...	...
313	81.4	...	...	...	...	...	...	...	...	...	...	...	...
312	80.2	...	...	...	...	...	...	...	...	...	...	...	...
311	79.1	...	...	...	...	...	...	...	...	...	...	...	...
310	77.9	...	...	...	...	...	...	...	...	...	...	...	...
309	76.8	...	...	...	...	...	...	...	...	...	...	...	...
308	75.7	...	...	...	...	...	...	...	...	...	...	...	...
307	74.6	...	...	...	...	...	...	...	...	...	...	...	...
306	73.5	...	...	...	...	...	...	...	...	...	...	...	...
305	72.4	...	...	...	...	...	...	...	...	...	...	...	...
304	71.4	...	...	...	...	...	...	...	...	...	...	...	...
303	70.3	...	...	...	...	...	...	...	...	...	...	...	...
302	69.3	...	...	...	...	...	...	...	...	...	...	...	...
301	68.2	...	...	...	...	...	...	...	...	...	...	...	...
300	67.2	...	...	...	...	...	...	...	...	...	...	...	...
299	66.2	...	...	...	...	...	...	...	...	...	...	...	...
298	65.2	...	...	...	...	...	...	...	...	...	...	...	...
297	64.3	...	...	...	...	...	...	...	...	...	...	...	...
296	63.3	...	...	...	...	...	...	...	...	...	...	...	...
295	62.3	...	...	...	...	...	...	...	...	...	...	...	...
294	61.4	298	1318	10.19	...	...	...	...	...	...	...	...	...
293	60.5	295	1316	10.30	...	...	...	...	...	...	...	...	...
292	59.5	292	1314	10.41	...	...	...	...	...	...	...	...	...
291	58.6	289	1312	10.53	...	...	...	...	...	...	...	...	...
290	57.7	286	1311	10.65	...	...	...	...	...	...	...	...	...
289	56.8	283	1309	10.77	...	...	...	...	...	...	...	...	...
288	56.0	280	1307	10.90	...	...	...	...	...	...	...	...	...
287	55.1	277	1306	11.03	...	...	...	...	...	...	...	...	...
286	54.2	274	1304	11.15	298	1314	11.43	...	...	...	...	...	...
285	53.4	271	1302	11.28	295	1313	11.56	...	...	...	...	...	...
284	52.6	269	1301	11.41	292	1311	11.69	...	...	...	...	...	...
283	51.7	266	1299	11.55	289	1309	11.82	...	...	...	...	...	...
282	50.9	263	1298	11.68	286	1307	11.95	...	...	...	...	...	...
281	50.1	260	1296	11.81	283	1306	12.09	...	...	...	...	...	...
280	49.33	257	1294	11.95	280	1304	12.23	...	...	...	...	...	...
279	48.55	254	1292	12.10	277	1302	12.38	...	...	...	...	...	...
278	47.77	251	1291	12.25	274	1301	12.52	299	1311	12.80	...	...	...
277	47.01	248	1289	12.39	270	1298	12.67	296	1310	12.96	...	...	...

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.76			1.77			1.78			1.79		
		Quality.	Heat Con- tents	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
276	46.26	162	1250	11.46	180	1258	11.70	201	1268	11.96	221	1277	12.27
275	45.52	159	1248	11.60	178	1257	11.85	198	1266	12.11	218	1275	12.41
274	44.78	157	1247	11.74	175	1255	12.00	196	1265	12.26	215	1273	12.57
273	44.06	154	1245	11.88	173	1254	12.16	193	1263	12.40	212	1272	12.71
272	43.35	152	1244	12.02	170	1252	12.30	190	1261	12.57	210	1270	12.88
271	42.64	149	1242	12.17	167	1250	12.45	188	1260	12.73	207	1269	13.03
270	41.95	147	1241	12.33	165	1249	12.60	185	1258	12.88	204	1267	13.19
269	41.26	144	1239	12.49	162	1247	12.76	182	1257	13.04	201	1265	13.34
268	40.58	141	1237	12.63	160	1246	12.92	180	1255	13.20	198	1264	13.50
267	39.91	139	1235	12.80	157	1244	13.09	177	1253	13.37	195	1262	13.67
266	39.26	137	1234	12.95	155	1243	13.25	174	1252	13.54	193	1261	13.84
265	38.60	134	1232	13.11	152	1241	13.42	172	1251	13.71	190	1259	14.00
264	37.96	132	1231	13.27	150	1240	13.59	169	1249	13.89	187	1257	14.19
263	37.33	129	1229	13.44	147	1238	13.76	166	1247	14.06	184	1255	14.37
262	36.71	127	1228	13.61	145	1237	13.93	163	1245	14.24	181	1253	14.55
261	36.09	124	1226	13.78	142	1235	14.10	161	1244	14.41	178	1252	14.72
260	35.48	122	1225	13.95	139	1233	14.28	158	1242	14.60	176	1250	14.91
259	34.88	119	1223	14.15	137	1232	14.47	155	1240	14.79	173	1249	15.10
258	34.29	117	1222	14.33	134	1230	14.66	153	1239	14.99	170	1247	15.30
257	33.71	114	1220	14.51	132	1229	14.83	150	1237	15.17	167	1245	15.51
256	33.14	112	1219	14.70	129	1227	15.03	147	1236	15.38	165	1244	15.71
255	32.57	109	1217	14.89	127	1226	15.22	144	1234	15.58	162	1242	15.91
254	32.01	107	1216	15.09	124	1224	15.42	142	1232	15.78	159	1240	16.13
253	31.46	104	1214	15.29	122	1222	15.62	139	1231	15.99	156	1239	16.34
252	30.92	102	1212	15.49	119	1220	15.82	136	1229	16.19	154	1237	16.56
251	30.38	99	1210	15.68	117	1219	16.01	134	1228	16.40	151	1235	16.77
250	29.86	97	1209	15.89	114	1217	16.23	131	1226	16.61	148	1234	16.99
249	29.34	95	1208	16.10	112	1216	16.45	128	1224	16.83	145	1232	17.21
248	28.82	92	1206	16.31	109	1214	16.67	126	1223	17.05	143	1231	17.45
247	28.32	90	1205	16.52	107	1213	16.90	123	1221	19.27	140	1229	17.68
246	27.82	87	1203	16.75	104	1211	17.12	120	1219	17.50	137	1227	17.91
245	27.33	85	1202	16.98	102	1210	17.36	118	1218	17.74	134	1225	18.15
244	26.85	82	1200	17.20	99	1208	17.59	115	1216	17.97	132	1224	18.40
243	26.37	80	1198	17.44	96	1206	17.83	112	1214	18.21	129	1222	18.64
242	25.90	77	1196	17.69	94	1205	18.07	110	1213	18.46	126	1220	18.99
241	25.44	75	1195	17.91	91	1203	18.31	107	1211	18.71	124	1219	19.15
240	24.98	73	1194	18.16	89	1202	18.57	105	1210	18.96	121	1217	19.40
239	24.53	70	1192	18.40	86	1200	18.83	102	1208	19.23	119	1216	19.68
238	24.09	68	1191	18.66	84	1199	19.10	99	1206	19.50	116	1214	19.94
237	23.66	66	1189	18.93	81	1197	19.35	97	1205	19.77	113	1212	20.20
236	23.23	63	1187	19.20	79	1195	19.62	94	1203	20.04	111	1211	20.50
235	22.80	61	1186	19.46	76	1193	19.90	92	1202	20.32	108	1209	20.78
234	22.39	59	1185	19.73	74	1192	20.19	89	1200	20.60	106	1208	21.06
233	21.98	56	1183	20.00	72	1191	20.48	87	1199	20.90	103	1206	21.35
232	21.57	54	1182	20.29	69	1189	20.75	84	1197	21.20	100	1204	21.65
231	21.18	52	1180	20.59	67	1188	21.03	82	1195	21.50	98	1203	21.95
230	20.78	50	1179	20.88	64	1186	21.34	79	1193	21.80	95	1201	22.27
229	20.40	47	1177	21.19	62	1185	21.65	77	1192	22.12	93	1200	22.58

TEMPERATURE-ENTROPY TABLE

121

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot.	1.80			1.81			1.82			1.83		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
276	46.26	245	1287	12.54	267	1297	12.81	293	1308	13.11	...	...	...
275	45.52	242	1286	12.69	264	1295	12.98	289	1306	13.27	...	...	...
274	44.78	239	1284	12.84	261	1293	13.13	286	1304	13.44	...	...	...
273	44.06	236	1282	13.00	258	1292	13.29	283	1302	13.60	...	...	...
272	43.35	233	1280	13.15	255	1290	13.45	280	1301	13.77	...	...	...
271	42.64	230	1279	13.30	252	1288	13.61	277	1299	13.93	299	13.08	14.25
270	41.95	227	1277	13.48	249	1287	13.78	273	1297	14.10	296	1306	14.43
269	41.26	224	1275	13.64	246	1285	13.94	270	1295	14.28	293	1305	14.60
268	40.58	221	1274	13.81	243	1283	14.11	267	1293	14.46	289	1302	14.78
267	39.91	218	1272	13.99	239	1281	14.30	263	1291	14.62	286	1301	14.96
266	39.26	215	1270	14.16	236	1279	14.49	260	1290	14.81	282	1299	15.15
265	38.60	212	1268	14.34	233	1277	14.65	257	1288	15.00	279	1297	15.34
264	37.96	209	1267	14.51	230	1276	14.82	254	1286	15.20	276	1295	15.54
263	37.33	206	1265	14.70	227	1274	15.01	250	1284	15.39	272	1293	15.73
262	36.71	203	1263	14.89	224	1272	15.20	247	1282	15.59	269	1291	15.92
261	36.09	200	1262	15.08	221	1271	15.40	244	1281	15.79	266	1290	16.13
260	35.48	197	1260	15.27	217	1269	15.61	241	1279	15.98	262	1288	16.33
259	34.88	194	1258	15.47	214	1267	15.80	237	1277	16.19	259	1286	16.54
258	34.29	192	1257	15.67	211	1265	16.00	234	1275	16.40	255	1284	16.75
257	33.71	189	1255	15.87	208	1263	16.23	231	1273	16.60	252	1282	16.96
256	33.14	186	1253	16.08	205	1262	16.45	228	1272	16.81	249	1280	17.19
255	32.57	183	1252	16.30	202	1260	16.67	225	1270	17.03	245	1278	17.40
254	32.01	180	1250	16.50	199	1258	16.89	221	1268	17.26	242	1277	17.64
253	31.46	177	1248	16.71	196	1256	17.10	218	1266	17.49	239	1275	17.87
252	30.92	174	1246	16.94	193	1255	17.32	215	1264	17.71	235	1273	18.10
251	30.38	171	1245	17.16	190	1253	17.55	212	1263	17.95	232	1271	18.35
250	29.86	168	1243	17.38	187	1251	17.78	209	1261	18.19	229	1269	18.60
249	29.34	165	1241	17.60	184	1250	18.02	205	1259	18.42	226	1268	18.84
248	28.82	162	1239	17.85	181	1248	18.25	202	1257	18.68	222	1266	19.09
247	28.32	159	1238	18.09	178	1246	18.50	199	1255	18.92	219	1264	19.34
246	27.82	156	1236	18.32	175	1244	18.75	196	1254	19.19	216	1262	19.60
245	27.33	153	1234	18.56	172	1243	19.00	193	1252	19.44	212	1260	19.85
244	26.85	151	1233	18.81	169	1241	19.25	190	1250	19.70	209	1259	20.11
243	26.37	148	1231	19.08	166	1240	19.50	187	1249	19.95	206	1257	20.39
242	25.90	145	1230	19.31	163	1238	19.77	184	1247	20.21	202	1255	20.65
241	25.44	142	1228	19.59	160	1236	20.02	181	1245	20.50	199	1253	20.93
240	24.98	139	1226	19.85	158	1235	20.30	177	1243	20.77	196	1251	21.20
239	24.53	136	1224	20.11	155	1233	20.58	174	1241	21.05	192	1249	21.50
238	24.09	133	1223	20.40	152	1231	20.85	171	1240	21.34	189	1247	21.80
237	23.66	131	1221	20.66	149	1230	21.15	168	1238	21.63	186	1246	22.10
236	23.23	128	1220	20.94	146	1228	21.42	165	1236	21.93	183	1244	22.39
235	22.80	125	1218	21.22	143	1226	21.72	162	1234	22.22	180	1242	22.70
234	22.39	122	1216	21.51	140	1224	22.02	159	1233	22.53	177	1241	23.00
233	21.98	120	1215	21.81	137	1223	22.32	156	1231	22.84	173	1239	23.34
232	21.57	117	1213	22.12	134	1221	22.65	153	1229	23.15	170	1237	23.66
231	21.18	114	1211	22.43	132	1220	22.96	150	1228	23.47	167	1235	24.00
230	20.78	112	1210	22.75	129	1218	23.29	147	1226	23.80	164	1234	24.32
229	20.40	109	1208	23.08	126	1216	23.60	144	1224	24.12	161	1232	24.66

TEMPERATURE-ENTROPY TABLE.

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.76			1.77			1.78			1.79		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	45	1176	21.50	59	1183	21.95	74	1190	22.44	90	1198	22.90
227	19.64	43	1174	21.80	57	1181	22.29	72	1189	22.76	87	1196	23.24
226	19.28	41	1173	22.13	55	1180	22.60	69	1187	23.09	85	1195	23.58
225	18.91	38	1171	22.47	52	1178	22.93	67	1186	23.41	82	1193	23.90
224	18.56	36	1170	22.80	50	1177	23.27	65	1185	23.75	80	1192	24.25
223	18.21	34	1168	23.14	48	1176	23.60	62	1183	24.10	77	1190	24.60
222	17.86	32	1167	23.50	45	1174	23.95	60	1182	24.45	75	1189	24.95
221	17.52	30	1166	23.84	43	1172	24.31	57	1180	24.80	72	1187	25.31
220	17.19	27	1164	24.20	41	1171	24.67	55	1178	25.18	69	1185	25.69
219	16.86	25	1163	24.55	39	1170	25.05	52	1176	25.55	67	1184	26.05
218	16.53	23	1161	24.93	36	1168	25.41	50	1175	25.92	64	1182	26.44
217	16.21	21	1160	25.30	34	1166	25.80	48	1174	26.30	62	1181	26.84
216	15.90	19	1158	25.68	32	1165	26.20	45	1172	26.70	59	1179	27.25
215	15.59	17	1157	26.05	30	1164	26.60	43	1171	27.10	57	1178	27.67
214	15.29	15	1156	26.45	28	1163	27.00	41	1169	27.50	54	1176	28.10
213	14.99	12	1154	26.85	25	1160	27.40	38	1167	27.90	52	1174	28.52
212	14.70	10	1152	27.29	23	1159	27.85	36	1166	28.35	50	1173	28.95
211	14.41	8	1151	27.70	21	1158	28.30	34	1165	28.79	47	1171	29.40
210	14.12	6	1150	28.14	19	1156	28.71	32	1163	29.23	45	1170	29.85
209	13.84	4	1149	28.60	17	1155	29.17	29	1161	29.70	42	1168	30.30
208	13.57	2	1147	29.05	15	1154	29.63	27	1160	30.20	40	1167	30.78
207	13.29	9999	1145.1	29.26	12	1152	30.10	25	1159	30.70	38	1166	31.25
206	13.03	9987	1143.6	29.79	10	1150	30.55	22	1157	31.05	35	1164	31.72
205	12.77	9975	1142.1	30.33	8	1149	31.05	20	1155	31.60	33	1162	32.20
204	12.51	9963	1140.6	30.88	6	1147	31.50	18	1154	32.10	31	1161	32.70
203	12.25	9951	1139.2	31.44	4	1146	32.00	16	1153	32.60	28	1159	33.20
202	12.01	9940	1137.8	32.01	2	1145	32.55	14	1151	33.15	26	1158	33.75
201	11.76	9929	1136.3	32.61	9997	1142.9	32.83	11	1149	33.70	24	1156	34.30
200	11.52	9917	1134.8	33.20	9985	1141.4	33.43	9	1148	34.20	22	1155	34.85
199	11.28	9905	1133.4	33.82	9973	1139.9	34.05	7	1146	34.75	19	1153	35.40
198	11.05	9894	1131.9	34.44	9961	1138.5	34.67	5	1145	35.30	17	1152	36.00
197	10.82	9881	1130.4	35.08	9948	1136.9	35.32	3	1144	35.90	15	1150	36.60
196	10.60	9869	1128.9	35.73	9936	1135.4	35.98	0	1142	36.50	13	1148	37.20
195	10.38	9857	1127.4	36.41	9924	1134.0	36.66	9991	1140.5	36.91	10	1147	37.80
194	10.16	9845	1125.9	37.10	9912	1132.5	37.35	9979	1139.0	37.60	8	1145	38.40
193	9.95	9834	1124.5	37.80	9900	1131.0	38.06	9967	1137.6	38.31	6	1144	39.05
192	9.74	9822	1123.0	38.52	9888	1129.5	38.78	9955	1136.0	39.04	4	1143	39.70
191	9.53	9810	1121.5	39.25	9876	1128.0	39.51	9942	1134.5	39.78	1	1141	40.30
190	9.33	9798	1120.1	40.00	9864	1126.6	40.27	9930	1133.1	40.55	9997	1139.6	40.82
189	9.13	9787	1118.6	40.77	9853	1125.1	41.05	9919	1131.6	41.32	9985	1138.1	41.60
188	8.94	9774	1117.1	41.55	9840	1123.6	41.83	9906	1130.1	42.11	9972	1136.5	42.39
187	8.75	9763	1115.7	42.35	9829	1122.1	42.64	9894	1128.6	42.92	9960	1135.1	43.21
186	8.56	9751	1114.2	43.18	9816	1120.6	43.47	9882	1127.1	43.76	9947	1133.5	44.05
185	8.37	9739	1112.7	44.02	9805	1119.1	44.32	9870	1125.6	44.61	9935	1132.0	44.91
184	8.19	9727	1111.2	44.89	9792	1117.6	45.19	9857	1124.0	45.49	9923	1130.5	45.79
183	8.01	9715	1109.7	45.77	9780	1116.1	46.08	9846	1122.6	46.38	9911	1129.0	46.69
182	7.84	9704	1108.2	46.67	9769	1114.7	46.98	9833	1121.1	47.29	9899	1127.5	47.60
181	7.67	9692	1106.7	47.59	9757	1113.1	47.91	9822	1119.5	48.22	9887	1125.9	48.54

TEMPERATURE-ENTROPY TABLE.

123

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.80			1.81			1.82			1.83		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
228	20.02	106	1206	23.40	123	1214	23.94	141	1222	24.48	158	1230	25.09
227	19.64	104	1205	23.74	120	1212	24.27	138	1221	24.80	155	1228	25.38
226	19.28	101	1203	24.09	118	1211	24.61	135	1219	25.15	152	1227	25.74
225	18.91	98	1201	24.43	115	1209	24.97	132	1217	25.50	149	1225	26.10
224	18.56	96	1200	24.80	112	1208	25.34	129	1216	25.88	146	1223	26.49
223	18.21	93	1198	25.15	109	1206	25.72	127	1214	26.25	143	1222	26.85
222	17.86	90	1196	25.51	107	1205	26.10	124	1213	26.64	140	1220	27.25
221	17.52	88	1195	25.88	104	1203	26.47	121	1211	27.04	137	1218	27.65
220	17.19	85	1193	26.26	101	1200	26.86	118	1209	27.44	134	1216	28.05
219	16.86	83	1192	26.65	98	1199	27.25	115	1207	27.85	131	1215	28.45
218	16.53	80	1190	27.05	96	1198	27.67	112	1205	28.27	128	1213	28.88
217	16.21	78	1189	27.45	93	1196	28.09	110	1204	28.69	126	1212	29.30
216	15.90	75	1187	27.85	90	1194	28.50	107	1202	29.10	123	1210	29.74
215	15.59	72	1185	28.29	88	1193	28.91	104	1201	29.53	120	1208	30.19
214	15.29	70	1184	28.70	85	1191	29.35	101	1199	29.97	117	1206	30.64
213	14.99	67	1182	29.14	82	1189	29.80	98	1197	30.44	114	1205	31.10
212	14.70	65	1181	29.58	80	1188	30.24	96	1196	30.90	111	1203	31.55
211	14.41	62	1179	30.02	77	1186	30.70	93	1194	31.35	109	1202	32.05
210	14.12	60	1178	30.48	74	1184	31.15	90	1192	31.85	106	1200	32.55
209	13.84	57	1176	30.95	72	1183	31.65	87	1190	32.35	103	1198	33.05
208	13.57	55	1175	31.40	69	1181	32.10	85	1189	32.85	100	1197	33.55
207	13.29	52	1173	31.90	66	1179	32.60	82	1187	33.35	97	1195	34.05
206	13.03	50	1171	32.40	64	1178	33.10	79	1186	33.90	94	1193	34.60
205	12.77	47	1169	32.90	61	1176	33.60	77	1184	34.40	91	1191	35.10
204	12.51	45	1168	33.40	59	1175	34.10	74	1182	34.90	89	1190	35.60
203	12.25	43	1167	33.95	56	1173	34.65	71	1181	35.45	86	1188	36.15
202	12.01	40	1166	34.50	54	1172	35.20	69	1179	36.00	83	1187	36.70
201	11.76	38	1165	35.05	51	1170	35.75	66	1178	36.55	80	1185	37.30
200	11.52	35	1162	35.60	49	1169	36.32	64	1176	37.10	78	1183	37.85
199	11.28	33	1160	36.15	46	1167	36.90	61	1174	37.65	75	1182	38.45
198	11.05	30	1158	36.75	44	1166	37.49	58	1173	38.25	72	1180	39.05
197	10.82	28	1157	37.35	41	1164	38.05	56	1171	38.90	69	1178	39.65
196	10.60	26	1156	37.95	39	1162	38.64	53	1169	39.50	67	1177	40.30
195	10.38	23	1154	38.57	36	1160	39.25	50	1168	40.14	64	1175	40.90
194	10.16	21	1153	39.20	34	1159	39.90	48	1166	40.77	61	1173	41.60
193	9.95	19	1151	39.85	31	1157	40.55	45	1164	41.47	59	1172	42.30
192	9.74	16	1149	40.50	29	1156	41.23	43	1163	42.08	56	1170	43.00
191	9.53	14	1148	41.15	26	1154	41.90	40	1161	42.80	54	1169	43.70
190	9.33	12	1147	41.82	24	1153	42.62	38	1160	43.54	51	1167	44.40
189	9.13	9	1145	42.48	22	1151	43.35	35	1158	44.25	48	1166	45.20
188	8.94	7	1143	43.20	19	1149	44.05	33	1157	45.00	46	1164	45.95
187	8.75	5	1142	43.90	17	1148	44.80	30	1155	45.75	43	1162	46.70
186	8.56	2	1140	44.65	14	1146	45.50	28	1154	46.50	41	1161	47.50
185	8.37	0	1138	45.35	12	1145	46.25	25	1152	47.25	38	1159	48.30
184	8.19	9988	1136.9	46.09	10	1143	47.05	23	1150	48.05	36	1157	49.10
183	8.01	9976	1135.4	47.00	7	1141	47.85	20	1148	48.90	33	1155	49.90
182	7.84	9964	1133.9	47.92	5	1140	48.65	17	1146	49.70	30	1153	50.70
181	7.67	9951	1132.3	48.86	3	1139	49.45	15	1145	50.50	28	1152	51.55

Temperature, Degrees Fahr	Pressure, Pounds per Square Inch.	1.76			1.77			1.78			1.79		
		Quality.	Heat Con- tents.	Specific Volume	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
180	7.50	9680	1105.1	48.53	9744	1111.5	48.86	9809	1117.9	49.18	9874	1124.3	49.51
179	7.34	9668	1103.7	49.49	9733	1110.0	49.82	9797	1116.4	50.15	9862	1122.8	50.48
178	7.17	9656	1102.2	50.47	9721	1108.6	50.81	9785	1114.9	51.15	9850	1121.3	51.48
177	7.01	9645	1100.7	51.49	9709	1107.1	51.84	9773	1113.4	52.18	9838	1119.8	52.52
176	6.86	9632	1099.2	52.54	9697	1105.5	52.89	9761	1111.9	53.23	9825	1118.2	53.58
175	6.70	9621	1097.7	53.59	9685	1104.0	53.94	9749	1110.4	54.30	9813	1116.7	54.66
174	6.55	9609	1096.2	54.68	9673	1102.5	55.04	9737	1108.8	55.40	9800	1115.2	55.76
173	6.41	9597	1094.7	55.79	9661	1101.0	56.16	9725	1107.3	56.53	9788	1113.7	56.90
172	6.26	9586	1093.2	56.93	9649	1099.5	57.31	9713	1105.8	57.68	9776	1112.1	58.06
171	6.12	9573	1091.6	58.08	9636	1097.9	58.46	9700	1104.2	58.85	9763	1110.5	59.23
170	5.98	9561	1090.1	59.28	9625	1096.4	59.67	9688	1102.7	60.06	9751	1109.0	60.46
169	5.84	9550	1088.6	60.52	9613	1094.9	60.91	9676	1101.2	61.31	9739	1107.5	61.71
168	5.71	9538	1087.1	61.78	9601	1093.4	62.18	9664	1099.7	62.59	9727	1105.9	63.00
167	5.58	9426	1085.6	63.07	9589	1091.9	63.49	9652	1098.1	63.90	9715	1104.4	64.32
166	5.45	9514	1084.1	64.38	9577	1090.3	64.81	9640	1096.6	65.23	9702	1102.8	65.65
165	5.32	9502	1082.6	65.73	9565	1088.8	66.16	9627	1095.0	66.59	9690	1101.3	67.02
164	5.20	9490	1081.0	67.12	9553	1087.3	67.56	9615	1093.5	68.00	9677	1099.7	68.44
163	5.08	9478	1079.5	68.53	9541	1085.7	68.98	9603	1092.0	69.43	9665	1098.2	69.88
162	4.960	9466	1078.0	69.99	9529	1084.2	70.44	9591	1090.4	70.90	9653	1096.6	71.36
161	4.844	9456	1076.5	71.49	9518	1082.7	71.96	9580	1088.9	72.42	9642	1095.1	72.89
160	4.729	9444	1075.0	73.01	9506	1081.2	73.49	9568	1087.4	73.97	9630	1093.6	74.45
159	4.617	9432	1073.4	74.58	9494	1079.6	75.07	9555	1085.8	75.56	9617	1092.0	76.04
158	4.508	9420	1071.9	76.19	9482	1078.1	76.69	9543	1084.2	77.19	9605	1090.4	77.68
157	4.400	9409	1070.4	77.85	9470	1076.6	78.36	9532	1082.7	78.86	9593	1088.9	79.37
156	4.295	9397	1068.9	79.55	9458	1075.0	80.07	9519	1081.2	80.59	9580	1087.3	81.11
155	4.191	9385	1067.3	81.28	9446	1073.4	81.81	9507	1079.6	82.34	9568	1085.7	82.87
154	4.090	9373	1065.7	83.06	9434	1071.9	83.60	9495	1078.0	84.14	9556	1084.2	84.68
153	3.991	9361	1064.2	84.89	9422	1070.4	85.44	9483	1076.5	85.99	9544	1082.6	86.54
152	3.894	9349	1062.7	86.77	9410	1068.8	87.33	9471	1074.9	87.90	9531	1081.0	88.46
151	3.799	9337	1061.1	88.69	9398	1067.2	89.27	9458	1073.3	89.84	9519	1079.4	90.42
150	3.706	9326	1059.6	90.68	9386	1065.7	91.27	9446	1071.8	91.86	9507	1077.9	92.44
149	3.615	9314	1058.0	92.71	9374	1064.1	93.31	9434	1070.2	93.91	9494	1076.3	94.51
148	3.526	9302	1056.5	94.79	9362	1062.6	95.40	9422	1068.7	96.01	9482	1074.8	96.62
147	3.439	9290	1055.0	96.89	9350	1061.0	97.52	9410	1067.1	98.14	9470	1073.1	98.77
146	3.353	9278	1053.4	99.09	9338	1059.5	99.73	9398	1065.5	100.4	9458	1071.6	101.0
145	3.270	9266	1051.8	101.4	9326	1057.9	102.0	9385	1063.9	102.7	9445	1070.0	103.3
144	3.188	9255	1050.3	103.7	9314	1056.4	104.3	9374	1062.4	105.0	9433	1068.4	105.7
143	3.108	9242	1048.7	106.0	9302	1054.8	106.7	9361	1060.8	107.4	9421	1066.8	108.1
142	3.029	9231	1047.2	108.5	9290	1053.2	109.2	9349	1059.2	109.9	9408	1065.2	110.5
141	2.953	9220	1045.7	111.0	9279	1051.7	111.7	9338	1057.7	112.4	9397	1063.7	113.1
140	2.877	9208	1044.1	113.6	9267	1050.1	114.4	9326	1056.0	115.1	9385	1062.0	115.8
139	2.804	9196	1042.5	116.3	9255	1048.5	117.1	9314	1054.5	117.8	9373	1060.5	118.6
138	2.732	9184	1041.0	119.0	9243	1047.0	119.8	9302	1053.0	120.6	9360	1058.9	121.3
137	2.662	9172	1039.4	121.8	9231	1045.3	122.6	9289	1051.3	123.4	9348	1057.3	124.1
136	2.593	9160	1037.8	124.7	9219	1043.8	125.5	9277	1049.7	126.3	9336	1055.7	127.1
135	2.526	9149	1036.2	127.7	9207	1042.2	128.4	9265	1048.1	129.2	9323	1054.1	130.1
134	2.460	9136	1034.6	130.7	9194	1040.6	131.5	9253	1046.5	132.4	9311	1052.4	133.2
133	2.396	9124	1033.1	133.9	9182	1039.0	134.7	9240	1044.9	135.6	9298	1050.8	136.4

TEMPERATURE-ENTROPY TABLE

125

Temperature, Degrees Fahr.	Pressure, Pounds per Square Foot	1.80			1.81			1.82			1.83		
		Quality	Heat Con- tents	Specific Volume	Quality	Heat Con- tents	Specific Volume	Quality	Heat Con- tents	Specific Volume	Quality	Heat Con- tents	Specific Volume
180	7.50	9939	1130.7	49.81	0	1137	50.33	13	1144	51.35	25	1150	52.40
179	7.34	9926	1129.2	50.81	9991	1135.6	51.14	10	1142	52.20	23	1149	53.39
178	7.17	9914	1127.7	51.82	9978	1134.1	52.16	8	1140	53.20	20	1147	54.20
177	7.01	9902	1126.2	52.87	9966	1132.5	53.21	5	1139	54.20	18	1146	55.20
176	6.86	9889	1124.6	53.93	9953	1130.9	54.28	3	1137	55.19	15	1144	56.10
175	6.70	9877	1123.0	55.01	9940	1129.4	55.37	0	1136	56.10	13	1142	57.10
174	6.55	9864	1121.5	56.13	9928	1127.9	56.49	9992	1134.2	56.83	10	1140	58.10
173	6.41	9852	1120.0	57.27	9916	1126.3	57.64	9979	1132.6	58.01	8	1139	59.20
172	6.26	9840	1118.4	58.44	9903	1124.8	58.81	9967	1131.1	59.19	6	1138	60.20
171	6.12	9827	1116.8	59.62	9890	1123.1	60.00	9953	1129.5	60.39	3	1136	61.30
170	5.98	9814	1115.3	60.85	9877	1121.6	61.24	9941	1127.9	61.63	1	1134	62.40
169	5.84	9802	1113.8	62.11	9865	1120.0	62.51	9928	1126.3	62.91	9991	1132.6	63.51
168	5.71	9789	1112.2	63.41	9852	1118.5	63.81	9915	1124.5	64.22	9978	1131.0	64.63
167	5.58	9777	1110.6	64.73	9840	1116.9	65.15	9902	1123.2	65.56	9966	1129.4	65.98
166	5.45	9765	1109.1	66.08	9827	1115.3	66.50	9890	1121.6	66.92	9953	1127.9	67.35
165	5.32	9752	1107.5	67.46	9815	1113.8	67.89	9877	1120.0	68.32	9940	1126.3	68.75
164	5.20	9740	1106.0	68.88	9802	1112.2	69.32	9864	1118.4	69.76	9927	1124.7	70.20
163	5.08	9727	1104.4	70.33	9789	1110.6	70.78	9852	1116.9	71.23	9914	1123.1	71.66
162	4.960	9715	1102.8	71.82	9777	1109.0	72.28	9839	1115.3	72.74	9901	1121.5	73.20
161	4.844	9704	1101.3	73.36	9766	1107.5	73.83	9828	1113.7	74.30	9890	1119.9	74.77
160	4.729	9691	1099.7	74.92	9753	1105.9	75.40	9815	1112.1	75.88	9877	1118.3	76.30
159	4.617	9679	1098.2	76.53	9740	1104.4	77.02	9802	1110.5	77.50	9864	1116.7	77.90
158	4.508	9666	1096.6	78.18	9728	1102.8	78.68	9789	1108.9	79.18	9851	1115.1	79.67
157	4.400	9654	1095.1	79.88	9716	1101.2	80.39	9777	1107.4	80.89	9838	1113.6	81.40
156	4.295	9642	1093.5	81.63	9703	1099.6	82.14	9764	1105.8	82.66	9825	1111.9	83.18
155	4.191	9629	1091.9	83.40	9690	1098.0	83.93	9751	1104.2	84.40	9812	1110.3	84.98
154	4.090	9617	1090.3	85.22	9677	1096.4	85.76	9738	1102.6	86.30	9799	1108.7	86.84
153	3.991	9605	1088.7	87.09	9665	1094.9	87.64	9726	1101.0	88.20	9787	1107.1	88.73
152	3.894	9592	1087.1	89.02	9653	1093.3	89.58	9713	1099.4	90.15	9774	1105.5	90.71
151	3.799	9579	1085.5	90.99	9640	1091.6	91.57	9700	1097.8	92.14	9761	1103.9	92.72
150	3.706	9567	1084.0	93.03	9628	1090.1	93.62	9688	1096.2	94.20	9748	1102.3	94.79
149	3.615	9554	1082.4	95.11	9615	1088.5	95.70	9675	1094.6	96.30	9735	1100.6	96.90
148	3.526	9542	1080.8	97.24	9602	1086.9	97.85	9663	1093.0	98.46	9723	1099.1	99.07
147	3.439	9530	1079.2	99.39	9590	1085.3	100.0	9650	1091.3	100.6	9710	1097.4	101.3
146	3.353	9518	1077.7	101.6	9577	1083.7	102.3	9637	1089.8	102.9	9697	1095.8	103.6
145	3.270	9505	1076.0	104.0	9564	1082.1	104.6	9624	1088.1	105.3	9684	1094.2	105.9
144	3.188	9493	1074.5	106.3	9552	1080.5	107.0	9612	1086.5	107.7	9671	1092.6	108.3
143	3.108	9480	1072.8	108.7	9539	1078.9	109.4	9599	1084.9	110.1	9658	1090.9	110.8
142	3.029	9468	1071.3	111.2	9527	1077.3	111.9	9586	1083.3	112.6	9645	1089.3	113.3
141	2.953	9456	1069.7	113.9	9516	1075.7	114.6	9575	1081.7	115.3	9634	1087.7	116.0
140	2.877	9444	1068.0	116.5	9503	1074.0	117.3	9562	1080.0	118.0	9621	1086.0	118.7
139	2.804	9431	1066.5	119.3	9490	1072.4	120.1	9549	1078.4	120.8	9608	1084.4	121.5
138	2.732	9419	1064.9	122.1	9478	1070.8	122.8	9537	1076.8	123.6	9595	1082.8	124.4
137	2.662	9406	1063.2	124.9	9465	1069.2	125.7	9523	1075.1	126.5	9582	1081.1	127.2
136	2.593	9394	1061.6	127.9	9452	1067.6	128.6	9511	1073.5	129.4	9569	1079.5	130.2
135	2.526	9382	1060.0	130.9	9440	1066.0	131.7	9498	1071.9	132.5	9557	1077.9	133.3
134	2.460	9369	1058.4	134.0	9427	1064.3	131.9	9485	1070.2	135.7	9543	1076.2	136.5
133	2.396	9356	1056.8	137.3	9414	1062.7	138.1	9472	1068.6	139.0	9530	1074.5	139.8

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.76			1.77			1.78			1.79		
		Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.	Quality.	Heat Con- tents.	Specific Volume.
132	2.333	9113	1031.5	137.1	9170	1037.4	137.9	9228	1043.3	138.8	9286	1049.2	139.7
131	2.272	9101	1029.9	140.3	9159	1035.8	141.2	9216	1041.7	142.1	9274	1047.6	143.0
130	2.212	9089	1028.3	143.7	9147	1034.2	144.6	9204	1040.1	145.5	9262	1046.0	146.4
129	2.153	9077	1026.8	147.3	9135	1032.7	148.3	9192	1038.5	149.2	9250	1044.4	150.1
128	2.096	9065	1025.2	150.8	9123	1031.1	151.8	9180	1036.9	152.8	9237	1042.8	153.7
127	2.040	9053	1023.6	154.5	9111	1029.5	155.5	9168	1035.3	156.5	9225	1041.2	157.5
126	1.985	9041	1022.0	158.4	9099	1027.9	159.4	9156	1033.7	160.4	9213	1039.6	161.4
125	1.932	9030	1020.5	162.4	9086	1026.3	163.4	9143	1032.2	164.4	9200	1038.0	165.4
124	1.880	9018	1018.8	166.4	9074	1024.7	167.4	9131	1030.5	168.5	9188	1036.3	169.5
123	1.829	9006	1017.3	170.5	9062	1023.1	171.5	9119	1029.0	172.6	9176	1034.8	173.7
122	1.779	8994	1015.6	174.7	9050	1021.4	175.8	9107	1027.3	176.9	9163	1033.1	178.0
121	1.730	8983	1014.0	179.2	9040	1019.9	180.3	9096	1025.7	181.5	9152	1031.5	182.6
120	1.683	8971	1012.5	183.7	9027	1018.3	184.9	9084	1024.1	186.0	9140	1029.9	187.2
119	1.636	8959	1010.9	188.4	9015	1016.7	189.6	9071	1022.5	190.8	9127	1028.3	191.9
118	1.591	8948	1009.3	193.3	9004	1015.1	194.5	9060	1020.9	195.7	9116	1026.6	196.9
117	1.547	8936	1007.7	198.2	8991	1013.5	199.4	9047	1019.2	200.7	9103	1025.0	201.9
116	1.504	8923	1006.1	203.3	8979	1011.8	204.5	9035	1017.5	205.8	9090	1023.3	207.1
115	1.462	8912	1004.5	208.5	8968	1010.2	209.8	9023	1015.9	211.1	9079	1021.7	212.4
114	1.421	8900	1002.9	214.0	8955	1008.6	215.3	9011	1014.3	216.6	9066	1020.1	218.0
113	1.381	8888	1001.3	219.5	8943	1007.0	220.9	8998	1012.7	222.3	9054	1018.4	223.6
112	1.342	8876	999.7	225.3	8931	1005.4	226.7	8986	1011.1	228.1	9042	1016.8	229.5
111	1.304	8864	998.1	231.3	8919	1003.8	232.7	8970	1009.5	234.1	9029	1015.2	235.9
110	1.266	8852	996.4	237.3	8907	1002.1	238.8	8962	1007.8	240.3	9017	1013.5	241.7
109	1.230	8840	994.8	243.6	8895	1000.5	245.1	8950	1006.2	246.7	9004	1011.9	248.2
108	1.195	8829	993.2	250.1	8883	998.9	251.7	8938	1004.5	253.2	8992	1010.2	254.8
107	1.160	8816	991.6	256.7	8871	997.3	258.3	8925	1002.9	259.9	8980	1008.6	261.5
106	1.127	8805	989.9	263.6	8859	995.6	265.2	8913	1001.2	266.9	8968	1006.9	268.5
105	1.094	8793	988.3	270.8	8847	993.0	272.5	8901	999.6	274.2	8956	1005.3	275.8
104	1.062	8781	986.7	278.2	8835	992.3	279.9	8889	997.9	281.6	8943	1003.6	283.3
103	1.031	8769	985.1	285.8	8823	990.7	287.5	8877	996.3	289.3	8931	1002.0	291.1
102	1.000	8757	983.4	293.5	8811	989.1	295.3	8865	994.7	297.1	8919	1000.3	298.9
101	0.971	8746	981.8	301.6	8800	987.4	303.4	8854	993.0	305.3	8907	998.6	307.1
100	0.942	8734	980.2	309.8	8787	985.7	311.7	8841	991.3	313.6	8894	996.9	315.5
99	0.914	8722	978.6	318.5	8775	984.1	320.5	8829	989.7	322.4	8882	995.3	324.4
98	0.887	8710	976.9	327.4	8763	982.5	329.4	8817	988.0	331.4	8870	993.6	333.4
97	0.860	8698	975.3	336.5	8751	980.9	338.6	8805	986.4	340.6	8858	992.0	342.7
96	0.834	8687	973.7	346.1	8740	979.3	348.2	8793	984.8	350.3	8846	990.4	352.4
95	0.809	8675	972.1	355.9	8728	977.7	358.0	8781	983.2	360.2	8834	988.8	362.4
94	0.784	8663	970.4	365.9	8716	976.0	368.2	8769	981.5	370.4	8822	987.1	372.6
93	0.761	8651	968.8	376.3	8704	974.4	378.6	8757	979.9	380.9	8809	985.4	383.2
92	0.737	8639	967.2	387.1	8692	972.7	389.5	8744	978.2	391.8	8797	983.7	394.2
91	0.715	8627	965.5	398.3	8680	971.0	400.7	8732	976.5	403.2	8785	982.0	405.6
90	0.693	8615	963.8	409.7	8668	969.3	412.2	8720	974.8	414.7	8772	980.3	417.2
89	0.671	8603	962.2	421.6	8656	967.7	424.1	8708	973.2	426.7	8760	978.6	429.2
88	0.650	8591	960.5	433.7	8643	966.0	436.3	8695	971.5	438.9	8747	976.9	441.6
87	0.630	8580	958.9	446.5	8632	964.4	449.2	8684	969.8	451.9	8736	975.3	454.6
86	0.610	8568	957.2	459.6	8620	962.7	462.4	8671	968.1	465.1	8723	973.6	467.9
85	0.591	8556	955.6	473.1	8607	961.0	476.0	8659	966.4	478.8	8711	971.9	481.7

Temperature, Degrees Fahr.	Pressure, Pounds per Square Inch.	1.80			1.81			1.82			1.83		
		Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.	Quality.	Heat Con- tent.	Specific Volume.
132	2.333	9344	1055.2	140.5	9402	1061.1	141.4	9460	1067.0	142.3	9516	1072.9	143.1
131	2.272	9332	1053.5	143.9	9389	1059.4	144.5	9447	1065.4	145.7	9505	1071.3	146.6
130	2.212	9319	1051.9	147.3	9377	1057.8	148.2	9435	1063.7	149.2	9492	1069.6	150.1
129	2.153	9307	1050.3	151.1	9364	1056.2	152.0	9422	1062.1	152.9	9479	1068.0	153.8
128	2.096	9295	1048.7	154.7	9352	1054.6	155.6	9409	1060.4	156.6	9466	1066.1	157.5
127	2.040	9282	1047.1	158.4	9339	1053.0	159.4	9396	1058.8	160.4	9454	1064.7	161.4
126	1.985	9270	1045.4	162.4	9327	1051.3	163.4	9384	1057.1	164.4	9441	1063.0	165.4
125	1.932	9257	1043.8	166.4	9314	1049.7	167.5	9371	1055.5	168.5	9428	1061.4	169.5
124	1.880	9245	1042.2	170.6	9301	1048.0	171.6	9358	1053.8	172.7	9415	1059.7	173.7
123	1.829	9232	1040.6	174.8	9289	1046.4	175.8	9345	1052.2	176.9	9402	1058.1	178.0
122	1.779	9220	1038.9	179.1	9276	1044.7	180.2	9333	1050.5	181.3	9389	1056.3	182.4
121	1.730	9209	1037.3	183.7	9265	1043.1	184.8	9321	1048.9	186.0	9378	1054.7	187.1
120	1.683	9196	1035.7	188.3	9252	1041.5	189.5	9309	1047.2	190.6	9365	1053.0	191.8
119	1.636	9184	1034.1	193.1	9240	1039.9	194.3	9296	1045.6	195.5	9352	1051.4	196.7
118	1.591	9171	1032.4	198.1	9227	1038.2	199.3	9283	1044.0	200.5	9339	1049.7	201.7
117	1.547	9159	1030.8	203.1	9215	1036.5	204.4	9271	1042.3	205.6	9326	1048.0	206.9
116	1.504	9146	1029.1	208.3	9202	1034.8	209.6	9257	1040.6	210.9	9313	1046.3	212.2
115	1.462	9134	1027.5	213.7	9190	1033.2	215.0	9245	1039.0	216.3	9301	1044.7	217.6
114	1.421	9122	1025.8	219.3	9177	1031.5	220.6	9232	1037.3	221.9	9288	1043.0	223.3
113	1.381	9109	1024.2	225.0	9164	1029.9	226.4	9219	1035.6	227.7	9275	1040.4	229.1
112	1.342	9097	1022.5	230.9	9152	1028.2	232.2	9207	1033.9	233.7	9262	1039.7	235.1
111	1.304	9084	1020.9	237.0	9139	1026.6	238.4	9194	1032.3	239.9	9249	1038.0	241.3
110	1.266	9072	1019.2	243.2	9127	1024.9	244.7	9182	1030.6	246.2	9237	1036.3	247.6
109	1.230	9059	1017.6	249.7	9114	1023.3	251.2	9169	1028.9	252.7	9223	1034.7	254.2
108	1.195	9047	1015.9	256.3	9102	1021.6	257.8	9156	1027.2	259.4	9211	1032.9	260.9
107	1.160	9034	1014.3	263.1	9089	1019.9	264.7	9143	1025.6	266.3	9198	1031.2	267.8
106	1.127	9022	1012.6	270.1	9076	1018.2	271.7	9131	1023.9	273.4	9185	1029.5	275.0
105	1.094	9010	1010.9	277.5	9064	1016.5	279.2	9118	1022.2	280.8	9172	1027.8	282.5
104	1.062	8997	1009.2	285.0	9051	1014.8	286.7	9105	1020.5	288.5	9159	1026.1	290.2
103	1.031	8985	1007.6	292.8	9039	1013.2	294.6	9093	1018.8	296.3	9147	1024.5	298.1
102	1.000	8972	1005.9	300.8	9026	1011.5	302.6	9080	1017.1	304.4	9134	1022.8	306.2
101	0.971	8961	1004.2	309.0	9015	1009.8	310.8	9068	1015.4	312.7	9122	1021.1	314.5
100	0.942	8948	1002.5	317.4	9002	1008.1	319.3	9055	1013.7	321.2	9109	1019.3	323.1
99	0.914	8936	1001.9	326.3	8989	1006.5	328.3	9043	1012.0	330.2	9096	1017.6	332.2
98	0.887	8923	999.2	335.4	8977	1004.8	337.4	9030	1010.3	339.4	9083	1015.9	341.4
97	0.860	8911	997.6	344.8	8964	1003.2	346.8	9017	1008.7	348.9	9070	1013.3	350.9
96	0.834	8899	996.0	354.5	8952	1001.5	356.7	9005	1007.1	358.8	9059	1012.6	360.9
95	0.809	8887	994.3	364.5	8940	999.8	366.7	8993	1005.4	368.9	9046	1010.9	371.1
94	0.784	8874	992.6	374.9	8927	998.1	377.1	8980	1003.7	389.3	9033	1009.2	381.5
93	0.761	8862	990.9	385.5	8915	996.4	387.8	8967	1001.9	390.1	9020	1007.5	392.4
92	0.737	8850	989.2	396.5	8902	994.7	398.9	8955	1000.2	401.3	9007	1005.8	403.6
91	0.715	8837	987.5	408.0	8889	993.0	410.4	8942	998.5	412.8	8994	1004.1	415.3
90	0.693	8825	985.8	419.7	8877	991.3	422.2	8929	996.8	424.7	8981	1002.3	427.2
89	0.671	8812	984.1	431.8	8864	989.6	434.3	8916	995.1	436.9	8968	1000.6	439.5
88	0.650	8799	982.4	444.2	8851	987.9	446.8	8903	993.4	449.4	8955	998.8	452.1
87	0.630	8787	980.7	457.3	8839	986.2	460.0	8891	991.7	462.7	8943	997.1	465.4
86	0.610	8775	979.0	470.7	8827	984.5	473.5	8878	990.0	476.2	8930	995.4	479.0
85	0.591	8672	977.3	484.5	8814	982.8	487.4	8865	988.2	490.3	8917	993.7	493.1

$e = 2.7182818$

$\log e = 0.4342945 = M$

	0	1	2	3	4	5	6	7	8	9
1.0	0.0000	0.00995	0.01980	0.02956	0.03922	0.04879	0.05827	0.06766	0.07696	0.08618
1.1	0.09531	0.1044	0.1133	0.1222	0.1310	0.1398	0.1484	0.1570	0.1655	0.1739
1.2	0.1823	0.1906	0.1988	0.2070	0.2151	0.2231	0.2311	0.2390	0.2469	0.2546
1.3	0.2624	0.2700	0.2776	0.2852	0.2927	0.3001	0.3075	0.3148	0.3221	0.3293
1.4	0.3365	0.3436	0.3507	0.3577	0.3646	0.3716	0.3784	0.3853	0.3920	0.3988
1.5	0.4055	0.4121	0.4187	0.4253	0.4318	0.4382	0.4447	0.4511	0.4574	0.4637
1.6	0.4700	0.4762	0.4824	0.4886	0.4947	0.5008	0.5068	0.5128	0.5188	0.5247
1.7	0.5306	0.5365	0.5423	0.5481	0.5539	0.5596	0.5653	0.5710	0.5766	0.5822
1.8	0.5878	0.5933	0.5988	0.6043	0.6098	0.6152	0.6206	0.6259	0.6313	0.6366
1.9	0.6418	0.6471	0.6523	0.6575	0.6627	0.6678	0.6729	0.6780	0.6831	0.6881
2.0	0.6931	0.6981	0.7031	0.7080	0.7129	0.7178	0.7227	0.7275	0.7324	0.7372
2.1	0.7419	0.7467	0.7514	0.7561	0.7608	0.7655	0.7701	0.7747	0.7793	0.7839
2.2	0.7884	0.7930	0.7975	0.8020	0.8065	0.8109	0.8154	0.8198	0.8242	0.8286
2.3	0.8329	0.8372	0.8416	0.8459	0.8502	0.8544	0.8587	0.8629	0.8671	0.8713
2.4	0.8755	0.8796	0.8838	0.8879	0.8920	0.8961	0.9002	0.9042	0.9083	0.9123
2.5	0.9163	0.9203	0.9243	0.9282	0.9322	0.9361	0.9400	0.9439	0.9478	0.9517
2.6	0.9555	0.9594	0.9632	0.9670	0.9708	0.9746	0.9783	0.9821	0.9858	0.9895
2.7	0.9933	0.9969	1.0006	1.0043	1.0080	1.0116	1.0152	1.0188	1.0225	1.0260
2.8	1.0296	1.0332	1.0367	1.0403	1.0438	1.0473	1.0508	1.0543	1.0578	1.0613
2.9	1.0647	1.0682	1.0716	1.0750	1.0784	1.0818	1.0852	1.0886	1.0919	1.0953
3.0	1.0986	1.1019	1.1053	1.1086	1.1119	1.1151	1.1184	1.1217	1.1249	1.1282
3.1	1.1314	1.1346	1.1378	1.1410	1.1442	1.1474	1.1506	1.1537	1.1569	1.1600
3.2	1.1632	1.1663	1.1694	1.1725	1.1756	1.1787	1.1817	1.1848	1.1878	1.1909
3.3	1.1939	1.1969	1.2000	1.2030	1.2060	1.2090	1.2119	1.2149	1.2179	1.2208
3.4	1.2238	1.2267	1.2296	1.2326	1.2355	1.2384	1.2413	1.2442	1.2470	1.2499
3.5	1.2528	1.2556	1.2585	1.2613	1.2641	1.2669	1.2698	1.2726	1.2754	1.2782
3.6	1.2809	1.2837	1.2865	1.2892	1.2920	1.2947	1.2975	1.3002	1.3029	1.3056
3.7	1.3083	1.3110	1.3137	1.3164	1.3191	1.3218	1.3244	1.3271	1.3297	1.3324
3.8	1.3350	1.3376	1.3403	1.3429	1.3455	1.3481	1.3507	1.3533	1.3558	1.3584
3.9	1.3610	1.3635	1.3661	1.3686	1.3712	1.3737	1.3762	1.3788	1.3813	1.3838
4.0	1.3863	1.3888	1.3913	1.3938	1.3962	1.3987	1.4012	1.4036	1.4061	1.4085
4.1	1.4110	1.4134	1.4159	1.4183	1.4207	1.4231	1.4255	1.4279	1.4303	1.4327
4.2	1.4351	1.4375	1.4398	1.4422	1.4446	1.4469	1.4493	1.4516	1.4540	1.4563
4.3	1.4586	1.4609	1.4633	1.4656	1.4679	1.4702	1.4725	1.4748	1.4770	1.4793
4.4	1.4816	1.4839	1.4861	1.4884	1.4907	1.4929	1.4951	1.4974	1.4996	1.5019
4.5	1.5041	1.5063	1.5085	1.5107	1.5129	1.5151	1.5173	1.5195	1.5217	1.5239
4.6	1.5261	1.5282	1.5304	1.5326	1.5347	1.5369	1.5390	1.5412	1.5433	1.5454
4.7	1.5476	1.5497	1.5518	1.5539	1.5560	1.5581	1.5602	1.5623	1.5644	1.5665
4.8	1.5686	1.5707	1.5728	1.5748	1.5769	1.5790	1.5810	1.5831	1.5851	1.5872
4.9	1.5892	1.5913	1.5933	1.5953	1.5974	1.5994	1.6014	1.6034	1.6054	1.6074
5.0	1.6094	1.6114	1.6134	1.6154	1.6174	1.6194	1.6214	1.6233	1.6253	1.6273
5.1	1.6292	1.6312	1.6332	1.6351	1.6371	1.6390	1.6409	1.6429	1.6448	1.6467
5.2	1.6487	1.6506	1.6525	1.6544	1.6563	1.6582	1.6601	1.6620	1.6639	1.6658
5.3	1.6677	1.6696	1.6715	1.6734	1.6752	1.6771	1.6790	1.6808	1.6827	1.6845
5.4	1.6864	1.6882	1.6901	1.6919	1.6938	1.6956	1.6974	1.6993	1.7011	1.7029
5.5	1.7047	1.7066	1.7084	1.7102	1.7120	1.7138	1.7156	1.7174	1.7192	1.7210
5.6	1.7228	1.7246	1.7263	1.7281	1.7299	1.7317	1.7334	1.7352	1.7370	1.7387

NAPERIAN LOGARITHMS.

	0	1	2	3	4	5	6	7	8	9
5.7	1.7405	1.7422	1.7440	1.7457	1.7475	1.7492	1.7509	1.7527	1.7544	1.7561
5.8	1.7579	1.7596	1.7613	1.7630	1.7647	1.7664	1.7681	1.7699	1.7716	1.7733
5.9	1.7750	1.7766	1.7783	1.7800	1.7817	1.7834	1.7851	1.7867	1.7884	1.7901
6.0	1.7918	1.7934	1.7951	1.7967	1.7984	1.8001	1.8017	1.8034	1.8050	1.8066
6.1	1.8083	1.8099	1.8116	1.8132	1.8148	1.8165	1.8181	1.8197	1.8213	1.8229
6.2	1.8245	1.8262	1.8278	1.8294	1.8310	1.8326	1.8342	1.8358	1.8374	1.8390
6.3	1.8405	1.8421	1.8437	1.8453	1.8469	1.8485	1.8500	1.8516	1.8532	1.8547
6.4	1.8563	1.8579	1.8594	1.8610	1.8625	1.8641	1.8656	1.8672	1.8687	1.8703
6.5	1.8718	1.8733	1.8749	1.8764	1.8779	1.8795	1.8810	1.8825	1.8840	1.8856
6.6	1.8871	1.8886	1.8901	1.8916	1.8931	1.8946	1.8961	1.8976	1.8991	1.9006
6.7	1.9021	1.9036	1.9051	1.9066	1.9081	1.9095	1.9110	1.9125	1.9140	1.9155
6.8	1.9169	1.9184	1.9199	1.9213	1.9228	1.9242	1.9257	1.9272	1.9286	1.9301
6.9	1.9315	1.9330	1.9344	1.9359	1.9373	1.9387	1.9402	1.9416	1.9430	1.9445
7.0	1.9459	1.9473	1.9488	1.9502	1.9516	1.9530	1.9544	1.9559	1.9573	1.9587
7.1	1.9601	1.9615	1.9629	1.9643	1.9657	1.9671	1.9685	1.9699	1.9713	1.9727
7.2	1.9741	1.9755	1.9769	1.9782	1.9796	1.9810	1.9824	1.9838	1.9851	1.9865
7.3	1.9879	1.9892	1.9906	1.9920	1.9933	1.9947	1.9961	1.9974	1.9988	2.0001
7.4	2.0015	2.0028	2.0042	2.0055	2.0069	2.0082	2.0096	2.0109	2.0122	2.0136
7.5	2.0149	2.0162	2.0176	2.0189	2.0202	2.0215	2.0229	2.0242	2.0255	2.0268
7.6	2.0281	2.0295	2.0308	2.0321	2.0334	2.0347	2.0360	2.0373	2.0386	2.0399
7.7	2.0412	2.0425	2.0438	2.0451	2.0464	2.0477	2.0490	2.0503	2.0516	2.0529
7.8	2.0541	2.0554	2.0567	2.0580	2.0592	2.0605	2.0618	2.0631	2.0643	2.0656
7.9	2.0668	2.0681	2.0694	2.0707	2.0719	2.0732	2.0744	2.0757	2.0769	2.0782
8.0	2.0794	2.0807	2.0819	2.0832	2.0844	2.0857	2.0869	2.0881	2.0894	2.0906
8.1	2.0919	2.0931	2.0943	2.0956	2.0968	2.0980	2.0992	2.1005	2.1017	2.1029
8.2	2.1041	2.1054	2.1066	2.1078	2.1090	2.1102	2.1114	2.1126	2.1138	2.1150
8.3	2.1163	2.1175	2.1187	2.1199	2.1211	2.1223	2.1235	2.1247	2.1258	2.1270
8.4	2.1282	2.1294	2.1306	2.1318	2.1330	2.1342	2.1353	2.1365	2.1377	2.1389
8.5	2.1401	2.1412	2.1424	2.1436	2.1448	2.1459	2.1471	2.1483	2.1494	2.1506
8.6	2.1518	2.1529	2.1541	2.1552	2.1564	2.1576	2.1587	2.1599	2.1610	2.1622
8.7	2.1633	2.1645	2.1656	2.1668	2.1679	2.1691	2.1702	2.1713	2.1725	2.1736
8.8	2.1748	2.1759	2.1770	2.1782	2.1793	2.1804	2.1815	2.1827	2.1838	2.1849
8.9	2.1861	2.1872	2.1883	2.1894	2.1905	2.1917	2.1928	2.1939	2.1950	2.1961
9.0	2.1972	2.1983	2.1994	2.2006	2.2017	2.2028	2.2039	2.2050	2.2061	2.2072
9.1	2.2083	2.2094	2.2105	2.2116	2.2127	2.2138	2.2148	2.2159	2.2170	2.2181
9.2	2.2192	2.2203	2.2214	2.2225	2.2235	2.2246	2.2257	2.2268	2.2279	2.2289
9.3	2.2300	2.2311	2.2322	2.2332	2.2343	2.2354	2.2364	2.2375	2.2386	2.2396
9.4	2.2407	2.2418	2.2428	2.2439	2.2450	2.2460	2.2471	2.2481	2.2492	2.2502
9.5	2.2513	2.2523	2.2534	2.2544	2.2555	2.2565	2.2576	2.2586	2.2597	2.2607
9.6	2.2618	2.2628	2.2638	2.2649	2.2659	2.2670	2.2680	2.2690	2.2701	2.2711
9.7	2.2721	2.2732	2.2742	2.2752	2.2762	2.2773	2.2783	2.2793	2.2803	2.2814
9.8	2.2824	2.2834	2.2844	2.2854	2.2865	2.2875	2.2885	2.2895	2.2905	2.2915
9.9	2.2925	2.2935	2.2946	2.2956	2.2966	2.2976	2.2986	2.2996	2.3006	2.3016
10.0	2.3026									

LOGARITHMS.

Nat. Nos.	0	1	2	3	4	5	6	7	8	9	Proportional Parts.								
											1	2	3	4	5	6	7	8	9
10	0000	0043	0086	0128	0170	0212	0253	0294	0334	0374	4	8	12	17	21	25	29	33	37
11	0414	0453	0492	0531	0569	0607	0645	0682	0719	0755	4	8	11	15	19	23	26	30	34
12	0792	0828	0864	0899	0934	0969	1004	1038	1072	1106	3	7	10	14	17	21	24	28	31
13	1139	1173	1206	1239	1271	1303	1335	1367	1399	1430	3	6	10	13	16	19	23	26	29
14	1461	1492	1523	1553	1584	1614	1644	1673	1703	1732	3	6	9	12	15	18	21	24	27
15	1761	1790	1818	1847	1875	1903	1931	1959	1987	2014	3	6	8	11	14	17	20	22	25
16	2041	2068	2095	2122	2148	2175	2201	2227	2253	2279	3	5	8	11	13	16	18	21	24
17	2304	2330	2355	2380	2405	2430	2455	2480	2504	2529	2	5	7	10	12	15	17	20	22
18	2553	2577	2601	2625	2648	2672	2695	2718	2742	2765	2	5	7	9	12	14	16	19	21
19	2788	2810	2833	2856	2878	2900	2923	2945	2967	2989	2	4	7	9	11	13	16	18	20
20	3010	3032	3054	3075	3096	3118	3139	3160	3181	3201	2	4	6	8	11	13	15	17	19
21	3222	3243	3263	3284	3304	3324	3345	3365	3385	3404	2	4	6	8	10	12	14	16	18
22	3424	3444	3464	3483	3502	3522	3541	3560	3579	3598	2	4	6	8	10	12	14	15	17
23	3617	3636	3655	3674	3692	3711	3729	3747	3766	3784	2	4	6	7	9	11	13	15	17
24	3802	3820	3838	3856	3874	3892	3909	3927	3945	3962	2	4	5	7	9	11	12	14	16
25	3979	3997	4014	4031	4048	4065	4082	4099	4116	4133	2	3	5	7	9	10	12	14	15
26	4150	4166	4183	4200	4216	4232	4249	4265	4281	4298	2	3	5	7	8	10	11	13	15
27	4314	4330	4346	4362	4378	4393	4409	4425	4440	4456	2	3	5	6	8	9	11	13	14
28	4472	4487	4502	4518	4533	4548	4564	4579	4594	4609	2	3	5	6	8	9	11	12	14
29	4624	4639	4654	4669	4683	4698	4713	4728	4742	4757	1	3	4	6	7	9	10	12	13
30	4771	4786	4800	4814	4829	4843	4857	4871	4886	4900	1	3	4	6	7	9	10	11	13
31	4914	4928	4942	4955	4969	4983	4997	5011	5024	5038	1	3	4	6	7	8	10	11	12
32	5051	5065	5079	5092	5105	5119	5132	5145	5159	5172	1	3	4	5	7	8	9	11	12
33	5185	5198	5211	5224	5237	5250	5263	5276	5289	5302	1	3	4	5	6	8	9	10	12
34	5315	5328	5340	5353	5366	5378	5391	5403	5416	5428	1	3	4	5	6	8	9	10	11
35	5441	5453	5465	5478	5490	5502	5514	5527	5539	5551	1	2	4	5	6	7	9	10	11
36	5563	5575	5587	5599	5611	5623	5635	5647	5658	5670	1	2	4	5	6	7	8	10	11
37	5682	5694	5705	5717	5729	5740	5752	5763	5775	5786	1	2	3	5	6	7	8	9	10
38	5798	5809	5821	5832	5843	5855	5866	5877	5888	5899	1	2	3	5	6	7	8	9	10
39	5911	5922	5933	5944	5955	5966	5977	5988	5999	6010	1	2	3	4	5	7	8	9	10
40	6021	6031	6042	6053	6064	6075	6085	6096	6107	6117	1	2	3	4	5	6	8	9	10
41	6128	6138	6149	6160	6170	6180	6191	6201	6212	6222	1	2	3	4	5	6	7	8	9
42	6232	6243	6253	6263	6274	6284	6294	6304	6314	6325	1	2	3	4	5	6	7	8	9
43	6335	6345	6355	6365	6375	6385	6395	6405	6415	6425	1	2	3	4	5	6	7	8	9
44	6435	6444	6454	6464	6474	6484	6493	6503	6513	6522	1	2	3	4	5	6	7	8	9
45	6532	6542	6551	6561	6571	6580	6590	6599	6609	6618	1	2	3	4	5	6	7	8	9
46	6628	6637	6646	6656	6665	6675	6684	6693	6702	6712	1	2	3	4	5	6	7	7	8
47	6721	6730	6739	6749	6758	6767	6776	6785	6794	6803	1	2	3	4	5	5	6	7	8
48	6812	6821	6830	6839	6848	6857	6866	6875	6884	6893	1	2	3	4	4	5	6	7	8
49	6902	6911	6920	6928	6937	6946	6955	6964	6972	6981	1	2	3	4	4	5	6	7	8
50	6990	6998	7007	7016	7024	7033	7042	7050	7059	7067	1	2	3	3	4	5	6	7	8
51	7076	7084	7093	7101	7110	7118	7126	7135	7143	7152	1	2	3	3	4	5	6	7	8
52	7160	7168	7177	7185	7193	7202	7210	7218	7226	7235	1	2	2	3	4	5	6	7	7
53	7243	7251	7259	7267	7275	7284	7292	7300	7308	7316	1	2	2	3	4	5	6	6	7
54	7324	7332	7340	7348	7356	7364	7372	7380	7388	7396	1	2	2	3	4	5	6	6	7

LOGARITHMS.

Nat Non.	0	1	2	3	4	5	6	7	8	9	Proportional Parts								
											1	2	3	4	5	6	7	8	9
55	7404	7412	7419	7427	7435	7443	7451	7459	7466	7474	1	2	2	3	4	5	5	6	7
56	7482	7490	7497	7505	7513	7520	7528	7536	7543	7551	1	2	2	3	4	5	5	6	7
57	7559	7566	7574	7582	7589	7597	7604	7612	7619	7627	1	2	2	3	4	5	5	6	7
58	7634	7642	7649	7657	7664	7672	7679	7686	7694	7701	1	1	2	3	4	4	5	6	7
59	7709	7716	7723	7731	7738	7745	7752	7760	7767	7774	1	1	2	3	4	4	5	6	7
60	7782	7789	7796	7803	7810	7818	7825	7832	7839	7846	1	1	2	3	4	4	5	6	8
61	7853	7860	7868	7875	7882	7889	7896	7903	7910	7917	1	1	2	3	4	4	5	6	8
62	7924	7931	7938	7945	7952	7959	7966	7973	7980	7987	1	1	2	3	3	4	5	6	8
63	7993	8000	8007	8014	8021	8028	8035	8041	8048	8055	1	1	2	3	3	4	5	5	6
64	8062	8069	8075	8082	8089	8096	8102	8109	8116	8122	1	1	2	3	3	4	5	5	6
65	8129	8136	8142	8149	8156	8162	8169	8176	8182	8189	1	1	2	3	3	4	5	5	6
66	8195	8202	8209	8215	8222	8228	8235	8241	8248	8254	1	1	2	3	3	4	5	5	6
67	8261	8267	8274	8280	8287	8293	8299	8306	8312	8319	1	1	2	3	3	4	5	5	6
68	8325	8331	8338	8344	8351	8357	8363	8370	8376	8382	1	1	2	3	3	4	4	5	6
69	8388	8395	8401	8407	8414	8420	8426	8432	8439	8445	1	1	2	2	3	4	4	5	6
70	8451	8457	8463	8470	8476	8482	8488	8494	8500	8506	1	1	2	2	3	4	4	5	6
71	8513	8519	8525	8531	8537	8543	8549	8555	8561	8567	1	1	2	2	3	4	4	5	6
72	8573	8579	8585	8591	8597	8603	8609	8615	8621	8627	1	1	2	2	3	4	4	5	6
73	8633	8639	8645	8651	8657	8663	8669	8675	8681	8686	1	1	2	2	3	4	4	5	6
74	8692	8698	8704	8710	8716	8722	8727	8733	8739	8745	1	1	2	2	3	4	4	5	6
75	8751	8756	8762	8768	8774	8779	8785	8791	8797	8802	1	1	2	2	3	3	4	5	6
76	8808	8814	8820	8825	8831	8837	8842	8848	8854	8859	1	1	2	2	3	3	4	5	6
77	8865	8871	8876	8882	8887	8893	8899	8904	8910	8915	1	1	2	2	3	3	4	4	5
78	8921	8927	8932	8938	8943	8949	8954	8960	8965	8971	1	1	2	2	3	3	4	4	5
79	8976	8982	8987	8993	8998	9004	9009	9015	9020	9025	1	1	2	2	3	3	4	4	5
80	9031	9036	9042	9047	9053	9058	9063	9069	9074	9079	1	1	2	2	3	3	4	4	5
81	9085	9090	9096	9101	9106	9112	9117	9122	9128	9133	1	1	2	2	3	3	4	4	5
82	9138	9143	9149	9154	9159	9165	9170	9175	9180	9186	1	1	2	2	3	3	4	4	5
83	9191	9196	9201	9206	9212	9217	9222	9227	9232	9238	1	1	2	2	3	3	4	4	5
84	9243	9248	9253	9258	9263	9269	9274	9279	9284	9289	1	1	2	2	3	3	4	4	5
85	9294	9299	9304	9309	9315	9320	9325	9330	9335	9340	1	1	2	2	3	3	4	4	5
86	9345	9350	9355	9360	9365	9370	9375	9380	9385	9390	1	1	2	2	3	3	4	4	5
87	9395	9400	9405	9410	9415	9420	9425	9430	9435	9440	0	1	1	2	2	3	3	4	4
88	9445	9450	9455	9460	9465	9469	9474	9479	9484	9489	0	1	1	2	2	3	3	4	4
89	9494	9499	9504	9509	9513	9518	9523	9528	9533	9538	0	1	1	2	2	3	3	4	4
90	9542	9547	9552	9557	9562	9566	9571	9576	9581	9586	0	1	1	2	2	3	3	4	4
91	9590	9595	9600	9605	9609	9614	9619	9624	9628	9633	0	1	1	2	2	3	3	4	4
92	9638	9643	9647	9652	9657	9661	9666	9671	9675	9680	0	1	1	2	2	3	3	4	4
93	9685	9689	9694	9699	9703	9708	9713	9717	9722	9727	0	1	1	2	2	3	3	4	4
94	9731	9736	9741	9745	9750	9754	9759	9763	9768	9773	0	1	1	2	2	3	3	4	4
95	9777	9782	9786	9791	9795	9800	9805	9809	9814	9818	0	1	1	2	2	3	3	4	4
96	9823	9827	9832	9836	9841	9845	9850	9854	9859	9863	0	1	1	2	2	3	3	4	4
97	9868	9872	9877	9881	9886	9890	9894	9899	9903	9908	0	1	1	2	2	3	3	4	4
98	9912	9917	9921	9926	9930	9934	9939	9943	9948	9952	0	1	1	2	2	3	3	4	4
99	9956	9961	9965	9969	9974	9978	9983	9987	9991	9996	0	1	1	2	2	3	3	4	4

SHORT-TITLE CATALOGUE

OF THE

PUBLICATIONS

OF

JOHN WILEY & SONS,

NEW YORK.

LONDON: CHAPMAN & HALL, LIMITED.

ARRANGED UNDER SUBJECTS.

Descriptive circulars sent on application. Books marked with an asterisk (*) are sold at net prices only. All books are bound in cloth unless otherwise stated.

AGRICULTURE.

Armsby's Manual of Cattle-feeding.	12mo.	\$1 75
Principles of Animal Nutrition.	8vo.	4 00
Budd and Hansen's American Horticultural Manual:		
Part I. Propagation, Culture, and Improvement.	12mo.	1 50
Part II. Systematic Pomology.	12mo.	1 50
Elliott's Engineering for Land Drainage.	12mo.	1 50
Practical Farm Drainage.	12mo.	1 00
Graves's Forest Mensuration.	8vo.	4 00
Green's Principles of American Forestry.	12mo.	1 50
Grotenfelt's Principles of Modern Dairy Practice. (Woll).	12mo.	3 00
Hanausek's Microscopy of Technical Products. (Winton).	8vo.	3 00
Herrick's Denatured or Industrial Alcohol.	8vo.	4 00
Maynard's Landscape Gardening as Applied to Home Decoration.	12mo.	1 50
* McKay and Larsen's Principles and Practice of Butter-making.	8vo.	1 50
Sanderson's Insects Injurious to Staple Crops.	12mo.	1 50
* Schwarz's Longleaf Pine in Virgin Forest.	12mo.	1 25
Stockbridge's Rocks and Soils.	8vo.	3 50
Winton's Microscopy of Vegetable Foods.	8vo.	7 50
Woll's Handbook for Farmers and Dairymen.	16mo.	1 50

ARCHITECTURE.

Baldwin's Steam Heating for Buildings.	12mo.	3 50
Bashore's Sanitation of a Country House.	12mo.	1 00
Berg's Buildings and Structures of American Railroads.	4to.	5 00
Birkmire's Planning and Construction of American Theatres.	8vo.	3 00
Architectural Iron and Steel.	8vo.	3 50
Compound Rivets/ Girders as Applied in Buildings.	8vo.	2 00
Planning and Construction of High Office Buildings.	8vo.	3 50
Skeleton Construction in Buildings.	8vo.	3 00
Brigg's Modern American School Buildings.	8vo.	4 00
Carpenter's Heating and Ventilating of Buildings.	8vo.	4 00

Freitag's Architectural Engineering.	8vo.	3 50
Fireproofing of Steel Buildings.	8vo.	2 50
French and Ives's Stereotomy.	8vo.	2 50
Gerhard's Guide to Sanitary House-Inspection.	16mo.	1 00
Sanitation of Public Buildings.	12mo.	1 50
Theatre Fires and Panics.	12mo.	1 50
*Greene's Structural Mechanics.	8vo.	2 50
Holly's Carpenters' and Joiners' Handbook.	18mo.	75
Johnson's Statics by Algebraic and Graphic Methods.	8vo.	2 00
Kellaway's How to Lay Out Suburban Home Grounds.	8vo.	2 00
Kidder's Architects' and Builders' Pocket-book. Rewritten Edition.	16mo, mor.	5 00
Merrill's Stones for Building and Decoration.	8vo.	5 00
Non-metallic Minerals: Their Occurrence and Uses.	8vo.	4 00
Monckton's Stair-building.	4to.	4 00
Patton's Practical Treatise on Foundations.	8vo.	5 00
Peabody's Naval Architecture.	8vo.	7 50
Rice's Concrete-block Manufacture.	8vo.	2 00
Richey's Handbook for Superintendents of Construction.	16mo, mor.	4 00
• Building Mechanics' Ready Reference Book:		
• Carpenters' and Woodworkers' Edition.	16mo, morocco.	1 50
• Cementworkers and Plasterer's Edition. (In Press.)		
• Stone- and Brick-mason's Edition.	12mo, mor.	1 50
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo.	3 00
Siebert and Biggin's Modern Stone-cutting and Masonry.	8vo.	1 50
Snow's Principal Species of Wood.	8vo.	3 50
Sondericker's Graphic Statics with Applications to Trusses, Beams, and Arches.	8vo.	2 00
Towne's Locks and Builders' Hardware.	18mo, morocco.	3 00
Turneure and Maurer's Principles of Reinforced Concrete Construction.	8vo.	3 00
Wait's Engineering and Architectural Jurisprudence.	8vo.	6 00
Law of Operations Preliminary to Construction in Engineering and Architecture.	8vo.	5 00
Law of Contracts.	8vo.	3 00
Wilson's Air Conditioning. (In Press.)		
Wood's Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.	8vo.	4 00
Worcester and Atkinson's Small Hospitals, Establishment and Maintenance, Suggestions for Hospital Architecture, with Plans for a Small Hospital.	12mo.	1 25
The World's Columbian Exposition of 1893.	Large 4to.	1 00

ARMY AND NAVY.

Bernadou's Smokeless Powder, Nitro-cellulose, and the Theory of the Cellulose Molecule.	12mo.	2 50
Chase's Screw Propellers and Marine Propulsion.	8vo.	3 00
Cloke's Gunner's Examiner.	8vo.	1 50
Craig's Azimuth.	4to.	3 50
Crehore and Squier's Polarizing Photo-chronograph.	8vo.	3 00
* Davis's Elements of Law.	8vo.	2 50
• Treatise on the Military Law of United States.	8vo.	7 00
De Brack's Cavalry Outposts Duties. (Carr.).....	24mo, morocco.	2 00
Dietz's Soldier's First Aid Handbook.	16mo, morocco.	1 25
* Dudley's Military Law and the Procedure of Courts-martial.	Large 12mo.	2 50
Durand's Resistance and Propulsion of Ships.	8vo.	5 00

• Dyer's Handbook of Light Artillery.	12mo,	3 00
Elisler's Modern High Explosives.	8vo,	4 00
• Fieberger's Text-book on Field Fortification.	Small 8vo,	2 00
Hamilton's The Gunner's Catechism.	12mo,	1 00
• Hoff's Elementary Naval Tactics.	8vo,	1 50
Ingalls's Handbook of Problems in Direct Fire.	8vo,	4 00
• Lissak's Ordnance and Gunnery.	8vo,	6 00
• Lyons's Treatise on Electromagnetic Phenomena. Vols. I. and II.	8vo, each,	6 00
• Mahan's Permanent Fortifications. (Mercur.)	8vo, half morocco,	7 50
Manual for Courts-martial.	16mo, morocco,	1 50
• Mercur's Attack of Fortified Places.	12mo,	2 00
• Elements of the Art of War.	8vo,	4 00
Metcalf's Cost of Manufactures—And the Administration of Workshops.	8vo,	5 00
• Ordnance and Gunnery. 3 vols.	12mo,	5 00
Murray's Infantry Drill Regulations.	18mo, paper,	10
Nixon's Adjutants' Manual.	24mo,	1 00
Peabody's Naval Architecture.	8vo,	7 50
• Phelps's Practical Marine Surveying.	8vo,	2 50
Powell's Army Officer's Examiner.	12mo,	4 00
Sharpe's Art of Subaisting Armies in War.	18mo, morocco,	1 50
• Tapes and Poole's Manual of Bayonet Exercises and Musketry Fencing.	24mo, leather,	50
Weaver's Military Explosives.	8vo,	3 00
Wheeler's Siege Operations and Military Mining.	8vo,	2 00
Winthrop's Abridgment of Military Law.	12mo,	2 50
Woodhull's Notes on Military Hygiene.	16mo,	1 50
Young's Simple Elements of Navigation.	16mo, morocco,	2 00

ASSAYING.

Fletcher's Practical Instructions in Quantitative Assaying with the Blowpipe.	12mo, morocco,	1 50
Furman's Manual of Practical Assaying.	8vo,	3 00
Lodge's Notes on Assaying and Metallurgical Laboratory Experiments.	8vo,	3 00
Low's Technical Methods of Ore Analysis.	8vo,	3 00
Miller's Manual of Assaying.	12mo,	1 00
Cyanide Process.	12mo,	1 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.)	12mo,	2 50
O'Driscoll's Notes on the Treatment of Gold Ores.	8vo,	2 00
Ricketts and Miller's Notes on Assaying.	8vo,	3 00
Robine and Lenglen's Cyanide Industry. (Le Clerc.)	8vo,	4 00
Ulke's Modern Electrolytic Copper Refining.	8vo,	3 00
Wilson's Cyanide Processes.	12mo,	1 50
Chlorination Process.	12mo,	1 50

ASTRONOMY.

Comstock's Field Astronomy for Engineers.	8vo,	2 50
Craig's Azimuth.	4to,	3 50
Crandall's Text-book on Geodesy and Least Squares.	8vo,	3 00
Doolittle's Treatise on Practical Astronomy.	8vo,	4 00
Gore's Elements of Geodesy.	8vo,	2 50
Hayford's Text-book of Geodetic Astronomy.	8vo,	3 00
Merriman's Elements of Precise Surveying and Geodesy.	8vo,	2 50
• Michie and Harlow's Practical Astronomy.	8vo,	3 00
• White's Elements of Theoretical and Descriptive Astronomy.	12mo,	2 00

BOTANY.

Davenport's Statistical Methods, with Special Reference to Biological Variation.	16mo, morocco,	1 25
Thomé and Bennett's Structural and Physiological Botany.....	16mo,	2 25
Westermaier's Compendium of General Botany. (Schneider.).....	8vo,	2 00

CHEMISTRY.

* Abegg's Theory of Electrolytic Dissociation. (Von Ende.).....	12mo,	1 25
Adriance's Laboratory Calculations and Specific Gravity Tables.....	12mo,	1 25
Alexeyeff's General Principles of Organic Synthesis. (Matthews.).....	8vo,	3 00
Allen's Tables for Iron Analysis.	8vo,	3 00
Arnold's Compendium of Chemistry. (Mandel.).....	Small 8vo,	3 50
Austen's Notes for Chemical Students.....	12mo,	1 50
Beard's Mine Gases and Explosions. (In Press.)		
Bernadou's Smokeless Powder.—Nitro-cellulose, and Theory of the Cellulose Molecule.....	12mo,	2 50
Bolduan's Immune Sera.....	12mo,	1 50
* Browning's Introduction to the Rarer Elements.....	8vo,	1 50
Brush and Penfield's Manual of Determinative Mineralogy.....	8vo,	4 00
* Claassen's Beet-sugar Manufacture. (Hall and Rolfe.).....	8vo,	3 00
Classen's Quantitative Chemical Analysis by Electrolysis. (Boltwood.).....	8vo,	3 00
Cohn's Indicators and Test-papers.....	12mo,	2 00
Tests and Reagents.....	8vo,	3 00
Crafts's Short Course in Qualitative Chemical Analysis. (Schaeffer.).....	12mo,	1 50
* Danneel's Electrochemistry. (Merriam.).....	12mo,	1 25
Dolezalek's Theory of the Lead Accumulator (Storage Battery). (Von Ende.).....	12mo,	2 50
Drechsel's Chemical Reactions. (Merrill.).....	12mo,	1 25
Duhem's Thermodynamics and Chemistry. (Burgess.).....	8vo,	4 00
Eissler's Modern High Explosives.....	8vo,	4 00
Effront's Enzymes and their Applications. (Prescott.).....	8vo,	3 00
Erdmann's Introduction to Chemical Preparations. (Dunlap.).....	12mo,	1 25
* Fischer's Physiology of Alimentation.....	Large 12mo,	2 00
Fletcher's Practical Instructions in Quantitative Assaying with the Blowpipe.		
	12mo, morocco,	1 50
Fowler's Sewage Works Analyses.....	12mo,	2 00
Fresenius's Manual of Qualitative Chemical Analysis. (Wells.).....	8vo,	5 00
Manual of Qualitative Chemical Analysis. Part I. Descriptive. (Wells.).....	8vo,	3 00
Quantitative Chemical Analysis. (Cohn.) 2 vols.....	8vo,	12 50
Fuertes's Water and Public Health.....	12mo,	1 50
Furman's Manual of Practical Assaying.....	8vo,	3 00
* Getman's Exercises in Physical Chemistry.....	12mo,	2 00
Gill's Gas and Fuel Analysis for Engineers.....	12mo,	1 25
* Gooch and Browning's Outlines of Qualitative Chemical Analysis. Small 8vo.....		1 25
Grotenfelt's Principles of Modern Dairy Practice. (Woll.).....	12mo,	2 00
Groth's Introduction to Chemical Crystallography (Marshall).....	12mo,	1 25
Hammarsten's Text-book of Physiological Chemistry. (Mandel.).....	8vo,	4 00
Hanausek's Microscopy of Technical Products. (Winton.).....	8vo,	5 00
* Haskin's and MacLeod's Organic Chemistry.....	12mo,	2 00
Helm's Principles of Mathematical Chemistry. (Morgan.).....	12mo,	1 50
Hering's Ready Reference Tables (Conversion Factors).....	16mo, morocco,	2 50
Herrick's Denatured or Industrial Alcohol.....	8vo,	4 00
Hind's Inorganic Chemistry.....	8vo,	3 00
* Laboratory Manual for Students.....	12mo,	1 00
Holleman's Text-book of Inorganic Chemistry. (Cooper.).....	8vo,	2 50
Text-book of Organic Chemistry. (Walker and Mott.).....	8vo,	2 50
* Laboratory Manual of Organic Chemistry. (Walker.).....	12mo,	1 00

Holley and Ladd's Analysis of Mixed Paints, Color Pigments, and Varnishes. (In Press)		
Hopkins's Oil-chemists' Handbook.	8vo.	3 00
Iddings's Rock Minerals.	8vo.	5 00
Jackson's Directions for Laboratory Work in Physiological Chemistry.	8vo.	1 25
Johannsen's Key for the Determination of Rock-forming Minerals in Thin Sections. (In Press)		
Keep's Cast Iron.	8vo.	2 50
Ladd's Manual of Quantitative Chemical Analysis.	12mo.	1 00
Landauer's Spectrum Analysis. (Tingle.)	8vo.	3 00
* Langworthy and Austen. The Occurrence of Aluminium in Vegetable Products, Animal Products, and Natural Waters.	8vo.	2 00
Lassar-Cohn's Application of Some General Reactions to Investigations in Organic Chemistry. (Tingle.)	12mo.	1 00
Leach's The Inspection and Analysis of Food with Special Reference to State Control.	8vo.	7 50
Löb's Electrochemistry of Organic Compounds. (Lorenz.)	8vo.	3 00
Lodge's Notes on Assaying and Metallurgical Laboratory Experiments.	8vo.	3 00
Low's Technical Method of Ore Analysis.	8vo.	3 00
Lunge's Techno-chemical Analysis. (Cohn.)	12mo.	1 00
* McKay and Larsen's Principles and Practice of Butter-making.	8vo.	1 50
Maire's Modern Pigments and their Vehicles. (In Press)		
Mandell's Handbook for Bio-chemical Laboratory.	12mo.	1 50
* Martin's Laboratory Guide to Qualitative Analysis with the Blowpipe.	12mo.	60
Mason's Water-supply. (Considered Principally from a Sanitary Standpoint.) 3d Edition, Rewritten.	8vo.	4 00
Examination of Water. (Chemical and Bacteriological.)	12mo.	1 25
Matthew's The Textile Fibres. 3d Edition, Rewritten.	8vo.	4 00
Meyer's Determination of Radicles in Carbon Compounds. (Tingle.)	12mo.	1 00
Miller's Manual of Assaying.	12mo.	1 00
Cyanide Process.	12mo.	1 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.)	12mo.	2 50
Mixter's Elementary Text-book of Chemistry.	12mo.	1 50
Morgan's An Outline of the Theory of Solutions and its Results.	12mo.	1 00
Elements of Physical Chemistry.	12mo.	3 00
* Physical Chemistry for Electrical Engineers.	12mo.	5 00
Morse's Calculations used in Cane-sugar Factories.	16mo, morocco.	1 50
* Muir's History of Chemical Theories and Laws.	8vo.	4 00
Mulliken's General Method for the Identification of Pure Organic Compounds. Vol. I.	Large 8vo.	5 00
O'Driscoll's Notes on the Treatment of Gold Ores.	8vo.	2 00
Ostwald's Conversations on Chemistry. Part One. (Ramsey.)	12mo.	1 50
" " " " Part Two. (Turnbull.)	12mo.	2 00
* Palmer's Practical Test Book of Chemistry.	12mo.	1 00
* Pauli's Physical Chemistry in the Service of Medicine. (Fischer.)	12mo.	1 25
* Penfield's Notes on Determinative Mineralogy and Record of Mineral Tests. 8vo, paper.		50
Pictet's The Alkaloids and their Chemical Constitution. (Biddle.)	8vo.	5 00
Plinner's Introduction to Organic Chemistry. (Austen.)	12mo.	1 50
Poole's Calorific Power of Fuels.	8vo.	3 00
Prescott and Winslow's Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis.	12mo.	1 25
* Reising's Guide to Piece-dyeing.	8vo.	25 00
Richards and Woodman's Air, Water, and Food from a Sanitary Standpoint.	8vo.	2 00
Ricketts and Miller's Notes on Assaying.	8vo.	3 00
Rideal's Sewage and the Bacterial Purification of Sewage.	8vo.	4 00
Disinfection and the Preservation of Food.	8vo.	4 00
Riggs's Elementary Manual for the Chemical Laboratory.	8vo.	1 25
Robine and Lenglen's Cyanide Industry. (Le Clerc.)	8vo.	4 00

Hering's Ready Reference Tables (Conversion Factors).....	16mo, morocco.	2 50
Howe's Retaining Walls for Earth.....	12mo,	1 25
Hoyt and Grover's River Discharge.....	8vo,	2 00
* Ives's Adjustments of the Engineer's Transit and Level.....	16mo, Bds.	25
Ives and Hilts's Problems in Surveying.....	16mo, morocco,	1 50
Johnson's (J. H.) Theory and Practice of Surveying.....	Small 8vo,	4 00
Johnson's (L. J.) Statics by Algebraic and Graphic Methods.....	8vo,	2 00
Laplace's Philosophical Essay on Probabilities. (Truscott and Emory.)	12mo,	2 00
Mahan's Treatise on Civil Engineering. (1873.) (Wood.).....	8vo,	5 00
* Descriptive Geometry.....	8vo,	1 50
Merriman's Elements of Precise Surveying and Geodesy.....	8vo,	2 50
Merriman and Brooks's Handbook for Surveyors.....	16mo, morocco,	2 00
Nugent's Plane Surveying.....	8vo,	3 50
Ogden's Sewer Design.....	12mo,	2 00
Parsons's Disposal of Municipal Refuse.....	8vo,	2 00
Patton's Treatise on Civil Engineering.....	8vo half leather,	7 50
Reed's Topographical Drawing and Sketching.....	4to,	5 00
Rideal's Sewage and the Bacterial Purification of Sewage.....	8vo,	4 00
Riemer's Shaft-sinking under Difficult Conditions. (Corning and Peete.)	8vo,	3 00
Siebert and Biggin's Modern Stone-cutting and Masonry.....	8vo,	1 50
Smith's Manual of Topographical Drawing. (McMillan.).....	8vo,	2 50
Sondericker's Graphic Statics, with Applications to Trusses, Beams, and Arches.....	8vo,	2 00
Taylor and Thompson's Treatise on Concrete, Plain and Reinforced.....	8vo,	5 00
Tracy's Plane Surveying.....	16mo, morocco,	3 00
* Trautwine's Civil Engineer's Pocket-book.....	16mo, morocco,	5 00
Venable's Garbage Crematories in America.....	8vo,	2 00
Wait's Engineering and Architectural Jurisprudence.....	8vo,	6 00
Law of Operations Preliminary to Construction in Engineering and Architecture.....	8vo,	5 00
Law of Contracts.....	8vo,	3 00
Warren's Stereotomy—Problems in Stone-cutting.....	8vo,	2 50
Webb's Problems in the Use and Adjustment of Engineering Instruments.....	16mo, morocco,	1 25
Wilson's Topographic Surveying.....	8vo,	3 50

BRIDGES AND ROOFS.

Boller's Practical Treatise on the Construction of Iron Highway Bridges.....	8vo,	2 00
Burr and Falk's Influence Lines for Bridge and Roof Computations.....	8vo,	3 00
Design and Construction of Metallic Bridges.....	8vo,	5 00
Du Bois's Mechanics of Engineering. Vol. II.....	Small 4to,	10 00
Foster's Treatise on Wooden Trestle Bridges.....	4to,	5 00
Fowler's Ordinary Foundations.....	8vo,	3 50
Greene's Roof Trusses.....	8vo,	1 25
Bridge Trusses.....	8vo,	2 50
Arches in Wood, Iron, and Stone.....	8vo,	2 50
Grimm's Secondary Stresses in Bridge Trusses. (In Press.)		
Howe's Treatise on Arches.....	8vo,	4 00
Design of Simple Roof-trusses in Wood and Steel.....	8vo,	2 00
Symmetrical Masonry Arches.....	8vo,	2 50
Johnson, Bryan, and Turneure's Theory and Practice in the Designing of Modern Framed Structures.....	Small 4to,	10 00
Merriman and Jacoby's Text-book on Roofs and Bridges:		
Part I. Stresses in Simple Trusses.....	8vo,	2 50
Part II. Graphic Statics.....	8vo,	2 50
Part III. Bridge Design.....	8vo,	2 50
Part IV. Higher Structures.....	8vo,	2 50

Morison's Memphis Bridge.	4to,	10 00
Waddell's De Pontibus, a Pocket-book for Bridge Engineers.	16mo, morocco,	2 00
* Specifications for Steel Bridges.	12mo,	50
Wright's Designing of Draw-spans. Two parts in one volume.	8vo,	3 50

HYDRAULICS.

Barnes's Ice Formation.	8vo,	3 00
Bazin's Experiments upon the Contraction of the Liquid Vein Issuing from an Orifice. (Trautwine.)	8vo,	2 00
Bovey's Treatise on Hydraulics.	8vo,	5 00
Church's Mechanics of Engineering.	8vo,	6 00
Diagrams of Mean Velocity of Water in Open Channels.	paper,	1 50
Hydraulic Motors.	8vo,	2 00
Coffin's Graphical Solution of Hydraulic Problems.	16mo, morocco,	2 50
Flather's Dynamometers, and the Measurement of Power.	12mo,	3 00
Folwell's Water-supply Engineering.	8vo,	4 00
Frizell's Water-power.	8vo,	5 00
Fuertes's Water and Public Health.	12mo,	1 50
Water-filtration Works.	12mo,	2 50
Ganguillet and Kutter's General Formula for the Uniform Flow of Water in Rivers and Other Channels. (Hering and Trautwine.)	8vo,	4 00
Hazen's Clean Water and How to Get It.	Large 12mo,	1 50
Filtration of Public Water-supply.	8vo,	3 00
Hazlehurst's Towers and Tanks for Water-works.	8vo,	2 50
Herschel's 115 Experiments on the Carrying Capacity of Large, Riveted, Metal Conduits.	8vo,	2 00
* Hubbard and Kiersted's Water-works Management and Maintenance.	8vo,	4 00
Mason's Water-supply. (Considered Principally from a Sanitary Standpoint.)	8vo,	4 00
Merriman's Treatise on Hydraulics.	8vo,	5 00
* Michie's Elements of Analytical Mechanics.	8vo,	4 00
Schuyler's Reservoirs for Irrigation, Water-power, and Domestic Water- supply.	Large 8vo,	5 00
* Thomas and Watt's Improvement of Rivers.	4to,	6 00
Turneure and Russell's Public Water-supplies.	8vo,	5 00
Wegmann's Design and Construction of Dams. 5th Edition, enlarged.	4to,	6 00
Water-supply of the City of New York from 1658 to 1895.	4to,	10 00
Whipple's Value of Pure Water.	Large 12mo,	1 00
Williams and Hazen's Hydraulic Tables.	8vo,	1 50
Wilson's Irrigation Engineering.	Small 8vo,	4 00
Wolf's Windmill as a Prime Mover.	8vo,	3 00
Wood's Turbines.	8vo,	2 50
Elements of Analytical Mechanics.	8vo,	3 00

MATERIALS OF ENGINEERING.

Baker's Treatise on Masonry Construction.	8vo,	5 00
Roads and Pavements.	8vo,	5 00
Black's United States Public Works.	Oblong 4to,	5 00
* Bovey's Strength of Materials and Theory of Structures.	8vo,	7 50
Burr's Elasticity and Resistance of the Materials of Engineering.	8vo,	7 50
Byrne's Highway Construction.	8vo,	5 00
Inspection of the Materials and Workmanship Employed in Construction.	16mo,	3 00
Church's Mechanics of Engineering.	8vo,	6 00
Du Bois's Mechanics of Engineering. Vol. I.	Small 4to	7 50
* Eckel's Cements, Limes, and Plasters.	8vo,	6 00

Johnson's Materials of Construction.	Large 8vo,	6 00
Fowler's Ordinary Foundations.	8vo,	3 50
Graves's Forest Mensuration.	8vo,	4 00
* Greene's Structural Mechanics.	8vo,	3 50
Keep's Cast Iron.	8vo,	3 50
Lanza's Applied Mechanics.	8vo,	7 50
Martens's Handbook on Testing Materials. (Henning.) 2 vols.	8vo,	7 50
Maurer's Technical Mechanics.	8vo,	4 00
Merrill's Stones for Building and Decoration.	8vo,	5 00
Merriman's Mechanics of Materials	8vo,	5 00
* Strength of Materials	12mo,	1 00
Metcalf's Steel. A Manual for Steel-users.	12mo,	2 00
Patton's Practical Treatise on Foundations.	8vo,	5 00
Richardson's Modern Asphalt Pavements	8vo,	3 00
Richey's Handbook for Superintendents of Construction.	16mo, mor.,	4 00
* Ries's Clays: Their Occurrence, Properties, and Uses.	8vo,	5 00
Rockwell's Roads and Pavements in France.	12mo,	1 25
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo,	3 00
* Schwarz's Longleaf Pine in Virgin Forest.	12mo,	1 25
Smith's Materials of Machines.	12mo,	1 00
Snow's Principal Species of Wood.	8vo,	3 50
Spalding's Hydraulic Cement.	12mo,	2 00
Text-book on Roads and Pavements.	12mo,	2 00
Taylor and Thompson's Treatise on Concrete, Plain and Reinforced.	8vo,	5 00
Thurston's Materials of Engineering. 3 Parts.	8vo,	8 00
Part I. Non-metallic Materials of Engineering and Metallurgy	8vo,	2 00
Part II. Iron and Steel.	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.	8vo,	2 50
Tilston's Street Pavements and Paving Materials.	8vo,	4 00
Turneure and Maurer's Principles of Reinforced Concrete Construction	8vo,	3 00
Waddell's De Pontibus. (A Pocket-book for Bridge Engineers.)	16mo, mor.,	2 00
* Specifications for Steel Bridges.	12mo,	50
Wood's (De V.) Treatise on the Resistance of Materials, and an Appendix on the Preservation of Timber.	8vo,	2 00
Wood's (De V.) Elements of Analytical Mechanics.	8vo,	3 00
Wood's (M. P.) Rustless Coatings. Corrosion and Electrolysis of Iron and Steel.	8vo,	4 00

RAILWAY ENGINEERING.

Andrew's Handbook for Street Railway Engineers.	315 inches, morocco,	1 25
Berg's Buildings and Structures of American Railroads	4to,	5 00
Brook's Handbook of Street Railroad Location.	16mo, morocco,	1 50
Butt's Civil Engineer's Field-book.	16mo, morocco,	2 50
Crandall's Transition Curve.	16mo, morocco,	1 50
Railway and Other Earthwork Tables.	8vo,	1 50
Crookett's Methods for Earthwork Computations. (In Press)		
Dawson's "Engineering" and Electric Traction Pocket-book	16mo morocco	5 00
Dredge's History of the Pennsylvania Railroad: (1879)	Paper,	5 00
Fisher's Table of Cubic Yards	Cardboard,	25
Godwin's Railroad Engineers' Field-book and Explorers' Guide.	16mo, mor.,	2 50
Hudson's Tables for Calculating the Cubic Contents of Excavations and Embankments.	8vo,	1 00
Molitor and Beard's Manual for Resident Engineers.	16mo,	1 00
Nagle's Field Manual for Railroad Engineers.	16mo, morocco,	3 00
Philbrick's Field Manual for Engineers.	16mo, morocco,	3 00
Raymond's Elements of Railroad Engineering. (In Press)		

Searles's Field Engineering.	16mo, morocco,	3 00
Railroad Spiral.	16mo, morocco,	1 50
Taylor's Prismatical Formulæ and Earthwork.	8vo,	1 50
* Trautwine's Method of Calculating the Cube Contents of Excavations and Embankments by the Aid of Diagrams.	8vo,	2 00
The Field Practice of Laying Out Circular Curves for Railroads.	12mo, morocco,	2 50
Cross-section Sheet.	Paper,	25
Webb's Railroad Construction.	16mo, morocco,	5 00
Economics of Railroad Construction.	Large 12mo,	2 50
Wellington's Economic Theory of the Location of Railways.	Small 8vo,	5 00

DRAWING.

Barr's Kinematics of Machinery.	8vo,	2 50
* Bartlett's Mechanical Drawing.	8vo,	3 00
" " " Abridged Ed.	8vo,	1 50
Coolidge's Manual of Drawing.	8vo, paper,	1 00
Coolidge and Freeman's Elements of General Drafting for Mechanical Engi- neers.	Oblong 4to,	2 50
Durley's Kinematics of Machines.	8vo,	4 00
Emch's Introduction to Projective Geometry and its Applications.	8vo,	2 50
Hill's Text-book on Shades and Shadows, and Perspective.	8vo,	2 00
Jamison's Elements of Mechanical Drawing.	8vo,	2 50
Advanced Mechanical Drawing.	8vo,	2 00
Jones's Machine Design:		
Part I. Kinematics of Machinery.	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.	8vo,	3 00
MacCord's Elements of Descriptive Geometry.	8vo,	3 00
Kinematics; or, Practical Mechanism.	8vo,	5 00
Mechanical Drawing.	4to,	4 00
Velocity Diagrams.	8vo,	1 50
MacLeod's Descriptive Geometry.	Small 8vo,	1 50
* Mahan's Descriptive Geometry and Stone-cutting.	8vo,	1 50
Industrial Drawing. (Thompson.)	8vo,	3 50
Moyer's Descriptive Geometry.	8vo,	2 00
Reed's Topographical Drawing and Sketching.	4to,	5 00
Reid's Course in Mechanical Drawing.	8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.	8vo,	3 00
Robinson's Principles of Mechanism.	8vo,	3 00
Schwamb and Merrill's Elements of Mechanism.	8vo,	3 00
Smith's (R. S.) Manual of Topographical Drawing. (McMillan.)	8vo,	2 50
Smith (A. W.) and Marx's Machine Design.	8vo,	3 00
* Tittsworth's Elements of Mechanical Drawing.	Oblong 8vo,	1 25
Warren's Elements of Plane and Solid Free-hand Geometrical Drawing.	12mo,	1 00
Drafting Instruments and Operations.	12mo,	1 25
Manual of Elementary Projection Drawing.	12mo,	1 50
Manual of Elementary Problems in the Linear Perspective of Form and Shadow.	12mo,	1 00
Plane Problems in Elementary Geometry.	12mo,	1 25
Elements of Descriptive Geometry, Shadows, and Perspective.	8vo,	3 50
General Problems of Shades and Shadows.	8vo,	3 00
Elements of Machine Construction and Drawing.	8vo,	7 50
Problems, Theorems, and Examples in Descriptive Geometry.	8vo,	2 50
Weisbach's Kinematics and Power of Transmission. (Hermann and Klein.)	8vo,	5 00
Whelpley's Practical Instruction in the Art of Letter Engraving.	12mo,	2 00
Wilson's (H. M.) Topographic Surveying.	8vo,	3 50

Wilson's (V. T.) Free-hand Perspective.	8vo, 2 50
Wilson's (V. T.) Free-hand Lettering.	8vo, 1 00
Wood's Elementary Course in Descriptive Geometry.	Large 8vo, 3 00

ELECTRICITY AND PHYSICS.

* Abegg's Theory of Electrolytic Dissociation. (Von Ende.)	12mo, 1 25
Anthony and Blackett's Text-book of Physics. (Magie.)	Small 8vo, 3 00
Anthony's Lecture-notes on the Theory of Electrical Measurements	12mo, 1 00
Benjamin's History of Electricity.	8vo, 3 00
Voltaic Cell.	8vo, 3 00
Betta's Lead Refining and Electrolysis. (In Press.)	
Claisen's Quantitative Chemical Analysis by Electrolysis. (Boltwood.)	8vo, 3 00
* Collins's Manual of Wireless Telegraphy.	12mo, 1 50
	Morocco, 3 00
Crehore and Squier's Polarizing Photo-chronograph.	8vo, 3 00
* Danneel's Electrochemistry. (Merriam.)	12mo, 1 25
Dawson's "Engineering" and Electric Traction Pocket-book.	16mo, morocco, 5 00
Dolenz's Theory of the Lead Accumulator (Storage Battery). (Von Ende.)	12mo, 2 50
Duhem's Thermodynamics and Chemistry. (Burgess.)	8vo, 4 00
Flather's Dynamometers, and the Measurement of Power.	12mo, 3 60
Gilbert's De Magnete. (Mottelay.)	8vo, 2 50
Hanchett's Alternating Currents Explained.	12mo, 1 00
Hering's Ready Reference Tables (Conversion Factors)	16mo, morocco, 2 50
Hobart and Ellis's High-speed Dynamo Electric Machinery. (In Press.)	
Holman's Precision of Measurements.	8vo, 2 00
Telescopic Mirror-scale Method, Adjustments, and Tests.	Large 8vo, 75
Karapetoff's Experimental Electrical Engineering. (In Press.)	
Kinzbrunner's Testing of Continuous-current Machines.	8vo, 2 00
Landauer's Spectrum Analysis. (Tingle.)	8vo, 3 00
Le Chatelier's High-temperature Measurements. (Boudouard—Burgess.)	12mo, 3 00
Lob's Electrochemistry of Organic Compounds. (Lorenz.)	8vo, 3 00
* Lyons's Treatise on Electromagnetic Phenomena. Vols. I. and II.	8vo, each, 6 00
* Michie's Elements of Wave Motion Relating to Sound and Light.	8vo, 4 00
Niaudet's Elementary Treatise on Electric Batteries. (Fishback.)	12mo, 2 50
Norris's Introduction to the Study of Electrical Engineering. (In Press.)	
* Parshall and Hobart's Electric Machine Design.	4to, half morocco, 12 50
Reagan's Locomotives: Simple, Compound, and Electric. New Edition.	Large 12mo, 3 50
* Rosenberg's Electrical Engineering. (Haldane Gee—Kinzbrunner.)	8vo, 2 00
Ryan, Norris, and Hoxie's Electrical Machinery. Vol. I.	8vo, 2 50
Thurston's Stationary Steam-engines.	8vo, 2 50
* Tillman's Elementary Lessons in Heat.	8vo, 1 50
Tory and Pitcher's Manual of Laboratory Physics.	Small 8vo, 2 00
Ulke's Modern Electrolytic Copper Refining.	8vo, 3 00

LAW.

* Davis's Elements of Law.	8vo, 2 50
* Treatise on the Military Law of United States.	8vo, 7 00
	Sheep, 7 50
* Dudley's Military Law and the Procedure of Courts-martial	Large 12mo, 3 50
Manual for Courts-martial.	16mo, morocco, 1 50
Wait's Engineering and Architectural Jurisprudence.	8vo, 6 00
	Sheep, 6 50
Law of Operations Preliminary to Construction in Engineering and Architecture.	8vo 5 00
	Sheep, 5 50
Law of Contracts.	8vo, 3 00
Winthrop's Abridgment of Military Law.	12mo, 2 50

MANUFACTURES.

[illegible]

MATHEMATICS.

Baker's Elliptic Functions	8vo,	1 50
Briggs's Elements of Plane Analytic Geometry	12mo,	1 00
Buchanan's Plane and Spherical Trigonometry. (In Press.)		
Compton's Manual of Logarithmic Computations	12mo,	1 50
Davis's Introduction to the Logic of Algebra	8vo,	1 50
* Dickson's College Algebra	Large 12mo,	1 50
* Introduction to the Theory of Algebraic Equations	Large 12mo,	1 25
Emch's Introduction to Projective Geometry and its Applications	8vo,	2 50
Halsted's Elements of Geometry	8vo,	1 75
Elementary Synthetic Geometry	8vo,	1 50
* Rational Geometry	12mo,	1 50

* Johnson's (J. B.) Three-place Logarithmic Tables: Vest-pocket size paper,	15
100 copies for	5 00
* Mounted on heavy cardboard, 8 1/2 inches,	25
10 copies for	2 00
Johnson's (W. W.) Elementary Treatise on Differential Calculus	Small 8vo, 3 00
Elementary Treatise on the Integral Calculus	Small 8vo, 1 50
Johnson's (W. W.) Curve Tracing in Cartesian Co-ordinates	12mo, 1 00
Johnson's (W. W.) Treatise on Ordinary and Partial Differential Equations.	
	Small 8vo, 3 50
Johnson's Treatise on the Integral Calculus	Small 8vo, 3 00
Johnson's (W. W.) Theory of Errors and the Method of Least Squares	12mo, 1 50
* Johnson's (W. W.) Theoretical Mechanics	12mo, 3 00
Laplace's Philosophical Essay on Probabilities. (Truscott and Emory.)	12mo, 2 00
* Ludlow and Bass. Elements of Trigonometry and Logarithmic and Other	
Tables	8vo, 3 00
Trigonometry and Tables published separately	Each, 2 00
* Ludlow's Logarithmic and Trigonometric Tables	8vo, 1 00
Manning's Irrational Numbers and their Representation by Sequences and Series	
	12mo, 1 25
Mathematical Monographs. Edited by Mansfield Merriman and Robert	
S. Woodward.	Octavo, each 1 00
No. 1. History of Modern Mathematics, by David Eugene Smith.	
No. 2. Synthetic Projective Geometry, by George Bruce Halsted.	
No. 3. Determinants, by Laenas Gifford Wald. No. 4. Hyper-	
bolic Functions, by James McMahon. No. 5. Harmonic Func-	
tions, by William E. Byerly. No. 6. Grassmann's Space Analysis,	
by Edward W. Hyde. No. 7. Probability and Theory of Errors,	
by Robert S. Woodward. No. 8. Vector Analysis and Quaternions,	
by Alexander Macfarlane. No. 9. Differential Equations, by	
William Woolsey Johnson. No. 10. The Solution of Equations,	
by Mansfield Merriman. No. 11. Functions of a Complex Variable,	
by Thomas S. Fiske.	
Maurer's Technical Mechanics.	8vo, 4 00
Merriman's Method of Least Squares.	8vo, 2 00
Rice and Johnson's Elementary Treatise on the Differential Calculus. Sm. 8vo,	3 00
Differential and Integral Calculus. 2 vols. in one.	Small 8vo, 2 50
* Veblen and Lennes's Introduction to the Real Infinitesimal Analysis of One	
Variable	8vo, 2 00
Wood's Elements of Co-ordinate Geometry.	8vo, 2 00
Trigonometry: Analytical, Plane, and Spherical	12mo, 1 00

MECHANICAL ENGINEERING.

MATERIALS OF ENGINEERING, STEAM-ENGINES AND BOILERS.

Bacon's Forge Practice.	12mo, 1 50
Baldwin's Steam Heating for Buildings.	12mo, 2 50
Barr's Kinematics of Machinery.	8vo, 2 50
* Bartlett's Mechanical Drawing.	8vo, 3 00
* " " " Abridged Ed.	8vo, 1 50
Benjamin's Wrinkles and Recipes.	12mo, 2 00
Carpenter's Experimental Engineering.	8vo, 6 00
Heating and Ventilating Buildings.	8vo, 4 00
Clerk's Gas and Oil Engine.	Small 8vo, 4 00
Coolidge's Manual of Drawing.	8vo, paper, 1 00
Coolidge and Freeman's Elements of General Drafting for Mechanical En-	
gineers.	Oblong 4to, 2 50
Cromwell's Treatise on Toothed Gearing	12mo, 1 50
Treatise on Belts and Pulleys.	12mo, 1 50

Durley's Kinematics of Machines.	8vo,	4 00
Flather's Dynamometers and the Measurement of Power.	12mo,	3 00
Rope Driving.	12mo,	2 00
Gill's Gas and Fuel Analysis for Engineers.	12mo,	1 25
Hall's Car Lubrication.	12mo,	1 00
Hering's Ready Reference Tables (Conversion Factors).	16mo, morocco,	2 50
Hutton's The Gas Engine.	8vo,	5 00
Jamison's Mechanical Drawing.	8vo,	2 50
Jones's Machine Design:		
Part I. Kinematics of Machinery.	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.	8vo,	3 00
Kent's Mechanical Engineers' Pocket-book.	16mo, morocco,	5 00
Kerr's Power and Power Transmission.	8vo,	2 00
Leonard's Machine Shop, Tools, and Methods.	8vo,	4 00
* Lorenz's Modern Refrigerating Machinery. (Pope, Haven, and Dean.) .	8vo,	4 00
MacCord's Kinematics; or, Practical Mechanism.	8vo,	5 00
Mechanical Drawing.	4to,	4 00
Velocity Diagrams.	8vo,	1 50
MacFarland's Standard Reduction Factors for Gases.	8vo,	1 50
Mahan's Industrial Drawing. (Thompson.) .	8vo,	3 50
Poole's Calorific Power of Fuels.	8vo,	3 00
Reid's Course in Mechanical Drawing.	8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.	8vo,	3 00
Richard's Compressed Air.	12mo,	1 50
Robinson's Principles of Mechanism.	8vo,	3 00
Schwamb and Merrill's Elements of Mechanism.	8vo,	3 00
Smith's (O.) Press-working of Metals.	8vo,	3 00
Smith (A. W.) and Marx's Machine Design.	8vo,	3 00
Thurston's Treatise on Friction and Lost Work in Machinery and Mill Work.	8vo,	3 00
Animal as a Machine and Prime Motor, and the Laws of Energetics.	12mo,	1 00
Tillson's Complete Automobile Instructor.	16mo,	1 50
	Morocco,	2 00
Warren's Elements of Machine Construction and Drawing.	8vo,	7 50
Weisbach's Kinematics and the Power of Transmission. (Herrmann— Klein.) .	8vo,	5 00
Machinery of Transmission and Governors. (Herrmann—Klein.) .	8vo,	5 00
Wolff's Windmill as a Prime Mover.	8vo,	3 00
Wood's Turbines.	8vo,	2 50

MATERIALS OF ENGINEERING.

* Bovey's Strength of Materials and Theory of Structures.	8vo,	7 50
Burr's Elasticity and Resistance of the Materials of Engineering. 6th Edition. Reset.	8vo,	7 50
Church's Mechanics of Engineering.	8vo,	6 00
* Greene's Structural Mechanics.	8vo,	2 50
Johnson's Materials of Construction.	8vo,	6 00
Keep's Cast Iron.	8vo,	2 50
Lanza's Applied Mechanics.	8vo,	7 50
Martens's Handbook on Testing Materials. (Henning.) .	8vo,	7 50
Maurer's Technical Mechanics.	8vo,	4 00
Merriman's Mechanics of Materials.	8vo,	5 00
* Strength of Materials.	12mo,	1 00
Metcalf's Steel. A Manual for Steel-users.	12mo,	2 00
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo,	3 00
Smith's Materials of Machines.	12mo,	1 00
Thurston's Materials of Engineering.	3 vols., 8vo,	8 00
Part II. Iron and Steel.	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.	8vo,	2 50

Wood's (De V.) Treatise on the Resistance of Materials and an Appendix on the Preservation of Timber.	8vo,	2 00
Elements of Analytical Mechanics.	8vo,	3 00
Wood's (M. P.) Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.	8vo,	4 00

STEAM-ENGINES AND BOILERS.

Berry's Temperature-entropy Diagram.	12mo,	1 25
Carnot's Reflections on the Motive Power of Heat. (Thurston.)	12mo,	1 50
Creighton's Steam-engine and other Heat-motors.	8vo,	5 00
Dawson's "Engineering" and Electric Traction Pocket-book.	16mo, mor.,	5 00
Ford's Boiler Making for Boiler Makers.	18mo,	1 00
Goss's Locomotive Sparks.	8vo,	2 00
Locomotive Performance.	8vo,	5 00
Hemenway's Indicator Practice and Steam-engine Economy.	12mo,	3 00
Hutton's Mechanical Engineering of Power Plants.	8vo,	5 00
Heat and Heat-engines.	8vo,	5 00
Kent's Steam boiler Economy.	8vo,	4 00
Kneass's Practice and Theory of the Injector.	8vo,	1 50
MacCord's Slide-valves.	8vo,	3 00
Meyer's Modern Locomotive Construction.	4to,	10 00
Peabody's Manual of the Steam-engine Indicator.	12mo,	1 50
Tables of the Properties of Saturated Steam and Other Vapors.	8vo,	1 00
Thermodynamics of the Steam-engine and Other Heat-engines.	8vo,	5 00
Valve-gears for Steam-engines.	8vo,	2 50
Peabody and Miller's Steam-boilers.	8vo,	4 00
Pray's Twenty Years with the Indicator.	Large 8vo,	2 50
Pupin's Thermodynamics of Reversible Cycles in Gases and Saturated Vapors. (Osterberg.)	12mo,	1 25
Reagan's Locomotives: Simple, Compound, and Electric. New Edition.	Large 12mo,	3 50
Sinclair's Locomotive Engine Running and Management.	12mo,	2 00
Smart's Handbook of Engineering Laboratory Practice.	12mo,	2 50
Snow's Steam-boiler Practice.	8vo,	3 00
Spangler's Valve-gears.	8vo,	3 50
Notes on Thermodynamics.	12mo,	1 00
Spangler, Greene, and Marshall's Elements of Steam-engineing.	8vo,	3 00
Thomas's Steam-turbines.	8vo,	3 50
Thurston's Handy Tables.	8vo,	1 50
Manual of the Steam-engine.	3 vols.,	8vo, 10 00
Part I. History, Structure, and Theory.	8vo,	6 00
Part II. Design, Construction, and Operation.	8vo,	6 00
Handbook of Engine and Boiler Trials, and the Use of the Indicator and the Prony Brake.	8vo,	5 00
Stationary Steam-engines.	8vo,	2 50
Steam-boiler Explosions in Theory and in Practice.	12mo,	1 50
Manual of Steam-boilers, their Designs, Construction, and Operation.	8vo,	5 00
Wehrenfenning's Analysis and Softening of Boiler Feed-water (Patterson)	8vo,	4 00
Welsbach's Heat, Steam, and Steam-engines. (Du Bois.)	8vo,	5 00
Whitham's Steam-engine Design.	8vo,	5 00
Wood's Thermodynamics, Heat Motors, and Refrigerating Machines.	8vo,	4 00

MECHANICS AND MACHINERY.

Barr's Kinematics of Machinery.	8vo,	2 50
* Bovey's Strength of Materials and Theory of Structures.	8vo,	7 50
Chase's The Art of Pattern-making.	12mo,	2 50

Church's Mechanics of Engineering.	8vo,	6 00
Notes and Examples in Mechanics.	8vo,	2 00
Compton's First Lessons in Metal-working.	12mo,	1 50
Compton and De Groodt's The Speed Lathe.	12mo,	1 50
Cromwell's Treatise on Toothed Gearing.	12mo,	1 50
Treatise on Belts and Pulleys.	12mo,	1 50
Dana's Text-book of Elementary Mechanics for Colleges and Schools.	12mo,	1 50
Dingey's Machinery Pattern Making.	12mo,	2 00
Dredge's Record of the Transportation Exhibits Building of the World's Columbian Exposition of 1893.	4to half morocco,	5 00
Du Bois's Elementary Principles of Mechanics:		
Vol. I. Kinematics.	8vo,	3 50
Vol. II. Statics.	8vo,	4 00
Mechanics of Engineering. Vol. I.	Small 4to,	7 50
Vol. II.	Small 4to,	10 00
Durley's Kinematics of Machines.	8vo,	4 00
Fitzgerald's Boston Machinist.	16mo,	1 00
Flather's Dynamometers, and the Measurement of Power.	12mo,	3 00
Rope Driving.	12mo,	2 00
Goss's Locomotive Sparks.	8vo,	2 00
Locomotive Performance.	8vo,	5 00
* Greene's Structural Mechanics.	8vo,	2 50
Hall's Car Lubrication.	12mo,	1 00
Hobart and Ellis's High-speed Dynamo Electric Machinery. (In Press.)		
Holly's Art of Saw Filing.	18mo,	75
James's Kinematics of a Point and the Rational Mechanics of a Particle.		
	Small 8vo,	2 00
* Johnson's (W. W.) Theoretical Mechanics.	12mo,	3 00
Johnson's (L. J.) Statics by Graphic and Algebraic Methods.	8vo,	2 00
Jones's Machine Design:		
Part I. Kinematics of Machinery.	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.	8vo,	3 00
Kerr's Power and Power Transmission.	8vo,	2 00
Lanza's Applied Mechanics.	8vo,	7 50
Leonard's Machine Shop, Tools, and Methods.	8vo,	4 00
* Lorenz's Modern Refrigerating Machinery. (Pope, Haven, and Dean.)	8vo,	4 00
MacCord's Kinematics; or, Practical Mechanism.	8vo,	5 00
Velocity Diagrams.	8vo,	1 50
* Martin's Text Book on Mechanics, Vol. I, Statics.	12mo,	1 25
Vol. 2, Kinematics and Kinetics.	12mo,	1 50
Maurer's Technical Mechanics.	8vo,	4 00
Merriman's Mechanics of Materials.	8vo,	5 00
* Elements of Mechanics.	12mo,	1 00
* Michie's Elements of Analytical Mechanics.	8vo,	4 00
* Parshall and Hobart's Electric Machine Design.	4to, half morocco,	12 50
Reagan's Locomotives: Simple, Compound, and Electric. New Edition.		
	Large 12mo,	3 50
Reid's Course in Mechanical Drawing.	8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.	8vo,	3 00
Richards's Compressed Air.	12mo,	1 50
Robinson's Principles of Mechanism.	8vo,	3 00
Ryan, Norris, and Hoxie's Electrical Machinery. Vol. I.	8vo,	2 50
Sanborn's Mechanics: Problems.	Large 12mo,	1 50
Schwamb and Merrill's Elements of Mechanism.	8vo,	3 00
Sinclair's Locomotive-engine Running and Management.	12mo,	2 00
Smith's (O.) Press-working of Metals.	8vo,	3 00
Smith's (A. W.) Materials of Machines.	12mo,	1 00
Smith (A. W.) and Marx's Machine Design.	8vo,	3 00
Sorel's Carbureting and Combustion of Alcohol Engines. (Woodward and Preston.)	Large 8vo,	3 00

Spangler, Greene, and Marshall's Elements of Steam-engineering.....	8vo.	3 00
Thurston's Treatise on Friction and Lost Work in Machinery and Mill Work.....	8vo.	3 00
Animal as a Machine and Prime Motor, and the Laws of Energetics.....	12mo.	1 00
Tillson's Complete Automobile Instructor.....	16mo.	1 50
	Morocco.	3 00
Warren's Elements of Machine Construction and Drawing.....	8vo.	7 50
Weissbach's Kinematics and Power of Transmission. (Herrmann—Klein.)	8vo.	5 00
Machinery of Transmission and Governors. (Herrmann—Klein.)	8vo.	5 00
Wood's Elements of Analytical Mechanics.....	8vo.	3 00
Principles of Elementary Mechanics.....	12mo.	1 25
Turbines.....	8vo.	2 50
The World's Columbian Exposition of 1893.....	4to.	1 00

MEDICAL.

* Bolduan's Immune Sera.....	12mo.	1 50
De Fursac's Manual of Psychiatry. (Rosanoff and Collins.) ..	Large 12mo.	2 50
Ehrlich's Collected Studies on Immunity. (Bolduan.).....	8vo.	6 00
* Fischer's Physiology of Alimentation.....	Large 12mo, cloth.	2 00
Hammarsten's Text-book on Physiological Chemistry. (Mandel.).....	8vo.	4 00
Lasnar-Cohn's Practical Urinary Analysis. (Lorenz.).....	12mo.	1 00
* Pauli's Physical Chemistry in the Service of Medicine. (Fischer.) ..	12mo.	1 25
Porzi-Escot's The Toxins and Venoms and their Antibodies. (Cohn.)	12mo.	1 00
Rostowski's Serum Diagnosis. (Bolduan.).....	12mo.	1 00
Salkowski's Physiological and Pathological Chemistry. (Orndorff.).....	8vo.	2 50
* Satterlee's Outlines of Human Embryology.....	12mo.	1 25
Steel's Treatise on the Diseases of the Dog.....	8vo.	3 50
Von Behring's Suppression of Tuberculosis. (Bolduan.).....	12mo.	1 00
Woodhull's Notes on Military Hygiene.....	16mo.	1 50
* Personal Hygiene.....	12mo.	1 00
Wulling's An Elementary Course in Inorganic Pharmaceutical and Medical Chemistry.....	12mo.	2 00

METALLURGY.

Betts's Lead Refining by Electrolysis. (In Press.)		
Egleston's Metallurgy of Silver, Gold, and Mercury.		
Vol. I. Silver.....	8vo.	7 50
Vol. II. Gold and Mercury.....	8vo.	7 50
Goese's Minerals and Metals: A Reference Book.....	16mo, mor.	3 00
* Iles's Lead-smelting.....	12mo.	2 50
Keep's Cast Iron.....	8vo.	2 50
Kunhardt's Practice of Ore Dressing in Europe.....	8vo.	1 50
Le Chatelier's High-temperature Measurements. (Boudouard—Burgess.)	12mo.	3 00
Metcalf's Steel. A Manual for Steel-users.....	12mo.	3 00
Miller's Cyanide Process.....	12mo.	1 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.) ..	12mo.	2 50
Robine and Lenglen's Cyanide Industry. (Le Clerc.).....	8vo.	4 00
Smith's Materials of Machines.....	12mo.	1 00
Thurston's Materials of Engineering. In Three Parts.....	8vo.	8 00
Part II. Iron and Steel.....	8vo.	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.....	8vo.	2 50
Ulke's Modern Electrolytic Copper Refining.....	8vo.	3 00

MINERALOGY.

Barringer's Description of Minerals of Commercial Value. Oblong, morocco,	3 50
Boyd's Resources of Southwest Virginia.....	8vo. 3 00

Boyd's Map of Southwest Virginia.	Pocket-book form.	2 00
* Browning's Introduction to the Rarer Elements.	8vo,	1 50
Brush's Manual of Determinative Mineralogy. (Penfield.).	8vo,	4 00
Chester's Catalogue of Minerals.	8vo, paper,	1 00
	Cloth,	1 25
Dictionary of the Names of Minerals.	8vo,	3 50
Dana's System of Mineralogy.	Large 8vo, half leather,	12 50
First Appendix to Dana's New "System of Mineralogy."	Large 8vo,	1 00
Text-book of Mineralogy.	8vo,	4 00
Minerals and How to Study Them	12mo,	1 50
Catalogue of American Localities of Minerals.	Large 8vo,	1 00
Manual of Mineralogy and Petrography.	12mo	2 00
Douglas's Untechnical Addresses on Technical Subjects.	12mo,	1 00
Eakle's Mineral Tables.	8vo,	1 25
Egleston's Catalogue of Minerals and Synonyms.	8vo,	2 50
Goesel's Minerals and Metals: A Reference Book.	16mo, mor.	3 00
Groth's Introduction to Chemical Crystallography (Marshall).	12mo,	1 25
Iddings's Rock Minerals.	8vo,	5 00
Johannsen's Key for the Determination of Rock-forming Minerals in Thin Sections. (In Press.)		
* Martin's Laboratory Guide to Qualitative Analysis with the Blowpipe.	12mo,	60
Merrill's Non-metallic Minerals. Their Occurrence and Uses	8vo,	4 00
Stones for Building and Decoration	8vo,	5 00
* Penfield's Notes on Determinative Mineralogy and Record of Mineral Tests.		
	8vo, paper,	50
Tables of Minerals.	8vo,	1 00
* Richards's Synopsis of Mineral Characters.	12mo, morocco,	1 25
* Ries's Clays. Their Occurrence, Properties, and Uses.	8vo,	5 00
Rosenbusch's Microscopical Physiography of the Rock-making Minerals. (Iddings.).	8vo,	5 00
* Tillman's Text-book of Important Minerals and Rocks.	8vo,	2 00

MINING.

Beard's Mine Gases and Explosions. (In Press.)		
Boyd's Resources of Southwest Virginia.	8vo,	3 00
Map of Southwest Virginia.	Pocket-book form,	2 00
Douglas's Untechnical Addresses on Technical Subjects.	12mo,	1 00
Eissler's Modern High Explosives.	8vo,	4 00
Goesel's Minerals and Metals: A Reference Book.	16mo, mor.	3 00
Goodyear's Coal-mines of the Western Coast of the United States.	12mo,	2 50
Ihlseng's Manual of Mining.	8vo,	5 00
* Iles's Lead-smelting.	12mo,	2 50
Kunhardt's Practice of Ore Dressing in Europe.	8vo,	1 50
Miller's Cyanide Process.	12mo,	1 00
O'Driscoll's Notes on the Treatment of Gold Ores.	8vo,	2 00
Robine and Lenglen's Cyanide Industry. (Le Clerc.).	8vo,	4 00
Weaver's Military Explosives.	8vo,	3 00
Wilson's Cyanide Processes.	12mo,	1 50
Chlorination Process.	12mo,	1 50
Hydraulic and Placer Mining. 2d edition, rewritten	12mo,	2 50
Treatise on Practical and Theoretical Mine Ventilation.	12mo,	1 25

SANITARY SCIENCE.

Bashore's Sanitation of a Country House.	12mo,	1 00
* Outlines of Practical Sanitation.	12mo,	1 25
Folwell's Sewerage. (Designing, Construction, and Maintenance.).	8vo,	3 00
Water-supply Engineering.	8vo,	4 00

Fowler's Sewage Works Analyses.....	12mo,	2 00
Fuertes's Water and Public Health.....	12mo,	1 50
Water-filtration Works.....	12mo,	2 50
Gerhard's Guide to Sanitary House-Inspection.....	16mo,	1 00
Sanitation of Public Buildings.....	12mo,	1 50
Hazen's Filtration of Public Water-supplies.....	8vo,	3 00
Leach's The Inspection and Analysis of Food with Special Reference to State Control.....	8vo,	7 50
Mason's Water-supply. (Considered principally from a Sanitary Standpoint).....	8vo,	4 00
Examination of Water. (Chemical and Bacteriological).....	12mo,	1 25
* Merriman's Elements of Sanitary Engineering.....	8vo,	2 00
Ogden's Sewer Design.....	12mo,	2 00
Prescott and Winslow's Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis.....	12mo,	1 25
* Price's Handbook on Sanitation.....	12mo,	1 50
Richards's Cost of Food. A Study in Dietsaries.....	12mo,	1 00
Cost of Living as Modified by Sanitary Science.....	12mo,	1 00
Cost of Shelter.....	12mo,	1 00
Richards and Woodman's Air, Water, and Food from a Sanitary Standpoint.....	8vo,	2 00
* Richards and Williams's The Dietary Computer.....	8vo,	1 50
Rideal's S waste and Bacterial Purification of Sewage.....	8vo,	4 00
Disinfection and the Preservation of Food.....	8vo,	4 00
Turneure and Russell's Public Water-supplies.....	8vo,	5 00
Von Behring's Suppression of Tuberculosis. (Bolduan).....	12mo,	1 00
Whipple's Microscopy of Drinking-water.....	8vo,	3 50
Wilson's Air Conditioning. (In Press).....		
Winton's Microscopy of Vegetable Foods.....	8vo,	7 50
Woodhull's Notes on Military Hygiene.....	16mo,	1 50
* Personal Hygiene.....	12mo,	1 00

MISCELLANEOUS.

Association of State and National Food and Dairy Departments (Interstate Pure Food Commission):		
Tenth Annual Convention Held at Hartford, July 17-20, 1905.....	8vo,	3 00
Eleventh Annual Convention, Held at Jamestown Tri-Centennial Exposition, July 16-19, 1907. (In Press)		
Emmons's Geological Guide-book of the Rocky Mountain Excursion of the International Congress of Geologists.....	Large 8vo,	1 50
Ferrel's Popular Treatise on the Winds.....	8vo,	4 00
Gannett's Statistical Abstract of the World.....	14mo,	75
Gerhard's The Modern Bath and Bath-houses. (In Press)		
Haines's American Railway Management.....	12mo,	2 50
Ricketts's History of Rensselaer Polytechnic Institute, 1824-1894. Small 8vo.....	Small 8vo,	3 00
Rotherham's Emphasized New Testament.....	Large 8vo,	2 00
Standage's Decorative Treatment of Wood, Glass, Metal, etc. (In Press)		
The World's Columbian Exposition of 1893.....	4to,	1 00
Winslow's Elements of Applied Microscopy.....	12mo,	1 50

HEBREW AND CHALDEE TEXT-BOOKS.

Green's Elementary Hebrew Grammar.....	12mo,	1 25
Hebrew Chrestomathy.....	8vo,	2 00
Gesenius's Hebrew and Chaldee Lexicon to the Old Testament Scriptures. (Tregelles).....	Small 4to, half morocco	5 00
Letteris's Hebrew Bible.....	8vo,	2 25

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

S&M
A
300