

## SELECTED LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

1985, Part 2.

WILLIAM E. BICKLEY

6516 Fortieth Ave., University Park, MD 20782

The following list has been made possible with the cooperation of the Defense Pest Management Information Analysis Center (DPMIAC), Forest Glen, Walter Reed Army Medical Center, Washington, DC 20307. Acknowledgment is made to Frederick J. Santana and the staff of DPMIAC. The *Review of Applied Entomology*, Series B, has been the source of an appreciable number of titles. Selections have been made so that mosquito control workers and researchers may keep abreast of current developments. The work was supported in part by Grant AI 15643 from the National Institute of Allergy and Infectious Diseases, National Institutes of Health, USDHHS.

### ANATOMY, MORPHOLOGY, AND PHYSIOLOGY

- Barkai, A. I. and R. W. Williams. 1984. Lithium attenuates the active transport of calcium in the larva of *Aedes aegypti*. *J. Exper. Biol.* 111:247-251.
- Berner, R., W. Rudin, and H. Hecker. 1983. Peritrophic membranes and protease activity in the midgut of the malaria mosquito, *Anopheles stephensi* (Liston) (Insecta: Diptera) under normal and experimental conditions. *J. Ultrastructure Res.* 83(2):195-204.
- Childress, S. A. and S. B. McIver. 1984. Morphology of the deutocerebrum of female *Aedes aegypti* (Diptera: Culicidae). *Can. J. Zool.* 62(7):1320-1328.
- Dadd, R. H. and J. E. Kleinjan. 1984. Prostaglandin synthetase inhibitors modulate the effect of essential dietary arachidonic acid in the mosquito *Culex pipiens*. *J. Insect Physiol.* 30(9):721-728.
- Fallis, S. P. and K. R. Snow. 1984. Observations on the swarming of *Aedes cantans* Meigen (Diptera: Culicidae). *Entomol. Gazette* 35(1):57-60.
- Ivnitskii, S. B., N. A. Tamarina, and A. G. Kreslavskii. 1984. [Variation in the number of teeth in the siphon ridge in a laboratory population of *Aedes caspius caspius* and its relation to the ecology of individuals.] *Zool. Zhur.* 63(5):687-695. In Russian.
- Kaaya, G. P. and N. A. Ratcliffe. 1982. Comparative study of hemocytes and associated cells of some medically important dipterans. *J. Morphol.* 173(3):351-365.
- Khalaf, K. T. and R. K. Khalaf. 1984. Structural details of the scales of 28 species of mosquitoes. *Florida Entomol.* 67(2):300-309.
- Maruyama, Y., K. Yasutomi and Z. Ogita. 1984. Electrophoretic analysis of esterase isozymes in organophosphate-resistant mosquitoes (*Culex pipiens*). *Insect Biochem.* 14(2):181-188.
- Miyata, T., T. Saito, and K. Yasutomi. 1984. Degradation of <sup>14</sup>C-malathion *in vitro* by *Culex pipiens quinquefasciatus* strain resistant and susceptible to malathion. *Japanese J. San. Zool.* 35(2):103-107.
- Rasnitsyn, S. P., V. L. Kosovskikh. 1983. [The influence of length of exposure on the number of blood-sucking Diptera captured with a dark bell-trap.] *Meditsinskaya Parazitol. Parazitar. Bolezni* 6:69-72. In Russian.
- Ribeiro, J. M. C., P. A. Rossignol and A. Spielman. 1984. Role of mosquito saliva in blood vessel location. *J. Exp. Biol.* 108:1-7.
- Rodriguez, P. H. and C. D. McCreless. 1985. Reduced productivity in tretamine-treated adult populations of *Aedes aegypti* (Diptera: Culicidae). *J. Med. Entomol.* 22(1):38-42.
- Sucharit, S. and W. Choochote. 1983. Comparative studies on the morphometry of male genitalia and frequency of clasper movements during induced copulation of *Anopheles balabacensis* (Perlis form) and *Anopheles dirus* (Bangkok colony strain). *Mosq. Syst.* 15(2): 90-97.

### ATTRACTANTS AND REPELLENTS

- Hwang, Y-S, G. W. Schultz, and M. S. Mulla. 1984. Structure-activity relationship of unsaturated fatty acids as mosquito ovipositional repellents. *J. Chem. Ecol.* 10(1):145-151.

### BEHAVIOR, BIOLOGY, AND ECOLOGY

- Clopton, J. R. 1984. Mosquito circadian and circadian flight rhythms: a two-oscillator model. *J. Compar. Physiol. A* 155(1):1-12.
- Conner, W. E. and H. Itagaki. 1984. Pupal attendance in the crabhole mosquito *Deinocerites cancer*: the effects of pupal sex and age. *Physiol. Entomol.* 9(3):263-267.
- Day, J. F. and J. D. Edman, 1984. The importance of disease induced changes in mammalian body temperature to mosquito blood feeding. *Compar. Biochem. and Physiol. A* 77(3):447-452.
- Friederich, P. 1984. Temperature-induced dormancy in laboratory and wild eggs of the floodwater mosquito *Aedes vexans* Meigen (Diptera: Culicidae). *Zeits. Angew. Zool.* 7(3):353-368.
- Gilot, B., M. Peuch, and J. Girel. 1983. The exophilous and mammophilous mosquitoes of northern Isere: a large-scale summer mapping essay of epidemiological interest. *Bull. Ecol.* 14(3):179192. In French.
- Maire, A. and R. Langis. 1985. Oviposition responses of *Aedes (Ochlerotatus) communis* (Diptera: Culicidae) to larval holding water. *J. Med. Entomol.* 22(1):111-112.
- Proskuryakova, A. M. and N. Ya Markovich. 1984. The flight of mass species of *Aedes* from emergence

- sites in the steppe zone of the Tuva (Central Tuva Lowland). Communication 2. Distance of flight of *A. sticticus*, *A. cinereus* and *A. c. caspius*. *Medit-sinskaya Parazitol. Parazitarnye Bolezni* 2:69-72. In Russian.
- Sichinava, Sh. G. and G. Yu. Shengeliya. 1983. [Number of generations and lifespan of mosquito *Culex pipiens* Linnaeus, 1758 in the Kolkheti Lowland.] *Soobshcheniya Akademii nauk Gruzinski SSR* 111(3):633-635. In Russian.
- Walker, E. D. 1984. Field evidence against rodent burrow entering by *Aedes triseriatus* (Diptera: Culicidae) Great Lakes Entomol. 17(3):185-186.
- Zimmerman, J. H., H. A. Hanafi, and M. M. Abassay. 1985. Host feeding patterns of *Culex* mosquitoes (Diptera: Culicidae) on farms in Gharbya Governorate, Egypt. *J. Med. Entomol.* 22(1):82-87.
- Zavortink, T. J., D. R. Roberts, and A. L. Hoch. 1983. *Trichoprosopon digitatum*—morphology, biology, and potential medical importance. *Mosq. Syst.* 15(2):141-149.
- BIOLOGICAL CONTROL AND  
BIOLOGICAL CONTROL AGENTS**
- Agudelo-Silva, F. and H. Wassink. 1984. Infectivity of a Venezuelan strain of *Metarhizium anisopliae* to *Aedes aegypti* larvae. *J. Invert. Pathol.* 43(3):435-436.
- Ali, A., D. M. Sauerman, and J. K. Nayar. 1984. Pathogenicity of industrial formulations of *Bacillus thuringiensis* serovar. *israelensis* to larvae of some culicine mosquitoes in the laboratory. *Florida Entomol.* 67(2):193-197.
- Aly, C. 1983. Feeding behavior of *Aedes* larvae (Diptera: Culicidae) and its influence on the effectiveness of *Bacillus thuringiensis* var. *israelensis*. *Bull. Soc. Vector Ecol.* 8(2):94-100.
- Balaraman, K. and S. L. Hoti. 1984. Impact of storage period & temperature on the larvicidal activity of bacterial pesticide formulations. *Indian J. Med. Res.* 80:71-73.
- Cech, J. J. Jr. and P. B. Moyle. 1983. Alternative fish species as predators for rice field mosquitoes in California. *Bull. Soc. Vector Ecol.* 8(2):107-110.
- Chesson, J. 1984. Effect of notonectids (Hemiptera: Notonectidae) on mosquitoes (Diptera: Culicidae): Predation or selective oviposition? *Environ. Entomol.* 13(2):531-38.
- Giblin, R. M. and E. G. Platzler. 1984. Hemolymph pH of the larvae of three species of mosquitoes, and the effect of *Romanomermis culicivorax* parasitism on the blood pH of *Culex pipiens*. *J. Invert. Pathol.* 44(1):63-66.
- Haas, R. and R. Pal. 1984. Mosquito larvivorous fishes. *Bull. Entomol. Soc. Am.* 30(1):17-25.
- Hornby, J. A. et al. 1984. Persistent spores and mosquito larvicidal activity of *Bacillus sphaericus* 1953 in well water and sewage. *J. Ga. Entomol. Soc.* 19(2):165-67.
- Karch, S. and J. Coz. 1983. [Larval histopathology of *Culex pipiens* Linnaeus (Diptera, Culicidae) treated by *Bacillus sphaericus* 1593-4.] *Cahiers O.R.S.T.O.M., Serie Entomol. Parasitol.* 21(4):224-230. In French.
- Laurent, P. and J. F. Charles. 1984. [Comparative action of dissolved crystals of serotypes H-14 and H-1 of *Bacillus thuringiensis* on cell cultures of *Aedes aegypti*.] *Ann. Microbiol.* 135 A(3):473-484. In French.
- Lysenko, O. 1983. Report on diagnosis of bacteria from insects (1963-1981). *Acta Entomol. Bohemoslov., Prague* 80(6):473-478.
- Majori, G. and A. Ali. 1984. Laboratory and field evaluations of industrial formulations of *Bacillus thuringiensis* serovar. *israelensis* against some mosquito species of central Italy. *J. Invert. Pathol.* 43(3):316-323.
- Margalit, J. and Z. Evenchik. 1983. Mosquito and copepod host range tests with *Coelomomyces psorophorae* (Blastocladales, Chytridiomycetes). *Insect Sci. Appl.* 4(4):383-385.
- Mian, L. S. and M. S. Mulla. 1983. Effect of proteolytic enzymes on the activity of *Bacillus sphaericus* against *Aedes aegypti* and *Culex quinquefasciatus* (Diptera: Culicidae). *Bull. Soc. Vector Ecol.* 8(2):122-127.
- Mian, L. S. and M. S. Mulla. 1983. Factors influencing activity of the microbial agent *Bacillus sphaericus* against mosquito larvae. *Bull. Soc. Vector Ecol.* 8(2):128-134.
- McLaughlin, R. E., H. T. Dulmage, R. Alls, T. L. Couch, D. A. Dame, I. M. Hall, R. I. Rose and P. L. Versoi. 1984. U.S. Standard bioassay for the potency assessment of *Bacillus thuringiensis* serotype H-14 against mosquito larvae. *Bull. Entomol. Soc. Am.* 30(1):26-29.
- McLaughlin, R. E. and M. F. Vidrine. 1984. Piont-source introduction system for control of *Psorophora columbiana* (Diptera: Culicidae) by *Bacillus thuringiensis* serotype H-14; Results of a large-area operational test. *Environ. Entomol.* 13(2):366-370.
- Molloy, D. et al. 1984. Laboratory evaluation of commercial formulations of *Bacillus thuringiensis* var. *israelensis* against mosquito and black fly larvae. *J. Agric. Entomol.* 1(2):161-168.
- Noireau, F. and S. Karch. 1983. [Receptivity to *Plasmodium yoelii yoelii* of *Anopheles* treated as larvae by *Bacillus thuringiensis* serotype H14 and *Bacillus sphaericus*.] *Cahiers O.R.S.T.O.M., Serie Entomol. Parasitol.* 21(4):221-224. In French.
- Padua, L. E., M. Ohba, and K. Aizawa. 1984. Isolation of a *Bacillus thuringiensis* strain (serotype 8A: 8B) highly and selectively toxic against mosquito larvae. *J. Invert. Pathol.* 44(1):12-17.
- Schnell, D. J., M. A. Pfannenstiel, and K. W. Nickerson. 1984. Bioassay of solubilized *Bacillus thuringiensis* var. *israelensis* crystals by attachment to latex beads. *Science* 223(4641):1191-1193.
- Schnetter, W. et al. 1983. [Application of preparations of *Bacillus thuringiensis* var. *israelensis* against mosquitoes in the Upper Rhine Valley.] *Milleil. Deutsch. Gesellschaft Allgemeine und Angewandte Entomol.* 4(1/3):18-25. In German.
- Schultz, G. W. et al. 1983. The toxicity of extracts of the hydrophyte *Myriophyllum spicatum* (Dicotyledonae: Haloragidaceae) and other selected plants on mosquitoes. *Bull. Soc. Vector Ecol.* 8(2):135-138.
- Smith, B. P. and S. B. McIver. 1984. Factors influencing host selection and successful parasitism of *Aedes* spp. mosquitoes by *Arrenurus* spp. mites. *Can. J. Zool.* 62(6):1114-1120.
- Smith, B. P. and S. B. McIver. 1984. The impact of

- Arrenurus danbyensis* (Mullen (Acari: Prostigmata; Arrenuridae) on a population of *Coquillettidia perturbans* (Walker) (Diptera: Culicidae). *Can. J. Zool.* 62(6):1121-1134.
- Thomas, W. E. and D. J. Ellar. 1983. Mechanism of action of *Bacillus thuringiensis* var. *israelensis* insecticidal  $\sigma$ -endotoxin. *FEBS Letters* 154(2):362-368.
- Toohy, M. K. et al. 1985. Field studies on the introduction of the mosquito predator *Toxorhynchites amoimensis* (Diptera: Culicidae) into Fiji. *J. Med. Entomol.* 22(1):102-110.
- Vankova, J. 1984. Persistence and efficacy of *Bacillus sphaericus* strain 1593 and 2362 against *Culex pipiens* larvae under field conditions. *Zeit. Angew. Entomol.* 98(2):185-189.
- Volzhinskii, D. V. et al. [Application of *Bacillus thuringiensis* Berl. of the 14th serotype against larvae of blood-sucking mosquitoes.] *Meditsinskaya Parazitolo.* 3:69-73.
- ### CHEMICAL CONTROL
- Brealey, C. J. et al. 1984. Resistance mechanisms to DDT and transpermethrin in *Aedes aegypti*. *Pestic. Sci.* 15(2):121-132.
- Gandahasada, S., et al. 1984. Malaria control with residual fenitrothion in Central Java, Indonesia: an operational-scale trial using both full and selective coverage treatments. *WHO Bull.* 62(5):783-794.
- Gleiberman, S. E. and E. B. Kerbabaev. 1984. Estimation of the selective toxicity of larvicides. *Meditsinskaya Parazitolo. Parazitarnye Bolezni* 2:72-78. In Russian.
- Gupta, S. K. et al. 1984. Health hazards in pesticide formulators exposed to a combination of pesticides. *Indian J. Med. Res.* 79:666-672.
- Hemingway, J. and G. P. Georghiou. 1984. Differential suppression of organophosphorus resistance in *Culex quinquefasciatus* by the synergists IBP, DEF, and TPP. *Pesticide Biochem. Physiol.* 21(1):1-9.
- Herbert, E. W., Jr. and H. Shimanuki. 1983. Impact on honey bees of ULV malathion application to control mosquitoes in Maryland. *Amer. Bee J.* 123(1):26, 28.
- Kagan, J. et al. 1983. The phototoxicity of some 1, 3-butadienes and related thiophenes against larvae of the mosquito *Aedes aegypti* and of the fruit fly *Drosophila melanogaster*. *Insect Sci. Appl.* 4(4):377-381.
- Kerdpibule, V. S. Sucharit, Y. Rongsriyan, and R. F. Gass. 1984. Preliminary tests with temephos (Abate) sand granules for mosquito control in natural water collection (sic). *Mosquito-Borne Diseases Bull.* 1(2):31-33.
- Pimprikar, G. D. et al. 1984. Toxicity of xanthene dyes to larvae of *Culex pipiens* L. and *Aedes triseriatus* S. and predatory fish, *Gambusia affinis*. *Southwest. Entomol.* 9(2):218-222.
- Respicio, N. C., T. L. Carpenter, and J. R. Heitz. 1985. The joint action of coprecipitated free-acid formulations of erythrosin B and fluorescein against the larvae of *Culex pipiens quinquefasciatus* Say (Diptera: Culicidae). *J. Econ. Entomol.* 78(1):30-34.
- Uribe, L. J. et al. 1984. Experimental aerial spraying with ultra-low-volume (ULV) malathion to control *Aedes aegypti* in Buga, Colombia. *Bull. Panam. Health Org.* 18(1):43-57.
- Weide, L. 1984. The status of insecticide resistance of *Anopheles sinensis* weid. and *Culex pipiens* L. complex in China up to 1983. *Contr. Shanghai Inst. Entomol.* and 1984. *Acta Circumstan. Sin.*: 12P.
- Zgomba, M., D. Petric, and Z. Srdic. 1983. Effects of some larvicides used in mosquito control on Collembola. *Mittteil. Deutsch. Gesellschaft Allgemeine und Angewandte Entomol.* 4(1/3):92-95.
- ### GENETICS AND GENETIC CONTROL
- Ahmad, W., A. Ara, and U. M. Adhami. 1984. Bulged eye, a new mutant in *Culex pipiens fatigans*. *Japanese J. San. Zool.* 35(2):149-150.
- Baker, R. H. 1984. Chromosome rearrangements in the control of mosquitoes. *Preventive Vet. Med.* 2:529-540.
- Dame, D. A. 1984. Control of insects of veterinary importance by genetic techniques. *Preventive Vet. Med.* 2:515-522.
- Dev, V. and K. S. Rai. 1983. Monosomy and chromosomal mosaicism in *Aedes kesseli*. *Chromosome Inform. Serv.* 35:10-11.
- El-Gazzar, L. M. and D. A. Dame. 1983. Effects of combinations of irradiation and chemosterilization on mating competitiveness of *Culex quinquefasciatus* Say. *J. Econ. Entomol.* 76(6):1331-1334.
- Friederich, P. 1984. [Red eye in the floodwater mosquito *Aedes vexans* Meigen (Diptera: Culicidae), as allophone not inheritable.] *Zeits. Angew. Zool.* 71(3):369-376. In German.
- Narang, S. and J. A. Seawright. 1983. Genetic mapping and characterization of aldehyde oxidase of *Anopheles albimanus* (Diptera: Culicidae). *Biochem. Genet.* 21 (7/8):653-660.
- Ouda, N. A. and R. J. Wood. 1983. Inheritance of brown-eye and colourless eye in the mosquito *Aedes aegypti*. *Ann. Trop. Med. Parasitol.* 77(2):211-218.
- Seawright, J. A., M. Q. Benedict, and S. Narang. 1985. Color mutants in *Anopheles albimanus* (Diptera: Culicidae). *Ann. Entomol. Soc. Am.* 78:177-181.
- Wood, R. J. 1983. Insecticide resistance in mosquitoes. *Genetics: New Frontiers. Proc. XV Intern. Cong. Genetics, New Delhi.* pp. 125-135.
- ### FILARIASIS
- Barnish, G. 1984. Sanitary facilities as sources of filariasis vectors in south-western Sri Lanka. *Ann. Trop. Med. Parasitol.* 78(2):175-177.
- Bradley, T. J. and J. K. Nayar. 1984. The effect of infection with *Dirofilaria immitis* (dog heartworm) on fluid secretion rates in the Malpighian tubules of the mosquitoes *Aedes taeniorhynchus* and *Anopheles quadrimaculatus*. *J. Insect Physiol.* 30(9):737-742.
- Lin, W. X. 1983. The relationship between the distribution of *Anopheles lesteri anthropophagus* and the prevalence of Malayan filariasis. *Chin. J. Prev. Med.* 17(2):112. In Chinese.
- Sauerman, D. M. Jr. and J. Knayar. 1985. Characterization of refractoriness in *Aedes aegypti* (Diptera: Culicidae) to infection by *Dirofilaria immitis*. *J. Med. Entomol.* 22(1):94-101.
- Sulaiman I. 1983. Susceptibility of *Aedes aegypti* to

infections with *Dirofilaria immitis* and *Dirofilaria repens*. Southeast Asian J. Trop. Med. Publ. Hlth 14(4):543-547.

WHO Expert Committee on Filariasis. 1984. Lymphatic filariasis. WHO Tech. Report Ser. 702:1-112.

#### MALARIA

Bouree, P., G. Bonniseau, and R. C. Ratard. 1984. Epidemiological studies of malaria in Tanna (Vanuatu). Bull. Soc. Pathol. Exot. 77:459-465. In French.

Chinery, W. A. 1984. Effects of ecological changes on the malaria vectors *Anopheles funestus* and the *Anopheles gambiae* complex of mosquitoes in Accra, Ghana. J. Trop. Med. Hyg. 87(2):75-81.

Nayar, J. K. and M. D. Young. Susceptibility of *Anopheles punctipennis* and other Florida mosquitoes to *Plasmodium berghei*. J. Parasitol. 70(1):192-194.

Quinones, M. L. et al. 1984. Behavior of *Anopheles (Kerteszia) lepidotus* Zavortink, 1973, and its incrimination as a possible vector of malaria in the Department of del Tolima, Colombia. Biomedica 4(1):5-12. In Spanish.

Rajagopalan, P. K. and K. N. Panicker. 1984. Feasibility of community participation for vector control in villages. Indian J. Med. Res. 80:117-124.

Rambajan, I. 1984. Reappearance of *Anopheles darlingi* Root and *vivax* malaria in a controlled area of Guyana, South America. Trop. Geogr. Med. 36:61-66.

Rosignol, P. A. J., M. C. Ribeiro, and A. Spielman. 1984. Increased intradermal probing time in sporozoite-infected mosquitoes. Am. J. Trop. Med. Hyg. 33(1):17-20.

Sabesan, P. et al. 1984. Natural infection & vectorial capacity of *Anopheles culicifacies* Giles in Rameswaram island (Tamil Nadu). Indian J. Med. Res. 80:43-46.

#### MISCELLANEOUS

Bai, M. G. et al. 1984. Control of *Anopheles subpictus* breeding in backwaters of two coastal villages of Pondicherry. Indian J. Med. Res. 80:63-66.

Becker, N. and H. W. Ludwig. 1983. Mosquito control in West Germany. Bull. Soc. Vector Ecol. 8(2):85-93.

Callicrate, J. M. 1983. An integrated pest management format for Lane County's vector management program. Proc. Twenty-Second Ann. Conf. Northwest Mosquito and Vector Control Assoc. pp. 27-50.

Garcia, R. 1983. Mosquito management: ecological approaches. Environ. Management 7(1):73-78.

Gill, G. S. 1984. Production of antisera for the serological identification of bloodmeals of arthropods. Trop. Med. Hyg. 78(2):233-234.

Harinasuta, C. 1984. Mosquito-borne diseases in southeast Asia. Mosquito-Borne Disease Bull. 1(1):1-11.

Joslyn, D. J., L. B. Conrad, and P. T. Slavin. 1985. Development and field testing of Giemsa self-marker for the salt marsh mosquito *Aedes sollicitans* (Walker) (Diptera: Culicidae). Ann. Entomol. Soc. Amer. 78(1):20-23.

McBryde, J. 1984. Bye-bye biting flies. USDA Agricultural Res.: 32(10):4-6.

Nedelman, J. 1983. A negative binomial model for sampling mosquitoes in a malaria survey. Biometrics 39(4):1009-1020.

Rao, U. S. B. 1984. A rapid method for identification of mosquito blood meal. Indian J. Med. Res. 79:836-840.

Ryba J., O. Fuentes, V. Danielova, and A. Fernandez. 1984. Mosquito studies on the Isla de la Juventud, Cuba, at the beginning of the rain period. Folia Parasitol. 31(2):163-167.

Schreck, C. E., J. C. Webb, and G. S. Burden. 1984. Ultrasonic devices: evaluation of repellency to cockroaches and mosquitoes and measurement of sound output. J. Environ. Sci. Health Part A 19(5):521-531.

Sornmani, S. 1984. The museum and reference centre of SEAMO-TROPMED National Centre of Thailand. Mosquito-Borne Diseases Bull. 1(1):12-14.

#### TAXONOMY AND DISTRIBUTION

Bennett, S. G. 1983. A new record of the treehole mosquito *Aedes sierrensis* (Diptera: Culicidae) from Santa Catalina Island, California. Bull. Soc. Vector Ecol. 8(2):139-140.

Bosworth, A. B., S. M. Meola, and J. K. Olson. 1983. The chorionic morphology of eggs of the *Psorophora confinnis* complex in the United States. I. Taxonomic considerations. Mosquito Systematics. 15(4):285-309.

Davis, J. R. et al. 1984. Preimpoundment distribution of mosquitoes within the Richard B. Russell Dam and lake area of South Carolina and Georgia. J. Ga. Entomol. Soc. 19(2):143-151.

Harbach, R. E., B. A. Harrison, and A. M. Gad. 1984. *Culex (Culex) molestus* Forskal (Diptera: Culicidae): neotype designation, description, variation, and taxonomic status. Proc. Entomol. Soc. Wash. 86(3):521-542.

Kay, B. H. 1983. Collection of resting adult mosquitoes at Kowanyama, Northern Queensland and Charleville, South-Western Queensland. J. Aust. Entomol. Soc. 22(1):19-24.

Magomedova, K. A. 1984. Changes in the fauna of blood-sucking mosquitoes in the maritime part of the Volga delta in connection with the regulation of the river flow. Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody, Biologicheskii 89(1):44-53. In Russian.

Mendis, K. N., et al. 1983. Biology and description of the larva and pupa of *Anopheles (Cellia) elegans* James (1903). Mosq. Systematics 15(4):318-324.

Novikov, Yu. M., M. I. Gordeev, and E. V. Gadenova. 1983. [Ecological differentiation of larvae of *Anopheles messeae*, *A. maculipennis* and *A. beklemishevi*.] Zoologicheskii Zhurnal 62(12):1818-1826. In Russian.

Nedelman, J. 1983. A negative binomial model for sampling mosquitoes in a malaria survey. Biometrics 39(4):1009-1020.

Shevchenko, A. K. and A. P. Popovich. 1984. [Fauna and distribution of blood-sucking mosquitoes of the genus *Culex* L. (Diptera, Culicidae) in the Ukraine.]

- Meditsinskaya Parazitol. Parazitarnye Bolezni 3:61-66. In Russian.
- Wildie, J. A. and S. C. Yi. 1984. Distribution and abundance of adult female mosquitoes collected using New Jersey light traps in the Republic of Korea, 1981-1982. Korean J. Environ. Health Soc. 10(1):55-65. In Japanese.
- Zaim, M. and P. S. Cranston. 1984. The occurrence of *Culex pseudovishnui* in Iran. Ann. Trop. Med. Parasitol. 78(2):179-180.
- Brazil. Revista Fundacao SESP 28(1):11-19. In Portuguese.
- Igarashi, A. et al. 1984. Flavivirus infections in Chiang Mai area, Thailand, in 1982. Southeast Asian J. Trop. Med. Publ. Hlth 14(4):470-480.
- Kay, B. H. et al. 1984. Dengue Fever. Reappearance in Northern Queensland after 26 years. Med. J. Aust. 140(5):264-268.
- Motha, M. X. J., J. R. Egerton, and A. W. Sweeney. 1984. Some evidence of mechanical transmission of reticuloendotheliosis virus by mosquitoes. Avian Dis. 28(4):858-867.
- Powell, K. E. and D. L. Blakey. 1982. Concurrent evaluation of epidemic St. Louis encephalitis: are you on the upward or downward side of the curve? Amer. J. Publ. Health. 72(1):62-64.
- Roux, J. et al. 1984. The epidemic of yellow fever in southeastern Upper Volta (October-November 1983). Epidemiological study. Informations OCCGE 92:83-89.
- Yi, S. C. and J. A. Wildie. 1983. Japanese encephalitis activity in the republic of Korea, 1972-1982. (An eleven year summary) Korean J. Environ. Health Soc. 9(2):31-36. In Japanese.

#### VIRUS DISEASES

- Agadzi, V. K., B. A. Boatman, M. A. Appawu, J. A. A. Mingle and P. A. Addy. 1984. Yellow fever in Ghana, 1977-80. Bull. WHO 62(4):577-583.
- Andre, R. G., et al. 1985. Surveillance of arbovirus activity in Iowa, USA, 1978-1980. J. Med. Entomol. 22(1):58-63.
- Anonymous. 1984. Yellow fever outbreak in Ghana and Upper Volta. WHO Chron. 38(1):34-35.
- Dye, C. 1984. Models for the population dynamics of the yellow fever mosquito, *Aedes aegypti*. J. Anim. Ecol. 53(1):247-268.
- Halstead, S. B. 1984. Selective primary health care: strategies for control of disease in the developing world. XI. Dengue. 1984 Rev. Infect. Dis. 6(2):251-264.
- Herbold, J. R. et al. 1983. Reservoir of St. Louis Encephalitis virus in Ohio bats. Am. J. Vet. Res. 44(10):1889-1893.
- Herve, P. J. et al. 1983. The ecology of yellow fever in

#### WATER MANAGEMENT

- Resh, V. H. and S. S. Balling. 1983. Tidal circulation alteration for salt marsh mosquito control. Environ. Management. 7(1):79-84.
- Resh, V. H. and S. S. Balling. 1984. Selective ditching for salt marsh mosquito control. 1984. IPM Pract. 6(7):4-5.