

SELECTED LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

1985, Part 3

WILLIAM E. BICKLEY

6156 Fortieth Ave., University Park, MD 20782

Most of the titles listed here have been obtained from *Current Contents* and the *Review of Applied Entomology*, Series B. Selections are made so that mosquito control workers and researchers may keep abreast of current developments. The work was supported in part by Grant AI 15643 from the National Institute of Allergy and Infectious Diseases, National Institutes of Health, USDHHS.

ANATOMY, MORPHOLOGY, AND PHYSIOLOGY

- Bhasin, V. K. et al. 1984. Blood meal size of *Anopheles stephensi* Liston and *Anopheles culicifacies* Giles during successive gonotrophic cycles. *Entomon* 9(2):81-86.
- Borovsky, D. 1984. Control mechanisms for vitellogenin synthesis in mosquitoes. *Bioessays* 1(6):264-268.
- Borovsky, D. et al. 1985. Juvenile hormone and 20-hydroxyecdysone as primary and secondary stimuli of vitellogenesis in *Aedes aegypti*. *Arch. Insect Biochem. Physiol.* 2(1):75-90.
- Briegel, H. 1985. Mosquito reproduction: incomplete utilization of the blood meal protein for oogenesis. *J. Insect Physiol.* 31(1):15-22.
- Carpenter, T. L., N. C. Respicio, and J. R. Heitz. 1984. Acute light-dependent toxicity of free-acid formulations of xanthene dyes to larval *Culex pipiens quinquefasciatus* Say (Diptera: Culicidae). *Environ. Entomol.* 13(5):1366-1370.
- Dadd, R. H., and J. E. Kleinjan. 1985. Phagostimulation of larval *Culex pipiens* L. by nucleic acid nucleotides and bases. *Physiol Entomol.* 10(1):37-44.
- Dubin, D. T. and C.-C. Hsueh. 1985. The 3' end of large ribosomal subunit RNA from mosquito mitochondria: homogeneity of transcribed moieties. *Plasmid* 13(2):139-144.
- Friederich, P. 1984. Temperature-induced dormancy in laboratory and wild eggs of the floodwater mosquito *Aedes vexans* Meigen (Diptera: Culicidae). *Zeits. Angewandte Zool.* 71(3):353-368.
- Galun, R., N. Oren, and M. Zecharia. 1984. Effect of plasma components of the feeding response of the mosquito *Aedes aegypti* L. to adenine nucleotides. *Physiol. Entomol.* 9(4):403-408.
- Garrett, M. and T. J. Bradley. 1984. The pattern of osmotic regulation in larvae of the mosquito *Culiseta inornata*. *J. Exp. Biol.* 113:133-142.
- Garrett, M. A. and T. J. Bradley. 1984. Ultrastructure of osmoregulatory organs in larvae of the brackish-water mosquito, *Culiseta inornata* (Williston). *J. Morphol.* 182(3):257-278.
- Gophen, M. 1985. T₂-Coliphage uptake by mosquito larvae. *Water Res.* 19(1):89-92.
- Greenplate, J. T., R. L. Glaser, and H. H. Hagedorn. 1985. The role of factors from the head in the regulation of egg development in the mosquito *Aedes aegypti*. *J. Insect Physiol.* 31(4):323-330.
- Guo-giang, L. et al. 1985. Studies on the identification and synthesis of insect pheromones—XXI Stereoselective synthesis of all the possible optical isomers of the mosquito oviposition attractant pheromone. *Tetrahedron Lett.* 26(9):1233-1236.
- Guptavanij, P. and A. R. Barr. 1985. Failure of culicine eggs to darken in the field. *J. Med. Entomol.* 22(2):228-229.
- Handel, E. van and A. O. Lea. 1984. Vitellogenin synthesis in blood-fed *Aedes aegypti* in the absence of the head, thorax and ovaries. *J. Insect Physiol.* 30(11):871-875.
- Hasan, S. N., A. Ahmed, and N. Chari. 1984. Aerodynamic parameters and design of flight surface of mosquito *Anopheles stephensi*. *Entomon* 9(4):247-252.
- Hawley, W. A. 1985. A high-fecundity aedine—Factors affecting egg production of the western treehole mosquito, *Aedes sierrensis* (Diptera, Culicidae). *J. Med. Entomol.* 22(2):220-225.
- He, Z. 1984. The flight tone of the mosquito *Culex pipiens pallens* Coquillett. *Acta Entomol. Sinica* 27(4):472-475.
- Hurley, J. M. et al. 1985. Separation of the cytolytic and mosquitocidal proteins of *Bacillus thuringiensis* subsp. *israelensis*. *Biochem. Biophys. Res. Commun.* 126(2):961-965.
- Kostin, P. V. 1984. [The reaction of *Aedes aegypti* (Diptera, Culicidae) to the smells of chemical compounds in relation to atmospheric pressure.] *Zoologicheskii Zhurnal* 63(6):942-945. In Russian.
- Lachmajer, J. and W. Antonowicz. 1983. Experimental blood feeding of mosquito females of some *Anopheles*, *Aedes* and *Culex* species: taking of blood meal by starving and glucose-fed insects. *Acta Parasitol. Polonica.* 28 (25/37):285-304.
- Livdahl, T. P., R. K. Koenekoop, and S. G. Futterweit. 1984. The complex hatching response of *Aedes* eggs to larval density. *Ecol. Entomol.* 9(4):437-442.
- Machiya, K. et al. 1985. A convenient synthesis of four stereoisomers of 6-acetoxy-5-hexadecanolide, the major component of the mosquito oviposition attractant pheromone. *Agr. Biol. Chem. Tokyo* 49(3):643-650.
- Masanori, Y. et al. 1985. Dehydrochlorination of p, p'- DDT by cultured cells derived from ovarian tissues of *Culex pipiens* var. *molestus*. *Pestic. Biochem. Physiol.* 23(1):1-6.
- Mather, T. N. and G. R. DeFoliart. 1984. Conditions for increased insemination rates in caged *Aedes triseriatus* (Diptera: Culicidae) reared from field-collected eggs. *Amer. J. Trop. Med. Hyg.* 33(4):731-735.
- Mori, A. et al. 1984. Difference in characteristics of

- Culex tritaeniorhynchus* originated from Thailand and Japan. *Trop. Med.* 26(2):75-86.
- Nikolaeva, N. V. 1984. [The ratio of females of different physiological groups in populations of blood-sucking mosquitoes in the southern Yamal.] *Zoologicheskii Zhurnal* 63(6):853-858. In Russian.
- O'Meara, G. 1985. Gonotrophic interactions in mosquitoes: kicking the blood feeding habit. *Fla. Entomol.* 68(1):122-133.
- Owen, W. B. 1985. Morphology of the head skeleton and muscles of the mosquito *Culiseta inornata* (Williston) (Diptera: Culicidae). *J. Morphol.* 183(1):51-86.
- Pant, U. and V. Dhanda. 1984. Characterization of an established cell line from *Culex tritaeniorhynchus* (Giles). *Indian J. Med. Res.* 80 (October): 428-434.
- Raikhel, A. S. 1984. Accumulations of membrane-free clathrin-like lattices in the mosquito oocyte. *Eur. J. Cell Biol.* 35(2):279-283.
- Raikhel, A. S. 1984. The accumulative pathway of vitellogenin in the mosquito oocyte: A high-resolution immuno- and cyto-chemical study. *J. Ultra-structure Res.* 87(3):285-292.
- Raikhel, A. S. and A. O. Lea. 1985. Hormone-mediated formation of the endocytic complex in mosquito oocytes. *Gen. Comp. Endocrinol.* 57(3):422-433.
- Richie, J. P. and C. A. Lang. 1985. Aging effects on acetaminophen toxicity and glutathione status in the mosquito. *Drug Metab. Disposition* 13(1): 14-17.
- Sherwood, A. and V. Stollar. 1984. Evidence that ribavirin is transported in *Aedes albopictus* cells by the nucleoside transport system. *Antivir. Res.* 4(6):317-324.
- ### ATTRACTANTS AND REPELLENTS
- Davis, E. E. 1985. Insect repellents: concepts of their mode of action relative to potential sensory mechanisms in mosquitoes. (Diptera: Culicidae). *J. Med. Entomol.* 22(3):237-243.
- Kumar, S. et al. 1984. Field evaluation of 3 repellents against mosquitoes, black flies and land leeches. *Indian J. Med. Res.* 80:546-550.
- Okada, Y. et al. 1984. Amino acids and peptides XI. Synthesis of attractant and repellent peptides for *Aedes aegypti* and *Blattella germanica*. *Chem. Pharm. Bull.* 32(11):4608-4615.
- Schreck, C. E., D. G. Haile, and D. L., Kline. 1984. The effectiveness of permethrin and deet, alone or in combination, for protection against *Aedes taeniorhynchus*. *Amer. J. Trop. Med. Hyg.* 33(4):725-730.
- ### BEHAVIOR, BIOLOGY, AND ECOLOGY
- Abbasi, S. A. et al. 1985. Environmental consequences of the inhibition in the hatching of pupae of *Aedes aegypti* by mercury, zinc, and chromium—the abnormal toxicity of zinc. *Int. J. Environ. Stud.* 24(2):107-114.
- Abdullaev, I. T. 1984. [On the distance covered in flight by *Anopheles pulcherrimus* Theo.] *Medit-sinskaya Parazitologiya i Parazitarnye Bolezni* No. 5, 60-63. In Russian.
- Adamovic, Z. 1984. Vertical distribution of the anopheline mosquitoes in Montenegro, Yugoslavia. *Acta Vet. Beograd.* 34(5-6):287-294.
- Alekseev, A. N. 1985. The theory of connections of feeding types and digestion of blood-sucking arthropods with their ability to be specific vectors of transmissible disease agents. *Parazitologiya* 19 (1):3-7.
- Amerasinghe, F. P. and T. S. B. Alagoda 1984. Mosquito oviposition in bamboo traps, with special reference to *Aedes albopictus*, *Aedes novalbopictus*, and *Armigeres subalbatus*. *Insect Sci. Appl.* 5(6):493-500.
- Clopton, J. R. 1984. Mosquito circadian flight rhythms: differential effects of constant light. *Amer. J. Physiol.* 247(6) p. 2:R960-967.
- Gao, J. Z. et al. 1984. [Studies on the longevity of adult *Aedes (S.) albopictus* (Skuse): the longevity of caged females under laboratory conditions.] *Acta Entomol. Sinica* 27(2):182-188. In Chinese.
- Guimarães, A. E. and M. Arle. 1984. [Mosquitoes in the Serra dos Órgãos National Park, Rio de Janeiro State, Brazil. I—Seasonal distribution.] *Mem. Inst. Oswaldo Cruz.* 79(3):309-323. In Portuguese.
- Frank, J. H. and G. F. O'Meara. 1985. Influence of micro- and macrohabitats on distribution of some bromeliad-inhabiting mosquitoes. *Entomol. Exp. Appl.* 37(2):169-174.
- Leake, C. J. 1984. The vector competence of colonized *Aedes (Stegomyia) katherinensis* for dengue-2 virus. *Trans. Roy. Soc. Trop. Med. Hyg.* 78(6): 829-832.
- Lounibos, L. P. and R. L. Escher. 1985. Mosquitoes associated with water lettuce (*Pistia stratiotes*) in southeastern Florida. *Fla. Entomol.* 68(1):169-177.
- Lourenco-de-Oliveira, R. 1984. [Some aspects of the ecology of mosquitoes (Diptera: Culicidae) of a lowland area (Granjas Calábria), In Jacarapaguá, Rio de Janeiro. I. Comparative frequency of the species in different environments and with different collection methods.] *Mem. Inst. Oswaldo Cruz* 79(4):479-490. In Portuguese.
- Mahmood, F., R. K. Sakai, and K. Akhtar. 1984. Vector incrimination studies and observations on species A and B of the taxon *Anopheles culicifacies* in Pakistan. *Trans. Roy. Soc. Trop. Med. Hyg.* 78(5):607-616.
- McCrae, A. W. R. 1984. Oviposition by African malaria vector mosquitoes. II. Effects of site tone, water type and conspecific immatures on target selection by freshwater *Anopheles gambiae* Giles, *sensu lato*. *Ann. Trop. Med. Parasitol.* 78(3):307-318.
- Marchand, R. P. 1984. Field observations on swarming and mating in *Anopheles gambiae* mosquitoes in Tanzania. *Neth. J. Zool.* 34(3):367.
- Proskuryakova, A. M. and N. Y. Markovich. 1984. The dispersion of numerous *Aedes* mosquito species from their breeding place in the steppe zone of the Tuva-ASSR Russian SFSR USSR central Tuva basin. I. Extent of dispersion of *Aedes vexans*. *Med. Parazitol Parazit. Bolezni* (5):18-22.
- Ritchie, S. A. 1984. Record winter rains and the minimal populations of *Aedes taeniorhynchus* (Wiedemann): cause and effect? *J. Florida Anti-Mosquito Assoc.* 55(1):14-21.
- Rogo, L. M. N., G. B. White, and R. C. Odiambo. 1985. Salinity relationships of mosquitoes breeding

- in a brackish pond on the Kenya coast. *Insect Sci. Appl.* 6(1):91-96.
- Sharp, B. L., F. C. Quicke and E. J. Jansen. 1984. Aspects of the behaviour of five anopheline species in the endemic malaria area of Natal. *J. Entomol. Soc. S. Afr.* 47 (2):251-258.
- Singh, R. 1984. Seasonal density of malaria vector *Anopheles culicifacies* (Diptera, Culicidae) in relation to epidemiological assessment. *Entomon* 9 (4):261-264.
- Subra, R. and R. D. Dransfield, 1984. Field observations on competitive displacement, at the preimaginal stage, of *Culex quinquefasciatus* Say by *Culex cinereus* Theobald (Diptera: Culicidae) at the Kenya coast. *Bull. Entomol. Res.* 74(4):559-568.
- Tamarina, N. A. and K. V. Aleksandrova. 1984. [Biology of the mosquito *Aedes impiger* (Culicidae) and its possible role as a phenoinicator.] *Parazitologiya* 18(6):473-478. In Russian.
- Tyagi, B. K. 1984. Observations on the reflex immobilization behaviour of the mosquito *Anopheles subpictus* Grassi, 1899 in some villages of south Gujarat, India. *Geobios New Reports* 3(2):161-162.
- Verduyseye, J. 1985. Estimation of the survival rate of *Anopheles arabiensis* in an urban area (Pikine-Senegal). *J. Anim. Ecol.* 54(2):343-350.
- Walker, E. D. and J. D. Edman. 1985. Feeding site selection and blood feeding behavior of *Aedes triseriatus* (Diptera: Culicidae) on rodent (Sciuridae) hosts. *J. Med. Entomol.* 22(3):287-294.
- Williams, D. C. and C. L. Meek. 1984. South Louisiana pastureland can be breeding ground for mosquitoes. *LA Agr.* 28(2):8-9.
- Williams, D. C., C. L. Meek, and V. L. Wright. 1984. Comparison of mosquito oviposition in a fallow rice field and a permanent pasture in south Louisiana. *Southwest. Entomol.* 9(3):319-325.

BIOLOGICAL CONTROL AND BIOLOGICAL CONTROL AGENTS

- Aly, C. 1985. Germination of *Bacillus thuringiensis* var. *israelensis* spores in the gut of *Aedes larvae* (Diptera, Culicidae). *J. Invertebr. Pathol.* 45(1):1-8.
- Aphale, R. V., M. Vittal, and R. B. Deobhankar. 1984. Field trials of *Bacillus thuringiensis* serotype H-14 (Isolate VCRC B. 17), on *Culex quinquefasciatus* and *Anopheles larvae* in Pune City, Maharashtra (India). *Pesticides* 18(4):24-29.
- Artem'ev, M. M. et al. 1984. [Laboratory investigation of the effectiveness of tropical larvivorous fish for control of mosquito larvae. Communication 1. The criteria for fish selection and testing procedures.] *Meditinskaya Parazitologiya i Parazitarnye Bolezni* 4:51-53. In Russian.
- Bay, E. C. 1985. Other larvivorous fishes. *A.M.C.A. Bull.* 6:18-24.
- Batel, R., et al. 1985. DNA damage by benzo (alpha) pyrene in the liver of the mosquito fish *Gambusia affinis*. *Sci. Total Environ.* 41(3):275-280.
- Bourgouin, C., I. Larget-Thierry, and H. de Barjac. 1984. Efficacy of dry powders from *Bacillus sphaericus*: RB 80, a potent reference preparation for biological titration. *J. Invert. Pathol.* 44(2): 146-150.
- Chapman, H. C. (Ed.) 1985. *Biological Control of Mosquitoes*. Amer. Mosq. Control Assoc. Bull. 6:1-218.
- Chastel, C., et al. 1985. Isolation of *Spiroplasma* in France (Savoie, North Alps) from mosquitoes of *Aedes* genus. *C. R. Acad. Sci. Ser. III-Vie* 300 (7):261-266.
- Chowanadisai, L. et al. 1984. Laboratory observations on *Toxorhynchites splendens* Wiedemann in Thailand. *Southeast Asian J. Trop. Med. Public Health.* 15(3):337-341.
- Clark, T. B. 1985. *Tetrahymena* and *Lambornella* (Protozoa). *A. M. C. A. Bull.* 6:56-58.
- Coates, D. 1984. A survey of the fish fauna of Sudanese irrigation systems with reference to the use of fishes in the management of ecological problems (the control of aquatic weeds, malaria and infective schistosomiasis). *Fisheries Management* 15(3):81-96.
- Cockrell, B. J. 1984. Effects of water depth on choice of spatially separated prey by *Notonecta glauca* L. *Oecologia* 62(2):256-261.
- Collins, F. H. and R. K. Washino. 1985. Insect predators. *A.M.C.A. Bull.* 6:25-41.
- Consoli, R. A. G. B., C. T. Guimarães, C. T. de Souza, and B. de S. Santos. [Predatory activity of *Helobdella triserialis lineata* (Hirundinea: Glossiphonidae) on immature stages of *Aedes fluviatilis* and *Culex quinquefasciatus* (Diptera: Culicidae) in the laboratory.] *Revista de Saúde Pública* 18(5):359-366. In Portuguese.
- Cooper, R., M. Hornitzky, and B. E. Medcraft. 1984. Nonsusceptibility of *Apis mellifera* to *Culicinyomys clavisporus*. *J. Australian Entomol. Soc.* 23(3):173-174.
- Curran, J. and J. M. Webster. 1984. Reproductive isolation and taxonomic differentiation of *Romanomermis culicivorax* and *Romanomermis cummunensis*. *J. Nematol.* 16(4):375-379.
- Davidson, E. W. and T. Yamamoto. 1984. Isolation and assay of the toxic component from the crystals of *Bacillus thuringiensis* var. *israelensis*. *Current Microbiol.* 11(3):171-174.
- Dean, D. H. 1984. Biochemical genetics of the bacterial insect-control agent *Bacillus thuringiensis*: basic principles and prospects for genetic engineering. *Biotech. Genetic Engineering Rev.* 2, 341-363.
- Denison, M. S. et al. 1985. Short-term interactions between DDT and endrin accumulation and elimination in mosquitofish (*Gambusia affinis*). *Arch. Environ. Contam. Toxicol.* 14(3):315-320.
- Dominic, S. T. A. and M. A. Brooks. 1985. Viability of *Culex pipiens pipiens* eggs affected by nutrition and aposymbiosis. *J. Invertebr. Pathol.* 45(2):225-230.
- Federici, B. A. 1985. Viral pathogens. *A. M. C. A. Bull.* 6:62-74.
- Federici, B. A., P. W. Tsao, and C. J. Lucarotti. 1985. *Coelomomyces* (Fungi). *A. M. C. A. Bull.* 6:75-86.
- Finney, J. R. 1985. *In vitro* possibilities. *A. M. C. A. Bull.* 6:206-215.
- Focks, D. A. 1985. *Toxorhynchites*. *A. M. C. A. Bull.* 6:42-45.
- Focks, D. A., S. R. Sackett, D. A. Dame, and D. L. Bailey. 1985. Effect of weekly releases of *Toxorhynchites amboinensis* (Doleschall) on *Aedes aegypti* (L.) (Diptera: Culicidae) in New Orleans, Louisiana. *J. Econ. Entomol.* 78(3):622-626.

- Fukuda, T. 1985. *Helicosporidium* (Protozoa). A. M. C. A. Bull. 6:59-61.
- George, J. A. 1983. Survival of the mosquito predator *Dugesia tigrina* (Tricladida: Turbellaria), over three years in catch basins. Proc. Entomol. Soc. Ont. 114:83-85.
- Hampton, R. E. A possible role of habituation in the sexual behavior of male mosquitofish (*Gambusia affinis* Baird and Girard). Anim. Behav. 32(4):1262-1263.
- Hazard, E. I., T. Fukuda, and J. J. Becnel. 1984. Life cycle of *Culicosporella lunata microspora* as revealed in the light microscope with a redescription of the genus and species. J. Protozool. 30(3):385-391.
- Hazard, E. I. 1985. Microsporidia (Microspora) (Protozoa). A. M. C. A. Bull. 6:51-55.
- Jayaraman, K. 1984. The role of biocides in the vector control with special reference to mosquitoes. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 111-118.
- Kim, K. H., M. Ohba, and K. Aizawa. 1984. Purification of the toxic protein from *Bacillus thuringiensis* serotype 10 isolate demonstrating a preferential larvicidal activity to the mosquito. J. Invert. Pathol. 44(2):214-219.
- Kramer, V. 1984. Evaluation of *Bacillus sphaericus* and *B. thuringiensis* H-14 for mosquito control in rice fields. Indian J. Med. Res. 80 (Dec.):642-648.
- Lacey, L. A. 1985. *Bacillus thuringiensis* Serotype H-14 (Bacteria). A. M. C. A. Bull. 6:132-158.
- Laird, M. 1985. Conclusion. A. M. C. A. Bull. 6:216-218.
- Lee, S. G. et al. 1985. Diversity of protein inclusion bodies and identification of mosquitocidal protein in *Bacillus thuringiensis* subsp. *israelensis*. Biochem. Biophys. Res. Commun. 126(2):953-960.
- Legner, E. F. 1985. Predators other than insects. A. M. C. A. Bull. 6:46-50.
- Mathavan, S. and A. Velpandi. 1984. Toxicity of *Bacillus sphaericus* strains to selected target and non-target organisms. Indian J. Med. Res. 80(Dec.):653-657.
- Matias, R. R. and A. Igarashi. 1984. Growth of microsporidian parasite in *Aedes albopictus*, clone C6/36, cell cultures. Trop. Med. 26(1):31-36.
- Mcclenaghan, L. R., M. H. Smith, and M. W. Smith. 1985. Biochemical genetics of mosquitofish. 4. Changes of allele frequencies through time and space. Evolution 39(2):451-460.
- McCray, E. M. 1985. *Lagenidium giganteum* (Fungi). A. M. C. A. Bull. 6:87-98.
- Mcinnis, T. L. Schimmel, and R. Noblet. 1985. Host range studies for the fungus *Leptolegnia*, a parasite of mosquito larvae (Diptera, Culicidae). J. Med. Entomol. 22(2):226-227.
- Meek, S. R. 1984. Occurrence of rickettsia-like symbionts among species of the *Aedes scutellaris* group (Diptera Culicidae). Ann. Trop. Med. Parasitol. 78(4):377-382.
- Meisch, M. V. 1985. *Gambusia affinis affinis*. A.M.C.A. Bull. 6:3-17.
- Müller, P. [Characteristics of *Bacillus thuringiensis* var. *israelensis* and its effect on mosquito larvae (Diptera: Culicidae).] Angewandte Parasitol. 25(3,4):157-163, 207-214. In German.
- Ohba, M. and Y. Tanada. 1984. A synergistic factor of an insect granulosis virus agglutinates insect cells. Experientia. 40(7):742-744.
- Petersen, J. J. 1985. Nematode parasites. A. M. C. A. Bull. 6:110-122.
- Powers, K. S. and E. G. Platzer. 1984. Oxygen consumption in mosquito larvae parasitized by *Romanomeris culicivora* (Nematoda). Compar. Biochem. Physiol. A (Comparative Physiology) 78(1):119-121.
- Rathburn, C. B., Jr. et al. 1984. Efficacy of several formulations of *Bacillus thuringiensis* var. *israelensis* against three species of mosquito larvae in fresh, brackish and polluted water. J. Florida Anti-Mosquito Assoc. 55(1):9-13.
- Roberts, D. W. and C. Panter. 1985. Fungi other than *Coelomomyces* and *Lagenidium*. A. M. C. A. Bull. 6:99-109.
- Sabwa, D. M., M. O. Odindo, and W. A. Otieno. 1984. Seasonal incidence of *Amblyospora* sp. (Thelohaniidae: Microsporidia) in *Culex sitiens* larvae at the Kenya coast. Insect Sci. Appl. 5(4):269-272.
- Seawright, J. A. 1985. Genetic control by chromosome aberrations. A. M. C. A. Bull. 6:173-182.
- Serit, M. A. and H. H. Yap. 1984. Comparative bioassays of *Tolypocladium cylindrosporum* Gams (Californian strain) against four species of mosquitoes in Malaysia. Southeast Asian J. Trop. Med. Public Health 15(3):331-336.
- Singer, S. 1985. *Bacillus sphaericus* (Bacteria), A. M. C. A. Bull. 6:123-131.
- Suarez, M. F. et al. 1984. Discovery of *Mesocyclops aspericornis* (Daday) (Copepoda: Cyclopidae) a predator of larvae of *Aedes aegypti* in Anapoima, Colombia. Biomedica 4(2):74-76. In Spanish.
- Vávra, J., M. G. Bai and K. N. Panicker. 1984. *Amblyospora indicola* sp. n., a microsporidian pathogen of the mosquito *Culex sitiens*. Folia Parasitologica 31(3):207-213.
- Wongsiri, S. and R. G. Andre. 1984. Biological control of mosquitoes in Thailand. J. Sci. Soc. Thailand 10(2):73-88.
- Yamamoto, T., T. Iizuka, and J. N. Aronson. 1983. Mosquitocidal protein of *Bacillus thuringiensis* subsp. *israelensis*: identification and partial isolation of the protein. Current Microbiol. 9(5):279-284.
- Yousten, A. A. 1984. *Bacillus sphaericus*—Microbiological factors related to its potential as a mosquito larvicide. In Advances in Biotechnological Processes 3:315-343.
- Yousten, A. A., D. A. Wallis, and S. Singer. 1984. Effect of oxygen on growth, sporulation and mosquito larval toxin formation by *Bacillus sphaericus* 1593. Current Microbiol. 11(3):175-178.
- Yousten, A. A. et al. 1985. Selective medium for mosquito-pathogenic strains of *Bacillus sphaericus*. Appl. Environ. Microbiol. 49(6):1356-1360.

BOOKS, BOOKLETS, AND REPORTS

- Advances in malaria chemotherapy. 1984. WHO Tech. Rpt. Ser. 711:1-218.

- Applied field research in malaria in Africa. 1984. Supplement to WHO Bull. 62.
- Arnett, R. H. Jr. 1985. American insects. A handbook of insects of America north of Mexico. New York: Van Nostrand Reinhold. 850 pp.
- Bruce-Chwatt, L. J. 1985. Essential malariology. Second edition. London: William Heinemann Medical Books. 452 pp.
- Harris, K. F. (Ed.) 1983. Current topics in vector research. Vol. 1. New York, Praeger Publishers. 326 pp.
- Huffaker, C. B. and R. L. Rabb, Eds. 1984. Ecological Entomology. New York: John Wiley & Sons. 844 pp.
- Kettle, D. S. 1984. Medical and veterinary entomology. Beckenham, UK; Croom Helm Ltd. 658 pp.
- Malaria control as part of primary health care. 1984. WHO Tech. Rpt. Ser. 712:1-73.
- Matthews, G. A. 1984. Pest management. Harlow, United Kingdom; Longman. 231 pp.
- Rao, T. R. 1984. The anophelines of India. (Revised edition). Malaria Research Center, Indian Council of Medical Research. 518 pp.
- Chen, Y. S. 1984. Metabolism and breakdown products of Dibrom 14. J. Florida Anti-Mosquito Assoc. 55(1):46-47.
- Curtis, C. F. 1984. Insecticide resistance and alternatives to conventional insecticides for anopheline control. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 85-93.
- Curtis, C. F. et al. 1984. Assessment of the impact of chlorpyrifos resistance in *Culex quinquefasciatus* on the control scheme. Insect Sci. Appl. 5(4):263-267.
- Deobhankar, R. B. and M. Vittal. 1984. Effect of the time of exposure on mortality of mosquitoes to insecticides. Pesticides 18(3):15-16.
- Don-Pedro, K. N. and T. O. Adegbite. 1985. Nuvaun resistance in a field strain of *Aedes aegypti* (1) in Lagos, Nigeria. Environ. Pollution, ser. A 38(1):19-30.
- Erickson, L. A. 1984. Effectiveness of aerial applications of naled 85 concentrate on Rocky Point, Florida. J. Florida Anti-Mosquito Assoc. 55(1):34-37.
- Hemingway, J., M. Rowland, and K. E. Kossoon. 1984. Efficacy of pirimiphos methyl as a larvicide or adulticide against insecticide resistant and susceptible mosquitoes (Diptera: Culicidae). J. Econ. Entomol. 77(4):868-871.
- Jiang, L. L. et al. 1984. [Comparison of GSH and GSH-S-transferase in susceptible and Dipterex-resistant *Culex pipiens pallens* Coq.] Acta Entomologica Sinica 27(3):248-253.
- Kalyanasundaram, M. et al. 1984. Evaluation of controlled release formulations of mosquito larvicides. Indian J. Med. Res. 80 (Dec.):649-652.
- Khazraji, A. L. et al. 1984. The relative susceptibility of *Culex pipiens molestus* Forskal to certain insecticides in Nineva district, Iraq. J. Biol. Sci. Res. Iraq 15(2):7-12.
- Lines, J. D. and C. F. Curtis. 1984. Genetic linkage between malathion and dieldrin resistance in *Anopheles arabiensis*. Can. J. Genet. Cytol. 26(6):646-650.
- Mekuria, Y. and T. Tesfamariam. 1984. The susceptibility of some insect population in Addis Ababa, Ethiopia to DDT and malathion. E. Afr. Med. J. 61(8):618-623.
- Minjas, J. N. 1984. Control of *Culex quinquefasciatus* in pit latrines: reducing costs through selective larviciding. Trans. Roy. Soc. Trop. Med. Hyg. 78(6):847-848.
- Miyata, T., T. Saito, and K. Tasutomi. 1984. High malathion degradation in malathion resistant *Culex pipiens quinquefasciatus*. Jap. J. Sanit. Zool. 35(3):245-249.
- Rathburn, C. B., Jr. 1984. Insecticides labeled for the control of adult and larval mosquitoes by ground application methods. J. Florida Anti-Mosquito Assoc. 55(1):38-43.
- Rawlings, P. 1985. The effects on resistant mosquitoes of interrupted exposure to insecticides. Pestic. Sci. 16(2):186-190.
- Raymond, B. G., et al. 1985. Chlorpyrifos resistance in various *Culex pipiens* L. mosquito strains from the south of France. Genet. Sel. Evol. 17(1):73-88.

CHEMICAL CONTROL

- Rodriguez, P. H. and K. A. Rodriguez. 1985. Dominant lethal effects of thiopepa in male *Aedes aegypti* (Diptera: Culicidae). *J. Med. Entomol.* 22(3):343-344.
- Saiyed, H. N. et al. 1984. Cardiac toxicity in pesticide formulators exposed to organophosphate insecticides. *Ind. J. Med. Res.* 80:494-498.
- Verma, K. V. S. and S. J. Rahman. 1984. Comparative efficacy of synthetic pyrethroids, natural pyrethrins and DDT against mosquito larvae. *J. Com. Dis.* 16(2):144-147.
- Wood, R. J., N. Pasteur, and G. Sinègre. 1984. Carbamate and organophosphate resistance in *Culex pipiens* (Diptera: Culicidae) in southern France and the significance of Est-3^A. *Bull. Entomol. Res.* 74(4):677-687.
- FILARIASIS
- Bradley, T. J. and J. K. Nayar. 1985. Intracellular melanization of the larvae of *Dirofilaria immitis* in the malpighian tubules of the mosquito *Aedes sollicitans*. *J. Invert. Pathol.* 54(3):339-345.
- Chiang, G. L. et al. 1984. Filariasis in Bengkoka Peninsula, Sabah, Malaysia: vector studies in relation to the transmission of filariasis. *Southeast Asian J. Trop. Med. Publ. Health* 15(2):179-189.
- Christensen, B. M. and Sutherland, D. R. 1984. *Brugia pahangi*: exsheathment and midgut penetration in *Aedes aegypti*. *Trans. Amer. Microscop. Soc.* 103(4):423-433.
- Christensen, B. M., D. R. Sutherland, and L. N. Gleason. 1984. Defense reactions of mosquitoes to filarial worms: comparative studies on the response of three different mosquitoes to inoculated *Brugia pahangi* and *Dirofilaria immitis* microfilariae. *J. Invert. Pathol.* 44(3):267-274.
- Courtney, C. H. et al. 1985. Impact of filariasis on the racing greyhound. *J. Amer. Animal Hosp. Assoc.* 21(3):421-428.
- Godinec, G. le and P. Fauran. 1984. [A survey of filariasis in New Caledonia.] *Bull. Soc. Pathol. Exot. Filiales.* 77(3):344-351. In French.
- Fujita, K. and S. Tsukidate. 1984. A highly purified allergen from excretory and secretory products of *Dirofilaria immitis*. *Int. J. Parasitol.* 14(6):547-550.
- Lindsay, S. W. and D. A. Denham. 1985. The effect of different types of skin surfaces on the transmission of *Brugia pahangi* infective larvae by the mosquito *Aedes aegypti*. *Trans. Roy. Soc. Trop. Med. Hyg.* 79(1):56-59.
- Rodriguez, P. H., C. Torres, and J. A. Marotta. 1984. Comparative development of *Brugia malayi* in susceptible and refractory genotypes of *Aedes aegypti*. *J. Parasitol.* 70(6):1001.
- Samarawickrema, W. A. et al. 1985. Filariasis transmission in Samoa I. Relation between density of microfilariae and larval density in laboratory-bred and wild-caught *Aedes (Stegomyia) polynesiensis* (Marks) and wild-caught *Aedes (Fimlaya) samoanus* (Gruenberg). *Ann. Trop. Med. Parasitol.* 79(1):89-100.
- Samarawickrema, W. A. et al. 1985. Filariasis in Samoa II. Some factors related to the development of microfilariae in the intermediate host. *Ann. Trop. Med. Parasitol.* 79(1):101-108.
- Singh, R. 1984. Seasonal density and natural survival rate of filariasis vector *Culex quinquefasciatus* (Diptera, Culicidae) in Gurgoan, Northern India. *Entom* 9(4):257-260.
- Singh, R., I. Singh, and B. S. Dahiya. 1984. Breeding places and seasonal abundance of bancroftian filariasis vector *Culex quinquefasciatus* (Diptera: Culicidae) in Gurgoan. *Entomon* 9(1):65-67.
- Wu, C. C., C. M. Ho, and P. C. Fan. 1984. [Preliminary report on the susceptibility of mosquitoes to *Brugia pahangi*.] *Chinese J. Microbiol. Immunol.* 17(3):156-160. In Chinese.
- GENETICS AND GENETIC CONTROL
- Adak, T., S. K. Subbarao, and V. P. Sharma. 1984. Genetics of three esterase loci in *Anopheles stephensi* Liston. *Biochem. Genet.* 22(5/6):483-494.
- Asman, S. M. and Knop, N. F. 1984. The genetics of space, a new sex-linked mutant in *Culex tarsalis*. *J. Hered.* 75:493-494.
- Baimai, V., R. G. Andre, and B. A. Harrison. 1984. Heterochromatin variation in the sex chromosomes in Thailand populations of *Anopheles dirus* A. (Diptera: Culicidae). *Can. J. Genet. Cytol.* 26(5):633-635.
- Baimai, V., S. Wibowo, and R. G. Andre. 1984. Supernumerary (B) chromosome in *Anopheles indefinitus* (Diptera, Culicidae). *Experientia.* 40(7):749-750.
- Barr, A. R. 1985. Incompatibility. *A. M. C. A. Bull.* 6:183-184.
- Dame, D. A. 1985. Genetic control by sterilized mosquitoes. *A. M. C. A. Bull.* 6:159-172.
- Dev., V. and K. S. Rai. 1984. Genetics of speciation in the *Aedes (Stegomyia) scutellaris* group (Diptera: Culicidae) V. Chromosomal relationships among five species. *Genetica* 64(2):83-92.
- Friederich, P. 1984. [Red-eye in the mosquito *Aedes vexans* Meigen (Diptera: Culicidae) not heritable as an allophenotype.] *Zeits. Angewandte Zool.* 71(3):369-376. In German.
- Hartberg, W. K. et al. 1985. Mitotic chromosomes of the mosquito *Aedes (Gymnometopa) mediovitatus* (Coquillett). *Mosquito Systematics* 17(1):44-48.
- King, M. and N. Pasteur. 1985. A rapid technique for obtaining air dried mitotic chromosomes from mosquito egg rafts. *Stain Technol.* 60(2):119.
- Lines, J. D., M. A. E. Ahmed, and C. F. Curtis. 1984. Genetic studies of malathion resistance in *Anopheles arabiensis* Patton (Diptera: Culicidae). *Bull. Entomol. Res.* 74(2):317-325.
- Mahmood, F. and R. K. Sakai. 1984. Inversion polymorphisms in natural populations of *Anopheles stephensi*. *Can. J. Genetics Cytol.* 26(5):538-546.
- Mitchell, S. E. and J. A. Seawright. 1984. Chromosome-linkage group correlation in *Anopheles quadrimaculatus* (Say). *J. Heredity* 75(5):341-344.
- Mitchell, S. E., J. A. Seawright. 1984. A red stripe mutant and its relationship in the allelic series in *Anopheles quadrimaculatus*. *J. Heredity* 75(5):421-422.
- Narang, S., J. A. Seawright and N. L. Willis. 1984. Assignment of glutamate oxaloacetate transaminase to chromosome 2 and alcohol dehy-

- drogenase to chromosome 3 of *Anopheles albimanus*. Can. J. Genet. Cytol. 26(5):590-594.
- Parvez, S. D. et al. 1985. 2 new mutations and a linkage map of *Anopheles stephensi*. J. Hered. 76(3):205-206.
- Pleshkova, G. N. 1984. [Radiation-induced inversions and reciprocal translocations in *Anopheles atroparvus*.] Genetika 20(12):2011-2017. In Russian.
- Rathor, H. R. and R. J. Wood. 1985. Effect of selection for dichlorodiphenyltrichloroethane (DDT) resistance on the uptake and breakdown of DDT in *Aedes aegypti* L. Can. J. Genetics Cytol. 27(1):23-28.
- Raymond, M. et al. 1985. Genetics of a propoxur insensitive acetylcholinesterase responsible for resistance in *Culex pipiens* L. C. R. Acad. Sci. Ser III-Vie, 300(14):509-512.
- Reisen, W. K. et al. 1985. Attempted insertion of a recessive autosomal gene into a semi-isolated population of *Culex tarsalis* (Diptera: Culicidae). J. Med. Entomol. 22(3):250-260.
- Sakai, R. K., K. Akhtar, and C. J. Dubash. 1985. New mutations and a linkage map of species-A of *Anopheles culicifacies*. J. Hered. 76(2):140.
- Seawright, J. A., M. Q. Benedict, and S. Narang. 1985. Studies of the X chromosome of *Anopheles albimanus*. Can. J. Genetics Cytol. 27(1):74-82.
- Sharma, G. P. et al. 1985. The effect of a larvicide on the chromosomes of *Aedes albopictus* Skuse (Culicidae, Diptera). J. Environ. Biol. 6(1):25-30.
- Stollar, V. and J. L. Hardy. 1984. Host-dependent mutants of Sindbis virus whose growth is restricted in cultured *Aedes albopictus* cells produce normal yields of virus in intact mosquitoes. Virology 134(1):177-183.
- Tadano, T. 1984. A genetic linkage map of the mosquito *Aedes togoi*. Jap. J. Genet. 59(2):165-176.

MALARIA

- Blumenfeld, A. M. et al. 1984. Probable chloroquine-resistant *Plasmodium falciparum* malaria in south-western Africa. South Afr. Med. J. 66(6):207-208.
- Burkot, T. R., J. L. Williams and I. Schneider. 1984. Identification of *Plasmodium falciparum*-infected mosquitoes by a double antibody enzyme-linked immunosorbent assay. Amer. J. Trop. Med. Hyg. 33(5):783-788.
- Carter, R. and D. C. Kaushal. 1984. Characterization of antigens on mosquito midgut stages of *Plasmodium gallinaceum* III. Changes in zygote surface proteins during transformation to mature ookinete (MBP00484). Mol. Biochem. Parasitol. 13(2):235-240.
- Chandiwana, S. K. 1984. Malaria and bilharzia, and other water-borne diseases, and their control in Zimbabwe. Zimbabwe Agr. J. 81(3):109-113.
- Chernin, E. 1984. The malariatherapy of neurosyphilis. J. Parasitol. 70(5):611-617.
- Choudhury, D. S. 1984. Studies on resurgence of malaria in parts of northern India. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 61-71.
- Clyde, D. F. and A. E. Beljaev. 1984. Obstacles to malaria eradication in South-East Asia. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre. pp. 5-12.
- Cochrane, A. H. et al. 1984. Monoclonal antibody identifies circumsporozoite protein of *Plasmodium brasilianum* sporozoites. Infect. Immun. 45/3:592-595.
- Collins, F. H., et al. 1984. First field trial of an immunoradiometric assay for the detection of malaria sporozoites in mosquitoes. Amer. J. Trop. Med. Hyg. 33(4):538-543.
- Collins, W. E. et al. 1984. Studies on the Uganda I/CDC strain of *Plasmodium malariae* in Bolivian *Aotus* monkeys and various anophelines. J. Parasitol. 70(5):677-681.
- Collins, W. E., et al. 1985. Studies on the North Korean strain of *Plasmodium vivax* in *Aotus* monkeys and different anophelines. J. Parasitol. 71(1):20-27.
- Collins, F. H. et al. 1985. Laboratory assessment of a species-specific radioimmunoassay for the detection of malaria sporozoites in mosquitoes (Diptera: Culicidae). J. Med. Entomol. 22(2):121-129.
- Coosemans, M. et al. 1984. [Epidemiology of malaria in the Ruzizi Valley, Burundi.] Ann. Soci. Belge Méd. Trop. 64(2):135-158. In French.
- Curtis, C. F. and G. B. White. 1984. *Plasmodium falciparum* transmission in England: entomological and epidemiological data relative to cases in 1983. J. Trop. Med. Hyg. 87:101-114.
- Deane, L. M., J. A. Ferreira Neto, and M. M. Lima. (1984) The vertical dispersion of *Anopheles (Kerteszia) cruzi* in a forest in southern Brazil suggests that human cases of malaria of simian origin might be expected. Mem. Inst. Oswaldo Cruz 79(4):461-463.
- Gandahasada, S., et al. 1984. Malaria control with residual fenitrothion in Central Java, Indonesia: an operational-scale trial using both full and selective coverage treatments. Bull WHO 62(5):783-794.
- Garnham, P. C. 1984. The present state of malaria research: an historical survey. Experientia 40(12):1305-1310.
- Garnham, P. C. C. and S. R. Telford. 1984. A new malaria parasite *Plasmodium (Sauramoeba) heischii* in skinks (*Mabuya striata*) from Nairobi, with a brief discussion of the distribution of the malaria parasites in the family Scincidae. J. Protozool. 31(4):518-520.
- Godson, G. N. 1985. Molecular approaches to malaria vaccines. Sci. Amer. 252(5):52-59.
- Gysin, J. et al. 1984. Neutralization of the infectivity of sporozoites of *Plasmodium knowlesi* by antibodies to synthetic peptide. J. Exp. Med. 160/3:935-940.
- Kumar, N. et al. 1985. *Plasmodium gallinaceum*: critical role for microtubules in the transformation of zygotes into ookinetes. Exp. Parasitol. 59:239-247.
- Lewis-Hughes, P. H. and M. J. Howell. 1984. *In vitro* culture of *Plasmodium yoelli* blood stages. Int. J. Parasitol. 14(5):447-452.
- Lobel, H. O., C. C. Campbell, and J. M. Roberts.

1985. Fatal malaria in U. S. civilians. *Lancet*, vol. 1, April 13, 1985, p. 873.
- Mani, T. R. et al. 1984. Density of *Anopheles culicifacies* Giles in relation to control measures along the River Thenpennai (Tamil Nadu). *Ind. J. Med. Res.* 80 (July):30-36.
- Matola, Y. G., U. Mwita, and A. E. Masoud. 1984. Malaria in the islands of Zanzibar and Pemba 11 years after the suspension of a Malaria Eradication Programme. *Central Afr. J. Med.* 30(5):91-96.
- Miller, L. H., P. H. David, and T. J. Hadley. 1984. Perspectives for malaria vaccination. *Phil. Trans. Roy. Soc. London B*, 307 (1131):99-116.
- Rosenberg, R. 1984. Susceptibility of a male mosquito to malaria. *J. Parasitol.* 70(5):827.
- Rosenberg, R. and L. C. Koontz. 1984. *Plasmodium gallinaceum*: density dependent limits on infectivity to *Aedes aegypti*. *Exper. Parasitol.* 57(3):234-238.
- Reuben, R. 1984. Ecology of malaria vectors: a review. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 101-109.
- Schofield, L. D. et al. 1985. An outbreak of *Plasmodium inui* malaria in a colony of diabetic Rhesus monkeys. *Lab. Anim. Sci.* 35(2):167-168.
- Sharma, G. K. 1984. Review of malaria and its control in India. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 13-40.
- Sinden, R. E. 1984. The biology of *Plasmodium* in the mosquito. *Experimentia* 40(12):1330-1342.
- Sturchler, D. 1984. Malaria prophylaxis in travellers: the current position. *Experimentia* 40(12):1357-1362.
- Subbarao, S. K. 1984. Biological species in malaria vectors of India. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 77-83.
- Sucharit, S. et al. 1984. *Plasmodium falciparum* infection in bisazir chemosterilized *Anopheles dirus* in laboratory studies. *Southeast Asian J. Trop. Med. Publ. Hlth.* 15(2):228-233.
- Tewari, S. C. et al. 1984. Epidemiological aspects of persistent malaria along the river Thenpennai (Tamil Nadu). *Indian J. Med. Res.* 80:1-10.
- Weathersby, A. B. 1985. *Plasmodium gallinaceum*: sporozoite activity in immune mosquito hemolymph. *Exp. Parasitol.* 59:192-196.
- White, G. B. 1984. Research priorities for malaria vectors in India. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 119-126.
- Whitfield, D. et al. 1984. Two cases of falciparum malaria acquired in Britain. *Br. Med. J.* 289 (6458):1607-1609.
- Zavela, F., et al., 1985. Rationale for development of a synthetic vaccine against *Plasmodium falciparum* malaria. *Sci.* 228(4706):1436-1439.
- Zharova, A. N., S. P. Rasnitsyn, and N. G. Dashkova. 1984. Fecundity of mosquitoes of *Aedes aegypti* in connection with their infection with *Plasmodium gallinaceum*, the agent of malaria. *Parazitologiya* 18(6):469-472. In Russian.
- Zharova, A. N. and S. P. Rasnitsyn. 1984. [Persistence of the agent of malaria in mosquitoes treated with sublethal doses of insecticides.] *Meditsinskaya Parazitologiya i Parazitarnye Bolezni* No. 5, 82-84. In Russian.

MISCELLANEOUS

- Bidlingmayer, W. L. et al. 1985. Preliminary study of the effects of wind velocities and wind shadows upon suction trap catches of mosquitoes (Diptera: Culicidae). *J. Med. Entomol.* 22(3):295-302.
- Brown, T. G. 1984. Superfund and the national contingency plan—how dirty is dirty—how clean is clean. *Comment. Ecol. Law Quart.* 12(1):89-148.
- Cox, H. W. 1984. Martin Dunaway Young: a biographic sketch. *J. Parasitol.* 70(5):606-609.
- Garnham, P. C. C. 1984. Memories of Martin D. Young. *J. Parasitol.* 70(5):610.
- Getz, W. 1985. Economics of rice-field mosquito control in California. *Bioscience* 35(5):292-297.
- Gillett, J. D. 1985. The behaviour of *Homo sapiens*, the forgotten factor in the transmission of tropical disease. *Trans. Roy. Soc. Trop. Med. Hyg.* 79(1):12-20.
- Girikumar, A. and P. V. Rao, 1984. An inexpensive cone trap for emerging mosquitoes under urban or rural conditions. *Entomol* 9(4):285-290.
- Lichtenberg, E. and W. M. Getz. 1984. Who should pay for rice-field mosquito control? *California Agriculture* 38(11/12):4-6.
- Mamedniyazov, O. 1984. [Results and perspectives of the study of bloodsucking Diptera in the Turkmenian SSR.] *Izvestiya Akademii Nauk Trukmenskoi SSR, Biologicheskikh Nauk* No. 1:35-41. In Russian.
- Mogi, M. 1984. Mosquito problems and their solution in relation to paddy rice production. *Protection Ecol.* 7(2-3):219-230.
- Natal, D. and D. Marucci. 1984. [An aspirator type of suction trap to catch mosquitoes.] *Revista de Saúde Publica* 18(5):418-420. In Portuguese.
- Nielsen, L. T. 1984. Biography and list of publications of John David Gillett. *Mosquito Systematics* 16(4):317-328.
- Nielsen, L. T. 1985. Biography and publications of Peter Frederick Mattingly. *Mosquito Systematics* 17(1):64-81.
- Rajagopalan, P. K. 1984. Research needs on vector biology. In Indo-UK workshop on malaria. Proceedings of the workshop held at the Indian Council of Medical Research, New Delhi, November 14-19, 1983 [edited by Sharma, V. P.]. Delhi, India: Malaria Research Centre pp. 95-100.
- Richie, J. P., Jr., B. J. Mills, and C. A. Lang. 1984. The verification of a mammalian toxicant classification using a mosquito screening method. *Fund. Appl. Toxicol.* 4(6):1029-1035.

- Ruckelshaus, W. D. 1984. The role of the affected community in superfund cleanup activities. *Hazardous Waste* 1(3):283-288.
- Smith, S. M. 1985. Population dynamics. *A. M. C. A. Bull.* 6:185-194.
- Weidhaas, D. E. and D. G. Haile. 1985. Modeling and integrated control strategies. *A. M. C. A. Bull.* 6:195-205.

TAXONOMY AND DISTRIBUTION

- Adamović, Ž. and R. Paulus. 1984. A survey of the anopheline mosquitoes (Diptera, Culicidae) in Srednja Posavina, Yugoslavia. *Acta Veterinaria, Yugoslavia* 34(4):199-204.
- Cagampang-Ramos, A., R. J. McKenna, and D. D. Pinkovsky. 1985. A list of Philippine mosquitoes (Diptera: Culicidae). *Mosquito Systematics* 17(1):1-31.
- Capela, R. A. and M. E. B. Ribeiro. 1984. [Presence of the autogenous character in *Culiseta (C.) annulata* (Schrank, 1776) and new geographical records for *Aedes caspius* (Pallas, 1771) and *Culiseta (C.) subochrea* (Edwards, 1921). *Annales de Parasitologie Humaine et Comparée* (1984) 59(5):535-538. In French.
- Chadee, D. D. and S. B. Ferreira. 1984. The occurrence of *Aedes berlini* Schick in artificial containers in Tobago, West Indies. *J. Florida Anti-Mosquito Assoc.* 55(1):47-48.
- Chadee, D. D. and E. S. Tikasingh. 1985. The distribution of *Haemagogus (H) equinus* (Theobald) (Diptera: Culicidae) in Trinidad and Tobago, W. I. *Mosquito Systematics* 17(1):32-35.
- Dahl, C. et al. 1984. A SIMCA pattern recognition study in taxonomy: claw shape in mosquitoes (Culicidae, Insecta). *Syst. Zool.* 33(4):355-369.
- Das, S. C. et al. 1984. Note on the collection of mosquitoes from animal sheds and human habitations in Assam, India. *Geobios New Reports* 3(2):142-144.
- De Oliveira, R. L. 1983. Concerning a new species of *Phoniomyia* (Diptera: Culicidae) from Rio de Janeiro, Brasil. *Mem. Inst. Oswaldo Cruz.* 78(4):501-505. (In Portuguese)
- Faran, M. E. et al. 1984. A computerized mosquito information and collection management system for systematic research and medical entomology. (Diptera: Culicidae). *Mosquito Systematics* 16(4):289-307.
- Green, C. A. et al. 1985. Cladistic analysis of polytene chromosome rearrangements in anopheline mosquitoes, subgenus *Cellia*, series *Neocellia*. *Can. J. Genet. Cytol.* 27(2):123-133.
- Green, C. A. et al. 1985. Cytogenetic evidence for a complex of species within the taxon *Anopheles maculatus* (Diptera: Culicidae). *Biol. J. Linn. Soc.* 24(4):321-328.
- Gaffigan, T. V. and R. A. Ward. 1985. Index to the Second Supplement to "A Catalog of the Mosquitoes of the World," with corrections and additions (Diptera: Culicidae). *Mosquito Systematics* 17(1):52-63.
- Harbach, R. E., C. Dahl, and G. B. White. 1985. *Culex (Culex) pipiens* Linnaeus (Diptera, Culicidae)—concepts, type designations, and descriptions. *Proc. Entomol. Soc. Wash.* 87(1):1-24.
- Jakob, W. L. and D. B. Francly. 1984. Observations on the DV/D ratio of male genitalia of *Culex pipiens* complex mosquitoes in the United States. *Mosquito Systematics* 16(4):282-288.
- Lourenco-de-Oliveira, R. and L. M. Deane. 1984. What is *Anopheles allopha* (Lutz & Peryassú, 1921) (Diptera: Culicidae)? *Mem. Inst. Oswaldo Cruz* 79(4):509-510.
- Maltais, P. and J.-Y. Daigle. First mention of *Aedes implicatus* new record and *Aedes dianiaetus* new record (Diptera: Culicidae) in New Brunswick, Canada. *Can. Entomol.* 116(5):781-782.
- Mitchell, C. J., R. F. Darsie, Jr., and T. P. Monath. 1984. Occurrence of autogenous *Culex pipiens* Linnaeus, 1758, (Diptera: Culicidae) in Argentina and notes on distribution of the complex. *Mosquito Systematics* 16(4):308-316.
- Nemjo, J. and M. Slaff. 1984. Head capsule width as a tool for instar and species identification of *Mansonia dyari*, *M. titillans*, and *Coquillettidia perturbans* (Diptera: Culicidae). *Ann. Entomol. Soc. Amer.* 77(5):633-735.
- Nurul Huda, K. M. and B. A. Harrison. 1985. Priority of the name *Anopheles pseudojamesi* for the species previously called *An. ramsayi*. (Diptera: Culicidae). *Mosquito Systematics* 17(1):49-51.
- Oda, T., K. Fujita, and A. Mori. 1984. Notes on vector mosquitoes of malaria and dengue fever in Papua New Guinea. *Trop. Med.* 26(2):61-65.
- Pires, C. A. et al. 1982 [1984]. Research on the mosquitoes of Portugal (Diptera, Culicidae) VI—The mosquitoes of Alentejo. *Ann. Inst. Hig. Med. Trop.* 8:79-102.
- Ramos, H. D., et al. 1982 [1984]. Research on the mosquitoes of Portugal (Diptera, Culicidae) VII—Two new anopheline records. *Ann. Inst. Hig. Med. Trop.* 8:103-109.
- Ribeiro, H., H. D. Ramos, and A. D. Machado. 1982 [1984]. Research on the mosquitoes of Angola (Insecta, Diptera, Culicidae) XIII—Twelve new records from the Lunda Province. *Ann. Inst. Hig. Med. Trop.* 8:125-130.
- Robert, L. L., Jr. and J. F. Matta. 1984. Aquatic macroinvertebrates in an irregularly flooded salt marsh: diversity and seasonal variation. *Environ. Entomol.* 13(4):1097-1104.
- Rodhain, F. and A. Boutonnier. 1984. Checklist of the type specimens of mosquitoes (Diptera: Culicidae) in the Medical Entomology Collections of the Pasteur Institute in Paris. *Mosquito Systematics* 16(4):271-281.
- Rohlf, F. J. and J. W. Archie. 1984. A comparison of Fourier methods for the description of wing shape in mosquitoes (Diptera: Culicidae). *Systematic Zool.* 33(3):302-317.
- Rosenberg, R. and N. L. Evenhuis. 1985. A new species of *Toxorhynchites* from Bangladesh (Diptera: Culicidae). *Mosquito Systematics* 17(1):36-43.
- Russell, R. C., D. J. Lee, and Y. Stanislas. 1984. *Aedes aegypti* (L.) (Diptera: Culicidae) in New South Wales. *Gen. and Appl. Entomol.* 16:9-16.
- Stark, P. M. and M. V. Meisch. 1984. Distribution and age composition of mosquito species (Diptera: Culicidae) inhabiting commercial rice fields in

- southeast Arkansas. *Environ. Entomol.* 13(6):1561-1565.
- Takai, K. et al. 1984. Postmating reproductive isolation between 7 members of the *Anopheles hyrcanus* species group in East Asia. *Jap. J. Sanit. Zool.* 35(3):251-259.
- Trukhan, M. N. and N. V. Pakholkina. 1984. [Blood-sucking Diptera of Byelorussia.] Minsk, USSR; "Nauka i Tekhnika". 172 pp. In Russian.
- Tyagi, B. K. 1984. A note on the new records of some anopheline mosquitoes from south Gujarat (India). *Geobios New Reports* (1984) 3(2):149-151.
- Vargas, L. 1984. An *Anopheles* complex in the Neotropical Region. *J. Florida Anti-Mosquito Assoc.* 55(1):46.
- Wang, X. X. 1984. [Description of a new *Culex* species (Diptera: Culicidae).] *Acta Entomol. Sinica* 27(2):217-220.
- Yuan, Y. and Denghong, C. 1984. Revision and description of *Anopheles (Cellia) balabacensis* Baisis from Yunnan, China. *Entomotaxonomia* 6(4):323-324. (In Chinese)
- VIRUS DISEASES
- Aitken, T. H. et al. 1984. Arthropod studies with rabies-related Mokola virus. *Amer. J. Trop. Med. Hyg.* 33(5):945-952.
- Burgess, J. H. et al. 1984. St. Louis encephalitis surveillance in Lee County 1977-1983. *J. Florida Anti-Mosquito Assoc.* 55(1):28-31.
- Converse, J. D. 1985. Ingwavuma virus (Simbu group) from *Culex* and *Mansonia* mosquitoes (Diptera: Culicidae) in Indonesia. *J. Med. Entomol.* 22(3):339-342.
- Danielová, V. 1984. To the problem of the vector of Lednice virus. *Folia Parasitol.* 31(4):379-382.
- Edwards, J. and D. T. Brown, 1984. Sindbis virus induced fusion of tissue cultured *Aedes albopictus* (mosquito) cells. *Virus Res.* 1(8):703-712.
- Gear, J. H. S. 1984. The haemorrhagic fevers of southern Africa. *South African J. Sci.* 80(10):449-454.
- Grimstad, P. R. and M. J. Mandracchia. 1985. Record of Michigan mosquito species (Diptera: Culicidae) collected in a natural focus of Jamestown Canyon virus in 1984. *Great Lakes Entomol.* 18(1):45-50.
- Guzmán, M. G. et al. 1984. A study of fatal hemorrhagic dengue cases in Cuba, 1981. *Bull. Pan Amer. Health Org.* 18(3):213-220.
- Hayes, C. G., R. H. Baker, S. Baqar, and T. Ahmed. 1984. Genetic variation for West Nile virus susceptibility in *Culex tritaeniorhynchus*. *Amer. J. Trop. Med. Hyg.* 33(4):715-724.
- Hildreth, S. W. and B. J. Beaty. 1984. Detection of eastern equine encephalomyelitis virus and Highlands J virus antigens within mosquito pools by enzyme immunoassay (EIA). I. A laboratory study. *Amer. J. Trop. Med. Hyg.* 33(5):965-972.
- Hildreth, S. W. et al. 1984. Detection of eastern equine encephalomyelitis virus and Highlands J virus antigens within mosquito pools by enzyme immunoassay (EIA). II. Retrospective field test of the EIA. *Amer. J. Trop. Med. Hyg.* 33(5):973-980.
- Hull, B. et al. 1984. Natural transovarial transmission of dengue-4 virus in *Aedes aegypti* in Trinidad. *Amer. J. Trop. Med. Hyg.* 33(6):1248-1250.
- Ilkal, M. A. et al. 1984. Xenodiagnosis of laboratory acquired dengue infection by mosquito inoculation & immunofluorescence. *Ind. J. Med. Res.* 79 (May):587-590.
- Jupp, P. G., B. M. McIntosh, and D. L. Thompson. 1984. Mechanical transmission of Rift Valley fever virus by mosquitoes. *South African J. Sci.* 80(6):276.
- Kay, B. H., I. D. Fanning, and J. G. Carley 1984. The vector competence of Australian *Culex annulirostris* with Murray Valley encephalitis and Kunjin viruses. *Austr. J. Exp. Biol. Med. Sci.* 72(5):641-650.
- Koblet, H. et al. 1985. Conformational changes at pH 6 on the cell surface of Semliki forest virus—infected *Aedes albopictus* cells. *Virology* 143(1): 334-336.
- Kuno, G., J. B. Brooks, and B. J. Wycoff. 1984. Changes in hydroxy and carboxylic acid compositions in the supernatant fluids of mosquito cell cultures infected with dengue viruses. *J. Invert. Pathol.* 44(3):256-262.
- Leake, C. J. 1984. The vector competence of colonized *Aedes (Stegomyia) katherinensis* for dengue-2 virus. *Trans. Roy. Soc. Trop. Med. Hyg.* 78(6):829-832.
- Levy, R. et al. 1984. Formulations for enhancing the mosquito larvicidal action and persistence of the monomolecular surface film isostearyl alcohol containing two oxyethylene groups (Arosurf MSF). *J. Florida Anti-Mosquito Assoc.* 55(1):31-34.
- L'vov, D. K. et al. 1984. Isolation of Karelian fever agent from *Aedes communis* mosquitoes. *Lancet* 2(8399):399-400.
- Méndez, M. R. et al. 1984. A continuing focus of yellow fever in the Apurimac River Valley, Ayacucho, Peru, and the first isolation of yellow fever virus in that country. *Bull. Pan Amer. Health Org.* 18(2):172-179.
- Mishra, A. C., et al. 1984. Mosquito vectors of Japanese encephalitis epidemic (1983) in Mandya district (India). *Ind. J. Med. Res.* 80:377-389.
- Morales, A., M. Romero and V. A. Olano. 1983. [Experimental transmission to mice of Venezuelan equine encephalomyelitis virus, subtype ID, by the mosquito *Psorophora confinnis*.] *Biomedica, Revista del Instit. Nac. Salud, Colombia* 3(1/2):10-14. In Spanish.
- Motha, M. X. J., J. R. Egerton, and A. W. Sweeney. 1984. Some evidence of mechanical transmission of reticuloendotheliosis virus by mosquitoes. *Avian Dis.* 28(4):858-867.
- Niklasson, B. et al. 1984. Association of a Sindbis-like virus with Ockelbo disease in Sweden. *Amer. J. Trop. Med. Hyg.* 33(6):1212-1217.
- Pilaski, J. and H. Mackenstein. 1985. Isolation of Tahyna virus from mosquitoes in two different European natural foci. *Zbl. Bakt. Mikrobiol. Hyg. B—UMWE* 180(4):394-420.
- Rajinder Singh and K. Sharma. 1984. Density of potential vector of dengue haemorrhagic fever, *Aedes aegypti* (Diptera: Culicidae). *Entomon* 9(2):93-95.

- Rosen, L. 1984. Use of mosquitoes to detect and propagate viruses. In *Methods in Virology*, Vol. 8:281-292. Academic Press, Orlando, FL.
- Scott, T. W. and T. G. Burrage. 1984. Rapid infection of salivary glands in *Culiseta melanura* with eastern equine encephalitis virus: an electron microscopic study. *Amer. J. Trop. Med. Hyg.* 33(5):961-964.
- Standfast, A. H., et al. 1984. Isolation of arboviruses from insects collected at Beatrice Hill, Northern Territory of Australia, 1974-1976. *Aust. J. Biol. Sci.* 37(5-6):351-366.
- Turell, M. J. et al. 1984. Enhanced arboviral transmission by mosquitoes that concurrently ingested microfilariae. *Science.* 225(4666):1039-1041.
- Turell, M. J., C. L. Bailey, and C. A. Rossi, 1984. Increased mosquito feeding on Rift Valley fever virus-infected lambs. *Amer. J. Trop. Med. Hyg.* 33(6):1232-1238.
- Turell, M. J. et al. 1985. *Culex pipiens* (Diptera: Culicidae) morbidity and mortality associated with Rift Valley fever virus infection. *J. Med. Entomol.* 22(3):332-337.
- Walder, R., O. M. Suarez, and C. H. Calisher. 1984. Arbovirus studies in the Guajira region of Venezuela: activities of eastern equine encephalitis and Venezuelan equine encephalitis viruses during an interepizootic period. *Amer. J. Trop. Med. Hyg.* 33(4):699-707.
- Watts, D. M. et al. 1985. Failure to detect natural transovarial transmission of dengue viruses by *Aedes aegypti* and *Aedes albopictus* (Diptera: Culicidae). *J. Med. Entomol.* 22(3):261-265.
- Weaver, S. C. et al. 1984. Barriers to dissemination of Venezuelan encephalitis viruses in the middle American enzootic vector mosquito, *Culex (Melanoconion) taeniopus*. *Amer. J. Trop. Med. Hyg.* 33(5):953-960.
- Wills, W. M. et al. 1985. Sindbis virus isolations from Saudi Arabian mosquitoes. *Trans. Roy. Soc. Trop. Med. Hyg.* 79(1):63-66.