

SELECTED LITERATURE REFERENCES TO MOSQUITOES AND MOSQUITO-BORNE DISEASES

1987, PART 2.

WILLIAM E. BICKLEY

6516 Fortieth Avenue, University Park, MD 20782

Selections are made so that mosquito control workers and researchers may keep abreast of current developments. Reliance has been placed on *Current Contents*. Dr. Ronald A. Ward has furnished many titles. Major funding has been provided through Grant AI 15643 from the National Institute of Allergy and Infectious Diseases, National Institutes of Health, USDHHS. The author thanks an appreciable number of individuals for various types of cooperation during the past 3 years.

ANATOMY, MORPHOLOGY, AND PHYSIOLOGY

- Belton, P. 1986. Sounds of insects in flight. pp. 60-70. *In: Insect Flight: Dispersal and Migration*. W. Dantnarayana Ed. Springer-Verlag, Berlin.
- Benedict, M. Q. and J. A. Seawright. 1987. Changes in pigmentation in mosquitoes (Diptera: Culicidae) in response to color of environment. *Ann. Entomol. Soc. Amer.* 80(1):55-61.
- Borovsky, D. and P. L. Whitney. 1987. Biosynthesis, purification, and characterization of *Aedes aegypti* vitellin and vitellogenin. *Arch. Insect Biochem. Physiol.* 4(2):81-100.
- Bradley, T. J. 1987. Physiology of osmoregulation in mosquitoes. *Ann. Rev. Entomol.* 32:439-462.
- Contel, E. P. B. et al. 1984. Biology of mosquitoes from the Amazon. VI. Enzymatic variability of *Anopheles darlingi* Root (Diptera, Culicidae). *Acta Amazon.* 14(1-2):238-243. In Portuguese.
- Delorme, D. R. et al. 1986. A method for predicting egg diapause initiation and its use in control of dark ricefield mosquitoes. *Texas Agric. Expt. Sta. Bull.* 1538:1-12.
- Foster, W. A. and F. A. Eischen. 1987. Frequency of blood-feeding in relation to sugar availability in *Aedes aegypti* and *Anopheles quadrimaculatus*. *Ann. Entomol. Soc. Amer.* 80(2):103-108.
- George, N. et al. 1986. Oviposition attractancy of some substitute esters and the pheromone extracted from egg rafts against *Culex quinquefasciatus*. *Curr. Sci.* 55(23):1205-1206.
- Huang, G. et al. 1984. Primary study on the solubility and distribution of cholinesterase from the adult mosquito (*Culex pipiens pallens* Coq.). *Contrib. Shanghai Inst. Entomol.* 4:97-105. In Chinese.
- Moore, A. et al. 1986. Automated identification of flying insects by analysis of wingbeat frequencies. *J. Econ. Entomol.* 79(6):1703-1706.
- Nilsson, C. 1986. Energetics of the suspension feeding mosquito larva, *Culex torrentium*. *Holarctic Ecol.* 9(4):267-271.
- Packer, M. J. 1986. Gynandromorphs v intersexes. *Brit. Mosquito Group Newsltr.* 2:2.
- Pratt, S. and S. C. Pryor. 1986. Dopamine and octopamine-sensitive adenylate cyclase in the brain of adult *Culex pipiens* mosquitoes. *Cell. Mol. Neurobiol.* 6(3):325-330.
- Raikhel, A. S. 1986. Lysosomes in the cessation of vitellogenin secretion by the mosquito fat body; selective degradation of Golgi complexes and secretory granules. *Tissue Cell* 18(1):125-142.
- Richie, J. P., Jr. and C. A. Lang. 1985. Aging effects on acetaminophen toxicity and glutathione status in the mosquito. *Drug Metab. Dispos.* 13(1):14-17.
- Richie, J. P., Jr. et al. 1987. Correction of a glutathione deficiency in the aging mosquito increases its longevity. *Proc. Soc. Exp. Biol. Med.* 184(1):113-117.
- Santos, J. M. M. D. et al. 1985. Biology of Amazonian mosquitoes III. Esterase isozymes in *Anopheles darlingi*. *Acta Amazonica* 15(1-2):167-178.
- Westbrook, A. and R. Russo. 1985. Ecdysone titers during the fourth larval instar of three species of *Toxorhynchites*. *N.J. Mosq. Control Assoc. Proc.* 72:63-70.
- Yong, H. S. et al. 1985. Enzyme polymorphism in *Mansonia uniformis*, a mosquito vector of brugian filariasis. *Comp. Biochem. Physiol. B, (Comparative Biochemistry)* 82(2):275-278.
- Yong, H. S. et al. 1985. Phosphoglucosmutase and glucose phosphate isomerase polymorphism in the mosquito vector *Anopheles balabacensis* from Sabah, Malaysia. *Trop. Biomed.* 2(2):185-186.
- Zheng, Y. et al. 1986. Enzyme patterns and protein constitution of *Anopheles sinensis* from four districts. *Bull. Hunan Med. Coll.* 11(3):215-218.

ATTRACTANTS AND REPELLENTS

- Curtis, C. F. 1986. Fact and fiction in mosquito attraction and repulsion. *Parasitol. Today* 2(11):316-317.
- Hwang, Y.-S. et al. 1984. Mosquito repellents from *Artemisia* plants. *CA Mosq. Vector Control Assoc. Proc.* 52:74-75.
- Hwang, Y.-S. et al. 1987. Attractancy and species specificity 6-acetoxy-5-hexadecanolide, a mosquito oviposition attractant pheromone. *J. Chem. Ecol.* 13(2):245-252.
- Ko, K.-Y. and E. L. Eliel. 1986. Asymmetric synthesis of (5R, 6S)-6-Acetoxy-5-hexadecanolide, the major component of the oviposition attractant pheromone of the mosquito *Culex pipiens fatigans*, and two of its stereoisomers. *J. Org. Chem.* 51(26):5353-5361.

BEHAVIOR, BIOLOGY, AND ECOLOGY

- Andersson, I. H. and T. G. T. Jaenson. 1987. Nectar feeding by mosquitoes in Sweden, with special ref-

- erence to *Culex pipiens* and *Cx. torrentium*. Med. Vet. Entomol. 1(1):59-64.
- Charlwood, J. D. 1986. A differential response to mosquito nets by *Anopheles* and *Culex* mosquitoes from Papua, New Guinea. Trans. Roy. Soc. Trop. Med. Hyg. 80(6):958-960.
- Dale, P. E. R. et al. 1986. Distribution of the immature stages of *Aedes vigilax* on a coastal salt-marsh in southeast Queensland. Austral. J. Ecol. 11(3):269-278.
- Fontenille, D. 1986. New and unusual locations of *Aedes (Stegomyia) aegypti* Linne 1762 (Diptera: Culicidae) in Madagascar. Bull. Soc. Pathol. Exotique 79:525-530.
- Forattini, O. P. et al. 1986. Observations on mosquito activity in a primitive rain forest of the Ribeira Valley region, Sao Paulo, Brazil. Rev. Saude Publica Sao Paulo 20(1):1-20. In Portuguese.
- Frank, J. H. 1986. Bromeliads as ovipositional sites for *Wyeomyia* mosquitoes: Form and color influence behavior. FL Entomol. 69(4):728-741.
- Garcia, R. et al. 1984. Preliminary investigation of *Anopheles occidentalis* adult activity at Coyote Hills Marsh. CA Mosq. Vector Control Assoc. Proc. 52:142-143.
- Hervy, J.-P. et al. 1986. The influence of moonlight on the biting activity of *Aedes taylori*. Cah. ORSTOM, Entomol. Med. Parasitol. 24(1):59-66.
- Hii, J. K. L. and Y. S. Vun. 1985. A study of dispersal, survival and adult population estimates of the malaria vector, *Anopheles balabacensis* Baisas (Diptera: Culicidae) in Sabah, Malaysia. Trop. Biomed. 2(2):121-131.
- Huang, G. et al. 1985. Vertical distribution of *Aedes albopictus* and composition of mosquito populations in Bamboo Forest of Wuyishan nature reserve Fujian Province China (Diptera: Culicidae). Wuyi Sci. J. 5:77-80.
- Hudson, J. E. 1986. Overwintering of *Anopheles*, *Culex*, and *Culiseta* females in central Alberta, Canada. Brit. Mosquito Group Newsltr. 2:2.
- Hunt, R. H. and R. J. Mahon. 1986. Collections of *Anopheles quadriannulatus* from human habitations in southern Africa. J. Entomol. Soc. S. Afr. 49(2):390.
- Husainy, Z. H. 1986. Observations on the bionomics and epidemiological significance of *Anopheles (Celia) pallidus* Theobald, 1901 (Diptera, Culicidae) in Bastar District, Madhya Pradesh. Entomon. 11(4):319-327.
- Liu, L. Z. et al. 1986. Blood sucking in relation to mating rate in *Anopheles dirus*. Acta Entomol. Sinica 29(4):377-382. In Chinese.
- Livingston, D. and K. Krishnamoorthy. 1985. Studies on the activity patterns of the larvae and adults of *Aedes albopictus* (Skuse) and *Aedes vittatus* (Bigot) of the scrub jungles of Plaghat-Gap, India. J. Bombay Nat. Hist. Soc. 82(1):30-37.
- Marchand, R. P. 1985. Field observations on swarming and mating in *Anopheles gambiae* mosquitoes in Tanzania. Neth. J. Zool. 34(3):367-384.
- Meyer, R. P. et al. 1984. A time segregated sampling device for determining nightly host-seeking patterns of female mosquitoes. CA Mosq. Vector Control Assoc. Proc. 52:162-166.
- Milby, M. M. 1984. Predicting *Culex tarsalis* abundance in Kern County. CA Mosq. Vector Control Assoc. Proc. 52:153-155.
- Palchick, S. and R. K. Washino. 1984. Factors affecting mosquito larval abundance in northern California rice fields. CA Mosq. Vector Control Assoc. Proc. 52:144-147.
- Pennington, N. E. and H. D. Newson. 1985. *Culiseta melanura* (Coquillett) breeding sites in an eastern equine encephalitis enzootic area in Michigan. N.J. Mosq. Control Assoc. Proc. 72:194-195.
- Rapp, W. F. 1985. The distribution and ecology of *Culex tarsalis* in the prairie biome. N.J. Mosq. Control Assoc. Proc. 72:146-150.
- Russell, R. C. 1986. Population age composition and female longevity of the arbovirus vector *Culex annulirostris* Skuse near Echuca, Victoria in the Murray Valley of southeastern Australia 1979-1985. Austral. J. Biol. Med. Sci. 64(6):595-600.
- Sabesan S. et al. 1986. Breeding habitats of *Anopheles culicifacies* in Rameswaram Island. Indian J. Med. Res. 84:44-52.
- Sallehudin Sulaiman, S. and J. Jeffery. 1986. The ecology of *Aedes albopictus* (Skuse) (Diptera: Culicidae) in a rubber estate in Malaysia. Bull. Entomol. Res. 76(4):545-552.
- Slosek, J. 1986. *Aedes aegypti* mosquitoes in the Americas: a review of their interaction with the human population. Soc. Sci. Med. 23(3):249-257.
- Snow, W. F. 1987. Studies of house-entering habits of mosquitoes in the Gambia, West Africa: experiments with prefabricated huts with varied wall apertures. Med. Vet. Entomol. 1(1):9-21.
- Stewart, R. J. et al. 1984. Age structure and survivorship of *Culex tarsalis* in Central California ricefields. CA Mosq. Vector Control Assoc. Proc. 52:148-152.
- Trpis, M. and W. Hausermann. 1986. Dispersal and other population parameters of *Aedes aegypti* in an African village and their possible significance in epidemiology of vector-borne diseases. Amer. J. Trop. Med. Hyg. 35(6):1263-1279.
- Washino, R. K. 1984. Aedine flight dispersal studies in an alpine habitat. CA Mosq. Vector Control Assoc. Proc. 52:168.

BIOLOGICAL CONTROL AND BIOLOGICAL CONTROL AGENTS

- Alfzairy, A. A. 1986. The pathogenicity of *Bacillus thuringiensis* isolated from the *Casuarina* stem borer, *Stromatium fulvum* Vill (Coleoptera: Cerambycidae) for larvae of 2 species of mosquitoes. Insect Sci. Appl. 7(5):633-636.
- Ali, A. and J. K. Nayar. 1986. Efficacy of *Bacillus sphaericus* Neide against larval mosquitoes (Diptera: Culicidae) and midges (Diptera: Chironomidae) in the laboratory. FL Entomol. 69(4):685-689.
- Balling, S. S. and V. H. Resh. 1984. Seasonal patterns of pondweed standing crop and *Anopheles occidentalis* densities in Coyote Hills Marsh. CA Mosq. Vector Controls Assoc. Proc. 52:122-125.
- Blaustein, L. and R. Karban. 1984. Continuing studies of *Gambusia affinis*, *Lepomis cyanellus* and their interactive effects on mosquito abundance in experimental rice plots. CA Mosq. Vector Control Assoc. Proc. 52:120.

- Burgess, N. R. H. 1986. Biological control of mosquitoes in Britain. *Brit. Mosquito Group Newsltr.* 2:3.
- Chen, D. H. et al. 1986. The occurrence of the nematode *Romanomermis jingdeensis* in the pupae and adults of *Anopheles sinensis*. *Chi Sheng Chung Ping Tsa Chih* 4(2):113-5. In Chinese.
- Cornet, M. et al. 1986. MAV virus, a new agent for *Aedes aegypti* control? *Ann. Inst. Pasteur/Virol.* 137E(4):425-428. In French.
- Coykendall, R. L. and E. E. Kauffman. 1984. Progress in aquacultural overwintering of mosquitofish: Pond configuration and solar greenhouse experimentation. *CA Mosq. Vector Control Assoc. Proc.* 52:115-119.
- Curtin, S. L. et al. 1984. Effects of pondweed density on predator efficiency: *Gambusia affinis* and *Gasterosteus aculeatus* as predators on *Anopheles occidentalis* larvae. *CA Mosq. Vector Control Assoc. Proc.* 52:140.
- Detet, J.-P. et al. 1986. *Herpetomonas dedonderi* new species (Sarcocystidophora: Trypanosomatidae) from *Haemagogus janthinomys* (Diptera: Culicidae). *J. Protozool.* 33(4):530-533.
- Dempster, S. J. et al. 1986. The effects of *Plagiorchis noblei* metacercariae on the development and survival of *Aedes aegypti* larvae in the laboratory. *J. Parasitol.* 72(5):699-702.
- Fleming, K. J. and J. K. Schooley. 1984. Foraging patterns and prey selection by marsh fish. *CA Mosq. Vector Control Assoc. Proc.* 52:139.
- Gardner, J. M. and J. S. Pillai. 1986. *Tolypocladium cylindrosporium* (Deuteromycotina, Moniliales) a fungal pathogen of the mosquito, *Aedes australis*. 1. Influence of temperature, pH, and salinity on the growth and sporulation of the fungus in the laboratory. *Mycopathologia* 96(2):87-90.
- Gopal, K. et al. 1986. An alternative of insecticides in mosquito control. *J. Adv. Zool.* 7(2):121-122.
- Graham, M. A. and Schooley, J. K. 1984. Toxicity of *Myriophyllum* and *Potamogeton* to mosquito larvae. *CA Mosq. Vector Control Assoc. Proc.* 52:141.
- Held, G. A. et al. 1986. Effect of removal of the cytolytic factor of *Bacillus thuringiensis* subsp. *israelensis* on mosquito toxicity. *Biochem. Biophys. Res. Commun.* 141(3):937-941.
- Hoy, J. B. et al. 1984. A progress report on a method of rearing *Gambusia affinis* on an operational scale. *CA Mosq. Vector Control Assoc. Proc.* 52:108-109.
- Karch, S. and J. Coz. 1986. Recycling of *Bacillus sphaericus* in dead larvae of *Culex pipiens* (Diptera: Culicidae). *Cah. ORSTOM, Entomol. Med. Parasitol.* 24(1):41-44.
- Kent, R. B. et al. 1985. N.J. aerial application of a 1-year-old commercial *Bti* formulation on salt marsh. *N.J. Mosq. Control Assoc. Proc.* 72:161-165.
- Kertes, J. A. et al. 1985. Field trials of Aerosurf MSF alone and in combination with *Bti* for mosquito control. *N.J. Mosq. Control Assoc. Proc.* 72:167-168.
- Kerwin, J. L. and R. K. Washino. 1984. Efficacy of *Romanomermis culicivorax* and *Lagenidium giganteum* for mosquito control: strategies for use of biological control agents in rice fields of the Central Valley of California. *CA Mosq. Vector Control Assoc. Proc.* 52:86-92.
- Kimball, M. R. and E. E. Kauffman. 1984. Initial observations of *Romanomermis culicivorax* as a biological control agent. *CA Mosq. Vector Control Assoc. Proc.* 52:98-101.
- Lacey, L. A. et al. 1987. Long-term effects of *Bacillus sphaericus* on *Culex quinquefasciatus*. *J. Invertebr. Pathol.* 24(1):116-123.
- Lamberti, G. A. and V. H. Resh. 1984. Seasonal patterns of invertebrate predators and prey in Coyote Hills Marsh. *CA Mosq. Vector Control Assoc. Proc.* 52:126-128.
- Lee, H. L. and W. H. Cheong. 1985. Laboratory evaluation of the potential efficacy of *Bacillus thuringiensis israelensis* for the control of mosquitoes in Malaysia. *Trop. Biomed.* 2(2):133-138.
- Legner, E. F. and R. D. Sjogren. 1984. Biological mosquito control: broader recognition of past successes and future research emphasis. *CA Mosq. Vector Control Assoc. Proc.* 52:102-107.
- Lewis, Z. O. et al. 1987. Characterization of the surface protein layers of the mosquito pathogenic strains of *Bacillus sphaericus*. *J. Bacteriol.* 169(1):72-79.
- Linthicum, K. J. et al. 1985. Predation on emerging adult mosquitoes by *Brachydeutera munroi* (Diptera: Ephydriidae). *N.J. Mosq. Control Assoc. Proc.* 72:178-181.
- Liu, J. F. 1984. The field experiment of *Bacillus thuringiensis* H-14 for the control of breeding places of common mosquitoes in China. *Contrib. Shanghai Inst. Entomol.* 4:139-144. In Chinese.
- Marten, G. G. 1986. Mosquito control by plankton management: The potential of indigestible green algae. *J. Trop. Med. Hyg.* 89(5):213-222.
- Miura, T. and H. M. Takahashi. 1984. A laboratory study of crustacean predation on mosquito larvae. *CA Mosq. Vector Control Assoc. Proc.* 52:94-97.
- Mulligan, F. S., III and C. H. Schaeffer. 1984. Field tests of *Bacillus thuringiensis* H-14 commercial formulations. *CA Mosq. Vector Control Assoc. Proc.* 52:80-81.
- Mulligan, F. S., III et al. 1984. Impact of *Gambusia affinis* wintering at Mendota Wildlife Area. *CA Mosq. Vector Assoc. Proc.* 52:169-172.
- Nicolas, L. et al. 1986. Persistence and recycling of *Bacillus sphaericus* 2362 spores in *Culex quinquefasciatus* breeding sites in West Africa. *Appl. Microbiol. Biotechnol.* 25(4):341-345.
- Nicolas, L. and J. Dossou-Yovo. 1987. Differential effects of *Bacillus sphaericus* strain 2362 on *Culex quinquefasciatus* and its competitor *Culex cinereus* in West Africa. *Med. Vet. Entomol.* 1(1):23-27.
- Nizeyimana, B. et al. 1986. Biochemical expression of the poisoning of *Aedes aegypti* larvae (Insecta, Diptera) by the delta endotoxin of *Bacillus thuringiensis israelensis*. 1. Haemolymph carbohydrates. *C. R. Soc. Biol.* 180(5):551-563.
- Nnakumusana, E. S. 1986. Susceptibility of mosquito larvae to *Leptolegnia* sp. *Indian J. Med. Res.* 84:586-593.
- Nnakumusana, E. S. 1986. Effect of *Nosema algerae* Vavra and Undeen spores infection on longevity and fecundity of larval instars of *Aedes aegypti* L. and *Culex fatigans* Weid. *Indian J. Exp. Biol.* 24(12):786-798.
- Paulov, S. 1985. Interactions of *Bacillus thuringiensis* var. *israelensis* with developmental stages of amphibians (*Rana temporaria* L.). *Biologia, Czechoslovakia, B (Zoologia)* 40(2):133-138.
- Powers, T. O. et al. 1986. Large mitochondrial genome

- and mitochondrial DNA size polymorphism in the mosquito parasite, *Romanomermis culicivorax*. *Curr. Genetics* 11(1):71-78.
- Russo, R. 1985. Surplus killing patterns in *Toxorhynchites*. *N.J. Mosq. Control Assoc. Proc.* 72:182-187.
- Schooley, J. K. and L. M. Page. 1984. Distribution and abundance of two marsh fish: the mosquitofish (*Gambusia affinis*) and the three spine stickleback (*Gasterosteus aculeatus*). *CA Mosq. Vector Control Assoc. Proc.* 52:134-139.
- Sherif, A. and R. G. Hall. 1984. Effects of an *Artemisia cana* extract on the development of *Culex quinquefasciatus*. *CA Mosq. Vector Control Assoc. Proc.* 52:76-79.
- Sherif, A. and R. G. Hall. 1985. Plant ingredients detrimental to mosquito development. *N.J. Mosq. Control Assoc. Proc.* 72:249-255.
- Stella, E. et al. 1984. Observations on the distribution of *Gambusia affinis* (Baird & Girard, 1854) in the natural wetland sites around Castel Porziano, 20 years after their introduction. *Riv. Idrobiol.* 23(2/3):173-186. In Italian.
- Sun, G. H. et al. 1986. Field tests of *Bacillus sphaericus* TS-1 against mosquito larvae in Tianjin. *Chin. J. Biol. Control.* 2(2):84-86.
- Venkatesan, P. et al. 1986. Modelling prey-predator cycles using hemipteran predators of mosquito larvae for reducing worldwide mosquito-borne disease incidence. *Chronobiol.* 13(4):351-354.
- Vorgetts, L. J., Jr. and M. D. Buescher. 1985. Effect of microencapsulation on the persistence of *Bacillus thuringiensis* (Serotype H-14). *N.J. Mosq. Control Assoc. Proc.* 72:244-246.
- Wainwright, T. C. et al. 1984. Implications of laboratory mosquitofish experiments for population development in rice fields. *CA Mosq. Vector Control Assoc. Proc.* 52:110-114.
- Weiser, J. and M. E. Ibrahim. 1985. Two microsporidia (Microsporidia, Protozoa) infecting mosquitoes in Sudan. *Vestn. Cesk. Spol. Zool.* 49(4):297-300.
- Work, T. M. and J. K. Olson. 1984. Laboratory studies on the effects of *Lagenidium giganteum* Couch on *Psorophora columbiae* (Dyar & Knab) and *Anopheles quadrimaculatus* Say in Texas. *CA Mosquito Vector Control Assoc. Proc.* 52:93.
- Xu, R. M. et al. 1986. Susceptibility of eight Chinese mosquitoes to *Bacillus thuringiensis* H-14. *Chinese J. Biol. Control.* 2(1):20-22. In Chinese.
- Yates, M. M. 1985. Further trials with ultralow-volume aerial applications of *Bti* using the Beecomist system. *N.J. Mosq. Control Assoc. Proc.* 72:157-160.
- Zebitz, C. P. W. 1986. Effects of 3 different neem seed kernel extracts and azadirachtin on larvae of different mosquito species. *J. Appl. Entomol.* 102(5):455-462.

BOOKS, BOOKLETS, AND REPORTS

- Brès, P. 1986. Public Health Action in Emergencies Caused by Epidemics. A practical guide. WHO, Geneva. 287 pp.
- Danks, H. V. 1987. Insect Dormancy: An Ecological Perspective. Biological Survey of Canada, National Museum of Natural Sciences, Ottawa. 435 pp.
- Mittler, T. E. (Ed.) 1987. Annual Review of Entomology, Vol. 32:1-559. Annual Reviews, Inc., Palo Alto, CA. (For pertinent chapters, see a book review in this journal.)
- National Council for International Health, Washington. 1986. Management Issues in Health Programs in the Developing World. NCIH Publications, Washington 20036. 394 pp.
- Proceedings 72nd Annual Meeting New Jersey Mosquito Control Association, Inc. 1985. P. O. Box 231, New Brunswick, N.J. 08903. 332 pp.
- Trager, W. 1986. Living Together. The Biology of Animal Parasitism. Plenum, New York. 467 pp.
- Zahar, A. R. 1984. Vector Bionomics in the Epidemiology and Control of Malaria. Part I. The WHO African Region and the Southern WHO Eastern Mediterranean Region. Sections I and II, 109 pp. Section III A, 225 pp. Section III B and C, 136 pp. Section III D, 244 pp. World Health Organization, Geneva. Note: This "magnum opus" was reviewed by G. Davidson in *Trop. Dis. Bull.* 83(12):1032-1034 (1986).

CHEMICAL CONTROL

- Alphin, M. H. 1985. Recent developments in Vecto-bac-AS formulation improvements and related efficacy in 1984 field tests. *N.J. Mosq. Control Assoc. Proc.* 72:154-155.
- Bohmalk, G. T. 1985. A technical profile of Teknar HP-D, a new potency and dispersible *Bti* formulation. *N.J. Mosq. Control Assoc. Proc.* 72:152-154.
- Bondareva, N. I. et al. 1986. Recent changes in the DDT resistance levels observed in the Anophelines in the USSR. *Med. Parazitol. Parazit. Bolezni* 4:25-27. In Russian.
- Case, D. A. and E. E. Kauffman. 1984. Organophosphate insecticide resistance in mosquito populations in Sutter and Yuba Counties, California. *CA Mosq. Vector Control Assoc. Proc.* 52:11-16.
- Didier, F. et al. 1987. Biochemical characterization of the esterases A1 and B1 associated with organophosphate resistance in the *Culex pipiens* L. complex. *Pestic. Biochem. Physiol.* 27(2):211-217.
- Hemingway, J. et al. 1986. Pesticide resistance mechanisms produced by field selection pressures on *Anopheles nigerrimus* and *A. culicifacies* in Sri Lanka. *Bull. WHO* 64(5):753-758.
- Hemingway, J. et al. 1986. Field and laboratory detection of the altered acetylcholinesterase resistance genes which confer organophosphate and carbamate resistance in mosquitoes (Diptera: Culicidae). *Bull. Entomol. Res.* 76(4):559-556.
- Henderson, J. M. et al. 1985. Field studies of temperature effects on ULV malathion, chlorpyrifos, and resmethrin on *Culex pipiens*. *N.J. Mosq. Control Assoc. Proc.* 72:212-232.
- Hudson, J. E. 1986. The 1982 emergency ultralow volume spray campaign against *Aedes aegypti* adults in Paramaribo, Suriname. *Bull. Pan Amer. Hlth. Org.* 20(3):294-303.
- Jiang, J. L. et al. 1984. Studies on the cross-resistance to DDT, organophosphate and permethrin in the resmethrin-selected mosquito, *Culex pipiens pallens*. *Coq. Contrib. Shanghai Inst. Entomol.* 4:113-119. In Chinese.
- Kenaga, E. E. 1985. The need for interpretation of

- test results for evaluating the hazards of mosquito control chemicals. N.J. Mosq. Control Assoc. Proc. 72:268-270.
- Kent, R. B. 1985. The metamorphosis of the New Jersey state airspray program: a 1984 report. N.J. Mosq. Control Assoc. Proc. 72:91-97.
- Khoo, B. K. and D. J. Sutherland. 1985. The dynamics of aerial ULV malathion space sprays as revealed by interval in situ sampling of *Ae. sollicitans*. N. J. Mosq. Control Assoc. Proc. 72:196-204.
- Khoo, B. K. and D. J. Sutherland. 1985. Resistance management by operational targeting of female *Aedes sollicitans* with ULV malathion. N.J. Mosq. Control Assoc. Proc. 72:204-208.
- Khoo, B. K. and D. J. Sutherland. 1985. Toxicity of methoprene to *Aedes sollicitans* (Walker). N.J. Mosq. Control Assoc. Proc. 72:208-211.
- Lines, J. D. et al. 1987. Experimental hut trials of permethrin-impregnated mosquito nets and eave curtains against malaria vectors in Tanzania. Med. Vet. Entomol. 1(1):37-51.
- Liu, W. D. and W. M. Chen. 1984. The potency of insecticide resistance of *Anopheles sinensis* Wied. in China. Contrib. Shanghai Inst. Entomol. 4:313-319. In Chinese.
- MacCormack, C. P. and R. W. Snow. 1986. Gambian cultural preferences in the use of insecticide-impregnated bed nets. J. Trop. Med. Hyg. 89:295-302.
- Mahler, D. S. 1985. Measuring droplet size using hot-wire instrumentation. N.J. Mosq. Control Assoc. Proc. 72:112-121.
- McHugh, C. P. and R. K. Washino. 1984. Aerial and ground applications of malathion for control of adult *Anopheles freeborni* and *Culex tarsalis* in Sutter County, California. CA Mosq. Vector Control Assoc. Proc. 52:21-25.
- Mellon, R. B. and G. P. Georghiou. 1984. Rotational use of insecticides in mosquito control programmes. CA Mosq. Vector Control Assoc. Proc. 52:65-67.
- Muench, M. F. 1985. Preliminary field evaluation of LORAN-C aerial navigation in mosquito control operations. N.J. Mosq. Control Assoc. Proc. 72:109-111.
- Parman, R. et al. 1984. Pesticide susceptibility of *Culex tarsalis* in Kern County, California, 1983. CA Mosq. Vector Control Assoc. Proc. 52:8-9.
- Paulov, S. et al. 1985. The potential harmfulness of the synthetic pheromone component (S)-*cis*-verbenol to animal organisms in the aquatic environment. Biol. Czech. B (Zool.) 40(6):591-594.
- Raymond, M. and C. Mouches. 1986. Mosquito resistance to pesticides. Recherche 17(183):1561. In French.
- Raymond, M. et al. 1986. Identification of resistance mechanisms in *Culex pipiens* (Diptera: Culicidae) from Southern France: insensitive acetylcholinesterase and detoxifying oxidases. J. Econ. Entomol. 79(6):1452-1458.
- Saleh, M. S. and M. I. Aly. 1987. The biological effects of three insect growth regulators on *Culex pipiens* L. Anz. Schadlingsk. Pflanz Umwelt. 60(2):25-26.
- Saxena, S. C. and R. K. Kaushik. 1986. Effects of a chitin inhibitor compound on fecundity and egg viability in *Anopheles stephensi* Liston. Curr. Sci. 55(16):807-808.
- Schaeffer, C. H. and T. Miura. 1985. Environmental impact of mosquito control agents under laboratory and field conditions. N.J. Mosq. Control Assoc. Proc. 72:270-284.
- Schaeffer, C. H. et al. 1987. Efficacy of fenoxycarb against mosquitoes (Diptera: Culicidae) and its persistence in the laboratory and field. J. Econ. Entomol. 80(1):126-131.
- Singh, R. 1986. Field trial of fenitrothion for the control of malaria. Entomol. 11(4):277-278.
- Tang, Z. H. and Y. G. Li. 1984. Further studies on the synergism of malathion and Dipterex to the mosquito (*Culex pipiens pallens* Coq.). Contrib. Shanghai Inst. Entomol. 4:121-126. In Chinese.
- Villani, F. and J. Hemingway. 1987. The detection and interaction of multiple organophosphorus and carbamate insecticide resistance genes in field populations of *Culex pipiens* from Italy. Pestic. Biochem. Physiol. 27(2):218-228.
- Walcher, K. 1985. A new recording device to monitor vehicular pesticide applications. N.J. Mosq. Control Assoc. Proc. 72:106-108.
- Walker, E. D. et al. 1985. Small-scale field evaluations of Teknar, Abate, and Dursban as *Coquillettidia perturbans* larvae. N.J. Mosq. Control Assoc. Proc. 72:169-172.
- Wegner, Z. 1984. Insecticidal action of 'Cyklopren' against mosquitoes in minute artificial water containers. Bull. Inst. Maritime and Trop. Med. Gdynia. 35(1/2):35-39.
- Wood, C. E. et al. 1985. Preliminary field evaluation of DDVP No-Pest Strips in larvae-producing catch basins in Chicago, Illinois. N.J. Mosq. Control Assoc. Proc. 72:233-235.

FILARIASIS

- Baird, J. K. et al. 1986. North American Brugian filariasis: Report of nine infections of humans. Amer. J. Trop. Med. Hyg. 35(6):1205-1209.
- Christensen, B. M. et al. 1987. Surface changes in *Brugia pahangi* microfilariae and their association with immune evasion in *Aedes aegypti*. J. Invertebr. Pathol. 49(1):14-18.
- Gong, J.-Z. 1986. Differentiation of three development stages of Bancroftian and Malaysian filariae in mosquito vectors. Chin. Med. J. (Engl. Ed) 99(5):427-428.
- Hongzhang, T. and H. Huifen. 1986. Cryopreservation of microfilariae of *Brugia malayi* and subsequent development in *Anopheles hyrcanus sinensis*. Acta. Zoolog. Sinica 32(4):383-385. In Chinese.
- Kasai, N. and P. Williams. 1986. Experimental infection of *Aedes fluviatilis* with *Dirofilaria immitis*. Rev. Bras. Biol. 46(2):277-283. In Portuguese.
- Lim, B. L. 1985. Distribution of *Brugia malaya* in relation to landscape ecology, reservoir hosts and mosquito vectors in Indonesia. Trop. Biomed. 2(1):34-39.
- Perrone, J. B. and A. Spielman. 1986. Microfilarial perforation of the midgut of a mosquito. J. Parasitol. 72(5):723-727.
- Xu, J. J. et al. 1986. Inoculation of microfilariae of *Brugia malayi* into four species of mosquitoes. J. Parasitol. Parasit. Dis. 4(3):192-195. In Chinese.

GENETICS AND GENETIC CONTROL

- Booth, D. R. and J. H. Bryan. 1986. Cytogenetic and crossbreeding evidence for additional cryptic species

- in the *Anopheles annulipes* Walker complex (Diptera: Culicidae). *J. Austral. Entomol. Soc.* 25(4):315-326.
- Bourgouin, C. et al. 1986. Characterization of the genes encoding the haemolytic toxin and the mosquitoicidal deltaendotoxin of *Bacillus thuringiensis israelensis*. *Mol. Gen. Genetics* 205(3):390-397.
- Chaudhry, S. and M. Vohra. 1986. An incidence of endopolyploidy in the polytene chromosomes of a mosquito *Anopheles culicifacies* (Culicidae: Diptera). *Caryologia* 39(2):161-164.
- Chaudhry, S. 1986. Sex chromosome in mosquitoes. I. NOR associated gene activation and asynopsis in the salivary X-chromosome of *Anopheles subpictus* (Culicidae: Diptera). *Caryologia* 39(2):211-215.
- Hunt, R. H. 1987. Location of genes on chromosome arms in the *Anopheles gambiae* group of species and their correlation to linkage data for other anopheline mosquitoes. *Med. Vet. Entomol.* 1(1):81-88.
- Li, Y. G. and Z. H. Tang. 1984. Biochemical genetics of malathion resistance in the mosquito (*Culex pipiens pallens* Coq.). *Contrib. Shanghai Inst. Entomol.* 4:127-131. In Chinese.
- Myat, M. T. et al. 1986. Hybridization cytogenetics studies and genetics of DDT-resistance in *Anopheles annularis* population in Burma. *J. Commun. Dis.* 18(2):81-89.
- Robinson, A. S. et al. 1986. Breakpoint distribution in male-linked translocations in *Anopheles stephensi* Liston. *J. Hered.* 77(6):394-398.
- Sulaiman, I. 1985. Recombination frequencies and the order of the genes re (red eye colour), fi (filarial susceptibility-*Dirofilaria immitis*) and M (sex) in the sex chromosome of *Aedes aegypti*. *Trop. Biomed.* 2(1):47-53.
- Taylor, D. B. 1987. Genetic compatibility of *Aedes (Protoanclaea) triseriatus* with *A. (P.) brelandi* and *A. (P.) hendersoni* (Diptera: Culicidae). *Ann. Entomol. Soc. Amer.* 80(2):109-117.
- Yu, T. R. and P. J. Huang. 1984. Inheritance analysis of delta wing mutant in *Culex pipiens pallens* Coq. *Contrib. Shanghai Inst. Entomol.* 4:133-137.
- ### MALARIA
- Andrade, J. C. R. D. et al. 1986. Malaria focuses in Sao Paulo State Brazil. *Rev. Saude Publica.* 20(4):323-326. In Portuguese.
- Anonymous. 1985. Assessment of malaria control measures in an area of low endemicity. *Jiangsu Prov. Inst. Prevention and Treatment of Parasitic Diseases.* *Jiangsu Med. J.* 11(9):37-38. In Chinese.
- Anonymous. 1986. Malaria control in the Americas: a critical analysis. *Bull. Pan Amer. Hlth. Org.* 20(3):304-320.
- Anonymous. 1986. *Anopheles* 1: *Plasmodium* nil. *Lancet* (II)8517:1230.
- Bhattacharya, D. N. and A. P. Hall. Chloroquine-resistant falciparum malaria from East Africa. *J. Trop. Med. Hyg.* 89:291-294.
- Cai, X-Z. et al. 1986. Ten year study of malignant malaria which was drug resistant to chloroquine in Hainan Island China. *Chin. J. Epidemiol.* 7(2):92-96. In Chinese.
- Chadli, A. et al. 1986. Campaigns for the eradication of malaria in Tunisia: history and current situation. *Arch. Inst. Pasteur Tunis (TUNISIA)* 63(1):35 et seq. In French.
- Chen, G. G. et al. 1985. An epidemiological investigation of malaria in Weixi County, Yunnan Province. *Chin. J. Epidemiol.* 6(4):208-210. In Chinese.
- Collins, W. E. et al. 1986. Studies of comparative infectivity of fifteen strains of *Plasmodium vivax* to laboratory-reared anopheline mosquitoes with special reference to *Anopheles culicifacies*. *J. Parasitol.* 72(4):521-524.
- Cowper, L. T. 1985. Malaria control in Ecuador. *N.J. Mosq. Control Assoc. Proc.* 72:25-32.
- Dallas, A. B. C. et al. 1986. Concurrent chloroquine- and Fansidar-resistant *Plasmodium falciparum*: an imported case in Zimbabwe. *J. Trop. Med. Hyg.* 89(5):265-268.
- deMeillon, B. 1986. The control of malaria with special reference to the contributions made by the staff of the South African Institute for Medical Research. *S. Afr. Med. J. Suppl.* p. 67 seq.
- Esposito, R. et al. 1986. Epidemiology of imported malaria in a hospital in Milan, Italy. *Trans. Roy. Soc. Trop. Med. Hyg.* 80(6):877-878.
- Fitch, C. D. and D. C. Warhurst. 1986. The mode of action of chloroquine and related malarial schizontocides. *Parasitol. Today* 2(12):329-333.
- Henderson, A. 1986. The malaria threat to the Army in Hong Kong. *J. Roy. Army Med. Corps.* 132(3):163-167.
- Henderson, A. and J. A. Rixom. 1986. Personal anti-mosquito measures plus proguanil for malaria prophylaxis in southern Malaysia. *Trans. Roy. Soc. Trop. Med. Hyg.* 80(6):981-982.
- Hu, C. R. et al. 1986. Study on the susceptibility of different strains of *Anopheles sinensis* to *Plasmodium vivax* in Wuhan. *Chin. J. Prev. Med.* 20(1):37. In Chinese.
- Kamis, A. B. et al. 1986. Effects of thyroxine on *Plasmodium berghei* infection in mice. *Mosquito-borne Diseases Bull.* 3(1):5-8.
- Kurtti, T. J. and U. G. Munderloh. 1986. Comparative studies on the infectivity of *Plasmodium berghei* gametocytes and ookinetes from gnotobiotic and xenobiotic *Anopheles stephensi*. *J. Parasitol.* 72(5):706-710.
- Liu, C. F. et al. 1986. Quantitative study on the role of *Anopheles lesteri anthropophagus* in malaria transmission. *J. Parasitol. Parasit. Dis.* 4(3):161-164. In Chinese.
- Mak, J. W. et al. 1985. Studies on malaria and filariasis in Hilir Perak Peninsular Malaysia. *Trop. Biomed.* 2(1):40-46.
- Orlov, V. S. et al. 1986. Main results of carrying out the branch program to develop and put into practice the scientific bases for the complete and permanent elimination of malaria in the USSR. *Med. Parazitol.* (5):3-7. In Russian.
- Schall, J. J. and G. A. Sarni. 1987. Malarial parasitism and the behavior of the lizard, *Sceloporus occidentalis*. *Copeia* No. 1 for 1987:84-93.
- Tangley, L. 1987. Malaria: fighting the African scourge. *Bioscience* 37(2):94-98.
- Verdrager, J. 1986. Epidemiology of the emergence and spread of drug-resistant falciparum malaria in South-East Asia and Australasia. *J. Trop. Med. Hyg.* 89:277-289.

- Watkins, W. M. et al. 1987. Inadequacy of chloroproguanil 20 mg. per week as chemoprophylaxis for falciparum malaria in Kenya. *Lancet* 8525(I):125-127.
- Yang, B. G. et al. 1985. Assessment of malaria control by indirect fluorescent antibody test. *J. Parasitol. and Parasit. Dis.* 3(3):184-186. In Chinese.
- Xu, Z-G. et al. 1986. Study on the susceptibility of *Anopheles jeyporiensis candidiensis* to *Plasmodium vivax*. *Chin. J. Epidemiol.* 7(2):108-110. In Chinese.
- ### MISCELLANEOUS
- Anonymous. 1986. Biography of James Blaine Kitzmiller. *Mosquito Systematics* 18(3,4):327-339.
- Berry, R. L. 1985. Ovitrap sampling for *Aedes triseriatus*. *N.J. Mosq. Control Assoc. Proc.* 72:98-104.
- Braverman, Y. et al. 1986. Experiments using *Aedes aegypti* as a bioassay for the detection of T-2 toxin. *Israel J. Vet. Med.* 42(1):43-44.
- Burgoyne, W. E. 1985. Tundra mosquito control—an impossible dream? *N.J. Mosq. Control Assoc. Proc.* 72:172-173.
- Candeletti, T. M. 1985. Economics of salt-marsh mosquito control in Ocean County, New Jersey. *N.J. Mosq. Control Assoc. Proc.* 72:75-78.
- Challet, G. L. 1985. AMCA presidential address. *N.J. Mosq. Control Assoc. Proc.* 72:3-5.
- Chan, K. L. and J. J. Counsilman. 1985. Effects of slum clearance, urban development, and vector control on densities of *Aedes* mosquitoes in Singapore. *Trop. Biomed.* 2(2):139-147.
- Das, M. K. and A. P. Dash. 1986. Detection of antibodies to *Culex quinquefasciatus* in man. *IRCS Med.Sci. Biochem.* 14(12):1190-1191.
- Dobson, Norman. 1985. Economics of mosquito control in Essex County, Massachusetts. *N.J. Mosq. Control Assoc. Proc.* 72:80-82.
- Fultz, T. O., Jr. 1985. Economics of mosquito control in Chatham County, Georgia. *N.J. Mosq. Control Assoc. Proc.* 72:82-85.
- Garcia, R. and B. des Rochers. 1984. Towards an integrated mosquito control strategy for Gray Lodge Wildlife Refuge with emphasis on the floodwater species: *Aedes melanimon* and *Ae. nigromaculis*. *CA Mosq. Vector Control Assoc. Proc.* 52:173-180.
- Hervy, J-P. et al. 1986. Activites du Laboratoire d'entomologie medicale de l'O.R.S.T.O.M. en 1985. in *Rapport sur le Fonctionnement Technique de l'Institut Pasteur de Dakar, Annee 1985*, pp. 84-94.
- Huggins, R. D. 1985. Practical application of the personal computer in mosquito control. *N.J. Mosq. Control Assoc. Proc.* 72:264-268.
- Huang, W. Z. and M. Z. Luo. 1986. A cellulose acetate membrane counter immunoelectrophoresis test for identification of host source of mosquito blood meals. *J. Parasitol. Parasit. Dis.* 4(3):186-188. In Chinese.
- Kent, R. B. and D. J. Sutherland. 1985. Experiences with the bee-kill problem: a 6-year study by the New Jersey State Airspray Program. *N.J. Mosq. Control Assoc. Proc.* 72:236-238.
- Kirnowordoyo, S. S. 1986. Zooprophylaxis as a useful tool for control of *Anopheles aconitus* transmitted malaria in Central Java Indonesia. *J. Commun. Dis.* 18(2):90-94.
- Kuschke, J. C. 1985. NJMCA presidential address. *N.J. Mosq. Control Assoc. Proc.* 72:1-2.
- Leslie, J. B. 1985. Mosquito control: a historical review. *N.J. Mosq. Control Assoc. Proc.* 72:17-21.
- Maramorosch, K. 1985. Can mosquito-borne diseases be controlled? *N.J. Mosq. Control Assoc. Proc.* 72:14-17.
- Meyer, R. P. 1985. The "walk-in" type red box for sampling resting adult mosquitoes. *N.J. Mosq. Control Assoc. Proc.* 72:104-105.
- Olson, J. K. 1985. The Riceland Mosquito Management Program (RMMP)—5 years of progress and product. *N.J. Mosq. Control Assoc. Proc.* 72:137-141.
- Papineau, E. A. 1984. Controlling *Aedes sierrensis* in Jackson County—a year-round program. *CA Mosq. Vector Control Assoc. Proc.* 52:63-64.
- Pappas, L. G. et al. 1986. Hemodynamics of human skin during mosquito (Diptera: Culicidae) blood feeding. *J. Med. Entomol.* 23(6):581-587.
- Parsons, M. A. 1985. Mosquito control and public health. *N.J. Mosq. Control Assoc. Proc.* 72:21-23.
- Pelsue, F. W. 1984. Integrated pest management of an urban swamp. *CA Mosq. Vector Control Assoc. Proc.* 52:60-61.
- Rai, K. S. 1986. Use of the mosquito, *Aedes aegypti* as an experimental model to study electropollution. pp. 55-62. *In: Biological Effects of Electropollution*. S. D. Dutta and R. M. Millis, Ed. Information Ventures, Inc., Philadelphia.
- Rappaport, A. H. and K. W. Bruder. 1985. The New Jersey State Mosquito Control Commission—1985 update. *N.J. Mosq. Control Assoc. Proc.* 72:88-91.
- Russo, R. and P. Yang. 1985. The potential use of Lotus 1-2-3 in mosquito control. *N.J. Mosq. Control Assoc. Proc.* 72:261-263.
- Snow, K. R. 1986. Mosquito nuisance and control in UK. *Environ. Hlth.* 94(10):265, 267-268.
- Sturn, W. E., Jr. 1985. The importance of financing mosquito control in a resort county. *N.J. Mosq. Control Assoc. Proc.* 72:78-80.
- Sutherland, D. J. 1985. Thomas J. Headlee (1877-1946), the AMCA memorial lecture honoree. *N.J. Mosq. Control Assoc. Proc.* 72:5-6.
- Tun-Lin, W. et al. 1986. Larval density estimation of well-breeding anophelines by mark-release-recapture technique in Burma. *Mosquito-borne Diseases Bull.* 3(1):1-4.
- Weber, R. G. 1985. An aquatic light trap for possible use in mosquito larvicide surveillance. *N.J. Mosq. Control Assoc. Proc.* 72:122-125.
- White, D. J. 1985. New qualifications for state aid for mosquito surveillance and/or control conducted in New York State. *N.J. Mosq. Control Assoc. Proc.* 72:86-88.
- Williams, N. G. 1986. RAF Valley: a mosquito problem? *Brit. Mosquito Group Newsltr.* 2:7.
- Wood, C. E. and J. L. Clarke, Jr. 1985. Computer-targeting larval production sites for cost-effective mosquito control. *N.J. Mosq. Control Assoc. Proc.* 72:256-260.
- ### TAXONOMY AND DISTRIBUTION
- Baimai, V. et al. 1987. Crossing and chromosomal evidence for 2 additional sibling species within the

- taxon *Anopheles dirus* Peyton and Harrison (Diptera: Culicidae) in Thailand. Proc. Entomol. Soc. Wash. 89(1):141-146.
- Bickley, W. E. 1987. Some Maryland mosquitoes are extremists. Maryland Naturalist (n.s.) 1(1):2-4.
- Chadee, D. D. and J. S. Haeger. 1986. A description of the egg of *Culex (Culex) nigripalpus* Theobald from Florida, with notes on five egg rafts (Diptera: Culicidae). Mosquito Systematics 18(3,4):288-292.
- Chadee, D. D. and E. S. Tikasingh. 1986. The eggs of *Culex (Carrollia) urichii* (Coquillett) (Diptera: Culicidae) in Trinidad, W. I. Mosquito Systematics 18(3,4):284-287.
- Coetzee, M. et al. 1986. Description of a new species *Anopheles (Cellia) kosiensis* (Diptera: Culicidae) from Zululand, South Africa. Syst. Entomol. 12(1):23-28.
- Darsie, R. F., Jr. 1986. Identification of *Aedes albopictus* in Guatemala (Diptera: Culicidae). Mosquito Systematics 18(3,4):301-306.
- Forattini, O. P. 1986. Identification of *Aedes albopictus* in Brazil. Rev. Saude Publica. 20(3):244-245.
- Harbach, R. E. 1986. *Culex verutus*, a new species of the subgenus *Culex* (Diptera: Culicidae) from Sierra Leone. Mosquito Systematics 18(3,4):216-229.
- Harbach, R. E. et al. 1986. Occurrence of *Uranotaenia (Pseudoficalbia) hirsutifemora* Peters (Diptera: Culicidae) in Thailand, with notes on the larval stage and species affinity. Mosquito Systematics 18(3,4):230-232.
- Hunt, R. H. and M. Coetzee. 1986. Chromosomal and electrophoretic identification of a sample of *Anopheles gambiae* group (Diptera: Culicidae) from the island of Grand Comoros, Indian Ocean. J. Med. Entomol. 23(6):655-660.
- Jeffery, J. et al. 1986. *Aedes (Verrallina) cyrtolabis* Edwards (Diptera: Culicidae): a new record for Peninsular Malaysia. Mosquito Systematics 18(3,4):299-300.
- Marchi, A. and L. E. Munstermann. 1987. The mosquitoes of Sardinia: species records 35 years after the malaria eradication campaign. Med. Vet. Entomol. 1(1):89-96.
- McLain, D. K. and K. S. Rai. 1986. Reinforcement for ethological isolation in the Southeast Asian *Aedes albopictus* subgroup (Diptera: Culicidae). Evolution 40(6):1346-1349.
- Okazawa, T. et al. 1986. Eggs of *Tripteroides (Rachionotomyia) aranoides* (Theobald) and *Topomyia (Suamyia) yanbarensis* Miyagi. Mosquito Systematics 18(3,4):293-298.
- Ramsdale, C. D. 1986. Records of *Culiseta subochrea*. Brit. Mosquito Group Newsltr. 2:2.
- Rattananarithkul, R. and C. A. Green. 1986. Formal recognition of the species of the *Anopheles maculatus* group (Diptera: Culicidae) occurring in Thailand including the descriptions of two new species and a preliminary key to females. Mosquito Systematics 18(3,4):246-278.
- Reinert, J. F. 1986. *Albuginosus*, a new subgenus of *Aedes* Meigen (Diptera: Culicidae) described from the Afrotropical Region. Mosquito Systematics 18(3,4):307-326.
- Savage, H. M. 1986. Identification and location of the holotype and paratypes of *Anopheles (Nyssorhynchus) nuneztovari* Gabaldon (Diptera: Culicidae). Mosquito Systematics 18(3,4):279-283.
- Snow, K. R. 1986. Removal of *Aedes aegypti* (Linnaeus, 1762) from the British check list. Brit. Mosquito Group Newsltr. 2:6.
- Szymczak, L. J. et al. 1986. Genetic differentiation in the *Aedes atropalpus* complex. I. Isozyme variability and genetic distances between *Ae. atropalpus* and *Ae. epactius*. J. Genet. 65(3):193-204.
- Tsukamoto, M. et al. 1985. A revised checklist of the Philippine mosquitoes. Trop. Biomed. 2(2):149-160.
- Zaim, M. and P. S. Cranston. 1986. Checklist and keys to the Culicinae of Iran (Diptera: Culicidae). Mosquito Systematics 18(3,4):233-245.

VIRUS DISEASES

- Addy, P. A. K. et al. 1986. Recent yellow fever epidemics in Ghana (1969-1983). East African Med. J. 63(6):422-434.
- Anonymous. 1987. The known and the unknown about dengue fever. Lancet Feb. 28, 1987, pp. 488-489.
- Artsob, H. et al. 1986. Arbovirus activity in Canada, 1985. Canada Diseases Weekly Report 12(25):109.
- Boiro, I. et al. 1985. Isolation of the M'Poko virus (Turlock group, Bunyaviridae) from *Culex cinereus* mosquitoes in the Republic of Guinea. Bull. Soc. Pathol. Exot. Fil. 78(4):452-455. In French.
- Boromisa, R. D. and P. R. Grimstad. 1986. Virus-vector-host relationships of *Aedes stimulans* and Jamestown Canyon virus in a northern Indiana enzootic focus. Amer. J. Trop. Med. Hyg. 35(6):1285-1295.
- Burke, D. S. et al. 1986. Field trial of a Japanese encephalitis diagnostic kit. J. Med. Virol. 18(1):41-49.
- Chastel, C. et al. 1986. Small wild mammals and arboviruses in western Mediterranean area. Cahiers ORSTOM, Ser. Entomol. Med. Parasitol. 24(1):69-76. In French.
- Clark, G. G. et al. 1986. An ecological study of Jamestown Canyon virus on the Delmarva Peninsula, with emphasis on its possible vector. J. Med. Entomol. 23(6):588-599.
- Crans, W. J. and T. L. Schulze. 1985. Eastern equine encephalitis in New Jersey during 1984. N.J. Mosq. Control Assoc. Proc. 72:34-39.
- Crans, W. J. 1986. Failure of chickens to act as sentinels during an epizootic of eastern equine encephalitis in southern New Jersey, USA. J. Med. Entomol. 23(6):626-629.
- DeFoliart, G. R. et al. 1987. Advances in mosquito-borne arbovirus/vector research. Ann. Rev. Entomol. 32:479-506.
- Dickerman, R. W. et al. 1986. Venezuelan equine encephalitis activity in northern Colombia during April and May 1983. Bull. Pan Amer. Hlth. Org. 20(3):276-283.
- Fedorova, V. G. 1986. The discovery of larvae of *Culex territans* Walk. and Dixidae, infected with iridescent virus, in the forest zone of the Novgorod region. Med. Parazitologiya Parazit. Bolezni. (3):86-87. In Russian.
- Filho, C. F. R. 1987. *Aedes albopictus*, yellow fever, and the Americas. Ann. Intern. Med. 106(2):333.
- Fukunaga, Y. et al. 1986. Getah virus isolations from mosquitoes in an enzootic area in Japan. Jap. J. Vet. Sci. 48(6):1135-1140.
- Gad, A. M. et al. 1986. A possible route for the intro-

- duction of Rift Valley fever virus into Egypt during 1977. *J. Trop. Med. Hyg.* 89(5):233-236.
- Gordon Smith, C. E. and M. E. Gibson. 1986. Yellow fever in South Wales, 1965. *Med. History* 30(3):322-340.
- Gubler, D. J. et al. 1986. Dengue 3 virus transmission in Africa. *Amer. J. Trop. Med. Hyg.* 35(6):1280-1284.
- Hase, T. et al. 1987. An electron and immunoelectron microscopic study of dengue-2 virus infection of cultured mosquito cells: maturation events. *Arch. Virol.* 92(3-4):273-292.
- Jaenson, T. G. T. et al. 1986. Inkoo and Sindbis viruses isolated from mosquitoes collected in Helsingland. *Entomol. Tids.* 107(1/2):43-45. In Swedish.
- Kelkar, S. D. and R. S. Soman. 1986. Use of concanavalin—A treated PS Cell cultures encephalitis virus from mosquitoes. *Acta Virol.* 50(6):523.
- Kumanomido, T. et al. 1986. Getah virus isolations from mosquitoes collected at 2 horse habitations in the western areas of Japan. *Jap. J. Vet. Sci.* 48(6):1191-1198.
- Lam, S. K. et al. 1986. Isolation of dengue viruses by intracerebral inoculation of mosquito larvae. *J. Virol. Methods* 14(2):133-140.
- Mathiot, C. et al. 1986. Isolation of two African arboviruses from endemic mosquitoes in Madagascar. *Bull. Soc. Pathol. Exot. Filiales* 79(3):334-4. In French.
- McIntosh, B. M. 1986. Mosquito-borne virus diseases of man in southern Africa. *So. Afr. Med. J. Suppl.* pp. 69-72.
- Miller, B. J. and C. J. Mitchell. 1986. Passage of yellow fever virus: Its effect on infection and transmission rates in *Aedes aegypti*. *Amer. J. Trop. Med. Hyg.* 35(6):1302-1309.
- Mitchell, C. J. et al. 1986. Vector competence experiments with Rocio virus and three mosquito species from the epidemic zone in Brazil. *Rev. Saude Publica* 20(3):171-177.
- Mitchell, C. J. et al. 1987. Arbovirus isolations from mosquitoes collected during and after the 1982-83 epizootic of western equine encephalitis in Argentina. *Am. J. Trop. Med. Hyg.* 36(1):107-113.
- Nawa, M. et al. 1985. Serotyping of dengue viruses by an enzyme-linked immunosorbent assay. *Jap. J. Med. Sci. Biol.* 38(5-6):217-221. In Japanese.
- Nayar, J. K. et al. 1986. Experimental vertical transmission of Saint Louis encephalitis virus by Florida mosquitoes. *Amer. J. Trop. Med. Hyg.* 35(6):1296-1301.
- Reinert, W. and W. J. Crans. 1985. Surveillance and distribution of eastern equine encephalitis virus in Atlantic County, New Jersey, in 1984. *N.J. Mosq. Control Assoc. Proc.* 72:40-43.
- Rosen, L. 1986. The natural history of Japanese encephalitis virus. *Ann. Rev. Microbiol.* Vol. 40.
- Schatzmayr, H. G. et al. 1986. An outbreak of dengue virus at Rio de Janeiro—1986. *Mem. Inst. Oswaldo Cruz.* 81(2):245-246.
- Scherer, W. F. et al. 1987. Vector competence of *Culex (Melanoconion) taeniopus* and epizootic Venezuelan equine encephalitis viruses. *Am. J. Trop. Med. Hyg.* 36(1):194-199.
- Sundin, D. R. et al. 1987. A GI glycoprotein epitope of LaCrosse virus: a determinant of infection of *Aedes triseriatus*. *Science* 235(4788):591-592.
- Tsai, T. F. et al. 1987. Detection of St. Louis encephalitis virus antigen by capture enzyme immunoassay. *J. Clin. Microbiol.* 25(2):370-376.
- Vale, T. G. et al. 1986. Human arbovirus infections along the south coast of New South Wales. *Austral. J. Medical Science* 64(3):307-309.
- Watts, D. M. et al. 1987. Effect of temperature on the vector efficiency of *Aedes aegypti* for dengue 2 virus. *Am. J. Trop. Med. Hyg.* 36(1):143-152.
- Yuill, T. M. 1986. The ecology of tropical arthropod-borne viruses. *Ann. Rev. Ecology and Systematics*, Vol. 17.

WATER MANAGEMENT

- Boobar, L. R. et al. 1985. A thermistor flowmeter for stream ecology. *N.J. Mosq. Control Assoc. Proc.* 72:126-127.
- Candletti, R. 1985. Evolution of the latest rotary ditcher and an evaluation of its role in state funded open marsh water management of Forked River Game Farm. *N.J. Mosq. Control Assoc. Proc.* 72:128-131.
- Collins, J. N. and V. H. Resh. 1984. Do waterfowl affect mosquitoes in Coyote Hills marsh? *CA Mosq. Vector Control Assoc. Proc.* 52:129-133.
- Mahaffy, L. A. et al. 1985. The effects of open marsh water management on the submerged aquatic vegetation in two Delaware salt marshes. *N.J. Mosq. Control Assoc. Proc.* 72:49-53.
- Shisler, J. K. 1985. Does water management for mosquito control affect marsh hawk populations? *N.J. Mosq. Control Assoc. Proc.* 72:53-60.
- Townzen, K. R. and B. A. Wilson. 1984. Water hyacinth aquaculture as a potential mosquito source. *CA Mosq. Vector Control Assoc. Proc.* 52:167.