

REFERENCES TO LITERATURE OF INTEREST TO MOSQUITO WORKERS AND MALARIOLOGISTS

HELEN SOLLERS

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

ALKAN, B. 1957. Versuche zur bekämpfung von stechmückenlarven in Reisfeldern bei Ankara in den jahren 1947-1950. Ztschr. f. Angew. Ent. 41(4):443-448. Engl. Sum.

BROOKE, J. P. 1958. The stabilization of pyrethrins by piperonyl butoxide in water, with special reference to their use as mosquito larvicides. Ann. Appl. Biol. 46(2):254-259.

HENTSCH, H. F. G. 1958. Bericht über die malariabekämpfung mit residualinsektiziden in Indonesien. Zent. f. Bakt. 171(4/5):336-341.

KOLESOVA, O. F. 1958. The effect of DDT on the function of oral organs of *Aedes* larvae. Med. Parazit. i Parazit. Bolezni 27(3):344-349. In Rus., Engl. Sum.

KRISHNAN, K. S., RAGHAVAN, N. G. S., NAIR, C. P. and MAMEN, M. L. 1958. Comparative field trials on residual effectiveness of D.D.T., malathion and diazinon. Indian Jour. Malariol. 12(1):43-48.

LEE, L. G. 1957. Preliminary observation on the effect of DDT indoor treatment of *Anopheles hyrcanus* var. *sinensis* and *Anopheles jaygoriensis* var. *candidiensis*. Acta. Ent. Sinica 7(4):481-488. In Chin., Engl. Sum.

MAHFOUZ, M. S. 1958. Die wirkung einiger insektizide auf die larven von *Aedes aegypti* L. Ztschr. f. Tropenmed. u. Parasitol. 9(2):156-162. Engl. Sum.

VARIOUS TYPES OF CONTROL

INSTITUT PASTEUR DU VIÊT-NAM. 1957. Rapport annuel sur le fonctionnement technique. 137 pp.

KOROVIN, F. T. 1958. Evaluation of the insecticidal properties of phosphororganic preparations in regard to *Aedes* mosquitoes. Med. Parazit. i Parazit. Bolezni 27(3):341-344. In Rus.

PARASITES AND PREDATORS

BARR, A. R. 1958. The occurrence of mites on mosquitoes. Jour. Parasitol. 44(3):301.

CHRISTIE, M. 1958. Predation on larvae of *Anopheles gambiae* Giles. Jour. Trop. Med. and Hyg. (London) 61(7):168-176.

ATTRACTANTS AND REPELLENTS

ABRAMS, J. and DWORKIN, Z. Z. 1958. Con-

cept of insect repellency. Soap and Chem. Spec. 34(4):84-88, 163.

QURAIISHI, M. S., KAHN, A. A. and HUSSAIN, S. S. 1958. Pesticidal action of Makerol, Sharigol and Jhumpirol. Pakistan Jour. Sci. and Indus. Res. 1(1):84-92.

RAHM, U. 1957. Wichtige faktoren bei der attraktion von stechmücken durch den Menschen. Rev. Suisse de Zool. 64(2):236-246.

———. 1958. Die attraktive wirkung der vom menschen abgegebenen dufstoffe auf *Aedes aegypti* L. Ztschr. f. Tropenmed. u. Parasitol. 9(2):146-156. Engl. Sum.

SMITH, C. N. 1958. Insect repellents. II. Soap and Chem. Spec. 34(3):126-127, 129, 131, 133.

———, GILBERT, I. H. and GOUCK, H. K. 1958. Use of insect repellents. U.S.D.A. Agr. Res. Serv. ARS-33-26, Rev. 8 pp.

RESISTANCE AND SUSCEPTIBILITY

ADAM, J.-P. and COWORKERS. 1958. Présence du gène de résistance au dieldrin chez *Anopheles gambiae* Giles, en basse Côte-d'Ivoire (A.O.F.). Soc. de Path. Exot. Bul. 51(3):326-329.

AFIFI, S. E. D. 1958. Insect resistance to insecticides. Egypt Pub. Health Assoc. Jour. 33(½):3-12.

BROWN, A. W. A. 1958. Insecticide resistance in arthropods. 240 pp., Geneva.

———. 1958. Laboratory studies on the behavioristic resistance of *Anopheles albimanus* in Panama. WHO/Mal/204, WHO/Insect./79, 13 pp.

———. 1958. Present status of resistance and research on the subject. WHO/Insect./76, pp. 12-24.

———. 1958. The insecticide-resistance problem. A review of developments in 1956 and 1957. WHO Bul. 18(3):300-321.

BUSVINE, J. R. and COKER, W. Z. 1958. Resistance patterns in DDT-resistant *Aedes aegypti*. WHO Bul. 18(4):651-656.

DAVIDSON, G. 1958. Studies of insecticide resistance in anopheline mosquitos. WHO Bul. 18(4):579-621.

DOBY, J. M., GAERMYNCK, L. C. and DEBLOCK, S. 1957. Influence de la teneur en chlorure de sodium du gite larvaire sur la sensibilité d'*Aedes aegypti* au D.D.T., en relation avec développement des papilles anales. Soc. de Path. Exot. Bul. 50(6):957-970.

FLOCH, H. and FAURAN, P. 1958. Sensibilité aux insecticides chlorés des larves de *Culex fatigans*

et d'*Anopheles aquasalis* en Guyane Française. WHO Bul. 18(4):667-673. Engl. Sum.

GANGULI, N. 1958. In Seminar on the resistance of insects to insecticides. Sponsored by the World Health Organization in collaboration with the Government of India. WHO/Insect./76, p. 25.

GRATZ, N. G. 1958. Insecticide resistance among insects of public health importance in Israel and neighboring countries. Tavruah (Jerusalem) 4:26-32.

HAMON, J., CHOUVARA, R., EYRAUD, M. and KONADE, T. A. 1957. Apparition dans la zone-pilote de lutte antipaludique de Bobo-Dioulasso (Haute-Volta, A. O. F.) d'une souche d'*Anopheles gambiae* Giles (Diptères, Culicidés) résistante au dieldrin. Soc. de Path. Exot. Bul. 50(5):822-831.

HAMON, J., EYRAUD, M., SALES, S. and ADAM, J.-P. 1958. Observations sur le niveau de sensibilité au DDT, au dieldrin et au HCH de *Culex pipiens* ssp. *fatigans* dans la région Bobo-Dioulasso, Haute-Volta, Afrique Occidentale Française. Soc. de Path. Exot. Bul. 51(3):393-404.

LAIRD, M. 1958. Susceptibility of adults of a Malayan strain of *Culex pipiens fatigans* Wiedemann to DDT and dieldrin. WHO Bul. 18(4):681-683.

LIU, S. Y. 1958. A summary of recent insecticidal tests on some insects of medical importance in Taiwan. WHO Bul. 18(4):623-649.

LIVADAS, G., LANGUILLON, J. and DELAS, A. 1957. Note préliminaire sur la susceptibilité aux insecticides des vecteurs principaux du paludisme au Cameroun. Soc. de Path. Exot. Bul. 50(5):702-706.

MARTINS, C. M., FERREIRA NETO, J. A. and LEAL, H. 1957. Dispositivo prático para a captura de mosquitos a serem submetidos à prova de Busvine e Nash (susceptibilidade aos insecticidas). Rev. Brasil. de Malariol. 9(2):213-215. Engl. Sum.

MOSNA, E., RIVSECHT, L. and ASCHER, K. R.S. 1958. Studies on insecticide resistant anophelines. I. Chromosome arrangements in a dieldrin-selected strain of *Anopheles atroparvus*. WHO Bul. 19(2):297-301.

PAL, R. 1958. Biochemistry of resistance to organophosphorus compounds. WHO/Insect./76, pp. 107-119.

PETERS, W. and STANFORD, H. A. 1958. The susceptibility of mosquitoes of the *Anopheles punctulatus* group to chlorinated hydrocarbon insecticides. Austral. Jour. Sci. 20(7):218-219.

RACHOU, R. G. 1957. Nota sobre o estudo da susceptibilidade ao DDT dos anofelinos transmissores de malária no Brasil. Rev. Brasil. de Malariol. 9(2):313-315. Engl. Sum.

— and COWORKERS. 1957. Primeiras provas de determinação da susceptibilidade de anofelinos Brasileiros aos insecticidas. I. *Anopheles (Kerteszia) cruzii cruzii*, em São Miguel e Massiambu Pequeno (Estado de Santa Catarina). II. *Anopheles (Nyssorhynchus) darlingi*, em Engen-

heiro Dolabela (Estado de Minas Gerais). Rev. Brasil. de Malariol. 9(3):333-350; 351-359. Engl. Sum.

RACHOU, R. G., PAULINI, E., MOUZA LIMA, M. and POMPEU, MEMÓRIA, J. M. 1957. Normas Gerais seguidas pelo Departamento Nacional de Endemias Rurais para a avaliação da susceptibilidade dos anofelinos aos insecticidas. Rev. Brasil. de Malariol. 9(2):149-163.

RAFFAELE, G. and COLUZZI, A. and ZULUETA, J. DE. 1958. Observations on the effect of numbers and age on the susceptibility of mosquitos to DDT. WHO Bul. 18(3):464-468.

SAUTET, J., ALDIGHERI, R. and ALDIGHERI, I. 1958. Résistance artificiellement accrue au DDT des adultes d'*Aedes aegypti*, par contact des larves à l'insecticide. Soc. de Path. Exot. Bul. 51(3):332-334.

— and ARNAUD, G. 1958. Comparison de la sensibilité au D.D.T. des adultes de plusieurs souches d'*Aedes aegypti*. Soc. de Path. Exot. Bul. 51(3):404-412.

SEN, P. 1957. DDT tolerance in *Anopheles stephensi*. Calcutta Schl. Trop. Med. Bul. 5(4):180-181.

—, 1958. Susceptibility of *Anopheles stephensi* to different dosages of gamma-BHC. Calcutta Schl. Trop. Med. Bul. 6(1):13-14.

SHARMA, M. I. D. 1958. Laboratory and field development of resistance in mosquitos. WHO/Insect./76, pp. 76-91.

TAHORI, A. S. 1958. Biochemistry of insect resistance to DDT. WHO/Insect./76, pp. 120-137.

TRAPIDO, H. 1958. Some considerations of behavioristic resistance. WHO/Insect./76, pp. 154-160.

UNGUREANU, E. 1958. Observations on the susceptibility of *A. gambiae* to dieldrin by topical applications. WHO/Mal/209. WHO/Insect./84, 6 pp.

WHARTON, R. H. 1958. Dieldrin resistance in *Culex pipiens fatigans* in Malaya. WHO Bul. 18(4):657-665.

—, 1958. The use of test methods for adult and larval mosquitos. WHO/Insect./76, pp. 38-42.

—, 1958. Penang BHC-resistant strain of *Culex pipiens fatigans*. WHO Bul. 18(4):684.

WINTERINGHAM, F. P. W. 1958. Biochemical mechanisms of insect resistance. WHO/Insect./76, pp. 92-106.

WRIGHT, J. W. 1958. Standard test methods and kits for resistance. WHO/Insect./76, pp. 32-37.

INSECTICIDES AND CHEMICALS

BAMI, H. L., CHELEMA, L. S. and DHATT, M. S. 1958. Studies on particle size distribution in relation to dispersibility. Part II. 75 percent D.D.T., 50 percent B.H.C. and 50 percent dieldrin

water dispersible powders. Indian Jour. Malariol. 12(1):49-56.

BARLOW, F. and HADAWAY, A. B. 1958. Studies on aqueous suspensions of insecticides. Part VI. Further notes on sorption of insecticides by soils. Part VII. The influence of relative humidity upon the sorption of insecticides by soils. Bul. Ent. Res. 49(2):315-331; 333-354.

JONES, G. D. G. 1958. A new pyrethrum drier. Pyrethrum Post 4(3):15-18.

———. 1958. Pyrethrum: the post-war story; natural insecticide holds its own against synthetic products. African World (April) p. 13.

NICHOLS, E. S. 1958. One hundred million pounds of insecticides to help fight malaria. Natl. Agr. Chem. Assoc. News 16(4):6, 18.

QURASHI, M. M. 1958. Studies in the relationship between viscosity and molecular structure. Part I. Temperature dependence of the viscosity of certain typical mineral oils. Pakistan Jour. Sci. and Indus. Res. 1(2):116-128.

TOXICOLOGY

SIRSI, M. and BAMI, H. L. 1958. Some general pharmacological and acute toxicity studies on 1-p-bromophenyl-2,4-diamino-1:6-dihydro-6:6-dimethyl-1:3:5-triazine hydrochloride (M.I.S. 11). Indian Jour. Malariol. 12(1):57-65.

WORLD HEALTH ORGANIZATION. 1958. Bibliography on pesticides toxicity and accidental poisoning. WHO/Insect./81, 9 pp.

———. 1958. Information circular on the toxicity of pesticides to man. WHO Div. Environ. Sanit. No. 1, 9 pp.

———. 1958. Toxicity of pesticides to man and animals (1957). (Bibliographical Section). WHO Bul. 19(2):389-399.

BIOLOGY AND ECOLOGY

ABUL-HAB, J. K. 1958. The seasonal occurrence of *A. superpictus* Grassi and *A. sacharovi* Favi in Sulaimaniya Liwa, North Iraq. Bul. Endemic Dis. (Baghdad) 2(3/4):152-165.

ANDRADE, R. M., DE. 1957. Dados comparativos de pH em biótopos de anofelinos, pesqui-sados no Distrito Federal, Brasil. I. *Anopheles tarsimaculatus* e *Anopheles argyritarsis* (Diptera, Culicidae). II. *Anopheles albitarsis* e *Anopheles novoestensis* (Diptera, Culicidae). Rev. Brasil. de Malariol. 9(2):217-224; 9(3):333-336. Engl. and Geim. Sum.

ANTONIPULLE, P., DAVID, H. V. and KARUNARATNE, M. D. R. 1958. Biology and control of *Taeniorhynchus* (*Mansonioides*) *uniformis* Theobald, the chief vector of rural filariasis in Ceylon. WHO Bul. 19(2):285-295.

BAR-ZEEV, M. 1957. The effect of density on the larvae of a mosquito and its influence on fecundity. Res. Council of Israel Bul. 6B(3/4):220-228.

BHATIA, M. L. and WATTAL, B. L. 1958. Pre-

liminary observation on viability of submerged eggs of mosquitoes. Indian Jour. Malariol. 12(1):1-12.

———, MAMMEN, M. L. and KALRA, N. L. 1958. Seasonal prevalence of anophelines near Delhi. Indian Jour. Malariol. 12(1):13-38.

CHANG, C. and COWORKERS. 1958. A preliminary report of the hibernation of common species of mosquitoes in Chungking. Acta Ent. Sinica 8(1):85-92. In Chin., Engl. Sum.

CHANG, T. H. 1957. Further studies on the hibernation of mosquitoes in Shangsia, Hunan (January to March, 1956). Acta Ent. Sinica 7(4):501-510. In Chin., Engl. Sum.

CHAO J. 1958. An autogenous strain of *Culex tarsalis* Coq. Jour. Parasitol. 44(4): Sect. 2:35.

DOBY, J. M. and MOUCHET, J. 1957. Ecologie larvaire de quelques espèces de culicidés dans la région de Yaoundé (Sud-Cameroun). Soc. de Path. Exot. Bul. 50(6):945-957.

GALINDO, P. 1958. Bionomics of *Sabethes chloropterus* Humboldt, a vector of sylvan yellow fever in Middle America. Amer. Jour. Trop. Med. and Hyg. 7(4):429-440.

LUKASIAK, J. 1958. The occurrence of developmental forms of *Anopheles maculipennis* Meig. in the water reservoirs in Warsaw and its vicinities. Przeglad Epidemiol. (Warsaw) 12(1):73-82. In Pol., Engl. Sum.

MOUCHET, J. and GARIBU, J. 1957. Cycle gonotrophique d'*Anopheles mouchei* Evans 1925, dans une localité du Sud-Cameroun. Soc. de Path. Exot. Bul. 50(5):676-681.

O'GOWER, A. K. 1957. The influence of the surface on oviposition by *Aedes albopictus* (Skuse) and *Aedes scutellaris katherinensis* Woodhill (Diptera, Culicidae). Linn. Soc. N. S. Wales 82(3):285-288.

ROSSI-ESPAGNET, A. 1957. Alcune osservazioni sul complesso *Culex pipiens* della Provincia di Latina. Inst. Super. di Sanit. Rend. (Roma) 20(11):1045-1049.

SURTEES, G. 1958. Notes on the breeding habits of some culicine mosquitoes (Diptera: Culicidae) in southern Ghana. Roy. Ent. Soc. London Proc. Ser. A. 33(4/6):88-92.

VUKASOVIC', P. and MARTINOVIC', A. 1957. Contribution to the study of the variety *Anopheles maculipennis* Meig. at Vranje and surroundings. Bul. Inst. Hyg. (Belgrade) 6(3/4):1-4. In Serb., Fr. Sum.

GENETICS

MARIANA, M. and BRUNO-SMIRAGALIA, C. 1957. Presenza di cromosomi politenici nelle cellule vitellogene degli ovari di femmine adulte di *Anopheles*. Soc. Ent. Ital. Bol. 87(1/2):23-25.

SCHREIBER, G. and POMPEU MEMORIA, J. M. 1957. Alguns aspectos do problema do polimorfismo cromossômico e ecologia em anofelinos Brasileiros. Rev. Brasil. de Malariol. 9(1):101-103. Engl. Sum.

SILVEIRA GUEDES, A. DA, AMORIM, E. M. and SHREIBER, G. 1957. Análise dos cromossomos salivares em anofelinos Brasileiros. Rev. Brasil. de Malariol. 9(2):247-250. Engl. Sum.

BEHAVIOR

CLYDE, D. F. and SHUTE, G. T. 1958. Selective feeding habits of anophelines amongst Africans of different ages. Amer. Jour. Trop. Med. and Hyg. 7(5):543-545.

LAVOPIERRE, M. M. J. 1958. Biting behaviour of mated and unmated females of an African strain of *Aedes aegypti*. Nature (London) 181(4626):1781-1782.

NIELSEN, L. T. 1957. Notes on the flight ranges of Rocky Mountain mosquitoes of the genus *Aedes*. Utah Acad. Arts and Let. Proc. 34:27-29.

WANG, H. H. and CHANG, C. 1957. The outdoor nocturnal biting activity of *Anopheles hircanus* var. *sinensis* in relation to the factors of temperature, humidity, light and rain. Acta Ent. Sinica 7(4):473-480. In Chin. Engl. Sum.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

BECKEL, W. E. 1958. Investigations of permeability, diapause, and hatching in the eggs of the mosquito *Aedes hexodontus* Dyar. Canad. Jour. Zool. 36(4):541-554.

BERTRAM, D. S. and SAMARAWICKREMA, W. A. 1958. Age determination of individual *Mansonioides* mosquitoes. Nature (London) 182(4633):444-446.

BRIAN, L. 1957. Le correlazioni morfo-fisiologiche degli anofeli nel quadro della lotta contro l'epidemiologia malarica. Doriana (Genova) 2(80):1-11. Engl. Sum.

CHEN, P. S. 1958. Studies on the protein metabolism of *Culex pipiens* L.—I. Metabolic changes of free amino acids during larval and pupal development. Jour. Insect. Physiol. (London) 2(1):38-51.

GALLIARD, H. and GOLVAN, Y. J. 1957. Influences de certains facteurs nutritionnels et hormonaux, à croissance des larves d'*Aedes* (*S.*) *aegypti*, *Aedes* (*S.*) *albopictus* et *Anopheles* (*M.*) *stephensi*. Ann. Parasitol. Humaine et Comp. 32(5/6):563-579.

HARWOOD, R. F. 1958. Development, structure, and function of coverings of eggs of flood-water mosquitoes. II. Postovarian structure. Ent. Soc. Amer. Ann. 51(5):464-471.

LUKASIAK, J. 1958. Morphological variability of eggs and of the scale index in *Anopheles maculipennis* Meig., 1818. Acta. Parasitol. Polonica 5(22/29):599-612. In Pol., Engl. Sum.

MENEES, J. H. 1958. The maxilla and labium of the larva of *Anopheles quadrimaculatus* Say. Brooklyn Ent. Soc. Bul. 53(2):25-38.

ROZBROOM, L. E. and TWOHY, D. W. 1958. Comparison of nutritive reserves in males of auto-

genous and anautogenous populations of *Culex pipiens*. Jour. Parasitol. 44(4):422-424.

SATO, S., KATO, M. and TORIUMI, M. 1957. Structural changes of the compound eye of *Culex pipiens* var. *pallens* Coquillett in the process to dark adaptation. Tôhoku Univ. Sci. Rpt. Ser. 4 (Biol.) 23(2):91-99.

SEN, P. 1958. Further studies on physico-chemical factors in relation to *Anopheles sandaiensis* breeding. Indian Jour. Malariol. 12(1):71-74.

SHALABY, A. M. 1958. Morphological adaptations in the maxillae of three species of mosquito larvae (Diptera: Culicidae). Soc. Ent. d'Egypte Bul. 42:439-448.

SHEINBERG, D. M. 1957. A review of the principal investigations in insect morphology performed during the forty years of the Soviet period (1917-1957). Ent. Obozr. 36(4):765-785. In Rus.

TECHNIQUES

ALL, A. M. and COWORKERS. 1958. A note on the use of larvae of *Culex pipiens* var. *molestus* (Forsk.) as test animals for insecticides. Agr. Res. Rev. 36(1):155-158.

BOVINGTON, H. H. S. 1958. An apparatus for screening compounds for repellency to flies and mosquitoes. Ann. Appl. Biol. 46(1):47-54.

CLARKE, D. H. and CASALS, J. 1958. Techniques for hemagglutination and hemagglutination-inhibition with arthropod-borne viruses. Amer. Jour. Trop. Med. and Hyg. 7(5):561-573.

COLLESS, D. H. 1958. Recognition of individual nulliparous and parous mosquitoes. Roy. Soc. Trop. Med. and Hyg. Trans. 52(2):187.

COLUZZI, M. 1958. Un metodo "standard" per ottenere facilmente ovodeposizioni. Rapporto e montaggio degli anofeli. Riv. di Malariol. 37(1/3):85-90.

DEEGAN, T. and MAEGRAITH, B. G. 1958. Iron metabolism in malarial infection: Tracer studies of iron metabolism in rats infected with *Plasmodium berghei* malaria. Ann. Trop. Med. and Parasitol. 52(2):232-246.

FURTUNESCU, G. 1958. Folding cages for the transport of Culicidae and other Diptera. WHO/Mal/207, WHO/Insect./83, 2 pp., 6 figs.

HADAWAY, A. B. and BARLOW, F. 1958. Some aspects of the solvent on the toxicity of solutions of insecticides. Ann. Appl. Biol. 46(2):133-148. [Includes mosquitoes as test insects].

HENRY, A. F. X. 1957. Propos sur l'expertise des paludéens. Bases médicobiologiques. Valeur de la sérologie. Soc. de Path. Exot. Bul. 50(5):770-777.

NARAYANDAS, M. G. and RAY, A. P. 1958. A rapid staining technique for microfilaria. Indian Jour. Malariol. 12(1):67-70.

M'ARTHUR, J. 1958. A new concept in microscope design for tropical medicine. Amer. Jour. Trop. Med. and Hyg. 7(4):382-385.

NELSON, G. S. 1958. Staining of filarial larvae

in insects before dissection. WHO Bul. 19(1): 204.

PAULINI, E. and REIS, S. R. 1957. Um novo método colorimétrico para a dosagem de DDT c BHC. Rev. Brasil. de Malariol. 9(3):439-442.

SERVICE, M. W. and OGUAMAH, D. 1958. Colonization of *Anopheles funestus*. Nature (London) 181(4617):1225.

UNGUREANU, E. and UNGUREANU, L. 1958. A micropipette for the topical application of very small quantities of insecticide. WHO/Mal/206, WHO/Insect./82, 3 pp., 1 fig.

WILLIAMS, M. C., WEITZ, B. and McCLELLAND, G. A. H. 1958. Natural hosts of some species of *Taeniorhynchus* Lynch-Arribalzaga (Diptera, Culicidae) collected in Uganda, as determined by the precipitin test. Ann. Trop. Med. and Parasitol. 52(2):186-190.

TAXONOMY

COLUZZI, M. 1958. Descrizione di una nuova specie ritrovata in Somalia. Riv. di Malariol. 27(1/3):69-71. [*Anopheles daudi*].

CORBET, P. S. 1958. Identification of adult *Mansonia* (*Coquillettidia*) *pseudoconopos* Theobald and M. (*C.*) *maculipennis* Theobald (Diptera: Culicidae). Roy. Ent. Soc. London Proc. Ser. B. Tax. 27(7/8):127-128.

DOBROTORSKY, N. V. 1958. Designation of the type species of the subgenus *Neohheobaldia* Dobrotorsky (Genus *Theobaldia* Neveu-Lemaire, 1902) (Diptera, Culicidae). Ent. Soc. Wash. Proc. 60(4):186.

HARA, J. 1958. Note on the taxonomical status of the mosquito, *Uranotaenia bimaculata* Leicester (Diptera: Culicidae). Jap. Jour. Expt. Med. 27(5):283-287.

MACDONALD, W. W. 1958. Description of a new species of *Orthopodomyia* Theobald from Malaya, with a note on the genus in that country (Diptera: Culicidae). Roy. Ent. Soc. London Proc. Ser. B. Tax. 27(7/8):121-126. [*O. wilsoni*].

MAFFI, M. and COLUZZI, M. 1958. *Anopheles* (*Neocellia*) *salbai* n. sp. Morfologia ed ambiente. Riv. di Malariol. 37(1/3):45-55. Engl. Sum.

MARKS, E. N. and RAGEAU, J. 1957. *Culex pipiens australis* Dobrotorsky and Drummond in New Caledonia. Linn. Soc. N. S. Wales Proc. 82(383):156.

MATTLINGLY, P. F. 1958. Lectotypes of mosquitoes (Diptera: Culicidae) in the British Museum. Part III. Genera *Sabethes*, *Udaya* and *Aedes* (subgenera *Paraedes*, *Cancaerdes* and *Skusea*). Roy. Ent. Soc. London Proc. Ser. B. Tax. 27(7/8):105-108.

OHMORI, Y. 1957. On the male hypopygium of the *sinensis*-group of anopheline mosquitoes in Japan. Acta Med. et Biologica (Nügata) 5(3): 209-217.

RUTSCHKY, C. W., MOONEY, T. C. and VANDERBERG, J. P. 1958. Mosquitoes of Pennsylvania an illustrated key to species with accompanying

notes on biology and control. Pa. Agr. Expt. Sta. Bul. 630, 26 pp.

SANDULESCO, M. and MAROTINESCO, S. 1957. Determination des femelles d'*Anopheles sacharovi* (*clutius*) et des variétés du groupe *Anopheles maculipennis* par l'identification des "ovipositions obtenues par dissection." Arch. Roumaines Path. Expt. et Microbiol. 16(1):144-149.

SERVICE, M. W. 1958. A new *Anopheles* from the Southern Cameroons, *Anopheles buxtoni* sp. nov. Ann. Trop. Med. and Parasitol. 52(2):176-180.

SMITH, M. E. 1958. The *Aedes* mosquitoes of New England. Part I: Key to adult females. Brooklyn Ent. Soc. Bul. 53(2):39-47.

STONE, A. 1958. The identity of *Culex aestuans* Wiedemann (Diptera, Culicidae). Ent. Soc. Wash. Proc. 60(4):186.

THURMAN, D. C. and THURMAN, E. B. 1958. Two new species in the genus *Armigeres* Theobald, 1901, from northern Thailand (Diptera: Culicidae). Wash. Acad. Sci. Jour. 48(6):186-187.

DISTRIBUTION

ABDEL-MALEK, A. A. 1958. The anopheline mosquitoes of northern Syria. Soc. Ent. d'Egypte Bul. 42:519-535.

ANDRADE, R. M., DE and BRANDÃO, H. 1957. Contribuição para o conhecimento da fauna de anofelinos do Estado do Espírito Santo. Área de distribuição e incidência das espécies por cidades, vilas e povoados (Diptera, Culicidae). Rev. Brasil. de Malariol. 9(3):391-416. Engl. Sum.

ANDRADE, R. M., DE and VERANO, O. T. 1957. Contribuição para o conhecimento da fauna de anofelinos do Estado de Goiás. Área de distribuição e incidência das espécies por sedes municipais e distritais. povoados e fazendas (Diptera, Culicidae). Rev. Brasil. de Malariol. 9(3):365-390.

BARR, A. R. 1958. The mosquitoes of Minnesota. (Diptera: Culicidae: Culicinae). Minn. Agr. Expt. Sta. Tech. Bul. 228, 154 pp.

BERTRAM, D. S., MCGREGOR, I. A. and MCFADZEAN, J. A. 1958. Mosquitoes of the colony and Protectorate of the Gambia. Roy. Soc. Trop. Med. and Hyg. Trans. 52(2):135-151.

BRITTEN, E. J. 1958. A survey of the mosquito fauna of the southern parts of Western Australia. West. Austral. Comnr. Pub. Health Rpt. 1956:64-82.

COLLESS, D. H. 1957. Records of two Pacific Island species of mosquito from Singapore Harbour. Med. Jour. Malaya 12(2):464-467.

DAVIS, T. and REES, D. M. 1957. The mosquitoes of Carey and vicinity, Blaine County, Idaho. Utah Acad. Sci. Arts and Let. Proc. 34: 157.

LIU, L. C. and CHOU, S. S. 1958. A preliminary survey of mosquitoes in Yuenhsien. Acta Ent. Sinica 8(1):93-96. In Chin.

LUKASIAK, J. 1958. Occurrence of *Aedes* (*Finlaya*) *geniculatus* Oliv., 1791 = (*Ornatus* Meigen-Eckstein) in the Karkonosze Mountains. *Wiad. Parazytol.* 4(1):50. In Pol.

MACDONALD, W. W. 1957. Malaysian parasites. XVI. An interim review of the non-anopheline mosquitoes of Malaya. *Studies from Inst. Med. Res. Federation of Malaya*, No. 28:1-54.

PRICE, R. D. and ABRAHAMSEN, L. R. 1958. The discovery of *Orthopodomyia signifera* (Coquillett) and *Anopheles barberi* Coquillett in Minnesota (Diptera: Culicidae). *Kans. Ent. Soc. Jour.* 31(2):92.

RICKENBACH, A., ADAM, J.-P., HAMON, J. and BAILLY, H. 1958. Présence en Afrique Occidentale Française de *Anopheles natalensis* Hill et Hayden, 1907 et de *Anopheles squamosus* var. *cydippis* De Meillon, 1931. *Soc. de Path. Exot. Bul.* 51(3):329-331.

RIOUX, J. A. and RUFFIÉ, J. 1957. Présence d'*Anopheles maculipennis* s. sp. *subalpinus* Hackett et Lewis 1937 en Bas-Languedoc. Intérêt des méthodes Caryosystématique et statistique. *Soc. de Path. Exot. Bul.* 50(5):831-837.

SENEVET, G., ANDARELLI, L. and GRAËLLS, R. 1958. A propos de *Culex pipiens* en Algérie. *Inst. Pasteur d'Algérie Arch.* 36(1):70-74.

DENGUE

ROSEN, L. 1958. Dengue antibodies in residents of the Society Islands, French Oceania. *Amer. Jour. Trop. Med. and Hyg.* 7(4):403-405.

———. 1958. Experimental infection of new world monkeys with dengue and yellow fever viruses. *Amer. Jour. Trop. Med. and Hyg.* 7(4):406-410.

———. 1958. Observations on the epidemiology of dengue in Panama. *Amer. Jour. Hyg.* 68(1):45-58.

ENCEPHALITIS

GRESSER, I., HARDY, J. L., HU, S. M. K. and SCHERER, W. F. 1958. Factors influencing transmission of Japanese B encephalitis virus by a colonized strain of *Culex tritaeniorhynchus* Giles, from infected pigs and chicks to susceptible pigs and birds. *Amer. Jour. Trop. Med. and Hyg.* 7(4):365-373.

SCHAEFFER, M., KISSLING, R. E. and CHAMBERLAIN, R. W. 1958. Current views on the North American arthropod-borne virus problem. *Amer. Jour. Pub. Health* 48(3):336-343.

STAMM, D. D. 1958. Studies on the ecology of equine encephalomyelitis. *Amer. Jour. Pub. Health* 48(3):328-335.

FILARIASIS

BAILEY, R. W. 1958. A comparison study of various arsenical preparations as filaricides of *Dirofilaria immitis*. *Amer. Vet. Med. Assoc. Jour.* 133(1):52-55.

———. 1958. Dirofilariasis in sentry dogs of the Pacific Air Forces. *Amer. Vet. Med. Assoc. Jour.* 133(1):48-51.

BAISAS, F. E. 1957. Notes on Philippine mosquitoes. XIX. The mosquito problem in the control of filariasis in Sorsogon Province. *Philippine Jour. Sci.* 86(1):71-120.

BUCKLEY, J. J. C., NELSON, G. S. and HEISCH, R. B. 1958. On *Wuchereria pateri* n. sp. from the lymphatics of cats, dogs and Genet cats on Pate Island, Kenya. *Jour. Helminth.* 32(1/2):73-80.

EDESON, J. F. B. and WHARTON, R. H. 1958. Studies on filariasis in Malaya: treatment of *Wuchereria malayi*-carriers with monthly or weekly doses of diethylcarbamazine (Banocide). *Ann. Trop. Med. and Parasitol.* 52(1):87-92.

LACOUR, M. and RAGEAU, J. 1957. Enquête épidémiologique et entomologique sur la filariose de bancroft en Nouvelle-Calédonie et Dépendances. *South Pacific Comm. Tech. Pap.* 110, 24 pp.

LIN, L.-C. and CH'EN, K.-K. 1958. Certain epidemiologic features of filariasis in Foochow. *Chinese Med. Jour.* 76(5):490-496.

RACHOU, R. G. 1957. Distribuição geográfica das filarioses humanas no Brasil. *Rev. Brasil. de Malariol.* 9(1):79-100. *Engl. Sum.*

WHARTON, R. H., EDESON, J. F. B. and LAING, A. B. G. 1958. Laboratory transmission of *Wuchereria malayi* by mosquito bites. *Roy. Soc. Trop. Med. and Hyg. Trans.* 52(3):288. [Tests with cats].

———, EDESON, J. F. B., WILSON, T. and REID, J. A. 1958. Studies on filariasis in Malaya: pilot experiments in the control of filariasis due to *Wuchereria malayi* in East Pahang. *Ann. Trop. Med. and Parasitol.* 52(2):191-205.

WHARTON, R. H. and SANTA MARIA, F. L. 1958. Studies on filariasis in Malaya: the effect of residual insecticides on *Mansonia* (*Mansonioides*) *longipalpis*. *Ann. Trop. Med. and Parasitol.* 52(1):93-102.

MALARIA

ANSARI, M. A. R. and NASIR, A. S. 1958. Factors responsible for an unusual malaria epidemic in a normally healthy village—Hadali (District Shahpur at Sargodha) inundated after torrential local rains and floods in a hill torrent. *Pakistan Jour. Health* 7(4):155-157.

ARTHUR, J. H. 1958. Malaria control in the tea districts of Assam and North Bengal. *Tea Trade and Indus.* 8(1):27-30, 36.

AZATIAN, A. N. 1958. On the vertical spread of malaria during its acute decrease in Armenian SSR. *Med. Parazit. i Parazit. Bolezni* 27(3):290-293. In Rus.

BAGSTER-WILSON, D. 1958. Malaria in the African. *Centr. Afr. Jour. Med.* (Southern Rhodesia) 4(2):73-77.

BRUCE-CHWATT, L. J., ARCHIBALD, H. M. and HAWORTH, J. 1958. Malaria control pilot project in western Sokoto. Third annual report 1956-1957. 55 pp. Nigeria. With an appendix on

investigations on the chemistry of insecticides by Langbridge, D. M. 16 pp.

BRUMPT, L. C. and BRUMPT, V. 1958. Résistance au paludisme et hémoglobines anormales (en particulier hémoglobine E). Soc. de Path. Exot. Bul. 51(2):217-224.

BUSTAMANTE, F. M., DE. 1957. Distribuição geográfica e periodicidade estacional da malária no Brasil e sua relação com os fatores climáticos. Situação atual do problema. Rev. Brasil. de Malariol. 9(2):181-190. Engl. Sum.

CONCHA Y VENEGAS, J. A. 1957. El control del paludismo en Colombia. Rev. Facultad de Med. (Bogotá) 25(9/12):437-442.

FERNÁNDEZ NAFRIA, A. 1957. El paludismo experimental por *Plasmodium berghei*. Med. Trop. (Madrid) 30(4):263-279; 30(5):340-352. [Contd.].

FLOCH, H. 1957. La lutte antipaludique en Guyane Française. La neuvième campagne de décaésation en Guyane Française. Inst. Pasteur Guyane Franç. et de l'Inimi Arch. Pub. No. 439, 69 pp.

HALAWANI, A. and SHAWARBY, A. A. 1957. Malaria in Egypt (history, epidemiology, control and treatment). Egypt. Med. Assoc. Jour. 40(11): 753-792.

LEIZERMAN, L. I. and MITARNOVSKY, V. M. 1958. On the spread of tertian malaria with prolonged incubation in the southeastern part of the European RSFSR. Med. Parazit. i Parazit. Bolezni 27(3):357-358.

MILLER, M. J. 1958. Observations on the natural history of malaria in the semi-resistant West African. Roy. Soc. Trop. Med. and Hyg. Trans. 52(2):152-168.

PANTELEVA, N. K. 1958. Eradication of stable nidus of malarial infection on Pirsik Peat Exploitation in Dzerzhinsk Gorky Region. Med. Parazit. i Parazit. Bolezni 27(3):356-357.

PEK, R. A. 1958. Rice fields and the malaria problem in Turkey. Bul. Endemic Dis. (Baghdad) 3(4):94-99.

POKROVSKY, S. N., TARABUKIN, I. A., BOIKO, N. F. and SEMENOVA, A. S. 1958. Malaria in Yakutsk ASSR and methods of its eradication. Med. Parazit. i Parazit. Bolezni 27(3):275-277. In Rus.

RAMIREZ AGUILAR, N. 1958. La fiscalización de las brigadas en la erradicación de la malaria. Bol. Ofic. Sanit. Panamer. 45(3):235-237.

REMEENIKOVA, V. M. 1958. On certain factors, determining the epidemiological role of *Anopheles maculipennis subalpinus* in certain regions of Azerbaijan SSR (conditions determining the attacks of mosquitoes on human beings during various periods of the epidemical season. Med. Parazit. i Parazit. Bolezni 27(3):283-290. In Rus.

RUSSELL, P. F. 1958. Malaria incidence in the world today. Jour. Lancet 78(6):248-250.

SARIKIAN, S. I. and COWORKERS. 1958. Concerning the correct organization of malaria control

in the Tatar ASSR. Med. Parazit. i Parazit. Bolezni 27(3):304-308. In Rus.

SAWADA, T. 1957. Postwar malaria in Japan. Kyushu Jour. Med. Sci. Fukuoka 8(4):155-178.

VANDEPITTE, J. and DELAISSE, J. 1957. Sickle-cell and paludisme. Aperçu du problème et contribution personnelle. Soc. Belge de Méd. Trop. Ann. 37(5):703-735.

WORLD HEALTH ORGANIZATION. 1958. Malaria information. WHO Mal/Inform/34, 10 pp.

———. 1958. Malaria information. WHO Mal/Inform/35, 14 pp.

ZURIN, P. N., LUPPOVA, N. M. and POCHUKALVA, A. S. 1958. On the epidemiology of malaria and methods of its control during the period of its eradication. Med. Parazit. i Parazit. Bolezni 27(3):301-304. In Rus., Engl. Sum.

Malaria—Clinical Aspects

GELSI, R. and LACROIX, A. 1958. Sur un cas de déchéance psychique d'origine palustre traité à l'hémochromatophenol d'Henry. Soc. de Path. Exot. Bul. 51(1):40-42.

KONTOROVSKAYA, T. M., BERKOVICH, B. I. and BERKOVICH, E. I. 1958. Congenital malaria. Med. Parazit. i Parazit. Bolezni 27(4):491. In Rus.

SANCHIS-BAYARRI VALLANT, V. 1957. Un caso de paludismo de incubación prolongada. Med. Española (Valencia) 38(225):405-409.

Malaria—Eradication Projects

BUONINI, G. and COLUZZI, A. 1958. Efficacia e limiti della lotta antianofelica. Considerazioni sulla possibilità di eradicare le specie vettrici e sul problema della malaria in Italia. Riv. di Malariol. 37(1/3):1-20. Engl. Sum.

JAVALOYES Y GONZALEZ, J. 1958. La brigada rodicadores en una campaña de erradicación del paludismo. Bol. Ofic. Sanit. Panamer. 45(4):314-318.

LISANSKY, E. 1958. The eradication of malaria as an endemic disease in the United States. Ann. Internal Med. 48(2):428-438.

OWENS, P. N. 1958. El programa mundial de erradicación de la malaria. Bol. Ofic. Sanit. Panamer. 45(3):229-234.

PAMPANA, E. J. 1958. La erradicación de la malaria. Bol. Ofic. Sanit. Panamer. 45(4):300-313. Engl. Sum.

———. 1958. Unexpected cost increases of malaria eradication programmes. WHO/Mal/208, 4 pp.

PLETSCH, D. J. 1958. Progress toward malaria eradication in the Americas with special reference to Mexico. Amer. Jour. Pub. Health 48(6):713-716.

WORLD HEALTH ORGANIZATION. 1958. The price of malaria eradication in the Americas. WHO Chron. 12(9):309-312.

Malaria—*Plasmodia*

ALVES, W. 1958. Malaria parasite rates in Southern Rhodesia: May-September 1956. WHO Bul. 19(1):69-74.

BALL, G. H. and CHAO, J. 1958. In vitro development of the mosquito phase of *Plasmodium relictum*. Jour. Parasitol. 44(4):Sect. 2:22.

BRAY, R. S. 1958. The susceptibility of Liberians to the Madagascar strain of *Plasmodium vivax*. Jour. Parasitol. 44(4):371-373.

CARRESCIA, P. M. and ARCOLEO, G. 1958. Ulteriori ricerche con ceppi virulenti di *Plasmodium berghei* nei topi albini. Riv. di Malariol. 27(1/3):57-68. Engl. Sum.

CORRADETTI, A. and VEROLINI, F. 1957. Immunità assoluta del ratto albino in seguito a infezione da *Plasmodium berghei*. Ist. Super. di Sanità Rend. 20(9/10):969-973.

COX, H. W. 1957. Observations on induced chronic *Plasmodium berghei* infections in white mice. Jour. Immunol. 79(6):450-454.

DEMINA, N. A. 1958. The study of immunity to *Plasmodium berghei*. Report II. The mechanism of transmission of immunity to *Plasmodium berghei* from immune rats to their offspring. Med. Parazit. i Parazit. Bolezni 27(3):319-329. In Rus., Engl. Sum.

FABIANI, M. G. and ORFILA, J. 1958. Résistance naturelle du lapin à l'infection expérimentale par *Plasmodium berghei*. Analyse des facteurs immunologiques. Inst. Pasteur. Ann. 94(4):428-434. Engl. Sum.

FERNÁNDEZ NAFRIA, A. 1957. Receptividad y evolución del parasitismo por *Plasmodium berghei*. Med. Trop. (Madrid) 30(3):171-192. [Contd.].

———. 1958. El paludismo experimental por *Plasmodium berghei*. Med. Trop. (Madrid) 31(1):16-32. [Contd.].

HUFF, C. G., MARCHBANK, D. F. and SHIROISHI, T. 1958. Changes in infectiousness of malarial gametocytes. II. Analysis of the possible causative factors. Expt. Parasitol. 7(4):399-417.

LACAN, A. 1958. Indices gamétocytiques et gamétocytométriques dans la transmission et la prémunition du paludisme. Soc. de Path. Exot. Bul. 51(2):225-231.

——— and PEEL, E. 1958. *Plasmodium ovale* Stephens 1922 en Afrique Équatoriale Française. Soc. de Path. Exot. Bul. 51(2):167-169.

LEVADITI, J.-C., JONCHÈRE, H. and HUSSON, R. 1958. Passages intracérébraux ininterrompus effectués de souris à souris avec *Plasmodium berghei*, *Trypanosoma brucei*, *T. equiperdum*, *T. congolense* et *T. gambiense* en vue de la recherche d'un neurotropisme éventuel. Soc. de Path. Exot. Bul. 51(3):373-384.

PIPKIN, A. C. and JENSEN, D. V. 1958. Avian embryos and tissue culture in the study of parasitic protozoa. I. Malarial parasites. Expt. Parasitol. 7(5):491-530.

SERGENT, E. 1958. Sur la cuticule des

hématies immatures de rongeurs et sur leur parasitisme par *Plasmodium berghei*. Inst. Pasteur d'Algérie Arch. 36(1):1-5.

VERAIN, ALICE and VERAIN, ANDRÉ. 1957. *Plasmodium berghei* et rayons X. Soc. de Biol. (Paris) Compt. Rend. 151(6):1164-1166.

Malaria—*Therapeutics and Antimalarials*

AERIDI, M. K. and RAHIM, A. 1958. Prevention of malaria transmission with single dose of pyrimethamine (daraprim). Pakistan Jour. Sci. and Indus. Res. 1(2):107-112.

BAGRAMIAN, M. G. and COWORKERS. 1958. Physiographic-malariological study of Azerbaijan as a basis for rationalization of anti-malarial measures during the period of acute decreases of malaria. Report I. Med. Parazit. i Parazit. Bolezni 27(3):278-283. In Rus.

CHARLES, L. J. 1958. Comparative assessment of chloroquine and amodiaquine as malaria suppressives in Nigeria. Ann. Trop. Med. and Parasitol. 51(1):55-67.

COATNEY, G. R. and COWORKERS. 1958. Chloroquine or pyrimethamine in salt as suppressive against sporozoite-induced vivax malaria (Chesson strain). WHO Bul. 19(1):53-67.

CROWTHER, A. F. 1958. The chemotherapy of malaria. Jour. Pharmacy and Pharmacol. 10(6):337-347.

LYSENKO, A. Ia. and GOZODOVA, G. E. 1958. Chinocide and the possibility of shortening the periods of treatment of intensive nidi of malaria. Med. Parazit. i Parazit. Bolezni 27(3):293-300. In Rus., Engl. Sum.

MARUASHVILI, G. M. and COWORKERS. 1958. Quinocide treatment of malaria patients. Med. Parazit. i Parazit. Bolezni 27(4):406-408. In Rus., Engl. Sum.

PAULINI, E., SOARES, R. and PEREIRA, J. P. 1957. Da concentração e eliminação da cloroquina através de líquidos orgânicos de pacinetes sob regime do sal cloroquinado. Rev. Brasil. de Malariol. 9(1):29-49. Engl. Sum.

SCHNEIDER, J., LANGUILLON, J. and DELAS, A. 1958. Association chloroquine-pyrimethamine dans la chimio-prophylaxie du paludisme résultats après 22 mois de traitement. 2^e Note. Soc. de Path. Exot. Bul. 51(3):316-319.

YELLOW FEVER

BUSTAMANTE, M. E. 1957. La fiebre amarilla en México y origen en America. Estudio epidemiológico e histórico. Gac. Méd. de México 87(5):357-376.

———. 1958. Epidemiologia de la fiebre amarilla en América Central. Gac. Méd. de México 88(4):225-241.

CAMPILLO, C. 1958. Loss virus de la fiebre amarilla. Gac. Méd. de México 88(4):243-252.

HAYES, G. R., JR. and TINKER, M. E. 1958. La situation del *Aedes aegypti* in Estados Unidos en 1956-1957. Bol. Ofic. Sanit. Panamer. 45(3):223-228.

MARTÍNEZ BÁEZ, M. 1958. Introducción al simposium sobre fiebre amarilla. *Gac. Méd. de México* 88(4): 221-224.

MATTINGLY, P. F. 1958. Genetical aspects of the *Aedes aegypti* problem. II. Disease relationships, genetics and control. *Ann. Trop. Med. and Parasitol.* 52(1):5-17.

VARGAS, L. 1958. Profilaxis de la fiebre amarilla. *Gac. Méd. de México* 88(4):201-207.

OTHER DISEASES

DALMAT, H. T. 1958. Arthropod transmission of rabbit papillomatosis. *Jour. Expt. Med.* 108(1):9-20. [*Aedes aegypti* included among other insects].

HAMMON, W. M. and COWORKERS. 1958. Epidemiologic studies of concurrent "virgin" epidemics of Japanese B encephalitis and of mumps on Guam, 1947-1948, with subsequent observations including dengue, through 1957. *Amer. Jour. Trop. Med. and Hyg.* 7(4):441-467.

KARASEK, J. 1958. La transmissibilité des brucellae par moustiques. *Ceskoslov. Akad. Zemedel. Ved. Shorm. Vet. Med.* 31(1):13-32. In Czech., *Fr. Sum.* [*Culex pipiens*].

KOKORNOV, R. H. and COWORKERS. 1957. Middleburg virus; a hitherto unknown agent isolated from *Aedes* mosquitoes during an epizootic in sheep in the eastern Cape Province. *South Afr. Jour. Med. Sciences* 22(4):145-153.

REIS, I. 1957. Considerações sobre a citidificação de moléstias transmitidas por mosquitos. *Rev. Brasil. de Malariol.* 9(1):67-75. *Engl. Sum.*

SPIGLAND, I., JASINSKA-KLINGBERG, W., HOFSEHI, E. and GOLDBLUM, N. 1958. Clinical and laboratory observations in an outbreak of West Nile fever in Israel in 1957. *Harefuah* (Jerusalem, Tel-Aviv) 54(11):280-285. In Hebr., *Engl. Sum.*

LITERATURE REFERENCES AND REVIEWS

DUKANINA, N. N. 1958. Additional Soviet literature on medical parasitology and parasitic diseases for 1957. *Med. Parazit. i Parazit. Bolezni* 27(3):363-375. [Section 4 on mosquitoes and malaria].

SOLLERS, H. 1958. World activities relating

to mosquitoes in 1957. *N. J. Mosquito Extermin. Assoc. Proc.* 45:10-40.

WORLD HEALTH ORGANIZATION. 1958. Publications of the World Health Organization, 1947-1957: a bibliography. 128 pp., Geneva.

BIOGRAPHY AND HISTORY

MANSON-BAHR, P. 1957. Sir Patrick Manson, Père de la médecine tropicale, et fondateur de l'École de Médecine Tropicale. *Soc. de Path. Exot. Bul.* 50(4):516-528.

WORLD HEALTH ORGANIZATION. 1958. The first ten years of the World Health Organization. 538 pp., Geneva.

SUBJECTS NOT COVERED BY OTHER HEADINGS

ALAMEDA COUNTY MOSQUITO ABATEMENT DISTRICT. 1958. Twenty-seventh annual report 1957. 11 pp. [unnumbered].

FEDERATION OF MALAYA. Institute for Medical Research. 1957. Annual report for 1956. 131 pp., Kuala Lumpur. [Sections on mosquitoes and mosquito-borne diseases included].

POTTS, S. F. 1958. Concentrated spray equipment, mixtures and application methods. 598 pp. Caldwell, New Jersey.

RACHOU, R. G., MODRA LIMA, M., FERREIRA NETO, J. A. and MARTINS, C. M. 1957. Avaliação da domesticidade do *Culex pipiens fatigans*, em Florianópolis (Santa Catarina), por meio de capturas intra e extradomiciliares realizadas concomitantemente. *Rev. Brasil. de Malariol.* 9(1):77-78. *Engl. Sum.*

SOUTH AFRICAN INSTITUTE FOR MEDICAL RESEARCH. 1958. Annual report for the year 1957. 107 pp., Johannesburg.

WORLD HEALTH ORGANIZATION. 1958. Third malaria conference for South-East European countries. Bucharest, 23-30 June 1958. *WHO/Mal/205*, *EURO-107.3*, 52 pp.

Errata

Under the section on Insect Resistance in Mosquito News change pages of Anonymous to read 355-357, in 16(4):321; also change Livadas to read Livadas in 15(1):59, 15(3):186, 16(2):178, 17(4):330 and 18(2):178.