

REFERENCES TO LITERATURE OF INTEREST TO MOSQUITO WORKERS AND MALARIOLOGISTS

HELEN SOLLERS

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

BRITZ, L. 1958. Beispiele aus der praxis der freilandstechmücken-bekämpfung (Diptera, Culicidae). Deut. Gesell. f. Angew. Ent. Verhandl. 14:46-54. [East Germany.]

BUCHMANN, W. 1959. Bekämpfung der stechmücken. Prakt. Schädlingsbekämpfer 11(3):29. [*Anopheles*, *Culex*, *Aedes*, *Mansonia*.]

———. 1959. Erfahrungen über die durchführung und organisation von stechmückenbekämpfungsaktionen. Prakt. Chemie 10(5):183-186, 189. [*Culex*, *Aedes* et al.]

COLONIAL OFFICE. 1958. Colonial research 1957-1958. Colonial pesticides research committee. Eleventh annual report (1957-1958) [W. J. Hall, Chairman] (pp. 207-227). 347 pp., London. [Includes mosquitoes.]

ESKENDEROV, G. A. 1959. Results of malaria control in the city of Derbent of the Dagestan ASSR. Med. Parazit. i Parazit. Bolezni 28(5):540-542. In Rus.

FAY, R. W. 1959. Toxic effects of boron trioxide against immature stages of *Aedes aegypti*, *Anopheles quadrimaculatus*, and *Culex quinquefasciatus*. Jour. Econ. Ent. 52(5):1027-1028.

FEHN, C. F., CARMICHAEL, G. T., ELMORE, C. M., JR. and TAYLOR, J. W. 1959. Operational experiences with paris green pellets in mosquito control. Mosquito News 19(4):238-243.

GRITSAY, M. K. and SHEVCHENKO, A. K. 1959. The results of malaria control in the Ukrainian SSR during 40 years of Soviet power. Med. Parazit. i Parazit. Bolezni 28(5):523-527. In Rus.

LEGRIS, G. 1959. Winnipeg cuts mosquito breeding with winter aerial spraying. Pest Control 27(9):22, 24.

REHM, W. F. and GARMS, R. 1959. Zur wirkung von Alodan auf stechmücken. Ztschr. f. Tropenmed. u. Parasitol. 10(2):154-159. Engl. Sum. [*Anopheles*, *Culex*.]

SOEIRO, A. 1958. The Institute for Medical Research of Mozambique. Inst. de Med. Trop. An. (Lisboa) 15(Suppl. 1):400-414. [Mosquito control.]

VARIOUS TYPES OF CONTROL

ALAMEDA COUNTY MOSQUITO ABATEMENT DISTRICT. 1959. Twenty-eighth annual report 1958. 9 pp., California.

DAVIS, A. N., GAHAN, J. B., WEIDHAAS, D. E. and SMITH, C. N. 1959. Exploratory studies on gamma radiation for the sterilization and control of *Anopheles quadrimaculatus*. Jour. Econ. Ent. 52(5):868-870.

PARASITES AND PREDATORS

LAC, J. 1959. Bewertung der bedeutung von amphibien vom standpunkt der mückenbekämpfung auf der Schütt-Insel (Zitný Ostrov, Süd-slowakei). Biologia (Bratislava) 14(4):265-272. In Czech.

SHEMANCHUK, J. A. 1959. Note on *Coelomomyces psorophorae* Couch, a fungus parasitic on mosquito larvae. Canad. Ent. 19(11):743-744. [Found on *Culiseta inornata*.]

ATTRACTANTS AND REPELLENTS

DWORKIN, Z. Z. 1959. New attitudes toward insect repellency. Soap and Chem. Spec. 35(2):77, 79, 81, 83.

NABOKOV, V. A. and BATAEV, P. S. 1959. Status of mosquito repellent study. Zhur. Mikrobiol. Epidemiol. i Immunobiol. (Moskva) 30(6):44-48. In Rus. [This journal also available in English translation as Jour. Microbiol. Epidemiol. and Immunol.]

RAKHMANOVA, P. I. 1959. Methods of primary selection of repellent preparations against blood-sucking mosquitoes with laboratory tests on animals. Med. Parazit. i Parazit. Bolezni 28(5):620-621. In Rus.

RESISTANCE AND SUSCEPTIBILITY

DAVIDSON, G. 1959. The inheritance of resistance to insecticides in anopheline mosquitoes. Internatl. Cong. Zool. Proc. 15:504-505.

DERBENEVA-UKHOVA, V. P. 1959. Resistance of carriers to insecticides according to materials of the World Health Organization. Med. Parazit. i Parazit. Bolezni 28(6):737-741. In Rus.

GÖKBERK, C. 1958. Resistance to insecticides and test results of anophelines in Turkey. Türk İlyen ve Tecrübi Biyoloji Dergisi (Ankara) 18(2/3):282-293. In Turk., Engl. Sum.

HAMON, J. and COWORKERS. 1959. Observations sur le niveau de sensibilité aux insecticides de quelques moustiques du littoral Méditerranéen. Présence d'une souche de *Culex pipiens* L. résistante au dieldrin. Soc. de Path. Exot. Bul. 52(2):199-208.

KLEIN, J. M. and MICHEL, R. 1959. Observations sur le niveau de sensibilité aux insecticides des larves de l'*Aedes (Ochlerotatus) detritus* (Haldiday), 1833 du littoral Méditerranéen. Soc. de Path. Exot. Bul. 52(3):295-299.

LEWALLEN, L. L. and NICHOLSON, L. M. 1959. Malathion metabolism in larvae of resistant mosquito strains. Ent. Soc. Amer. Ann. 52(6):767.

MATHIS, W. SCHOOF, H. F. and FAY, R. W. 1959. Method for the field determination of susceptibility levels of adult mosquitoes. *Mosquito News* 19(4):255.

NARASIMHAN, D., KARANI, N. D. P. and KRISHNASWAMI, P. 1959. Field survey of insecticide susceptibility of disease vectors. Part IA. *Anopheles culicifacies* in Poona. *Indian Jour. Pub. Health* 3(2):160-168.

PERRY, A. S. 1959. Investigations on the mechanism of DDT resistance in certain anopheline mosquitoes. WHO/Mal/244, WHO/Insect./101, 24 pp.

STEYN, J. J. and COWORKERS. 1959. Possible simplified gravidity technique for detecting physiological resistance of *Anopheles gambiae* to BHC. *S. Afr. Med. Jour.* 33(9):172.

YACUZHINSKAYA, L. V. 1959. Resistance mechanism in insects (according to the World Health Organization). *Med. Parazit. i Parazit. Bolezni* 28(5):609-615. In Rus. [Includes mosquitoes.]

INSECTICIDES AND CHEMICALS

NEGHERBON, W. O. 1959. Handbook of toxicology. III. Insecticides: a compendium. U.S.A.F. Wright Air Develop. Cent. Tech. Rpt. 55-16 (Vol. III):1-854.

REID, J. A. and LIM, C. S. 1959. A note on the residual life of the insecticide malathion. *Med. Jour. Malaya* 13(3):239-242.

SEIDEL, E. 1958. Gefährdung von mensch und haustier durch kontaktschädlinge auf DDT-, HCH-, und PE-basis. *Berlin u. Münch. Tierärztl. Wchnschr.* 71(1):3-5; (2):26-29; (3):50-53. [Engl Sum. in last one.]

SOAP AND CHEMICAL SPECIALTIES. 1959. Aerosol insecticides storage test. Tentative official method of the Chemical Specialties Manufacturers Association for storage of aerosol insecticides. *Soap and Chem. Spec. Blue Book*, pp. 223-224.

———. 1959. Aerosol test method for flying insects. Official method of the Chemical Specialties Manufacturers Association for assaying aerosols for flying insects. *Soap and Chem. Spec. Blue Book*, pp. 225-226.

WEST, T. F. 1959. The history of the African pyrethrum industry. *Roy. Soc. Arts. Jour.* 107 (5034):423-441.

YEOMANS, A. H. and FULTON, R. A. 1959. Evaluation of spray deposits and inhalation particles from aerosol sprays. *Aerosol Age* 4(7):22-23, 70.

TOXICOLOGY

GONZÁLEZ, A. 1959. Parathion. *Retiro Azucarero* 5:5. [Toxicity to man.]

SHIRAKAWA, M. 1959. Experimental studies on the toxicity of benzene hexachloride (BHC). IV. Effects of lindane vapor to insects and mammals. *Kurume Med. Jour.* 5(4):230-244.

TOIVONEN, T., OHELA, K. and KAIPAINEN, W. J. 1959. Parathion poisoning—increasing frequency in Finland. *Lancet* 2(7095):175-176.

BIOLOGY AND ECOLOGY

BRYGOO, E. R., DODIN, A. and SUREAU, P. 1959. Repas sanguin de *Culex fatigans* sur *Chamaeleo*. *Inst. Pasteur Madagascar Arch.* 27:63-68.

BRYGOO, E. R., SUREAU, P. and DODIN, A. 1959. Survie des *Culex fatigans* gorgés sur *Chamaeleo* parasité par *Foleyella furcata*. *Inst. Pasteur Madagascar Arch.* 27:63-68.

CHAPMAN, H. C. 1959. Overwintering larval populations of *Culex erythrorhox* in Nevada. *Mosquito News* 19(4):244-246.

COLLIGNON, E. 1959. Observations biologiques sur les *Anophèles* de la région d'Alger (1932-1956). *Inst. Pasteur d'Algerie Arch.* 37(2):263-285.

DODIN, A. and BRYGOO, E. R. 1959. La thiamine n'empêche pas *Culex fatigans* de se nourrir sur *Chamaeleo*. *Inst. Pasteur Madagascar Arch.* 27:69-70.

GALLIARD, H. 1959. Biologie des culicides du genre *Mansonioides* en Asie orientale: leur importance comme vecteurs de parasites. *Internatl. Cong. Zool. Proc.* 15:694-697.

GILLETT, J. D., CORBET, P. S. and HADDOW, A. J. 1959. Observations on the oviposition-cycle of *Aedes (Stegomyia) aegypti* (Linnaeus), III. *Ann. Trop. Med. and Parasitol.* 53(2):132-136.

GOMA, L. K. H. 1959. Periodic pupation in *Anopheles gambiae* Giles. *Ent. Soc. South. Afr. Jour.* 22(1):275-276.

HADDOW, A. J., GILLETT, J. D. and CORBET, P. S. 1959. Laboratory observations on pupation and emergence in the mosquito *Aedes (Stegomyia) aegypti* (Linnaeus). *Ann. Trop. Med. and Parasitol.* 53(2):123-131.

KAMURA, T. 1959. Studies on the *Culex pipiens* group of Japan. 4. Ecological studies on the Nagasaki *molestus*. *Endemic Dis. Bul. (Nagasaki Univ.)* 1(1):51-59. *Engl. Sum.*

KÜLHORN, F. 1958. Über die milieuverhältnisse oberbayerischer brutgewässer von *Theobaldia alaskaensis* Ludlow (Dipt., Culicidae). *Nachrbl. de Bayer. Ent.* 7(5):41-45. [*Culiseta*.]

———. 1958. Untersuchungen über die ernährung der larven von *Anopheles bifurcatus* Meigen (Dipt. Culicidae). *Nachrbl. der Bayer. Ent.* 7(12):118-124.

NAKAO, S. 1959. Ecological studies on the community of adult mosquitoes resting in the grass in the daytime. I. An analysis of dynamic structure. III. Resting habits of some mosquitoes. *Jap. Jour. Sanit. Zool.* 10(1):1-7; 8-15. In Jap., *Engl. Sum.*

RACHOU, R. G., MOURA LIMA, M., FERREIRA NETO, J. A. and MARTINS, C. M. 1958. Alguns dados sobre o comportamento de mosquitos de Ponta Grossa (Florianópolis, Santa Catarina). *Rev. Brasil. de Malariol.* 10(4):417-427. *Engl. Sum.*

SHU, K. H., CHEN, Y. L. and TAO, X. K. 1959. Observations on the hibernation of the common mosquitoes in Szechuan. *Acta Ent. Sinica* 9(2):201. In Chin.

TAN, C. H., LI, L. C., SHIH, K. M. and LUH, P. L. 1959. A preliminary study on the gono-

trophic rhythm and cycle of *Anopheles hyrcanus sinensis* Wiedemann, 1828 (Diptera, Culicidae). Acta Zool. Sinica 11(1):67-73. In Chin., Engl. Sum.

TUNG, B. 1959. Preliminary observation on the hibernation of *Culex pipiens pallens* in Tsinan. Acta Ent. Sinica 9(2):190-194. In Chin., Engl. Sum.

VELOSO, H. P. 1958. Considerações gerais sobre os biótopos e habitats dos anofelíneos do sub-gênero *Kertesziu*. Inst. Oswaldo Cruz Mem. 56(1):163-179. Engl. Sum.

WEBB, J. E., JR., BARTON, J. B., LINTS, R. C. and SHEPHERD, E. L. 1959. Observations on *Culiseta morsitans* in the Landstuhl/Pfalz area of Germany 1956-59. Mosquito News 19(4):267-269.

ZSLUTSKAYA, L. I. 1959. Comparative data on the biology of *Anopheles minimus* and *Anopheles vagus* in the environs of the city of Tay-Nguen (Democratic Republic of Vietnam). Med. Parazit. i Parazit. Bolezni 28(5):548-553. In Rus., Engl. Sum.

GENETICS

PAL, R. and KRISHNAMURTHY, B. S. 1959. Induced mutations of X-ray irradiations in *Culex fatigans* Wied. (1828). Nature (London) 184 (4686):658.

BEHAVIOR

COLLESS, D. H. 1959. Notes on the culicine mosquitoes of Singapore. VI.—Observations on catches made and unbaited trap-nets. VII.—Host preferences in relation to transmission of disease. Ann. Trop. Med. and Parasitol. 53(3):251-258; 259-267.

LAARMAN, J. J. 1959. Host-seeking behaviour of malaria mosquitoes. Internat. Cong. Zool. Proc. 15:648-649.

LAVOPIERRE, M. M. J. 1959. Some observations on the biting cycle of the Liverpool strain of *Aedes aegypti* var. *queenslandensis*. Roy. Soc. Trop. Med. and Hyg. Trans. 53(4):307.

LU, H. C., HSIAO, S. M. and YUAN, Y. C. 1959. Observations on swarming and mating of *Culex pipiens* var. *pallens* Coquillett in Nanking. Chinese Med. Jour. 78(3):281.

LU, H. C. and YU, Y. 1959. Observations on resting places and activities of *Culex pipiens* var. *pallens* Coq. in Southern Shantung Province. Chinese Med. Jour. 78(2):181.

LU, S. C., MA, T. C. and LEE, C. P. 1959. The blood preference of some culicine mosquitoes in rural areas of Nanking. Acta Ent. Sinica 9(2): 178-182. In Chin., Engl. Sum.

ROOT, O. M. 1958. Individual host discrimination by blood-sucking insects. Bombay Nat. Hist. Soc. Jour. 55(2):376. [Mainly mosquitoes.]

SICART, M. and ESCANDE, F. 1958. Sur le comportement nocturne de quelques larves de culicides. Soc. d'Hist. Nat. Bul. (Toulouse) 93(1-2):45-47.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

BERTRAM, D. S. 1959. Course in advanced entomological techniques applied to malaria eradication. IV. The ovary and ovarioles of mosquitoes (an illustrated note, with glossary). WHO/Mal/238:170-186.

DETINOVA, T. S. 1959. Course in advanced entomological techniques applied to malaria eradication. III. Lectures on age-grouping methods in Diptera of medical importance. WHO/Mal/238: 5-169. Illus.

GIGLIOLI, M. E. C. 1959. Observations on the structure of the ovariole and the follicular residue body or corpus luteum in *Anopheles gambiae*. Roy. Soc. Trop. Med. and Hyg. Trans. 53(4): 310-311.

KAMURA, T. 1959. Studies on the *Culex pipiens* group of Japan. 5. Morphological studies on the Nagasaki *molestus*. Endemic Dis. Bul. (Nagasaki Univ.) 1(2):176-185. Engl. Sum.

— and BEKKU, H. 1957. Studies on the *Culex pipiens* group of Japan. 2. Morphological studies of Minamata *pallens*. Nagasaki Igakkai Zassi 32(11):1451-1455.

KHATENESYAN, T. A. 1959. Survival of the mosquito *Anopheles bifurcatus* until reaching an epidemiological dangerous age in the Batum district of the Adzhar ACCR. Med. Parazit. i Parazit. Bolezni 28(5):560-561. In Rus.

KOZHEVNIKOVA, S. M. 1959. Age groups and epidemiological importance of the mosquito *Anopheles maculipennis* near Stalingrad for a succession of years. Med. Parazit. i Parazit. Bolezni 28(5): 555-560. In Rus., Engl. Sum.

LUKASIAK, J. 1957. Morphological variability of eggs and of the scale index in *Anopheles maculipennis* Meig., 1818. Acta Parasitol. Polonica (Warsaw) 5(27):599-612. In Pol., Engl. Sum.

PETERS, W. 1959. Albinism in mosquitoes of the *Anopheles punctulatus* group. Austral. Jour. Sci. 21(9):304-305.

ROSAY, B. 1959. Expansion of eggs of *Culex tarsalis* Coquillett and *Aedes nigromaculis* (Ludlow) (Diptera: Culicidae). Mosquito News 19 (4):270-273.

SAMARAWICKREMA, W. A. 1959. Formation of corpora lutea in *Mansonioides* females following (a) normal oviposition, (b) degeneration of follicles. Roy. Soc. Trop. Med. and Hyg. Trans. 53(4):305-306.

WALLIS, R. C. 1959. Diapause and fat body formation by *Culex restuans* Theobald (Diptera Culicidae). Ent. Soc. Wash. Proc. 61(5):219-222.

WHARTON, R. H. 1959. Age determination in *Mansonioides* mosquitoes. Nature (London) 184 (4689):830-831.

TECHNIQUES

BREZNER, J., HART, R. A. and ENNS, W. R. 1959. A simple method *in vitro* storage of insect haemolymph. Kansas Ent. Soc. Jour. 32(2) 92-94.

BURGESS, L. 1959. Techniques to give better hatches of the eggs of *Aedes aegypti* (L.) (Diptera: Culicidae). *Mosquito News* 19(4):256-259.

GILLIES, M. T. 1958. A simple autoradiographic method for distinguishing insects labelled with phosphorus-32 and sulfur-35. *Nature* (London) 182 (4650):1683-1684.

KAHLAF, K. T. 1959. The electron microscope as an instrument in insect taxonomy. *Kansas Ent. Soc. Jour.* 32(2):94-96.

LENNOX, E. K. 1959. A versatile mosquito rearing cage. *Mosquito News* 19(4):280-282. *Illus.*

LIEN, J. 1959. Laboratory culture of *Aedes togoi* and measurements of its susceptibility to insecticides. *Roy. Soc. Trop. Med. and Hyg. Trans.* 53(4):305.

LILJEDAHL, L. A. and STRAIT, J. 1959. Spray deposits measured rapidly. *Agr. Engineering* 40 (6):332-335.

LOOMIS, E. C. and SHERMAN, E. J. 1959. Comparison of artificial shelters and light traps for measurement of *Culex tarsalis* and *Anopheles freeborni* populations. *Mosquito News* 19(4):232-237.

MACDONALD, G. 1959. Course in advanced entomological techniques applied to malaria eradication. II. Introduction. *WHO/Mal/238:3-4.*

MACGUIRE, B., JR. 1959. Passive overland transport of small aquatic organisms. *Ecology* 40(2):312.

MASTERS, C. O. 1959. Mass production of mosquito larvae. *Mosquito News* 19(4):280.

OTA, E. 1959. An adsorption chromatography of dieldrin with a colour indicator. *Botyu-Kagaku* 24(1):26-30.

PORTERFIELD, J. S. 1959. A simple tissue culture technique for the detection of yellow fever antibodies. *Roy. Soc. Trop. Med. and Hyg. Trans.* 53(4):310.

REEVES, W. C. and RENTELN, H. A. 1959. Determination of mosquito attack rates by interview of Kern County, California residents. *Mosquito News* 19(4):274-279.

SCHMIDT, C. H. and WEIDHAAS, D. E. 1959. Effect of varying conditions in a laboratory testing technique on the mortality of mosquito larvae. *Jour. Econ. Ent.* 52(5):977-979.

SOAP AND CHEMICAL SPECIALTIES. 1959. Tentative method for internal pressure determination of aerosol products in lightweight containers. *Soap and Chem. Spec. Blue Book*, pp. 228, 259, 260.

STANILAND, L. N. 1959. Fluorescent tracer techniques for the study of spray and dust deposits. *Jour. Agr. Engin. Res.* 4(2):110-125.

TARSHIS, I. B. 1959. Feeding *Culex tarsalis* on outdated whole human blood through animal-derived membranes (Diptera: Culicidae). *Ent. Soc. Amer. Ann.* 52(6):681-687.

UNGUREANU, E., CRISMARU, V. and BURGHELE, E. 1959. Investigations on the contact of the legs of mosquitoes with resting surfaces and its relationship with DDT and dieldrin intoxication. *WHO/Mal/243*, 9 pp.

VOSTAL, Z. 1958. Two simple methods of entomologic examination of the activity of emulsions and suspensions of contact insecticides. *Ceskoslov. Epidemiol.* 7(5):344-348.

WORLD HEALTH ORGANIZATION. 1959. Course in advanced entomological techniques applied to malaria eradication (London, April 1959). *WHO/Mal/238*, 187 pp. [L. J. Bruce-Chwatt, editor.] See also Detinova and Bertram under Anatomy, Morphology and Physiology.

TAXONOMY

ANWIKAR, A. K. 1959. Studies on the mosquitoes of Nagpur. I. Identification and bionomics of the true mosquitoes. *Zool. Soc. Coll. Sci. Nagpur Bul.* 2:63-72.

BRANCH, N. and SEABROOK, E. L. 1959. *Culex (Culex) scimitar*, a new species of mosquito from the Bahama Islands (Diptera, Culicidae). *Ent. Soc. Wash. Proc.* 61(5):216-218.

COLLESS, D. H. 1959. Notes on the culicine mosquitoes of Singapore. V. The *Aedes niveus* subgroup (Diptera, Culicidae): previously described species and keys to adults and larvae. *Ann. Trop. Med. and Parasitol.* 53(2):166-179.

———. 1959. Undescribed head hairs in larvae of the genus *Culex* (Diptera: Culicidae). *Roy. Ent. Soc. London Proc. Ser. B.* 28(7-8):114.

DOBROTOWSKY, N. V. 1959. Notes on Australian mosquitoes (Diptera, Culicidae). IV. *Aedes alboannulatus* complex in Victoria. *Linn. Soc. N. S. Wales Proc.* 84(389):131-145.

HAMON, J. and ADAM, J. P. 1959. Description de deux nouveaux *Aedes* de Cote-d'Ivoire appartenant au sous-genre *Aedimorphus*: *A. ovazzai* sp. n. et *A. rickenbachii* sp. n. *Soc. de Path. Exot. Bul.* 52(2):147-154.

HEDEEN, R. A. 1959. Taxonomical studies on the larvae of the genus *Psorophora* in the United States with particular reference to the common species of the subgenus *Grabhamia* (Diptera: Culicidae). *Ent. Soc. Amer. Ann.* 52(6):668-674.

LIU, L. C., FANG, C. C. and HU, M. H. 1959. Study on the forms of *Anopheles minimus* Theobald, 1901. *Acta Ent. Sinica* 9(2):154-160. In *Chin., Engl. Sum.*

MARKS, E. N. 1959. The subgenus *Ochlerotatus* in the Australian region (Diptera: Culicidae). II. Five new species from Western Australia. *Queensland Univ. Dept. Ent. Papers* 1(8):111-134. [*Aedes hodgkini*, *macintoshi*, *ratcliffei*, *hesperonotius*, and *purpureifemur* all sp. n.]

——— and HODGKIN, E. P. 1958. A new species of *Aedes* (*Finlaya*) from northern Australia (Diptera, Culicidae). *Linn. Soc. N. S. Wales Proc.* 88(386):33-39. [*A. britteni* n. sp.]

MARTINS, C. M. 1958. Do diagnóstico diferencial específico entre o *Anopheles (Kerteszia) cruzii cruzii* e o *Anopheles (Kerteszia) humunculus* pelos caracteres dos adultos fêmeas (Diptera, Culicidae). *Rev. Brasil. de Malariol.* 10(4):429-430. *Engl. Sum.*

MUSPRATT, J. 1959. Research on South African Culicini (Diptera: Culicidae). V. A new species

of and notes on the sub-genus *Mucidus*, with other observations and records. Ent. Soc. South. Afr. Jour. 22(1):64-67. [*Aedes lucianus*.]

NAKATA, G. 1959. Redescription of *Aedes* (*Finlaya*) *kobayashii* Nakata, 1956. Jap. Jour. Sanit. Zool. 10(1):16-20.

RAGEAU, J. and VERVENT, G. 1959. Le genre *Taeniorhynchus* (Diptera, Culicidae) en Nouvelle-Calédonie et aux Nouvelles-Hébrides. Soc. de Path. Exot. Bul. 52(3):358-366. [*Mansonia*]

RUFFIÉ, J. 1958. Étude bio-systématique des Culicinae du sous-bassin aquitain. Soc. d'Hist. Nat. Bul. (Toulouse) 93(1-2):133-224.

SAKAKIBARA, M. 1959. On *Anopheles* (*Anopheles*) *omorii* n. sp. Endemic Dis. Bul. (Nagasaki Univ.) 1(3):288-295. In Engl.

SERVICE, M. W. 1959. A detailed examination of *A. funestus funestus* from Southern and Northern Nigeria. (A summary with notes on its varieties and synonyms). WHO/Mal/245, 6 pp.

———. 1959. A new culicine mosquito (*Aedes*) (*Aedimorphus*) *lokojensis* sp. nov., from Northern Nigeria. Rev. de Zool. et de Bot. Africaines 59(3-4):243-248.

SICART, M. 1958. Remarques sur l'évasement des cornets respiratoires chez les nymphes du complexe *Culex pipiens*. Soc. d'Hist. Nat. Bul. (Toulouse) 93(3-4):489-490.

——— and ESCANDE, F. 1958. Quelques moustiques aberrants de l'agglomération Toulousaine. Soc. d'Hist. Nat. Bul. (Toulouse) 93(1-2):39-42.

———. 1958. Sur la coloration céphalique de certaines larves d'*Anopheles maculipennis*. Soc. d'Hist. Nat. Bul. (Toulouse) 93(1-2):43-44.

SICART, M., RIOUX, J. A. and RUFFIÉ, J. 1958. Les biotypes d'*Anopheles maculipennis* dans la région de Toulouse. Soc. d'Hist. Nat. Bul. (Toulouse). 93(1-2):73-78.

THURMAN, E. B. 1959. A contribution to a revision of the Culicidae of Northern Thailand. Md. Agr. Expt. Sta. Bul. A-100, 182 pp. [Many sp. n.]

DISTRIBUTION

ANSARI, M. A. R. 1958. A report on the culicine mosquitoes in the collection of the Department of Entomology and Parasitology (Inst. Hyg. and Preventive Med.), Lahore. Pakistan Jour. Health 8(1):25-36.

CHAO, K. S., KUNG, Y. L., CH'O, H. C. and WU, C. Y. 1959. A preliminary report on the mosquitoes of Anhwei Province. Chinese Med. Jour. 78(3):280.

CHAO, Y. T. 1959. The distribution of mosquitoes in the northeastern provinces with a description of *Aedes flavescens*, *Aedes punctor* and *Theobaldia alaskensis*. Chinese Med. Jour. 78(3):279. [*Culiseta alaskensis*.]

CHAPMAN, H. C. 1959. Confirmation of *Aedes schizopinax* Dyar in California (Diptera-Culicidae). Calif. Vector Views 6(9):61.

CH'IN, Y. T. 1959. Notes on some species of mosquitoes collected in the northeastern part of China with reference to distribution. Acta Ent. Sinica 9(3):272-283. In Chin., Engl. Sum.

———. and SU, L. 1959. On three species of mosquitoes newly discovered in Northeast China. Acta Ent. Sinica 9(2):195-200. In Chin., Engl. Sum. [*Aedes communis*, *A. cataphylla*, *Culiseta ochropitera*.]

GRODHAUS, G. 1959. Notes on the distribution of *Aedes schizopinax* Dyar in California. Calif. Vector Views 6(10):67.

HSICH, H. M. and YANG, C. H. 1959. Preliminary survey of mosquitoes in Tientsin. Chinese Med. Jour. 78(3):280.

JUMINER, B. 1959. Note sur l'anophélisme en Tunisie. Inst. Pasteur Tunis Arch. 36(1):37-42.

LUKASIAK, J. 1959. Appearance of mosquitoes in the eastern part of Kampinos wilderness. Acta Parasitol. Polonica (Warsaw) 7(14):307-314. In Pol., Engl. Sum.

MIHÁLYI, F. 1959. Die tiergeographische verteilung der stechmückenfauna Ungarns. Acta Zool. (Budapest) 4(3-4):393-403. [Culicidae.]

PARRISH, D. W. 1959. The mosquitoes of Turkey. Mosquito News 19(4):264-266.

SENEVET, G., ANDARELLI, L. and BUISSON, R. 1959. Une nouvelle station de *Anopheles plumbeus* en Algérie. Inst. Pasteur d'Algérie Arch. 37(2):384.

SICART, M. and RUFFIÉ, J. 1958. Presence de *Culex torrentium* sur les montagnes de Foix. Soc. d'Hist. Nat. Bul. (Toulouse) 93(1-2):79-80.

VALKH, S. B. 1959. On the Culicidae fauna in the eastern part of the Ukraine. Med. Parazit. i Parazit. Bolezni 28(6):687-695. In Rus., Engl. Sum.

VARGAS, L. 1958. Nuevos datos sobre la distribución de anofelinos Mexicanos. Bol. Epidemiológico (Mexico) 22(2):33-53. Engl. Sum.

VELOSO, H. P. 1958. O relêvo do solo como factor determinante da distribuição dos anofelinos na Região "Bromeliacea-Malaria" do Brasil. Inst. Oswaldo Cruz Mem. 56(1):25-33. Engl. Sum.

WATERHOUSE, E. J. 1959. A survey of the mosquitoes of Coonallyn Downs, South Australia. Roy. Soc. South Austral. Trans. 82:259-264.

YUAN, H. K., LIU, S. S. and HSU, S. D. 1959. A mosquito survey in some parts of Hupei Province. Acta Ent. Sinica 9(2):183-189. In Chin., Engl. Sum.

YOU, K. W. 1959. A preliminary report on the mosquitoes of Fû-chou, Kiangsi. Acta Ent. Sinica 9(2):202. In Chin.

ENCEPHALITIS

BUESCHER, E. L. and COWORKERS. 1959. Ecologic studies of Japanese encephalitis virus in Japan. II. Mosquito infection. IV. Avian infection. Amer. Jour. Trop. Med. and Hyg. 8(6):651-664; 678-688.

BUESCHER, E. L. and SCHERER, W. F. 1959. Ecologic studies of Japanese encephalitis virus in Japan IX. Epidemiologic correlations and conclusions. Amer. Jour. Trop. Med. and Hyg. 8(6):719-722.

CHAMBERLAIN, R. W., SUDIA, W. D. and GILLET, J. D. 1959. St. Louis encephalitis virus in mosquitoes. Amer. Jour. Hyg. 70(3):221-236.

- COPPS, S. C. and GIDDINGS, L. E. 1959. Trans-placental transmission of western equine encephalitis; report of a case. *Pediatrics* 24(1):31-33.
- DAUER, C. C. 1959. Encephalomyelitis in horses. *U. S. Pub. Health Rpts.* 74(9):830.
- DOWNES, W. G., AITKEN, T. H. G. and SPENCE, L. 1959. Eastern equine encephalitis virus isolated from *Culex nigripalpus* in Trinidad. *Science* 130(3387):1471.
- JENKINS, A. A. and DONATH, R. 1959. The 1958 encephalitis outbreak in northern Utah. I. Human aspects. *Mosquito News* 19(4):221-222.
- KARSTAD, L., SPALATIN, J. and HANSON, R. P. 1959. Experimental infections of wild birds with the viruses of eastern equine encephalitis, Newcastle disease and vesicular stomatitis. *Jour. Infect. Dis.* 105(2):188-195.
- REES, D. M., OGDEN, L. J., COLLETT, G. C. and GRAHAM, J. E. 1959. The 1958 encephalitis outbreak in northern Utah. 3. Mosquito populations in relation to the outbreak. *Mosquito News* 19(4):227-231.
- SCHERER, W. F. and BUESCHER, E. L. 1959. Ecologic studies of Japanese encephalitis virus in Japan. I. Introduction. *Amer. Jour. Trop. Med. and Hyg.* 8(6):644-650.
- and McCCLURE, H. E. 1959. Ecologic studies of Japanese encephalitis virus in Japan. V. Avian factors. *Amer. Jour. Trop. Med. and Hyg.* 8(6):689-697.
- SCHERER, W. F. and COWORKERS. 1959. Ecologic studies of Japanese encephalitis virus in Japan. III. Mosquito factors. Zootropism and vertical flight of *Culex tritaeniorhynchus* with observations on variations in collections from animal-baited traps in different habitats. VI. Swine infection. VIII. Survey for infection of wild rodents. *Amer. Jour. Trop. Med. and Hyg.* 8(6):665-677; 698-706; 716-718.
- SCHERER, W. F., KITAOKA, M., OKUNO, T. and OGATA, T. 1959. Ecologic studies of Japanese encephalitis virus in Japan. VII. Human infection. *Amer. Jour. Trop. Med. and Hyg.* 8(6):707-715.
- SHUBLADZE, A. K., GAIDAMOVICH, S. IA. and GAVRILOV, V. I. 1959. Virological studies on laboratory cases of Venezuelan equine encephalomyelitis. *Voprosy Virusologii (Moskva)* 4(3):305-310. In Rus. [This journal also available in English translations as *Problems of Virology*.]
- SUDIA, W. D. 1959. The multiplication of St. Louis encephalitis virus in two species of mosquitoes: *Culex quinquefasciatus* Say and *Culex pipiens* Linnaeus. *Amer. Jour. Hyg.* 70(3):237-245.
- THOMAS, L. A. and SMITH, J. V. 1959. The 1958 encephalitis outbreak in northern Utah. 2. Infection rates in birds, mammals, and mosquitoes. *Mosquito News* 19(4):223-226.
- FU, T. R. 1958. Experimental infection of local common mosquitoes with *Dirofilaria immitis* in Shanghai area, China. *Acta Microbiol. Sinica* 6(4):455-465. In Chin., Eng. Sum.
- FUJISAKI, T. 1959. Supplements to the findings on the susceptibility of Japanese mosquitoes to *Wuchereria bancrofti*. 2. On the susceptibility of *Anopheles hyrcanus sinensis* and *Culex tritaeniorhynchus*. *Endemic Dis. Bul. (Nagasaki Univ.)* 1(3):278-287. Engl. Sum.
- KUNG, C. C. 1959. Epidemiology of human filariasis in China. Its distribution and transmission. *Chinese Med. Jour.* 78(2):176-177.
- LAING, A. B. G. 1959. The dusky leaf monkey (*Presbytis obscurus*) as a natural host of *Wuchereria malayi* in Malaya. *Roy. Soc. Trop. Med. and Hyg. Trans.* 53(2):213-214.
- LI, H. H. 1959. Studies on filariasis in New China. *Chinese Med. Jour.* 78(2):148-160.
- MA, H. C., YEH, Y. T., KAO, T. F. and TSAO, C. C. 1958. Filariasis along the southeastern coast of Shantung. *Acta Microbiol. Sinica* 6(1):134-139. In Chin., Engl. Sum.
- RACHOU, R. G. and FERREIRA, M. O. 1958. Nota preliminar sobre o controle quimioterápico da filariose bancroftiana em uma localidade do sul do Brasil. *Rev. Brasil. de Malariol.* 10(4):391-395, 396. Engl. Sum.
- TURNER, L. H. 1959. Studies on filariasis in Malaya: treatment of *Wuchereria malayi* filariasis with diethylcarbamazine in single daily doses. *Ann. Trop. Med. and Parasitol.* 53(2):180-188.
- and SOOY, L. S. 1959. Studies on filariasis in Malaya: a trial mass treatment of *Wuchereria malayi* filariasis with single daily doses of diethylcarbamazine. *Ann. Trop. Med. and Parasitol.* 53(3):268-273.
- WILCOCKS, C. 1959. Summary of recent abstracts. VII. Helminthiasis. *Trop. Dis. Bul.* 56(9):905-917. [Includes filariasis.]

MALARIA

- BRODY, J. A. and DUNN, F. L. 1959. Malaria surveillance in the United States. 1958. *Amer. Jour. Trop. Med. and Hyg.* 8(6):635-639.
- CAZZOLA, D. 1959. Considerazioni sulla comparasa del paludismo in puerperio. *Riv. D'Ostetricia e Ginecol. Prat. (Milano)* 41(5):599-601.
- DUKHANINA, N. N. 1959. Prevention of malaria. *Sovetskaia Meditsina* 23(5):134-139. In Rus.
- FRIZZI, G. 1959. I fondamentali aspetti teorici e pratici di un sessantennio di ricerche per la soluzione del problema malarico in Italia. *Ann. Sanità Pubblica (Roma)* 20(2):227-238.
- GREENBERG, J. and KENDRICK, L. P. 1959. Resistance to malaria in hybrids between Swiss and certain other strains of mice. *Jour. Parasitol.* 45(3):263-267.
- LYSENKO, A. YA. 1959. Malaria in the Democratic Republic of Vietnam and the assistance of Soviet specialists in its control. *Med. Parazit. i Parazit. Bolezni* 28(5):542-548. In Rus.
- MÖLLHAUSEN, W. 1959. Aspekte der malaria-

FILARIASIS

CHINESE MEDICAL JOURNAL. 1959. Single dose night treatment of filariasis with hetrazan. *Chinese Med. Jour.* 78(3):226-227.

bekämpfung im westafrikanischen regenwald. Ztschr. f. Tropenmed. u. Parasitol. 10(2):159-164.

OBERDORFER, F. 1959. Malaria in the German Democratic Republic since 1945. Med. Parazit. i Parazit. Bolezni 28(5):553-554. In Rus.

RACHOU, R. G. 1958. Novos conceitos na classificação de endemicidade malárica. Rev. Brasil. de Malariol. 10(4):297-403. Engl. Sum.

RADACOVICI, E., ATANASIU, M., ISFAN, T. and TAUTU, L. 1958. Les particularités des formes cliniques de paludisme (micorfoyers ou formes sporadiques, dans des zones soumises ou non à la desanophelisation. Studii si Cercetari Infra-microbiol. Microbiol. si Parazitol. 9(2):279-283. In Roum.

RICHTER, B. 1959. La malaria e la lotta anti-malarica in Iugoslavia. Minerva Medica (Torino) 50(33):1209-1215.

SERGEANT, E. 1959. Réflexions sur l'épidémiologie et l'immunologie du paludisme. Inst. Pasteur d'Algérie Arch. 37(1):1-52.

SIMKHOVICH, E. I. 1959. Quartan malaria fever at the time of malaria eradication in Moldavia. Med. Parazit. i Parazit. Bolezni 28(5):534-535. In Rus., Engl. Sum.

VELOSO, H. P. and FONTANA, P., JR. 1958. Considerações gerais sobre o indice "M K" (Malaria-Kerteszia). Inst. Oswaldo Cruz Mem. 56(1):181-195. Engl. Sum.

WORLD HEALTH ORGANIZATION. 1959. Malaria information. 1959. WHO/Mal/Inform/50, 10 pp. [3rd Asian Malaria Conference, progress in Sicily, corrigendum-malaria in People's Republic of China, et al.]

Malaria—Eradication Projects

BUSLAEV, M. A. and VASYUTA, YU. S. 1959. The final stage of malaria eradication in the Russian Soviet Federative Socialist Republic. Med. Parazit. i Parazit. Bolezni 28(5):518-522. In Rus.

DEKHTSUNYAN, K. M. 1959. Elimination of malaria in the Kafan district of the Armenian SSSR. Med. Parazit. i Parazit. Bolezni 28(5):536-540. In Rus.

HOLSTEIN, M. H. 1958. On malaria eradication in West Africa and bionomics of *Anopheles gambiae*. West Afr. Sci. Assoc. Jour. 4(2):155-162.

VARGAS, L. 1958. Aspectos socioeconómicos de las zonas rurales Mexicanas en relación con la erradicación del paludismo. Inst. de Salubridad y Enferm. Trop. (Mexico) 18(3-4):147-186.

Malaria—Plasmodia

BRAY, R. S. 1959. Pre-erythrocytic stages of human malaria parasites: *Plasmodium malariae*. Brit. Med. Jour. 5153:679-690.

HUFF, C. G., MARCHBANK, D. F. and SHIROISHI, T. 1959. Susceptibility and resistance of avian and mosquito hosts to strains of *Plasmodium relictum* isolated from pigeons. Jour. Protozool. 6(1):46-51.

INSTITUT PASTEUR DU VIÉT-NAM. 1959. Rapport annuel sur le fonctionnement technique, année 1958. 143 pp., Saigon. [Includes *Plasmodium* spp.]

JACKSON, G. J. 1959. Simultaneous infections with *Plasmodium berghei* and *Trypanosoma lewisi* in the rat. Jour. Parasitol. 45(1):94.

MAEGRAITH, B. G., DAVAKUL, K. and LEITHEAD, C. S. 1959. The terminal stages of *Plasmodium knowlesi* infection in *Macaca mulatta*. I.—The clinical state: resuscitation by L-Noradrenaline. II.—The pharmacological action of L-Noradrenaline and adrenaline. Ann. Trop. Med. and Parasitol. 53(3):358-368; 369-379.

OKPALA, I. 1958. Transmission of *Plasmodium gallinaceum* through *Aedes stokesi*. West Afr. Med. Jour. 7(n.s.)(4):195-196.

RUDZINSKA, M. A. and TRAEGER, W. 1959. Phagotrophy and two new structures in the malaria parasite *Plasmodium berghei*. Jour. Biophysical and Biochem. Cytology (New York) 6(1):103-112.

SAUTET, J., ALDIGHIERI, J., ARNAUD, G. and RAMPAL, C. 1959. Influence des vitamines B₁₂, C et K₁ dans le traitement des infections a *Plasmodium berghei* par la chloroquine. Soc. de Path. Exot. Bul. 52(3):276-281.

SERGEANT, E. and PONCET, A. 1959. Des variations expérimentales de la virulence de *Plasmodium berghei*: exaltation; atténuation; mithridatisme. Inst. Pasteur d'Algérie Arch. 37(2):227-255.

Malaria—Therapeutics and Antimalarials

ARCHIBALD, H. M. and ROBERTSON, A. M. 1959. Further field trials of modern antimalarials. Jour. Trop. Med. and Hyg. (London) 62(10):241-244.

CAMPBELL, C. H. 1959. Skin pigmentation with camoquin as a malarial suppressive. Roy. Soc. Trop. Med. and Hyg. Trans. 53(2):215-216.

HURLY, M. G. D. 1959. Administration of pyrimethamine with folic and folinic acids in human malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 53(5):410-411.

———. 1959. Potentiation of pyrimethamine by sulphadiazine in human malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 53(5):412-413.

KALMYKOV, E. S. 1959. Antimalarial measures undertaken at various stages of malaria control in the Tadzhik SSR. Med. Parazit. i Parazit. Bolezni 28(5):528-533. In Rus., Engl. Sum.

RATHSCHECK, H. J. 1959. Klinische untersuchungsergebnisse über die parenterale verabfolgung von Propoquine (PAM-780), ein neues anti-malaria-mittel. Ztschr. f. Tropenmed. u. Parasitol. 10(1):36-37. Engl. Sum.

RAY, A. P. and COWORKERS. 1959. Therapeutic response to a newer antimalarial, 377-C-54. Indian Med. Assoc. Jour. 32(10):398-401.

SAUTET, J., ALDIGHIERI, J. and ALDIGHIERI, R. 1959. Études sur la production expérimentale de la résistance a divers produits antimalariques d'une souche de *Plasmodium berghei*. Soc. de Path. Exot. Bul. 52(3):331-345.

VON BRAND, T. 1959. Neuere untersuchungen aus dem gebiet de pathologischen physiologie parasitischer infektionen. Ztschr. f. Tropenmed. u. Parasitol. 10(2):135-146.

YAO, D-F, and TANG, J-Y. 1959. The anti-malarial activity of dichlorophenyltriazine and other halogen substituted derivatives. Acta Pharmaceutica Sinica 7(2):84-89. In Chin., Engl. Sum.

YELLOW FEVER

MEERS, P. D. 1959. Smallpox—17D vaccine. Roy. Soc. Trop. Med. and Hyg. Trans. 53(3):296.

PORTERFIELD, J. S. 1959. A plaque technique for the titration of yellow fever virus and antisera. Roy. Soc. Trop. Med. and Hyg. Trans. 53(6):458-466.

OTHER DISEASES

GUTZEVICH, A. V. and PODOLYAN, V. J. 1959. Studying of mosquitoes in connection with their role as vectors of the neurotropic viruses in the Western Ukraine. Zool. Zh. (Moskva) 38(3):443-448. In Rus., Engl. Sum.

HOLDEN, P. and HESS, A. D. 1959. Cache Valley virus, a previously undescribed mosquito-borne agent. Science 130(3383):1187. [Isolated from *Culiseta inornata*.]

WOODALL, J. P. and BERTRAM, D. S. 1959. The transmission of Semliki Forest virus by *Aedes aegypti* L. Roy. Soc. Trop. Med. and Hyg. Trans. 53(6):440-444.

———. 1959. Semliki forest virus and its transmission by *Aedes aegypti* L. Internat. Cong. Zool. Proc. 15:701-702.

LIGHT TRAP STUDIES

BLAKESLEE, T. E., AXTELL, R. and JOHNSTON, L. 1959. *Aedes vexans* and *Culex salinarius* light trap collections at five elevations. Mosquito News 19(4):283.

LOOMIS, E. C. 1959. Selective responses of *Aedes nigromaculis* (Ludlow) to the Minnesota light trap. Mosquito News 19(4):260-263.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1959. Native literature treating the problems of medical parasitology and parasitic diseases in the second quarter of 1959. Med. Parazit. i Parazit. Bolezni 28(5):623-631. In Rus.

———. 1959. Native literature on the problems of medical parasitology and parasitic diseases for the third quarter of 1959. Med. Parazit. i Parazit. Bolezni 28(6):744-752. In Rus. [Both references include mosquitoes and malaria.]

SOLLERS, H. 1959. References to literature of interest to mosquito workers and malariologists. Mosquito News 19(4):292-300.

BIOGRAPHY AND HISTORY

PELLER, S. 1959. Walter Reed, C. Finlay and their predecessors around 1800. Bul. Hist. Med. 33(3):195-211.

WHITE, C. R. 1959. Yellow fever; history of the disease in the eighteenth and nineteenth century. Kansas Med. Soc. Jour. 60(8):298-302.

SUBJECTS NOT COVERED BY OTHER HEADINGS

ESKIN, V. A., DANDUROV, Iu. V. and KALINKOVSKII, I. S. 1959. Canopy of mosquito protection. Voennno-Meditsinskii Zhur. (Moskva) 6:89-90. In Rus.

LANG, C. A. 1959. Cytochrome C reductase activities during development. Expt. Cell. Res. (N. Y.) 17(3):516-518. [Mosquitoes.]

NEW JERSEY AGRICULTURAL EXPERIMENT STATION. 1959. The story of the mosquito. N. J. Agr. Expt. Sta. Cir. 585, 15 pp.

PAN AMERICAN SANITARY BUREAU. 1959. Annual report of the Director, 1958. Pan. Amer. Health Organ. Off. Doc. 165 pp., Washington, D. C.

WORLD HEALTH ORGANIZATION. 1959. Executive Board. Twenty-fourth session Geneva, 1 and 2 June 1959. Resolutions annexes. WHO Off. Rec. 96, 64 pp.