

REFERENCES TO LITERATURE OF INTEREST TO MOSQUITO WORKERS AND MALARIOLOGISTS

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

FUMIGANTS

BROOKS, G. B., CARMICHAEL, G. T., and SCHOOF, H. F. 1965. Evaluation of large-scale treatment with dichlorvos for the control of *Culex pipiens quinquefasciatus* Say. *Mosquito News* 25 (4):427-431.

ADULTICIDES AND LARVICIDES

COMMUNICABLE DISEASE CENTER. 1966. Report on public health pesticides. *Pest Control* 34 (3):10-34. Passim. [Includes mosquitoes.]

COZ, J., VENARD, P., ATTIOU, B., and SOMDA, D. 1966. Etude de la remance de deux nouveaux produits insecticides: OMS 43 et OMS 658. *WHO/Vector Cont./66.196*, 12 pp. Engl. Sum. [*Mansonia* and *Anopheles*.]

FALES, J. H., and BODENSTEIN, O. F. 1965. New household insecticide. *Soap and Chem. Specialties* 41(11):91-94, 123-124. [Bromophos tested against *Aedes aegypti*.]

GRAS, G. 1964. La démoustication en Californie. Organization et moyens de lute. *Société Pharmacie Montpellier* 24(1):5-35.

GRAY, H. E. 1965. Dursban. . . . A new organo-phosphorus insecticide. *Down to Earth* 21(3):2; 26-27. [Effective against some mosquitoes.]

JAKOB, W. L., and SCHOOF, H. F. 1966. Laboratory tests with DDT and deuterio-DDT against mosquitoes. *Mosquito News* 26(1):78-79.

KNAPP, F. W., and PASS, B. C. 1966. Low-volume aerial sprays for mosquito control. *Mosquito News* 26(1):22-25.

KUTZ, F. W., and BURBUTIS, P. P. 1966. Evaluation of some new insecticides as mosquito larvicides. *Mosquito News* 26(1):73-77.

LEWIS, L. F., CHRISTENSON, D. M., and EDDY, G. W. 1965. Control of mosquito larvae in Willamette Valley, Oregon log ponds. *Mosquito News* 24(4):400-402.

LOFGREN, C. S., PENNINGTON, N., and YOUNG, W. 1966. Evaluation of insecticides against two species of *Culex* mosquitoes on Okinawa. *Mosquito News* 26(1):52-59.

NAJERA, J. A., SHIDRAWI, G. R., GIBSON, F. D., and STAFFORD, J. S. 1965. A large-scale field trial for the evaluation and assessment of malathion as an insecticide for antimalarial work in southern Uganda. *WHO/Mal/529.65*, *WHO/Vector Cont./186.65*. 55 pp.

ORKTYABRSKAYA, T. A. 1966. Trials of BHC in control of larvae and pupae of *Culex pipiens*. *Med. Parazit. i Parazit. Bolezni* 35(1):38-43. In Rus.

TRINIDAD GOVERNMENT. 1965. Annual report of the Insect Vector Control Division (previously the Malaria Division), Ministry of Health and Housing, of the Govt. of Trinidad and Tobago, for the year 1964. 29 pp. [Siung, O. H., Superintendent Med. Officer.]

WHEELER, E. H. 1965. Mosquito control for inland communities. *Mass. Univ. Ext. Spec. Circ.* 278, 6 pp.

AEDES AEGYPTI ERADICATION

PASS, B. C., and KNAPP, F. W. 1966. Laboratory evaluation of materials against the larvae of *Aedes aegypti*. *Mosquito News* 26(1):35-37.

U. S. PUBLIC HEALTH SERVICE. 1966. The *Aedes aegypti* Eradication Program. 17 pp. Illus.

WORLD HEALTH ORGANIZATION. 1966. Recommendations on experimental use of *Aedes aegypti*. *WHO/Vector Cont./66.191*, *WHO/Mal/66.538*. 14 pp.

MOSQUITO CONTROL AGENCY PROBLEMS

DESPLAINES VALLEY MOSQUITO ABATEMENT DISTRICT (Lyons, Illinois). 1966. Thirty-eighth annual report 1965. 16 pp.

KESHEN, A. S. 1966. Two-way radios speed Essex County mosquito control. *Pest Control* 34(4):12-15.

SACRAMENTO COUNTY-YOLO COUNTY MOSQUITO ABATEMENT DISTRICT. 1966. Annual report 1965. 13 pp., California.

SPENCER, R. W. 1966. How we are solving mosquito problems in coastal areas. *Pest Control* 34(4):17-18, 19.

TOLEDO AREA SANITARY DISTRICT. 1966. The nineteenth annual report of the Toledo Area Sanitary District 1965. 7 pp., Ohio.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

AHUJA, S. K. 1964. Salinity tolerance of *Gambusia affinis*. *Indian J. Expt. Biol.* 2(1):9-11.

HAAS, R. 1966. Laboratory maintenance of *Nothobranchius guentheri* (Pfeffer). *WHO/EBL/44.48*, 7 pp. [May feed on mosquito larvae.]

JAMES, H. G. 1966. Location of univoltine *Aedes* eggs in woodland pool areas and experi-

¹ Complete mailing address: P.O. Box 19009, Washington, D.C. 20036. USA.

mental exposure to predators. Mosquito News 26(1):59-63.

KUPIRIANOVA, E. S. 1966. Parasitization of mosquitos of the *Culex pipiens* L. complex by fungi of the order Entomophthorales. WHO/EBL/66.57, 10 pp.

MUSPRATT, J. 1965. Technique for infecting larvae of the *Culex pipiens* complex with a mermithid nematode and for culturing the latter in the laboratory. WHO Bul. 33(1):140-144.

TUZET, O., and RIOUX, J. A. 1966. Les gre-garines des Culicidae, Ceratopogonidae, Simuliidae et Psychodidae. WHO/EBL/66.50, 18 pp.

ATTRACTANTS AND REPELLENTS

BEROZA, M., ACREE, F., JR., TURNER, R. B., and BRAUN, B. H. 1966. Separation and insect repellent activity of diastereoisomers of 2-ethyl-1,3-hexanediol against *Aedes aegypti*. J. Econ. Ent. 59(2):376-378.

POTAPOV, A. A. 1966. Olfactometer 0-21 for comparative trials of repellents. Med. Parazit. i Parazit. Bolezni 35(1):69-73. In Rus.

RESISTANCE AND SUSCEPTIBILITY

DUPORT, M., and CANTACUZINO, J. 1965. Resultats des epreuves de sensibilite aux insecticides des *Anopheles* adultes en Roumaine. WHO/Mal/531.65, WHO/VC/185.65. 6 pp.

FOX, I., and RIVERA, G. A. 1965. Failure of chlorine and sodium chloride to induce resistance in *Aedes aegypti* to lindane, dieldrin, and DDT. J. Parasitol. 51(5):896.

GEORGHIOU, G. P. 1965. Development and characterization of resistance to o-isopropoxyphenyl methylcarbamate in the mosquito *Culex pipiens quinquefasciatus* Say. Nature (London) 207(4999):883-884.

GILOTRA, S. K. 1966. Effects of larval environments on adult resistance in *Anopheles albimanus* Wiedemann. Mosquito News 26(1):26-30.

PLAPP, F. W., JR., and TONG, H. H. C. 1966. Synergism of malathion and parathion against resistant insects: phosphorus esters with synergistic properties. J. Econ. Ent. 59(1):11-15. [Mosquitoes included.]

INSECTICIDES AND CHEMICALS

BRANSBY-WILLIAMS, W. R. 1965. Effects of pollution on the susceptibility to larvicides of *Culex pipiens fatigans*. WHO Bul. 33(5):735-737.

———. 1965. Some effects of polyethylene on the efficacy of larvicides tested against *Culex pipiens fatigans*. WHO Bul. 33(5):737-740.

CHANG, T. P. 1964. The toxicological mechanism in the insect metabolism of DDT and 666. In Kung, K. Y. Sha ch'ung yao chi yü k'un ch'ung tu li chin chan. 1:74-108. In Chin. [*Aedes*, *Culex*, *Anopheles* included.]

COMMONWEALTH INSTITUTE OF ENTOMOLOGY. 1966. The nomenclature of chemicals used in pest control. Rev. Appl. Ent. Ser. B. 54(1):1-2.

PEST CONTROL. 1966. Comprehensive analysis of the professional mosquito control market. Pest Control 34(3):76, 78.

———. 1966. Pest Control's 1966 directory of pesticides. Pest Control 34(3):53-74. Passim.

TOXICOLOGY

BEAK, T. W. 1966. A selected and annotated bibliography on the effects of micro-chemical contamination on the aquatic biocoenoses. WHO/EBL/66.59, 22 pp.

BENNETT, H. J., and DOWDEN, B. F. 1966. Some effects of chlordane on the respiration of *Procambarus clarki*. WHO/EBL/66.58, 12 pp.

FERGUSON, D. E., GARDNER, D. T., and LINDELEY, A. L. 1966. Toxicity of Dursban to three species of fish. Mosquito News 26(1):80-82.

GAUFIN, R. F., and GAUFIN, A. R. 1966. Ecological aspects of organic pollution in streams. WHO/EBL/66.54, 14 pp. [Includes mosquitoes.]

MENDEL, J. L., and WALTON, M. S. 1966. Conversion of p,p-DDT to p,p-DDD by intestinal flora of the rat. Science 151(3717):1527-1528.

MULLA, M. S. 1966. Toxicity of new organic insecticides to mosquito fish and some other aquatic organisms. Mosquito News 26(1):87-91.

STICKEL, L. F., STICKEL, W. H., and CHRISTENSEN, R. 1966. Residues of DDT in brains and bodies of birds that died on dosage and in survivors. Science 151(3717):1549-1551.

VANDEKAR, M. 1965. Observations on the toxicity of carbaryl, Folithion and 3-isopropylphenyl N-methylcarbamate in a village-scale trial in southern Nigeria. WHO Bul. 33(1):107-115.

WORLD HEALTH ORGANIZATION. 1965. Information circular on the toxicity of pesticides to man. No. 19, 28 pp.

———. 1966. Bibliography on pesticide toxicity and accidental poisoning. WHO/Vector Cont./66.200, 8 pp.

YEOMANS, A. H., FULTON, R. A., SMITH, F. F., and BUSBEY, R. L. 1966. Respiratory devices for protection against certain pesticides. U. S. Dept. Agr. ARS 33-76-2, 10 pp. Illus.

BEHAVIOR, BIOLOGY AND ECOLOGY

ANDERSON, A. W., and HARWOOD, R. F. 1966. Cold tolerance in adult female *Culex tarsalis* (Coquillett). Mosquito News 26(1):1-7.

BLAKESLEE, T. E., RIGBY, P. T., and FOREHAND, C. 1965. The relationship of age to mating in a laboratory colony of *Culex erythrothorax*. Calif. Vector Views 12(12):69-71.

BREELAND, S. G., BUZICKY, A. W., PICKARD, E., and BARTON, W. I. 1965. Comparative observations on winter survival and hatching of *Aedes vexans* eggs in two localities—Florence, Alabama, and St. Paul, Minnesota. Mosquito News 25(4):374-384.

- CURTIN, T. J. 1966. *Psorophora confinnis* breeding in artificial containers. *Mosquito News* 26(1):94-95.
- DE MEILLON, B., SEBASTIAN, A., and KHAN, Z. H. 1966. The duration of egg, larval and pupal stages of *Culex pipiens fatigans* in Rangoon. *WHO/Vector Cont.*/66.189, 13 pp.
- DOUGHERTY, R. L. 1966. Surface landing preferences of adult female *Aedes (Stegomyia) aegypti* (Linnaeus) at Clark AB, R. P. *Mosquito News* 26(1):85-86.
- HAPPOLD, D. C. D. 1965. Mosquito ecology in central Alberta. I. The environment, the species, and studies of the larvae. II. Adult populations and activities. *Canad. J. Zool.* 43(5):795-819; 821-846.
- IKESHOJI, T. 1966. Bionomics of *Culex (Lutzia) fuscans* Wiedemann in Rangoon. *WHO/EBL/66.56*, *WHO/Vector Cont.*/66.188, 21 pp.
- KÜHLHORN, F. 1965. Untersuchungen über den Charakter der Brutgewässer von *Anopheles claviger* (typicus) Mg. 1804 (= *bifurcatus* Mg. 1818; Dipt.:Culicidae) in Oberbayern. *Riv. di Malariol.* 44(1/3):49-93. *Engl. Sum.* This is correct citation for above reference in *Mosquito News* 25(4):502.
- LI, H. H., and COWORKERS. 1965. An investigation of bionomics of *Culex pipiens pallens* in Shantung. *Acta Ent. Sinica* 14(5):506-510.
- LILES, J. N. 1965. Effects of mating or association of the sexes on longevity in *Aedes aegypti* (L.). *Mosquito News* 25(4):434-439.
- MAIN, A. J. 1966. The effects of temperature on sexual dimorphism in *Culex pipiens* Linnaeus. *Mosquito News* 26(1):94.
- MAYER, M. S. 1966. Decline in male/female sex ratio of *Aedes aegypti* (L.) during hatching. *Mosquito News* 26(1):82-84.
- MEANS, R. G. 1965. *Culex territans* Walker biting man in nature. *Mosquito News* 25(4):489.
- MOUCHET, J., and RAGEAU, J. 1965. Observations sur les moustiques de la Camargue et du Bas-Rhone. I. L'hibernation d'*Uranotaenia unguiculata* Edwards, 1913 (Diptère Culicidae). *Soc. de Path. Exot. Bul.* 58(2):246-250. *Engl. Sum.*
- PAJOT, F. X. 1964. Contribution à l'étude de la biologie d'*Anopheles caroni* Adam, 1961. *Soc. de Path. Exot. Bul.* 57(6):1290-1306. *Engl. Sum.*
- PAULOVOVA, J. 1966. Niektoré biometrické charakteristiky imág *Aedes aegypti* L. kultivovaných v laboratorných podmienkach. *Biológia (Bratislava)* 21(3):213-218. *Rus. and Ger. Sum.*
- POLYAKOVA, P. E., and MIRZAEVA, A. G. 1966. Investigations of ecology of mosquitoes (Diptera, Culicidae) in the Tomsk region. *Med. Parazit. i Parazit. Bolezni* 35(1):35-38. *In Rus., Engl. Sum.* [*Aedes, Culiseta, Anopheles.*]
- QURAIISHI, M. S., FAGHIH, M. A., and ESGHI, N. 1966. Flight range, lengths of gonotrophic cycles, and longevity of P³²-labeled *Anopheles stephensi mysorensis*. *J. Econ. Ent.* 59(1):50-55.
- SHEVCHENKO, A. K. 1966. Blood-sucking Diptera (Diptera, Nematocera) of the left bank Polesie in the Ukraine. *Med. Parazit. i Parazit. Bolezni* 35(1):28-32. *In Rus., Engl. Sum.* [Mosquitoes included.]
- STRAYER, J. R. 1965. Effect of radio phosphorus (P³²) on light response of *Aedes aegypti* (L.) larvae. *Fla. Ent.* 48(2):81-84.
- SURTEES, G. 1966. *Aedes (Stegomyia) albopictus*: a summary of present knowledge with particular reference to competition with *Aedes aegypti*. *WHO/Vector Cont.*/66.195, 17 pp.
- . 1966. Research on *Aedes aegypti* (L.): the decade 1955/1964. *WHO/Vector Cont.*/66.194, 33 pp.
- TRAN BA LOC, P. 1965. Obtention de larves géantes d'*Aedes aegypti* par modification du milieu d'élevage. *Soc. de Biol. (Paris) Compt. Rend.* 159(3):559-561.
- VALENTINO, L., and BRUNO-SMIRAGLIA, C. 1965. Età fisiologica di *Anopheles labranchiae* in aree diverse di Sicilia in rapporto all'epoca del trattamento con DDT. *Riv. di Malariol.* 44(4/6):191-198. *Engl. Sum.*
- WADA, A., SAIJO, Y., ABE, Y., and SUZUKI, T. 1964. The breeding habits of *Culex pipiens molestus* in septic tanks and their control experiments. *Jap. J. Sanit. Zool.* 15(3):187-192. *In Jap., Engl. Sum.*
- See also Husain and Kershan in Filariasis Section.

GENETICS

- BAKER, R. H., KITZMILLER, J. B., and CHOWDAIAH, B. N. 1965. The salivary gland chromosomes of *Anopheles pseudopunctipennis pseudopunctipennis*. *WHO Bul.* 33(6):837-841.
- BARR, A. R., and MYERS, C. M. 1966. Two spontaneous mutants of *Culex tarsalis* (Diptera: Culicidae). *Ent. Soc. Wash. Proc.* 68(1):49-52.
- BAT-MIRIAM, M., and CRAIG, G., JR. 1966. Mutants in *Aedes albopictus* (Diptera: Culicidae). *Mosquito News* 26(1):13-22.
- BRUNO-SMIRAGLIA, C., LAVAGNINO, A., and MARIANI, M. 1965. Citogenetica di un ceppo "standard puro" di *Anopheles atroparvus* ottenuto in seguito a pressione di malathion. *Riv. di Parassitol.* 26(2):123-131. *Engl. Sum.*
- KITZMILLER, J. B., and BAKER, R. H. 1965. Chromosomes of neotropical anophelines. *Amer. Zool.* 5(2):247.
- , and ———. 1965. The salivary chromosomes of *Anopheles carlei*. *Canad. J. Gen. and Cytol.* 7(2):275-283.
- KUZOE, F. A. S., GILL, J. J. B., and MACDONALD, W. W. 1966. Evidence of inversions in the chromosomes in the testes of *Aedes aegypti* and *Culex pipiens fatigans*. *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(1):21.
- MARIANI, M., BRUNO-SMIRAGLIA, C., and CARAVAGLIOS, N. 1964. Osservazioni sugli ordinamenti cromosomici di un ceppo di *Anopheles atroparvus* sottoposto a pressione di malathion. *Parassitologia* 6(1/2):127-130.

MASON, G. F., and DAVIDSON, G. 1966. Morphological mutants in anopheline mosquitos. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):20.

MESCHER, A. L. and RAI, K. S. 1966. Spermatogenesis in *Aedes aegypti*. Mosquito News 26(1):45-51.

PAL, R. 1966. Genetic control of vectors of disease with special reference to *Culex pipiens fatigans*. WHO/Fil/66.58, WHO/Vector Cont./66.198, 6 pp.

RAI, K. S. 1966. Further observations on the somatic chromosome cytology of some mosquitoes (Diptera:Culicidae). Ent. Soc. Amer. Ann. 59(2):242-246.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

CHELLAPPAH, W. T. 1965. A gynandromorph of *Aedes (F.) togoi* (Theobald). Mosquito News 25(4):483-484.

GAD, A. M. 1965. Variations in some morphological characters in anopheline larvae. Mosquito News 25(4):431-433.

HARMSTON, F. C. 1965. Gynandromorph of *Culex tarsalis* Coquillett from Colorado. Mosquito News 25(4):488-489.

ISHII, T. 1965. On the *Culex pipiens* group in Japan. III. The siphonal air types of the fourth instar larvae of the so-called *Culex pipiens pallens* Coquillett (Diptera, Culicidae). Tôhoku Univ. Sci. Rpt. Ser. 4 (Biol.) 31(1):17-27.

JONES, J. C., and WHEELER, R. E. 1965. Studies on spermathecal filling in *Aedes aegypti* (Linnaeus). I. Description. Eiol. Bul. 129(1):134-150.

LEAHY, M. G., and CRAIG, G. B., Jr. 1965. Accessory gland substance as a stimulant for oviposition in *Aedes aegypti* and *A. albopictus*. Mosquito News 25(4):448-452.

SPIELMAN, A. 1966. The functional anatomy of the copulatory apparatus of male *Culex pipiens* (Diptera:Culicidae). Ent. Soc. Amer. Ann. 59(2):309-314.

TAYLOR, D., MEADOWS, K., and BRANCH, N. 1966. Gynandromorphism in *Culex* (Linnaeus) mosquitoes collected in the Tampa Bay area 1962 through 1964. Mosquito News 26(1):8-10.

VENARD, C. E., and GUPTAVANI, P. 1966. Inflation of the oesophageal diverticula and elimination of air from the stomach in newly emerged mosquitoes. Mosquito News 26(1):65-69.

TECHNIQUES

DJIK, W. J. O. M. van. 1966. Age determination of mosquitos through dissection for filarial larvae. WHO/Vector Cont./66.180, WHO/Mal/66.543, WHO/Fil/66.49, 9 pp.

EL-NAHAL, H. S. 1966. Fluorescent antibody of ookinetes of *Plasmodium berghei* (R. C. A.). Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):3-4.

GARBY, L., YASUNO, M., and PHURIVETHAYA, Y. 1966. Labelling mosquitoes with radio-active iodine,¹³¹I. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):136. [*Culex pipiens quinquefasciatus*.]

GIGLIOLI, M. E. C. 1965. The age composition of *Anopheles melas* Theobald (1903) populations collected simultaneously by different methods in the Gambia, West Africa. Entomologie Médicale No. 3 and 4:11-26.

———. 1965. The problem of age determination in *Anopheles melas* Theobald 1903, by Polovodova's method. Entomologie Médicale (Paris) No. 3 and 4:157-177.

KASHIN, P., and WAKELEY, H. G. 1965. An insect "bitometer." Nature (London) 208(5009):462-464.

KITAMURA, S. 1965. The *in vitro* cultivation of tissues from the mosquito, *Culex pipiens* var. *molestus*. II. An improved culture medium useful for ovarian tissue culture. Kobe J. Med. Sci. 11(1):23-30.

LINDEGREN, J. E. 1966. Culture techniques for permanent colonization of *Culiseta incidens* (Thomson) (Diptera:Culicidae). Mosquito News 26(1):63-65.

NELSON, R. L. 1966. A comparison of two techniques for distinguishing parous from nulliparous *Culex tarsalis* Coquillett. Mosquito News 26(1):11-13.

NEWHOUSE, V. F., CHAMBERLAIN, R. W., JOHNSTON, J. B., and SUDIA, W. D. 1966. Use of dry ice to increase mosquito catches of the CDC miniature light trap. Mosquito News 26(1):30-35.

SMITH, T. A. 1966. External appearance as an indicator of ovarian development in *Culex pipiens quinquefasciatus* Say. Mosquito News 26(1):42-44.

WOOD, S. F., and WOOD, F. D. 1965. An efficient water cooler for transport of heat-sensitive arthropods. WHO Bul. 33(6):859-861.

See also Knapp and Pass in Adulticides and Larvicides Section; Muspratt in Parasites, Predators, Viruses and Related Agents Section.

TAXONOMY

BRENGUES, J., and HAMON, J. 1965. Description de la larve et de la nymphe d'*Aedes (Aedimorphus) nyounae* Hamon et Adam, 1958. Soc. de Path. Exot. Bul. 58(1):92-101.

CARPENTER, S. J. 1965. *Culiseta impatiens* (Walker), with keys to the species of *Culiseta* in California. Calif. Vector Views 12(11):61-66.

GUTSEVICH, A. V. 1966. A new mosquito from Uzbekistan—*Aedes (Ochlerotatus) simanini* (Culicidae). Zool. Zhur. 45(3):457-459. In Rus., Engl. Sum. [n. sp.]

HAMON, J., and BRENGUES, J. 1965. Observations sur les *Aedes (Aedimorphus)* d'Afrique avec description de deux nouvelles especes: *Ae. lottei* n. sp. et *Ae. dialloi* n. sp. Soc. de Path. Exot. Bul. 58(1):101-108. Engl. Sum. [n. spp.]

MA, S. F. 1965. Studies on the different types of *Anopheles (A.) hyrcanus sinensis* within the *Anopheles (A.) hyrcanus* group. III. Comparative morphology of adult. Acta Ent. Sinica 14(5):489-499. In Chin., Engl. Sum.

MATTINGLY, P. F. 1965. The culicine mosquitoes of the Indomalayan area. VI. Genus *Aedes* Meigen, subgenus *Stegomyia* Theobald (groups A, B and D). 67 pp., London. (Brit. Mus., Nat. Hist.). [*Aedes whartoni* n. sp.]

MICKS, D. W., REHMET, A., and JENNINGS, J. 1966. Biochemical differentiation of morphologically indistinguishable strains of *Aedes aegypti* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 59(2):239-242.

PAJOT, F. X. 1964. Note sur deux formes larvaires nouvelles chez *Culex ingrami* Edwards, 1916, au Cameroun. Soc. de Path. Exot. Bul. 57(6):1307-1313.

RICKENBACH, A., and FERRARA, L. 1965. Description de deux nouveaux *Aedes* du Cameroun appartenant au sous-genre *Aedimorphus* (Diptera, Culicidae). Soc. de Path. Exot. Bul. 58(1):24-29. Engl. Sum. [*Aedes tauffliebi* and *A. ebogoensis* n. spp.]

DISTRIBUTION

GERHARDT, R. W. 1966. South Dakota mosquito species. Mosquito News 26(1):37-38.

RIoux, J. A. 1965. Présence d'*Aedes (Ochlerotatus) refiki* Medschid 1928 dans le midi de la France. Ann. de Parasitol. Humaine et Comp. 40(1):125-126.

SIVERLY, R. E. 1966. Occurrence of *Culiseta melanura* (Coquillett) in Illinois. Mosquito News 26(1):95-96.

See also Carpenter in Taxonomy Section.

ARBOVIRUSES

AIKAT, B. K., KONAR, N. R., and BANERJEE, G. 1964. Haemorrhagic fever in Calcutta area. Indian J. Med. Res. 52(7):660-675.

BÁRDÓŠ, V., ČUPKOVA, E., and JAKUBÍK, J. 1965. Tahyna virus in foals. Acta Virol. 9(6):555.

CAUSEY, O. T., SHOPE, R. E., and BENSABATH, G. 1966. Marco, Timbo, and Chaco, newly recognized arboviruses from lizards of Brazil. Amer. J. Trop. Med. and Hyg. 15(2):239-243. [Multiplied in mosquito salivary glands.]

COLLINS, W. E., and HARRISON, A. J. 1966. Studies of Sindbis virus in *Anopheles albimanus* and *Aedes aegypti*. Mosquito News 26(1):91-93.

DEL MUNDO, F., and BARRION, L. E. 1965. Further observations on dengue infections among Filipino children (1964). Philippine Med. Assoc. J. 41(5):390-395.

GORGAS MEMORIAL LABORATORY. 1966. Thirty-seventh annual report of the work and operations of the Gorgas Memorial Laboratory, fiscal year 1965. U. S. Congress (2d session) House Doc. No. 330, 42 pp.

JOHNSON, R. T. 1965. Virus invasion of the central nervous system. A study of Sindbis virus infection in the mouse using fluorescent antibody. Amer. J. Path. 46(6):929-943.

McINTOSH, B. M., SWEETNAM, J., MCGILLIVRAY, G. M., and DE SOUSA, J. 1965. Laboratory transmission of chikungunya virus by *Mansonia (Mansonioides) africana* (Theobald). Ann. Trop. Med. and Parasitol. 59(4):390-392.

NATHANSON, N. and COWORKERS. 1965. Histological studies of the monkey neurovirulence of group B arboviruses. I. A semiquantitative grading scale. Amer. J. Epidemiol. 82(3):359-381.

NICOLI, J. 1965. Les récepteurs érythrocytaires des arbovirus. Les lipides globulaires. Inst. Pasteur (Paris) Ann. 108(4):423-441. Engl. Sum.

NIR, Y., BEEMER, A., and GOLDWASSER, R. A. 1965. West Nile virus infection in mice following exposure to a viral aerosol. Brit. J. Expt. Path. 46(4):443-449.

OSTERRIETH, P. M. 1965. Comparison of the effect of caseinase C and pronase on the haemagglutinating activity and on the infectivity of Semliki Forest virus. Acta Virol. 9(5):471.

OZAWA, Y., and NAKATA, G. 1965. Experimental transmission of African horse sickness by means of mosquitoes. Amer. J. Vet. Res. 26(112):744-748. [*Culex pipiens* and *Anopheles stephensi*.]

PANTHIER, R., and HANNOUN, C. 1965. Contamination de broyats de moustiques par le virus Sindbis due à une souillure accidentelle du liquide de dilution. Soc. de Path. Exot. Bul. 58(1):18-22. Engl. Sum.

PARKER, L., BAKER, E., and STANLEY, N. F. 1965. The isolation of reovirus type 3 from mosquitoes and a sentinel infant mouse. Austral. J. Expt. Biol. and Med. Sci. 43(2):167-170. [*Aedes vigilax* and *Culex fatigans*.]

POND, W. L., EHRENKRANZ, N. J., DANASKAS, J. X., and DAVIES, J. E. 1966. Arboviruses and human disease in south Florida. Amer. J. Trop. Med. and Hyg. 15(2):205-210.

RAMAKRISHNAN, S. P., and COWORKERS. 1964. The epidemic of acute haemorrhagic fever, Calcutta, 1963: epidemiological inquiry. Indian J. Med. Res. 52(7):633-650.

SABIN, A. B. 1965. Contribution of virology to human medicine during the past 40 years. Israel J. Med. Sciences 1(6):1090-1098.

SARKAR, J. K., CHATTERJEE, S. N., and CHAKRAVARTY, S. K. 1964. Haemorrhagic fever in Calcutta: some epidemiological observations. Indian J. Med. Res. 52(7):651-659.

———, ———, CHAKRAVARTY, S. K., and MITRA, A. C. 1965. The causative agent of Calcutta haemorrhagic fever: chikungunya or dengue. Calcutta Schl. Trop. Med. Bul. 13(2):53-54.

SEFČOVIČOVÁ, L. 1965. Effect of various modes of passaging on the cytopathic activity of Tahyna virus. Acta Virol. 9(6):502-507.

- . 1965. Use of pig kidney stable cells in experiments on Calovo virus, an arbovirus of the Bunyamwera group. *Acta Virol.* 9(5):469. [These cells unsuitable for cultivation of Tahyna virus.]
- . 1965. Cultivation of Tahyna virus in stable cell lines. *Acta Virol.* 9(6):495-501.
- SIMPSON, D. I. H., and COWORKERS. 1965. Attempts to transmit Reovirus Type 3 by the bite of *Aedes (Stegomyia) aegypti* Linnaeus. *East Afr. Med. J.* 42(12):708-711. [Virus did not multiply in mosquitoes or persist long.]
- SOFTLY, A., and STANLEY, N. F. 1965. The use of sentinel infant mice for virus isolation. *Austral. J. Expt. Biol. and Med. Sci.* 43(2):171-174. [Includes mosquitoes.]
- SPENCE, L., ANDERSON, C. R., AITKEN, T. H. G., and DOWNS, W. G. 1966. Aruac virus, a new agent isolated from Trinidadian mosquitoes. *Amer. J. Trop. Med. and Hyg.* 15(2):231-234.
- , ———, ———, and ———. 1966. Nepuyo virus, a new group C agent isolated in Trinidad and Brazil. I. Isolation and properties of the Trinidadian strain. *Amer. J. Trop. Med. and Hyg.* 15(1):71-74. [Isolated from *Culex accelerans*.]
- STEVENS, T. M., and SCHLIESINGER, R. W. 1965. Studies on the nature of dengue viruses. I. Correlation of particle density, infectivity, and RNA content of type 2 virus. *Virology* 27(1):103-112.
- TARUASO, N., and SHELOKOV, A. 1965. Protection against Junin virus by immunization with live Tacaribe virus. *Soc. Expt. Biol. and Med. Proc.* 119(3):608-611.
- TIKASINGH, E. S., SPENCE, L., and DOWNS, W. G. 1966. The use of adjuvant and sarcoma 180 cells in the production of mouse hyperimmune ascitic fluids to arboviruses. *Amer. J. Trop. Med. and Hyg.* 15(2):219-226.
- TODA, A., and SHOPE, R. E. 1965. Transmission of Guama and Oriboca viruses by naturally infected mosquitoes. *Nature (London)* 208(5007):304.
- TRAPP, E. E., PAES DE ANDRADE, A. H., and SHOPE, R. E. 1965. Itaporanga, a newly recognized arbovirus from São Paulo, State, Brazil. *Soc. Expt. Biol. and Med. Proc.* 118(2):421-422. [May be mosquito-borne.]
- VAN TONGEREN, H. A. E. 1965. Arbovirus group A spectrum in the Province of Brokopondo, Surinam; a seriological survey. *Trop. and Geog. Med.* 17(2):172-185.
- WILLIAMS, M. C., WOODALL, J. P., and CORBET, P. S. 1965. Nyando virus: a hitherto undescribed virus isolated from *Anopheles funestus* Giles collected in Kenya. *Arch. f. die Gesamte Virusforsch.* 15(3):422-427.
- BARRETT, F. F., YOW, M. D., and PHILLIPS, C. A. 1965. St. Louis encephalitis in children during the 1964 epidemic. *Amer. Med. Assoc. J.* 193(5):381-385.
- BOND, J. O., and COWORKERS. 1966. Follow-up studies of St. Louis encephalitis in Florida: serologic findings eighteen months to five years after epidemics. *Amer. J. Trop. Med. and Hyg.* 15(1):91-95.
- CHIU, F. H., and COWORKERS. 1965. Studies on the etiology and differential diagnosis of cases suspected of Japanese B encephalitis. *Chinese Med. J. (Peking)* 84(4):268-274.
- DAVIS, M. H., HOGGE, A. L., JR., CORRISTAN, E. C., and FERRELL, J. F. 1966. Mosquito transmission of Venezuelan equine encephalomyelitis virus from experimentally infected dogs. *Amer. J. Trop. Med. and Hyg.* 15(2):227-230.
- HAMMON, W. McD., and SATHER, G. 1966. History and recent reappearance of viruses in the California encephalitis group. *Amer. J. Trop. Med. and Hyg.* 15(2):199-204.
- JENNINGS, W. L., ALLEN, R. H., and LEWIS, A. L. 1966. Western equine encephalomyelitis in a Florida horse. *Amer. J. Trop. Med. and Hyg.* 15(1):96-97.
- KLIMENKO, S. M., and COWORKERS. 1965. Architecture of Venezuelan equine encephalomyelitis virus. *Virology* 27(2):125-128.
- MAO, C. S., and HUANG, C. H. 1965. Studies on the enhancement of virus titre of Japanese B encephalitis virus propagated in chick embryo cells by D₂O and its possible mechanism. *Sci. Sinica* 14(6):885-890. In Engl.
- MCKIEL, J. A., HALL, R. R., and NEWHOUSE, V. F. 1966. Viruses of the California encephalitis complex in indicator rabbits. *Amer. J. Trop. Med. and Hyg.* 15(1):98-102.
- MORI, H., and NOZIMA, T. 1965. Further purification of the receptor for Japanese encephalitis virus. *Acta Virol.* 9(5):392-396.
- ORA, Z. 1965. Electron microscope study of the development of Japanese B encephalitis virus in porcine kidney stable (PS) cells. *Virology* 25(3):372-378.
- PHILLIPS, C. A., and MELNICK, J. L. 1965. Community infection with St. Louis encephalitis virus. Serologic study of the 1964 epidemic in Houston. *Amer. Med. Assoc. J.* 193(3):207-211.
- SCHERER, W. F., and COWORKERS. 1966. Serologic survey for neutralizing antibodies to eastern equine and western equine encephalitis viruses in man, wild birds and swine in southern Mexico during 1961. *Amer. J. Trop. Med. and Hyg.* 15(2):211-218.
- SUDIA, W. D., COLEMAN, P. H., and GRANT, L. S. 1966. The recurrence of St. Louis encephalitis virus in *Culex nigripalpus* mosquitoes in Jamaica, 1963. *Mosquito News* 26(1):39-42.
- WALLIS, R. C. 1965. Recent advances in research on the eastern encephalitis virus. *Yale J. Biol. and Med.* 37(5):413-421.
- YASUZUMI, G., and TSUBO, I. 1965. Analysis of the development of Japanese B encephalitis

ENCEPHALITIS

AZAR, G. J., and LAWTON, A. H. 1966. St. Louis encephalitis sequelae and accidents. *U. S. Pub. Health Rpts.* 81(2):133-137.

(JBE) virus. II. Electron microscope studies of neurons infected with JBE virus. III. Electron microscope studies on inclusion bodies appearing in neurons and microglial cells infected with JBE virus. *J. Ultrastruct. Res.* 12(3/4):304-316; 317-327.

FILARIASIS

ABDULCADER, M. H. M. 1965. Mosquito fauna of the *W. bancrofti* endemic belt in Ceylon and their role in the transmission of filariasis. *Indian Soc. Malaria and other Commun. Dis. Bul.* 2(3):201-212.

ASHCROFT, M. T. 1965. A history and general survey of the helminth and protozoal infections of the West Indies. *Ann. Trop. Med. and Parasitol.* 59(4):478-493. [Includes filariasis and malaria.]

BUCKLEY, J. J. C., and SINGH, S. N. 1965. On the structure of *Wuchereria bancrofti* adults from India, with a note on male specimens from British Guiana and Fiji. *J. Helminthol.* 39(2/3):127-136.

CHATTERJEE, R. K., SEN, A. B., and BHATTACHARYA, B. K. 1965. *Chandlerella hawkingi* sp. nov., a filarial parasite of the Indian jungle crow, *Corvus macrorhynchos* Wagler. *Ann. Trop. Med. and Parasitol.* 59(4):434-440. [n. sp.]

CHEONG, W. H., OMAR, H. A., and SIVANANDAM, S. 1965. An attempt to separate mixed *Brugia* infection by biological means. *Singapore Med. J.* 6(1):43.

DESOWITZ, R. S., and CHELLAPPAH, W. T. 1965. Transplantation of 3rd stage *Brugia pahangi* larvae into susceptible (*Armigeres obturbans*) and non-susceptible (*Aedes aegypti*) mosquito hosts. *Singapore Med. J.* 6(1):41.

ESTRADA, J. P. 1965. A report of *Dirofilaria immitis* in Sorsogon Province, Philippines. *Philippine Med. Assoc. J.* 41(3):191-196.

—, and BASIO, D. G. 1965. Filariasis in the Philippines. *Philippine Med. Assoc. J.* 41(2):100-153.

GALLIARD, H., and BRUMPT, L. 1965. Diagnostic de filarioses. *Rev. Pract.* 15(2):209-219.

HARINASUTA, C., and SUCHARIT, S. 1966. Nocturnal sub-periodic *Wuchereria bancrofti* in Thailand. *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(2):277

HUSAIN, A., and KERSHAW, W. E. 1966. The effect of the development of filariae on the ability of mosquitoes to fly and feed. *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(1):18.

INDIAN SOCIETY FOR MALARIA AND OTHER COMMUNICABLE DISEASES. 1965. Proceedings of the Annual Meeting of Malaria and Filaria Workers held at the All India Institute of Hygiene and Public Health, Calcutta, from 17th to 20th June, 1965. *Indian Soc. Malaria and other Commun. Dis. Bul.* 2(3):230-254.

LAURENCE, B. R., and PESTER, F. R. N. 1966. Changes in adaptation of a filarial worm, *Brugia pateri* (Buckley, Nelson and Heisch), to a new

mosquito host, *Aedes togoi* (Theobald). *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(1):18.

LINDSEY, J. R. 1965. Identification of canine microfilariae. *Amer. Vet. Med. Assoc. J.* 146(10):1106-1114.

MASUDA, R., SATO, A., AKAHANA, K., and FUJISHIMA, H. 1965. Observations on filariasis in Yamanashi Prefecture. I. Filariasis in Akiyama village. *Japan. J. Parasitol.* 14(3):258-264. In *Jap., Engl. Sum.*

MILLER, M. J., and MOORE, S. 1965. Nodular breast lesion caused by Bancroft's filariasis. *Canad. Med. Assoc. J.* 93(13):711-714.

NELSON, G. S. 1965. Filarial infections as zoonoses. *J. Helminthol.* 39(2/3):229-250.

RAGHAVAN, N. G. S., and PATTANAYAK, S. 1963. Studies on the epidemiology of *B. malayi* filariasis in Kerala State. Periodicity of the microfilariae. *Indian J. Malariol.* 17(4):285-291.

SANDOSHAM, A. A., and SIVANANDAM, S. 1965. Human microfilariae from Portuguese Timor compared with those from Malaya. *Singapore Med. J.* 6(1):42.

—, —, OMAR, E. I., and COOMBS, G. L. 1965. Filarial infections and *Plasmodium sandoshami* in the flying lemur (*Cynocephalus variegatus*). *Singapore Med. J.* 6(1):42.

SAWADA, T., TAKEI, K., KATAMINE, D., and YOSHIMURA, T. 1965. Immunological studies on filariasis. III. Isolation and purification of antigen for intradermal skin test. *Japan. J. Expt. Med.* 35(2):125-132.

SAWYER, T. K. 1965. Molting and exsheathment in vitro of third-stage *Dirofilaria immitis*. *J. Parasitol.* 51(6):1016.

SHIBATA, S. 1965. Experimental studies on the periodicity of microfilariae. VII. Influence of controlled respiration of the host upon the microfilarial periodicity of *Dirofilaria immitis*. *Endemic Dis. Bul. (Nagasaki Univ.)* 7(2):114-129. In *Jap., Engl. Sum.*

TELFORD, S. R., JR. 1965. Some observations on the effects of varying ambient temperatures *in vivo* on filarial worms of snakes. *Japan. J. Expt. Med.* 35(4):291-300.

ZAMAN, V., and CHELLAPPAH, W. T. 1965. The application of fluorescent-antibody test to microfilariae of *Brugia pahangi*. *Singapore Med. J.* 6(1):40.

MALARIA

ASSHAUER, E., and MOHR, W. 1965. Die diagnostische Bedeutung von Bluteiweissverschiebungen bei akuter malaria. *Med. Klin.* 60(19):754-759.

BARRETT, E. L. 1966. Glucose-6-phosphate dehydrogenase deficiency: a brief review. *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(2):267-275.

BENNETT, G. F., WARREN, McW., and CHEONG, W. H. 1965. Growth of oocysts of various species and strains of primate malarial in Malayan anophelins. *Singapore Med. J.* 6(1):49-50.

BURKE-GAFFNEY, H. J. O'D. 1966. Sum-

mary of recent abstracts. III. Malaria. Trop. Dis. Bul. 63(3):249-256.

CIUCA, M., CIPLEA, A. G., BONA, C., and POZSGI, N. 1965. La dégradation de l'antigène malarique au cours de l'immunogénèse; enchaînement fonctionnel des facteurs humoraux et cellulaires dans l'immunité acquise. Pathologia et Microbiol. (Basle) 28(4):668-682.

CLYDE, D. F. 1965. Malaria distribution in Tanganyika. Part VI—Western Tanzania. East Afr. Med. J. 42(12):695-707.

COLLINS, W. E., JEFFERY, G. M., GUINN, E., and SKINNER, J. C. 1966. Fluorescent antibody studies in human malaria. IV. Cross-reactions between human and simian malaria. Amer. J. Trop. Med. and Hyg. 15(1):11-15.

COLUZZI, A. 1965. Dati recenti sulla malaria in Italia e problemi connessi al mantenimento dei risultati raggiunti. Riv. di Malariol. 44(4/6):153-178. Engl. Sum.

DELGADO DE BENASSAL, I., and BENASSAL, S. A. 1965. Malaria congenita. (Presentación de un caso). Arch. Venezolanas Puericult. y Pediat. 28(98):196-203. Engl. Sum. [Ninth case reported from Venezuela.]

DOWLING, M. A. C., RICKMAN, L. R., SHUTE, G. T., and MENZIES, N. G. F. 1966. A field method of blood concentration for the improved diagnosis of scanty parasitaemias in malaria practice. WHO/Mal/66.535, WHO/Fil/66.46. 20 pp.

DUKHANINA, N. N., and ZUKOVA, T. A. 1965. Transmission of malaria by blood transfusion: an epidemiological study in the USSR. WHO Bul. 33(6):853-856.

EAST AFRICAN COMMON SERVICES ORGANIZATION. 1965. Annual report of the East African Institute of Malaria and Vector-Borne Diseases, 1st July 1963-31st December 1964. 43 pp., Kenya. [Pringle, G., Director.]

FENDALL, N. R. E., and GROUNDS, J. G. 1965. The incidence and epidemiology of disease in Kenya. Part III. Insect-borne diseases. J. Trop. Med. and Hyg. (London) 68(6):134-141. [Malaria, filariasis and yellow fever included.]

FLOCH, H. A. 1964. Sur la lutte anti-moustique en Guyane Française, fin 1964. Inst. Pasteur Guyane Franç. et de l'Inini Arch. No. 484:1-14.

GROSHKOVA, I. M. 1966. Training of personnel in laboratory diagnosis of malaria and control of their work in Kazakhstan. Med. Parazit. i Parazit. Bolezni 35(1):107-108. In Rus., Engl. Sum.

HAMON, J., COZ, J., SALES, S., and OUEDRAOGO, C. S. 1965. Études entomologiques sur la transmission du paludisme humain dans une zone de steppe boisée de la région de Dori (République de Haute-Volta). Inst. Franc. d'Afrique Noire Bul. Scr. A 27(3):1115-1139. Engl. Sum.

HINMAN, E. H. 1966. How much control of communicable diseases? Amer. J. Trop. Med. and Hyg. 15(2):125-134.

HSIEH, S. C., and COWORKERS. 1965. Certain unusual manifestations of tertian malaria. Chinese Med. J. (Peking) 84(5):307-312.

ISFAN, T., and LANCO, L. 1964. Contribution à l'étude de la transmission de l'immunité de la rate à ses petits infectés avec *Plasmodium berghei*. Arch. Roumaines Path. Expt. et Microbiol. 23(3):783-796.

IVANENKO, A. K. 1966. On a focus of quartan malaria in the Tadzhik SSR. Med. Parazit. i Parazit. Bolezni 35(1):109. In Rus., Engl. Sum.

JIROVEC, O. 1966. Twenty years of Czechoslovak parasitology. Folia Parasitologia 13(1):1-6. [Malaria included.] This publication previously known as Československá Parasitologie.

KRUATRACHUE, M., BHABULAYA, M., CLONGKAM-NAUBORN, K., and HARINASUTA, C. 1966. Re-examination of the relationship of erythrocyte glucose-6-phosphate dehydrogenase and malaria in Thailand. WHO/Mal/66.533, 11 pp.

LEPES, T. 1965. Induced malaria in Yugoslavia transmitted accidentally by blood transfusion. WHO Bul. 33(6):856-858.

LISKER, R., LORÍA, A., and CORDOVA, M. S. 1965. Studies on several genetic hematological traits of the Mexican population. VIII. Hemoglobin S, glucose-6-phosphate dehydrogenase deficiency, and other characteristics in a malarial region. Amer. J. Human Genet. 17(2):179-187.

MAEGRAITH, B. G., FLETCHER, K. A., ANGUS, M. G. N., and THURNHAM, D. I. 1966. Further studies on the pathogenesis of malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):1-2.

MALAYA, STATES OF. 1965. Annual report of the Malaria Advisory Board for the year 1963 (including also 1962). 22 pp. [Din Bin Haji Ahmad, M., Chairman.]

POLEVOY, N. I., and KHROMOV, A. S. 1966. Organization of the epidemiological survey of malaria in the Shaartuz district of Tadzhik SSR. Med. Parazit. i Parazit. Bolezni 35(2):189-201. In Rus., Engl. Sum.

PROTHERO, R. M. 1965. Migrants and malaria. 142 pp., London.

SCHNEIDER, J. 1965. Le paludisme dans la pratique médicale courante. Rev. Pract. 15(2):227-234.

SHERMAN, I. W. 1965. Glucose-6-phosphate dehydrogenase and reduced glutathione in malaria-infected erythrocytes (*Plasmodium lophurae* and *P. berghei*). J. Protozool. 12(3):394-396.

SMITH, A. 1966. Malaria in the Taveta area of Kenya and Tanzania. Part IV. Entomological findings six years after the spraying period. East Afr. Med. J. 43(1):7-18.

SODEMAN, W. A., JR., and JEFFERY, G. M. 1966. Primary malarial thrombocytopenia in the rhesus monkey. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):70-74.

TIBURSKAYA, N. A., and VRUBLEVSKAYA, O. S. 1965. Clinical and experimental studies on quartan malaria following blood transfusion and methods of preventing its occurrence. WHO Bul. 33(6):843-851.

VORONINA, Z. K. 1966. Time of diagnosis of malaria. Med. Parazit. i Parazit. Bolezni 35(1): 83-85. In Rus., Engl. Sum.

WHO EXPERT COMMITTEE ON MALARIA. 1966. Twelfth report. WHO Tech. Rpt. Ser. 324, 48 pp.

WILKS, N. E., TURNER, P. P., SOMERS, K., and MARKANDYA, O. P. 1965. Chronic ill-health from unrecognized malaria. East Afr. Med. J. 42(11):580-583.

See also Ashcroft and Indian Society for Malaria and other Communicable Diseases in Filariasis Section.

Malaria—Eradication

BABIONE, R. W. 1966. Epidemiology of malaria eradication. II. Epidemiology of malaria eradication in Central America: a study of technical problems. Amer. J. Pub. Health 56(1):76-90.

DA SILVA, T. L. 1966. Epidemiology of malaria eradication. I. Epidemiology of malaria in the Americas. Amer. J. Pub. Health 56(1):72-76.

KAISER, R. L. 1966. Epidemiology of malaria eradication. III. The role of surveillance in malaria eradication programs. Amer. J. Pub. Health 56(1):90-93.

LYSENKO, A. YA., KALMYKOV, E. S., LOSEV, O. L., and KOLONITSKY, A. T. 1966. Methods of checking the validity of malaria eradication (by experience of checking in northern Tadzhikistan. Med. Parazit. i Parazit. Bolezni 35(1):77-82. In Rus., Engl. Sum.

NEWMAN, P. 1965. Malaria eradication and population growth, with special reference to Ceylon and British Guiana. 259 pp., Ann Arbor.

NOVALES L. E. R., and GODOY B, H. A. 1965. Evaluación de la Campaña de Erradicación de la Malaria en Guatemala y situación epidemiológica en la frontera con la República de México. Salud Púb. México 7(2):195-199.

PAMPANA, E. J. 1965. Types de vigilance après l'éradication du paludisme. Riv. di Malar. 44 (4/6):179-189. Engl. Sum.

PAO, L. Y. 1965. Malaria has been eradicated on Hainan, U. S. Joint Pub. Res. Serv. Transl. Communist China's Sci. Technol. 240:12-14.

RÍOS-CASTRO, R. 1966. Participación de la comunidad en la erradicación de la malaria. Bol. Ofic. Sanit. Panam. 60(3):247-252. Engl. Sum.

SWAROOP, S. 1966. Statistical methods in malaria eradication. 165 pp., Geneva. [Revised and edited by Gilroy, A. B. and Uemura, K.]

WORLD HEALTH ORGANIZATION. 1965. Development of the malaria eradication programme. WHO Off. Rec. No. 143, 178 pp.

Malaria—Plasmodia

BARUFFA, G. 1966. Clinical trials in *Plasmodium falciparum* malaria with a long-acting sulphonamide. Roy. Soc. Trop. Med. and Hyg. Trans. 60(2):222-224.

BROWN, I. N., BROWN, K. N., and HILLS, L. A.

1966. The separation of *Plasmodium knowlesi* from host cells. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):3.

BROWN, K. N., and BROWN, I. N. 1966. Immunity to malaria: antigenic variation in chronic infections of *Plasmodium knowlesi*. WHO/Mal/66.537, 11 pp.

CHIN, W., and CONTACOS, P. G. 1966. A recently isolated West African strain of *Plasmodium ovale*. Amer. J. Trop. Med. and Hyg. 15(1):1-2.

EL-NAHAL, H. S. 1966. Fluorescent antibody studies on infections with *Plasmodium (Haemamoeba) gallinaceum* 8 B. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):3.

———. 1966. Susceptibility of some laboratory animals to infection with *Plasmodium vinckei*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):7.

GARNHAM, P. C. C., LANDAU, I., and KILLICK-KENDRICK, R. 1966. Primary exo-erythrocytic schizonts of three rodent malaria parasites. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):4-5.

JADIN, J. 1965. Les bactéries photosynthétiques pourpres peuvent-elles jouer un rôle dans la sporogonie des plasmodium? Acad. Nat. Méd. (Paris) Bul. 149(20/21):470-472.

KRETCHMAR, W., and MATTAEI, H. D. 1965. Parasitämie, Anämie und Mortalität in NMRI-Mäusen nach Infektion mit *Plasmodium berghei* in Abhängigkeit von der Parasitendichte im Inokulum. Z. f. Tropenmed. u. Parasitol. 16(2): 187-195.

LANDAU, I. 1966. Exo-erythrocytic schizonts of a rodent plasmodium in the liver of a wild *Thomomys rutilus*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):5.

LUNN, J. S., CHIN, W., CONTACOS, P. G., and COATNEY, G. R. 1966. Changes in antibody titers and serum protein fractions during the course of prolonged infections with *vivax* or with *falciparum* malaria. Amer. J. Trop. Med. and Hyg. 15(1):3-10.

LUPASCU, GH., and COWORKERS. 1966. The fluorescent antibody technique in the estimation of immunity in patients infected with *Plasmodium malariae*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(2):208-221.

PETERS, W., and STÄUBLI, W. 1966. Changes in *Plasmodium berghei* associated with resistance to mepacrine, primaquine and other antimalarial drugs. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):7.

SANDOSHAM, A. A., BENNETT, G. F., FONG, Y. L., and OMAR, E. I. 1965. *Aplonis panayensis* sp. from a glossy tree-starling (*Aplonis panayensis strigatus*). Singapore Med. J. 6(1):47-48.

TARGETT, G. A. T., and VOLLER, A. 1965. Studies on antibody levels during vaccination of rhesus monkeys against *Plasmodium knowlesi*. Brit. Med. J. 5470:1104-1106.

VINCKE, I. H., BAFORT, J., and SCHEEPERS-BIVA, M. 1966. Observations récentes sur la transmission cyclique du *Plasmodium berghei*. WHO/Mal/66.542, 11 pp.

VINCKE, I. H., SCHEEPERS-BIVA, M., and BA-

FORT, J. 1965. Conservation de gamétocytes de *Plasmodium berghei* viables et transmissibles à basse température. Soc. Belge de Méd. Trop. Ann. 45(2):151-160.

WARHURST, D. C. 1966. Bioassay of *Plasmodium berghei*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):6.

WARREN, McW., BENNETT, G. F., SANDOSHAM, A. A., and COATNEY, G. R. 1965. *Plasmodium clysi* sp. nov., a tertian malaria parasite from the white-handed gibbon, *Hylobates lar*. Ann. Trop. Med. and Parasitol. 59(4):500-508. [n. sp.]

YOELI, M., UPMANIS, R. S., VANDERBERG, J., and MOST, H. 1966. The pre-erythrocytic development of *Plasmodium berghei*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):5-6.

Malaria—Simian

BROWN, K. N., and BROWN, I. N. 1966. Antigenic variation in relapsing simian malaria. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):2.

DEMINA, N. A. 1966. Causative agents of simian malaria. Med. Parazit. i Parazit. Bolezni 35(2):189. In Rus.

Malaria—Therapeutics and Antimalarials

ARTHUR, J. H. 1965. Antimalarial prophylaxis in primary schools in Eastern Nigeria. 41 pp., London. [Wellcome Mus. Med. Sci.]

BODE, J. J. 1965. Bijwerkingen anti-malaria middelen. Folia Med. Neerl. 8(1):49-57.

CHONGSUPHAJAISIDDIH, T., and MAEGRAITH, B. G. 1966. The pharmacological action of chloroquine on liver-blood flow. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):2.

CLYDE, D. F., and JONES, S. A. 1966. Cycloguanil pamoate (CI-501) used on a community-wide basis in Tanzania. WHO/Mal/66.534, 17 pp.

ENSOR, E. M. 1966. The estimation of chloroquine in blood serum. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):75-78.

LAING, A. B. G. 1965. Treatment of acute falciparum malaria with diaphenylsulfone in north-east Tanzania. J. Trop. Med. and Hyg. (London) 68(10):251-253.

MCGREGOR, I. A., WILLIAMS, K., WALKER, G. H., and RAHMAN, A. K. 1966. Cycloguanil pamoate in the treatment and suppression of malaria in Gambia, West Africa. Brit. Med. J. 5489:695-701.

MENDOZA, I. G. 1965. Comparative study of two regimens of radical treatment of vivax malaria in Mexico. WHO/Mal/527.65, 13 pp.

NWOKOLO, C. 1965. Prophylactic antimalarials to sickle-cell disease. Brit. Med. J. 5466:880.

SCHMIDT, L. H., and COWORKERS. 1965. Studies on the antimalarial activities of 1,2-dimethoxy-4-(bis-diethylaminoethyl)-amino-5-bromobenzene. WHO/Mal/532.65, 16 pp.

Malaria—Antimalarials—Resistance

BISHOP, A. 1965. Resistance to diamino-diphenylsulfone in *Plasmodium gallinaceum*. Parasitology 55(3):407-414.

BOURKE, A. T. C., and COWORKERS. 1966. Prevalence of malaria exhibiting reduced sensitivity to chloroquine in southern Thailand. Roy. Soc. Trop. Med. and Hyg. Trans. 60(2):225-230.

HARINASUTA, T., SUNTHARASAMAI, P., and VIRAVAN, C. 1965. Chloroquine-resistant falciparum malaria in Thailand. Lancet 7414:657-660.

LASCH, E. E., and N'GUYEN, T. L. 1965. Observation on an apparent chloroquine-resistant strain of *Plasmodium falciparum* in West Africa. Brit. Med. J. 5472:1219-1222.

PETERS, W. 1965. Drug resistance in *Plasmodium berghei* Vincke and Lips. 1948. I. Chloroquine resistance. II. Triazine resistance. III. Multiple drug resistance. Expt. Parasitol. 17(1):80-89; 90-96; 97-102.

———. 1966. The possible role of primaquine in inducing multiple drug resistance in *Plasmodium falciparum*. Roy. Soc. Trop. Med. and Hyg. Trans. 60(1):140-141.

STEVENSON, D. J. D. 1966. A case of malaria not responding to chloroquine. Roy. Soc. Trop. Med. and Hyg. Trans. 60(2):276-277.

YELLOW FEVER

BENSABATH, G., SHOPE, R. E., PAES DE ANDRADE, A. H., and DE SOUZA, P. DE. 1966. Recuperación de virus amarílico, procedente de un mono centinela, en las cercanías de Belém, Brasil Bol. Ofic. Sanit. Panamer. 60(3):187-192. Engl. Sum.

BURKE-GAFFNEY, H. J. O'D. 1966. Summary of recent abstracts. II. Yellow fever. Trop. Dis. Bul. 63(2):113-115.

HEARN, H. J., JR., SOPER, W. T., and MILLER, W. S. 1965. Loss in virulence of yellow fever virus serially passed in HeLa cells. Soc. Expt. Biol. and Med. Prod. 119(2):319-322.

HUDSON, N. P. 1966. Adrian Stokes and yellow fever research: a tribute. Roy. Soc. Trop. Med. and Hyg. Trans. 60(2):170-174.

MEYER, H. M., JR. 1965. Field experience with combined live measles, smallpox and yellow fever vaccines. Arch. Ges. Virusforsch. 16(1/5):365-366.

SATTI, M. H., and HASEEB, M. A. 1966. An outbreak of yellow fever in the Southern Fung and Upper Nile Province, Republic of the Sudan. J. Trop. Med. and Hyg. (London) 69(2):36-44.

SIMPSON, D. I. H. 1965. Resistance of *Galgoides demidovii thomasi* (Elliot, 1907) to infection with yellow fever virus. Ann. Trop. Med. and Parasitol. 59(4):387-389.

WHEELLOCK, E. F., and SIBLEY, W. A. 1965. Circulating virus, interferon and antibody after vaccination with the 17-D strain of yellow-fever virus. New England J. Med. 273(4):194-198.

LITERATURE REFERENCES AND REVIEWS

DUKHANINA, N. N. 1966. Soviet literature on problems of medical parasitology and parasitic diseases for 1965. *Med. Parazit. i Parazit. Bolezni* 35(1):117-122; 35(2):239-248. In Rus.
 SOLLERS-RIEDEL, H. 1965. Global studies concerning mosquitoes in 1964. *N. J. Mosquito Extermin. Assoc. Proc.* 52:11-42.
 ———. 1966. References to literature of inter-

est to mosquito workers and malariologists. *Mosquito News* 26(1):101-111.

ERRATA

In *Mosquito News* 24(2):259 in Taxonomy Section change Sloof to read Slooff; 25(4):508 in *Malaria—Simian* change Dissanaiké reference to read: Simian malaria parasites of Ceylon.

LIST OF ADVERTISERS

	PAGE
American Cyanamid Company	X
B and G Company	XV
California Mosquito Control Assn.	XXI
Chemagro Corporation	XI
Chevron Chemical Company	XIX
Curtis Dyna-Products	VI, VII
Desplaines Valley Mosquito Abatement Dist.	149
J. J. Dill Company	I
Florida Agricultural Supply Co.	184
Florida Anti-Mosquito Association	XIV
Hausherr's Machine Works	XIII, XIV
H. D. Hudson Manufacturing Co.	XVIII
Illinois Mosquito Control Assn.	194
Kaiser Jeep Corporation	XXIII
Lee County Mosquito Control District	XII
Mid-Continent Aerial Sprayers, Inc.	174
New Jersey Mosquito Extermination Assn.	XIII
Richfield Oil Corporation	IV
Schild Bantam Division	II, III
Shell Chemical Company	XVII
Thiokol Chemical Corporation	VIII, IX
Todd Shipyards Corporation	V
Unit Crane and Shovel Corporation	XVI
Utah Mosquito Abatement Assn.	242
Velsicol Chemical Corporation	XXII
Virginia Mosquito Abatement District	255
Wyco International	XX