

REFERENCES TO LITERATURE OF INTEREST TO MOSQUITO WORKERS AND MALARIOLOGISTS

HELEN SOLLERS-RIEDEL¹

Plant Pest Control Division, Agricultural Research Service, United States Department of Agriculture

ADULTICIDES AND LARVICIDES

BARTON, W. I., BODINE, M. M. and BAUER, G. I. 1966. *Aedes sticticus* (Meigen) in the Twin Cities, Minnesota area. *Mosquito News* 26(2):254.

Coz, J. and COWORKERS. 1965. Expériences en Haute-Volta sur l'utilisation de cases pièges pour la mesure de l'activité du DDT contre les moustiques. *WHO Bul.* 33(4):435-452.

Coz, J., VENARD, P., ATTIOU, B. and SOMDA, D. 1966. Etude de rémanence de deux nouveaux insecticides: OMS-43 et OMS-658. *Who Bul.* 34(2):313-317.

CURTIS, L. C. 1966. How to control mosquitoes. Canada Dept. Agr. 8 pp., Ottawa.

DREYER, R. B. 1965. Aerial applications with helicopters in Monmouth County. *N. J. Mosquito Extermin. Assoc. Proc.* 52:145-147.

FERRIGNO, F. and JOBBINS, D. M. 1965. Granular larvicide treatment of haying marshes—1965. *N. J. Mosquito Extermin. Assoc. Proc.* 52:80-92.

GAHAN, J. B., GLANCEY, B. M. and LOFGREN, C. S. 1965. New larvicides showing promise against *Anopheles* mosquitoes. *N. J. Mosquito Extermin. Assoc. Proc.* 52:156-159.

HADAWAY, A. B. and BARLOW, F. 1966. Relationships between some physical properties of insecticides and their intrinsic and contact toxicities to adult mosquitos (*Anopheles stephensi* List). *Bul. Ent. Res.* 56(3):569-579. Also in *WHO/Vector Cont.*/66.203, 20 pp.

HADJINICOLAOU, J. 1966. Experimental hut trials to evaluate different dosages of DDT and HCH against *Anopheles gambiae* in the Zambesi Valley (border of Southern Rhodesia and Zambia). *WHO/Mal/66.541*, *WHO/Vector Cont.*/66.193. 21 pp.

JAKOB, W. L. 1966. Thermal fog tests against *Aedes aegypti* (L.) and *Anopheles albimanus* (Wied.). *Mosquito News* 26(2):118-121.

KNAPP, F. W. and PASS, B. C. 1966. Effectiveness of low-volume aerial sprays for mosquito control. *Mosquito News* 26(2):128-132.

LUTES, R. C. 1965. A procedure for treating polluted ponds for mosquito control. *N.J. Mosquito Extermin. Assoc. Proc.* 52:143-145.

McGUIRE, J. U., JR., SULLIVAN, W. N. and STARKWEATHER, R. 1966. Analysis of the effectiveness of aircraft-disinsection aerosols against resistant houseflies and mosquitos. *WHO Bul.* 34(1):151-154.

MOUNT, G. A., LOFGREN, C. S., GAHAN, J. B. and PIERCE, N. W. 1966. Comparisons of thermal and nonthermal aerosols of malathion, fenthion, and naled for control of stable flies and salt-marsh mosquitoes. *Mosquito News* 26(2):132-138.

MOUNT, G. A., PIERCE, N. W., LOFGREN, C. S. and GAHAN, J. B. 1966. Fog oil and fuel oil as diluents of fenthion, naled and malathion in thermal aerosols used to control adult stable flies and salt-marsh mosquitoes. *Mosquito News* 26(2):249-253.

MULLA, M. S., METCALF, R. L. and GEIB, A. F. 1966. Laboratory and field evaluation of new mosquito larvicides. *Mosquito News* 26(2):236-242.

STEVENS, L. F. and STROUD, R. F. 1966. Control of mosquito adults and larvae with ultra-low-volume aerial applications of Baytex and Baytex-Baygon mixture. *Mosquito News* 26(2):124-128.

VARIOUS TYPES OF CONTROL

BROCKWAY, P. B., JR. 1966. Symposium on control programs for backyard mosquitoes. *Mosquito News* 26(2):175-178.

REES, D. M. and ANDERSEN, D. M. 1966. Results of multipurpose water management studies on marshes adjacent to the Great Salt Lake, Utah. *Mosquito News* 26(2):160-168.

RHODES, R. L. 1966. PCOs combat mosquito threat in Missouri. *Pest Control* 34(7):30, 31.

SCHOBER, H. 1966. Agitation of water surfaces by sprinkling to prevent mosquito breeding. *Mosquito News* 26(2):144-149.

CONTROL PAPERS FROM N.J. MOSQUITO EXTERMIN. ASSOC. PROC. 52:

DEGARMO, W. R. 1965. Mosquito control—fish and wildlife coordination on national wildlife refuges. pp. 49-51.

FLETCHER, A. H. 1965. Water pollution and mosquito control. pp. 51-55.

KIBLER, N. F. 1965. Control and elimination of mosquito breeding with water management and chemicals. pp. 147-149.

REHN, J. W. H. 1965. Is mosquito control necessary at naval activities in the Middle Atlantic States? pp. 57-60.

ROACH, W. E., JR. 1965. Development trends in New Jersey of concern to mosquito control programs. pp. 112-115.

RUBER, E. and FRANZ, D. R. 1965. The importance of the rainfall—evaporation—seepage

¹ Complete mailing address: P. O. Box 19009, Washington, D.C. 20036. U.S.A.

relationships of the salinities and on the aquatic fauna and flora of certain coastal impoundments. pp. 211-214.

SANGREE, J. B., SR. 1965. Oxygen balance and mosquito control in a hydro ecology. pp. 92-96.

SCHAEFER, L. A. 1965. The effect of major airport redevelopment on mosquito control at Newark Airport. pp. 110-112.

SINGH, P. B. and NATHAN, K. 1965. Hydraulic studies of mosquito control ditches on tidal marshes. pp. 115-123.

IRRADIATION

ABDEL-MALEK, A. A., TANTAWY, A. O. and WAKID, A. M. 1966. Studies on the eradication of *Anopheles pharoensis* Theobald by the sterile-male technique using Cobalt-60. I. Biological effects of gamma radiation on the different developmental stages. J. Econ. Ent. 59(3): 672-678.

Aedes Aegypti ERADICATION

BROOKS, G. D. and SCHOOF, H. F. 1965. Simulated field tests of new insecticide formulations against *Aedes aegypti* larvae in 55-gallon water storage containers. N.J. Mosquito Extermin. Assoc. Proc. 52:160-165.

WILLARD, W. K. 1965. Long-term effects of acute low-level X-rays on the population dynamics of the yellow fever mosquito, *Aedes aegypti*. Health Physics 11(12):1577-1583.

MOSQUITO CONTROL AGENCY PROBLEMS

CALIFORNIA MOSQUITO CONTROL ASSOCIATION. 1966. Year book. 51 pp., Visalia.

CALLARI, C. H. 1965. Superior Court of New Jersey, Chancery Division, Hudson County, upholds mosquito laws. N.J. Mosquito Extermin. Assoc. Proc. 52:154-156.

DORER, R. E. 1965. An adjunct to mosquito control in suburbia. N.J. Mosquito Extermin. Assoc. Proc. 52:60-61.

KNOBLAUCH, L. N. 1965. Legal responsibilities of the county mosquito extermination commissions in New Jersey. N.J. Mosquito Extermin. Assoc. Proc. 52:150-154.

MEYER, F. H. 1965. My experiences with R. S. 26:9-14. N.J. Mosquito Extermin. Assoc. Proc. 52:186-190.

REES, D. M. and COLLETT, G. C. 1966. Summary of the thirty-sixth annual report of the Salt Lake City Mosquito Abatement District 1965. 19 pp.

PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS

BAY, E. C. 1966. Adaptation studies with the Argentine pearl fish, *Cynolebias bellottii*, for its introduction into California. WHO/EBL/66.68. 12 pp.

CANTWELL, G. E. and LAIRD, M. 1966. The World Health Organization kit for the collection and shipment of pathogens and parasites of diseased vectors. WHO/EBL/66.61. 6 pp. See also WHO/EBL/66.61 Corr. 1, 1 p.

CHAPMAN, H. C. and WOODARD, D. B. 1966. *Coelomomyces* (Blastocladales:Coelomomycetaceae) infections in Louisiana mosquitoes. Mosquito News 26(2):121-123.

JAMES, H. G. 1966. Insect predators of univoltine mosquitoes in woodland pools of the Pre-Cambrian Shield in Ontario. Canad. Ent. 98(5):550-555.

KELLEN, W. R. and COWORKERS. 1965. *Bacillus sphaericus* Neide as a pathogen of mosquitoes. J. Invertebrate Path. 7(4):442-448.

KOVCHAZOV, G. and KOLAROV, K. 1966. Laboratory and field studies of exotic, larvivorous annual fish, at Varna, Bulgaria. WHO/EBL/66.67, 11 pp.

KUPRIYANOVA, E. S. 1966. *Entomophthora* fungus parasitizing mosquitoes of the *Culex pipiens* L. complex. Zool. Zhur. 45(5):675-678. In Rus., Engl. Sum.

LAIRD, M. 1966. Integrated control and *Aedes polynesiensis*: an outline of the Tokelau Islands project, and its results. WHO/EBL/66.69, WHO/FIL/66.63, WHO/Vector Cont./66.204. 9 pp.

LIU, R. K. and WALFORD, R. L. 1966. Increased growth and life span with lowered ambient temperature in the annual fish, *Cynolebias adloffii*. WHO/EBL/66.70. 5 pp.

MADELIN, M. F. 1966. Fungal parasites of insects. Ann. Rev. Ent. (Palo Alto) 11:423-448. [Mosquitoes included.]

MANIER, J. F., RIOUX, J. A. and JUMINER, B. 1964. Présence en Tunisie de deux *Trichomyces* parasites de larves de culicidés. Inst. Pasteur de Tunis Arch. 41(2):147-152.

WEISER, J. and BATKO, A. 1966. A new parasite of *Culex pipiens* L., *Entomophthora destruens* sp. nov. (Phycomycetes, Entomophthoraceae). Folia Parasitologica (Praha) 13(2): 144-149.

EQUIPMENT

PEST CONTROL. 1966. Pest Control's 1966 equipment directory. Pest Control 34(5):20-69. [Passim.]

TAFT, H. M. and HOPKINS, A. R. 1966. A low-volume mist sprayer for applying insecticide concentrates from ground equipment. U. S. Dept. Agr. ARS 33-109, 11 pp.

ATTRACTANTS AND REPELLENTS

BAR-ZEEV, M. 1965. Some effects of dichlorvos in huts on the behaviour of mosquitos in Southern Nigeria. WHO Bul. 33(4):583-588.

BERRY, R., JOSEPH, S. R. and LANGFORD, G. 1965. The question of area mosquito repellency. N.J. Mosquito Extermin. Assoc. Proc. 52:190-193.

JACOBSON, M. 1966. Chemical insect attractants and repellents. Ann. Rev. Ent. (Palo Alto) 11:403-422 [Mosquitoes included.]

KHAN, A. A., MAIBACH, H. I. and STRAUSS, W. G. 1966. Mosquito probing as a measure of host attractiveness. Mosquito News 26(2): 210-212.

RESISTANCE AND SUSCEPTIBILITY

BROWN, A. W. A. 1966. Diagnostic dosages to separate genotypes of *Aedes aegypti* for DDT-resistance and dieldrin-resistance. WHO Bul. 34(2):311-312.

COZ, J., HAMON, J. and MOUCHET, J. 1965. Importance pratique de la resistance aux insecticides chez les *Anopheles*. Entomologie Médicale Cah. Nos. 3/4:127-135.

GILOTRA, S. K. 1966. Responses of dieldrin-resistant larvae of *Anopheles albimanus* Wiedemann to discriminating dosages of dieldrin. Mosquito News 26(2):213-218.

HWANG, C. H., PAIK, K. H. and KAHN, C. M. 1965. A study of insecticide susceptibility—lists of *Culex* mosquitoes and a note of biting activity of *Culex tritaeniorhynchus* Giles in Korea. Korean Cent. J. Med. 9:161-166.

MATSUMURA, F. and HAYASHI, M. 1966. Inheritance of dieldrin with the subcellular components of both resistant and susceptible strains of *Aedes aegypti* L. Mosquito News 26(2):190-194.

MENGLE, D. C. and LEWALLEN, L. L. 1966. Biochemical-radiological determinations of parathion resistance in *Aedes nigromaculis*. J. Econ. Ent. 59(3):743-744.

SOERONO, M. and COWORKERS. 1965. Observations on doubly resistant *Anopheles aconitus* Dönitz in Java, Indonesia, and on its amenability to treatment with malathion. WHO Bul. 33(4): 453-459.

INSECTICIDES AND CHEMICALS

BARLOW, F. and FLOWER, L. S. 1966. The evaporation of some carbamate insecticides at elevated temperatures. WHO/Vector Con./66.201, WHO/Mal/66.550. 4 pp.

CHICHESTER, C. O. (Editor). 1965. Research in pesticides. 380 pp., New York.

GEROLT, P. 1965. The fate of dieldrin in insects. J. Econ. Ent. 58(5):849-857. [*Aedes aegypti* included.]

INGLE, L. 1965. A monograph on chlordane. Toxicological and pharmacological properties. 88 pp., Urbana.

KENAGA, E. E. 1966. Commercial and experimental organic insecticides (1966 revision). Indexed as to their scientific, common and trade names, code designations, uses, empirical formulas, manufacturers, mammalian toxicology and chemical structures. Ent. Soc. Amer. Bul. 12(2): 161-217.

———. 1966. Pesticide reference standards

of the Entomological Society of America. Ent. Soc. Amer. Bul. 12(2):117-127.

O'BRIEN, R. D. 1966. Mode of action of insecticides. Ann. Rev. Ent. (Palo Alto) 11:369-402.

PEST CONTROL. 1966. Tropic lab tests effect of pollution on larvicides. Pest Control 34(5): 69-70.

SINHA, V. P. 1966. Insecticides and public health. Patna J. Med. 40(5):213-215.

WORLD HEALTH ORGANIZATION. 1966. Specifications for pesticides used in the public health. Fifteenth report of the WHO Expert Committee on Insecticides. WHO/Vector Cont./66.199, 32 pp.

TOXICOLOGY

CLEMENT, R. C. 1965. Mosquito control and the ecosystem. N.J. Mosquito Extermin. Assoc. Proc. 52:55-57.

DATTA, P. R. and COWORKERS. 1965. Metabolites in urine of rats on diets containing aldrin or dieldrin. Nature (London) 208 (5007):289-290.

FERRIGNAN, L. W., HUNTER, C. G. and STEVENSON, D. E. 1965. Observations on the effects of continued oral exposure of rats to dieldrin. Food Cosmet. Toxicol. 3(1):149-151.

FORGASH, A. J. 1965. Insecticides and insecticide hazards in mosquito control. N.J. Mosquito Extermin. Assoc. Proc. 52:123-128.

RUBER, E. 1965. The effects of certain mosquito larvicides on cultures of microcrustaceans. N.J. Mosquito Extermin. Assoc. Proc. 52:207-210.

TINSLEY, S. L. 1965. Agriculture's concern in the management of tidal waters. N.J. Mosquito Extermin. Assoc. Proc. 52:47-49.

WILSON, B. R. 1965. The role of the Bureau of Conservation and Environmental Science in biological research. N.J. Mosquito Extermin. Assoc. Proc. 52:97-100.

BEHAVIOR, BIOLOGY AND ECOLOGY

ALLEN, J. J. 1965. Floodwater mosquitoes in central Illinois. N.J. Mosquito Extermin. Assoc. Proc. 52:174-177.

BAST, T. F. 1965. Sulfate, phosphate, and chloride as limiting factors in mosquito production. N.J. Mosquito Extermin. Assoc. Proc. 52:193-199.

BRUCE-CHWATT, L. J., GARRETT-JONES, C. and WEITZ, B. 1966. Ten years' study of host selection by anopheline mosquitoes. (Results for the period 1955-1964). WHO/Mal/66.549, WHO/Vector Cont./202. 58 pp.

CHANG, T. Y., WANG, S. L., SUNG, C. P. and HU, S. C. 1965. Allnight outdoor observations on the biting activity of *Culex tritaeniorhynchus* in Hsueh area, Kiangs Province. Acta Ent. Sinica 14(6):552-558. In Chin., Engl. Sum.

ELDRIDGE, B. F. 1966. Environmental control of ovarian development in mosquitoes of the

- Culex pipiens* complex. Science 151(3712): 826-828.
- IKESHIGI, T. 1966. Studies on mosquito attractants and stimulants. Part I. Chemical factors determining the choice of oviposition site by *Culex pipiens fatigans* and *pallens*. Part II. A laboratory technique for obtaining mosquito eggs by forced oviposition. Part III. The presence in mosquito breeding waters of a factor which stimulates oviposition. Jap. J. Expt. Med. 36(1):49-59; 61-65; 67-72.
- JOHNSON, R. E. 1966. Observations of fire barrel breeding mosquitoes in the Philippines. Mosquito News 26(2):207-210.
- KLIEWER, J. W., MIURA, T., HUSBANDS, R. C. and HURST, C. H. 1966. Sex pheromones and mating behavior of *Culiseta inornata* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 59(3): 530-533.
- KUHLOW, F. and GARMS, R. 1965. On the effect of mating and nutrition on the reproduction of *Culex pipiens fatigans* Wiedemann. Entomologie Médicale Cah. Nos. 3/4:91-96.
- LAL, H., GINOCCHIO, S. and HAWRYLEWICZ, E. J. 1965. Effect of allethrin on feeding behavior of insects. Soc. Expt. Biol. and Med. Proc. 120(2):441-443. [*Aedes aegypti*.]
- LINAM, J. H. and NIELSEN, L. T. 1966. Notes on the distribution, ecology and overwintering habits of *Culex apicalis* Adams in Utah (Diptera: Culicidae). Ent. Soc. Wash. Proc. 68(2):136-138.
- MACCREARY, D. 1965. Observations on mosquito larval habitats and associations in Delaware. N.J. Mosquito Extermin. Assoc. Proc. 52:73-80.
- MCCRARY, A. B. and JENNER, C. E. 1965. Influence of day length on sex ratio in the giant mosquito, *Toxorhynchites rutilus*, in nature. Amer. Zool. 5(2):206.
- MAINS, A. J., TONN, R. J., RANDALL, E. J. and ANDERSON, K. S. 1966. Mosquito densities at heights of five and twenty-five feet in southeastern Massachusetts. Mosquito News 26(2): 243-248.
- NERI, P. 1965. Revue taxonomique, aspect écologique et biologique des Diptères (Culicidae) présents dans la forêt de Manera (Province du Kaffa) Éthiopie. Entomologie Médicale Cah. Nos. 3/4:47-56.
- PAULOVÁ, J. 1966. Dĺzka cicania krvi a zväčšenie telenej váhy samičiek *Culex pipiens molestus* Forsk. V laboratórnych podmienkach. Biológia (Bratislava) 21(4):311-314. Ger. and Rus. Sum.
- PETERSEN, J. J. and REES, D. M. 1966. Selective oviposition response of *Aedes dorsalis* and *Aedes nigromaculis* to soil salinity. Mosquito News 26(2):168-174.
- SERVICE, M. W. 1966. The replacement of *Culex nebulosus* Theo. by *Culex pipiens fatigans* Wied. (Diptera, Culicidae) in towns in Nigeria. Bul. Ent. Res. 56(3):407-415.
- SIVERLY, R. E. 1964. Notes on the biology of *Psorophora ciliata* (Fabricius) in Indiana. Ind. Acad. Sci. Proc. 74:194-195.
- SMITH, A., OBUDHO, W. O. and ESODEZ, S. 1966. Resting patterns of *Anopheles gambiae* in experimental huts treated with malathion. Roy. Soc. Trop. Med. and Hyg. Trans. 60(3):401-408.
- SPENCER, M. 1965. A note on blood preferences of *Anopheles farauti*. Linn. Soc. N. S. Wales 90(1):128.
- VINOGRADOVA, E. B. 1966. Bloodsucking mosquitoes of the complex *Culex pipiens* L. (Diptera, Culicidae), their practical significance, taxonomy and biology. Ent. Obozr. 45(2):241-257. In Rus., Engl. Sum.

GENETICS

- COLUZZI, M. 1966. Osservazioni comparative sul cromosoma X nelle species A e B del complesso *Anopheles gambiae*. Accad. Nazionale dei Lincei. Classe di Sci. Fisiche, Math. e Naturali. Rend. Ser. 8, 40(4):671-678. Also two plates.
- MICKS, D. W. and COWORKERS. 1966. A chromatographic study of the systematic relationship within the *Anopheles gambiae* complex. WHO/Mal/66.559, WHO/Vector Cont./66.206. 13 pp.
- MUKHERJEE, A. B., REES, D. M. and VICKERY, R. K., JR. 1966. A comparative study of the karyotypes of four genera and nineteen species of mosquitoes present in Utah. Mosquito News 26(2): 150-155.

ANATOMY, MORPHOLOGY AND PHYSIOLOGY

- AKOV, S. 1965. Inhibition of blood digestion and oocyte growth in *Aedes aegypti* by 5-fluorouracil. Biol. Bul. 129(3):439-453.
- ANDERSON, D. T. 1966. The comparative embryology of the Diptera. Ann. Rev. Ent. (Palo Alto) 11:23-46. [Includes mosquitoes.]
- CHAUVET, G., COZ, J. and GRENIER, P. 1965. Relations entre l'âge physiologique et le comportement des moustiques. Entomologie Médicale Cah. Nos. 3/4:103-109.
- FREYVOGEL, T. A. and JAQUET, C. 1965. The prerequisites for the formation of a peritrophic membrane in Culicidae females. Acta Tropica 22(2):148-154.
- FREYVOGEL, T. A. and STÄUBLI, W. 1965. The formation of the peritrophic membrane in Culicidae. Acta Tropica 22(2):118-147.
- GOODING, R. H. 1966. Physiological aspects of digestion of the blood meal by *Aedes aegypti* (Linnaeus) and *Culex fatigans* Wiedemann. J. Med. Ent. 3(1):53-60.
- KHAN, A. A., MAIBACK, H. I., STRAUSS, W. G. and FENLEY, W. R. 1966. Quantitation of effect of several stimuli on the approach of *Aedes aegypti*. J. Econ. Ent. 59(3):690-694.
- PAULOVÁ, J. and PAULOV, S. 1966. Tepelne denaturačný test bielkovinového extraktu komárov *Culex pipiens molestus* Forsk. Biológia (Bratislava) 21(5):384-386. Ger. Sum.

ROMOSER, W. S. and VENARD, C. E. 1966. The development of the ventral oesophageal diverticulum in *Aedes triseriatus* (Diptera: Culicidae). Ent. Soc. Amer. Ann. 59(3):484-489.

VAN HANDEL, E. 1965. The obese mosquito. J. Physiol. 181(3):478-486. [Glycogen and triglycerides in *Aedes sollicitans*.]

———. 1966. Temperature independence of the composition of triglyceride fatty acids synthesized de novo by the mosquito. J. Lipid Res. 7(1):112-115. [*Aedes sollicitans*.]

WIGGLESWORTH, V. B. 1966. Insect physiology. Ed. 6. 134 pp., London. [Includes mosquitoes.]

TECHNIQUES

BECKMAN, H. 1965. Attempted oral injection of chicks with *Plasmodium gallinaceum*. J. Parasitol. 51(5):845-846.

BIDLINGMAYER, W. L. 1966. Use of truck trap for evaluating adult mosquito populations. Mosquito News 26(2):139-143.

ISLER, D. A. 1966. Atomization of low-volume malathion aerial spray. J. Econ. Ent. 59(3):688-690.

IWAMA, K. 1964. Collection of mosquitoes by means of dry-ice and studies on mosquito parasites. 13 pp. In Jap. [Privately published in 1966].

KASKIN, P. 1966. Electronic recording of the mosquito bite. J. Insect Physiol. 12(3):281-286.

SHUTE, P. G. 1966. The staining of malaria parasites. Roy. Soc. Trop. Med. and Hyg. Trans. 60(3):412-416.

STONG, C. L. 1966. How to record and listen to the electrical signals produced by microscopic animals. Sci. Amer. 214(2):120-124, 127. [Mosquitoes included.]

TAXONOMY

BRAM, R. A. 1966. *Culex (Thaiomyia) dispectus*, a new subgenus and species from Thailand (Diptera: Culicidae). Ent. Soc. Wash. Proc. 68(2):73-77. [n. sp. and n. sg.]

COLUZZI, M., SACCA, G. and FELCIANGEFI, D. 1965. Il complesso *A. claviger* nella Sottoregione mediterranea. Entomologie Médicale Cah. Nos. 3/4:97-102.

COMMUNICABLE DISEASE CENTER. 1966. Pictorial keys to arthropods, reptiles, birds and mammals of public health significance. U. S. Pub. Health Serv. 192 pp. [Mosquitoes included.]

DELFINADO, M. D. 1966. Two undescribed species of *Uranotaenia* from the Philippines (Diptera: Culicidae). J. Med. Ent. 3(1):36-37. [*U. rossi* and *U. philippinensis* n. spp.]

DÍAZ NÁJERA, A. 1965. Mosquitos mexicanos. Claves para identificar hembras de *Mansonia* y *Psorophora* (Diptera: Culicidae). Salud Púb. México 7(4):519-525.

DODGE, H. R. 1966. Studies on mosquito larvae. II. The first-stage larvae of North American Culicidae and of world Anophelinae. Canad. Ent. 98(4):337-393.

MA, S. F. 1965. Studies on the different types of *Anopheles (A.) hyrcanus sinensis* within the *Anopheles (A.) hyrcanus* group. IV. Comparative morphology of larvae. Acta Ent. Sinica 14(6):572-575. In Chin., Engl. Sum.

STONE, A. and HAMON, J. 1965. Remarques sur la systematique des moustiques (Culicidae s. str.). Entomologie Médicale Cah. Nos. 3/4: 3-9.

DISTRIBUTION

BULGER, C. S. 1965. The entomology program of the Second U. S. Army Medical Laboratory. N.J. Mosquito Extermin. Assoc. Proc. 52:177-182.

CARPENTER, S. J. 1966. Observations on the distribution and ecology of mountain *Aedes* mosquitoes in California. X. Mosquito problems at Sierra Nevada recreational areas. Calif. Vector Views 13(2):8-13.

CRANS, W. J. and HAGMANN, L. E. 1965. Two new mosquito records for New Jersey. N.J. Mosquito Extermin. Assoc. Proc. 52:206-207.

GERHARDT, R. W. 1966. South Dakota mosquitoes and their control. S. Dak. Agr. Expt. Sta. Bul. 531, 80 pp.

MARTINEZ, A. and CARCAVALLO, R. U. 1965. Notes au sujet de Culicidae sud-américains. La distribution du genre *Haemogogus* Williston, 1896, en Amérique du Sud. Entomologie Médicale Cah. Nos. 3/4:39-45.

MOHRIG, W. 1965. Ergänzungen zur Culiciden-Fauna der Umgebung von Greifswald. Deut. Ent. Z. 12(4/5):325-328.

ROSS, H. H. and HORSFALL, W. R. 1965. A synopsis of the mosquitoes of Illinois (Diptera, Culicidae). Ill. Nat. Hist. Surv. Biol. Notes No. 52, 50 pp.

SIVERLY, R. E. 1966. Mosquitoes of Delaware County, Indiana. Mosquito News 26(2):221-229.

——— and BURKHARDT, R. W. 1964. Occurrence of *Psorophora discolor* (Coquillett) in Indiana. Ind. Acad. Sci. Proc. 74:195.

THOMPSON, P. H. and DEFOLIART, G. R. 1966. New distribution records of biting Diptera from Wisconsin. Ent. Soc. Wash. Proc. 68(2):85. [*Aedes grossbecki* and *Psorophora varipes*.]

WILLS, W. and STEINHART, D. 1966. Inland records for salt marsh mosquitoes in Pennsylvania. Mosquito News 26(2):254-255.

ARBOVIRUSES

ANDERSON, C. R., SINGH, K. R. P. and SARKAR, J. K. 1965. Isolation of chikungunya virus from

Aedes aegypti fed on naturally infected humans in Calcutta. Cur. Sci. (Bangalore) 34(20):579-580.

BANERJEE, K. 1965. A note on antibodies to chikungunya virus in human sera collected in Madras State in 1956. Indian J. Med. Res. 53(8):715-719.

BÁRDOS, V. 1965. On the ecology of arboviruses in Czechoslovakia. 198 pp., Bratislava. [Includes mosquito-borne viruses.]

———, ČŮPKOVÁ, E. and JAKŮBÍK, J. 1966. Determination of Tahyna virus concentration threshold producing viraemia in sucking pigs. Acta Virol. 10(1):55-61.

BOORMAN, J. P. T. 1966. Studies on the growth and transmission of two viruses of the Bunyamwera group in *Aedes aegypti* Linn. Roy. Soc. Trop. Med. and Hyg. Trans. 60(3):332-342.

COLLINS, W. E. and HARRISON, A. J. 1965. Studies on the laboratory transmission of Group A arboviruses by anopheline mosquitoes. N.J. Mosquito Extermin. Assoc. Proc. 52:182-186.

DANDAWATE, C. N. and COWORKERS. 1965. Serological survey in Madras City with special reference to chikungunya. Indian J. Med. Res. 53(8):707-714.

DANIELOVÁ, V. 1966. Quantitative relationships of Tahyna virus and the mosquito *Aedes vexans*. Acta Virol. 10(1):62-65.

———. 1966. The relation of Tahyna to some species of mosquitoes of the genera *Aedes*, *Culex* and *Anopheles*. Folia Parasitologica (Praha) 13(2):97-102.

GALINDO, P., SRIHONGSE, S., RODANICHE, E. DE and GRAYSON, M. A. 1966. An ecological survey for arboviruses in Almirante, Panama, 1959-1962. Amer. J. Trop. Med. and Hyg. 15(3):385-400.

HADDOW, A. J. 1965. East African Virus Research Institute report July 1963 to December 1964. Rpt. No. 14, 73 pp., Entebbe.

HAMMAM, H. M. and PRICE, W. H. 1966. Further observations on geographic variation in the antigenic character of West Nile and Japanese B viruses. Amer. J. Epidemiol. 83(1):113-122.

HODAPP, C. J., HILLIS, W. D. and DAHL, E. V. 1966. Isolation of two arboviruses from *Aedes taeniorhynchus* Wiedemann. J. Med. Ent. 3(1):44-45.

JADHAV, M. and COWORKERS. 1965. Chikungunya disease in infants and children in Vellore: a report of clinical and haematological features of virologically proved cases. Indian J. Med. Res. 53(8):764-776.

JAMNBACK, H., BERG, E. and WHITNEY, E. 1965. A review of arbovirus surveillance on Long Island, 1959-1963. N.J. Mosquito Extermin. Assoc. Proc. 52:166-174.

KRISHNAMURTHY, K., KASTURI, T. E. and CHITTIPANTULU, G. 1965. Clinical and pathological studies of an outbreak of dengue-like illness in Visakhapatnam. Indian J. Med. Res. 53(8):800-812.

LEVY, H. B., SNELLBAKER, L. F. and BARON, S. 1966. Effect of interferon on RNA synthesis in Sindbis virus infected cells. Soc. Expt. Biol. and Med. Proc. 121(2):630-632.

MIROVSKY, J., VYMOLA, F. and LONG, H. T. T. 1965. The 1960 summer dengue epidemic in the Democratic Republic of Vietnam. I. Epidemiological observations. J. Hyg. Epidemiol. Microbiol. and Immunol. 9(3):356-363.

MYERS, R. M. and COWORKERS. 1965. The 1964 epidemic of dengue-like fever in South India: isolation of chikungunya virus from human sera and from mosquitoes. Indian J. Med. Res. 53(8):694-701.

OZAWA, Y., NAKATA, G., SHAD-DEL, F. and NAVAÍ, S. 1966. Transmission of African horse-sickness by a species of mosquito, *Aedes aegypti* Linnaeus. Amer. J. Vet. Res. 27(118):695-697.

PAUL, S. D., BANERJEE, K. and D'LIMA, L. 1965. Isolation of dengue viruses in primary cultures of *Macaca radiata* renal epithelial cells. Indian J. Med. Res. 53(8):790-799.

PAUL, S. D., DANDAWATE, C. N., BANERJEE, K. and KRISHNAMURTHY, K. 1965. Virological and serological studies on an outbreak of dengue-like illness in Visakhapatnam, Andhra Pradesh. Indian J. Med. Res. 53(8):777-789.

PERALTA, P. H. and SHELOKOV, A. 1966. Isolation and characterization of arboviruses from Almirante, Republic of Panama. Amer. J. Trop. Med. and Hyg. 15(3):369-378.

RAMACHANDRA RAO, A. 1965. An epidemic of fever in Madras—1964: a clinical study of 4,223 cases at the Infectious Diseases Hospital. Indian J. Med. Res. 53(8):745-755.

RAMACHANDRA RAO, T., CAREY, D. E. and PAVRI, K. M. 1965. Preliminary isolation and identification of chikungunya virus from cases of dengue-like illness in Madras City. Indian J. Med. Res. 53(8):689-693.

RANITZ, C. D., DE and COWORKERS. 1965. Clinical impressions of chikungunya in Vellore gained from study of adult patients. Indian J. Med. Res. 53(8):756-763.

SHARMA, H. M. and COWORKERS. 1965. Report on random survey conducted to assess the prevalence of a 'dengue-like' illness in Madras City—1964. Indian J. Med. Res. 53(8):720-728.

SINGH, K. R. P. and SARKAR, J. K. 1965. Isolation of chikungunya virus from *Aedes aegypti* from Calcutta, India. Cur. Sci. (Bangalore) 34(16):480-481.

SRIHONGSE, S., GALINDO, P. and GRAYSON, M. A. 1966. Isolation of group C arboviruses in Panama including two new members, Patois and Zegla. Amer. J. Trop. Med. and Hyg. 15(3):379-384. [Possibly mosquito-borne.]

THIRUVENGADAM, K. V., KALYANASUNDARAM, V. and RAJAGOPAL, J. 1965. Clinical and pathological studies on chikungunya fever in Madras City. Indian J. Med. Res. 53(8):729-744.

THIRUVENGADAM, K. V., RAMACHANDRA RAO, A., PAVRI, K. M. and RAMACHANDRA RAO, T. 1965. Haemagglutination inhibition tests on paired sera

collected from cases of dengue-like illness in Madras City. Indian J. Med. Res. 53(8):702-706.

WILCOCKS, C. 1965. Medical advance, public health and social evolution. 271 pp., Oxford [Includes arboviruses.]

YAKUBA, V. N. 1966. Seasonal changes in the population and diurnal rhythm of the activity of mosquitoes in a tularemia focus in central Yakutia. Zool. Zhur. 45(5):679-686. In Rus., Engl. Sum.

ENCEPHALITIS

ANIMAL HEALTH DIVISION. 1966. Reported incidence of arthropod borne encephalitis of equine in the United States in calendar year 1965. U. S. Dept. Agr. Anim. Health Div. 8 pp.

GOLDFIELD, M., ALTMAN, R. and KANDLE, R. P. 1965. The 1964 St. Louis encephalitis outbreak. N.J. Mosquito Extermin. Assoc. Proc. 52:105-110.

GREŠKOVÁ, M. and ZÁVADA, J. 1966. Attempts to induce immunological tolerance of western equine encephalomyelitis virus. Acta Virol. 10(1):75-77.

HARDY, J. L. 1966. *Culex tarsalis* Coquillett as a vector of an attenuated strain of western equine encephalomyelitis virus. Soc. Expt. Biol. and Med. Proc. 121(2):402-405.

JOBBINS, D. M. 1965. Mosquito incidence and the 1964 outbreak of St. Louis encephalitis. N.J. Mosquito Extermin. Assoc. Proc. 52:62-65.

LEWIS, A. L., SCHNEIDER, N. J., BOND, J. O. and HARDY, A. V. 1966. The 1962 epidemic of St. Louis encephalitis in Florida. V. Serologic diagnosis of cases. Amer. J. Epidemiol. 83(1):24-32.

MILLER, W. S. 1966. Susceptibility of White Carneau pigeons to respiratory infection by Venezuelan equine encephalitis virus. Amer. J. Epidemiol. 83(1):48-53.

MUCHA-MACÍAS, J. DE, SÁNCHEZ-SPINDOLA, I. and CAMPILLO-SAINZ, C. 1966. Venezuelan equine encephalomyelitis antibodies in human beings of southeastern Mexico. Amer. J. Trop. Med. and Hyg. 15(3):364-368.

ORDÓÑEZ, J. V., CARRILLO, J. A., MIRANDA, C. M. and GALE, J. L. 1966. Estudio epidemiológico de una enfermedad considerada como encefalitis en la región de los altos de Guatemala. Bol. Ofic. Sanit. Panamer. 60(6):510-519. Engl. Sum.

RUEGER, M. E., OLSON, T. A. and PRICE, R. D. 1966. Studies of potential avian, arthropod and mammalian hosts of mosquito-borne arboviruses in the Minnesota area. Amer. J. Epidemiol. 83(1):33-37.

SRIHONGSE, S. 1966. Rapid identification of Venezuelan and eastern equine encephalitis viruses using infected suckling mouse serum as the hemagglutinating antigen. Amer. J. Trop. Med. and Hyg. 15(3):401-405.

SULKIN, S. E., ALLEN, R. and SIMS, R. 1966. Studies of arthropod-borne virus infections in Chiroptera. III. Influence of environmental tem-

perature on experimental infection with Japanese B and St. Louis encephalitis viruses. Amer. J. Trop. Med. and Hyg. 15(3):406-417.

_____, _____ and SINGH, K. V. 1966. Studies of arthropod-borne virus infections in Chiroptera. IV. The immune response of the big brown bat (*Eptesicus f. fuscus*) maintained at various environmental temperatures to experimental Japanese B encephalitis virus infection. Amer. J. Trop. Med. and Hyg. 15(3):418-427.

SULKIN, S. E., SIMS, R. A. and ALLEN, R. 1966. Isolation of St. Louis encephalitis virus from bats (*Tadarida b. mexicana*) in Texas. Science 152(3719):223-225.

FILARIASIS

ABDULCADER, M. H. M., RAJAKONE, P., THARUMARAJAH, K. and MAHADEVA, R. 1965. Vectorial capacity of *Culex pipiens fatigans* in Ceylon. J. Trop. Med. and Hyg. (London) 68(10):254-256.

BEAM, F. D. 1965. Laboratory studies of *Aedes sollicitans* infected with *Dirofilaria immitis*, the dog heartworm. N.J. Mosquito Extermin. Assoc. Proc. 52:200-205.

BOSE, A. K. and SINHA, V. P. 1965. A review of filaria control programme in Bihar. Patna J. Med. 39(12):555-562.

DE MEILLON, B. 1966. Progress made by the filariasis research unit in research on the biology of *Culex fatigans*. WHO/Fil/66.59, 18 pp.

DIJK, W. J. O. M. VAN. 1965. The role of *Culex fatigans* in the transmission of *Wuchereria bancrofti* in New Guinea. Trop. and Geog. Med. 17(4):317-324.

LAIGRET, J., KESSEL, J. F., BAMBRIDGE, B. and ADAMS, H. 1966. Eleven years of chemoprophylaxis of non-periodic bancroftian filariasis with diethylcarbamazine in Tahiti. WHO/Fil/66.48, 24 pp.

MACDONALD, W. W. 1965. Factors affecting the transmission of filariae: the effect of parasitization by *Brugia malayi* in laboratory populations of *Aedes aegypti*. Entomologie Médicale Cah. Nos. 3/4:111-113.

MANTOVANI, A. and JACKSON, R. F. 1966. Transplacental transmission of microfilariae of *Dirofilaria immitis* in the dog. J. Parasitol. 52(1):116.

MARQUARDT, W. D. and FABIAN, W. E. 1966. The distribution in Illinois of filariids of dogs. J. Parasitol. 52(2):318-322.

MOREAU, J. P. 1965. Cycle expérimental de *Wuchereria bancrofti* chez *Culex pipiens* s. s. p. *fatigans* Wiedemann à Majunga. Méd. Trop. (Marseille) 25(4):486-490.

MOUCHET, J., GRJEBINE, A. and GRENIER, P. 1965. Transmission de la filariose de Bancroft dans la région éthiopienne. Entomologie Médicale Cah. Nos. 3/4:67-90.

OMORI, N. and COWORKERS. 1965. Susceptibility of *Culex pipiens fatigans* to *Wuchereria*

bancrofti in the Ryukyus, in comparison with that of *C. p. pallens* in Japan. *Endemic Dis. Bul.* (Nagasaki Univ.) 7(3):221-229.

ORIHIEL, T. C. and PACHECO, G. 1966. *Brugia malayi* in the Philippine macaque. *J. Parasitol.* 52(2):394.

PACHECO, G. 1966. Progressive changes in certain serological responses to *Dirofilaria immitis* infection in the dog. *J. Parasitol.* 52(2):311-317.

RAGEAU, J. 1965. La transmission de filariose de Bancroft (form subpériodique) dans des îles du Pacifique Sud. *Entomologie Médicale Cah. Nos.* 3/4:57-66.

RAMACHANDRAN, C. P. and PACHECO, G. 1965. American cotton rat (*Sigmodon hispidus*) as an experimental host for *Brugia pahangi*. *J. Parasitol.* 51(5):722-726.

SASA, M. 1966. Relation of intensity of filarial infection to severity of clinical manifestations. *WHO/Fil/66.51*, 21 pp.

SCHACHER, J. F. and KHALIL, G. M. 1965. *Culex pipiens molestus* as a laboratory vector of *Brugia pahangi*. *J. Parasitol.* 51(5):806.

SINGH, M. V., AGARWALA, R. S. and SRIVASTAVA, R. N. 1963. A note on the observation on the reappearance of *Microfilaria bancrofti* in cases treated with diethyl-carbamazine in doses scheduled under the National Filaria Control Programme. *Indian J. Malariol.* 17(4):279-284.

SINHA, V. P. 1965. *Microfilaria* in animals. *Patna J. Med.* 39(12):563.

TASAKA, S. 1965. Histo-pathological studies on the experimental filariasis of the cotton rat. *Jap. J. Parasitol.* 14(5):414-425. In *Jap., Engl. Sum.*

MALARIA

AL-DABAGH, M. A. 1966. Mechanisms of death and tissue injury in malaria. 240 pp., Baghdad.

BOSE, A. K., SINHA, V. P. and MISHRA, B. N. 1966. Case detection under malaria eradication programme. *Patna J. Med.* 40(5):221-223.

BOSE, A. K., SINHA, K. P., SINHA, V. P. and PRASAD, S. 1966. Observations on the results of cross-examination of slides for malarial parasites at State laboratory under N. M. E. P. Bihar. *Patna J. Med.* 40(5):216-220.

BROWN, K. N. and BROWN, I. N. 1965. Immunity to malaria: antigenic variation in chronic infections of *Plasmodium knowlesi*. *Nature* (London) 208(5017):1286-1288.

BURKE-GAFFNEY, H. J. O'D. 1966. Summary of recent abstracts. III. Malaria. *Trop. Dis. Bul.* 63(4):345-366.

CHAKRABARTI, A. K. 1966. Causes of missing malaria parasites in thick-smear examination and importance of expansion of activities of controlling laboratories. *Patna J. Med.* 40(5):210-212.

CORRADETTI, A. 1966. The origin of relapses

in human and simian malaria infections. *WHO/Mal/66.565*, 12 pp.

COUDERT, J. and COWORKERS. 1965. L'immuno-fluorescence dans le séro-diagnostic des paludismes humains expérimentaux et spontanés (à propos de 39 observations). *Soc. de Path. Exot. Bul.* 58(2):188-207. *Engl. Sum.*

CURTAIN, C. C. and BAUMGARTEN, A. 1965. The distribution of genetic factors in malaria antibodies as determined by a fluorescent antibody test. *Austral. J. Expt. Biol. and Med. Sci.* 43:351-358.

DOWLING, M. A. C. and SHUTE, G. T. 1966. A comparative study of thick and thin blood films in the diagnosis of scanty malaria parasitaemia. *WHO Bul.* 34(2):249-267.

FOGEL, B. J., SHIELDS, C. E. and VON DOENHOFF, A. E., JR. 1966. The osmotic fragility of erythrocytes in experimental malaria. *Amer. J. Trop. Med. and Hyg.* 15(3):269-275.

JELLIFFE, E. F. P. 1966. Low birthweight and malarial infection of the placenta. (A preliminary communication). *WHO/Mal/66.558*, 22 pp.

LUPASÇO, GH. BOSSIE-AGAVRILOAEI, A., LENGHEL, I. and SMOLINSKI, M. 1966. Sur un cas de paludisme a *Plasmodium ovale* provenant de Guinée. *WHO/Mal/66.551*, 8 pp. *Engl. Sum.*

MANSON-BAHR, P. H. 1966. Manson's tropical diseases. A manual of the diseases of warm climates. Ed. 16. 1131 pp., London. [Includes malaria.]

MCFARLANE, H. and VOLLER, A. 1966. Studies of immunoglobulins of Nigerians. Immunoglobulins and malarial infections in Nigerians. *WHO/Mal/66.553*, 10 pp.

PRINGLE, G. and AVERY-JONES, S. 1966. Observations on the early course of untreated falciparum malaria in semi-immune African children following a short period of protection. *WHO Bul.* 34(2):269-272.

SHERMAN, I. W. 1966. *In vitro* studies of factors affecting penetration of duck erythrocytes by avian malaria (*Plasmodium lophurae*). *J. Parasitol.* 52(1):17-22.

SHUTE, P. G. 1965. Some observations on malaria in children returning from holidays in the tropics. *Lancet* 7424:1232-1234.

SPENCER, M. 1965. Malaria in the D'Entrecasteaux Islands, Papua, with particular reference to *Anopheles jarauti* Laveran. *Linn. Soc. N. S. Wales* 90(1):115-127.

TRENT, R. D. 1965. Knowledge of the causation and treatment of malaria among the general public in Accra. *Ghana Med. J.* 4(4):141-145.

TURNER, M. W. and VOLLER, A. 1966. Studies on immunoglobulins of Nigerians. The immunoglobulin levels of a Nigerian population. *WHO/Mal/66.552*, 13 pp.

VINCKE, I. H. 1965. Les indices sporozoïtiques et oocystiques dans la Vallée de la Ruzizi. *Entomologie Médicale Cah. Nos.* 3/4:115-117.

VOLLER, A. 1966. The melano-flocculation test in malaria. *WHO/Mal/66.556*, 21 pp.

YOUNG, M. D. 1966. Scientific exploration and achievement in the field of malaria. *J. Parasitol.* 52(1):3-8.

Malaria—Eradication

AITKEN, T. H. G. and CASINI, G. U. 1966. Sardinia after malaria eradication. *WHO/Mal/66.546*, 16 pp.

BOSE, A. K. 1966. National Malaria Eradication Programme. *Patna J. Med.* 40(5):207-209.

———, SINHA, K. P., SINHA, V. P. and SEWAK, S. R. 1966. Land marks of malaria eradication in Bihar. *Patna J. Med.* 40(5):235.

GRIFFITH, M. E. 1966. The world-wide malaria eradication program. *Ent. Soc. Amer. Bul.* 12(2):130-136.

JOHNSON, D. R. 1966. Development of the worldwide malaria eradication program. *Mosquito News* 26(2):113-117.

MACDONALD, G. and GÖCKEL, G. W. 1966. Relación entre la tasa de parásitos de la malaria y la interrupción de la transmisión. *Bol. Ofic. Sanit. Panamer.* 60(6):520-538. *Engl. Sum.*

OFICINA SANITARIA PANAMERICANA. 1966. Progreso en la erradicación de la malaria en las Américas. *Bol. Ofic. Sanit. Panamer.* 60(6):539-541.

ROMÁN Y CARRILLO, G., ROMERO ALVAREZ, H. and GÓMEZ MENDOZA, I. 1965. Epidemiología del paludismo residual en México. Bases para su erradicación. *Salud Pùb. México* 7(4):501-504.

SALITERNIK, Z. 1966. Methods of malaria eradication under the conditions peculiar to Israel. *Israel J. Med. Sciences* 2(2):232-238.

SINHA, K. P. 1966. Maintenance phase of the National Malaria Eradication Programme. *Patna J. Med.* 40(5):224-228.

SINHA, V. P. and MISHRA, B. N. 1966. Studies on the entomological aspect of malaria eradication programme in Bihar from 1964 through 1965. *Patna J. Med.* 40(5):229-234.

Malaria—Plasmodia

ALDIGHIERI, J. and COWORKERS. 1965. Influence de la température ambiante sur l'évolution des infections à *Plasmodium berghei* chez la souris blanche, traitée par la nivaquine. *Soc. de Path. Exot. Bul.* 58(3):423-428. *Engl. Sum.*

BÜNGENER, W. 1965. Untersuchungen über die Aktivität von Nucleasen und purinabbauenden Fermenten bei experimenteller Malaria (*P. berghei*-Infektion der Ratte). *Z. f. Tropenmed. u. Parasitol.* 16(4):365-376. *Engl. Sum.*

HERMAN, Y. F., WARD, R. A. and HERMAN, R. H. 1966. Stimulation of the utilization of $1-^{14}$ C-glucose in chicken red blood cells infected with *Plasmodium gallinaceum*. *Amer. J. Trop. Med. and Hyg.* 15(3):276-280.

ISFAN, T. 1965. Contribution à l'étude du rôle joué par les cellules de la série lymphoïde

dans le processus d'immunogenèse chez les rats infectés avec *Plasmodium berghei*. *Arch. Roumaines Path. Expt. et Microbiol.* 24(2):477-488.

JERUSALEM, C. and HEINEN, U. 1965. Elektronenmikroskopische Untersuchungen am Malariaerreger (*Plasmodium berghei*) in polychromatischen und oxyphilen Erythrozyten. *Z. f. Tropenmed. u. Parasitol.* 16(4):377-394.

JERUSALEM and KRETSCHMAR, W. 1965. Veränderung im weissen Blutbild bei der Malaria (*Plasmodium berghei*) in NMRI-Mäusen und ihre Bedeutung für den Infektionsverlauf. *Z. f. Tropenmed. u. Parasitol.* 16(3):235-257.

KRETSCHMAR, W. 1965. Der Verlauf der Malaria (*Plasmodium berghei*) in hochresistenten Mäusestämmen. *Z. Versuchstierk.* 6(4/6):108-119. *Engl. Sum.*

LADDA, R., ARNOLD, J. and MARTIN, D. 1966. Electron microscopy of *Plasmodium falciparum*. The structure of trophozoites in erythrocytes of human volunteers. *Roy. Soc. Trop. Med. and Hyg. Trans.* 60(3):369-375.

LADDA, R. and LALLI, F. 1966. The course of *Plasmodium berghei* infection in the polycythemic mouse. *J. Parasitol.* 52(2):383-385.

LANDAU, I. and CHABAUD, A. G. 1965. Infection naturelle par deux *Plasmodium* du rongeur *Thomomys rutilus* en République Centre Africaine. *Acad. des Sci. (Paris) Compt. Rend.* 261(1):230-232.

MAHMOOD, A. 1966. Prolonged latent period with *Plasmodium falciparum* infections. *Brit. Med. J.* 5486:544-545.

MERDADO, T. I. 1965. Paralysis associated with *Plasmodium berghei* malaria in the rat. *J. Infect. Dis.* 115(5):465-472.

PICK, F. 1965. Sur la cristallisation xénobiologique de l'hémoglobine sanguine des souris et des rats blancs de laboratoire normaux et infestés par le *Trypanosoma cruzi*, le *Plasmodium berghei*, ou par différentes souches du virus grippal. *Ann. de Parasitol. Humaine et Compar.* 40(4):421-426.

POLLACK, S., GEORGE, J. N. and CROSBY, W. H. 1966. Effect of agents simulating the abnormalities of the glucose-6-phosphate dehydrogenase-deficient red cell on *Plasmodium berghei* malaria. *Nature (London)* 210(5031):33-35.

RUDZINSKA, M. A., TRAGER, W. and BRAY, R. S. 1965. Pinocytotic uptake and the digestion of hemoglobin in malaria parasites. *J. Protozool.* 12(4):563-576.

SADUN, E. H., WILLIAMS, J. S., MERONEY, F. C. and HUTT, G. 1965. Pathophysiology of *Plasmodium berghei* infection in mice. *Expt. Parasitol.* 17(3):277-286.

SANDOSHAM, A. A., YAP, L. F. and OMAR, I. 1965. A malaria parasite, *Plasmodium (Vinckei) boohati* sp. nov. from a Malayan giant flying squirrel. *Med. J. Malaya* 20(1):3-7.

SODEMAN, W. A., JR. and MEUWISSEN, J. H. E. T. 1966. Disk electrophoresis of *Plasmodium berghei*. *J. Parasitol.* 52(1):23-25.

SPIRA, D. and ZUCKERMAN, A. 1965. Blood loss and replacement in plasmodial infections. VI. *Plasmodium berghei* in splenectomized rats. J. Infect. Dis. 115(4):337-344.

WARREN, McW., COATNEY, G. R. and SKINNER, J. C. 1966. *Plasmodium jefferyi* sp. n. from *Hylobates lar* in Malaya. J. Parasitol. 52(1):9-13.

YOELI, M., VANDERBERG, J., UPMANIS, R. S. and MOST, H. 1965. Primary tissue phase of *Plasmodium berghei* in different experimental hosts. Nature (London) 208:(5013):903. [In *Anopheles quadrimaculatus*.]

Malaria—Simian

DEANE, L. M., DEANE, M. P., and NETO, J. F. 1966. Studies on transmission of simian malaria and on a natural infection of man with *Plasmodium simium*, in Brazil. WHO/Mal/66.560, 7 pp.

TARGETT, G. A. T. and FULTON, J. D. 1965. Immunization of rhesus monkeys against *Plasmodium knowlesi* malaria. Expt. Parasitol. 17(2):180-193.

WARREN, McW., SKINNER, J. C. and GUINN, E. 1966. Biology of the simian malarialias of Southeast Asia. I. Host cell preferences of young trophozoites of four species of *Plasmodium*. J. Parasitol. 52(1):14-16.

Malaria—Therapeutics and Antimalarials

ATTISSO, M. A. 1966. Etude de la stabilité de quelques échantillons de comprimés de sulfate de chloroquine utilisés dans les campagnes de masse de lutte antipaludique en République du Sénégal. WHO/Mal/66.540, WHO/Pharm/66.430. 14 pp., Engl. Sum.

———. 1966. Les antipaludiques d'utilisation courante en République du Sénégal d'après les données numériques. WHO/Mal/66.539, 11 pp. Engl. Sum.

CONTACOS, P. G., COATNEY, G. R., LUNN, J. S. and CHIN, W. 1966. The urinary excretion and the antimalarial activity of Cl-501 (cycloguanilpamoate, camolar®) against vivax and falciparum malaria. Amer. J. Trop. Med. and Hyg. 15(3):281-286.

FLETCHER, T. E. 1966. A method for the demonstration of pyrimethamine in the urine. (Preliminary communication). WHO/Mal/66.548, 4 pp.

FUHRMANN, G. and WERRBACH, K. 1965. Antimalarials in body fluids and excretion. 2. A field test for qualitative detection of amodiaquine (camoquin) in urine. 3. A field test for quantitative estimation of amodiaquine in urine. 4. A field test for the qualitative determination of pyrimethamine in urine. 5. A field test for the quantitative estimation of primaquine in urine.

Z. f. Tropenmed. u. Parasitol. 16(3):269-271; 272-277; 16(4):395-397; 397-400. In Ger., Engl. Sum.

GIGLIOLI, G., RUTTEN, F. J. and RAMJATTAN, S. 1966. Interruption of malaria transmission by chloroquinized salt in British Guiana with observations on a chloroquine resistant strain of *Plasmodium falciparum*. WHO/Mal/66.557, 38 pp.

JACOBI, K. 1965. Die standardisierung der Chemotherapie der Nagetiermalaria (*Plasmodium berghei*) an NMRI-Mäusen. Z. f. Tropenmed. u. Parasitol. 16(3):258-268.

LAING, A. B. G. 1966. The treatment of acute malaria with sulforthomidine and a combination of sulforthomidine and pyrimethamine. WHO Bul. 34(2):308-311.

PETERS, W. 1965. Mecaprine- and primaquine-resistant strains of *Plasmodium berghei*, Vincke and Lips, 1948. Nature (London) 208(5471):693-694.

POWELL, R. D. 1966. The chemotherapy of malaria. Clin. Pharmacol. and Therap. (St. Louis) 7(1):48-76.

SHUTE, G. T. and DOWLING, M. A. C. 1966. Effect of sulforthodimethoxine on parasites of *Plasmodium falciparum* and *Plasmodium malariae* on semi-immune schoolchildren in the western region of Nigeria. WHO/Mal/66.544, 12 pp.

VARMA, B. K. and SINHA, V. P. 1965. Studies on mass therapy with diethylcarbamazine citrate for filaria control in Ranchi, Bihar. Patna J. Med. 39(4):149-156.

Malaria—Antimalarials—Resistance

DEGOWIN, R. L., EPPES, R. B., CARSON, P. E. and Powell, R. D. 1966. The effects of 4,4'-diaminodiphenylsulfone against chloroquine-resistant *Plasmodium falciparum*. WHO/Mal/66.547, 22 pp.

HAWKING, F. 1966. Chloroquine resistance in *Plasmodium berghei*. Amer. J. Trop. Med. and Hyg. 15(3):287-293.

JEFFERY, G. M. and GIBSON, F. D. 1966. Studies of chloroquine resistance in *Plasmodium falciparum* in Upper Volta and Liberia, West Africa. WHO/Mal/66.545, 22 pp.

MACOMBER, P. B., O'BRIEN, R. L. and HAHN, F. E. 1966. Chloroquine: physiological basis of drug resistance in *Plasmodium berghei*. Science 152(3727):1374-1375.

PETERS, W. 1966. Drug responses of mecaprine- and primaquine-resistant strains of *Plasmodium berghei* Vincke and Lips, 1948. Ann. Trop. Med. and Parasitol. 60(1):25-30.

SHERMAN, I. W., MUDD, J. B. and TRAGER, W. 1965. Chloroquine resistance and the nature of malarial pigment. Nature (London) 208(5471):691-693.

WILSON, T. 1965. Chloroquine-resistant falciparum malaria. Lancet 7415:747-748.

Malaria—Vectors

RISHIKESH, N. 1966. Observations on anopheline vectors of malaria in an upland valley in Ethiopia. WHO/Mal/66.554, 25 pp.

YELLOW FEVER

CHIPPAUX-HYPPOLITE, C. and CHIPPAUX, A. 1966. Les anticorps antiamarils chez les enfants en République Centrafricaine. WHO Bul. 34(1): 105-111.

LIGHT AND OTHER TRAP STUDIES

ASLAM, N. A. 1966. A modified design for bed-trap for sampling malaria vectors. WHO/Mal/66.555, WHO/VC/66.205. 8 pp.

BAR-ZEEV, M. and SELF, L. S. 1966. A note on the use of window-traps as a tool for evaluating insecticides. Mosquito News 26(2):205-207.

HIBLER, C. P. and OLSEN, O. W. 1965. A trap for hematophagous Diptera. J. Parasitol. 51(6):1010-1011. [*Aedes* included.]

REUBEN, R. 1966. A comparison between a baited wooden hut with four entrance traps for mosquitoes, and a stable trap, at a village in Madras State. Roy. Soc. Trop. Med. and Hyg. Trans. 60(3):396-400.

SERVICE, M. W. and BOORMAN, J. P. T. 1965. An appraisal of adult mosquito trapping techniques used in Nigeria, West Africa. Entomologie Médicale Cah. Nos. 3/4:27-33.

LITERATURE REFERENCES AND REVIEWS

PARRISH, D. W., DECOURSEY, J. D. and GEARY, J. M. 1966. Present and future concepts in the gathering of entomological information. Ent. Soc. Amer. Bul. 12(2):128-129.

SOLLERS-RIEDEL, H. 1966. References to literature of interest to mosquito workers and malariologists. Mosquito News 26(2):287-297.

SUBJECTS NOT COVERED BY OTHER HEADINGS

BRIGGS, J. D. 1966. Activities of the WHO International Reference Centre for Diagnosis of Diseases of Vectors. WHO/EBL/66.73, 8 pp. [Includes mosquitoes.]

LESLIE, J. B. 1965. A review of the work of the State Mosquito Control Commission to date and a glimpse into the future. N.J. Mosquito Extermin. Assoc. Proc. 52:101-104.

MERRILL, L. G., JR. 1965. A reexamination of the Experiment Station's role in the total mosquito control program. N.J. Mosquito Extermin. Assoc. Proc. 52:44-47.

WILSON, A. B. and CLEMENTS, A. N. 1965. The nature of the skin reaction to mosquito bites in laboratory animals. Internat. Arch. Allergy and Appl. Immunol. 26(5):294-314. [*Aedes aegypti*.]