

CUMULATIVE BIBLIOGRAPHY 1953-1972
PARASITES, PREDATORS, VIRUSES AND RELATED AGENTS
(Biological Control of Mosquitoes)

HELEN SOLLERS-RIEDEL¹

P.O. Box 19009, Washington, D.C. 20036, U.S.A.

Cumulative bibliographies are needed in practically every field of mosquito literature. Because of time limitations and funding, we were forced to select only one category from the bibliography in "Mosquito News." The enthusiasm for biological control methods has grown from virtually nil in 1953 to over 40 references per year by 1972. The beginning date of 1953 was chosen because this will represent a 20-year spread through 1972. Naturally, there will be more references for 1972 but the bulk of the literature for that year probably should have come in. The selected references were taken from the Bibliography Section of "Mosquito News" up through the March 1973 issue. As usual, over 98 percent have been checked with the originals and periodical abbreviations have been changed to conform to present usage in the Bibliography Section.

This cumulative bibliography will be available as a reprint at a nominal cost from T. G. Raley, P.O. Box 278, Selma, California 93662.

- Adam, J. P. 1965. Transmission d'hémosporidies par des *Anopheles cavernicoles* dans les grottes du Congo (Brazzaville). WHO Bul. 32(4):598-602. Same title in Entomologie Médicale No. 3-4:189-190, 1965.
- Adhami, U. M. and Craig, G. B., Jr. 1965. Predation of *Eradysia coprophila* (Lint.) (Diptera: Sciaridae) on mosquito larvae. Mosquito News 25(4):487-488.
- Ahmed, W., Washino, R. K. and Giecke, P. A. 1970. Further biological and chemical studies on *Gambusia affinis* (Baird and Girard) in California. Calif. Mosquito Cont. Assoc. Proc. 38:95-97.
- Ahuja, S. K. 1964. Salinity tolerance of *Gambusia affinis*. Indian J. Expt. Biol. 2(1):9-11.
- Alekseev, A. N. 1971. On the immunity of insects. Ent. Obozr. 50(4):738-749. In Rus., Engl. Sum. [Immunity of mosquitoes to microorganisms included.]
- Alikhanov, Sh. G. 1972. On the infestation of natural populations of *Aedes caspius caspius* with microsporidians of the genus *Thelohania* in Azerbaïdzhân. Parazitologiya 6(4):381-385. In Rus., Engl. Sum.
- Anderson, J. F. 1968. Microsporidia parasitizing mosquitoes collected in Connecticut. J. Invert. Path. 11(3):440-455.
- . 1970. An iridescent virus infecting the mosquito *Aedes stimulans*. J. Invert. Path. 15(2):219-224.
- and Ringo, S. L. 1969. *Entomophthora aquatica* sp. n. infecting larvae and pupae of floodwater mosquitoes. J. Invert. Path. 13(3):386-393. [*Aedes canadensis* and *Culiseta morsitans*.]
- Anthony, D. W., Chapman, H. C. and Hazard, E. I. 1971. Scanning electron microscopy of the sporangia of species of *Coelomomyces* (Blastocladales: Coelomomycetaceae). J. Invert. Path. 17(3):395-403.
- Anthony, D. W. and Hall, D. W. 1970. Electron microscope studies of the "R" and "T" strains of mosquito iridescent virus in *Aedes taeniorhynchus* (Wied.) larvae. Internatl. Colloq. Insect Path. Proc. 4:386-395.
- Artyukhovskiy, A. K. and Kolycheva, R. N. 1965. On the mermitosis of mosquitoes of the genus *Aedes* in the bottomland of the Koper River. Zool. Zhur. 44(3):454-455. In Rus., Engl. Sum.
- Bailey, D. L., Barnes, W. W. and Dewey, R. W. 1967. A new Maryland record of *Thelohania* (Nosematidae: Microsporidia). J. Invert. Path. 9(3):354-356. [Isolated from *Aedes canadensis*.]
- , ——— and ———. 1967. *Stempellia magna* (Kudo) Nosematidae: Microsporidia) in *Culex restuans* Theobald from Virginia. Mosquito News 27(1):111-114.
- Baldwin, W. F., James, H. G. and Welch, H. E. 1955. A study of predators of mosquito larvae and pupae with a radio-active tracer. Canad. Ent. 87(8):350-356.
- Barr, A. R. 1958. The occurrence of mites on mosquitoes. J. Parasitol. 44(3):301. [Mainly *Mansonia perturbans*.]
- and Yen, J. 1972. Incompatibility in *Culex pipiens*. Internatl. Cong. Ent. Abstracts 14:122. Canberra. [*Wohlbachia pipientis*.]
- Barrett, W. L., Jr. 1968. Damage caused by *Lankesteria culicis* (Ross) to *Aedes aegypti* (L.). Mosquito News 28(3):441-444.
- , Miller, F. M. and Kliever, J. W. 1971. Distribution in Texas of *Lankesteria culicis* (Ross), a parasite of *Aedes aegypti* (L.). Mosquito News 31(1):23-27.
- Bartnett, R. E. 1971. The initiation of a bio-

¹This work was supported (in part) by Grant LM 00087 from the National Library of Medicine, National Institutes of Health, U. S. DHEW.

- logical control research program in the Harris County Mosquito Control District, Houston, Texas. Fla. Anti-Mosquito Assoc. Ann. Rpt. 42:41-44.
- Bay, E. C. 1965. Instant fish! A new tool for mosquito control? Pest Control 33(4):14-16, 58.
- . 1965. Preliminary findings concerning the adaptability of annual fishes to California mosquito habitats. Calif. Mosquito Cont. Assoc. Proc. 33:29-30.
- . 1966. Adaptation studies with the Argentine pearl fish, *Cynolebias bellottii*, for its introduction into California. WHO/EBL/66.68, 12 pp.
- . 1967. Mosquito control by fish: a present-day appraisal. WHO Chron. 21(10):415-423.
- . 1967. Potential for naturalistic control of mosquitoes. Calif. Mosquito Cont. Assoc. Proc. 35:34-37.
- . 1969. Fish predators. Calif. Mosquito Cont. Assoc. Proc. 37:15-16.
- . 1970. Biological control of mosquitoes—status and outlook. Calif. Mosquito Cont. Assoc. Proc. 38:46-47.
- . 1972. A preliminary assessment of the potentialities of larvivorous fishes for *Anopheles* control in West Africa. WHO/VBC/72.403, 10 pp.
- . 1972. Mosquitofish. A controversial friend to mosquito control. Pest Control 40(12):32-33.
- and Self, L. S. 1972. Observations of the guppy, *Poecilia reticulata* Peters in *Culex pipiens fatigans* breeding sites in Bangkok, Rangoon, and Taipei. WHO Bul. 46(3):407-416.
- Beam, F. D. 1966. Mortality of *Aedes sollicitans* Walker due to a high microfilaremia of dog heartworm, *Dirofilaria immitis* Leidy. N. J. Mosquito Extermin. Assoc. Proc. 53:117-126.
- Beirne, B. P. 1971. The future of biological controls. Internatl. Cong. Ent. (Moscow) Proc. 13(2):127-129.
- Bertram, D. S. 1965. Double infection of mosquitoes with a virus and a malarial parasite. Internatl. Cong. Ent. (London) Proc. 12:766-767.
- Eick, H. 1969. An illustrated guide to ciliated Protozoa used as "biological indicators" in freshwater ecology. Seventh fascicle. WHO/VBC/69.136, 35 pp.
- . 1969. An illustrated guide to ciliated Protozoa used as "biological indicators" in freshwater ecology. Ninth fascicle (Final fascicle). WHO/VBC/69.143, 21 pp.
- Bird, R. G. and Coauthors. 1970. Evidence of insect viruses in colonies of *Anopheles stephensi*. Roy. Soc. Trop. Med. and Hyg. Trans. 64(1):28-29.
- Bird, R. G., Draper, C. C. and Ellis, D. S. 1972. A cytoplasmic polyhedrosis virus in midgut cells of *Anopheles stephensi* and in the sporogonic stages of *Plasmodium berghei yoelii*. WHO Bul. 46(3):337-343.
- Bonnet, D. D. and Mukaida, T. 1957. A copepod predator on mosquito larvae. Mosquito News 17(2):99-100.
- Boyd, C. E. and Ferguson, D. E. 1964. Spectrum of cross-resistance to insecticides in the mosquito fish, *Gambusia affinis*. Mosquito News 24(1):19-21.
- and ———. 1964. Susceptibility and resistance of mosquito fish to several insecticides. J. Econ. Ent. 57(4):430-431.
- Briggs, J. D. 1964. Mass propagation of bacteria pathogenic for insects. WHO Bul. 31(4):495-497.
- . 1970. 1969 activities of the WHO International Reference Center for Diagnosis of Diseases of Vectors. WHO/VBC/70.250, 13 pp.
- . 1970. Principles of integrated control of disease vectors. Amer. Zoologist 10(4):567-571. [Includes mosquitoes.]
- Bronskill, J. F. 1962. Encapsulation of rhabditoid nematodes in mosquitoes. Canad. J. Zool. 40(7):1269-1275.
- Brooker, B. E. 1970. Desmosomes and hemidesmosomes in flagellate *Criethidia fasciculata*. Z. f. Zellforsch. u. Mikros. Anat. 105(2):155-166. [*Anopheles quadrimaculatus*.]
- Brooks, M. A. 1964. Symbiotes and the nutrition of medically important insects. WHO Bul. 31(4):555-559. [Includes mosquitoes.]
- Brown, A. W. A. 1972. Surveillance and control of *Culex* mosquitoes. S. E. Asian Minist. Educ. Org.-Tropmed. Vect. Control Workshop, Singapore 17-18 Aug., 7 pp.
- Euranerker, A. and Camarillo, F. Q. 1968. The comparative efficiency of four fishes predatory on mosquito larvae in Araneta University Foundation compound. Araneta J. Agr. 15(1):46-60.
- Burges, H. D. 1971. Possibilities of pest resistance to microbial control agents. In Microbial Control of Insects and Mites by H. D. Burges and N. W. Hussey (Editors), pp. 445-457. London, New York. Academic Press. [Includes mosquitoes.]
- Burke, W. D. and Ferguson, D. E. 1969. Toxicities of four insecticides to resistant and susceptible mosquitofish in static and flowing solutions. Mosquito News 29(1):96-101.
- Burton, G. J. 1963. Feeding of *Mansonia titillans* (Walker) on other mosquitoes. Mosquito News 23(2):164.
- Cairns, J., Jr. and Loos, J. J. 1966. Changes in guppy populations resulting from exposure to dieldrin. Progress. Fish-Culturist 28(4):220-226.
- Camey Pacheco, H. L. 1968. Encuesta para determinar la presencia de *Coelomomyces* (Blastocladales) y *Thelohania* (Sporozoa: Microsporidia) parasitos de larvas de *Anopheles*, en Guatemala, como contribucion a su

- possible control biológico. Escuela de Farmacia 29(357-359):2-20.
- Canning, E. U. 1957. On the occurrence of *Plistophora culicis* Weiser in *Anopheles gambiae*. Riv. di Malariol. 36(1-3):39-50. Engl. Sum.
- and Hulls, R. H. 1970. A microsporidian infection of *Anopheles gambiae* Giles, from Tanzania, interpretation of its mode of transmission and notes on *Nosema* infections in mosquitoes. J. Protozool. 17(4):531-539.
- Cantwell, G. E. and Laird, M. 1966. The World Health Organization kit for the collection and shipment of pathogens and parasites of diseased vectors. WHO/EBL/66.61, 6 pp. Also WHO/EBL/66.61 Corr. 1, 1 p.
- Caton, J. R. and Sjogren, R. D. 1969. A modified box trap for the capture of *Gambusia affinis*. Calif. Vector Views 16(7):69-70.
- Chan, K. L. 1968. Observations on *Toxorhynchites splendens* (Wiedemann) (Diptera: Culicidae) in Singapore. Mosquito News 28(1):91-95.
- Chao, J. and Wistreich, G. A. 1959. Microbial isolations from the mid-gut of *Culex tarsalis* Coquillett. J. Insect Path. 1(4):311-318.
- , — and Moore, J. 1963. Failure to isolate microorganisms from within mosquito eggs. Ent. Soc. Amer. Ann. 56(4):559-561.
- Chapman, H. C. 1967. A survey of Nauru Island for mosquitoes and their internal pathogens and parasites. WHO/VBC/67.28, 11 pp. [No internal parasites or pathogens observed in mosquitoes.]
- , Clark, T. B. and Petersen, J. J. 1970. Protozoans, nematodes, and viruses of anophelines. Ent. Soc. Amer. Misc. Pub. 7(1):134-139. [Discussion pp. 154-155.]
- , —, — and Woodard, D. B. 1968. Louisiana lab takes intensive look at parasites for mosquito control. Pest Control 36(5):64-73. [Passim.]
- , —, — and —. 1969. A two-year survey of pathogens and parasites of Culicidae, Chaoboridae, and Ceratopogonidae in Louisiana. N. J. Mosquito Extermin. Assoc. Proc. 56:203-212.
- Chapman, H. C. and Glenn, F. E., Jr. 1972. Incidence of the fungus *Coelomomyces punctatus* and *C. dodgei* in larval populations of the mosquito *Anopheles crucians* in two Louisiana ponds. J. Invert. Path. 19(2):256-261.
- Chapman, H. C. and Kellen, W. R. 1967. *Plistophora caecorum* sp. n., a microsporidian of *Culiseta inornata* (Diptera: Culicidae) from Louisiana. J. Invert. Path. 9(4):500-502.
- Chapman, J. M. and Ormerod, W. E. 1966. The survival of *Toxoplasma* in infected mosquitoes. J. Hygiene (London) 64(3):347-355.
- Chapman, H. C., Petersen, J. J. and Fukuda, T. 1972. Predators and pathogens for mosquito control. Amer. J. Trop. Med. and Hyg. 21(5 pt. 2):777-781.
- Chapman, H. C. and Woodard, D. B. 1966. *Coelomomyces* (Blastocladales: Coelomomycetaceae) infections in Louisiana mosquitoes. Mosquito News 26(2):121-123.
- , —, Kellen, W. R. and Clark, T. B. 1966. Host-parasite relationships of *Thelohania* associated with mosquitoes in Louisiana (Nosematidae: Microsporidia). J. Invert. Path. 8(4):452-456.
- Chapman, H. C., Woodard, D. B. and Petersen, J. J. 1967. Nematode parasites of Culicidae and Chaoboridae in Louisiana. Mosquito News 27(4):490-492.
- , — and —. 1967. Pathogens and parasites in Louisiana Culicidae and Chaoboridae. N. J. Mosquito Extermin. Assoc. Proc. 54:54-60.
- Chastel, C., Rageau, J. and Abonnenc, E. 1966. Présence de *Culicoides anophelis* Edwards, 1922 (Diptera, Ceratopogonidae) au Cambodge. Soc. de Path. Exot. Bul. 59(1):151-155. Engl. Sum. [Ectoparasite on four genera of mosquitoes.]
- Chen, P. S., Lin, Y. N. and Chung, C. L. 1971. Laboratory studies on the susceptibility of mosquito-eating fish, *Lebistes reticulatus* and the larvae of *Culex pipiens fatigans* to insecticides. Formosan Med. Assoc. J. 70(1):28-35.
- Cheng, T. H. 1963. Insect control in mainland China. Science 140(3564):269-277. [Includes *Pseudobagrus fulvidraco* as a predator of mosquito larvae.]
- Chodorowski, A. 1968. Predator-prey relation between *Mochlonyx culiciformis* and *Aedes communis*. Polskie Arch. Hydrobiol. 15(28):3:279-288.
- Chowdaiah, B. N. and Rajasekharan, P. T. 1972. Influence of larval color on the feeding habits of two major predators of mosquito larvae. Internatl. Cong. Ent. Abstracts 14:269. Canberra.
- Christie, M. 1958. Predation on larvae of *Anopheles gambiae* Giles. J. Trop. Med. and Hyg. 61(7):168-176.
- Clark, T. B. and Chapman, H. C. 1969. A polyhedrosis in *Culex salinarius* of Louisiana. J. Invert. Path. 13(2):312.
- , — and Fukuda, T. 1969. Nuclear-polyhedrosis and cytoplasmic-polyhedrosis virus infections in Louisiana mosquitoes. J. Invert. Path. 14(2):284-286.
- Clark, T. B. and Fukuda, T. 1967. Predation of *Culicoides cavaticus* Wirth and Jones larvae on *Aedes sierrensis* (Ludlow). Mosquito News 27(3):424:425.
- and —. 1967. *Stempellia magna* in the tree hole mosquito, *Aedes sierrensis*. J. Invert. Path. 9(3):430-431.
- and —. 1971. Field and laboratory observations of two viral diseases in *Aedes sollicitans* (Walker) in southwestern Louisiana. Mosquito News 31(2):193-199.
- and —. 1971. *Pleistophora chap-*

- mani* n. sp. (Cnidosporea: Microsporida) in *Culex territans* (Diptera: Culicidae) from Louisiana. J. Invert. Path. 18(3):400-404.
- Clark, T. B., Kellen, W. R., Fukuda, T. and Lindgren, J. E. 1967. Experiments on the biological control of mosquitoes with the fungus *Beauveria bassiana* (Bals.) Vuill. Calif. Mosquito Cont. Assoc. Proc. 35:99.
- , ———, and ———. 1968. Field and laboratory studies on the pathogenicity of the fungus *Beauveria bassiana* to three genera of mosquitoes. J. Invert. Path. 11(1):1-7. [*Culex*, *Aedes*, *Anopheles*.]
- Clark, T. B., Kellen, W. R. and Lindgren, J. E. 1963. Axenic culture of two Trichomyces from Californian mosquitoes. Nature (London) 197(4863):208-209.
- , ———, and Sanders, R. D. 1966. *Pythium* sp. (Phycomycetes: Pythiales) pathogenic to mosquito larvae. J. Invert. Path. 8(3):351-354. [*Aedes sierrensis*.]
- Clark, T. B., Kellen, W. R., Lindgren, J. E. and Smith, T. A. 1964. The transmission of *Crithidia fasciculata* Leger 1902 in *Culiseta incidens* (Thomson). J. Protozool. 11(3):400-402.
- Coluzzi, M. and Rioux, J. A. 1962. Primo reperto in Italia di larve di *Anopheles* parasitate da funghi del genere *Coelomomyces* Keilin. Descrizione di *Coelomomyces raffaelei* n. sp. (Blastocladales, Coelomomycetaceae). Riv. di Malariol. 41 (1-3):29-37. Engl. Sum.
- Corliss, J. O. 1961. Natural infection of tropical mosquitoes by ciliated Protozoa of the genus *Tetrahymena*. Roy. Soc. Trop. Med. and Hyg. Trans. 55(2):149-152.
- Cosgrove, W. B. 1959. Utilization of carbohydrates by the mosquito flagellate, *Crithidia fasciculata*. Canad. J. Microbiol. 5(6):573-578.
- Couch, J. N. 1972. Mass production of *Coelomomyces*, a fungus that kills mosquitoes. Natl. Acad. Sci. USA Proc. 69(8):2043-2047.
- Coz, J. 1966. Contribution à l'étude du parasitisme des adultes d'*Anopheles junestus* par *Gastromermis* sp. (Mermithidae). Soc. de Path. Exot. Bul. 59(5):881-889. Engl. Sum.
- Crisan, E. V. 1971. Mechanism responsible for release of toxin by *Metarrhizium* spores in mosquito larvae. J. Invert. Path. 17(2):260-264.
- Crowell, R. M. 1970. The parasitism of mosquitoes by Hydracarina, or water mites. N. J. Mosquito Extermin. Assoc. Proc. 57:173-177.
- Cunningham, J. C. and Tinsley, T. W. 1968. A serological comparison of some iridescent non-occluded insect viruses. J. General Virol. 3(1):1-8. [Includes mosquitoes.]
- Dabrowska-Prot, E. 1966. Experimental studies on the reduction of the abundance of mosquitoes by spiders. II. Activity of mosquitoes in cages. Acad. Pol. Sci. Sér. Sci. Biol. Bul. 14(11-12):771-775.
- . 1970. Influence of spiders on the behaviour of mosquito populations. Ekol. Polska 18(26):531-537.
- and Luczak, J. 1968. Studies on the incidence of mosquitoes in the food of *Tetragantha montana* Simon and its food activity in the natural habitat. Ekol. Polska Ser. A. 16(43):843-853. In Engl.
- , ——— and Tarwid, K. 1966. Experimental studies on the reduction of the abundance of mosquitoes by spiders. III. Indices of prey reduction and some controlling factors. Acad. Pol. Sci. Sér. Sci. Biol. Bul. 14(11-12):777-782.
- , ———, and ———. 1967. Experimental investigations on the reduction of forest mosquitoes by spiders. Wiad. Parazytol. 13 (4-5):449-453. In Pol.
- , ———, and ———. 1968. Prey and predator density and their reactions in the process of mosquito reduction by spiders in field experiments. Ekol. Polska Ser. A. 16 (40):773-819.
- , ——— and ———. 1968. The predation of spiders on forest mosquitoes in field experiments. J. Med. Ent. 5(2):252-256.
- Daad, R. H. 1971. Size limitations on the infectibility of mosquito larvae by nematodes during filter-feeding. J. Invert. Path. 18(2):246-251.
- Damodar, P., Perti, S. L. and Agarwal, P. N. 1964. The toxicity of solvent extract of the fungus, *Macrosporium* sp. to flies and mosquitoes. Indian J. Ent. 26(1):110-112.
- Dary, R. M. and Camey, L. 1966. Preliminary note on a survey for parasites of *Anopheles* larvae in Guatemala, as a contribution to relevant biological control research. WHO/EBL/66.75, 6 pp.
- Dasgupta, E. 1968. A possible virus disease of the malaria parasite. Roy. Soc. Trop. Med. and Hyg. Trans. 62(5):730.
- DeCoursey, J. D. and Shepard, M. C. 1954. Effect of a bacterium on the larvae of *Anopheles quadrimaculatus* Say. Nav. Med. Field Res. Lab., Camp Lejeune, N. C. Res. Proj. NM 005 052. 02.08. 5:169-180.
- Doll, J. M. and Bast, T. F. 1969. Three estuarine killifish as fresh water mosquito larvivores. Mosquito News 29(3):365-367.
- Dooley, T. P. 1968. Comparative effects of ABS and LAS on the mosquito minnow (*Gambusia affinis*). Texas J. Sci. 20(2):147-155.
- Dubitsky, A. M. 1971. Some results of investigations of natural enemies of mosquitoes (Diptera, Culicidae) in south-eastern Kazakhstan. Internat. Cong. Ent. (Moscow) Proc. 13(2):144-145. In Rus.
- , Danebekov, A. E. and Deshevykh, N. D. 1970. Detection in mosquito larvae of a fungus of the genus *Coelomomyces* in the south-eastern Kazakhstan. A preliminary report. Med. Parazit. i Parazit. Bolezni 39(6):737-738. In Rus., Engl. Sum.
- Dubitsky, A. M. and Deshevykh, N. D. 1970.

- Use of the gray loach *Nemachilus dorsalis* in the control of mosquito larvae in the desert zone of Kazakhstan. Preliminary report. In Problems of Control of Blood-sucking Flies. Minist. Health SSSR Rpt. Work Sess. Cent. Sci. Res. Gush. Dezinfe. pp. 120-121. In Rus.
- , ——, Levchenko, N. G. and Danekov, A. E. 1971. Methods of studying natural epizootics of blood-sucking mosquitoes. Med. Parazit. i Parazit. Bolezni. 40(6): 701-704.
- Dylko, M. I. 1971. Testing suitability of entobacterin and Boverin for biological control of mosquito larvae. Minsk Belaruskaya Akad. Navuk Vesti Ser. Biyalagichnykh Navuk No. 4:85-89. In Rus.
- Ehrhardt, D. A. and Sholdt, L. L. 1972. A portable box trap for the collection of *Gambusia affinis*. Mosquito News 35(1):115-117.
- Ehrlich, S. and Spielberg, D. 1960. Alteration of the environment of *Anopheles* larvae by nutria in the Naaman swamps, Acre District, Israel. Amer. J. Trop. Med. and Hyg. 9(3): 265-268.
- Ellis, R. A. and Borden, J. H. 1970. Predation by *Notonecta undulata* (Heteroptera: Notonectidae) on larvae of the yellow-fever mosquito. Ent. Soc. Amer. Ann. 63(4):963-973.
- Fabacher, D. L. and Chambers, H. 1971. A possible mechanism of insecticide resistance in mosquitofish. Bul. Environmtl. Contam. and Toxicol. 6(4):372-374.
- Fanara, D. M. 1964. Notes on the biology of a salt marsh minnow, *Cyprinodon variegatus*. N. J. Mosquito Extermin. Assoc. Proc. 51: 152-159.
- . 1972. Desert pond communities as influenced by biological and chemical mosquito controls. Internatl. Cong. Ent. Abstracts 14: 192. Canberra.
- Farr, D. F. and Lichtwardt, R. W. 1967. Some cultural and ultrastructural aspects of *Smitium culisetae* (Trichomycetes) from mosquito larvae. Mycologia 59(1):172-182.
- Faust, R. M., Dougherty, E. M. and Adams, J. R. 1968. Nucleic acid in the blue-green and orange mosquito iridescent viruses (MIV) isolated from larvae of *Aedes taeniorhynchus*. J. Invert. Path. 10(1):160.
- Fedder, M. L., Danilevsky, M. L. and Reznik, E. P. 1971. On finding of parasitic fungus of the genus *Coelomomyces* (Phycomycetes, Blastocladales) in *Aedes togoi* Theobald mosquitoes in the Primorsky region. Med. Parazit. i Parazit. Bolezni 40(2):201-204. In Rus., Engl. Sum.
- Federici, B. A. and Anthony, D. W. 1972. Formation of virion-occluding proteinic spindles in a Baculovirus disease of *Aedes triseriatus*. J. Invert. Path. 20(1):129-138.
- Federici, B. A. and Lowe, R. E. 1972. Studies on the pathology of a Baculovirus in *Aedes triseriatus*. J. Invert. Path. 20(1):14-21.
- Fenley, W. R. 1966. Field observations of *Aedes ventrovittis* Dyar (Diptera: Culicidae) parasitized by *Panispopsis* sp. (Acarina: Thyasidae). Mosquito News 26(4):583-584.
- Ferguson, D. E. 1969. The compatible existence of non-target species to pesticides. Ent. Soc. Amer. Bul. 15(4):363-366.
- and Bingham, C. R. 1966. The effects of combinations of insecticides on susceptible and resistant mosquito fish. Bul. Environmtl. Contam. and Toxicol. 1(3):97-103. [*Gambusia affinis*.]
- Ferguson, D. E. and Boyd, C. E. 1964. Apparent resistance to methyl parathion in mosquitofish, *Gambusia affinis*. Copeia No. 4:706.
- Ferguson, D. E., Culley, D. D., Cotton, W. D. and Dodds, R. P. 1964. Resistance to chlorinated hydrocarbon insecticides in three species of freshwater fish. BioScience 14(11):43-44. [Includes *Gambusia affinis*.]
- Ferguson, D. E., Ludke, J. L. and Murphy, G. G. 1966. Dynamics of endrin uptake and release by resistant and susceptible strains of mosquitofish. Amer. Fish. Soc. Trans. 95(4):335-344.
- Filshie, B. K., Grace, T. D. C., Poulson, D. F. and Rehacek, J. 1967. Virus-like particles in insect cells of three types. J. Invert. Path. 9(2):271-273. [*Aedes aegypti* included.]
- Fischer, Z. 1964. Some observations concerning the food consumption of the dragon fly larvae of *Erythromma najas* Hans and *Coenagrion hastulatum* Charp. Polskie Arch. Hydrobiol. 12(2):253-254. In Pol., Engl. Sum. [*Culex* sp. included.]
- Fisher, H. J., Smith, L. W., Jr. and Enns, W. R. 1970. The fate of fish introduced as predators on insects in Missouri oxidation lagoons. Mosquito News 30(4):523-527.
- Fisher, J. L., Washino, R. K. and Fowler, J. 1972. Populations of *Gambusia affinis* in a cline of oxidation ponds. Calif. Mosquito Cont. Assoc. Proc. 40:120-121.
- Fowler, J. 1964. *Gambusia* fish for rice field mosquito control in California. Utah Mosquito Abat. Assoc. Proc. 17:23-24.
- . 1964. The use of *Gambusia* fish in the control of rice field mosquitoes. Calif. Mosquito Cont. Assoc. Proc. 32:54-55.
- . 1970. Introduction to panel: a review of *Gambusia* effectiveness. Calif. Mosquito Cont. Assoc. Proc. 38:72.
- Fox, R. M. and Weiser, J. 1959. A microsporidian parasite of *Anopheles gambiæ* in Liberia. J. Parasitol. 45(1):21-30.
- Franz, D. R. and Hagmann, L. E. 1962. A microsporidian parasite of *Aedes stimulans* (Walker). Mosquito News 22(3):302-303.
- Frohner, W. C. 1959. Predation of dance flies (Diptera: Empididae) upon mosquitoes in Alaska, with especial reference to swarming. Mosquito News 19(1):7-11.
- Fukuda, T. 1971. Per os transmission of Chilo iridescent virus to mosquitoes. J. Invert. Path. 18(1):152-153.

- Gabriel, B. P. 1968. Entomogenous microorganisms in the Philippines: new and past records. *Philippine Ent.* 1(2):97-130. [Mosquitoes included.]
- Gad, A. M. and Sadek, S. 1968. Experimental infection of *Anopheles pharoensis* larvae with *Coelomomyces indicus*. *Egypt Pub. Health Assoc. J.* 43(5):387-391.
- , ——— and Fateen, Y. A. 1967. The occurrence of *Coelomomyces indicus* Iyengar in Egypt, U. A. R. *Mosquito News* 27(2):201-202.
- Ganguly, G. 1972. Insect pathogens and control of arthropod vectors. *Patna J. Med.* 46(9):265-271. [Mosquito parasites included.]
- Garcia, R. and Schlinger, E. I. 1972. Studies of spider predation on *Aedes dorsalis* (Meigen) in a salt marsh. *Calif. Mosquito Cont. Assoc. Proc.* 40:117-118.
- Garnham, P. C. C. 1956. Microsporidia in laboratory colonies of *Anopheles*. *WHO Bul.* 15(3-5):845-847.
- Gentile, A. G., Fay, R. W. and McCray, E. M., Jr. 1971. The distribution, ethology and control potential of the *Lankesteria culicis* (Ross)—*Aedes aegypti* (L.) complex in southern United States. *Mosquito News* 31(1):12-17.
- George, M. J. 1963. Studies on infestation of *Pistia striatiotes* Linn. by the caterpillar of *Namangana pectinicornis* Hymps., a noctuid moth, and its effects on *Mansonioides* breeding. *Indian J. Malariol.* 17(2-3):149-155. [*Mansonia*.]
- Gerberich, J. B. and Laird, M. 1966. An annotated bibliography of papers relating to the control of mosquitoes by the use of fish (revised and enlarged to 1965). WHO/EBL/66.71, WHO/Mal/66.562. 107 pp.
- Gerhardt, R. W. 1955. The effect of an insecticide treatment on some natural invertebrate predators in rice fields. *Calif. Mosquito Cont. Assoc. Proc.* 23:124-125.
- . 1956. Further studies on the effect of insecticide treatment on some natural predators in California rice fields. *Calif. Mosquito Cont. Assoc. Proc.* 24:53-55.
- and Gentile, A. G. 1956. Notes on the value of *Gambusia* top minnows as a mosquito control measure for California rice fields. *Calif. Mosquito Cont. Assoc. Proc.* 24:72-73.
- Gillett, J. D. 1957. On the habits and life history of captive emesine bugs (Hemiptera: Reduviidae). *Roy. Ent. Soc. London Proc. Ser. A.* 32(10-12):193-195. [*Aedes aegypti* and *A. africanus* as food for the bugs.]
- Gillies, M. T. 1962. Interspecific competition in mosquitoes—has it any bearing on biological control? *Internat. Cong. Ent. Proc. (Wien)* 11(2):502-503.
- Golberg, A. M. 1969. Detection of entomophagous fungi on mosquitoes (Family Culicidae) and midges (Family Ceratopogonidae). *Med. Parazit. i Parazit. Bolezni* 38(1):21-23. In Rus., Engl. Sum.
- . 1970. Experimental infection of mosquitoes of the Family Culicidae with entomophthorosis. Communication I: Species specificity of the fungus of *Entomophthora* sp. *Med. Parazit. i Parazit. Bolezni* 39(4):472-478. In Rus., Engl. Sum.
- . 1970. Experimental infection with entomophthorosis of mosquitoes of the Family Culicidae. Communication II. Susceptibility to entomophthorosis of preimaginal stages and adult *Culex pipiens* L. mosquitoes. *Med. Parazit. i Parazit. Bolezni* 39(6):694-698. In Rus., Engl. Sum.
- . 1971. Microsporidia of *Culex pipiens* L. mosquitoes. *Med. Parazit. i Parazit. Bolezni* 40(2):204-206. In Rus., Engl. Sum.
- Golvan, Y. J. and Théodoridès, J. 1955. Le Hérisson (*Erinaceus europaeus* L.), prédateur des larves d'un Culicidae: *Aedes rusticus* Rossi 1790. *Ann. de Parasitol. Humaine et Compar.* 30(4):420-422.
- Goma, L. K. H. 1964. Observations on predation of *Toxorhynchites* larvae. *East Afr. Virus Res. Inst. Rpt.* 13:59.
- Goodyear, C. P. and Ferguson, D. E. 1969. Sun-compass orientation in the mosquitofish, *Gambusia affinis*. *Animal Behav.* 17(4):636-640.
- Gudzhabidze, Sh. I. and Streltsov, V. P. 1970. A mode of transportation of gambusia. *Med. Parazit. i Parazit. Bolezni* 39(3):360-361. In Rus.
- Gugnani, H. C., Wattal, B. L. and Kalra, N. L. 1965. A note on *Coelomomyces* infection in mosquito larvae. *Indian Soc. Malaria and other Commun. Dis. Bul.* 2(4):333-337.
- Haas, R. 1965. Preliminary report on experimental introductions of *Nothobranchius guentheri* (Pfeffer), an annual cyprinodont fish, as a potential mosquito larvivore. WHO/EBL/39.65. 9 pp.
- . 1966. Laboratory maintenance of *Nothobranchius guentheri* (Pfeffer). WHO/EBL/44.48, 7 pp. [May feed on mosquito larvae.]
- Haddow, A. J. 1960. Mosquito ectoparasites. *East Afr. Virus Res. Inst. Rpt.* 10:48.
- Hall, D. W. and Anthony, D. W. 1971. Pathology of a mosquito iridescent virus (MIV) infecting *Aedes taeniorhynchus*. *J. Invert. Path.* 18(1):61-69.
- Hall, D. W. and Lowe, R. E. 1971. A new distribution record for the mosquito iridescent virus (MIV). *Mosquito News* 31(3):448-449.
- and ———. 1972. Physical and serological comparisons of "R" and "T" strains of mosquito iridescent virus from *Aedes taeniorhynchus*. *J. Invert. Path.* 19(3):317-324.
- Hansen, D. J. 1972. DDT and malathion: effect on salinity selection by mosquitofish. *Amer. Fish. Soc. Trans.* 101(2):346-350.
- Harrap, K. A. and Tinsley, T. W. 1971. A suggested Latinized nomenclature of occluded insect viruses. *J. Invert. Path.* 17(2):294-296.

- Harrington, R. W., Jr. 1956. Some features of the mosquito fish problem on salt marshes. Fla. Anti-Mosquito Assoc. Ann. Rpt. 27:109-113.
- . 1958. Fish eggs and mosquito eggs on a marsh. Fla. Anti-Mosquito Assoc. Ann. Rpt. 29:25.
- Harrington, R. W. and Harrington, E. S. 1961. Food selection among fishes invading a high subtropical salt marsh: from onset of flooding through the progress of a mosquito brood. Ecology 42(4):646-666.
- Hart, H. G. 1970. Mosquito fish in Yolo County. Calif. Mosquito Cont. Assoc. Proc. 38:72-73.
- Hasan, S., Croizier, G., Vago, C. and Duthoit, J. L. 1970. Infection of an iridescent virus in a natural population of *Aedes detritus* Haliday in France. Ann. de Zool. Écol. Animale 2(2):295-299. In Fr., Engl. Sum.
- Hasan, S., Vago, C. and Kuhl, G. 1971. Infection of *Aedes detritus* Hal. with mosquito iridescent virus. WHO Bul. 45(2):268-269.
- Hati, A. K. and Ghosh, S. M. 1961. *Vorticella* infestation of mosquito larvae and its effect on their growth and longevity. Calcutta Schl. Trop. Med. Bul. 9(4):155.
- and ———. 1962. Study on a water scorpion (*Laccotrephes maculatus*) as a predator of mosquito larvae and pupae. Calcutta Schl. Trop. Med. Bul. 10(3):120-121.
- and ———. 1963. Ciliated protozoal infection in *Culex fatigans* larvae. Calcutta Schl. Trop. Med. Bul. 11(3):109.
- and ———. 1963. On the gregarine (*Lankesteria culicis* Ross) infection in *Aedes aegypti* mosquito in Calcutta. Calcutta Schl. Trop. Med. Bul. 11(1):7-8.
- and ———. 1965. *Aspergillus parasiticus* infection in adult mosquitoes. Calcutta Schl. Trop. Med. Bul. 13(1):18-19.
- Hayes, G. R., Jr. and Haverfield, L. E. 1971. Distribution and density of *Aedes aegypti* (L.) and *Lankesteria culicis* (Ross) in Louisiana and adjoining areas. Mosquito News 31(1):28-32.
- Hazard, E. I. 1971. Microsporidian diseases in mosquito colonies: *Nosema* in two *Anopheles* colonies. Internat. Colloq. on Insect Path. Proc. 4:267-271.
- and Lofgren, C. S. 1971. Tissue specificity and systematics of a *Nosema* in some species of *Aedes*, *Anopheles*, and *Culex*. J. Invert. Path. 18(1):16-24.
- Hazard, E. I. and Savage, K. E. 1970. *Stempel-*lia lunata** sp. n. (Microsporida: Nosematidae) in larvae of the mosquito *Culex pilosus* collected in Florida. J. Invert. Path. 15(1):49-54.
- Hazard, E. I. and Weiser, J. 1968. Spores of *Thelohania* in adult female *Anopheles*: development and transovarial transmission, and re-descriptions of *T. legeri* Hesse and *T. obesa* Kudo. J. Protozool. 15(4):817-823.
- Heidt, J. H. 1961. *Belonesox belizanus*, the enemy of mosquito control workers. Fla. Anti-Mosquito Assoc. Ann. Rpt. 32:47-49. [Kills *Gambusia*.]
- Heimpel, A. M. 1965. The specificity of the pathogen *Bacillus thuringiensis* var. *thuringiensis* Berliner for insects. Internat. Cong. Ent. (London) Proc. 12:736. [*Aedes aegypti*.]
- . 1967. A critical review of *Bacillus thuringiensis* var. *thuringiensis* Berliner and other crystalliferous bacteria. Ann. Rev. Ent. 12:287-322. [Mosquitoes included.]
- Hildemann, W. H. and Walford, R. L. 1963. Annual fishes-promising species as biological control agents. J. Trop. Med. and Hyg. 66(7):163-166.
- Hokama, Y. and Washino, R. K. 1966. Potential invertebrate predator-prey relationships in a rice field habitat. Calif. Mosquito Cont. Assoc. Proc. 34:59.
- Hoy, J. B., Kauffman, E. E. and O'Berg, A. G. 1972. A large-scale field test of *Gambusia affinis* and chlorpyrifos for mosquito control. Mosquito News 32(2):161-171.
- Hoy, J. B., O'Berg, A. G. and Kauffman, E. E. 1971. The mosquitofish as a biological control agent against *Culex tarsalis* and *Anopheles freeborni* in Sacramento Valley rice fields. Mosquito News 31(2):146-152.
- Hoy, J. B. and O'Grady, J. J. 1971. Populations of mosquitofish in rice fields. Calif. Mosquito Cont. Assoc. Proc. 39:107.
- Hoy, J. B. and Reed, D. E. 1970. Biological control of *Culex tarsalis* in a California rice field. Mosquito News 30(2):222-230.
- and ———. 1971. The efficacy of mosquitofish for control of *Culex tarsalis* in California rice fields. Mosquito News 31(4):567-572.
- Hu, S. M. K. 1955. Progress report on biological control of *Aedes albopictus* Skuse in Hawaii. Calif. Mosquito Control Assoc. Proc. 23:23.
- Hudson, J. E. and Clark, D. J. 1971. Predation by spiders on mosquitoes resting in houses in Tanzania. Mosquito News 31(3):445.
- Hurlbert, S. H., Zedler, J. and Fairbanks, D. 1972. Ecosystem alteration by mosquitofish (*Gambusia affinis*) predation. Science 175(4022):639-641.
- Ignoffo, C. M. 1968. Specificity of insect viruses. Ent. Soc. Amer. Bul. 14(4):265-276. [Mosquitoes included.]
- Ikeshoji, T. 1965. Predation of *Armigeres* larvae on *Culex pipiens fatigans* larvae. WHO/Vector Cont./134.65. 6 pp.
- . 1966. Bionomics of *Culex (Lutzia) fuscanus*. Jap. J. Expt. Med. 36(3):321-334. [Predator of *Culex pipiens quinquefasciatus*.]
- Ichenko, L. Ya. 1968. Infection rate of *Culex pipiens* mosquitoes with parasitizing fungus *Entomophthora conglomerata* Sorok. in the vicinity of Novocherkassk. Med. Parazit. i Parazit. Bolezni 37(5):613-614. In Rus., Engl. Sum.

- Jalil, M. and Mitchell, R. 1972. Parasitism of mosquitoes by water mites. *J. Med. Ent.* 9(4): 305-311.
- James, H. G. 1957. *Mochlonyx velutinus* (Ruthe) (Diptera: Culicidae), an occasional predator of mosquito larvae. *Canad. Ent.* 89(10):470-480. [Chaoborinae.]
- . 1961. Some predators of *Aedes stimulans* (Walk.) and *Aedes trichurus* (Dyar) (Diptera: Culicidae) in woodland pools. *Canad. J. Zool.* 39(4):533-540.
- . 1965. Predators of *Aedes atropalpus* (Coq.) (Diptera: Culicidae) and of other mosquitoes breeding in rock pools in Ontario. *Canad. J. Zool.* 43(1):155-159.
- . 1965. The role of Coleoptera in the natural control of mosquitoes in Canada. *Internat. Cong. Ent. (London) Proc.* 12:357-358.
- . 1966. Insect predators of univoltine mosquitoes in woodland pools of the Pre-Cambrian Shield in Ontario. *Canad. Ent.* 98(5):550-555.
- . 1966. Location of univoltine *Aedes* eggs in woodland pool areas and experimental exposure to predators. *Mosquito News* 26(1): 59-63.
- . 1967. Activity and sequence of mosquito predators in woodland pools in Ontario. *Calif. Mosquito Cont. Assoc. Proc.* 35:95.
- . 1967. Seasonal activity of mosquito predators in woodland pools in Ontario. *Mosquito News* 27(4):453-457.
- . 1969. Immature stages of five diving beetles (Coleoptera: Dytiscidae), notes on their habits and life history, and a key to aquatic beetles of vernal woodland pools in southern Ontario. *Ent. Soc. Ontario Proc.* 100:52-97. [Predators of mosquito larvae.]
- Jenkins, D. W. 1964. Pathogens, parasites and predators of medically important arthropods. Annotated list and bibliography. *WHO Bul.* 30(Suppl.):1-150. [Chapter 7 on mosquitoes.]
- and West, A. S. 1954. Mermithid nematode parasites in mosquitoes. *Mosquito News* 14(3):138-143.
- Jeu, M. H. 1962. The ectoparasitic mites of *Anopheles hyrcanus* var. *sinensis* Wied. and *Musca domestica vicina* Macq. and their influence on the reproduction of the hosts. *Acta Ent. Sinica* 11(2):135-137. In *Chin., Engl. Sum.*
- Johnson, W. E., Jr. 1964. Parasitic Hydracarina observed on mosquitoes at the Wichita Mountains Wildlife Refuge. *Mosquito News* 24(3):336-338.
- Kale, H. W., II. 1968. The relationship of purple martins to mosquito control. *Auk* 85(4):654-661. [No evidence that these birds could control mosquitoes at or near peak abundance.]
- Kalucy, E. C. 1972. Parasitism of *Anopheles annulipes* Walker by a mermithid nematode. *Mosquito News* 32(4):582-585.
- and Daniel, A. 1972. The reaction of *Anopheles annulipes* larvae to infection by *Aeromonas punctata*. *J. Invert. Path.* 19(2): 189-197.
- Kamal, K. and Sinha, V. P. 1972. Recent studies on the microbial control of vectors of medical importance. *Patna J. Med.* 46(9): 259-263. [Mainly concerns mosquitoes.]
- Kellen, W. R. 1960. Recent advances in biological control in mosquito abatement. *Calif. Mosquito Cont. Assoc. Proc.* 28:87-88.
- . 1960. The control of mosquitoes by pathogenic microorganisms. *Mosquito News* 20(2):133-135.
- . 1961. Biological control. *Calif. Mosquito Cont. Assoc. Proc.* 29:109.
- . 1962. Microsporidia and larval control. *Mosquito News* 22(2):87-95.
- . 1963. Research on biological control of mosquitoes. *Calif. Mosquito Cont. Assoc. Proc.* 31:23-25.
- . 1965. Microsporidia as parasites of mosquitoes. *Internat. Cong. Ent. (London) Proc.* 12:728-729.
- , Chapman, H. C., Clark, T. B. and Lindgren, J. E. 1965. Host-parasite relationships of some *Thelohania* from mosquitoes (Nosematidae: Microsporidia). *J. Invert. Pathol.* 7(2):161-166.
- , ———, ——— and ———. 1966. Transovarian transmission of some *Thelohania* (Nosematidae: Microsporidia) in mosquitoes of California and Louisiana. *J. Invert. Path.* 8(3):355-359.
- Kellen, W. R., Clark, T. B. and Lindgren, J. E. 1963. A new host record for *Coelomomyces psorophorae* Couch in California (Blastocladales: Coelomomycetaceae). *J. Insect Path.* 5(2):167-173.
- , ——— and ———. 1963. A possible polyhedrosis in *Culex tarsalis* Coquillett (Diptera: Culicidae). *J. Insect Path.* 5(1):98-103.
- , ——— and ———. 1967. Two previously undescribed *Nosema* from mosquitoes of California (Nosematidae: Microsporidia). *J. Invert. Path.* 9(1):19-25. [*N. chapmani* and *N. lunatum*.]
- , ———, ——— and Sanders, R. D. 1966. A cytoplasmic-polyhedrosis virus of *Culex tarsalis* (Diptera: Culicidae). *J. Invert. Path.* 8(3):390-394.
- , ———, ——— and ———. 1966. Development of *Thelohania californica* in two hybrid mosquitoes. *Expt. Parasitol.* 18(2): 251-254.
- Kellen, W. R. and Coworkers. 1965. *Bacillus sphaericus* Neide as a pathogen of mosquitoes. *J. Invert. Path.* 7(4):442-448.
- Kellen, W. R. and Lipa, J. J. 1960. *Thelohania californica* n. sp., a microsporidian parasite of *Culex tarsalis* Coquillett. *J. Insect Path.* 2(1): 1-12.
- Kellen, W. R. and Myers, C. M. 1964. *Bacillus*

- sphaericus* Neide as a pathogen of mosquitoes. Calif. Mosquito Cont. Assoc. Proc. 32:37.
- Kellen, W. R. and Wills, W. 1962. New *Thelohania* from Californian mosquitoes (Nosematidae: Microsporidia). J. Insect Path. 4(1): 41-56.
- and —. 1962. The transovarian transmission of *Thelohania californica* Kellen and Lipa in *Culex tarsalis* Coquillett. J. Insect Path. 4(3):321-326.
- , — and Lindegren, J. E. 1961. Ciliatosis in *Aedes sierrensis* (Ludlow). J. Insect Path. 3(3):335-338.
- Khalilulin, G. L. and Ivanov, S. L. 1971. Infection of larvae of *Aedes communis* DeG. with the microsporidia *Thelohania opacita* Kudo in the Mari ASSR. Parazitologiya 5 (1):98-100. In Rus., Engl. Sum.
- Khalilulin, G. L. and Lavrentev, P. A. 1972. On diagnosing diseases of mosquito larvae. Veterinariya 5:26-29. In Rus.
- Kidder, G. W. and Dutta, B. N. 1958. The growth and nutrition of *Crithidia fasciculata*. J. General Microbiol. 18(3):621-638. [A trypanosomid parasite of mosquitoes.]
- Kovchazov, G. 1963. A parasite from Bulgarian *Anopheles maculipennis*. WHO/EBL/13, WHO/Mal/410. 3 pp. [A trematode.]
- and Kolarov, K. 1966. Laboratory and field studies of exotic, larvivorous annual fish, at Varna, Bulgaria. WHO/EBL/66.67, 11 pp.
- Kudo, R. R. 1962. Microsporidia in southern Illinois mosquitoes. J. Insect Path. 4(3):353-356.
- and Daniels, E. W. 1963. An electron microscope study of the spore of a microsporidian, *Thelohania californica*. J. Protozool. 10(1):112-120.
- Kühlhorn, F. 1961. Untersuchungen über die bedeutung verschiedener vertreter der hydrofauna und-flora als natürliche begrenzungs-faktoren für *Anopheles*-larven (Dipt., Culicidae). Z. Angew. Zool. 48(2):129-161. Engl. Sum.
- , 1962. Untersuchungen über die bedeutung der vermilbung bei *Anopheles*. Internat. Cong. Ent. (Wien) Proc. 11(2):870-874. [*Arrenurus globator* on *A. bifurcatus* and *Arrenurus buccinator* on *A. messeae*.]
- , 1965. An investigation of the natural enemies of *Anopheles* larvae (Diptera: Culicidae) in different areas at varying altitudes in West Germany. WHO/EBL/37.65, 18 pp.
- Kupriyanova, E. S. 1966. *Entomophthora* fungus parasitizing mosquitoes of the *Culex pipiens* L. complex. Zool. Zhur. 45(5):675-678. In Rus., Engl. Sum.
- , 1966. Parasitization of mosquitoes of the *Culex pipiens* L. complex by fungi of the order Entomophthorales. WHO/EBL/66.57, 10 pp. [Kupriyanova in original WHO series.]
- , 1969. Finding of parasitic fungus of the genus *Coelomomyces* in mosquito larvae in the Primorsky kray. Med. Parazit. i Parazit. Bolezni 38(4):494-495. In Rus.
- Kuznetsov, V. G. and Mikheeva, A. I. 1970. The occurrence of the fungus *Coelomomyces* in larvae of *Aedes* from the Far East. Parazitologiya 4(4):392-393. In Rus., Engl. Sum.
- Lac, J. 1959. Bewertung der bedeutung von amphibien vom standpunkt der mückenbekämpfung auf der Schütt-Insel (Zitný Ostrov, Südslowakei). Biologia (Bratislava) 14(4): 265-272. In Czech., Ger. Sum.
- Laigo, F. M. 1968. The distributional pattern of insect pathogenic *Nosema* species in the Sclater-Wallace zoogeographical regions. Philippine Ent. 1(1):33-39.
- Laing, J. E. and Welch, H. E. 1962. A dolichopodid predacious on larvae of *Culex restuans* Theob. Ent. Soc. Ontario Proc. 93:89-90. [Pub. Sept. 1963.]
- Laird, M. 1956. A new species of *Coelomomyces* (fungi) from Tasmanian mosquito larvae. J. Parasitol. 42(1):53-55.
- , 1959. Biological solutions to problems arising from the use of modern insecticides in the field of public health. Acta Tropica 16 (4):331-355. Fr. and Ger. Sum.
- , 1959. Fungal parasites of mosquito larvae from the Oriental and Australian Regions, with a key to the genus *Coelomomyces* (Blastocladales: Coelomomycetaceae). Canad. J. Zool. 37(5):781-791.
- , 1959. Malayan Protozoa. I. *Plistophora collessi* n. sp. (Sporozoa: Microsporidia) an ovarian parasite of Singapore mosquitoes. J. Protozool. 6(1):37-46.
- , 1959. Parasites of Singapore mosquitoes, with particular reference to the significance of larval epibionts as an index of habitat pollution. Ecology 40(2):206-220.
- , 1960. Microbiology and mosquito control. Mosquito News 20(2):127-133.
- , 1961. New American locality records for four species of *Coelomomyces* (Blastocladales, Coelomomycetaceae). J. Insect Path. 3 (3):249-253.
- , 1962. *Coelomomyces* fungi, an important group of mosquito parasites. WHO/EBL/1, WHO/Mal/334, WHO/Fil/42. 4 pp.
- , 1965. Biotic factors in the control of the *Culex pipiens* complex. WHO/Vector Cont./125.65:175-181.
- , 1965. Insect pathology and vector control: an international collaborative programme of research. Internat. Cong. Ent. (London) Proc. 12:730. [Mosquitoes included.]
- , 1965. Research needs and priorities—biological control. WHO/Vector Cont./125.65: 210-211. [*Culex pipiens* complex.]
- , 1966. Integrated control and *Aedes polynesiensis*: an outline of the Tokelau Islands project, and its results. WHO/EBL/66.69, WHO/Fil/66.63, WHO/Vector Cont./66.204. 9 pp.
- , 1967. A coral island experiment. A

- new approach to mosquito control. WHO Chron. 21(1):18-26.
- . 1967. Biotic factors in the control of *Aedes aegypti*. WHO Bul. 36(4):625-627.
- . 1969. Recent advances of biological control in medical entomology. Accad. Nazionale dei Lincei Quaderno N. 128:155-164. [Mosquitoes.]
- . 1971. Microbial control of arthropods of medical importance. In Microbial Control of Insects and Mites by H. D. Burges and N. W. Hussey (Editors). Pp. 387-406. London, New York. Academic Press.
- . 1971. The biological control of vectors. Science 171(3971):590-592. [Includes mosquitoes.]
- . 1972. Larval mosquito ecology in relation to mosquito control. Internat. Cong. Ent. Abstracts 14:268. Canberra.
- Larson, L. V. 1967. Association of *Vorticella* and *Epistylis* (Protozoa: Ciliata) with mosquito larvae. WHO/VBC/67.20, 21 pp.
- Laurence, B. R. and Samarawickrema, W. A. 1966. Predation in a mosquito community. WHO Bul. 34(3):475-477.
- Lavrentyev, P. A., Salnikov, V. G. and Anisin, S. D. 1965. The use of bacteria for mosquito control. Veterinariya (Moscow) 42(8):107-108. In Rus.
- Lebedeva, O. P. and Zelenko, A. P. 1972. Virus-like formations in larvae of *Aedes* and *Culex* mosquitoes. Med. Parazit. i Parazit. Bolezni 41(4):490-492. In Rus., Engl. Sum.
- Lee, F. C. 1967. Laboratory observations on certain mosquito larval predators. Mosquito News 27(3):332-338.
- Legner, E. F. and Medved, R. A. 1972. Predators investigated for the biological control of mosquitoes and midges at the University of California, Riverside. Calif. Mosquito Cont. Assoc. Proc. 40:109-111.
- Levchenko, N. G., Dubitsky, A. M. and Deshevych, N. D. 1971. Detection of microsporidia in larvae of bloodsucking mosquitoes in the southeastern Kazakhstan (preliminary communication). Med. Parazit. i Parazit. Bolezni 40(5):619-620. In Rus., Engl. Sum.
- , ——— and ———. 1971. Detection of microsporidia in larvae of mosquitoes and midges. Alma Ata Akad. Nauk Kazak SSR Khabarshysy Vestnik No. 9:69-70. In Rus.
- Linham, J. H. 1962. Hydracarinid mites parasitic on the mosquito, *Culex tarsalis* Coquillett (Acarina and Diptera: Culicidae). Ent. Soc. Washington Proc. 64(4):234.
- Linley, J. R. and Nielsen, H. T. 1968. Transmission of a mosquito iridescent virus in *Aedes taeniorhynchus*. I. Laboratory experiments. II. Experiments related to transmission in nature. J. Invert. Path. 12(1):7-16; 17-24.
- Lipa, J. J. 1964. Biological control of medically important insects. Wiad. Parazytol. 10(1):21-32. In Pol. [Includes mosquitoes.]
- Liu, R. K. and Walford, R. L. 1966. Increased growth and life span with lowered ambient temperature in the annual fish, *Cynolebias adloffi*. WHO/EBL/66.70, 5 pp.
- Lomax, J. L. 1970. Native fish for mosquito control—a reassessment. N. J. Mosquito Extermin. Assoc. Proc. 57:185-190.
- Lowe, R. E., Hall, D. W. and Matta, J. F. 1971. Comparison of the mosquito iridescent viruses (MIV) with other iridescent viruses. Internat. Colloq. on Insect Path. Proc. 4:163-170.
- Lowe, R. E. and Kennel, E. W. 1972. Pathogenicity of the fungus *Entomophthora coronata* in *Culex pipiens quinquefasciatus* and *Aedes taeniorhynchus*. Mosquito News 32(4):614-620.
- Lowe, R. E., Rumbaugh, R. G. and Patterson, R. S. 1968. *Entomophthora coronata* as a pathogen of mosquitoes. J. Invert. Path. 11(3):506-507.
- Luczak, J. and Dabrowska-Prot, E. 1966. Experimental studies on the reduction of the abundance of mosquitoes by spiders. I. Intensity of spider predation on mosquitoes. Acad. Pol. Sci. Ser. Sci. Biol. Bul. 14(5):315-320.
- Lum, P. T. M. 1963. The infection of *Aedes taeniorhynchus* (Wiedemann) and *Psorophora howardii* Coquillett by the fungus *Coelomomyces*. J. Insect Pathol. 5(2):157-166.
- MacLaren, J. P. 1967. Manatees as a naturalistic biological mosquito control method. Mosquito News 27(3):387-393.
- Madelin, M. F. 1964. Laboratory studies on the infection of *Anopheles gambiae* Giles by a species of *Coelomomyces*. WHO/EBL/17, WHO/Mal/438, WHO/Vector Cont./64, 23 pp. Also WHO/EBL/17 Corr. 1, 4 pp., 1964.
- . 1966. Fungal parasites of insects. Ann. Rev. Ent. (Palo Alto) 11:423-448. [Mosquitoes included.]
- . 1968. Studies on the infection by *Coelomomyces indicus* of *Anopheles gambiae*. Elisha Mitchell Sci. Soc. J. 84(1):115-124.
- and Beckett, A. 1972. The production of planonts by thin-walled sporangia of the fungus *Coelomomyces indicus*, a parasite of mosquitoes. J. General Microbiol. 72(1):185-200.
- Maffi, M. 1959. Ancora sul *Coelomomyces* Keilin, 1921, in Somalia. Riv. di Malariol. 38(4-6):260. Illus.
- . 1959. Primo reperto in Somalia di larve di *A. gambiae* parassitate da funghi del genere *Coelomomyces* Keilin, 1921. Riv. di Malariol. 38(1-3):71-76. Engl. Sum.
- . 1962. Il *Triops granarius* (Lucas), un crostaceo possibile predatore delle larve zanzare. Riv. di Malariol. 41(4-6):229-234. Engl. Sum.
- . 1962. *Triops granarius* (Lucas) (Crustacea) as a natural enemy of mosquito larvae. Nature (London) 195(4842):722. [*Anopheles gambiae*.]
- and Genga, R. 1970. Contributo alla

- conoscenza dell'infestazione da *Coelomomyces* nei Culicidi delle Salomone britanniche, Oceania. *Parassitologia* 12(2-3):171-178. Engl. Sum.
- Maguire, B., Jr., Belk, D. and Wells, G. 1968. Control of community structure by mosquito larvae. *Ecology* 49(2):207-210.
- Mail, G. A. 1954. The mosquito fish *Gambusia affinis* (Baird and Girard) in Alberta. *Mosquito News* 14(3):120.
- Manier, J. F., Rioux, J. A. and Juminer, B. 1964. Présence en Tunisie de deux Trichomyctes parasites de larves de culicidés. *Inst. Pasteur Tunis Arch.* 41(2):147-152.
- Marks, E. N. and Lavery, H. J. 1959. Australian wild ducks as mosquito predators. *Austral. J. Sci.* 22(5):216-217.
- Martin, W. W., III. 1969. A morphological and cytological study of development in *Coelomomyces punctatus* parasitic in *Anopheles quadrimaculatus*. *Elisha Mitchell Sci. Soc. J.* 85(2):59-72.
- Mathis, H. L. and Pant, C. P. 1972. Comparative toxicity of seven new insecticides to the guppy, *Poecilia reticulata*, in Bangkok, Thailand. WHO/VEC/72.404, 4 pp.
- Matta, J. F. 1970. The characterization of a mosquito iridescent virus. II. Physicochemical characterization. *J. Invert. Path.* 16(2):157-164.
- and Lowe, R. E. 1969. A differential staining technique for a mosquito iridescent virus. *J. Invert. Path.* 13(3):457-458.
- and ———. 1970. The characterization of a mosquito iridescent virus (MIV). I. Biological characteristics, infectivity, and pathology. *J. Invert. Path.* 16(1):38-41.
- Matingly, P. F. 1972. Mosquito eggs XVII. Further notes on egg parasitization in genus *Armigeres*. *Mosquito Systematics* 4(1):1-8.
- . 1972. Mosquito eggs XX. Egg parasitism in *Anopheles* with a further note on *Armigeres*. *Mosquito Systematics* 4(3):84-86.
- Maw, M. G. 1968. The mudminnow *Umbra limi* (Kirt.): a possible mosquito control agent in semi-permanent pools. *Mosquito News* 28(1):120.
- Metcalf, R. L. 1970. Role of pesticides in the integrated control of disease vectors. *Amer. Zoologist* 10(4):583-593. [Mosquitoes included.]
- Micks, D. W. and Ferguson, M. J. 1963. Microorganisms associated with mosquitoes. IV. Bacteria isolated from the midgut of adult *Culex molestus* Forskal, *Aedes aegypti* (Linnaeus) and *Anopheles quadrimaculatus* Say. *J. Insect Path.* 5(4):483-488.
- Minár, J. 1966. Phoresia of *Damalinea* (*C. meyeri* (Mallophaga) and *Lamprochernes nodosus* (Pseudoscorpionidea) on mosquitoes *Aedes sticticus* (Culicidae). *Folia Parasitol. (Praha)* 13(3):270-273.
- Mitchell, C. J., Chen, P. S. and Chapman, H. C. 1972. Exploratory trials utilizing a mermithid nematode as a control agent for *Culex* mosquitoes in Taiwan (China) WHO/VBC/72.410, 12 pp.
- Monchadsky, A. S. 1964. The role of Chaoborinae larvae (Diptera, Culicidae) in the extinction of the larvae of bloodsucking mosquitoes. *Zool. Zhur.* 43(3):455-466. In Rus., Engl. Sum.
- Morozov, V. A. 1967. Detection of a parasitic fungus *Coelomomyces* in *Aedes* larvae in the Krasnodar region. *Med. Parazit. i Parazit. Bolezni* 36(3):353, plus 2 plates. In Rus. [*A. vexans*.]
- Mortenson, E. W. 1956. Mosquito predator activity in the duck club areas of Merced County. *Calif. Mosquito Cont. Assoc. Proc.* 24:71-72.
- Munro, J. L. 1967. The food of a community of East African freshwater fishes. *J. Zoology* 151(3):389-415. [Mentions mosquitoes.]
- Murphy, P. G. and Murphy, J. V. 1971. Correlations between respiration and direct uptake of DDT in the mosquito fish *Gambusia affinis*. *Bul. Environmtl. Contam. and Toxicol.* 6(6):581-588.
- Muspratt, J. 1963. Destruction of the larvae of *Anopheles gambiae* Giles by a *Coelomomyces* fungus. *WHO Bul.* 29(1):81-86.
- . 1963. Progress report (May 1963) on investigations concerning three mosquito pathogens at Livingstone, Northern Rhodesia. WHO/EBL/12, WHO/Vector Cont./45. 7 pp.
- . 1964. Parasitology of larval mosquitoes, especially *Culex pipiens fatigans* Wied., at Rangoon, Burma. WHO/EBL/18, WHO/Vector Cont./65. 19 pp.
- . 1965. Technique for infecting larvae of the *Culex pipiens* complex with a mermithid nematode and for culturing the latter in the laboratory. *WHO Bul.* 33(1):140-144.
- McCray, E. M., Jr., Fay, R. W. and Schoof, H. F. 1970. The bionomics of *Lankesteria culicis* and *Aedes aegypti*. *J. Invert. Path.* 16(1):42-53.
- Nakagawa, P. Y. and Ikeda, J. 1969. Biological control of mosquitoes with larvivorous fish in Hawaii. WHO/VBC/69.173, 25 pp.
- Notevine, M. K. 1971. Population densities of known invertebrate predators of mosquito larvae in Utah marshlands. *Mosquito News* 31(3):331-334.
- Novák, D. 1965. Zum Auftreten der Mykosen bei Stechmücken in Mähren (Diptera: Culicidae). *Beitr. Ent.* 15(1-2):135-137. Engl. Sum.
- . 1967. Beobachtungen zur Verbreitung von Mykosen bei Stechmücken. *Z. Tropenmed. u. Parasitol.* 18(4):488-491. Engl. Sum.
- . 1969. Bemerkungen zum Auftreten infizierter Stechmückenlarven in Südmähren. *Z. Tropenmed. u. Parasitol.* 20(2):229-231. Engl. Sum. [Occurrence of mosquito larvae infected with a virus and a microsporidium.]
- Obiamiwe, B. A. 1969. The life cycle of

- Romanomermis* sp. (Nematoda: Mermithidae) a parasite of mosquitoes. Roy. Soc. Trop. Med. and Hyg. Trans. 63(1):18-19.
- O'Connor, C. T., Jr. 1959. The role of *Mochlonyx cinctipes* (Coquillett) in the reduction of woodland pool mosquitoes in Ohio (Diptera: Culicidae). Mosquito News 19(1): 21-22.
- Pandian, T. J. and Reddy, S. R. 1971. Experimental studies on feeding habits of the mosquito-fish *Gambusia affinis*. WHO/VBC/71.282, 4 pp.
- Parker, J. D., Spall, R. D. and Warner, M. C. 1971. Two new Myxosporida, *Henneguya gambusi* sp. n. and *Myxosoma pharyngeus* sp. n., in the mosquitofish, *Gambusia affinis* (Baird and Girard). J. Parasitol. 57(6):1297-1301.
- Pest Control. 1969. *Gambusia* for Colorado. Pest Control 37(4):28-38. [Passim.]
- Petersen, J. J. 1972. Factor affecting sex ratios of a mermithid parasite of mosquitoes. J. Nematology 4(2):83-87. [*Reesimermis nielsenii*.]
- and Chapman, H. C. 1970. Parasitism of *Anopheles* mosquitoes by *Gastromermis* sp. (Nematoda: Mermithidae) in southwestern Louisiana. Mosquito News 30(3):420-424.
- , — and Willis, O. R. 1969. Fifteen species of mosquitoes as potential hosts of a mermithid nematode *Romanomermis* sp. Mosquito News 29(2):198-201.
- , — and —. 1969. Predation of *Anopheles barberi* Coquillett on first instar mosquito larvae. Mosquito News 29(1):134-135.
- Petersen, J. J., Chapman, H. C. and Woodard, D. B. 1967. Preliminary observations on the incidence and biology of a mermithid nematode of *Aedes sollicitans* in Louisiana. Calif. Mosquito Cont. Assoc. Proc. 35:95.
- , — and —. 1967. Preliminary observations on the incidence and biology of a mermithid nematode of *Aedes sollicitans* (Walker) in Louisiana. Mosquito News 27(4):493-498.
- , — and —. 1968. The bionomics of a mermithid nematode of larval mosquitoes in southwestern Louisiana. Mosquito News 28(3):346-352.
- Petersen, J. J., Hoy, J. B. and O'Berg, A. G. 1972. Preliminary field tests with *Reesimermis nielsenii* (Mermithidae: Nematoda) against mosquito larvae in California rice fields. Calif. Vector Views 19(7):47-50.
- Petersen, J. J. and Willis, O. R. 1969. Incidence of *Agamomermis culicis* (Nematoda: Mermithidae) in *Aedes sollicitans* in Louisiana in 1967. Mosquito News 29(1):87-92.
- and —. 1969. Observations of a mermithid nematode parasitic in *Orthopodomyia signifera* (Coquillett) (Diptera: Culicidae). Mosquito News 29(3):492-493.
- and —. 1970. Some factors affecting parasitism by mermithid nematodes in southern house mosquito larvae. J. Econ. Ent. 63(1):175-178.
- and —. 1971. A two-year survey to determine the incidence of a mermithid nematode in mosquitoes in Louisiana. Mosquito News 31(4):558-566.
- and —. 1972. Preliminary field applications of *Reesimermis nielsenii* (Mermithidae: Nematoda) to control mosquito larvae. WHO/VBC/72.357, 4 pp.
- and —. 1972. Procedures for the mass rearing of a mermithid parasite of mosquitoes. Mosquito News 32(2):226-230.
- and —. 1972. Results of preliminary field applications of *Reesimermis nielsenii* (Mermithidae: Nematoda) to control mosquito larvae. Mosquito News 32(3):312-316.
- Peterson, G. D., Jr. 1956. The introduction of mosquitoes of the genus *Toxorhynchites* into American Samoa. J. Econ. Ent. 49(6):786-789.
- Phurivethaya, Y., Harinasuta, C., Hirakoso, S. and Prownchon, S. 1968. Investigations on feeding activity of guppy exposed to larvicides and the selective toxicities between mosquito larvae and guppy. Med. J. Malaya 22(3):246.
- Pillai, J. S. 1968. *Thelohania barra* n. sp., a microsporidian parasite of *Aedes (Halaedes) australis* Erichson, in New Zealand. Z. Angew. Ent. 62(4):395-398.
- . 1969. A *Coelomomyces* infection of *Aedes australis* in New Zealand. J. Invert. Path. 14(1):93-95.
- and O'Loughlin, I. H. 1972. *Coelomomyces opifexi* (Pillai and Smith). Coelomomycetaceae: Blastocladales. II. Experiments in sporangial germination. Hydrobiologia 40(1): 77-86.
- Pillai, J. S. and Rakai, I. 1970. *Coelomomyces macleayae* Laird, a parasite of *Aedes polyneisensis* Marks in Fiji. J. Med. Ent. 7(1): 125-126.
- Pillai, J. S. and Smith, J. M. B. 1968. Fungal pathogens of mosquitoes in New Zealand. I. *Coelomomyces opifexi* sp. n., on the mosquito *Opifex fuscus* Hutton. J. Invert. Path. 11(2):316-320.
- Prather, J. W. and Ferguson, D. E. 1966. DDT metabolism in tolerant and susceptible populations of mosquito fish, *Gambusia affinis*. Mississippi Acad. Sci. J. 12:317.
- Quillier, R. and Secondat, M. 1964. Facteurs biotiques du milieu et croissance juvénile de deux espèces de poissons peocillidés, *Gambusia affinis* (Baird et Gir.) et *Lebistes reticulatus* (Peters). Acad. des Sci. Compt. Rend. (Paris) 258(8):2420-2423.
- Qureshi, A. H. and Bay, E. C. 1969. Some observations on *Hydra americana* Hymen as a predator of *Culex peus* Speiser mosquito larvae. Mosquito News 29(3):465-471.
- Rajak, R. L. and Perti, S. L. 1968. Toxicity

- of bacterial spores to fly and mosquito larvae. Pesticides (Bombay) 1(9):45.
- Rajapaksa, N. 1963. Records of a survey of *Coelomomyces* infections in mosquito larvae carried out in the south-west coastal belt of Ceylon. WHO/EBL/8, WHO/Vector Cont./31. 8 pp.
- . 1964. Survey for *Coelomomyces* infections in mosquito larvae in the south-west coastal belt of Ceylon. WHO Bul. 30(1): 149-151.
- Ramalingam, S. 1966. *Coelomomyces* infections in mosquito larvae in the South Pacific. Med. J. Malaya 20(4):334.
- Reddy, S. R. and Pandian, T. J. 1972. Heavy mortality of *Gambusia affinis* reared on diet restricted to mosquito larvae. Mosquito News 32(1):108-110.
- Reed, D. E. and Bryant, T. J. 1972. Interrelation between water depths and the distribution of *Gambusia affinis* and immature *Culex tarsalis* in Fresno County rice fields. Calif. Mosquito Cont. Assoc. Proc. 40:122-123.
- Reed, D. E. and Hoy, J. B. 1970. Observations on the aquatic organisms associated with the *Gambusia affinis* study in rice, 1969. Utah Mosquito Abat. Assoc. Proc. 23:22-25.
- Rees, B. E. 1958. Attributes of the mosquito fish in relation to mosquito control. Calif. Mosquito Cont. Assoc. Proc. 26:71-75.
- Rees, D. M., Bown, D. N. and Winget, R. N. 1969. Mosquito larvae control with *Gambusia* and *Lucania* fish in relation to water depth and vegetation. Calif. Mosquito Cont. Assoc. Proc. 37:110-114.
- Reeves, E. L. 1970. Pathogens of mosquitoes. Calif. Mosquito Cont. Assoc. Proc. 38:20-22.
- and Garcia, C. 1971. Susceptibility of *Aedes* mosquito larvae to certain crystalliferous *Bacillus* pathogens. Calif. Mosquito Cont. Assoc. Proc. 39:118-120.
- Reynolds, D. G. 1966. Infection of *Culex fatigans* with a microsporidian. Nature (London) 210(5039):967.
- . 1970. Laboratory studies of the microsporidian *Plistophora culicis* (Weiser) infecting *Culex pipiens fatigans* Wied. Bul. Ent. Res. 60(2):339-349.
- . 1971. Parasitization of *Culex fatigans* by *Nosema stegomyiae*. J. Invert. Path. 18(3):429.
- . 1972. Experimental introduction of a microsporidian into a wild population of *Culex pipiens fatigans* Wied. WHO Bul. 46(6): 807-812.
- Rioux, J. A. and Pech, J. 1960. *Coelomomyces grassei* n. sp. parasite d'*Anopheles gambiae* Giles (note préliminaire). Acta Tropica 17(2): 179-182.
- Roberts, D. R., Smith, L. W., Jr. and Enns, W. R. 1967. Laboratory observations on predation activities of *Laccophilus* beetles on the immature stages of some dipterous pests found in Missouri oxidation lagoons. Ent. Soc. Amer. Ann. 60(5):908-910. [Includes *Culex pipiens*.]
- Roberts, D. W. 1967. Some effects of *Metarrhizium anisopliae* and its toxins on mosquito larvae. In Insect Pathology and Microbial Control. (Edited by P. A. van der Laan). Pp. 243-246. [Internatl. Colloq. on Insect Path. and Microbial Control Proc.]
- . 1970. *Coelomomyces*, *Entomophthora*, *Beauveria*, and *Metarrhizium* as parasites of mosquitoes. Ent. Soc. Amer. Misc. Pub. 7(1): 140-154. [Discussion pp. 154-155.]
- Rodhain, F. 1969. Sur la présence d'un champignon du genre *Coelomomyces* en République de Haute-Volta. Ann. de Parasitol. Humaine et Compar. 44(3):261-264. Engl. Sum. [Anopheles included.]
- and Gayral, P. 1971. Nouveaux cas de parasitisme de larves d'*Anopheles* par des champignons du genre *Coelomomyces* en République de Haute-Volta. Ann. de Parasitol. Humaine et Compar. 46(3):295-300. Engl. Sum.
- Romney, S. V., Boreham, M. M. and Nielsen, L. T. 1971. Intergeneric transmission of *Coelomomyces* infections in the laboratory. Utah Mosquito Abat. Assoc. Proc. 24:18-19.
- Rongsriyam, Y., Prownobon, S. and Hirakoso, S. 1968. Effects of insecticides on the feeding activity of the guppy, a mosquito-eating fish, in Thailand. WHO Bul. 39(6):977-980.
- Rubtsov, I. A. 1969. Collection, maintenance and study of fresh-water Mermithidae—parasites of blood-sucking Diptera. Med. Parazit. i Parazit. Bolezni 38(3):346-349. In Rus., Engl. Sum. [Mosquitoes included.]
- Russell, R. 1964. Operational considerations in a large *Gambusia* planting program. Calif. Mosquito Cont. Assoc. Proc. 32:55-56.
- . 1970. Additional notes on *Gambusia* husbandry in the Sacramento County—Yolo County Mosquito Abatement District program. Calif. Mosquito Cont. Assoc. Proc. 38:74.
- Sanders, R. D. 1972. Microbial mortality factors in *Aedes sierrensis* populations. Calif. Mosquito Cont. Assoc. Proc. 40:66-68.
- Sasa, M., Kurihara, T., Dhamvanij, O. and Harinasuta, C. 1964. Observations on a mosquito-eating fish (*Lebistes reticulatus*) breeding in polluted waters in Bangkok. WHO/EBL/26.64, WHO/Vector Cont./99.64. 22 pp.
- , ———, ——— and ———. 1965. Studies on mosquitoes and their natural enemies in Bangkok. Part 3. Observations on a mosquito-eating fish "guppy" *Lebistes reticulatus*, breeding in polluted waters. Jap. J. Expt. Med. 35(1):63-80.
- Sato, H. and Coauthors. 1972. Observations on *Gambusia affinis* introduced into Tokushima as a natural enemy of mosquitoes. Jap. J. Sanit. Zool. 23(2):113-127. In Jap., Engl. Sum.
- Savage, K. E. and Lowe, R. E. 1971. Studies

- of *Anopheles quadrimaculatus* infected with a *Nosema* sp. Internat. Colloq. Insect Path. Proc. 4:272-278.
- , ——, Hazard, E. I. and Lofgren, C. S. 1971. Studies of the transmission of *Plasmodium gallinaceum* by *Anopheles quadrimaculatus* infected with a *Nosema* sp. WHO Bul. 45(6):845-847.
- Savage, K. E. and Petersen, J. J. 1971. Observations of mermithid nematodes in Florida mosquitoes. Mosquito News 31(2):218-219.
- Schacher, J. F. and Khalil, G. M. 1968. Development of *Foleyella philistiniae* Schacher and Khalil, 1967 (Nematoda: Filarioidea) in *Culex pipiens molestus* with notes on pathology in the arthropod. J. Parasitol. 54(5):869-878.
- Schmittner, S. M. and McGhee, R. B. 1970. Host specificity of various species of *Crithidia* Léger. J. Parasitol. 56(4):684-693. [Mosquitoes included.]
- Schober, H. 1967. Observations on *Culex pipiens* larvae infested with *Vorticella* sp. Mosquito News 27(4):523-524.
- Service, M. W. 1965. Predators of the immature stages of *Aedes (Stegomyia) vittatus* (Bigot) (Diptera: Culicidae) in water-filled rock-pools in Northern Nigeria. WHO/EBL/33.65, 19 pp. Also WHO/EBL/33.65 Corr. 1, 1 p.
- . 1965. *Tachydromia* spp. (Diptera: Empididae) as predators of adult anopheline mosquitoes. WHO/EBL/34.65, 4 pp.
- Shafi, R., Siddiqui, M. A. and Ahmed, Z. 1966. Studies on the bacterial isolates of the common mosquitoes of Pakistan. Zentbl. Bakteriologie. Parasit. Infektionskr. u. Hyg. Abt. I. Orig. 199(4):514-521. [*Aedes aegypti*, *Anopheles annularis*, *Culex pipiens quinquefasciatus*.]
- Shah, V. K., Matsumura, F. and Knight, S. G. 1968. Fungal toxins against larvae of the yellow-fever mosquito, *Aedes aegypti*. J. Invert. Path. 11(1):146-148.
- Shaikh, M. U. and Morrison, F. O. 1966. Susceptibility of nine insect species to infection by *Bacillus thuringiensis* var. *thuringiensis*. J. Invert. Path. 8(3):347-350. [Includes *Aedes*.]
- Shcherban, Z. P. and Golberg, A. M. 1971. Pathogenic fungi *Coelomycidium* (Phycomycetes, Chytridiales) and *Coelomomyces* (Phycomycetes, Blastocladales) in *Culex* and *Aedes* mosquitoes (Fam. Culicidae, Diptera) in Uzbekistan. Med. Parazit. i Parazit. Bolezni 44(1):110-111. In Rus., Engl. Sum.
- Sheffield, H. G., Garnham, P. C. C. and Shiroishi, T. 1971. The fine structure of the sporozoite of *Lankesteria culicis*. J. Protozool. 18(1):98-105.
- Shemanchuk, J. A. 1959. Note on *Coelomomyces psorophorae* Couch, a fungus parasitic on mosquito larvae. Canad. Ent. 91(11):743-744. [Found on *Culiseta inornata*.]
- Shim, J. C. and Self, L. S. 1972. Toxicity of agricultural chemicals to larvivorous fish in Korean rice fields. WHO/VBC/72.342, 7 pp.
- Shoemaker, W. E. 1964. A biological control for *Aedes sollicitans* and the resulting effect upon wildlife. N. J. Mosquito Extermin. Assoc. Proc. 51:93-97.
- Sholdt, L. L., Ehrhardt, D. A. and Michael, A. G. 1972. Guide to the use of the mosquito fish, *Gambusia affinis*, for mosquito control. US Navy EPMU-2, Norfolk PUB 6250/3. 18 pp.
- , —— and ———. 1972. Navy Mosquito fish program. Mosquito News 32(3):317-322.
- Shumkov, M. A. 1970. Perspectives of using herbivorous fish in the control of bloodsucking mosquitoes. In Problems of control of bloodsucking flies. Minist. Health SSSR Rpt. Work. Sess. Cent. Sci. Res. Gush. Dezinfek. pp. 121-124. In Rus.
- Simmonds, F. J. 1964. Mass production of insect parasites and predators. WHO Bul. 31(4):511-512.
- Sinha, V. P. 1972. Pathology of diseases of vectors of public health importance. Patna J. Med. 46(9):253-258. [Includes parasites of mosquitoes.]
- Sjogren, R. D. 1972. Minimum oxygen thresholds of *Gambusia affinis* (Baird and Girard) and *Poecilia reticulata* Peters. Calif. Mosquito Cont. Assoc. Proc. 40:124-126.
- Skierska, B. 1969. Larvae Chaoborinae (Diptera: Culicidae) occurring in small water reservoirs. I. Some observations on larvae of *Chaoborus crystallinus* (De Geer, 1776) and on the possibility of their predacity in relation to larvae of biting mosquitoes (Diptera: Culicidae, Culicinae). Inst. Marine Med. Gdańsk Bul. 20(1-2):101-108. In Engl.
- Smith, D. L. 1960. The ability of the top minnow, *Gambusia affinis* (Baird and Girard) to reproduce and overwinter in an outdoor pond at Winnipeg, Manitoba, Canada. Mosquito News 20(1):55-56.
- Smith, G. F. 1956. Naturalistic control of rice field mosquitoes in Kern M. A. D. Calif. Mosquito Cont. Assoc. Proc. 24:67-70.
- Smith, K. M. 1967. Insect virology. 256 pp., New York and London. [Includes mosquitoes.]
- Smith, M. E. 1961. Further records of mermithid parasites of mosquito larvae. Mosquito News 21(4):344-345.
- Sokolov, N. P. 1958. Certain results of 30 years of acclimatization of *Gambusia*, further plans. Med. Parazit. i Parazit. Bolezni 27(2):211-214. In Rus.
- Stapp, R. R. and Casten, J. 1971. Field studies on *Lankesteria culicis* and *Aedes aegypti* in Florida. Mosquito News 31(1):18-22.
- Steinhaus, E. A. 1967. Insect microbiology. 763 pp., New York and London. [Includes mosquitoes.]
- Stephen, A. and Hornby, A. V. 1962. Mosquito control by biological methods. Pub. Health (Johannesburg) 62(11):20-22, 25-26, 29.

- Stoltz, D. B. and Summers, M. D. 1971. Pathway of infection of mosquito iridescent virus. I. Preliminary observations on the fate of ingested virus. *J. Virology* 8(6):900-909.
- Surtees, G. 1971. Epidemiology of microbial control of insect pest populations. *Internatl. J. Environmtl. Studies* 2:195-201. [Mosquitoes included.]
- Tabibzadeh, I., Behbehani, G. and Nakhai, R. 1970. Use of *Gambusia* fish in the malaria eradication programme of Iran. *WHO Bul.* 43(4):623-626.
- Teernstra-Eeken, M. H. and Engel, A. 1967. Notes on entomophthorous fungi on *Heleomyzidae* and *Culicidae* (Diptera). *J. Invert. Path.* 9(3):431-432.
- Tinsley, T. W. and Kelly, D. C. 1970. An interim nomenclature system for the iridescent group of insect viruses. *J. Invert. Path.* 16(3):470-472. [Mosquitoes included.]
- Tinsley, T. W., Robertson, J. S., Rivers, C. F. and Service, M. W. 1971. An iridescent virus of *Aedes cantans* in Great Britain. *J. Invert. Path.* 18(3):427-428.
- Toth, R. S. and Chew, R. M. 1972. Development and energetics of *Notonecta undulata* during predation on *Culex tarsalis*. *Ent. Soc. Amer. Ann.* 65(6):1270-1279.
- and ———. 1972. Notes on behavior and colonization of *Buenoa scimitra* (Hemiptera: Notonectidae), a predator of mosquito larvae. *Environmtl. Ent.* 1(4):534-535.
- Tour, S., Rioux, J. A. and Croset, H. 1971. Systématique et écologie des microsporidies (Microsporidia-Nosematidae) parasites de larves de Culicidés (Diptera-Culicidae). Enquête sur les espèces du Midi méditerranéen. *Stempelia tuzetiae* n. sp. *Ann. de Parasitol. Humaine et Compar.* 46(3):205-233. *Engl. Sum.*
- Travis, B. V. 1957. Present status and future possibilities of biological control of mosquitoes. *Mosquito News* 17(3):143-147.
- Trpiš, M. 1969. Parasitical castration of mosquito females by mermitid nematodes. *Helminthologia (Bratislava)* 10:79-81. [*Aedes vexans*.]
- . 1972. Development and predatory behavior of *Toxorhynchites brevipalpis* (Diptera: Culicidae) in relation to temperature. *Environmtl. Ent.* 1(5):537-546.
- . 1972. Predator-prey oscillations in populations of larvae of *Toxorhynchites brevipalpis* and *Aedes aegypti* in a suburban habitat in East Africa. *WHO/VBC/72.399*, 12 pp.
- , Haufe, W. O. and Shemanchuk, J. A. 1968. Mermitid parasites of the mosquito *Aedes vexans* Meigen in British Columbia. *Canad. J. Zool.* 46(5):1077-1079.
- Tsai, Y. H. and Grundmann, A. W. 1969. *Reesimermis nielseni* gen. et sp. n. (Nematoda: Mermitidae) parasitizing mosquitoes in Wyoming. *Helminthol. Soc. Wash. Proc.* 36(1):61-67.
- and Rees, D. M. 1969. Parasites of mosquitoes in southwestern Wyoming and northern Utah. *Mosquito News* 29(1):102-110.
- Tuzet, O. and Rioux, J. A. 1966. Les gregarines des Culicidae, Ceratopogonidae, Simuliidae et Psychodidae. *WHO/EBL/66.50*, 18 pp.
- , ——— and Manier, J. F. 1961. *Rubetella culicis* (Tuzet & Manier 1947), Trichomycète rameux parasite de l'ampoule rectale des larves de culicidés. (Morphologie et spécificité) (1). *Vie et Milieu* 12(1):166-187.
- , ——— and ———. 1964. Les parasitisme fongique chez quelques nematoceres vulérants. *WHO/EBL/25*, 6 pp. [Includes mosquitoes.]
- Umphlett, C. J. 1968. Ecology of *Coelomomyces* infections of mosquito larvae. *Elisha Mitchell Sci. Soc. J.* 84(1):108-114.
- . 1970. Infection levels of *Coelomomyces punctatus*, an aquatic fungus parasite, in a natural population of the common malaria mosquito, *Anopheles quadrimaculatus*. *J. Invert. Path.* 15(3):299-305.
- Undeen, A. H. and Alger, N. E. 1971. A density gradient method for fractionating microsporidian spores. *J. Invert. Path.* 18(3):419-420. [Includes mosquitoes.]
- U. S. Navy Environmental and Preventive Medicine Unit No. 2. 1972. Entomology department. *In Semiannual Report of Activities 1 July 1971 through 31 December 1971*. Feb. pp. 17-23. [*Gambusia* among items discussed.]
- Vago, C. 1965. Viroses d'insectes à importance médicale. *Internatl. Cong. Ent. (London) Proc.* 12:732-734. [Includes mosquitoes.]
- , Rioux, J. A., Duthoit, J. L. and Dedet, J. P. 1969. Infection spontanée à virus irisant dans une population d'*Aedes detritus* (Hal., 1833) des environs de Tunis. *Ann. de Parasitol. Humaine et Compar.* 44(6):667-676. *Engl. Sum.*
- Valenti, M. 1964. Impiego delle gambusie per il controllo dell'anofelismo residuo a Castel Porziano (Roma). *Riv. di Malariol.* 43(1-3):57-62. *Engl. Sum.*
- Van Thiel, P. H. 1954. Trematode, gregarine and fungus parasites of *Anopheles* mosquitoes. *J. Parasitol.* 40(3):271-279.
- Vávra, J. 1969. *Lankesteria barretti* n. sp. (Eugregarinida, Diplocystidae) a parasite of the mosquito *Aedes triseriatus* (Say) and a review of the genus *Lankesteria* Mingazzini. *J. Protozool.* 16(3):546-570. [n. sp.]
- and Undeen, A. H. 1970. *Nosema algerae* n. sp. (Cnidospora, Microsporida), a pathogen in a laboratory colony of *Anopheles stephensi* Liston (Diptera, Culicidae). *J. Protozool.* 17(2):240-249. [n. sp.]
- Velasquez, C. C. 1964. Observations on the life history of *Plagiorchis dilimanensis* sp. n. (Trematoda: Digenea). *J. Parasitol.* 50(4):557-563. [Development in mosquitoes.]
- Vinson, S. B., Boyd, C. E. and Ferguson, D. E. 1963. Resistance to DDT in the mosquito fish, *Gambusia affinis*. *Science* 139(3551):217-218.

- Walsh, R. D., Jr. and Callaway, C. S. 1969. The fine structure of the gregarine *Lankesteria culicis* parasitic in the yellow fever mosquito *Aedes aegypti*. J. Protozool. 16(3):536-545.
- Warner, R. E. and Peterson, K. K. 1965. Behavioural pathology in fish exposed to sublethal concentrations of pesticides. WHO/EBL/41.65, 9 pp.
- Washburn, G. E. 1956. Observations on the use of *Gambusia* for mosquito control in rice fields in Turlock M.A.D.—1955. Calif. Mosquito Cont. Assoc. Proc. 24:70-71.
- Washino, R. K. 1968. Predator prey studies in relation to an integrated mosquito control program—a progress report. Calif. Mosquito Cont. Assoc. Proc. 36:33-34.
- . 1969. Progress in biological control of mosquitoes—invertebrate and vertebrate predators. Calif. Mosquito Cont. Assoc. Proc. 37:16-19.
- . 1972. Association analysis of pond communities. Calif. Mosquito Cont. Assoc. Proc. 40:121.
- and Hokama, Y. 1967. Preliminary report on the feeding pattern of two species of fish in a rice field habitat. Calif. Mosquito Cont. Assoc. Proc. 35:84-87.
- Watanabe, M., Wada, Y., Itano, K. and Suguri, S. 1968. Studies on predators of larvae of *Culex tritaeniorhynchus summorosus* Dyar. Jap. J. Sanit. Zool. 19(1):35-38. In Jap., Engl. Sum.
- Weber, P. W. 1955. Recent liberations of beneficial insects in Hawaii—IV. Hawaiian Ent. Soc. Proc. 15(3):635-638. [*Toxorhynchites brevipalpis* and *T. splendens* imported as predators of *Aedes albopictus*.]
- Wei Shuang Chu and Toumanoff, C. 1966. Rapport preliminaire sur la flore bacterienne accompagnant les mortalites des larves des culicides dans les conditions d'elevege. WHO/EBL/66.74, 81 pp. Engl. Sum.
- Weiser, J. 1963. Advances in biological control in relation to vectors of human diseases. WHO Bul. 29(Suppl.):107-113. [Mosquitoes included.]
- . 1965. A new virus infection of mosquito larvae. WHO Bul. 33(4):586-588. [In *Aedes annulipes* and *A. cantans*.]
- . 1968. Guide to field determination of major groups of pathogens and parasites affecting arthropods of public health importance. WHO/VBC/68.59, 11 pp. Illus. [Includes those affecting mosquitoes.]
- . 1970. Recent advances in insect pathology. Ann. Rev. Ent. (Palo Alto) 15:245-256. [Mosquitoes included.]
- . 1971. Host specificity in Protozoa affecting insects. Internatl. Cong. Ent. (Moscow) Proc. 13(2):107-110. [Includes mosquitoes.]
- and Batko, A. 1966. A new parasite of *Culex pipiens* L., *Entomophthora destruens* sp. nov. (Phycomycetes, Entomophthoraceae). Folia Parasitol. (Praha) 13(2):144-149.
- Weiser, J. and Coluzzi, M. 1964. *Plistophora culisetae* n. sp., a new microsporidian (Protozoa, Cnidosporidia) in the mosquito *Culiseta longiareolata* (Marquart 1838). Riv. di Malariol. 43(1-3):51-55.
- Weiser, J. and Vankova, J. 1962. On the specificity of *B. thuringiensis* toxin. Internatl. Cong. Ent. (Wien) Trans. 11(2):840-841. In Ger. [For *Culex pipiens*.]
- Weiser, J. and Vavra, J. 1964. Zur verbreitung der *Coelomomyces*-Pilze in Europäischen insekten. Z. Tropenmed. u. Parasitol. 15(1):38-42. Engl. Sum.
- Welch, H. E. 1960. Effects of protozoan parasites and commensals on larvae of the mosquito *Aedes communis* (DeGeer) (Diptera: Culicidae) at Churchill, Manitoba. J. Insect Path. 2(4):386-395.
- . 1960. *Hydrodermis churchillensis* n. sp. (Nematoda: Mermithidae) a parasite of *Aedes communis* (DeG.) from Churchill, Manitoba, with observations of its incidence and bionomics. Canad. J. Zool. 38(3):465-474.
- . 1962. Nematodes as agents for insect control. Ent. Soc. Ontario Proc. 92:11-19. [Pub. 1962.]
- and Bronskill, J. F. 1962. Parasitism of mosquito larvae by the nematode, DD136 (Nematoda: Neoapectanidae). Canad. J. Zool. 40(7):1263-1268.
- Westman, J. R. and Compton, K. 1960. Responses of salt marsh killifishes to certain environmental changes and to malathion. N. J. Mosquito Extermin. Assoc. Proc. 47:116-123.
- Wharton, R. H. 1959. Freshwater planarians (flat-worms) as predators of mosquito larvae. Mosquito News 19(2):102.
- Whisler, H. C., Shemanchuk, J. A. and Travland, L. B. 1972. Germination of the resistant sporangia of *Coelomomyces psorophorae*. J. Invert. Path. 19(1):139-147.
- White, G. B., Boreham, P. F. L. and Dolling, W. R. 1972. Synanthropic emesine bugs (Reduviidae, Emesinae) as predators of endophilic mosquitoes. Roy. Soc. Trop. Med. and Hyg. Trans. 66(4):535-536.
- Whitmyre, G. and Wills, W. 1970. Spider predation on overwintering *Culex pipiens* (Diptera: Culicidae). Mosquito News 30(1):95-96.
- Whitworth, B. T. 1972. A proposed method of search for micro-organisms pathogenic to mosquitoes. Mosquito News 32(1):118-119.
- Williams, M. C. and Lichtwardt, R. W. 1972. Infection of *Aedes aegypti* larvae by axenic cultures of the fungal genus *Smittium* (Trichomyces). Amer. J. Botany 59(2):189-193.
- Wills, W. and Beaudoin, R. 1965. Microsporidia in Pennsylvania mosquitoes. J. Invert. Path. 7(1):10-14.
- Wistreich, G. A. and Chao, J. 1963. Microorganisms from the midgut of larval and adult

- Aedes aegypti* (Linnaeus). J. Insect Path. 5(1): 56-60.
- Woodard, D. B. and Chapman, H. C. 1968. Laboratory studies with mosquito iridescent virus (MIV). J. Invert. Path. 11(2):296-301.
- World Health Organization. 1968. 1967 activities of the WHO International Reference Centre for Diagnosis of Diseases of Vectors. WHO/VBC/68.97, 7 pp.
- Yamagishi, H. and Coworkers. 1966. Ecological studies on guppy, *Lebistes reticulatus* Peters. I. Acclimatized guppy in the waters of hot springs in Japan. Jap. J. Sanit. Zool. 17(1): 48-58. In Jap., Engl. Sum. [Possible predator of *Culex tritaeniorhynchus*.]
- Yasuno, M. and Tonn, R. J. 1970. Bionomics of *Toxorhynchites splendens* in the larval habitats of *Aedes aegypti* in Bangkok, Thailand. WHO Bul. 43(5):762-766.
- Young, R. G., St. John, L. and Lisk, D. J. 1971. Degradation of DDT by goldfish. Bul. Environmtl. Contam. and Toxicol. 6(4):351-354.
- Zaman, V. 1971. Electron microscope observations on the development of *Breinvia sergenti* in mosquito. Southeast Asian J. Trop. Med. and Pub. Health 2(4):462-465.
- Zuberi, R. I., Hafiz, S. and Ashrafi, S. H. 1969. Bacterial and fungal isolates from laboratory-reared *Aedes aegypti* (Linnaeus), *Musca domestica* (Linnaeus) and *Periplaneta americana* (Linnaeus). Pakistan J. Sci. and Indus. Res. 12(1-2):77-82.

ADVERTISING RATES

FOR

Mosquito News

	1 issue	4 issues
Full-Page	\$100.00	\$360.00
Half-Page	\$ 60.00	\$216.00
Quarter-Page	\$ 40.00	\$144.00
Preferential Positions -	\$ 20.00 an issue extra	

1. Facing Front Cover 2. Facing First Article
3. Facing Back Cover

(Type setting and cuts furnished by Association are extra)

For Information Write

FRANCIS P. CREADON

Advertising Manager

8130 Ogden Avenue, Lyons, Illinois

WHO FELLOWSHIPS AVAILABLE TO UNITED STATES HEALTH WORKERS

WHO will make available in 1974 a limited number of short-term fellowships for travel abroad related to the "improvement and expansion of health services" in the United States. A fellowship award will cover per diem and transportation. Except in very unusual circumstances, it will be limited to short-term travel programs averaging about two months. Deadline for the receipt of completed applications, September 30, 1973.

Further information may be obtained from Dr. Robert W. Jones, III, Chief, International Education Branch, Fogarty International Center, National Institutes of Health, Room 2B-55, Bldg. 31, Bethesda, Maryland 20014.