

# INDEX TO VOLUME 39

AUSTIN W. MORRILL, JR.

## SUBJECT INDEX

- Advertisers, index to, 220, XXV, XXV, XXV
- Aedes aegypti*, chemosterilization with thiotepa, 490
- gravid females, methoprene briquets as attractant, 680
- mutant, homeotic, proboscipedia, 348
- proteolytic enzyme penetration of larval peritrophic membrane, 582
- surveillance in Canal Zone military reservations, 801
- transmission *in vitro* of yellow fever virus, 232
- atropalpus*, in abandoned tires, Kentucky, 142
- cantans*, Czechoslovakia, organophosphorus larvicides, 320
- dorsalis*, colonization, 393
- grossbecki* in Texas, 797
- hendersoni*, in Florida, 673
- in Manitoba, 395
- potential vector of *Dirofilaria immitis*, 463
- transmission of WEE virus, 736
- solicitans*, oviposition on coastal dredge spoil, 97
- spp., control with non-thermal resmethrin aerosols, 597
- separation of eggs from soil with hydrogen peroxide, 139
- 35 mm. slide for demonstration of egg hatch to audience, 142
- taeniorhynchus*, control by aerial applications of methoprene, 76
- in dyked dredge-spoil areas, with diflubenzuron, methoprene, MLO and chlorpyrifos, 520
- oviposition on coastal dredge spoil, 97
- vertical transmission of iridescent virus, 672
- togo*, North American, colonization, 18
- mutants, two new, 506
- triseriatus*, field persistence of nulliparous females, 368
- potential vector of *Dirofilaria immitis*, 463
- snow-melt, juvenile development, 527
- survival of pupae in absence of free water, 477
- treehole breeding sites, closing with insulating cement, 149
- trumpets, respiratory, and abdominal spiracles, function, 483
- Aerial application, methoprene sand formulation, for control of *Aedes taeniorhynchus*, 76
- Ohio River Basin, 622
- Romanomeris culicivora*x, southwest Florida, 20
- Aerosols, non-thermal, resmethrin for control of *Aedes*, 597
- Annual Meeting, 34th, minutes, 156
- Anopheles albimanus*, Baja California, initial record, 799
- egg viability when dried and stored, 113
- genetics of *green larva* mutant, 55
- mating competitiveness of chemosterilized males, 768
- morning and evening catches in stables, El Salvador, 532
- production efficiency and rate of increase, laboratory colony, 640
- pupal phenotypes, susceptibility to *P. falciparum* and *P. vivax*, 472
- resistance pattern following selection by parathion, 121
- barbivostri*s, confirmation of introduction on Guam, 802
- culicifacies*, mating in laboratory, 328
- oviposition, refeeding and survival in laboratory, 374
- translocation strain, viable, homozygous, 631
- freeborni*, pupal phenotypes, susceptibility to *P. falciparum* and *P. vivax*, 466
- punctipennis*, esterase-C locus evolutionary changes, 339
- quadrimaculatus*, egg viability when dried and stored, 113
- spp. aerial application of *Romanomeris culicivora*x to control, 20
- African, method of inducing egg-laying, 619
- Bihar Province, India, susceptibility to DDT, 91
- stephensi*, bendiocarab in hut trials, Southern Iran, 1977, 126
- new mutants, red-eye and greenish-brown larvae, 655
- Arbovirus surveillance in Connecticut, 544, 552, 560
- Arthropods during EEE outbreak in Dominican Republic, 263
- Arylterpenoid IGR, MV-678, laboratory tests against mosquitoes, 81
- Association News, 156, 397, 400, 805
- interim meeting of Board of Directors, Salt Lake City, 805

- thirty-fifth Annual Meeting, minutes and motions, 397
- Bacillus thuringiensis*, and simuliid larval midgut pH, 391
- israelensis*, toxicity to mosquitoes in California, 541
- to *Simulium damnosum*, 742
- Baja California, initial record of *Anopheles albimanus*, 799
- Bendiocarb, against *Anopheles stephensi*, hut trials, Iran, 126
- Bibliography (See Literature References)
- Blackbirds, antibody level, St. Louis encephalitis virus, 392
- Black fly larvae, factor affecting feeding rate, 315
- drift response to dimilin, 678
- Blood meal, second, of northern house mosquito, bird vs human, 93
- size, *Stomoxys calcitrans*, measured by HiCN method, 110
- Bonnet, David Dudley, (Obituary), 804
- Bunyavirus, infection rates of Canadian arctic mosquitoes, 364
- Brazil, *Chagasia bonnae*, rapid gonotrophic cycle, 137
- California, pilot release of sex-linked multiple translocation into *Culex tarsalis* field population, 248
- Canada, eastern maritime provinces biting flies II, Culicidae, 633
- Canadian arctic mosquito infection rates of Bunyavirus, 1978, 364
- Ceratopogonidae, species and ecological notes, Grand Cayman, 586
- trapping in Grand Cayman, 149
- Chagasia bonnae*, from Brazil, rapid gonotrophic cycle, 137
- Chemosterilization of *Aedes aegypti* with thiotepa, 490
- Anopheles albimanus* males, effect on mating competitiveness, 768
- Chironomid emergence rhythms, from shallow lake, 360
- Chitin synthesis, inhibited by ICR in *Culex pipiens* larvae, 381
- Chlorpyrifos, for control of *Aedes taeniorhynchus*, 520
- Chromosomes, polytene, preparation for some anophelines, 568
- Computerized information retrieval in mosquito control, 333
- Coquillettidia perturbans* in Minnesota, 135
- Culex erraticus*, esterase isozymes, 500
- pipiens*, control with malathion as ground-applied ULV, 64
- ICR inhibition of chitin synthesis, 381
- molestus*, Czechoslovakia, organophosphorus larvicides, 320
- second blood meal, bird vs. human, 93
- pseudovishnui*, Pakistan, a gynandromorph, 130
- quinquefasciatus*, adults reared from wild-caught pupae, Pakistan, 756
- restuans*, control with malathion as ground-applied ULV, 64
- spp. aerial application of *Romanomermis culicivorax* to control, 20
- tarsalis*, melanotic mutant, 14
- New Jersey, distribution records, 244
- reproductive characteristics, laboratory and field, 258
- sex-linked multiple translocation pilot release, Calif., 248
- transmission, biological, of western equine encephalitis, 385
- Culicidae, eastern maritime provinces of Canada, 633
- Culicinomyces*, mosquito fungus, host range, 140
- Culicoides guttipennis* and *C. paraensis* in Southern Wisconsin, 288
- nubeculosus*, detecting female pheromone, 627
- spp., anesthesia, 797
- effectiveness of repellent-treated jacket, 739
- variipennis*, portable lightweight baffle trap, 675
- Culiseta* spp., distribution records in various states, 392
- Czechoslovakia, organophosphorus larvicides against *Aedes cantans* and *Culex pipiens molestus*, 320
- DDT, susceptibility of anophelines in Bihar, India, 91
- Deposit patterns, insecticide, effect of meteorological conditions, 10
- Diflubenzuron, field test against *Simulium* larvae, 86
- inhibiting chitin synthesis in *Culex pipiens*, 381
- larval control, *Aedes taeniorhynchus*, 520
- Dimilin, drift response of black fly larvae, 678
- Diptera, muscoid, of public health interest, 674
- Dirofilaria immitis*, *Aedes hendersoni* and *A. triseriatus* as vectors, 463
- Dog, hairless, mosquito repellent evaluation, 307
- Dominican Republic, arthropods collected during EEE outbreak, 263
- Drainage, vertical, as a control of pasture mosquitoes, 605
- Dried eggs, *Anopheles*, viability when stored at various temperatures, 113

- Egg hatch, demonstration to large audience with 35 mm. slide, 142
- El Salvador, morning and evening capture of *Anopheles albimanus*, 532
- Electrophoretic techniques for genetic study of mosquitoes, 35
- Encephalitis, California virus, isolations from mosquitoes in New York, 73
- St. Louis, antibody levels in blackbirds, 392
- surveillance, a one-man operation, 148
- Western equine, transmission by *Aedes hendersoni*, 736
- transmission by *Culex tarsalis*, 385
- Entomology, Annual Review, (Book Review), 319
- Eratmapodites quinquevittatus*, white-eye mutant, 371
- Esterase-C locus in *Anopheles punctipennis*, evolutionary changes, 339
- isozymes, in *Culex erraticus*, 500
- Feeding index concept, application to studies of mosquitoes, 68
- rates, black fly larvae, 315
- Fish, swimming behavior after exposure to IGR's, 311
- Flight orientation upwind in absence of visual clues, 221
- Flit MLO® for larval control, *Aedes taeniorhynchus*, 520
- Florida, aerial application of *Romanomermis culicivorax*, 20
- Anopheles hendersoni* occurrence, 673
- Sandflies of Florida*, (Book Review), 775
- Genetic studies of mosquitoes, electrophoretic techniques, 35
- of green larvae, in *Anopheles albimanus*, 55
- Grand Cayman, Ceratopogonidae, 149, 586
- Granule insecticides, comparison of spreaders, 396
- Gynandromorph, *Culex pseudovishnui*, in Pakistan, 130
- Hydrogen peroxide, use to separate aedine eggs from soil, 139
- IGR (See Insect Growth Regulators)
- India, Bihar Province, anopheline susceptibility to DDT, 91
- Insect growth regulators, arylterpenoid, MV-678, laboratory tests, 81
- diflubenzuron, against *Simulium* spp., 86
- fish swimming behavior, effect, 311
- inhibition of chitin synthesis, *Culex pipiens*, 381
- methoprene, effect on fish swimming behavior, 311
- Monsanto 0585®, effect on mosquitoes and non-target hydrobionts, 293
- non-target organisms, effects, 746
- Insecticides for control of mosquitoes and other Diptera, 58
- Integrated pest management, in mosquito control, 709, 718
- funding, 729
- pesticide regulations, 731
- thresholds, economic, 724
- Iowa, mosquito-borne virus activity, 1975-6, 1
- IPM (see Integrated Pest Management)
- Iran, bendiocarb against *An. stephensi* in hut trials, 1977, 126
- Jobbins, Daniel M., (Obituary), 154
- Kentucky, *Aedes atropalpus* in abandoned tires, 142
- Literature References to Mosquitoes and Mosquito-borne Diseases,
- Part I, 201
- Part II, 442
- Part III, 687
- Part IV, 812
- Literature References, 1979, 201, 442, 687, 812
- Fumigants, 201
- Adulticides, larvicides and ovicides, 201, 442, 687, 812
- Growth regulators, 202, 442, 687, 812
- Mosquito control agency problems, 102, 443, 813
- Parasites, predators, viruses and related agents, 202, 443, 687, 813
- Various types of control, 204, 444, 688, 814
- Cost analysis, 204, 445
- Equipment, 204, 445, 688
- Attractants and repellents, 205, 445, 688, 815
- Resistance and susceptibility, 205, 445, 689, 815
- Pesticides and chemicals, 205, 445, 689, 815
- Behavior, biology and ecology, 205, 446, 689, 815
- Genetics and genetic control, 207, 447, 689, 817
- Anatomy, morphology and physiology, 208, 448, 690, 817
- Techniques, 208, 448, 691, 818
- Taxonomy, 209, 449, 692, 819
- Distribution, 209, 449, 692, 820
- Several Diseases, 210, 450, 693, 820
- Arboviruses and other vertebrate viruses, 210, 450, 693, 821
- Filariasis, 213, 453, 699, 825
- Malaria, 215, 456, 701, 826
- Experimental hosts or vectors, 218
- Allergic reactions, 461, 706, 832
- Light and other trap studies, 218, 461, 706, 832
- Literature references and reviews, 219, 461, 706, 832
- Biography and history, 219, 461, 706, 832

- Subjects not covered by other headings, 219, 461, 832
- Booklets and reports, 219, 462, 706, 833
- Books, 219, 462, 707, 833
- Errata, 707, 833
- Lithospermum arvense*, fractionation extracts, against mosquito larvae, 533
- Louisiana ricelands, mosquito species and densities, 658
- Malathion, applied as ULV on ground against *Culex* spp., 64
- Mallophaga, phoretic relationship with mosquitoes, 137
- Manitoba, natural occurrence of snowshoe hare virus, 238
- occurrence of *Aedes hendersoni*, 395
- Memorial Lecture, 1979, "Flight Orientation," 221
- Meteorological conditions, effect on insecticide deposit patterns, 10
- Methoprene, aerial application to salt marsh, sand formulations, 76
- larval control of *Aedes taeniorhynchus* in dredged spoil areas, 520
- briquets as attractant to gravid *Aedes aegypti*, 680
- Minnesota, *Coquillettidia perturbans*, 135
- Mist blower, Homelite, modification, 132
- Mosquito rearing in laboratory, time-saving device, 669
- Mutant, greenish-brown larva in *Anopheles stephensi*, 655
- hairless antennae and notch wing in *Aedes togoi*, 506
- homeotic, proboscipedia, in *Aedes aegypti*, 348
- melanotic, of *Culex tarsalis*, 14
- red-eye, *Anopheles stephensi*, inheritance patterns, 655
- white-eye, in *Eratmapodites quinquevittatus*, 371
- New Jersey, *Culex tarsalis* distribution records, 244
- New York, Northeastern, California virus encephalitis in 1976-7, 73
- News and Notes, 197, 439, 682, 806
- Non-target organisms, effects of oil formulation, 566
- hydrobionts, effect of Monsanto 0585®, 293
- IGR, effects during mosquito control use, 746
- Nulliparous females, persistence in *Aedes triseriatus* in field, 368
- Ohio River Basin, aerial insecticide applications for mosquito control, 622
- Organophosphorus larvicides against *Culex pipiens molestus* and *Aedes cantans* in Czechoslovakia, 320
- Orientation upwind in absence of visual clues, 221
- Pakistan, *Culex pseudovishnui* gynandromorph, 130
- quinquefasciatus*, adults from wild-caught pupae, 756
- Parathion, *Anopheles albimanus* resistance patterns after selection, 121
- Pasture mosquitoes, vertical drainage as a control, 605
- Pathogens, mosquito, from Thailand, 575
- from Thailand, mounted material, 677
- Pest management, integrated (see Integrated Pest Management)
- pH, simuliid larval midgut, implications for control, 391
- Pheromone, female *Culicoides nubeculosus*, detecting, 627
- Peritrophic membrane, *Aedes aegypti*, permeability by proteolytic enzyme, 582
- Plea striola*, in California, as a mosquito control agent, 514
- Proboscipedia, homeotic mutation, proboscis to tarsi, in *Ae. aegypti*, 348
- Proteolytic enzyme *Aedes aegypti* penetration of peritrophic membrane, 582
- starvation and weight change, 594
- Quebec, northern, use of Temephos to control Simuliidae, 762
- Rees, Dom M., The Man we Honor, AMCA Memorial Lecture, 221, 230, 231
- Biographical summary, 230
- Lecturer, Dr. J. D. Gillet, biographical summary, 231
- Remote sensing technology in insect control programs, 271
- in newly formed mosquito control district, 283
- Repellent, mosquito, used on hairless dog, 307
- jacket, against *Culicoides* spp., 739
- Reproductive characteristics, caged *Culex tarsalis*, laboratory & wild, 258
- Resmethrin, control of *Aedes* with non-thermal aerosols, 597
- Romanomermis culicivorax*, aerial application to control *Anopheles* and *Culex*, Southwest Florida, 20
- Salt marsh mosquito control, temporary vs. permanent measures, 776
- Sandflies of Florida*, (Book Review), 775
- Saskatchewan, overwintering sites of adult mosquitoes, 117
- Simulium damnosum*, pathogenicity of *Bacillus thuringiensis israelensis*, 742
- penobscotensis*, generation and instar succession, 792
- spp. control by temephos, 762
- vittatum*, factors affecting feeding rates, 315

- Simulium* spp., diflubenzuron field evaluation, 86  
 pH, larval midgut, and implications for control, 391
- Snowshoe hare virus, natural occurrence in Manitoba, 238
- Snowmelt *Aedes*, juvenile development, 527
- Sterile release, marking large numbers of *Stomoxys calcitrans*, 146
- Stomoxys calcitrans*, sticky traps, color and texture effect, 290  
 blood meal size measured by HiCN method, 110  
 marking for sterile release, 146
- Sullivan, Wm. N., (Obituary), 384
- Sumithion (Fenitrothion) against adult mosquitoes in Grand Cayman, 781
- Temephos, for control of Simuliidae in Northern Quebec, 762
- Texas, Houston area, studies of woodland mosquitoes, 26  
 occurrence of *Aedes grossbecki*, 797
- Thiotepa, sterilization of *Aedes aegypti*, 490
- Tires, abandoned, *Aedes atropalpus* in Kentucky, 142
- Toxorhynchites rutilus*, susceptibility to adulticides, 304  
*rutilus*, mass-rearing technique, quantified, 616
- Translocation strain, viable, homozygous, isolation in *An. culicifacies*, 631
- Transmission, *in vitro*, yellow fever virus by *Aedes aegypti*, 232
- Trap, baffle, light-weight, portable, for *Culicoides variipennis*, 675  
 Monks Wood, modified, with flashing light, 610
- Trapping, Ceratopogonidae, in Grand Cayman, 149
- Traps, light apparatus for use of CO<sub>2</sub> with CDC type, 803  
 sticky, effectiveness of color and textures for *Stomoxys*, 290
- Treehole breeding sites, closing with pipe-insulating cement, 149
- ULV, aerial, droplet sampling methods and analysis effects, 645  
 ground applied, against natural populations of *Culex*, 64
- Virus, mosquito-borne, activity in Iowa, 1975-6, 1  
 mosquito iridescent, non-participation by males in vertical transmission, 672  
 yellow fever, transmission *in vitro* by *Aedes aegypti*, 232
- West Virginia, Cabell County survey of mosquitoes, 267
- White-eye mutant in *Eratmapodites quinquevittatus*, 371
- Wisconsin, *Culicoides guttipennis* and *C. paraensis* biting man, 288
- Woodland mosquitoes, field studies in Houston, Texas, area, 26
- Yellow fever virus, transmission *in vitro* by *Aedes aegypti*, 232

## AUTHOR INDEX

- Addison, L. D., 803
- Adkins, D. A., 267
- Agarwal, H. V., 490
- Aitken, T. H. G., 232
- Akers, W. A., 307
- Ali, A., 360
- Ansari, M. A., 655
- Apperson, G. W., 14
- Armstrong, J. A., 10
- Aslamkhan, H., 130
- Asman, S. M., 248
- Atchley, W. R., 288
- Aubin, A., 762
- Axtell, R. C., 97, 520, 709
- Ayad, H., 121
- Back, C., 762
- Bailey, D. L., 113, 532, 640, 768
- Baker, R. H., 631
- Barber, J. T., 311
- Barnes, C. M., 271
- Beaty, B. J., 232
- Beidler, E. J., 76
- Belkin, J. N., 673
- Benedict, M. Q., 55
- Bennett, G. F., 633
- Berl, D., 742
- Bickley, W. E., 93, 392
- Boreham, P. F. L., 68
- Bosler, E. M., 73
- Boston, M. D., 304, 616
- Bourg, J. A., 645
- Brown, S. E., 552
- Brownell, A. J., 142
- Brust, R. A., 385, 395
- Buescher, M. D., 93
- Butterworth, D. E., 139
- Cabrera, F. A., 263
- Cameron, A. L., 304

Candeletti, T., 244, 776  
 Carroll, M. K., 645, 680  
 Chambers, D. M., 658  
 Charlwood, J. D., 137  
 Childress, L. V., 55  
 Christensen, B. M., 1  
 Cibula, W. G., 271  
 Clarke, J. L., Jr., 622  
 Coetzee, M., 619  
 Collins, W. E., 466, 472  
 Conner, J., 339  
 Covell, C. V., Jr., 142  
 Crans, W. J., 339  
 Craven, B. R., 148  
 Currier, R. W., 1  
 Dagggers, S. A., 263  
 Dame, D. A., 113, 304, 768  
 Darwazeh, H. A., 746  
 Davies, J. E., 149, 586  
 DeFoliart, G. R., 149, 288, 368  
 Desrochers, B., 541  
 Detra, R. L., 582, 594  
 DiEdwardo, A. A., 142  
 Dodd, G., 76  
 Doggett, D. W., 20  
 Dorsey, D. C., 1  
 Drabkina, A. A., 293  
 Dukes, J. C., 520  
 Eads, R. B., 137, 674  
 Edman, J. D., 68  
 Edwards, T. D., 520  
 Ellgaard, E. G., 311  
 Eshghy, N., 126  
 Fine, P. E. M., 248  
 Focks, D. A., 304  
 Fowler, J. E. F., 640  
 Frank, A. M., 396, 597  
 Friend, A. L., 311  
 Garcia, R., 541  
 Georghiou, G. P., 121  
 Gerberg, E. J., 781  
 Giglioli, M. E. C., 149, 586, 781  
 Gillett, J. D., 221  
 Granett, J., 792  
 Grass, P. N., 364  
 Grayson, M. A., 73  
 Grover, K. K., 490  
 Hajjar, N. P., 381  
 Hamza, M. A., 605  
 Hanley, M., 258  
 Harrell, L., 133  
 Hartberg, W. K., 348, 371  
 Hausler, W. J., Jr., 1  
 Hayles, L. B., 117  
 Hembree, S. C., 575, 672, 677  
 Henderson, L. P., 395  
 Hertlein, B. C., 20  
 Hester, P. G., 566  
 Hildreth, S. W., 560  
 Hill, J. A., 307  
 Hill-Rowley, R., 283  
 Ismail, M. T., 627  
 Iversen, J. O., 117, 238  
 Jakob, W. L., 137, 263  
 Jamaludin, S., 81  
 Janbakhsh, B., 126  
 Johnson, E. L., 731  
 Johnson, K. W., 371  
 Johnson, W. E., Jr., 133  
 Jones, R. H., 675  
 Jordan, B., 802  
 Joslyn, D. J., 35  
 Judd, B. D., 364  
 Kaiser, P. E., 768  
 Kanda, T., 568  
 Kardatzke, J. E., 527  
 Kay, B. H., 68  
 Kearse, T. S., 466  
 Keith, R. D., 797  
 Kitzmiller, J. B., 339  
 Kline, D., 739  
 Klowden, M. J., 110  
 Knapp, F. W., 536, 622  
 Kremer, M., 627  
 Kreutzer, R. D., 500  
 LaBrecque, G. C., 146  
 Lacey, L. A., 86, 315  
 Lafferty, A., 76  
 Lanouette, J. G., 762  
 Lesser, F., 244, 776  
 Leung, M. K., 238  
 Levy, R., 20  
 Lewis, D. J., 633  
 Lillie, T. H., 675  
 Linley, J. R., 775  
 Lowe, R. E., 552, 640, 768  
 Lowrie, R. C., Jr., 669  
 Lunt, S. R., 736  
 Lurie, A. A., 293  
 Madrigal, R. V., 536  
 Mahmood, F., 328, 374  
 Main, A. J., 544, 552, 560  
 Marquardt, W. C., 675  
 McCain, T. L., 333  
 McCammon, J. R., 392  
 McDonald, P. T., 248, 258  
 McKague, A. B., 678  
 McLean, D. M., 364  
 McLintock, J., 117  
 McLintock, J. J. R., 238  
 McVey, D. L., 307  
 Meiswinkel, R., 619  
 Meyer, R. E., 797  
 Milby, M. M., 248  
 Miller, B. R., 288  
 Miller, T. W., Jr., 20

Mitchell, C. J., 263  
Motabar, M., 126  
Mulla, M. S., 86, 315, 360, 746  
Mulligan, F. S., III, 605  
Munroe, W. L., 113  
Narlock, S. A., 283  
Nelson, R. L., 248  
Newson, H. D., 283, 463  
Olson, J. K., 718  
Olson, R. G., 392  
Parker, B. M., 393  
Parsons, R. E., 801  
Parveen, T., 328  
Patterson, R. S., 146, 490  
Petersen, J. J., 20  
Pletsch, D. J., 799  
Porter, C. H., 368  
Pridantzeva, E. A., 293  
Pridmore, R. B., 678  
Raana, K., 631  
Rademacher, R. E., 135  
Rathburn, C. B., Jr., 58, 76, 566  
Razdan, R. K., 655  
Rebholtz, C., 627  
Reeves, W. C., 248  
Reinfeath, W. G., 307  
Reisen, W. K., 130, 328, 374, 756  
Rettich, F., 320  
Richardson, B. B., 466, 472  
Roberts, D. R., 26  
Robinson, P. B., 307  
Rogers, A. J., 566  
Rogers, J. S., 463  
Romoser, W. S., 477, 483, 592, 594  
Ross, D., 610  
Rowley, W. A., 1  
Ruff, J. P., 290  
Russon, R. J., 333  
Saifuddin, U. T., 631  
Sakai, R. K., 631  
Scanlon, J. E., 26  
Schaefer, C. H., 514, 605  
Schilling, P. E., 658  
Schmidtman, E. T., 797  
Scholl, P. J., 149, 288, 368  
Schowalter, T. D., 110  
Schreck, C. E., 739  
Scotton, G. L., 97  
Seawright, J. A., 55, 768  
Senogle, D. R., 736  
Service, M. W., 610  
Sharma, V. P., 490, 655  
Shekhter, O. V., 293  
Sherick, J. N., 132  
Shisler, J. K., 776  
Sigafus, R., 536  
Sinha, V. P., 91  
Sjogren, R. D., 396, 514, 597  
Skinner, J. C., 466, 472  
Smith, A. L., 544  
Smith, C. R., Jr., 536  
Smith, N., 739  
Sollers-Riedel, H., 201, 442, 687, 812  
Srihongse, S., 73  
Steelman, C. D., 658, 724  
Steiner, W. W. M., 33, 339  
Stewart, R. J., 514  
Strickman, D., 64  
Subbarao, S. K., 655  
Suguna, S. G., 490  
Suleman, M., 756  
Sweeney, A. W., 140  
Tadano, T., 506  
Takahashi, R. M., 514  
Terracina, L. G., 148  
Thomas, J. A., 113  
Tiwari, S. C., 311  
Todd, R. G., 781  
Trimble, R. M., 18  
Tsizin, Yu. S., 293  
Undeen, A. H., 391, 742  
Wagner, R. J., 238  
Wagner, V. E., 283  
Wallis, R. C., 544, 552, 560  
Ward, R. A., 802  
Warren, McW., 466, 472  
Watson, B. G., 803  
Webber, L. A., 803  
Weegar, H. H., 117  
White, K. D., 248  
White, R. J., 736  
Wilkes, T. J., 137  
Williams, D. F., 146  
Williams, R. E., 622  
Womeldorf, D. J., 729  
Wong, F. C., 385  
Wong, Y. W., 1  
Wrensch, M., 258  
Zakharchenko, O. V., 293  
Zavortink, T. J., 673