

JOURNAL OF THE ARNOLD ARBORETUM
INDEX TO AUTHORS AND TITLES,
VOLUMES 51-65 (1970-1984)

ELIZABETH B. SCHMIDT

IN 1973 the *Journal of the Arnold Arboretum* published an "Index to Authors and Titles, Volumes 1 through 50, 1919-1969," which included a brief history of the *Journal*. Since then 15 years have passed, during which 15 volumes, 326 papers, and 8638 pages have been published. This index is a supplement to the first one; it covers the material published in volumes 61-65 and brings the history up to date.

During this period there have been many changes, some readily visible to readers and some less so. Bernice Schubert, whose capable, tactful, and meticulous direction of the *Journal* began in 1963, stepped down as Editor in 1979, to be succeeded by Stephen Spongberg. An Editorial Committee, originally comprising Bernice Schubert (Chairman), Stephen Spongberg, Peter Stevens, and Carroll Wood, was established in 1975 to redistribute some of the editorial burden. Although committee members have provided reviews and advice and have helped to determine policy, a single botanist must supervise to maintain consistency of policy and quality. Today's committee consists of Stephen Spongberg, Elizabeth Schmidt, Peter Ashton, Kamaljit Bawa (outside member), Peter Stevens, and Carroll Wood.

The amount of assistance available to the editor has increased greatly during this period. In 1970 the only help was a circulation manager; this position was upgraded to editorial assistant, assistant editor, and finally managing editor. These posts have been held by Dulcie Powell (1967-1971), Ellen Bernstein (1971-1973), Kathleen Claggett (1973-1976), and Elizabeth Schmidt (1976-present).

After many years with the Harvard University Printing Office, we changed to Edwards Brothers (Ann Arbor, Michigan) for Volume 61. With this move we hoped to achieve better results at a considerably lower price, we changed from hot to cold type, and we gained sharper reproduction of photographs. Not completely satisfied, however, we changed to Allen Press (Lawrence, Kansas) for Volume 63 and have been extremely pleased with the results. Circulation management has recently been given to Allen Press, as well.

The appearance of the *Journal* has changed considerably over the past 15 years. Basically the same for the first 50 volumes, the cover was redesigned in 1970. From 1972 through 1982, the cover was changed annually, a process that became increasingly expensive and time consuming. In 1981 we had what was to become the *Journal* logo embossed on off-white stock, and we have

retained this cover ever since. Color plates were included for the first time in 1984—an event perhaps even more exciting for us than for the author!

Other, less visible changes have also taken place. Although still primarily a staff organ, the *Journal* has been accepting an increasing number of papers from outside authors. Consequently, instructions for authors were drawn up—informally (photocopied and sent to authors on request) in 1977, and formally (printed in the back of the *Journal*) in 1983. The review process has also been formalized and tightened, with outside reviewers playing a more and more active role.

The length of papers submitted has been increasing over time. Consequently, fewer papers are published, but several of them have been extremely long. The publication of Peter Stevens's 573-page "A Revision of the Old World Species of *Calophyllum* (Guttiferae)" in 1980 marked the culmination of this trend: three galley readers were never heard from again, and the next six issues appeared off schedule!

To offset skyrocketing costs, we have instituted various measures over the past 15 years. Regretfully, we have had to raise the subscription rate several times: from \$10.00 to \$16.00 in 1972; to \$25.00 in 1978; to \$30.00 in 1983; and finally to \$50.00 in 1984. Additionally, we added a foreign postage charge of \$5.00 and halved agents' discounts. We initiated page charges for manuscripts received after 1 March 1980; however, we have been careful to ensure that inability to pay such charges in no way influences our handling of a manuscript. We are unfortunately no longer able to provide outside authors with free offprints.

In years to come, we hope to continue to offer solid scientific work contained in a carefully produced journal. Despite time, money, and staffing constraints, we strive to provide personalized service to both authors and subscribers. Any comments and suggestions will be gratefully received.

DATES OF ISSUE, VOLUMES 51–65

VOL.	NO.	PAGES	DATE	VOL.	NO.	PAGES	DATE
51	1	1–132	16 Jan. 1970	55	1	1–124	30 Jan. 1974
	2	133–256	14 April 1970		2	125–332	30 May 1974
	3	257–430	13 July 1970		3	333–524	24 Sept. 1974
	4	431–560	19 Oct. 1970		4	525–695	3 Dec. 1974
52	1	1–204	4 Feb. 1971	56	1	1–184	16 April 1975
	2	205–368	16 April 1971		2	185–264	13 June 1975
	3	369–522	16 July 1971		3	265–374	2 Sept. 1975
	4	523–717	27 Oct. 1971		4	375–478	24 Nov. 1975
53	1	1–140	10 Jan. 1972	57	1	1–128	4 March 1976
	2	141–272	19 April 1972		2	129–216	9 June 1976
	3	273–408	4 Aug. 1972		3	217–404	17 Sept. 1976
	4	409–582	13 Nov. 1972		4	405–548	30 Dec. 1976
54	1	1–122	9 Feb. 1973	58	1	1–72	4 March 1977
	2	123–330	26 April 1973		2	73–192	25 May 1977
	3	331–418	16 July 1973		3	193–348	9 Aug. 1977
	4	419–493	19 Nov. 1973		4	349–463	10 Nov. 1977

VOL.	NO.	PAGES	DATE
59	1	1-104	24 Jan. 1978
	2	105-196	3 May 1978
	3	197-310	26 July 1978
	4	311-429	30 Nov. 1978
60	1	1-166	31 Jan. 1979
	2	167-322	1 May 1979
	3	323-402	24 July 1979
	4	403-542	17 Dec. 1979
61	1	1-116	21 March 1980
	2	117-424	19 Dec. 1980
	3	425-700	19 Dec. 1980
	4	701-783	24 April 1981
62	1	1-128	12 June 1981
	2	130-266	21 Aug. 1981
	3	267-436	17 Nov. 1981
	4	437-561	11 Jan. 1982
63	1	1-101	22 March 1982
	2	103-198	13 April 1982
	3	199-336	27 July 1982
	4	337-530	30 Dec. 1982
64	1	1-169	11 Jan. 1983
	2	171-332	8 April 1983
	3	333-490	19 July 1983
	4	491-665	20 Oct. 1983
65	1	1-148	11 Jan. 1984
	2	149-254	16 April 1984
	3	255-428	7 July 1984
	4	429-592	12 Oct. 1984

ABBE, ERNST C., AND ROBERT B. KAUL.
Inflorescence architecture and evolution
in the Fagaceae, **65**: 375-401

Abies amabilis × *lasiocarpa*: Sargent's fir
hybrid, **58**: 52-59

Acanthaceae in the southeastern United
States, The genera of, **51**: 257-309

Acanthopanax, *Eleutherococcus* vs., **61**:
107-111

Acer saccharum, in northern Cape Breton
Island, Silvical characteristics of sugar
maple, **58**: 307-324

Acer, Shoot growth and heterophylly in,
52: 240-266

Acmena (Myrtaceae), A revision of the Pa-
puasian species of, **58**: 325-342

Acradenia (Rutaceae), A revision of the ge-
nus, **58**: 171-181

Acronychia (Rutaceae), A revision of the
genus, **55**: 469-523, 525-567

Acrotrema, Additional notes on. Compar-

ative morphological studies in Dilleni-
aceae, VII, **52**: 319-333

ADAMS, PRESTON, AND CARROLL E. WOOD,
JR. The genera of Guttiferae (Clusi-
aceae) in the southeastern United States,
57: 74-90

Additional new taxa and new combina-
tions in Hymenaea (Leguminosae, Caes-
alpinioideae), **55**: 441-452

Additional notes on *Dimorphanthera* (Er-
icaceae), **58**: 437-444

Additional notes on the genus *Flindersia*
(Rutaceae), **56**: 243-247

Additional notes on the Malesian species
of *Zanthoxylum* (Rutaceae), **51**: 423-426

Additions and changes in the Neotropical
Convolvulaceae—notes on *Merremia*,
Operculina, and *Turbina*, **64**: 483-489

Agarista (Ericaceae), A taxonomic revision
of the American species of, **65**: 255-342

AIELLO, ANNETTE. A reexamination of
Portlandia (Rubiaceae) and associated
taxa, **60**: 38-126

Airosperma (Rubiaceae), Notes on, with a
new species from Fiji, **61**: 95-105

Aizoaceae in the southeastern United
States, The genera of Molluginaceae and,
51: 431-462

Algae of Pico del Oeste, The. The ecology
of an elfin forest in Puerto Rico, 14, **52**:
86-109

Alismataceae in the southeastern United
States, The genera of, **64**: 383-420

ALMEDA, FRANK, JR. Systematics of the
Neotropical genus *Centradenia* (Mela-
stomataceae), **58**: 73-108

AL-SHEHBAZ, IHSAN A. The tribes of Cru-
ciferae (Brassicaceae) in the southeastern
United States, **65**: 343-373

Alsophila (Cyatheaceae) in the Americas,
A revision of the genus, **64**: 333-382

Amaranthaceae in the southeastern United
States, The genera of, **62**: 267-313

Amentotaxus, The secondary phloem of,
55: 119-122

Amentotaxus, The wood of, **54**: 111-119

American grasses, Notes on, **60**: 320, 321

American species of *Agarista* (Ericaceae),
A taxonomic revision of the, **65**: 255-
342

Americas, A revision of the genus *Al-
sophila* (Cyatheaceae) in the, **64**: 333-
382

Analysis of the complex vascularity in stems
of *Dioscorea composita*, **51**: 228-240

- Anatomy of stem abscission in the genus *Smilacina* (Liliaceae), **65**: 563–570
- Anatomy of the palm *Rhapis excelsa*, VIII. Vessel network and vessel-length distribution in the stem, **63**: 83–95; IX. Xylem structure of the leaf insertion, **64**: 599–609; X. Differentiation of stem conducting tissue, **65**: 191–214
- ANDERSON, LORAN C. Studies on *Bigelovia* (Asteraceae), II. Xylary comparisons, woodiness, and paedomorphosis, **53**: 499–514
- Andromedeae (Ericaceae), Generic relationships in the, **60**: 477–503
- Andropogon virginicus* complex (Gramineae), Systematics of the, **64**: 171–254
- Anethanthus* (Gesneriaceae), The genus, **56**: 364–368
- Appalachians, A second species of *Nemopanthus* in the southern, *Ilex collina*, **55**: 435–440
- Araceae of the Lesser Antilles, Nomenclatural notes on the, **60**: 272–289
- Aralia spinosa* (Araliaceae), The architecture of devil's walking stick, **65**: 403–418
- Araliaceae, What is the primitive floral structure of, **52**: 205–239
- Architecture of devil's walking stick, *Aralia spinosa* (Araliaceae), The, **65**: 403–418
- Asarum* (Aristolochiaceae), A synopsis of the Chinese species of, **64**: 565–569
- Ascarina* (Chloranthaceae) in the southern Pacific, The genus. Studies of Pacific island plants, XXXIII, **57**: 405–425
- Asia and in cultivation, The genus *Neillia* (Rosaceae) in mainland, **52**: 137–158
- Asiatic-Polynesian-Australian species of *Erythrina*, Notes on, II, **53**: 128–139
- Ateleia* (Leguminosae) from the Bahamas, A new species of, **62**: 261–263
- Aublet's generic names by his contemporaries and by present-day taxonomists, The treatment of, **65**: 215–242
- Aublet's *Histoire des Plantes de la Guiane Française*, The plates of, **64**: 255–292
- AUSTIN, DANIEL F., AND DAVID M. MCJUNKIN. An ethnoflora of Chokoloskee Island, Collier County, Florida, **59**: 50–67
- AUSTIN, DANIEL F., AND ROYCE L. OLIVER. *Sisyrinchium solstitiale* (Iridaceae): a Florida endemic, **55**: 291–299
- AUSTIN, DANIEL F., AND G. W. STAPLES. Additions and changes in the Neotropical Convolvulaceae—notes on *Merremia*, *Operculina*, and *Turbina*, **64**: 483–489
- Australasia, *Rhizophora* in—some clarification of taxonomy and distribution, **59**: 156–169
- Australia, The genus *Piper* (Piperaceae) in New Guinea, Solomon Islands, and, I, **53**: 1–25
- AYENSU, EDWARD S. Analysis of the complex vascularity in stems of *Dioscorea composita*, **51**: 228–240
- BAAS, PIETER. Vegetative anatomy and the taxonomic status of *Ilex collina* and *Nemopanthus* (Aquifoliaceae), **65**: 243–250
- Bahama Islands, Gomphrenoideae (Amaranthaceae) of the, **58**: 60–66
- Bahamas, A new species of *Ateleia* (Leguminosae) from the, **62**: 261–263
- Bahamas, *Caesalpinia* subgenus *Guilandina* in the, **55**: 425–430
- Bahamas, Caicos and Turks islands, New species and a new combination from the, **58**: 40–51
- Bahamas, Caicos and Turks islands, New species and varieties from the, **60**: 154–162
- Bahamian species of *Bursera* (Burseraceae), Systematic anatomy of, **60**: 163–165
- Balsaminaceae in the southeastern United States, The, **56**: 413–426
- Bamboo classification, Present status and problems of, **54**: 293–308
- BARGHOORN, ELSON S., ELISABETH WHEELER, AND RICHARD A. SCOTT. Fossil dicotyledonous woods from Yellowstone National Park, **58**: 280–306; II, **59**: 1–31
- BARRINGER, KERRY. *Cubitanthus*, a new genus of Gesneriaceae from Brazil, **65**: 145–147
- BARTHOLOMEW, B., D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, AND T. S. YING. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- BARTHOLOMEW, B., DAVID E. BOUFFORD, AND STEPHEN A. SPONGBERG. *Metasequoia glyptostroboides*—its present status in central China, **64**: 105–128

- Bataceae in the southeastern United States, The, **63**: 375–386
- Batis maritima (Bataceae), Chromosome number and its significance in, **57**: 526–530
- Bauerella (Rutaceae), The taxonomic status of the genus, **56**: 164–170
- BAWA, K. S. Chromosome numbers of tree species of a lowland tropical community, **54**: 422–434
- BAWA, K. S., AND OTTO T. SOLBRIG. Isozyme variation in species of Prosopis (Leguminosae), **56**: 398–412
- BELL, ADRIAN. Rhizome organization in relation to vegetative spread in Medeola virginiana, **55**: 458–468
- Bellium (Winteraceae) and a note on flowering, Wood anatomy of, **64**: 161–169
- Betulaceae and Salicaceae, Notes on West Himalayan, **54**: 412–418
- BHANDARI, N. N. Embryology of the Magnoliales and comments on their relationships, **52**: 1–39, 285–304
- BIDINGER, J. M., M. J. LAPIANA, G. J. PER-SINOS, AND S. K. CHRISTIE. The ecology of an elfin forest in Puerto Rico, 13. Phytochemical screening and literature survey, **51**: 540–546
- Bigelowia (Asteraceae), Studies on, II. Xylary comparisons, woodiness, and pae-domorphosis, **53**: 499–514
- Bigelow's "American Medical Botany," **55**: 46–50
- Biosystematic revision of Bommeria, A, **60**: 445–476
- BOGLE, A. LINN. Floral morphology and vascular anatomy of the Hamamelidaceae: the apetalous genera of Hamamelidoideae, **51**: 310–366
- BOGLE, A. LINN. The genera of Molluginaceae and Aizoaceae in the southeastern United States, **51**: 431–462
- BOGLE, A. LINN. The genera of Nyctaginaceae in the southeastern United States, **55**: 1–37
- BOHM, BRUCE A., SCOTT W. BRIM, RICHARD J. HEBDA, AND P. F. STEVENS. Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae, **59**: 311–341
- Bommeria, A biosystematic revision of, **60**: 445–476
- Boraginaceae of West Pakistan and Kashmir, A revision of the, **51**: 133–184, 367–402, 499–520; **52**: 110–136, 334–363, 486–522, 666–690
- Boreal and western North American plants in the late Pleistocene of Vermont, **60**: 167–218
- Borneo, Two unusual Chionanthus species from, and the position of Myxopyrum in the Oleaceae, **64**: 619–626
- Borreria from New Guinea, A new name in Spermaceae for two species of, **64**: 627, 628
- Bosistoa (Rutaceae), A revision of the genus, **58**: 416–436
- BOUFFORD, DAVID E. Notes on Peperomia (Piperaceae) in the southeastern United States, **63**: 317–325
- BOUFFORD, DAVID E., A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, AND B. BARTHOLOMEW. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- BOUFFORD, DAVID E., AND S. A. SPONGBERG. Calycanthus floridus (Calycanthaceae)—a nomenclatural note, **62**: 265, 266
- BOUFFORD, DAVID E., STEPHEN A. SPONGBERG, AND BRUCE BARTHOLOMEW. Metasequoia glyptostroboides—its present status in central China, **64**: 105–128
- BOUFFORD, DAVID E., TSÜN-SHEN YING, AND SUSUMU TERABAYASHI. A monograph of Diphylleia (Berberidaceae), **65**: 57–94
- Brass, Leonard J. (1900–1971), an appreciation [obituary, with portrait], **52**: 695–698
- Brazil, A new species of Ormosia from, **51**: 129–131
- Brazil and Guyana, New taxa from, in the genus Hymenaea (Leguminosae, Caesalpinioideae), **54**: 94–104
- Brazil, Cubitanthus, A new genus of Gesneriaceae from, **65**: 145–147
- Brazilian Trixis eryngioides to Perezia (Compositae, Mutisieae), Transfer of the, **59**: 352–359
- Breeding mechanisms in trees native to tropical Florida—a morphological assessment, **55**: 269–290
- BRIM, SCOTT W., RICHARD J. HEBDA, P. F. STEVENS, AND BRUCE A. BOHM. Generic

- limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae, **59**: 311–341
- Bromeliaceae in the southeastern United States, The genera of, **56**: 375–397
- BROOME, C. R., G. L. WEBSTER, W. J. HAYDEN, W. T. GILLIS, AND D. E. STONE. Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- BUCHHEIM, GÜNTHER. Bigelow's "American Medical Botany," **55**: 46–50
- Buchnera (Scrophulariaceae) from Colombia, A spectacular, **59**: 298
- BUCK, WILLIAM R., AND MICHAEL J. HUFT. Two new species of *Euphorbia* subgenus *Agaloma* from Mexico, **58**: 343–348
- Bulbostylis from the West Indies, A new combination in, **60**: 322
- BUNT, J. S., R. B. PRIMACK, N. C. DUKE, AND P. B. TOMLINSON. *Lumnitzera rosea* (Combretaceae)—its status and floral morphology, **59**: 342–351
- BURCH, I. H., AND S. A. SPONGBERG. *Lardizabalaceae* hardy in temperate North America, **60**: 302–315
- BURKART, ARTURO. A monograph of the genus *Prosopis* (Leguminosae subfam. Mimosoideae), **57**: 219–249, 450–525
- Burkart, Arturo; a personal appreciation [obituary, with portrait], **57**: 217, 218
- Burmanniaceae in the southeastern United States, The genera of, **64**: 293–307
- Bursera (Burseraceae), Systematic anatomy of Bahamian species of, **60**: 163–165
- BURTT, B. L. The first species of *Stauroanthera* (Gesneriaceae) from New Guinea, with general notes on the genus, **65**: 129–133
- Caesalpinia subgenus *Guilandina* in the Bahamas, **55**: 425–430
- Caesalpinioideae (Leguminosae) in the southeastern United States, The genera of, **57**: 1–53
- Caicos and Turks islands, New species and a new combination from the Bahamas, **58**: 40–51
- Caicos and Turks islands, New species from the Bahamas, **60**: 154–162
- California, A possible magnolioid floral axis, *Loishoglia bettencourtii*, from the Upper Cretaceous of central, **65**: 95–104
- California, Dicotyledonous wood from the Upper Cretaceous of central, **60**: 323–349; II, **61**: 723–748; III. Conclusions, **62**: 437–455
- Calliandra haematocephala*: history, morphology, and taxonomy, **52**: 69–85
- Calophyllum* (Guttiferae), A revision of the Old World species of, **61**: 117–699
- Calophyllum* (Guttiferae), The Old World species of. 1. The Mascarene species, **57**: 167–184
- Calycanthus floridus* (Calycanthaceae)—a nomenclatural note, **62**: 265, 266
- CAMPBELL, CHRISTOPHER S. Systematics of the *Andropogon virginicus* complex (Gramineae), **64**: 171–254
- Cannabaceae in the southeastern United States, The genera of, **51**: 185–203
- CANTINO, PHILIP D., AND OTTO T. SOLBRIG. Reproductive adaptations in *Prosopis* (Leguminosae, Mimosoideae), **56**: 185–210
- Cape Breton Island, Silvical characteristics of sugar maple, *Acer saccharum*, in northern, **58**: 307–324
- Caricaceae in the southeastern United States, The, **63**: 411–427
- CARLQUIST, SHERWIN. Wood anatomy of *Bellium* (Winteraceae) and a note on flowering, **64**: 161–169
- CARLQUIST, SHERWIN. Wood anatomy of *Myrothamnus flabellifolia* (Myrothamnaceae) and the problem of multiperforate perforation plates, **57**: 119–126
- Caroline islands, The genus *Cyrtandra* in the Ryukyu and, **54**: 105–110
- Caryophyllus cotinifolius*, What and whence was Miller's, **56**: 171–175
- CASSENS, DANIEL L., AND REGIS B. MILLER. Wood anatomy of the New World *Pithecellobium* (sensu lato), **62**: 1–44
- Casuarinaceae in the southeastern United States, The, **63**: 357–373
- Catesby's plants, The modern names for, **64**: 511–546
- Centradenia* (Melastomataceae), Systematics of the Neotropical genus, **58**: 73–108
- Central America, Notes on the genus *Galipea* (Rutaceae) in, **51**: 427–430
- Central America, Three new species of *Picramnia* (Simaroubaceae) from, **54**: 315–321
- Central American *Heliconia* (Heliconiaceae) with pendent inflorescences, Systematics of, **65**: 429–532

- Central American taxa of *Heliconia* (Heliconiaceae), New, **62**: 243–260
- Cercidiphyllaceae hardy in temperate North America, **60**: 367–376
- Cestrum (Solanaceae) from southern Colombia, A new species of, **61**: 113–115
- CHANG, A. L., Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, AND D. E. BOUFFORD. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- CHAO, JEW-MING, AND BRIAN MORLEY. A review of *Corylopsis* (Hamamelidaceae), **58**: 382–415
- Charianthus (Melastomataceae) in the Lesser Antilles, Notes on *Tibouchina* and, **53**: 399–402
- CHENG, CHING-YUNG, AND CHUN-SHU YANG. A synopsis of the Chinese species of *Asarum* (Aristolochiaceae), **64**: 565–597
- CHENG, Z., T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, AND A. L. CHANG. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- CHEW, WEE-LEK. The genus *Piper* (Piperaceae) in New Guinea, Solomon Islands, and Australia, **1**, **53**: 1–25
- China, central, *Metasequoia glyptostroboides*—its present status in, **64**: 105–128
- China, People's Republic of, The 1980 Sino-American botanical expedition to western Hubei Province, **64**: 1–103
- Chinese species of *Asarum* (Aristolochiaceae), A synopsis of the, **64**: 565–597
- Chionanthus* species from Borneo, Two unusual, and the position of *Myxopyrum* in the Oleaceae, **64**: 619–626
- CHRISTIE, S. K., J. M. BINDER, M. J. LAPIANA, AND G. J. PERSINOS. The ecology of an elfin forest in Puerto Rico, 13. Phytochemical screening and literature survey, **51**: 540–546
- Chromosome counts in cultivated junipers, **54**: 369–376
- Chromosome number and its significance in *Batis maritima* (Bataceae), **57**: 526–530
- Chromosome numbers in the Juglandaceae, **51**: 534–539
- Chromosome numbers of tree species of a lowland tropical community, **54**: 422–434
- Chromosomes and relationships of *Metasequoia* and *Sequoia* (Taxodiaceae), The: an update, **65**: 251–254
- Chrysobalanaceae in the southeastern United States, The genera of, **51**: 521–528
- Circaeaster, Types of blind vein-endings in the dichotomous venation of, **51**: 70–88
- Citharexylum (Verbenaceae), Dioecism in, **53**: 386–389
- Citharexylum (Verbenaceae), Dioecism in: an addendum, **54**: 120
- Cladocolea (Loranthaceae), The genus, **56**: 265–335
- Cladothamneae (Ericaceae), Generic limits in the tribe, and its position in the Rhododendroideae, **59**: 311–341
- CLARK, ROSS C. *Ilex collina*, a second species of *Nemopanthus* in the southern Appalachians, **55**: 435–440
- CLAUSEN, KRISTIN S., WILLIAM T. GILLIS, JR., AND RICHARD A. HOWARD. William Hamilton (1783–1856) and the *Prodromus Plantarum Indiae Occidentalis* (1825), **62**: 211–242
- CLAUSEN, KRISTIN S., AND RICHARD A. HOWARD. The Soufrière plant of St. Vincent, **61**: 765–770
- Clayton, Temple, chemist and amateur botanist, 1914–1978 [obituary, with portrait], **65**: 1–4
- Clinostemon (Lauraceae), Reinstatement of, **60**: 515–522
- Colombia, A new species of *Cestrum* (Solanaceae) from southern, **61**: 113–115
- Colombia, A spectacular *Buchnera* (Scrophulariaceae) from, **59**: 298
- Colombia, The vegetation of the Serranía de Macuira, Guajira: a contrast of arid lowlands and an isolated cloud forest, **63**: 1–30
- Colombian cloud forest, The ecological, geographic, and taxonomic relationships of the flora of an isolated, with some implications for island biogeography, **63**: 31–61
- Comparative anatomy and systematics of Moutabeae (Polygalaceae), **58**: 109–145

- Comparative anatomy and systematics of *Picrodendron*, genus incertae sedis, **58**: 257–279
- Comparative anatomy of *Ulmaceae*, **52**: 523–585
- Comparative morphological studies in *Dilleniaceae*, V. Leaf anatomy, **51**: 89–113; VI. Stamens and young stem, **51**: 403–422; VII. Additional notes on *Acrotrema*, **52**: 319–333
- CONANT, DAVID S. A revision of the genus *Alsophila* (*Cyatheaceae*) in the Americas, **64**: 333–382
- CONDE, LOUIS F., AND DONALD E. STONE. Seedling morphology in the *Juglandaceae*, the cotyledonary node, **51**: 463–477
- CONSTANCE, LINCOLN, AND MILDRED E. MATHIAS. A new species of *Oreomyrrhis* (*Umbelliferae*, *Apiaceae*) from New Guinea, **58**: 190–192
- Contribution to the knowledge of cytology in *Magnoliales*, A, **55**: 453–457
- Convolvulaceae*, Additions and changes in the Neotropical—notes on *Merremia*, *Operculina*, and *Turbina*, **64**: 483–489
- Convolvulaceae* of the Lesser Antilles, The, **60**: 219–271
- Cordyline* (*Agavaceae*), Morphological studies in, I. Introduction and general morphology, **52**: 459–478; II. Vegetative morphology of *Cordyline terminalis*, **53**: 113–127
- Cordyline terminalis*, Vegetative morphology of. Morphological studies in *Cordyline* (*Agavaceae*) II, **53**: 113–127
- Cornus* (*Cornaceae*), Some observations on the reproductive biology of three species of, **65**: 419–427
- CORRELL, DONOVAN S. A new species of *Ateleia* (*Leguminosae*) from the Bahamas, **62**: 261–263
- CORRELL, DONOVAN S. New species and a new combination from the Bahamas, Caicos and Turks islands, **58**: 40–51
- CORRELL, DONOVAN S. New species and varieties from the Bahamas, Caicos and Turks islands, **60**: 154–162
- Corylopsis* (*Hamamelidaceae*), A review of, **58**: 382–415
- Costa Rica, The genus *Macrocarpaea* (*Gentianaceae*) in, **53**: 553–557
- Cottonwoods (*Populus*, *Salicaceae*) of sections *Abaso* and *Aigeiros*, North American, **58**: 193–208
- CRANDALL, BARBARA, RAY STOTLER, AND MARGARET FULFORD. The ecology of an elfin forest in Puerto Rico, 11. The leafy *Hepaticae* of Pico del Oeste, **51**: 56–69; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435–458
- Crassulaceae* in the southeastern United States, The genera of, **59**: 198–248
- CRAVEN, L. A., AND T. G. HARTLEY. A revision of the Papuasian species of *Acmena* (*Myrtaceae*), **58**: 325–342
- CRISCI, JORGE VICTOR. A numerical-taxonomic study of the subtribe *Nassauviinae* (*Compositae*, *Mutisieae*), **55**: 568–610
- CRISCI, JORGE VICTOR. *Marticorenia*: a new genus of *Mutisieae* (*Compositae*), **55**: 38–45
- CRISCI, JORGE VICTOR, AND CLODOMIRO MARTICORENA. Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (*Compositae*, *Mutisieae*), **59**: 352–359
- CRITCHFIELD, WILLIAM B. Sargent's fir hybrid: *Abies amabilis* × *lasiocarpa*, **58**: 52–59
- CRITCHFIELD, WILLIAM B. Shoot growth and heterophyly in *Acer*, **52**: 240–266
- CROWLEY, WEBSTER R., MARION T. HALL, AND APARNA MUKHERJEE. Chromosome counts in cultivated junipers, **54**: 369–376
- Cruciferae* (*Brassicaceae*) in North America, Weeds of the, **62**: 517–540
- Cruciferae* (*Brassicaceae*) in the southeastern United States, The tribes of, **65**: 343–373
- Cruciferae* of western North America, Studies in the, **64**: 491–510
- Cubitanthus*, a new genus of *Gesneriaceae* from Brazil, **65**: 145–147
- CULLEN, J. The genus *Neillia* (*Rosaceae*) in mainland Asia and in cultivation, **52**: 137–158
- Cunoniaceae*, Fruits and seeds of the, **65**: 149–190
- Cussonia spicata* (*Araliaceae*), Development of the digitately compound leaf in, **56**: 256–263
- Cycads, Taxonomy of the West Indian, **61**: 701–722
- Cyclanthaceae*, Two new species and a new subgenus of, **59**: 74–102
- Cyrtandra* in the Ryukyu and Caroline islands, The genus, **54**: 105–110

- Cytological studies in Ulmaceae, Moraceae, and Urticaceae, **55**: 663–677
- Cytological studies on Himalayan Meliaceae, **53**: 558–568
- Cytology and evolution in Hamamelidaceae, **58**: 67–71
- Cytology of West Indian Betulaceae and Salicaceae, **54**: 412–418
- Cytomorphology of arborescent Moraceae, **53**: 216–225
- Cytotaxonomic notes on some Gentianaceae, **56**: 211–222
- DANIEL, THOMAS F. Systematics of Holographis (Acanthaceae), **64**: 129–160
- DARWIN, STEVEN P. New species of Timonius (Rubiaceae) from Papuasia, **64**: 611–618
- DARWIN, STEVEN P. Notes on Airosperma (Rubiaceae), with a new species from Fiji, **61**: 95–105
- DARWIN, STEVEN P. The genus Lindenia (Rubiaceae), **57**: 426–449
- DARWIN, STEVEN P. The genus Mastixiodendron (Rubiaceae), **58**: 349–381
- DARWIN, STEVEN P., AND ALBERT C. SMITH. Studies of Pacific island plants, XXVIII. The Guttiferae of the Fijian region, **55**: 215–263
- Dates of publication of Sargent's Silva of North America, **59**: 68–73
- DAVIS, J. S., AND P. B. TOMLINSON. A new species of Ruppia in high salinity in Western Australia, **55**: 59–66
- Derris from the Solomon Islands, A new species of. Studies in the Leguminosae, **11**, **51**: 251–254
- Development of the digitately compound leaf in *Cussonia spicata* (Araliaceae), **56**: 256–263
- DHAR, USHA, AND M. R. VIJAYARAGHAVAN. *Kadsura heteroclita*—microsporangium and pollen, **56**: 176–182
- DICKISON, WILLIAM C. Comparative studies in Dilleniaceae, V. Leaf anatomy, **51**: 89–113; VI. Stamens and young stem, **51**: 403–422; VII. Additional notes on *Acrotrema*, **52**: 319–333
- DICKISON, WILLIAM C. Fruits and seeds of the Cunoniaceae, **65**: 149–190
- DICKISON, WILLIAM C., AND PHILLIP M. RURY. Leaf venation patterns of the genus *Hibbertia* (Dilleniaceae), **58**: 209–256
- DICKISON, WILLIAM C., PHILLIP M. RURY, AND G. LEDYARD STEBBINS. Xylem anatomy of *Hibbertia* (Dilleniaceae) in relation to ecology and evolution, **59**: 32–49
- DICKISON, WILLIAM C., AND WILLIAM E. SCHADEL. Leaf anatomy and venation patterns of the Styracaceae, **60**: 8–37
- Dicotyledoneae, The stem-node-leaf continuum of the, **55**: 125–181
- Dicotyledonous wood from the Upper Cretaceous of central California, **60**: 323–349; II, **61**: 723–748; III. Conclusions, **62**: 437–455
- Dicotyledons, Observations of reaction fibers in leaves of, **63**: 173–185
- Dilleniaceae, Comparative morphological studies in, V. Leaf anatomy, **51**: 89–113; VI. Stamens and young stem, **51**: 403–422; VII. Additional notes on *Acrotrema*, **52**: 319–333
- Dimorphantha (Ericaceae), Additional notes on, **58**: 437–444
- Diocism in *Citharexylum* (Verbenaceae), **53**: 386–389
- Diocism in *Citharexylum* (Verbenaceae): an addendum, **54**: 120
- Dioscorea composita, Analysis of the complex vascularity in stems of, **51**: 228–240
- Diospyros (Ebenaceae) in Fiji, Samoa, and Tonga, The genus. Studies of Pacific island plants, XXIII, **52**: 369–403
- Diphylleia (Berberidaceae), A monograph of, **65**: 57–94
- Dominica, Notes for the flora of: *Spermacoce confusa* and *Schradera exotica* (Rubiaceae), **58**: 445–450
- Dracaena draco*—dragon's blood tree, The growth of, **55**: 51–58
- Dracaena fragrans* (Agavaceae), The vascular system in the axis of, 2. Distribution and development of secondary vascular tissue, **51**: 478–491
- DRURY, WILLIAM C., AND IAN C. T. NISBET. Succession, **54**: 331–368
- DUDLEY, T. R., S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, AND Z. CHENG. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- DUKE, N. C., P. B. TOMLINSON, J. S. BUNT,

- AND R. B. PRIMACK. *Lumnitzera rosea* (Combretaceae)—its status and floral morphology, **59**: 342–351
- Ebenaceae hardy in temperate North America, **58**: 146–160
- ECKENWALDER, JAMES E. North American cottonwoods (*Populus*, Salicaceae) of sections Abaso and Aigeiros, **58**: 193–208
- ECKENWALDER, JAMES E. Taxonomy of the West Indian cycads, **61**: 701–722
- Ecological, geographic, and taxonomic relationships of the flora of an isolated Colombian cloud forest, The, with some implications for island biogeography, **63**: 31–61
- Ecology of an elfin forest in Puerto Rico, The, 10. Notes on two species of *Marcgravia*, **51**: 41–55; 11. The leafy *Hepaticae* of Pico del Oeste, **51**: 56–69; 12. A new species of *Gonocalyx* (Ericaceae), **51**: 221–227; 13. Phytochemical screening and literature survey, **51**: 540–546; 14. The algae of Pico del Oeste, **52**: 86–109; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435–458; 16. The flowering cycle and an interpretation of its seasonality, **52**: 586–613; 17. Epiphytic mossy vegetation of Pico del Oeste, **58**: 1–24
- Elephantorrhiza elephantina, The morphology and germination of the seed of, **51**: 114–128
- Eleutherococcus vs. *Acanthopanax*, **61**: 107–111
- Elfin forest in Puerto Rico, The ecology of an, 10. Notes on two species of *Marcgravia*, **51**: 41–55; 11. The leafy *Hepaticae* of Pico del Oeste, **51**: 56–69; 12. A new species of *Gonocalyx* (Ericaceae), **51**: 221–227; 13. Phytochemical screening and literature survey, **51**: 540–546; 14. The algae of Pico del Oeste, **52**: 86–109; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435–458; 16. The flowering cycle and an interpretation of its seasonality, **52**: 586–613; 17. Epiphytic mossy vegetation of Pico del Oeste, **58**: 1–24
- ELIAS, THOMAS S. Notes on the genus *Galipea* (Rutaceae) in Central America, **51**: 427–430
- ELIAS, THOMAS S. The genera of Fagaceae in the southeastern United States, **52**: 159–195
- ELIAS, THOMAS S. The genera of Juglandaceae in the southeastern United States, **53**: 26–51
- ELIAS, THOMAS S. The genera of Mimosoideae (Leguminosae) in the southeastern United States, **55**: 67–118
- ELIAS, THOMAS S. The genera of Myricaceae in the southeastern United States, **52**: 305–318
- ELIAS, THOMAS S. The genera of Ulmaceae in the southeastern United States, **51**: 18–40
- ELIAS, THOMAS S., AND LORIN I. NEVLING, JR. *Calliandra haematocephala*: history, morphology, and taxonomy, **52**: 69–85
- Embryology of the Magnoliales and comments on their relationships, **52**: 1–39, 285–304
- ENDRESS, PETER K., AND PETER GOLDBLATT. Cytology and evolution in Hamamelidaceae, **58**: 67–71
- Enumeratio and Selectarum of Nicolaus von Jacquin, The, **54**: 435–470
- Ephedra, Venation patterns in the leaves of, **53**: 364–385
- Erythrina, Notes on Asiatic-Polynesian-Australian species of, II, **53**: 128–139
- Ethnoflora of Chokoloskee Island, Collier County, Florida, An, **59**: 50–67
- Eugenia, Floral anatomy of Myrtaceae, II, **53**: 336–363
- Eugenia maire (Myrtaceae) of New Zealand, A new combination in *Syzygium* for, **60**: 396–401
- Euphorbia (Euphorbiaceae) from southern Mexico, A remarkable new dimorphic, **63**: 97–101
- Euphorbia subgenus *Agaloma* from Mexico, Two new species of, **58**: 343–348
- EYDE, RICHARD H., AND CHARLES C. TSENG. What is the primitive floral structure of Araliaceae, **52**: 205–239
- Fagaceae in the southeastern United States, The genera of, **52**: 159–195
- Fagaceae, Inflorescence architecture and evolution in the, **65**: 375–401
- FAWCETT, PRISCILLA, AND P. B. TOMLINSON. Dioecism in *Citharexylum* (Verbenaceae), **53**: 386–389
- Features of pollen flow in *Gelsemium sempervirens* (Loganiaceae), **60**: 377–381

- FERNÁNDEZ, P., S. LOZANO, AND E. MARTÍNEZ-HERNÁNDEZ. Pollen of tropical trees, I. Tiliaceae, **59**: 299-309
- Fiji, Notes on Airosperma (Rubiaceae), with a new species from, **61**: 95-105
- Fiji, Samoa, and Tonga, The genus Diospyros (Ebenaceae) in. Studies of Pacific island plants, XXIII, **52**: 369-403
- Fijian region, The Guttiferae of the. Studies of Pacific island plants, XXVIII, **55**: 215-263
- Fijian region, The Myrsinaceae of the. Studies of Pacific island plants, XXV, **54**: 1-41, 228-292
- First species of Stauroanthus (Gesneriaceae) from New Guinea, The, with general notes on the genus, **65**: 129-133
- FISHER, J. B., AND P. B. TOMLINSON. Morphological studies in Cordyline (Agavaceae) I. Introduction and general morphology, **52**: 459-478; II. Vegetative morphology of Cordyline terminalis, **53**: 113-127
- Flacourtiaceae, Systematic anatomy of the xylem and comments on the relationships of, **56**: 20-102
- Flindersia (Rutaceae), Additional notes on the genus, **56**: 243-247
- Floral anatomy of Myrtaceae, II. Eugenia, **53**: 336-363
- Floral morphology and vascular anatomy of the Hamamelidaceae: the apetalous genera of Hamamelidoideae, **51**: 310-366
- Floral structure and relationships of the Trimeniaceae (Laurales), **64**: 447-473
- Florida, An ethnoflora of Chokoloskee Island, Collier County, **59**: 50-67
- Florida, Breeding mechanisms in trees native to tropical—a morphological assessment, **55**: 269-290
- Florida endemic, A: Sisyrinchium solstitiale (Iridaceae), **55**: 291-299
- FOERSTER, JOHN W. The ecology of an elfin forest in Puerto Rico, 14. The algae of Pico del Oeste, **52**: 86-109
- Foliar trichomes of Quercus subgenus Quercus in the eastern United States, **60**: 350-366
- Form of the perforation plates in the wide vessels of metaxylem in palms, **59**: 105-128
- Fossil dicotyledonous woods from Yellowstone National Park, **58**: 280-306; II, **59**: 1-31
- FOSTER, ADRIANCE S. Types of blind vein-endings in the dichotomous venation of Circaeaster, **51**: 70-88
- FOSTER, ADRIANCE S. Venation patterns in the leaves of Ephedra, **53**: 364-385
- Freycinetia and Pandanus from Malesia and Southeast Asia. Studies in Malesian Pandanaceae, 19, **64**: 309-324
- FRODIN, D. G. Studies in Schefflera (Araliaceae): the Cephaloschefflera complex, **56**: 427-448
- Fruits and seeds of the Brandon Lignite, V. Rutaceae, **61**: 1-40; VI. Microdiptera (Lythraceae), **62**: 487-516
- Fruits and seeds of the Cunoniaceae, **65**: 149-190
- FRYXELL, PAUL A. A new Herissantia (Malvaceae) from the West Indies, **60**: 316-319
- FRYXELL, PAUL A. Revision and expansion of the Neotropical genus Wercklea (Malvaceae), **62**: 457-486
- FULFORD, MARGARET, BARBARA CRANDALL, AND RAY STOTLER. The ecology of an elfin forest in Puerto Rico, 11. The leafy Hepaticae of Pico del Oeste, **51**: 56-69; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435-458
- Galipea (Rutaceae) in Central America, Notes on the genus, **51**: 427-430
- GARAY, LESLIE A. On the origin of the Orchidaceae, II, **53**: 202-215
- GARAY, LESLIE A., AND HERMAN R. SWEET. Notes on West Indian orchids, II, **53**: 390-398; III, **53**: 515-530
- GARNOCK-JONES, P. J., AND W. R. SYKES. A new combination in Syzygium for Eugenia maire (Myrtaceae) of New Zealand, **60**: 396-401
- Gaultheria swartzii, nom. nov., and the combinations in Raeschel's Nomenclator, **56**: 240-242
- Gelsemium (Loganiaceae), The systematics and breeding system of, **51**: 1-17
- Gelsemium sempervirens (Loganiaceae), Features of pollen flow in, **60**: 377-381
- Genera of Acanthaceae in the southeastern United States, The, **51**: 257-309
- Genera of Alismataceae in the southeastern United States, The, **64**: 383-420
- Genera of Amaranthaceae in the southeastern United States, The, **62**: 267-313
- Genera of Bromeliaceae in the southeastern United States, The, **56**: 375-397

- Genera of Burmanniaceae in the southeastern United States, The, **64**: 293–307
- Genera of Caesalpinioideae (Leguminosae) in the southeastern United States, The, **57**: 1–53
- Genera of Cannabaceae in the southeastern United States, The, **51**: 185–203
- Genera of Chrysobalanaceae in the southeastern United States, The, **51**: 521–528
- Genera of Crassulaceae in the southeastern United States, The, **59**: 198–248
- Genera of Fagaceae in the southeastern United States, The, **52**: 159–195
- Genera of Gentianaceae in the southeastern United States, The, **63**: 441–487
- Genera of Geraniaceae in the southeastern United States, The, **53**: 182–201
- Genera of Guttiferae (Clusiaceae) in the southeastern United States, The, **57**: 74–90
- Genera of Haemodoraceae in the southeastern United States, The, **57**: 205–216
- Genera of Juglandaceae in the southeastern United States, The, **53**: 26–51
- Genera of Lactuceae (Compositae) in the southeastern United States, The, **54**: 42–93
- Genera of Melastomataceae in the southeastern United States, The, **63**: 429–439
- Genera of Menyanthaceae in the southeastern United States, The, **64**: 431–445
- Genera of Mimosoideae (Leguminosae) in the southeastern United States, The, **55**: 67–118
- Genera of Molluginaceae and Aizoaceae in the southeastern United States, The, **51**: 431–462
- Genera of Myricaceae in the southeastern United States, The, **52**: 305–318
- Genera of Nyctaginaceae in the southeastern United States, The, **55**: 1–37
- Genera of Olacaceae in the southeastern United States, The, **63**: 387–399
- Genera of Orobanchaceae in the southeastern United States, The, **52**: 404–434
- Genera of Rosaceae in the southeastern United States, The, **55**: 303–332, 344–401, 611–662
- Genera of Saxifragaceae in the southeastern United States, The, **53**: 409–498
- Genera of Ulmaceae in the southeastern United States, The, **51**: 18–40
- Genera of the Urticaceae in the southeastern United States, The, **52**: 40–68
- Genera of Vernoniaceae (Compositae) in the southeastern United States, The, **63**: 489–507
- Genera of Zygophyllaceae in the southeastern United States, The, **53**: 531–552
- Generic Flora of the Southeastern United States, Indexes to papers 1 to 100 published as parts of the, **64**: 547–563
- Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae, **59**: 311–341
- Generic limits in the Xeroteae (Liliaceae sensu lato), **59**: 129–155
- Generic relationships in the Andromedeae (Ericaceae), **60**: 477–503
- Gentianaceae, Cytotaxonomic notes on some, **56**: 211–222
- Gentianaceae in the southeastern United States, The genera of, **63**: 441–487
- Genus *Anetanthus* (Gesneriaceae), The, **56**: 364–368
- Genus *Cladocolea* (Loranthaceae), The, **56**: 265–335
- Genus *Cyrtandra* in the Ryukyu and Caroline islands, The, **54**: 105–110
- Genus *Gymnocladus* and its tropical affinity, The, **57**: 91–112
- Genus *Lindenia* (Rubiaceae), The, **57**: 426–449
- Genus *Macrocarpaea* (Gentianaceae) in Costa Rica, The, **53**: 553–557
- Genus *Mastixiodendron* (Rubiaceae), The, **58**: 349–381
- Genus *Neillia* (Rosaceae) in mainland Asia and in cultivation, The, **52**: 137–158
- Genus *Phyllocladus* (Phyllocladaceae), The, **59**: 249–273
- Genus *Piper* (Piperaceae) in New Guinea, Solomon Islands, and Australia, The, **1**, **53**: 1–25
- Geraniaceae in the southeastern United States, The genera of, **53**: 182–201
- Gesneriaceae from Brazil, *Cubitanthus*, a new genus of, **65**: 145–147
- GIDEON, OSIA. A new name in Spermacoce for two species of *Borreria* from New Guinea, **64**: 627, 628
- GILL, B. S., AND P. N. MEHRA. Cytological studies in Ulmaceae, Moraceae, and Urticaceae, **55**: 663–677
- GILLET, GEORGE W. *Lenbrassia* (Gesneriaceae): a new genus endemic to north Queensland, **55**: 431–434
- GILLET, GEORGE W. The genus *Cyrtandra* in the Ryukyu and Caroline islands, **54**: 105–110

- GILLET, GEORGE W. The taxonomic status of *Protocyrandra* (Gesneriaceae), **51**: 241–246
- GILLIS, WILLIAM T., JR., RICHARD A. HOWARD, AND KRISTIN A. CLAUSEN. William Hamilton (1783–1856) and the *Prodromus Indiae Occidentalis* (1825), **62**: 211–242
- GILLIS, WILLIAM T., AND JAMES A. MEARS. Gomphrenoideae (Amaranthaceae) of the Bahama Islands, **58**: 60–66
- GILLIS, WILLIAM T., AND GEORGE R. PROCTOR. *Caesalpinia* subgenus *Guilandina* in the Bahamas, **55**: 425–430
- GILLIS, WILLIAM T., D. E. STONE, C. R. BROOME, G. L. WEBSTER, AND W. J. HAYDEN. Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- GOLDBLATT, PETER. A contribution to the knowledge of cytology in Magnoliales, **55**: 453–457
- GOLDBLATT, PETER. Chromosome number and its significance in *Batis maritima* (Bataceae), **57**: 526–530
- GOLDBLATT, PETER, AND PETER K. ENDRESS. Cytology and evolution in Hamamelidaceae, **58**: 67–71
- GÓMEZ-POMPA, ARTURO, AND SERGIO GUEVARA S. Seeds from surface soils in a tropical region of Veracruz, Mexico, **53**: 312–335
- Gomphrenoideae (Amaranthaceae) of the Bahama Islands, **58**: 60–66
- Gonocalyx (Ericaceae), A new species of. The ecology of an elfin forest in Puerto Rico, **12**, **51**: 221–227
- GOULD, FRANK W. Notes on American grasses, **60**: 320, 321
- GRAHAM, S. A., AND C. E. WOOD, JR. The Podostemaceae in the southeastern United States, **56**: 456–465
- GREEN, P. S. Notes relating to the floras of Norfolk and Lord Howe islands, **51**: 204–220
- GREENIDGE, K. N. H. Silvical characteristics of sugar maple, *Acer saccharum*, in northern Cape Breton Island, **58**: 307–324
- GROSSER, D., AND W. LIESE. Present status and problems of bamboo classification, **54**: 293–308
- Growth of *Dracaena draco*, The—dragon's blood tree, **55**: 51–58
- GRUBB, P. J., AND E. V. J. TANNER. The montane forests and soils of Jamaica: a reassessment, **57**: 313–368
- Guadeloupe, 1977–1979, The post-eruptive vegetation of La Soufrière, **61**: 749–764
- GUEVARA S., SERGIO, AND ARTURO GÓMEZ-POMPA. Seeds from surface soils in a tropical region of Veracruz, Mexico, **53**: 312–335
- GUNATILLEKE, C. V. S., AND I. A. U. N. GUNATILLEKE. Some observations on the reproductive biology of three species of *Cornus* (Cornaceae), **65**: 419–427
- GUNATILLEKE, I. A. U. N., AND C. V. S. GUNATILLEKE. Some observations on the reproductive biology of three species of *Cornus* (Cornaceae), **65**: 419–427
- Guttiferae (Clusiaceae) in the southeastern United States, The genera of, **57**: 74–90
- Guttiferae of the Fijian region, The. Studies of Pacific island plants, XXVIII, **55**: 215–263
- Guyana, New taxa from Brazil and, in the genus *Hymenaea* (Leguminosae, Caesalpinioideae), **54**: 94–104
- Gymnocladus and its tropical affinity, The genus, **57**: 91–112
- Haemodoraceae in the southeastern United States, The genera of, **57**: 205–216
- HALL, MARION T., APARNA MUKHERJEE, AND WEBSTER R. CROWLEY. Chromosome counts in cultivated junipers, **54**: 369–376
- Hamamelidaceae, Cytology and evolution in, **58**: 67–71
- Hamamelidaceae, Floral morphology and vascular anatomy of the: the apetalous genera of Hamamelidoideae, **51**: 310–366
- Hamamelidoideae, the apetalous genera of: Floral morphology and vascular anatomy of the Hamamelidaceae, **51**: 310–366
- Hamilton, William (1783–1856), and the *Prodromus Plantarum Indiae Occidentalis* (1825), **62**: 211–242
- HANS, A. S. Chromosome numbers in the Juglandaceae, **51**: 534–539
- HANS, A. S. Cytomorphology of arborescent Moraceae, **53**: 216–225
- Haploid and diploid pollen in *Hypericum patulum*, **51**: 247–250
- HARDIN, JAMES W. Hybridization and introgression in *Quercus alba*, **56**: 336–363

- HARTLEY, THOMAS G. A new species of *Zanthoxylum* (Rutaceae) from New Guinea, **56**: 369–373
- HARTLEY, THOMAS G. A revision of the genus *Acradenia* (Rutaceae), **58**: 171–181
- HARTLEY, THOMAS G. A revision of the genus *Acronychia* (Rutaceae), **55**: 469–523, 525–567
- HARTLEY, THOMAS G. A revision of the genus *Bosistoa* (Rutaceae), **58**: 416–436
- HARTLEY, THOMAS G. A revision of the genus *Tetractomia* (Rutaceae), **60**: 127–153
- HARTLEY, THOMAS G. Additional notes on the Malesian species of *Zanthoxylum* (Rutaceae), **51**: 423–426
- HARTLEY, THOMAS G. The taxonomic status of the genus *Bauerella* (Rutaceae), **56**: 164–170
- HARTLEY, THOMAS G., AND L. A. CRAVEN. A revision of the Papuasian species of *Acmena* (Myrtaceae), **58**: 325–342
- HARTLEY, THOMAS G., AND B. P. M. HYLAND. Additional notes on the genus *Flindersia* (Rutaceae), **56**: 243–247
- HARTLEY, THOMAS G., AND L. M. PERRY. A provisional key and enumeration of species of *Syzygium* (Myrtaceae) from Papuasias, **54**: 160–227
- HAUFLER, CHRISTOPHER H. A biosystematic revision of *Bommeria*, **60**: 445–476
- HAYDEN, W. JOHN. Comparative anatomy and systematics of *Picrodendron*, genus incertae sedis, **58**: 257–279
- HAYDEN, W. JOHN, W. T. GILLIS, D. E. STONE, C. R. BROOME, AND G. L. WEBSTER. Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- HAYNES, ROBERT R. The *Najadaceae* in the southeastern United States, **58**: 161–170
- HAYNES, ROBERT R. The *Potamogetonaceae* in the southeastern United States, **59**: 170–191
- HE, S. A., Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, AND T. R. DUDLEY. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- HEBDA, RICHARD J., P. F. STEVENS, BRUCE A. BOHM, AND SCOTT W. BRIM. Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae, **59**: 311–341
- Heliconia (Heliconiaceae), New Central American taxa of, **62**: 243–260
- Heliconia (Heliconiaceae) with pendent inflorescences, Systematics of Central American, **65**: 429–532
- Hepatic flora of the Luquillo Mountains, A study of the leafy. The ecology of an elfin forest in Puerto Rico, **15**, **52**: 435–458
- Hepaticae of Pico del Oeste, The leafy. The ecology of an elfin forest in Puerto Rico, **11**, **51**: 56–69
- Herissantia (Malvaceae) from the West Indies, A new, **60**: 316–319
- Heterostyly in *Oplonia* (Acanthaceae), **60**: 382–385
- Hibbertia (Dilleniaceae) in relation to ecology and evolution, Xylem anatomy of, **59**: 32–49
- Hibbertia (Dilleniaceae), Leaf venation patterns of the genus, **58**: 209–256
- Himalayan Betulaceae and Salicaceae, Cytology of West, **54**: 412–418
- Himalayan Meliaceae, Cytological studies on, **53**: 558–568
- Hinton, George B., collector of plants in southwestern Mexico, **53**: 141–181
- Holographis (Acanthaceae), Systematics of, **64**: 129–160
- HOWARD, E. S., AND R. A. HOWARD. The West Indian taxa in Solander's "Florula Indiae Occidentalis," **63**: 63–81
- HOWARD, RICHARD A. David Sturrock (1893–1978)—mentor and friend [obituary, with portrait], **60**: 1–7
- HOWARD, RICHARD A. *Gaultheria swartzii*, nom. nov., and the combinations in *Raeschel's Nomenclator*, **56**: 240–242
- HOWARD, RICHARD A. Karl Sax, 1892–1973 [obituary, with portrait], **55**: 333–343
- HOWARD, RICHARD A. *Lazella Harenberg Swarten*, 1900–1973 [obituary], **54**: 419–421
- HOWARD, RICHARD A. *Lindernia brucei*, a new West Indian species of the Asian section *Tittmannia*, **56**: 449–455
- HOWARD, RICHARD A. Nomenclatural notes on some Lesser Antillean Monocotyledoneae, **60**: 290–301

- HOWARD, RICHARD A. Nomenclatural notes on the Araceae of the Lesser Antilles, **60**: 272-289
- HOWARD, RICHARD A. Nomenclatural notes on the Lauraceae of the Lesser Antilles, **62**: 45-61
- HOWARD, RICHARD A. Notes on the Piperaceae of the Lesser Antilles, **54**: 377-411
- HOWARD, RICHARD A. Notes on Tibouchina and Charianthus (Melastomataceae) in the Lesser Antilles, **53**: 399-402
- HOWARD, RICHARD A. The ecology of an elfin forest in Puerto Rico, 10. Notes on two species of Marcgravia, **51**: 41-55
- HOWARD, RICHARD A. The Enumeratio and Selectarum of Nicolaus von Jacquin, **54**: 435-470
- HOWARD, RICHARD A. The genus Anetanthus (Gesneriaceae), **56**: 364-368
- HOWARD, RICHARD A. The plates of Aublet's *Histoire des Plantes de la Guiane Française*, **64**: 255-292
- HOWARD, RICHARD A. The stem-node-leaf continuum of the Dicotyledoneae, **55**: 125-181
- HOWARD, RICHARD A., AND KRISTIN S. CLAUSEN. The Soufrière plant of St. Vincent, **61**: 765-770
- HOWARD, RICHARD A., KRISTIN S. CLAUSEN, AND WILLIAM T. GILLIS, JR. William Hamilton (1783-1856) and the *Prodromus Plantarum Indiae Occidentalis* (1825), **62**: 211-242
- HOWARD, RICHARD A., AND E. S. HOWARD. The West Indian taxa in Solander's "Florula Indiae Occidentalis," **63**: 63-81
- HOWARD, RICHARD A., JACQUES PORTECOP, AND PIERRE DE MONTAGNAC. The post-eruptive vegetation of La Soufrière, Guadeloupe, 1977-1979, **61**: 749-764
- HOWARD, RICHARD A., AND GEORGE W. STAPLES. The modern names for Catesby's plants, **64**: 511-546
- HU, SHIU YING. Eleutherococcus vs. Acanthopanax, **61**: 107-111
- HU, SHIU YING. The metasequoia flora and its phytogeographic significance, **61**: 41-94
- HUFT, MICHAEL J. A remarkable new dimorphic Euphorbia (Euphorbiaceae) from southern Mexico, **63**: 97-101
- HUFT, MICHAEL J., AND WILLIAM R. BUCK. Two new species of Euphorbia subgenus Agaloma from Mexico, **58**: 343-348
- HUNZIKER, ARMANDO R. A new species of Cestrum (Solanaceae) from southern Colombia, **61**: 113-115
- Hybridization and introgression in Quercus alba, **56**: 336-363
- HYLAND, B. P. M., AND T. G. HARTLEY. Additional notes on the genus Flindersia (Rutaceae), **56**: 243-247
- Hymenaea (Leguminosae, Caesalpinioideae), Additional new taxa and new combinations in, **55**: 441-452
- Hymenaea (Leguminosae, Caesalpinioideae), New taxa from Brazil and Guyana in the genus, **54**: 94-104
- Hypericum patulum, Haploid and diploid pollen in, **51**: 247-250
- Ilex collina, a second species of Nemopanthus in the southern Appalachians, **55**: 435-440
- Ilex collina and Nemopanthus (Aquifoliaceae), Vegetative anatomy and the taxonomic status of, **65**: 243-250
- Inbreeding depression in Metasequoia, **64**: 475-481
- Indexes to papers 1 to 100 published as parts of the Generic Flora of the Southeastern United States, **64**: 547-563
- Inflorescence architecture and evolution in the Fagaceae, **65**: 375-401
- Isozyme variation in species of Prosopis (Leguminosae), **56**: 398-412
- Jacquin, The Enumeratio and Selectarum of Nicolaus von, **54**: 435-470
- Jamaica, A new species of Reynosia (Rhamnaceae) from, **52**: 364-367
- Jamaica, More additions to the flora of, **63**: 199-315
- Jamaica, The montane forests and soils of: a reassessment, **57**: 313-368
- Jamaican gamopetalous plants, Taxonomic and nomenclatural notes on, **52**: 614-648
- JIN, Y. X., Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, AND S. A. HE. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1-103
- JOHNSON, L. C., S. E. SCHLARBAUM, AND

- T. TSUCHIYA. The chromosomes and relationships of *Metasequoia* and *Sequoia* (Taxodiaceae): an update, **65**: 251–254
- JOHNSTON, MARSHALL C. A new species of *Reynosia* (Rhamnaceae) from Jamaica, **52**: 364–367
- JOHNSTON, MARSHALL C. Revision of *Kentrothamnus* (Rhamnaceae), **54**: 471–473
- JONES, SAMUEL B., JR. The genera of *Vernoniaeae* (Compositae) in the southeastern United States, **63**: 489–507
- JUDD, WALTER S. A monograph of *Lyonia* (Ericaceae), **62**: 63–209, 315–436
- JUDD, WALTER S. A taxonomic revision of *Pieris* (Ericaceae), **63**: 103–144
- JUDD, WALTER S. A taxonomic revision of the American species of *Agarista* (Ericaceae), **65**: 255–342
- JUDD, WALTER S. Generic relationships in the *Andromedeae* (Ericaceae), **60**: 477–503
- Juglandaceae, Chromosome numbers in the, **51**: 534–539
- Juglandaceae in the southeastern United States, The genera of, **53**: 26–51
- Juglandaceae, Seedling morphology in the, the cotyledonary node, **51**: 463–477
- Junipers, Chromosome counts in cultivated, **54**: 369–376
- Kadsura heteroclita*—microsporangium and pollen, **56**: 176–182
- Kashmir, A revision of the *Boraginaceae* of West Pakistan and, **51**: 133–184, 367–402, 499–520; **52**: 110–136, 334–363, 486–522, 666–690
- KAUL, ROBERT B., AND ERNST C. ABBE. Inflorescence architecture and evolution in the *Fagaceae*, **65**: 375–401
- KAZMI, S. M. A. A revision of the *Boraginaceae* of West Pakistan and Kashmir, **51**: 133–184, 367–402, 499–520; **52**: 110–136, 334–363, 486–522, 666–690
- KEEFE, JOSEPH M., AND MAYNARD F. MOSELEY, JR. Wood anatomy and phylogeny of *Paeonia* section *Moutan*, **59**: 274–297
- KEELEY, STERLING C. A revision of the West Indian *vernonias* (Compositae), **59**: 360–413
- KENG, HSUAN. The genus *Phyllocladus* (*Phyllocladaceae*), **59**: 249–273
- Kentrothamnus* (Rhamnaceae), Revision of, **54**: 471–473
- KHOSLA, P. K., P. N. MEHRA, AND T. S. SAREEN. Cytological studies on Himalayan *Meliaceae*, **53**: 558–568
- KIEW, RUTH. Two unusual *Chionanthus* species from Borneo and the position of *Myxopyrum* in the *Oleaceae*, **64**: 619–626
- KLOTZ, LARRY H. Form of the perforation plates in the wide vessels of metaxylem in palms, **59**: 105–128
- Koelreuteria *bipinnata*, a misnomer for: *Pterocarya esquirolii*, **58**: 189
- Koelreuteria (*Sapindaceae*), A revision of the genus, **57**: 129–166
- KOYAMA, TETSUO. A new combination in *Bulbostylis* from the West Indies, **60**: 322
- KRAL, ROBERT. The *Xyridaceae* in the southeastern United States, **64**: 421–429
- KRAL, ROBERT, AND JOHN J. WURDACK. The genera of *Melastomataceae* in the southeastern United States, **63**: 429–439
- Krameriaceae* in the southeastern United States, The, **54**: 322–327
- KRESS, W. JOHN. New Central American taxa of *Heliconia* (*Heliconiaceae*), **62**: 243–260
- KRESS, W. JOHN. Systematics of Central American *Heliconia* (*Heliconiaceae*) with pendent inflorescences, **65**: 429–532
- KRUKOFF, B. A. Notes on Asiatic-Polynesian-Australian species of *Erythrina*, **12**, **53**: 128–139
- KUBITZKI, K., H. KURZ, AND H. G. RICHTER. Reinstatement of *Clinostemon* (*Lauraceae*), **60**: 515–522
- KUJIT, JOB. The genus *Cladocolea* (*Loranthaceae*), **56**: 265–335
- KUJIT, JOB. The *Viscaceae* in the southeastern United States, **63**: 401–410
- KURZ, H., H. G. RICHTER, AND K. KUBITZKI. Reinstatement of *Clinostemon* (*Lauraceae*), **60**: 515–522
- KUSER, JOHN. Inbreeding depression in *Metasequoia*, **64**: 475–481
- Lactuceae* (Compositae) in the southeastern United States, The genera of, **54**: 42–93
- LaFrankie, James V., Jr. Anatomy of stem abscission in the genus *Smilacina* (*Liliaceae*), **65**: 563–570
- LANGENHEIM, JEAN H., AND YIN-TSE LEE.

- Additional new taxa and new combinations in *Hymenaea* (Leguminosae, Caesalpinioideae), **55**: 441–452
- LANGENHEIM, JEAN H., AND YIN-TSE LEE. New taxa from Brazil and Guyana in the genus *Hymenaea* (Leguminosae, Caesalpinioideae), **54**: 94–104
- LAPIANA, M. J., G. J. PERSINOS, S. K. CHRISTIE, AND J. M. BIDINGER. The ecology of an elfin forest in Puerto Rico, 13. Phytochemical screening and literature survey, **51**: 540–546
- Lardizabalaceae hardy in temperate North America, **60**: 302–315
- Lateglacial plants and plant communities in northwestern New York State, **54**: 123–159
- Lauraceae hardy in temperate North America, **56**: 1–19
- Lauraceae of the Lesser Antilles, Nomenclatural notes on the, **62**: 45–61
- Leaf anatomy and venation patterns of the Styracaceae, **60**: 8–37
- Leaf venation patterns of the genus *Hibbertia* (Dilleniaceae), **58**: 209–256
- LEE, YIN-TSE. The genus *Gymnocladus* and its tropical affinity, **57**: 91–112
- LEE, YIN-TSE, AND JEAN H. LANGENHEIM. Additional new taxa and new combinations in *Hymenaea* (Leguminosae, Caesalpinioideae), **55**: 441–452
- LEE, YIN-TSE, AND JEAN H. LANGENHEIM. New Taxa from Brazil and Guyana in the genus *Hymenaea* (Leguminosae, Caesalpinioideae), **54**: 94–104
- LEE, YIN-TSE, AND KENNETH R. ROBERTSON. The genera of Caesalpinioideae (Leguminosae) in the southeastern United States, **57**: 1–53
- Leguminosae, Studies in, 11. A new species of *Derris* from The Solomon Islands, **51**: 251–254
- Leguminosae, Two new species of, **52**: 691–694
- Lenbrassia (Gesneriaceae): a new genus endemic to north Queensland, **55**: 431–434
- Lesser Antillean Monocotyledoneae, Nomenclatural notes on some, **60**: 290–301
- Lesser Antilles, Nomenclatural notes on the Araceae of the, **60**: 272–289
- Lesser Antilles, Nomenclatural notes on the Lauraceae of the, **62**: 45–61
- Lesser Antilles, Notes on the Piperaceae of the, **54**: 377–411
- Lesser Antilles, Notes on *Tibouchina* and *Charianthus* (Melastomataceae) in the, **53**: 399–402
- Lesser Antilles, The Convolvulaceae of the, **60**: 219–271
- Leucaena and *Lysiloma*, A reinterpretation of, **57**: 113–118
- LI, Q. Y., J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, AND Y. X. JIN. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- LIESE, W., AND D. GROSSER. Present status and problems of bamboo classification, **54**: 293–308
- Linaceae in the southeastern United States, The, **52**: 649–665
- Lindenia* (Rubiaceae), The genus, **57**: 426–449
- Lindera* (Lauraceae) from North America, A new, **64**: 325–331
- Lindernia brucei*, a new West Indian species of the Asian section *Tittmannia*, **56**: 449–455
- Lisianthus* (Gentianaceae), A revision of the Neotropical genus, **53**: 76–100, 234–311
- Loishoglia bettencourtii*, A possible magnolioid floral axis, from the Upper Cretaceous of central California, **65**: 95–104
- LONG, ROBERT W. The genera of Acanthaceae in the southeastern United States, **51**: 257–309
- Lord Howe islands, Notes relating to the floras of Norfolk and, **51**: 204–220
- LOZANO, S., E. MARTÍNEZ-HERNÁNDEZ, AND P. FERNÁNDEZ. Pollen of tropical trees. I. Tiliaceae, **59**: 299–309
- Lumnitzera rosea* (Combretaceae)—its status and floral morphology, **59**: 342–351
- LUTEYN, J. L., S. A. SPONGBERG, S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, AND Q. Y. LI. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- Lyonia* (Ericaceae), A monograph of, **62**: 63–209, 315–436

- Lysiloma, A reinterpretation of *Leucaena* and, **57**: 113–118
- Macrocarpaea (Gentianaceae) in Costa Rica, The genus, **53**: 553–557
- MADISON, MICHAEL, AND BRUCE H. TIFFNEY. The seeds of the Monstereae: their morphology and fossil record, **57**: 185–204
- Magnoliaceae hardy in temperate North America, **57**: 250–312
- Magnoliales, A contribution to the knowledge of cytology in, **55**: 453–457
- Magnoliales, Embryology of the, and comments on their relationships, **52**: 1–39, 285–304
- MAGUIRE, BASSETT, AND RICHARD E. WEAVER, JR. The Neotropical genus *Tachia* (Gentianaceae), **56**: 103–125
- Malesia and Southeast Asia, New Species of Freycinetia and Pandanus from. Studies in Malesian Pandanaceae, 19, **64**: 309–324
- Malesian species of *Zanthoxylum* (Rutaceae), Additional notes on the, **51**: 423–426
- Malpighiaceae in the southeastern United States, The, **53**: 101–112
- Marcgravia, Notes on two species of. The ecology of an elfin forest in Puerto Rico, 10, **51**: 41–55
- Margaritaria (Euphorbiaceae), A revision of, **60**: 403–444
- MARTICORENA, CLODOMIRO, AND JORGE VICTOR CRISCI. Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), **59**: 352–359
- Marticorenia: a new genus of Mutisieae (Compositae), **55**: 38–45
- MARTÍNEZ-HERNÁNDEZ, E., P. FERNÁNDEZ, AND S. LOZANO. Pollen of tropical trees. I. Tiliaceae, **59**: 299–309
- Martyniaceae in the southeastern United States, The, **58**: 25–39
- Mascarene species, The. The Old World species of *Calophyllum* (Guttiferae). I, **57**: 167–184
- Mastixiodendron (Rubiaceae), The genus, **58**: 349–381
- MATHIAS, MILDRED E., AND LINCOLN CONSTANCE. A new species of *Oreomyrrhis* (Umbelliferae, Apiaceae) from New Guinea, **58**: 190–192
- Mayacaceae in the southeastern United States, The, **56**: 248–255
- MCCUE, KENT F., JOHN S. SPERRY, AND MARTIN H. ZIMMERMANN. Anatomy of the palm *Rhapis excelsa*, VIII. Vessel network and vessel-length distribution in the stem, **63**: 83–95
- MCJUNKIN, DAVID M., AND DANIEL F. AUSTIN. An ethnoflora of Chokoloskee Island, Collier County, Florida, **59**: 50–67
- MCVAUGH, ROGERS. Notes on West Indian Myrtaceae, **54**: 309–314
- MCVAUGH, ROGERS. What and whence was Miller's *Caryophyllus cotinifolius*, **56**: 171–175
- MEARS, JAMES A., AND WILLIAM T. GILLIS. Gomphrenoideae (Amaranthaceae) of the Bahama Islands, **58**: 60–66
- Medeola virginiana, Rhizome organization in relation to vegetative spread in, **55**: 458–468
- MEHRA, P. N., AND B. S. GILL. Cytological studies in Ulmaceae, Moraceae, and Urticaceae, **55**: 663–677
- MEHRA, P. N., AND T. S. SAREEN. Cytology of West Himalayan Betulaceae and Salicaceae, **54**: 412–418
- MEHRA, P. N., T. S. SAREEN, AND P. K. KHOSLA. Cytological studies on Himalayan Meliaceae, **53**: 558–568
- Melastomataceae in the southeastern United States, The genera of, **63**: 429–439
- Meliaceae, Cytological studies on Himalayan, **53**: 558–568
- Menispermaceae, Stem structure of the New World, **63**: 145–171
- MENNEGA, ALBERTA M. W. Stem structure of the New World Menispermaceae, **63**: 145–171
- Menyanthaceae in the southeastern United States, The genera of, **64**: 431–445
- Merremia, Operculina, and Turbina, notes on—Additions and changes in the Neotropical Convolvulaceae, **64**: 483–489
- Metasequoia and Sequoia (Taxodiaceae), The chromosomes and relationships of: an update, **65**: 251–254
- Metasequoia flora and its phytogeographic significance, The, **61**: 41–94
- Metasequoia glyptostroboides—its present status in central China, **64**: 105–128
- Metasequoia, Inbreeding depression in, **64**: 475–481
- Mexico, A new species of *Parietaria* (Urticaceae) from northeastern, **51**: 529–533

- Mexico, A remarkable new dimorphic Euphorbia (Euphorbiaceae) from southern, **63**: 97-101
- Mexico, Notes on *Salvia* (Labiatae) in, with three new species, **65**: 135-143
- Mexico, Notes on the genus *Polygala* in the United States and, **60**: 504-514
- Mexico, Seeds from surface soils in a tropical region of Veracruz, **53**: 312-335
- Mexico, Two new species of *Euphorbia* subgenus *Agaloma* from, **58**: 343-348
- MEYER, F. G. A revision of the genus *Koelreuteria* (Sapindaceae), **57**: 129-166
- MEYER, F. G. *Pterocarya esquirolii*, a misnomer for *Koelreuteria bipinnata*, **58**: 189
- MEYER, F. G. *Sinoradlkofera*: a new genus of Sapindaceae, **58**: 182-188
- Microdiptera (Lythraceae), Fruits and seeds of the Brandon Lignite, VI, **62**: 487-516
- MILLER, H. A., AND KEITH W. RUSSELL. The ecology of an elfin forest in Puerto Rico, 17. Epiphytic mossy vegetation of Pico del Oeste, **58**: 1-24
- MILLER, HOWARD J. The wood of *Amentotaxus*, **54**: 111-119
- MILLER, NORTON G. A new species of *Parietaria* (Urticaceae) from northeastern Mexico, **51**: 529-533
- MILLER, NORTON G. Lateglacial plants and plant communities in northwestern New York State, **54**: 123-159
- MILLER, NORTON G. The Caricaceae in the southeastern United States, **63**: 411-427
- MILLER, NORTON G. The genera of the Cannabaceae in the southeastern United States, **51**: 185-203
- MILLER, NORTON G. The genera of the Urticaceae in the southeastern United States, **52**: 40-68
- MILLER, NORTON G. The Polygalaceae in the southeastern United States, **52**: 267-284
- MILLER, NORTON G., AND RAY W. SPEAR. A radiocarbon dated pollen diagram from the Allegheny Plateau of New York State, **57**: 369-403
- MILLER, NORTON G., AND GARY G. THOMPSON. Boreal and western North American plants in the late Pleistocene of Vermont, **60**: 167-218
- MILLER, REGIS B. Systematic anatomy of the xylem and comments on the relationships of Flacourtiaceae, **56**: 20-102
- MILLER, REGIS B., AND DANIEL L. CASSENS. Wood anatomy of the New World *Pithecellobium* (sensu lato), **62**: 1-44
- Mimosoideae (Leguminosae) in the southeastern United States, The genera of, **55**: 67-118
- MITTAK, W. L., AND J. P. PERRY, JR. *Pinus maximinoi*: its taxonomic status and distribution, **60**: 386-395
- Modern names for Catesby's plants, The, **64**: 511-546
- MOHLENBROCK, ROBERT H., AND PAUL M. THOMSON. Foliar trichomes of *Quercus* subgenus *Quercus* in the eastern United States, **60**: 350-366
- Molluginaceae and Aizoaceae in the southeastern United States, The genera of, **51**: 431-462
- Monocotyledoneae, Nomenclatural notes on some Lesser Antillean, **60**: 290-301
- Monograph of *Diphyllia* (Berberidaceae), A, **65**: 57-94
- Monograph of *Lyonia* (Ericaceae), A, **62**: 63-209, 315-436
- Monograph of the genus *Prosopis* (Leguminosae subfam. Mimosoideae), A, **57**: 219-249, 450-525
- Monstereae, The seeds of the: their morphology and fossil record, **57**: 185-204
- MONTAGNAC, PIERRE DE, RICHARD A. HOWARD, AND JACQUES PORTECOP. The post-eruptive vegetation of La Soufrière, Guadeloupe, 1977-1979, **61**: 749-764
- Montane forests and soils of Jamaica, The: a reassessment, **57**: 313-368
- Moraceae, and Urticaceae, Cytological studies in Ulmaceae, **55**: 663-677
- Moraceae, Cytomorphology of arborescent, **53**: 216-225
- More additions to the flora of Jamaica, **63**: 199-315
- MORLEY, BRIAN, AND JEW-MING CHAO. A review of *Corylopsis* (Hamamelidaceae), **58**: 382-415
- Morphological studies in *Cordyline* (Agavaceae) I. Introduction and general morphology, **52**: 459-478; II. Vegetative morphology of *Cordyline terminalis*, **53**: 113-127
- Morphology and germination of the seed of *Elephantorrhiza elephantina*, The, **51**: 114-128
- MOSELEY, MAYNARD F., JR., AND JOSEPH M. KEEFE. Wood anatomy and phylogeny of *Paeonia* section *Moutan*, **59**: 274-297

- Moutabeae (Polygalaceae), Comparative anatomy and systematics of, **58**: 109–145
- MUKHERJEE, APARNA, WEBSTER R. CROWLEY, AND MARION T. HALL. Chromosome counts in cultivated junipers, **54**: 369–376
- Mutisieae (Compositae), a new genus of: *Marticorenia*, **55**: 38–45
- Myricaceae in the southeastern United States, The genera of, **52**: 305–318
- Myrothamnus flabellifolia* (Myrothamnaceae) and the problem of multiperforate perforation plates, Wood anatomy of, **57**: 119–126
- Myrothamnus flabellifolius* (Myrothamnaceae), The nodal anatomy of: another example of a “split-lateral” condition, **59**: 192–196
- Myrsinaceae of the Fijian region, The. Studies of Pacific island plants, XXV, **54**: 1–41, 228–292
- Myrtaceae, Floral anatomy of, II. *Eugenia*, **53**: 336–363
- Myrtaceae, Notes on West Indian, **54**: 309–314
- Myxopyrum* in the Oleaceae, Two unusual *Chionanthus* species from Borneo and the position of, **64**: 619–626
- Najadaceae in the southeastern United States, The, **58**: 161–170
- Nassauviinae (Compositae, Mutisieae), A numerical-taxonomic study of the subtribe, **55**: 568–610
- Neillia* (Rosaceae) in mainland Asia and in cultivation, The genus, **52**: 137–158
- Nemopanthus* (Aquifoliaceae), Vegetative anatomy and the taxonomic status of *Ilex collina* and, **65**: 243–250
- Nemopanthus* in the southern Appalachians, A second species of, *Ilex collina*, **55**: 435–440
- Neotropical genus *Tachia* (Gentianaceae), The, **56**: 103–125
- NEVLING, LORIN I., JR. The ecology of an elfin forest in Puerto Rico, 12. A new species of *Gonocalyx* (Ericaceae), **51**: 221–227; 16. The flowering cycle and an interpretation of its seasonality, **52**: 586–613
- Nevling, Lorin I., Jr., and Thomas S. Elias. *Calliandra haematocephala*: history, morphology, and taxonomy, **52**: 69–85
- New Central American taxa of *Heliconia* (Heliconiaceae), **62**: 243–260
- New combination in *Bulbostylis* from the West Indies, A, **60**: 322
- New combination in *Syzygium* for *Eugenia maire* (Myrtaceae) of New Zealand, A, **60**: 396–401
- New Guinea, A new name in Spermacoce for two species of *Borreria* from, **64**: 627, 628
- New Guinea, A new species of *Oreomyrrhis* (Umbelliferae, Apiaceae) from, **58**: 190–192
- New Guinea, A new species of *Zanthoxylum* (Rutaceae) from, **56**: 369–373
- New Guinea, Solomon Islands, and Australia, The genus *Piper* (Piperaceae) in, 1, **53**: 1–25
- New Guinea, The first species of *Stauroanthera* (Gesneriaceae) from, with general notes on the genus, **65**: 129–133
- New *Herissantia* (Malvaceae) from the West Indies, A, **60**: 316–319
- New *Lindera* (Lauraceae) from North America, A, **64**: 325–331
- New name in Spermacoce for two species of *Borreria* from New Guinea, A, **64**: 627, 628
- New species and a new combination from the Bahamas, Caicos and Turks islands, **58**: 40–51
- New species and varieties from the Bahamas, Caicos and Turks islands, **60**: 154–162
- New species of *Ateleia* (Leguminosae) from the Bahamas, A, **62**: 261–263
- New species of *Cestrum* (Solanaceae) from southern Colombia, A, **61**: 113–115
- New species of *Oreomyrrhis* (Umbelliferae, Apiaceae) from New Guinea, A, **58**: 190–192
- New species of *Ormosia* from Brazil, A, **51**: 129–131
- New species of *Parietaria* (Urticaceae) from northeastern Mexico, A, **51**: 529–533
- New species of *Reynosa* (Rhamnaceae) from Jamaica, A, **52**: 364–367
- New species of *Ruppia* in high salinity in Western Australia, A, **55**: 59–66
- New species of *Timonius* (Rubiaceae) from Papuaia, **64**: 611–618
- New species of *Zanthoxylum* (Rutaceae) from New Guinea, A, **56**: 369–373
- New World Menispermaceae, Stem structure of the, **63**: 145–171

- New World *Pithecellobium* (sensu lato), Wood anatomy of the, **62**: 1–44
- New York State, A radiocarbon dated pollen diagram from the Allegheny Plateau of, **57**: 369–403
- New York State, Lateglacial plants and plant communities in northwestern, **54**: 123–159
- New Zealand, A new combination in *Syzygium* for *Eugenia maire* (Myrtaceae) of, **60**: 396–401
- NICOLSON, DAN H. Notes for the flora of Dominica: *Spermacoce confusa* and *Schradera exotica* (Rubiaceae), **58**: 445–450
- NISBET, IAN C. T., AND WILLIAM H. DRURY. Succession, **54**: 331–368
- Nodal anatomy of *Myrothamnus flabellifolius* (Myrothamnaceae), The: another example of a “split-lateral” condition, **59**: 192–196
- Nomenclatural notes on some Lesser Antillean Monocotyledoneae, **60**: 290–301
- Nomenclatural notes on the Araceae of the Lesser Antilles, **60**: 272–289
- Nomenclatural notes on the Lauraceae of the Lesser Antilles, **62**: 45–61
- Norfolk and Lord Howe islands, Notes relating to the flora of, **51**: 204–220
- North America, A new *Lindera* (Lauraceae) from, **64**: 325–331
- North America, *Cercidiphyllaceae* hardy in temperate, **60**: 367–376
- North America, *Ebenaceae* hardy in temperate, **58**: 146–160
- North America, *Lardizabalaceae* hardy in temperate, **60**: 302–315
- North America, *Lauraceae* hardy in temperate, **56**: 1–19
- North America, *Magnoliaceae* hardy in temperate, **57**: 250–312
- North America, Studies in the Cruciferae of western, **64**: 491–510
- North America, *Styracaceae* hardy in temperate, **57**: 54–73
- North America, Weeds of the Cruciferae (Brassicaceae) in, **62**: 517–540
- North American cottonwoods (*Populus*, *Salicaceae*) of sections *Abaso* and *Aigeiros*, **58**: 193–208
- North American plants in the late Pleistocene of Vermont, Boreal and western, **60**: 167–218
- Notes for the flora of Dominica: *Spermacoce confusa* and *Schradera exotica* (Rubiaceae), **58**: 445–450
- Notes on *Airosperma* (Rubiaceae), with a new species from Fiji, **61**: 95–105
- Notes on American grasses, **60**: 320, 321
- Notes on Asiatic-Polynesian-Australian species of *Erythrina*, II, **53**: 128–139
- Notes on *Peperomia* (Piperaceae) in the southeastern United States, **63**: 317–325
- Notes on *Salvia* (Labiatae) in Mexico, with three new species, **65**: 135–143
- Notes on the genus *Galipea* (Rutaceae) in Central America, **51**: 427–430
- Notes on the genus *Polygala* in the United States and Mexico, **60**: 504–514
- Notes on the Piperaceae of the Lesser Antilles, **54**: 377–411
- Notes on *Tibouchina* and *Charianthus* (Melastomataceae) in the Lesser Antilles, **53**: 399–402
- Notes on West Indian Myrtaceae, **54**: 309–314
- Notes on West Indian orchids, II, **53**: 390–398; III, **53**: 515–530
- Notes relating to the floras of Norfolk and Lord Howe islands, **51**: 204–220
- Numerical-taxonomic study of the subtribe *Nassauviinae* (Compositae, Mutisieae), A, **55**: 568–610
- Nyctaginaceae in the southeastern United States, The genera of, **55**: 1–37
- Observations of reaction fibers in leaves of dicotyledons, **63**: 173–185
- Oleaceae in the southeastern United States, The genera of, **63**: 387–399
- Old World species of *Calophyllum* (Guttiferae), A revision of the, **61**: 117–699
- Old World species of *Calophyllum* (Guttiferae), The. I. The Mascarene species, **57**: 167–184
- Oldfieldioideae (Euphorbiaceae), further evidence for relationship with the: Systematics and palynology of *Picrodendron*, **65**: 105–127
- Oleaceae, Two unusual *Chionanthus* species from Borneo and the position of *Myxopyrum* in the, **64**: 619–626
- OLIVER, ROYCE L., AND DANIEL F. AUSTIN. *Sisyrinchium solstitiale* (Iridaceae): a Florida endemic, **55**: 291–299
- Operculina, and *Turbina*, notes on *Merremia*—Additions and changes in the Neotropical Convolvulaceae, **64**: 483–489

- Oplonia (Acanthaceae), Heterostyly in, **60**: 382–385
- Orchidaceae, On the origin of the, **II**, **53**: 202–215
- Orchids, Notes on West Indian, **II**, **53**: 390–398; **III**, **53**: 515–530
- Oreomyrrhis (Umbelliferae, Apiaceae) from New Guinea, A new species of, **58**: 190–192
- Origin of the Orchidaceae, On the, **II**, **53**: 202–215
- Ormosia from Brazil, A new species of, **51**: 129–131
- ORNDUFF, ROBERT. Features of pollen flow in *Gelsemium sempervirens* (Loganiaceae), **60**: 377–381
- ORNDUFF, ROBERT. Heterostyly in *Oplonia* (Acanthaceae), **60**: 382–385
- ORNDUFF, ROBERT. Relationships in the *Piriqueta caroliniana*–*P. cistoides* complex (Turneraceae), **51**: 492–498
- ORNDUFF, ROBERT. The systematics and breeding system of *Gelsemium* (Loganiaceae), **51**: 1–17
- Orobanchaceae in the southeastern United States, The genera of, **52**: 404–434
- OUTER, R. W. DEN, AND E. TOES. The secondary phloem of *Amentotaxus*, **55**: 119–122
- Oxalidaceae in the southeastern United States, The, **56**: 223–239
- Pacific island plants, Studies of, **XIII**. The genus *Diospyros* (Ebenaceae) in Fiji, Samoa, and Tonga, **52**: 369–403; **XXV**. The Myrsinaceae of the Fijian region, **54**: 1–41, 228–292; **XXVIII**. The Guttiferae of the Fijian region, **55**: 215–263; **XXXIII**. The genus *Ascarina* (Chloranthaceae) in the southern Pacific, **57**: 405–425
- Pacific, The genus *Ascarina* (Chloranthaceae) in the southern. Studies of Pacific island plants, **XXXIII**, **57**: 405–425
- Paeonia section Moutan, Wood anatomy and phylogeny of, **59**: 274–297
- PAGE, VIRGINIA M. A possible magnolioid floral axis, *Loishoglia bettencourtii*, from the Upper Cretaceous of central California, **65**: 95–104
- PAGE, VIRGINIA M. Dicotyledonous wood from the Upper Cretaceous of central California, **60**: 323–349; **II**, **61**: 723–748; **III**. Conclusions, **62**: 437–455
- Pakistan and Kashmir, A revision of the Boraginaceae of West, **51**: 133–184, 367–402, 499–520; **52**: 110–136, 334–363, 486–522, 666–690
- Palm stems, Vascular patterns in: variations of the Rhaps principle, **55**: 402–424
- Palms, Form of the perforation plates in the wise vessels of metaxylem in, **59**: 105–128
- Panama, Three new species of *Zanthoxylum* (Rutaceae) from Darién Province, **53**: 403–408
- Pandanaceae, Studies in Malesian, 19. New species of *Freycinetia* and *Pandanus* from Malesia and Southeast Asia, **64**: 309–324
- Pandanus* from Malesia and Southeast Asia, New species of *Freycinetia* and. Studies in Malesian Pandanaceae, 19, **64**: 309–324
- Papuasias, A provisional key and enumeration of species of *Syzygium* (Myrtaceae) from, **54**: 160–227
- Papuasias, New species of *Timonius* (Rubiaceae) from, **64**: 611–618
- Papuasias, Three new species of *Phaleria* (Thymelaeaceae) from, **55**: 264–268
- Papuasian species of *Acmena* (Myrtaceae), A revision of the, **58**: 325–342
- Parietaria* (Urticaceae) from northeastern Mexico, A new species of, **51**: 529–533
- Peperomia* (Piperaceae) in the southeastern United States, Notes on, **63**: 317–325
- Perezia* (Compositae, Mutisieae), Transfer of the Brazilian *Trixis eryngioides* to, **59**: 352–359
- PERRY, J. P., JR. The taxonomy and chemistry of *Pinus estevezii*, **63**: 187–198
- PERRY, J. P., JR., AND W. L. MITTAK. *Pinus maximinoi*: its taxonomic status and distribution, **60**: 386–395
- PERRY, LILY M. Leonard J. Brass (1900–1971), an appreciation [obituary, with portrait], **52**: 695–698
- PERRY, LILY M., AND T. G. HARTLEY. A provisional key and enumeration of species of *Syzygium* (Myrtaceae) from Papuasias, **54**: 160–227
- PERSINOS, G. J., S. K. CHRISTIE, J. M. BIDDINGER, AND M. J. LAPIANA. The ecology of an elfin forest in Puerto Rico, 13. Phytochemical screening and literature survey, **51**: 540–546
- Phaleria* (Thymelaeaceae) from Papuasias, Three new species of, **55**: 264–268

- PHILCOX, D. A spectacular *Buchnera* (Scrophulariaceae) from Colombia, **59**: 298
- Phrymaceae in the southeastern United States, The, **53**: 226–233
- Phyllocladus (Phyllocladaceae), The genus, **59**: 249–273
- Pico del Oeste, Epiphytic mossy vegetation of. The ecology of an elfin forest in Puerto Rico, **17**, **58**: 1–24
- Pico del Oeste, The algae of. The ecology of an elfin forest in Puerto Rico, **14**, **52**: 86–109
- Pico del Oeste, The leafy Hepaticae of. The ecology of an elfin forest in Puerto Rico, **11**, **51**: 56–69
- Picramnia (Simaroubaceae) from Central America, Three new species of, **54**: 315–321
- Picrodendron, genus incertae sedis, Comparative anatomy and systematics of, **58**: 257–279
- Picrodendron, Systematics and palynology of: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- Pieris (Ericaceae), A taxonomic revision of, **63**: 103–144
- Pinus estevezii, The taxonomy and chemistry of, **63**: 187–198
- Pinus maximinoi: its taxonomic status and distribution, **60**: 386–395
- Piper (Piperaceae) in New Guinea, Solomon Islands, and Australia, The genus, **1**, **53**: 1–25
- Piperaceae of the Lesser Antilles, Notes on the, **54**: 377–411
- Piriqueta caroliniana–*P. cistoides* complex (Turneraceae), Relationships in the, **51**: 492–498
- Pithecellobium (sensu lato), Wood anatomy of the New World, **62**: 1–44
- Plantaginaceae in the southeastern United States, The, **65**: 533–562
- Plates of Aublet's *Histoire des Plantes de la Guiane Française*, The, **64**: 255–292
- Pleistocene of Vermont, Boreal and western North American plants in the late, **60**: 167–218
- Podostemaceae in the southeastern United States, The, **56**: 456–465
- Pollen of tropical trees, I. Tiliaceae, **59**: 299–309
- Polygala in the United States and Mexico, Notes on the genus, **60**: 504–514
- Polygalaceae in the southeastern United States, The, **52**: 267–284
- PORTECOP, JACQUES, PIERRE DE MONTAGNAC, AND RICHARD A. HOWARD. The post-eruptive vegetation of La Soufrière, Guadeloupe, 1977–1979, **61**: 749–764
- PORTER, DUNCAN M. The genera of Zygophyllaceae in the southeastern United States, **53**: 531–552
- PORTER, DUNCAN M. Three new species of *Picramnia* (Simaroubaceae) from Central America, **54**: 315–321
- PORTER, DUNCAN M. Three new species of *Zanthoxylum* (Rutaceae) from Darién Province, Panama, **53**: 403–408
- Portlandia (Rubiaceae) and associated taxa, A reexamination of, **60**: 38–126
- Possible magnolioid floral axis, *Loishoglia bettencourtii*, from the Upper Cretaceous of central California, A, **65**: 95–104
- Post-eruptive vegetation of La Soufrière, Guadeloupe, 1977–1979, The, **61**: 749–764
- Potamogetonaceae in the southeastern United States, The, **59**: 170–191
- POWELL, DULCIE A. The Convolvulaceae of the Lesser Antilles, **60**: 219–271
- PRANCE, GHILLEAN T. The genera of Chrysobalanaceae in the southeastern United States, **51**: 521–528
- Present status and problems of bamboo classification, **54**: 293–308
- PRIMACK, R. B., N. C. DUKE, P. B. TOMLINSON, AND J. S. BUNT. *Lumnitzera rosea* (Combretaceae)—its status and floral morphology, **59**: 342–351
- PROCTOR, GEORGE R. More additions to the flora of Jamaica, **63**: 199–315
- PROCTOR, GEORGE R., AND WILLIAM T. GILLIS. *Caesalpinia* subgenus *Guilandina* in the Bahamas, **55**: 425–430
- Prosopis (Leguminosae), Isozyme variation in species of, **56**: 398–412
- Prosopis (Leguminosae, Mimosoideae), Reproductive adaptations in, **56**: 185–210
- Prosopis (Leguminosae subfam. Mimosoideae), A monograph of the genus, **57**: 219–249, 450–525
- Protocytandra (Gesneriaceae), The taxonomic status of, **51**: 241–246
- Provisional key and enumeration of species

- of *Syzygium* (Myrtaceae) from Papuaia, A, **54**: 160–227
- Pterocarya esquirolii*, a misnomer for *Koelreuteria bipinnata*, **58**: 189
- Puerto Rico, The ecology of an elfin forest in, 10. Notes on two species of *Marcgravia*, **51**: 41–55; 11. The leafy *Hepaticae* of Pico del Oeste, **51**: 56–69; 12. A new species of *Gonocalyx* (Ericaceae), **51**: 221–227; 13. Phytochemical screening and literature survey, **51**: 540–546; 14. The algae of Pico del Oeste, **52**: 86–109; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435–458; 16. The flowering cycle and an interpretation of its seasonality, **52**: 586–613; 17. Epiphytic mossy vegetation of Pico del Oeste, **58**: 1–24
- PUFF, CHRISTIAN. The nodal anatomy of *Myrothamnus flabellifolius* (Myrothamnaceae): another example of a “split-lateral” condition, **59**: 192–196
- Queensland, A new genus endemic to north: *Lenbrassia* (Gesneriaceae), **55**: 431–434
- Quercus alba*, Hybridization and introgression in, **56**: 336–363
- Quercus* subgenus *Quercus* in the eastern United States, Foliar trichomes of, **60**: 350–366
- Radiocarbon dated pollen diagram from the Allegheny Plateau of New York State, A, **57**: 369–403
- Raeschel's Nomenclator, *Gaultheria swartzii*, nom. nov., and the combinations in, **56**: 240–242
- RAMAMOORTHY, T. P. Notes on *Salvia* (Labiatae) in Mexico, with three new species, **65**: 135–143
- RAUP, HUGH M. Species versatility in shore habitats, **56**: 126–163
- Reduction of *Rusbyanthus* and the tribe *Rusbyanthae* (Gentianaceae), The, **55**: 300–302
- Reexamination of *Portlandia* (Rubiaceae) and associated taxa, A, **60**: 38–126
- Reinstatement of *Clinostemon* (Lauraceae), **60**: 515–522
- Reinterpretation of *Leucaena* and *Lysiloma*, A, **57**: 113–118
- Relationships in the *Piriqueta caroliniana*–*P. cistoides* complex (Turneraceae), **51**: 492–498
- Remarkable new dimorphic *Euphorbia* (Euphorbiaceae) from southern Mexico, A, **63**: 97–101
- Reproductive adaptations in *Prosopis* (Leguminosae, Mimosoideae), **56**: 185–210
- Review of *Corylopsis* (Hamamelidaceae), A, **58**: 382–415
- Review of deciduous-leaved species of *Stewartia* (Theaceae), A, **55**: 182–214
- Revision and expansion of the Neotropical genus *Wercklea* (Malvaceae), **62**: 457–486
- Revision of *Kentrothamnus* (Rhamnaceae), **54**: 471–473
- Revision of *Margaritaria* (Euphorbiaceae), A, **60**: 403–444
- Revision of *Stenopetalum* (Cruciferae), **53**: 52–75
- Revision of the Boraginaceae of West Pakistan and Kashmir, A, **51**: 133–184, 367–402, 499–520; **52**: 110–136, 334–363, 486–522, 666–690
- Revision of the genus *Acradenia* (Rutaceae), A, **58**: 171–181
- Revision of the genus *Acronychia* (Rutaceae), A, **55**: 469–523, 525–567
- Revision of the genus *Alsophila* (Cyatheaaceae) in the Americas, A, **64**: 333–382
- Revision of the genus *Bosistoa* (Rutaceae), A, **58**: 416–436
- Revision of the genus *Koelreuteria* (Sapindaceae), A, **57**: 129–166
- Revision of the genus *Tetractomia* (Rutaceae), A, **60**: 127–153
- Revision of the Neotropical genus *Lisianthus* (Gentianaceae), A, **53**: 76–100, 234–311
- Revision of the Old World species of *Calophyllum* (Guttiferae), A, **61**: 117–699
- Revision of the Papuan species of *Acmena* (Myrtaceae), A, **58**: 325–342
- Revision of the West Indian vernonias (Compositae), A, **59**: 360–413
- REYNEKE, W. F., AND H. P. VAN DER SCHIJFF. Development of the digitately decompound leaf in *Cussonia spicata* (Araliaceae), **56**: 256–263
- Reynosia (Rhamnaceae) from Jamaica, A new species of, **52**: 364–367
- Rhapis excelsa*, Anatomy of the palm, VIII. Vessel network and vessel-length distribution in the stem, **63**: 83–95; IX. Xylem structure of the leaf insertion, **64**: 599–609; X. Differentiation of stem conducting tissue, **65**: 191–214
- Rhizome orientation in relation to vege-

- tative spread in *Medeola virginiana*, **55**: 458-468
- Rhizophora in Australasia—some clarification of taxonomy and distribution, **59**: 156-169
- Rhododendroideae, Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the, **59**: 311-341
- RICHTER, H. G., K. KUBITZKI, AND H. KURZ. Reinstatement of *Clinostemon* (Lauraceae), **60**: 515-522
- ROBERTSON, KENNETH R. The genera of *Amaranthaceae* in the southeastern United States, **62**: 267-313
- ROBERTSON, KENNETH R. The genera of *Geraniaceae* in the southeastern United States, **53**: 182-201
- ROBERTSON, KENNETH R. The genera of *Haemodoridae* in the southeastern United States, **57**: 205-216
- ROBERTSON, KENNETH R. The genera of *Oleaceae* in the southeastern United States, **63**: 387-399
- ROBERTSON, KENNETH R. The genera of *Rosaceae* in the southeastern United States, **55**: 303-332, 344-401, 611-662
- ROBERTSON, KENNETH R. The *Krameriaceae* in the southeastern United States, **54**: 322-327
- ROBERTSON, KENNETH R. The *Linaceae* in the southeastern United States, **52**: 649-665
- ROBERTSON, KENNETH R. The *Malpighiaceae* in the southeastern United States, **53**: 101-112
- ROBERTSON, KENNETH R. The *Oxalidaceae* in the southeastern United States, **56**: 223-239
- ROBERTSON, KENNETH R., AND YIN-TSE LEE. The genera of *Caesalpinioideae* (*Leguminosae*) in the southeastern United States, **57**: 1-53
- ROGERS, GEORGE K. The *Bataceae* in the southeastern United States, **63**: 375-386
- ROGERS, GEORGE K. The *Casuarinaceae* in the southeastern United States, **63**: 357-373
- ROGERS, GEORGE K. The genera of *Alismataceae* in the southeastern United States, **64**: 383-420
- ROGERS, GEORGE K. The *Stemonaceae* in the southeastern United States, **63**: 327-336
- ROGERS, GEORGE K. The *Zingiberales* (*Cannaceae*, *Marantaceae*, and *Zingiberaceae*) in the southeastern United States, **65**: 5-55
- ROLLINS, REED C. Studies in the *Cruciferae* of western North America, **64**: 491-510
- ROLLINS, REED C. Weeds of the *Cruciferae* (*Brassicaceae*) in North America, **62**: 517-540
- Rosaceae in the southeastern United States, The genera of, **55**: 303-332, 344-401, 611-662
- ROSATTI, THOMAS J. The *Plantaginaceae* in the southeastern United States, **65**: 533-562
- RÜDENBERG, LILY, AND RICHARD E. WEAVER, JR. Cytotaxonomic notes on some *Gentianaceae*, **56**: 211-222
- Ruppia in high salinity in Western Australia, A new species of, **55**: 59-66
- RURY, PHILLIP M., AND WILLIAM C. DICKISON. Leaf venation patterns of the genus *Hibbertia* (*Dilleniaceae*), **58**: 209-256
- RURY, PHILLIP M., G. LEDYARD STEBBINS, AND WILLIAM C. DICKISON. Xylem anatomy of *Hibbertia* (*Dilleniaceae*) in relation to ecology and evolution, **59**: 32-49
- Rusbyanthae (*Gentianaceae*), The reduction of *Rusbyanthus* and the tribe, **55**: 300-302
- Rusbyanthus and the tribe Rusbyanthae (*Gentianaceae*), The reduction of, **55**: 300-302
- RUSSELL, KEITH W., AND H. A. MILLER. The ecology of an elfin forest in Puerto Rico, 17. Epiphytic mossy vegetation of Pico del Oeste, **58**: 1-24
- Rutaceae, Fruits and seeds of the Brandon Lignite, V, **61**: 1-40
- Ryukyu and Caroline islands, The genus *Cyrtandra* in the, **54**: 105-110
- RZEDOWSKI, J., AND JAMES HINTON. George B. Hinton, collector of plants in southwestern Mexico, **53**: 141-181
- St. Vincent, The Soufrière plant of, **61**: 765-770
- Salicaceae, Cytology of West Himalayan *Betulaceae* and, **54**: 412-418
- Salvia (*Labiatae*) in Mexico, Notes on, with three new species, **65**: 135-143
- Samoa, and Tonga, The genus *Diospyros* (*Ebenaceae*) in Fiji. Studies of Pacific island plants, XXIII, **52**: 369-403

- SAMPSON, F. B., AND PETER K. ENDRESS. Floral structure and relationships of the Trimeniaceae (Laurales), **64**: 447–473
- Sapindaceae, a new genus of: *Sinoradlkofera*, **58**: 182–188
- SAREEN, T. S., P. K. KHOSLA, AND P. N. MEHRA. Cytological studies of Himalayan Meliaceae, **53**: 558–568
- SAREEN, T. S., AND P. N. MEHRA. Cytology of West Indian Betulaceae and Salicaceae, **54**: 412–418
- Sargent's fir hybrid: *Abies amabilis* × *lasiocarpa*, **58**: 52–59
- Sargent's Silva of North America, Dates of publication of, **59**: 68–73
- Sauraceae in the southeastern United States, The, **52**: 479–485
- Sax, Karl, 1892–1973 [obituary, with portrait], **55**: 333–343
- Saxifragaceae in the southeastern United States, The genera of, **53**: 409–498
- SCHADEL, WILLIAM E., AND WILLIAM C. DICKISON. Leaf anatomy and venation patterns of the Styracaceae, **60**: 8–37
- Schefflera (Araliaceae), Studies in: the *Cephaloschefflera* complex, **56**: 427–448
- SCHIJFF, H. P. VAN DER, AND W. F. REYNEKE. Development of the digitately decomposed leaf in *Cussonia spicata* (Araliaceae), **56**: 256–263
- SCHIJFF, H. P. VAN DER, AND L. SNYMAN. The morphology and germination of the seed of *Elephantorrhiza elephantina*, **51**: 114–128
- SCHLARBAUM, S. E., T. TSUCHIYA, AND L. C. JOHNSON. The chromosomes and relationships of *Metasequoia* and *Sequoia* (Taxodiaceae): an update, **65**: 251–254
- SCHMID, RUDOLF. Floral anatomy of Myrtaceae, II. *Eugenia*, **53**: 336–363
- Schradera exotica* (Rubiaceae), *Spermacoce confusa* and: Notes for the flora of Dominica, **58**: 445–450
- SCHUBERT, B. G. Temple Clayton, chemist and amateur botanist, 1914–1978 [obituary, with portrait], **65**: 1–4
- SCHUBERT, B. G., AND E. A. SHAW. A reinterpretation of *Leucaena* and *Lysiloma*, **57**: 113–118
- Schwarten, Lazella Harenberg, 1900–1973 [obituary], **54**: 419–421
- SCOTT, RICHARD A., ELSON S. BARGHOORN, AND ELISABETH WHEELER. Fossil dicotyledonous woods from Yellowstone National Park, **58**: 280–306; II, **59**: 1–31
- Secondary phloem of *Amentotaxus*, The, **55**: 119–122
- Seedling morphology in the Juglandaceae, the cotyledonary node, **51**: 463–477
- Seeds from surface soils in a tropical region of Veracruz, Mexico, **53**: 312–335
- Seeds of the Monstereae, The: their morphology and fossil record, **57**: 185–204
- Sequoia* (Taxodiaceae), The chromosomes and relationships of *Metasequoia* and: an update, **65**: 251–254
- SHAW, E. A. Revision of *Stenopetalum* (Cruciferae), **53**: 52–75
- SHAW, E. A., AND B. G. SCHUBERT. A reinterpretation of *Leucaena* and *Lysiloma*, **57**: 113–118
- Shoot growth and heterophylly in *Acer*, **52**: 240–266
- Silvical characteristics of sugar maple, *Acer saccharum*, in northern Cape Breton Island, **58**: 307–324
- Sino-American botanical expedition to western Hubei Province, People's Republic of China, The 1980, **64**: 1–103
- Sinoradlkofera*: a new genus of Sapindaceae, **58**: 182–188
- Sisyrinchium solstitiale* (Iridaceae): a Florida endemic, **55**: 291–299
- Smilacina* (Liliaceae), Anatomy of stem abscission in the genus, **65**: 563–570
- SMITH, ALBERT C. Studies of Pacific island plants, XXIII. The genus *Diospyros* (Ebenaceae) in Fiji, Samoa, and Tonga, **52**: 369–403; XXV. The Myrsinaceae of the Fijian region, **54**: 1–41, 228–292; XXXIII. The genus *Ascarina* (Chloranthaceae) in the southern Pacific, **57**: 405–425
- SMITH, ALBERT C., AND STEVEN P. DARWIN. Studies of Pacific island plants, XXVIII. The Guttiferae of the Fijian region, **55**: 215–263
- SMITH, LYMAN B., AND CARROLL E. WOOD, JR. The genera of Bromeliaceae in the southeastern United States, **56**: 375–397
- SNYMAN, L., AND H. P. VAN DER SCHIJFF. The morphology and germination of the seed of *Elephantorrhiza elephantina*, **51**: 114–128
- Solander's "Florula Indiae Occidentalis," The West Indian taxa in, **63**: 63–81
- SOLBRIG, OTTO T. Arturo Burkart; a personal appreciation [obituary, with portrait], **57**: 217, 218
- SOLBRIG, OTTO T., AND KAMALJIT S. BAWA.

- Isozyme variation in species of *Prosopis* (Leguminosae), **56**: 398–412
- SOLBRIG, OTTO T., AND PHILIP D. CANTINO. Reproductive adaptations in *Prosopis* (Leguminosae, Mimosoideae), **56**: 185–210
- Solomon Islands, A new species of *Derris* from the. Studies in the Leguminosae, **11**, **51**: 251–254
- Solomon Islands, and Australia, The genus *Piper* (Piperaceae) in New Guinea, **1**, **53**: 1–25
- Some observations on the reproductive biology of three species of *Cornus* (Cornaceae), **65**: 419–427
- SORENSEN, PAUL D. Dates of publication of Sargent's *Silva* of North America, **59**: 68–73
- Soufrière plant of St. Vincent, The, **61**: 765–770
- Southeast Asia, New species of *Freycinetia* and *Pandanus* from Malesia and. Studies in Malesian Pandanaceae, **19**, **64**: 309–324
- Southeastern United States, Indexes to papers 1 to 100 published as parts of the Generic Flora of the, **64**: 547–563
- Southeastern United States, The Balsaminaceae in the, **56**: 413–426
- Southeastern United States, The Bataceae in the, **63**: 375–386
- Southeastern United States, The Caricaceae in the, **63**: 411–427
- Southeastern United States, The Casuarinaceae in the, **63**: 357–373
- Southeastern United States, The genera of Acanthaceae in the, **51**: 257–309
- Southeastern United States, The genera of Alismataceae in the, **64**: 383–420
- Southeastern United States, The genera of Amaranthaceae in the, **62**: 267–313
- Southeastern United States, The genera of Bromeliaceae in the, **375**–397
- Southeastern United States, The genera of Burmanniaceae in the, **64**: 293–307
- Southeastern United States, The genera of Caesalpinioideae (Leguminosae) in the, **57**: 1–53
- Southeastern United States, The genera of the Cannabaceae in the, **51**: 185–203
- Southeastern United States, The genera of Chrysobalanaceae in the, **51**: 521–528
- Southeastern United States, The genera of Crassulaceae in the, **59**: 198–248
- Southeastern United States, The genera of Fagaceae in the, **52**: 159–195
- Southeastern United States, The genera of Gentianaceae in the, **63**: 441–487
- Southeastern United States, The genera of Geraniaceae in the, **53**: 182–201
- Southeastern United States, The genera of Guttiferae (Clusiaceae) in the, **57**: 74–90
- Southeastern United States, The genera of Haemodoraceae in the, **57**: 205–216
- Southeastern United States, The genera of Juglandaceae in the, **53**: 26–51
- Southeastern United States, The genera of Lactuceae (Compositae) in the, **54**: 42–93
- Southeastern United States, The genera of Melastomataceae in the, **63**: 429–439
- Southeastern United States, The genera of Menyanthaceae in the, **64**: 431–445
- Southeastern United States, The genera of Mimosoideae (Leguminosae) in the, **55**: 67–118
- Southeastern United States, The genera of Molluginaceae and Aizoaceae in the, **51**: 431–462
- Southeastern United States, The genera of Myricaceae in the, **52**: 305–318
- Southeastern United States, The genera of Nyctaginaceae in the, **55**: 1–37
- Southeastern United States, The genera of Olacaceae in the, **63**: 387–399
- Southeastern United States, The genera of Orobanchaceae in the, **52**: 404–434
- Southeastern United States, The genera of Rosaceae in the, **55**: 303–332, 344–401, 611–662
- Southeastern United States, The genera of Saxifragaceae in the, **53**: 409–498
- Southeastern United States, The genera of Ulmaceae in the, **51**: 18–40
- Southeastern United States, The genera of the Urticaceae in the, **52**: 40–68
- Southeastern United States, The genera of Vernoniaceae (Compositae) in the, **63**: 489–507
- Southeastern United States, The genera of Zygophyllaceae in the, **53**: 531–552
- Southeastern United States, The Krameriaceae in the, **54**: 322–327
- Southeastern United States, The Linaceae in the, **52**: 649–665
- Southeastern United States, The Malpighiaceae in the, **53**: 101–112
- Southeastern United States, The Martyniaceae in the, **58**: 25–39

- Southeastern United States, The Mayacaceae in the, **56**: 248–255
- Southeastern United States, The Najadaceae in the, **58**: 161–170
- Southeastern United States, The Oxalidaceae in the, **56**: 223–239
- Southeastern United States, The Phrymaceae in the, **53**: 226–233
- Southeastern United States, The Plantaginaceae in the, **65**: 533–562
- Southeastern United States, The Podostemaceae in the, **56**: 456–465
- Southeastern United States, The Polygalaceae in the, **52**: 267–284
- Southeastern United States, The Potamogetonaceae in the, **59**: 170–191
- Southeastern United States, The Saururaceae in the, **52**: 479–485
- Southeastern United States, The Sparganiaceae in the, **63**: 341–355
- Southeastern United States, The Staphyleaceae in the, **52**: 196–203
- Southeastern United States, The Stemonaceae in the, **63**: 327–336
- Southeastern United States, The tribes of Cruciferae (Brassicaceae) in the, **65**: 343–373
- Southeastern United States, The Viscaceae in the, **63**: 401–410
- Southeastern United States, The Xyridaceae in the, **64**: 421–429
- Southeastern United States, The Zingiberales (Cannaceae, Marantaceae, and Zingiberaceae) in the, **65**: 5–55
- Sparganiaceae in the southeastern United States, The, **63**: 341–355
- SPEAR, RAY W., AND NORTON G. MILLER. A radiocarbon dated pollen diagram from the Allegheny Plateau of New York State, **57**: 369–403
- Species versatility in shore habitats, **56**: 126–163
- Spectacular Buchnera (Scrophulariaceae) from Colombia, A, **59**: 298
- Spermacoe, A new name in, for two species of *Borreria* from New Guinea, **64**: 627, 628
- Spermacoe confusa and *Schradera exotica* (Rubiaceae): notes for the flora of Dominica, **58**: 445–450
- SPERRY, JOHN S. Anatomy of the palm *Rhapis excelsa*, VIII. Vessel network and vessel-length distribution in the stem, **63**: 83–95
- SPERRY, JOHN S. Observations of reaction fibers in leaves of dicotyledons, **63**: 173–185
- SPERRY, JOHN S., AND MARTIN H. ZIMMERMANN. Anatomy of the palm *Rhapis excelsa*, IX. Xylem structure of the leaf insertion, **64**: 599–609
- SPONGBERG, STEPHEN A. A review of deciduous-leaved species of *Stewartia* (Theaceae), **55**: 182–214
- SPONGBERG, STEPHEN A. *Cercidiphyllaceae* hardy in temperate North America, **60**: 367–376
- SPONGBERG, STEPHEN A. *Ebenaceae* hardy in temperate North America, **58**: 146–160
- SPONGBERG, STEPHEN A. *Lauraceae* hardy in temperate North America, **56**: 1–19
- SPONGBERG, STEPHEN A. *Magnoliaceae* hardy in temperate North America, **57**: 250–312
- SPONGBERG, STEPHEN A. *Styracaceae* hardy in temperate North America, **57**: 54–73
- SPONGBERG, STEPHEN A. The genera of *Crassulaceae* in the southeastern United States, **59**: 198–248
- SPONGBERG, STEPHEN A. The genera of *Saxifragaceae* in the southeastern United States, **53**: 409–498
- SPONGBERG, STEPHEN A. The *Staphyleaceae* in the southeastern United States, **52**: 196–203
- SPONGBERG, STEPHEN A., BRUCE BARTHOLOMEW, AND DAVID E. BOUFFORD. *Metasequoia glyptostroboides*—its present status in central China, **64**: 105–128
- SPONGBERG, STEPHEN A., AND D. E. BOUFFORD. *Calycanthus floridus* (Calycanthaceae)—a nomenclatural note, **62**: 265, 266
- SPONGBERG, STEPHEN A., AND I. H. BURCH. *Lardizabalaceae* hardy in temperate North America, **60**: 302–315
- SPONGBERG, STEPHEN A., S. C. SUN, Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, AND J. L. LUTEYN. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- Staphyleaceae in the southeastern United States, The, **52**: 196–203
- STAPLES, G. W., AND D. F. AUSTIN. Ad-

- ditions and changes in the Neotropical Convolvulaceae—notes on *Merremia*, *Operculina*, and *Turbina*, **64**: 483–489
- STAPLES, G. W., AND RICHARD A. HOWARD. The modern names for Catesby's plants, **64**: 511–546
- Stauroanthra (Gesneriaceae) from New Guinea, The first species of, with general notes on the genus, **65**: 129–133
- STEARNS, WILLIAM T. Taxonomic and nomenclatorial notes on Jamaican gamopetalous plants, **52**: 614–648
- STEBBINS, G. LEDYARD, WILLIAM C. DICKSON, AND PHILLIP M. RURY. Xylem anatomy of *Hibbertia* (Dilleniaceae) in relation to ecology and evolution, **59**: 32–49
- Stem-node-leaf continuum of the Dicotyledoneae, The, **55**: 125–181
- Stem structure of the New World Menispermaceae, **63**: 145–171
- Stemonaceae in the southeastern United States, The, **63**: 327–336
- Stenopetalum (Cruciferae), Revision of, **53**: 52–75
- STEVENS, P. F. A revision of the Old World species of *Calophyllum* (Guttiferae), **61**: 117–699
- STEVENS, P. F. Additional notes on *Dimorphophanthera* (Ericaceae), **58**: 437–444
- STEVENS, P. F. Generic limits in the *Xeroteae* (Liliaceae sensu lato), **59**: 129–155
- STEVENS, P. F. The Old World species of *Calophyllum* (Guttiferae). 1. The Mascarene species, **57**: 167–184
- STEVENS, P. F. Three new species of *Phaleria* (Thymelaeaceae) from Papuaia, **55**: 264–268
- STEVENS, P. F., BRUCE A. BOHM, SCOTT W. BRIM, AND RICHARD J. HEBDA. Generic limits in the tribe Cladothamneae (Ericaceae), and its position in the Rhododendroideae, **59**: 311–341
- STEVENSON, DENNIS WM. Systematic anatomy of Bahamian species of *Bursera* (Burseraceae), **60**: 163–165
- Stewartia (Theaceae), A review of deciduous-leaved species of, **55**: 182–214
- STONE, BENJAMIN C. Studies in Malesian Pandanaceae, 19. New species of *Freycinetia* and *Pandanus* from Malesia and Southeast Asia, **64**: 309–324
- STONE, D. E., C. R. BROOME, G. L. WEBSTER, W. J. HAYDEN, AND W. T. GILLIS. Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- STONE, D. E., AND LOUIS F. CONDE. Seedling morphology in the Juglandaceae, the cotyledonary node, **51**: 463–477
- STOTLER, RAY, MARGARET FULFORD, AND BARBARA CRANDALL. The ecology of an elfin forest in Puerto Rico. 11. The leafy Hepaticae of Pico del Oeste, **51**: 56–69; 15. A study of the leafy hepatic flora of the Luquillo Mountains, **52**: 435–458
- Studies in Malesian Pandanaceae, 19. New species of *Freycinetia* and *Pandanus* from Malesia and Southeast Asia, **64**: 309–324
- Studies in Schefflera (Araliaceae): the *Cephaloschefflera* complex, **56**: 427–448
- Studies in the Cruciferae of western North America, **64**: 491–510
- Studies in the Leguminosae, 11. A new species of *Derris* from the Solomon Islands, **51**: 251–254
- Studies of Pacific island plants, XXIII. The genus *Diospyros* (Ebenaceae) in Fiji, Samoa, and Tonga, **52**: 369–403; XXV. The Myrsinaceae of the Fijian region, **54**: 1–41, 228–292; XXVIII. The Guttiferae of the Fijian region, **55**: 215–263; XXXIII. The genus *Ascarina* (Chloranthaceae) in the southern Pacific, **57**: 405–425
- Studies on *Bigelowia* (Asteraceae), II. Xylary comparisons, woodiness, and paeodomorphosis, **53**: 499–514
- Sturrock, David (1893–1978)—mentor and friend [obituary, with portrait], **60**: 1–7
- STYER, CHARLES H. Comparative anatomy and systematics of Moutabeae (Polygalaceae), **58**: 109–145
- Styracaceae hardy in temperate North America, **57**: 54–73
- Styracaceae, Leaf anatomy and venation patterns of the, **60**: 8–37
- Succession, **54**: 331–368
- SUGDEN, ANDREW M. The ecological, geographic, and taxonomic relationships of the flora of an isolated Colombian cloud forest, with some implications for island biogeography, **63**: 31–61
- SUGDEN, ANDREW M. The vegetation of the Serranía de Macuira, Guajira, Co-

- lombia: a contrast of arid lowlands and an isolated cloud forest, **63**: 1-30
- SUN, S. C., Y. C. TANG, J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, AND S. A. SPONGBERG. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1-103
- SWEET, HERMAN R., AND LESLIE A. GARAY. Notes on West Indian orchids, II, **53**: 390-398; III, **53**: 515-530
- SWEITZER, EDWARD M. Comparative anatomy of Ulmaceae, **52**: 523-585
- SYKES, W. R., AND P. J. GARNOCK-JONES. A new combination in *Syzygium* for *Eugenia maire* (Myrtaceae) of New Zealand, **60**: 396-401
- SYMON, D. E. The growth of *Dracaena draco*—dragon's blood tree, **55**: 51-58
- Synopsis of the Chinese species of *Asarum* (Aristolochiaceae), A, **64**: 565-597
- Systematic anatomy of Bahamian species of *Bursera* (Burseraceae), **60**: 163-165
- Systematic anatomy of the xylem and comments on the relationships of Flacourtiaceae, **56**: 20-102
- Systematics and breeding system of *Gelsemium* (Loganiaceae), **51**: 1-17
- Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105-127
- Systematics of Central American *Heliconia* (Heliconiaceae) with pendent inflorescences, **65**: 429-532
- Systematics of *Holographis* (Acanthaceae), **64**: 129-160
- Systematics of the *Andropogon virginicus* complex (Gramineae), **64**: 171-254
- Systematics of the Neotropical genus *Centradenia* (Melastomataceae), **58**: 73-108
- Syzygium* for *Eugenia maire* (Myrtaceae) of New Zealand, A new combination in, **60**: 396-401
- Syzygium* (Myrtaceae) from Papuasias, A provisional key and enumeration of species of, **54**: 160-227
- Tachia (Gentianaceae), The Neotropical genus, **56**: 103-125
- TANG, Y. C., J. X. WAN, T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, AND S. C. SUN. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1-103
- TANNER, E. V. J., AND P. J. GRUBB. The montane forests and soils of Jamaica: a reassessment, **57**: 313-368
- Taxa from Brazil and Guyana in the genus *Hymenaea* (Leguminosae, Caesalpinioideae), New, **54**: 94-104
- Taxonomic and nomenclatural notes on Jamaican gamopetalous plants, **52**: 614-648
- Taxonomic revision of *Pieris* (Ericaceae), A, **63**: 103-144
- Taxonomic revision of the American species of *Agarista* (Ericaceae), A, **65**: 255-342
- Taxonomic status of *Protocyrandra* (Gesneriaceae), The, **51**: 241-246
- Taxonomic status of the genus *Bauerella* (Rutaceae), The, **56**: 164-170
- Taxonomy and chemistry of *Pinus estvezii*, The, **63**: 187-198
- Taxonomy of the West Indian cycads, **61**: 701-722
- TERABAYASHI, SUSUMU, DAVID E. BOUFFORD, AND TSÜN-SHEN YING. A monograph of *Diphylleia* (Berberidaceae), **65**: 57-94
- Tetractomia (Rutaceae), A revision of the genus, **60**: 127-153
- THIERET, JOHN W. The genera of Orobanchaceae in the southeastern United States, **52**: 404-434
- THIERET, JOHN W. The Martyniaceae in the southeastern United States, **58**: 25-39
- THIERET, JOHN W. The Mayacaceae in the southeastern United States, **56**: 248-255
- THIERET, JOHN W. The Phrymaceae in the southeastern United States, **53**: 226-233
- THIERET, JOHN W. The Sparganiaceae in the southeastern United States, **63**: 341-355
- THOMAS, JOAB L. Haploid and diploid pollen in *Hypericum patulum*, **51**: 247-250
- THOMPSON, GARY G., AND NORTON G. MILLER. Boreal and western North American plants in the late Pleistocene of Vermont, **60**: 167-218
- THOMSON, PAUL M., AND ROBERT H. MOHLENBROCK. Foliar trichomes of

- Quercus* subgenus *Quercus* in the eastern United States, **60**: 350–366
- THOTHATHRI, K. Studies in the Leguminosae, 11. A new species of *Derris* from the Solomon Islands, **51**: 251–254
- Three new species of *Phaleria* (Thymelaeaceae) from Papuaasia, **55**: 264–268
- Three new species of *Picramnia* (Simaroubaceae) from Central America, **54**: 315–321
- Three new species of *Zanthoxylum* (Rutaceae) from Darién Province, Panama, **53**: 403–408
- Tibouchina and *Charianthus* (Melastomataceae) in the Lesser Antilles, Notes on, **53**: 399–402
- TIFFNEY, BRUCE H. Fruits and seeds of the Brandon Lignite, V. Rutaceae, **61**: 1–40; VI. Microdiptera (Lythraceae), **62**: 487–516
- TIFFNEY, BRUCE H., AND MICHAEL MADISON. The seeds of the Monstereae: their morphology and fossil record, **57**: 185–204
- Tiliaceae. Pollen of tropical trees. I, **59**: 299–309
- Timonius (Rubiaceae) from Papuaasia, New species of, **64**: 611–618
- TOES, E., AND R. W. DEN OUTER. The secondary phloem of *Amentotaxus*, **55**: 119–122
- TOMLINSON, P. B. Breeding mechanisms in trees native to tropical Florida—a morphological assessment, **55**: 269–290
- TOMLINSON, P. B. Dioecism in *Citharexylum* (Verbenaceae): an addendum, **54**: 120
- TOMLINSON, P. B. *Rhizophora* in Australasia—some clarification of taxonomy and distribution, **59**: 156–169
- TOMLINSON, P. B., J. S. BUNT, R. B. PRIMACK, AND N. C. DUKE. *Lumnitzera rosea* (Combretaceae)—its status and floral morphology, **59**: 342–351
- TOMLINSON, P. B., AND J. S. DAVIS. A new species of *Ruppia* in high salinity in Western Australia, **55**: 59–66
- TOMLINSON, P. B., AND PRISCILLA FAWCETT. Dioecism in *Citharexylum* (Verbenaceae), **53**: 386–389
- TOMLINSON, P. B., AND J. B. FISHER. Morphological studies in *Cordyline* (Agavaceae) I. Introduction and general morphology, **52**: 459–478; II. Vegetative morphology of *Cordyline terminalis*, **53**: 113–127
- TOMLINSON, P. B., AND J. R. VINCENT. Anatomy of the palm *Rhapis excelsa*, X. Differentiation of stem conducting tissue, **65**: 191–214
- TOMLINSON, P. B., AND M. H. ZIMMERMANN. The vascular system in the axis of *Dracaena fragrans* (Agavaceae) 2. Distribution and development of secondary vascular tissue, **51**: 478–491
- TOMLINSON, P. B., AND M. H. ZIMMERMANN. Vascular patterns in palm stems: variations of the *Rhapis* principle, **55**: 402–424
- Tonga, The genus *Diospyros* (Ebenaceae) in Fiji, Samoa, and. Studies of Pacific island plants, XXIII, **52**: 369–403
- Transfer of the Brazilian *Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), **59**: 352–359
- Treatment of Aublet's generic names by his contemporaries and by present-day taxonomists, The, **65**: 215–242
- Tribes of Cruciferae (Brassicaceae) in the southeastern United States, The, **65**: 343–373
- Trimeniaceae (Laurales), Floral structure and relationships of the, **64**: 447–473
- Trixis eryngioides* to *Perezia* (Compositae, Mutisieae), Transfer of the Brazilian, **59**: 352–359
- TSENG, CHARLES C., AND RICHARD H. EYDE. What is the primitive floral structure of Araliaceae, **52**: 205–239
- TSUCHIYA, T., L. C. JOHNSON, AND S. E. SCHLARBAUM. The chromosomes and relationships of *Metasequoia* and *Sequoia* (Taxodiaceae): an update, **65**: 251–254
- Turbina, notes on *Merremia*, Operculina, and—Additions and changes in the Neotropical Convolvulaceae, **64**: 483–489
- Turks islands, New species and a new combination from the Bahamas, Caicos and, **58**: 40–51
- Turks islands, New species and varieties from the Bahamas, Caicos and, **60**: 154–162
- Two new species and a new subgenus of Cyclanthaceae, **59**: 74–102
- Two new species of *Euphorbia* subgenus *Agaloma* from Mexico, **58**: 343–348
- Two new species of Leguminosae, **52**: 691–694

- Two unusual *Chionanthus* species from Borneo and the position of *Myxopyrum* in the Oleaceae, **64**: 619–626
- Types of blind vein-endings in the dichotomous venation of *Circaeaster*, **51**: 70–88
- Ulmaceae, Comparative anatomy of, **52**: 523–585
- Ulmaceae in the southeastern United States, The genera of, **51**: 18–40
- Ulmaceae, Moraceae, and Urticaceae, Cytological studies in, **55**: 663–677
- United States and Mexico, Notes on the genus *Polygala* in the, **60**: 504–514
- United States, Foliar trichomes of *Quercus* subgenus *Quercus* in the eastern, **60**: 350–366
- United States, Notes on *Peperomia* (Piperaceae) in the southeastern, **63**: 317–325
- Upper Cretaceous of central California, A possible magnolioid floral axis, *Loisoghlia bettencourtii*, from the, **65**: 95–104
- Upper Cretaceous of central California, Dicotyledonous wood from the, **60**: 323–349; II, **61**: 723–748; III. Conclusions, **62**: 437–455
- Urticaceae, Cytological studies in Ulmaceae, Moraceae, and, **55**: 663–677
- Urticaceae in the southeastern United States, The genera of the, **52**: 40–68
- Vascular patterns in palm stems: variations of the *Rhapis* principle, **55**: 402–424
- Vascular system in the axis of *Dracaena fragrans* (Agavaceae), The, 2. Distribution and development of secondary vascular tissue, **51**: 478–491
- Vegetation of the Serranía de Macuira, Guajira, Colombia, The: a contrast of arid lowlands and an isolated cloud forest, **63**: 1–30
- Vegetative anatomy and the taxonomic status of *Ilex collina* and *Nemopanthus* (Aquifoliaceae), **65**: 243–250
- Venation patterns in the leaves of *Ephedra*, **53**: 364–385
- Vernonias (Compositae), A revision of the West Indian, **59**: 360–413
- Vernonieae (Compositae) in the southeastern United States, The genera of, **63**: 489–507
- VIJAYARAGHAVAN, M. R., AND USHA DHAR. *Kadsura heteroclita*—microsporangium and pollen, **56**: 176–182
- VINCENT, J. R., AND P. B. TOMLINSON. Anatomy of the palm *Rhapis excelsa*, X. Differentiation of stem conducting tissue, **65**: 191–214
- Viscaceae in the southeastern United States, The, **63**: 401–410
- VUILLEUMIER, BERYL SIMPSON. The genera of Lactuceae (Compositae) in the southeastern United States, **54**: 42–93
- WAN, J. X., T. S. YING, B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R. DUDLEY, S. A. HE, Y. X. JIN, Q. Y. LI, J. L. LUTEYN, S. A. SPONGBERG, S. C. SUN, AND Y. C. TANG. The 1980 Sino-American botanical expedition to western Hubei Province, People's Republic of China, **64**: 1–103
- WEAVER, RICHARD E., JR. A revision of the Neotropical genus *Lisianthus* (Gentianaceae), **53**: 76–100, 234–311
- WEAVER, RICHARD E., JR. The genus *Macroparpaea* (Gentianaceae) in Costa Rica, **53**: 553–557
- WEAVER, RICHARD E., JR. The reduction of *Rusbyanthus* and the tribe Rusbyanthae (Gentianaceae), **55**: 300–302
- WEAVER, RICHARD E., JR., AND BASSETT MAGUIRE. The Neotropical genus *Tachia* (Gentianaceae), **56**: 103–125
- WEAVER, RICHARD E., JR., AND LILY RÜDENBERG. Cytotaxonomic notes on some Gentianaceae, **56**: 211–222
- WEAVER, RICHARD E., JR., AND CARROLL E. WOOD, JR. The genera of Gentianaceae in the southeastern United States, **63**: 441–487
- WEBSTER, GRADY L. A revision of *Margaritaria* (Euphorbiaceae), **60**: 403–444
- WEBSTER, G. L., W. J. HAYDEN, W. T. GILLIS, D. E. STONE, AND C. R. BROOME. Systematics and palynology of *Picrodendron*: further evidence for relationship with the Oldfieldioideae (Euphorbiaceae), **65**: 105–127
- Weeds of the Cruciferae (Brassicaceae) in North America, **62**: 517–540
- WENDT, TOM. Notes on the genus *Polygala*

- in the United States and Mexico, **60**: 504–514
- Wercklea (Malvaceae), Revision and expansion of the Neotropical genus, **62**: 457–486
- West Indian cycads, Taxonomy of the, **61**: 701–722
- West Indian Myrtaceae, Notes on, **54**: 309–314
- West Indian orchids, Notes on, II, **53**: 390–398; III, **53**: 515–530
- West Indian species of the Asian section *Tittmannia*, a new, *Lindernia brucei*, **56**: 449–455
- West Indian taxa in Solander's "Florula Indiae Occidentalis," The, **63**: 63–81
- West Indian vernonias (Compositae), A revision of the, **59**: 360–413
- West Indies, A new combination in *Bulbostylis* from the, **60**: 322
- West Indies, A new *Herissantia* (Malvaceae) from the, **60**: 316–319
- Western Australia, A new species of *Rupia* in high salinity in, **55**: 59–66
- What and whence was Miller's *Caryophyllus cotinifolius*, **56**: 171–175
- What is the primitive floral structure of *Araliaceae*, **52**: 205–239
- WHEELER, ELISABETH, RICHARD A. SCOTT, AND ELSON S. BARGHOORN. Fossil dicotyledonous woods from Yellowstone National Park, **58**: 280–306; II, **59**: 1–31
- WHITE, PETER S. The architecture of devil's walking stick, *Aralia spinosa* (Araliaceae), **65**: 403–418
- WILDER, GEORGE J. Two new species and a new subgenus of *Cyclanthaceae*, **59**: 74–102
- WOFFORD, B. EUGENE. A new *Lindera* (Lauraceae) from North America, **64**: 325–331
- Wood anatomy and phylogeny of *Paeonia* section *Moutan*, **59**: 274–297
- Wood anatomy of *Bellium* (Winteraceae) and a note on flowering, **64**: 161–169
- Wood anatomy of *Myrothamnus flabellifolia* (Myrothamnaceae) and the problem of multiperforate perforation plates, **57**: 119–126
- Wood anatomy of the New World *Pithecellobium* (sensu lato), **62**: 1–44
- Wood of *Amentotaxus*, The, **54**: 111–119
- WOOD, CARROLL E., JR. Indexes to papers 1 to 100 published as parts of the Generic Flora of the Southeastern United States, **64**: 547–563
- WOOD, CARROLL E., JR. The Balsaminaceae in the southeastern United States, **56**: 413–426
- WOOD, CARROLL E., JR. The genera of Burmanniaceae in the southeastern United States, **64**: 293–307
- WOOD, CARROLL E., JR. The genera of Menyanthaceae in the southeastern United States, **64**: 431–445
- WOOD, CARROLL E., JR. The Saururaceae in the southeastern United States, **52**: 479–485
- WOOD, CARROLL E., JR., AND PRESTON ADAMS. The genera of Guttiferae (Clusiaceae) in the southeastern United States, **57**: 74–90
- WOOD, CARROLL E., JR., AND S. A. GRAHAM. The Podostemaceae in the southeastern United States, **56**: 456–465
- WOOD, CARROLL E., JR., AND LYMAN B. SMITH. The genera of Bromeliaceae in the southeastern United States, **56**: 375–397
- WOOD, CARROLL E., JR., AND RICHARD E. WEAVER, JR. The genera of Gentianaceae in the southeastern United States, **63**: 441–487
- WURDACK, JOHN J., AND ROBERT KRAL. The genera of Melastomataceae in the southeastern United States, **63**: 429–439
- Xeroteae (Liliaceae sensu lato), Generic limits in the, **59**: 129–155
- Xylem anatomy of *Hibbertia* (Dilleniaceae) in relation to ecology and evolution, **59**: 32–49
- Xyridaceae in the southeastern United States, The, **64**: 421–429
- YAKOVLEV, G. P. A new species of *Ormosia* from Brazil, **51**: 129–131
- YAKOVLEV, G. P. Two new species of Leguminosae, **52**: 691–694
- YANG, CHUN-SHU, AND CHING-YUNG CHENG. A synopsis of the Chinese species of *Asarum* (Aristolochiaceae), **64**: 565–597
- Yellowstone National Park, Fossil dicotyledonous woods from, **58**: 280–306; II, **59**: 1–31
- YING, T. S., B. BARTHOLOMEW, D. E. BOUFFORD, A. L. CHANG, Z. CHENG, T. R.



Schmidt, Elizabeth B. 1985. "Journal of the Arnold Arboretum index to authors and titles, volumes 51-65 (1970-1984)." *Journal of the Arnold Arboretum* 66(1), 39-72. <https://doi.org/10.5962/bhl.part.13178>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33629>

DOI: <https://doi.org/10.5962/bhl.part.13178>

Permalink: <https://www.biodiversitylibrary.org/partpdf/13178>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.