

## NOTE IV.

A NEW SPECIES OF THE PHYTOPHAGOUS  
GENUS HAPLOSONYX

DESCRIBED BY

**MARTIN JACOBY.**

---

*Haplosonyx nigripennis*, n. sp.

Fulvous. Thorax and elytra finely punctured, the latter black. — Length 7 lines.

Head impunctate. Apex of jaws black. Antennae half the length of the body, obscure fuscous above, fulvous below, the apex of the terminal joint black; third joint twice the length of the second; the fourth longer than the 3 preceeding joints together. Thorax transverse, narrow, sides straight at the base, slightly rounded from the middle to the apex, angles acute and thickened, surface with a deep transverse depression at each side and a smaller fovea near the basal margin, very finely and rather remotely punctured. Scutellum fulvous. Elytra deeply transversely depressed before the middle, very finely and irregularly punctured, the punctuation distributed evenly throughout the entire surface. Underside and legs fulvous.

Hab. Sanghir Islands and North Celebes (v. Rosenberg).

From all other species the present one may be separated by the entirely black elytra. I also possess this species from Celebes.

London, October 30th, 1883.



Jacoby, Martin. 1884. "A new species of the Phytophagous genus *Haplosonyx*." *Notes from the Leyden Museum* 6, 71–71.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/37327>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/150810>

**Holding Institution**

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

**Sponsored by**

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

**Copyright & Reuse**

Copyright Status: NOT\_IN\_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.