

A NEW COMBINATION FOR SARCOSTEMMA CYNANCHOIDES VAR. HARTWEGII (ASCLEPIADACEAE)

Alexander Krings¹

Zilker Botanical Garden
2220 Barton Springs Rd.
Austin, TX 78746, U.S.A.

In order to validate names for a checklist of the vines of the Chihuahuan desert, a new combination for a taxon traditionally placed in *Sarcostemma* R. Br. (Correll & Johnston 1979; Kartesz 1994) is proposed. Recent cladistic analyses by Liede (1996) failed to support the monophyly of *Sarcostemma* sensu Holm (1950), instead showing support for the monophyly of genera as circumscribed by Schlechter (1914). Based on her analyses, Liede (1996) suggested, among other circumscriptions, that *Sarcostemma* be restricted to the non-campanulate Old World taxa and that *Funastrum* E. Fourn. should apply to the non-campanulate New World taxa. The taxon in question, *Sarcostemma cynanchoides* Decne. var. *hartwegii* (Vail) Shinners, was originally described as *Sarcostemma lineare* Decne. in 1840. However, the existence of an earlier homonym, *Sarcostemma lineare* Spreng., 1822, (based on a Venezuelan collection), required the use of another name for the Mexican taxon. Although once employed through widespread misapplication, Holm (1950) notes that the name *Sarcostemma heterophyllum* Torr. is unavailable for the subspecific taxon of *Sarcostemma cynanchoides* as the type (Wright 1679, New Mexico, USA) is *Sarcostemma crispum* Benth. Holm (1950) decided to employ the epithet "hartwegii" rather than create a new name. Thus, the name *Philibertia hartwegii* Vail—validly published in 1897, based on the same collection as the 1840 Decaisne name (Hartweg 217, León, Mexico)—is the appropriate basionym of the most recently used names, *Sarcostemma cynanchoides* var. *hartwegii* (Vail) Shinners and *Sarcostemma cynanchoides* ssp. *hartwegii* (Vail) R.W. Holm, as well as the proposed, new combination:

***Funastrum cynanchoides* (Decne.) Schltr. var. *hartwegii* (Vail) Krings, comb. nov.** *Philibertia hartwegii* Vail, Bull. Torrey Bot. Club 24:308. 1897. TYPE: MEXICO. LEÓN: Hartweg 217, 1839 (NY). *Funastrum hartwegii* (Vail) Schltr., Repert. Spec. Nov. Regni Veg. 13:285. 1914. *Sarcostemma cynanchoides* Decne. var. *hartwegii* (Vail) Shinners, Sida 1:361. 1964. *Sarcostemma cynanchoides* Decne. ssp. *hartwegii* (Vail) R.W. Holm, Ann. Missouri Bot. Gard. 37:530. 1950. *Sarcostemma lineare* Decne. in Benth., Pl. Hartw. 25. 1840 (non Spreng. 1822).

Distribution.—*Funastrum cynanchoides* var. *hartwegii* occurs between 30–1500 m in dry, sandy, or gravelly soil in Trans-Pecos Texas, New Mexico, Arizona, and Utah, as well as the Mexican states of Baja California Norte, Baja California Sur, Chihuahua, Coahuila, Durango, Guanajuato, Jalisco, Querétaro, Sinaloa, Sonora, and Zacatecas.

¹Current address: Herbarium, Department of Botany, North Carolina State University, Campus Box 7612, Raleigh, NC 27695-7612, U.S.A.

ACKNOWLEDGMENTS

I thank M. Fishbein and an anonymous reviewer for their thoughtful comments on the manuscript.

REFERENCES

- CORRELL, D.S and M.C. JOHNSTON. 1979. Manual of the vascular plants of Texas. University of Texas at Dallas Press, Richardson.
- KARTESZ, J. 1994. A synonymized checklist of the vascular flora of the United States, Canada, and Greenland. Timber Press, Portland.
- HOLM, R.W. 1950. The American species of *Sarcostemma* R. Br. (Asclepiadaceae). Ann. Missouri Bot. Gard. 37:477–560.
- LIEDE, S. 1996. *Sarcostemma* (Asclepiadaceae)-a controversial generic circumscription reconsidered: Morphological evidence. Syst. Bot. 21:31–44.
- SCHLECHTER, R. 1914. *Philibertia* H.B. et Kth. und *Funastrum* Fourn. Repert. Spec. Nov. Regni Veg. 13:279–287.



BHL

Biodiversity Heritage Library

Krings, Alexander. 2000. "A NEW COMBINATION FOR SARCOSTEMMA CYNANCHOIDES VAR. HARTWEGII (ASCLEPIADACEAE)." *SIDA, contributions to botany* 19, 137–138.

View This Item Online: <https://www.biodiversitylibrary.org/item/36567>

Permalink: <https://www.biodiversitylibrary.org/partpdf/163286>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.