

BOTANICAL MUSEUM LEAFLETS

HARVARD UNIVERSITY

CAMBRIDGE, MASSACHUSETTS, APRIL 17, 1959

VOL. 18, No. 10

THE ORIGIN OF CORN

IV. PLACE AND TIME OF ORIGIN

BY

PAUL C. MANGELSDORF AND ROBERT G. REEVES

In regard to the origin of this plant, although there has never been room for reasonable doubt, there have been those who fancied there was room for argument. America is clearly and beyond question the native country of Indian corn. Yet, from the commencement of its history, writers have not been wanting to contest this point, and to claim for it an Eastern origin. The weight of authority and of argument so entirely preponderates in favor of its American origin, that it is scarcely worthwhile, in a work aiming to be useful rather than learned, to waste the time of the reader with idle and unprofitable speculation. —EDWARD ENFIELD (10).

This statement which appeared almost a century ago in an otherwise undistinguished work is as true today as it was then. We supposed when, some twenty years ago, we wrote our monograph on the origin of Indian corn and its relatives (31) that there was one question — its place of origin, America or the Old World — which had been answered once and for all. It turns out that we were wrong; for although our monograph stimulated much useful interest in the problem of the origin of maize, it also opened a veritable Pandora's box of unrestrained speculation on certain aspects of the problem. It has, as a consequence, become necessary once again to review the evidence pertaining to the question of corn's place of origin.

PRE-COLUMBIAN MAIZE IN ASIA?

Among the herbalists and early botanists who gave their attention to maize, there were a number who regarded it as a plant of Old World origin (cf. 30). The evidence which de Candolle (7) marshalled to support his conclusion on the American origin of maize was so convincing that the problem was then generally regarded as solved. But several times in this century the question of an Asiatic origin or of a pre-Columbian distribution of maize in Asia has been raised. Following the discovery of a previously unknown type of endosperm, "waxy," in a variety of Chinese maize, Collins (9) suggested, despite Laufer's (23) earlier conclusion to the contrary, that maize may have been known in Asia before the discovery of America. More recently Anderson has, on several occasions (1, 2), suggested the possibility of an Asiatic origin of maize or of its prehistoric spread to Asia, and, in a joint paper with Stonor (38) describing some collections of maize from Assam, reached the conclusion that "maize must either have originated in Asia or have been taken there in pre-Columbian times."

The conclusions of Stonor and Anderson were welcomed by the "diffusionists," a school of geographers, anthropologists and others who professed to see in art forms, myths, and other cultural traits, including the use of plants, great similarities between Asia and America and who, for reasons which are not at all clear to us, are apparently determined to prove that all of these traits diffused from a common center. So far as plants are concerned the diffusionists' theses have had the support, especially of Carter (8), Heyerdahl (15), and Sauer (37), all of whom have regarded the conclusions of Anderson or of Stonor and Anderson as supporting the idea of pre-Columbian, trans-Pacific diffusion.

Diffusionists may also have found encouragement in Hatt's (14) fascinating study of American and Indonesian folklore which showed some remarkable similarities between the two, especially with respect to various versions of the Corn Mother myth. For example, the origin of cultivated plants from a sacrificed child, an important motif in Indonesia, is also conspicuous in Peruvian mythology. Nevertheless, Hatt was compelled to conclude that if agriculture and myths reached America across the Pacific Ocean this must have taken place not all at once but at different times. He did not suggest diffusion in the opposite direction nor did he consider it a possibility, as Sauer seems to have, that a Corn Mother myth could have been diffused except as it accompanied the spread of a grain.

The idea of a pre-Columbian interchange of plants between the Old World and the New was virtually demolished by Merrill (33). He showed that there is not only a lack of tangible evidence for such prehistoric diffusion but also that the presence of American plants in Asia soon after the discovery of America is easily and reasonably accounted for by the early Portuguese trade route established in 1500 from Brazil to Goa by way of the Cape of Good Hope.

So far as maize is concerned, the case for its pre-Columbian occurrence in Asia, never a very convincing one, was considerably weakened when Mangelsdorf and Oliver (30) showed that the Assamese maize described by Stonor and Anderson is not at all unique and has close counterparts in Colombia and other parts of South America. The case has recently been weakened still more by new evidence presented by Ho (16) who, after a searching study of Chinese historical sources, concluded that maize was introduced into China early in the sixteenth century arriving there by both overland and maritime routes. He states:

Summing up the introduction of maize into China, we may say that maize was introduced into China two or three decades before 1550; that it was probably introduced by both the overland and maritime routes; that there is little reason to justify Laufer's far-reaching conclusion, especially in the light of the introduction of other New World plants, that in the dissemination of food plants 'a land route is preferred over a sea route as their way of propagation'; and that, barring a sensational discovery in Chinese sources clearly indicating a pre-Columbian introduction, Chinese maize as a topic for anthropological speculation should be closed.

Sutô and Yoshida (39) were doubtless unaware of Ho's paper when they concluded, on the basis of decidedly meager evidence, that one of the types of oriental maize, Persian, described by them must have had an extensive pre-Columbian distribution in parts of Asia. They also favored Anderson's suggestion (2) that corn originated in Asia perhaps as an amphidiploid of a five-chromosome species of *Coix* or *Sorghum*. They were apparently unaware also of the discovery by Barghoorn *et al* (4) of fossil maize pollen in the Valley of Mexico almost identical with that of modern maize pollen. This discovery, to be discussed in more detail later, virtually proves the American origin of corn and rules out the possibility of an Asiatic origin.

PRE-COLUMBIAN CORN IN AFRICA?

The confusion which can result from what Enfield has called "idle and unprofitable speculation" is nowhere better illustrated than in Jeffreys' (20) acceptance of that part of the Stonor-Anderson thesis which holds that, if maize did not originate in Asia, it must have been taken there in prehistoric times.

Jeffreys (17) had earlier assembled extensive historical references purporting to show that there had been Arab-Negro contacts with the Americas beginning about 900 A.D. and that maize had been introduced into Africa before 1492. When Goodwin (12) described potsherds

from Ife in Nigeria, apparently decorated by rolling a maize cob over wet clay, Jeffreys (18) proceeded to date the introduction of maize into the region in Africa represented by Ife at 1000–1100 A.D.¹, a date slightly earlier than the one which he had arrived at on the basis of other evidence (19). He then showed by linguistic and historical evidence how it might have spread from Africa to Asia (20).

To analyze Jeffreys' arguments in detail would seem to serve no useful purpose until it should first become clear: (A) that the impressions on the African pottery are unmistakably those of maize²; (B) that they are unmistakably pre-Columbian. Unless these two facts can be clearly established, we prefer to agree with Goodwin's recent statement (in a letter) which he has kindly given us permission to quote:

. . . and am of the opinion that not all of this pottery was decorated by rolling a maize cob over the surface. I have no evidence from that or from any other source suggesting that maize reached Africa in Pre-Columbian times.

PRE-COLUMBIAN MAIZE IN EUROPE?

Finan (11), in a study of the maize illustrated and described in the herbals, concluded that there were two

¹ Weatherwax erroneously attributes to Goodwin the idea of a pre-Columbian introduction of maize into Africa. Goodwin carefully avoided drawing such a conclusion.

² We have not been able to obtain specimens of the African potsherds for examination but, since this was written, we have seen photographs of one of them displayed at the Tenth International Congress of Genetics in Montreal by Dr. W. R. Stanton of Nigeria. There is little doubt that this impression is of a maize cob since the paired arrangement of the spikelets is clearly shown. But Stanton, like Goodwin, regards these impressions as post-Columbian and states that he is in general agreement with Porteres (35) who, after carefully reviewing the evidence presented by Jeffreys, Mauny, and others, concluded that maize reached Africa in the sixteenth century by two routes: a flint corn by way of the Mediterranean and the Nile; a soft [probably dent] corn by way of the coast of Guinea.

distinct types: the first, characterized by conspicuous prop roots, was probably a tropical form introduced into Europe from the Caribbean area soon after 1492; the second, which lacks prop roots but sometimes has numerous tillers, is similar to the Northern Flints of eastern North America and appears to have been well known in Europe within 50 years after America's discovery. He (as well as Anderson in the preface to Finan's work) raised the question whether it could have been introduced into Europe by the Norsemen before 1492. Finan also speculated on the reason for the common belief among the herbalists that corn came to Europe from the Orient,

Sutô and Yoshida have gone even further than this in their unqualified assertion that the Aegean type, from which they believed the European maize to be derived and which was first described by Anderson and Brown (3), was, like the Persian, diffused throughout the Old World before 1492.

CORN'S RAPID SPREAD AFTER 1492

If all of these various assertions about pre-Columbian maize in the Old World were true, maize must have been about as widely distributed there as it was in America. Why then did it not leave a single tangible record of any kind of its presence? Why did corn cause such wonderment to sixteenth century students of plants if it had already been known for several centuries or more?

Underlying all of the speculations on pre-Columbian maize in Asia, Africa, or Europe is one common assumption: that corn could not have spread rapidly enough after 1492 to reach all of the places where it was known a generation later. This is not only a highly unreliable premise but also, we think, a presumptuous one for it places arbitrary limits, not justified either by history or

by contemporary experience, on mankind's capacity to spread, through trade and other means, the world's products. So far as Europe and Africa are concerned, the early post-Columbian occurrence of maize is explained quite satisfactorily by Wright (46) who showed how the Moors, after being partially expelled from Spain between 1499 and 1502, took maize with them to Tangier and the north African coast whence it rapidly spread to that part of the world which lay around the Mediterranean Sea, i.e., Turkey, Syria, and Egypt. Wright explains further that the name "Turk" in England during the sixteenth century was often used indiscriminately with "Moor" to indicate a Moslem. It seems probable, therefore, that maize at one period was obtained more easily in western Europe from the Moslem regions of the Mediterranean than from the West Indies and hence was known to the English as "Turkey corn" (both Egypt and Syria were then parts of Turkey) and to the Italians as *grano turco*.

Perhaps the belief, held by a number of the herbalists, that maize came from the East was based on nothing more than the fact that its common name seemed clearly to indicate an eastern origin. Some recent modern conclusions regarding its origin have had little more foundation in fact.

THE PLACE OF ORIGIN IN AMERICA

The discovery by Barghoorn *et al* (4) of fossil pollen in the Valley of Mexico seems now to have established the origin of corn in America beyond question but it still leaves open the problem of where in America maize was first domesticated.

The fossil pollen also proves without doubt that wild maize once grew in the Valley of Mexico. But the fact that maize pollen was found in the drill core only at great depths (below 69 meters) and then was absent until it

appeared again at the upper levels (above 3.6 meters), probably after the establishment of agriculture, suggests that the early fossil maize was that of a colony which became extinguished, perhaps through volcanic action. However, if wild maize grew in one Mexican valley it may well have grown in others and in similar sites in other regions.

Archaeological maize from caves in Mexico and New Mexico—some of it not far removed in its characteristics from wild corn—also points to an early center of domestication in Mexico. Furthermore, the oldest archaeological corn so far discovered in South America—that described by Bird (5) from Huaca Prieta—is later than the earliest corn from either Bat Cave or La Perra Cave and is more advanced in its development. Finally, anthropologists now tend to believe that the prehistoric cultures of America had their beginnings in Middle America and spread from there to South America (45).

For all of these reasons, Mangelsdorf concluded several years ago (26) that “Maize undoubtedly had at least one center of origin in Middle America.”

This conclusion is, of course, directly contrary to our earlier one (31) that maize had its origin in the lowlands of South America—an assumption based on the fact that pod corn, which we then regarded and still regard as the ancestral form, was repeatedly encountered there and was apparently unknown in Mexico and Central America. And then, too, with teosinte disposed of as a hybrid of maize and *Tripsacum*, there no longer seemed to be any compelling reason for looking to the region where teosinte is native as the center of origin of maize. We have never been convinced, as Weatherwax has apparently been (41, 42, 43), that corn’s center of origin must coincide with the center of diversity of its relatives, teosinte and *Tripsacum*.

In spite of the recently discovered evidence for a Middle American origin of cultivated maize—one which has been favored on the basis of other evidence not only by Weatherwax but also by Kempton and Popenoe (21), Kuleshov (22), Meade (32), and Vavilov (40)—we are not yet ready to rule out completely the possibility of an independent center of origin somewhere in South America although our earlier idea of a single origin in the lowlands of South America has now been abandoned.

There are still too many facts which are not completely explained by the assumption of a single origin in Middle America. Among these are: (a) the great diversity of corn in the highlands of Peru; (b) the fact that all of the known pericarp colors of corn occur in one department, Ancash, of Peru (13); (c) the frequent occurrence of pod corn in valleys on the eastern slopes of the Andes; (d) the high incidence of the *tu^h* gene in Peruvian corn (27); (e) the occurrence in Peru of a primitive race, Confitte Morocho, which could conceivably be the progenitor of all of the other known primitive races of the hemisphere (13). So far as the evidence from living corn varieties is concerned, it still points strongly to a South American center in the highlands of Peru, Bolivia and Ecuador and, were it not for the conflicting evidence from fossil pollen and archaeological maize, we should unhesitatingly continue to assume that corn had its origin in South America.

An obvious solution to this dilemma is to assume that maize has been domesticated more than once. Such an assumption would not be radically new. We (31) have previously pointed out that five of the cultivated plants common to Middle America and South America—squashes, beans, tomatoes, amaranths, and cotton—were represented in the two regions by different species or subspecies. There is now evidence that this may have been

true also of corn. There are at least three different primitive races of maize in Peru today (13); two in Colombia (36); and four in Mexico (44). Precursors of two of the Mexican races, Nal-Tel and Chapalote, which in their characteristics are not far removed from wild corn, have been identified in archaeological collections from caves in northeastern Mexico (29) and northwestern Mexico (28). This shows that even in quite early stages of domestication there were already distinct types of corn. One conclusion which might be drawn at this time is that wild corn occurred sporadically in restricted sites in the mountainous region of this hemisphere: in Bolivia, Ecuador, and Peru in South America and in Guatemala and Mexico in Middle America. Once agriculture had been invented and maize domesticated it may have been domesticated repeatedly by the American Indians wherever it was found. Such a conclusion might require modification at any time as the result of the discovery of new archaeological evidence, especially from South America.³

In this connection mention should be made of the hypothesis of Birket-Smith (6), based largely on linguistic evidence, that maize originated in Colombia, perhaps in the lower Rio Magdalena Valley. In Colombia there are

³ Since this was written a study (still unpublished) of the most recent find of archaeological maize from a site in the Ica Valley on the coast of Peru shows that the predominating type of corn is remarkably uniform and is similar, if not identical, to the prehistoric precursor of the still existing Mexican race, Chapalote. Some of the Ica ears, however, show various modifications which can be attributed to introgression from a race of popcorn, Confite Morocho, which is still found in parts of Peru, especially in the Department of Ayacucho. It now appears that the great diversity of maize in Peru had its beginnings when a prehistoric popcorn from Mexico hybridized with the Peruvian popcorn. Whether the Peruvian popcorn was already in cultivation when the Mexican race was introduced cannot be determined from the evidence now available. Additional archaeological evidence from the Peruvian highlands may shed new light on this problem.

names, some of which are regarded as "primitive," associated with maize, its culture and uses, which have affinities with those of Central America, Ecuador, Peru, Venezuela, and the South American lowlands. Roberts *et al* (36) have suggested that such a situation might have developed if this region had been not a center of origin but a crossroads in which the cultures of Central America, the Andean highlands, and the South American lowlands converged. That northern Colombia was definitely a crossroads region is now generally accepted by anthropologists. Evidence from a study of Colombian races of maize tends to support this interpretation. Other aspects of the case for a Colombian origin have been reviewed by Mesa Bernal (34).

THE TIME OF ORIGIN

The fossil maize pollen of Mexico, presumably that of a wild corn, is assigned, on the basis of systematic changes in the frequency of other types of associated pollen, to the last interglacial period. Recent estimates place this at 80,000 years or more ago. There is no reason to doubt that wild maize is much older than this.

The origin of cultivated maize is, of course, much more recent. The oldest archaeological specimens so far studied, those of Bat Cave in New Mexico, are dated by Libby's radiocarbon determinations of associated charcoal at 5,600 years. There is a possibility that the prehistoric maize and charcoal are not contemporaneous; that the charcoal is a residue of fires built by itinerate campers long before the cave was occupied by maize-growing people. This date, however, is not inconsistent with those from other sites. The oldest corn from La Perra Cave, dated by radiocarbon determination of associated vegetal remains at 4445 years, is by no means as primitive as the earliest Bat Cave specimens. The oldest

archaeological maize from Swallow Cave, similar to the earliest Bat Cave material, has not been dated but the fact that it occurred in levels 13 and 14, seven feet below the surface, suggests a very substantial age. The pre-pottery corn from Tm C 247, a site excavated by MacNeish (24, 25), some of which is similar to the Bat Cave corn, has been tentatively dated at 3945 years. The oldest corn from Huaca Prieta in Peru, dated about 2900 years, is already well advanced in its development over the earliest Bat Cave corn.

The evidence, so far as it goes, is consistent with the conclusion that corn was first domesticated about 5000 years ago or perhaps a millennium or more still earlier. How, even in this length of time, could the primitive corn, with which domestication began, have evolved into the highly developed varieties of today such as the Corn-Belt corn of the United States with its magnificent ears or the spectacular large-seeded flour corn of the region of Cuzco, Peru? This is a question to which we hope that the earlier papers in this series will have given, at least, some of the answers.

LITERATURE CITED

1. Anderson, E., 1943. A variety of maize from the Rio Loa. *Ann. Missouri Bot. Gard.* 30: 469-474.
2. ———, 1945. What is *Zea Mays*? *Chronica Botanica* 9: 88-92.
3. ——— and W. L. Brown, 1953. The popcorns of Turkey. *Ann. Missouri Bot. Gard.* 40: 33-48.
4. Barghoorn, E. S., M. K. Wolfe and K. H. Clisby, 1954. Fossil maize from the Valley of Mexico. *Bot. Mus. Leaflet*. Harvard Univ. 16: 229-240.
5. Bird, J., 1948. America's oldest farmers. *Nat. Hist.* 57: 296-303, 334-335.
6. Birket-Smith, K., 1943. The origin of maize cultivation. *Kgl. Danske Videnskabernes Selskab; Hist.—Filol. Meddel* 29: 1-49.
7. Candolle, A. de, 1886. Origin of cultivated plants. Reprint of 2nd edition, 1959. New York, Hafner Publishing Co.
8. Carter, G. F., 1950. Plant evidence for early contacts with America. *Southwest Jour. Anthropol.* 6: 161-182.
9. Collins, G. N., 1909. A new type of Indian corn from China. *U. S. Dept. Agric. Bur. Plant Industry Bull.* 161: 1-30.
10. Enfield, E., 1866. Indian corn, its value, culture and uses. New York, D. Appleton and Co.
11. Finan, J. J., 1950. Maize in the great herbals. Waltham, Mass., *Chronica Botanica*.
12. Goodwin, A. J. H., 1953. The origin of maize. *S. African Arch. Bull.* 29: 13-14.
13. Grobman, A., W. Salhuana and P. C. Mangelsdorf, 1956. Races of maize in Peru. *Maize Gen. Coop. News Letter* 30: 27-30.
14. Hatt, G., 1951. The Corn Mother in America and in Indonesia. *Anthropos* 46: 853-914.
15. Heyerdahl, T., 1952. American Indians in the Pacific; the theory behind the Kon-Tiki expedition. London, George Allen & Unwin Ltd.

16. Ho, P. T., 1956. The introduction of American food plants into China. *Amer. Anthrop.* 57: 191-201.
17. Jeffreys, M. D. W., 1953. Pre-Columbian negroes in America. *Scientia* (July-Aug.), 1-18.
18. ———, 1953. Pre-Columbian maize in Africa. *Nature* 172: 965-966.
19. ———, 1953. The history of maize in Africa. *Eastern Anthrop.* 7: 138-147.
20. ———, 1955. Pre-Columbian maize in Asia. *Eastern Anthrop.* 9: 21-28.
21. Kempton, J. H. and W. Popenoe, 1937. Teosinte in Guatemala. *Carnegie Inst. Washington Publ.* 483: 199-218.
22. Kuleshov, N. N., 1929. Geographical distribution of the diverse varieties of maize in the world. *Bull. Appl. Bot. Gen. Pl. Breeding* 20: 506-510.
23. Laufer, B., 1907. The introduction of maize into Eastern Asia. *Proc. 15th Intern. Congr. Americanists* 1: 223-257.
24. MacNeish, R. S., 1955. Ancient maize and Mexico. *Archaeology* 8: 108-115.
25. ———, 1958. Preliminary archaeological investigations in the Sierra de Tamaulipas, Mexico. *Trans. Amer. Philos. Soc.* 48, pt. 6: 1-210.
26. Mangelsdorf, P. C., 1954. New evidence on the origin and ancestry of maize. *Amer. Antiquity* 19: 409-410.
27. ———, 1957. Half-tunicate from Peru, Ecuador and Paraguay. *Maize Gen. Coöp. News Letter* 31: 64.
28. ——— and R. H. Lister, 1956. Archaeological evidence on the evolution of maize in northwestern Mexico. *Bot. Mus. Leafl. Harvard Univ.* 17: 151-178.
29. ———, R. S. MacNeish and W. C. Galinat, 1956. Archaeological evidence on the diffusion and evolution of maize in northeastern Mexico. *Bot. Mus. Leafl. Harvard Univ.* 17: 125-150.
30. ——— and D. L. Oliver, 1951. Whence came maize to Asia? *Bot. Mus. Leafl. Harvard Univ.* 14: 263-291.

31. Mangelsdorf, P. C. and R. G. Reeves, 1939. The origin of Indian corn and its relatives. Texas Agric. Exp. Sta. Bull. 574.
32. Meade, J., 1948. Iziz Centli (El Maíz). Mexico.
33. Merrill, E. D., 1954. The botany of Cook's voyages. Waltham, Mass., Chronica Botanica.
34. Mesa Bernal, D., 1957. Historia natural del maiz. Revista Acad. Colomb. Cien. Exact. Fis. Nat. 10: 13-106.
35. Porteres, R., 1955. L'introduction du mais en Afrique. Jour. Agric. Trop. Bot. Appl. 2: 221-231.
36. Roberts, L. M., U. J. Grant, R. Ramirez E., W. H. Hatheway and D. L. Smith, *in collaboration with* P. C. Mangelsdorf, 1957. Races of maize in Colombia. Nat. Acad. Sci.-Nat. Res. Council Publ. No. 510.
37. Sauer, C. O., 1952. Agricultural origins and dispersals. New York, Amer. Geog. Soc.
38. Stonor, C. R. and E. Anderson. 1949. Maize among the hill peoples of Assam. Ann. Missouri Bot. Gard. 36: 355-404.
39. Sutô, T. and Y. Yoshida, 1956. Characteristics of the Oriental maize. *In* Land and Crops of Nepal Himalaya II: 373-529.
40. Vavilov, N. I., 1931. Mexico and Central America as the principal center of origin of cultivated plants of the New World. Bull. Appl. Bot. Gen. Pl. Breeding 26: 179-199.
41. Weatherwax, P., 1923. The story of the maize plant. Univ. Chicago Press.
42. —, 1936. The origin of the maize plant and maize agriculture in ancient America. Univ. New Mexico Bull. (October), 1-8.
43. —, 1954. Indian corn in old America. New York, Macmillan.
44. Wellhausen, E. J., A. Fuentes O. and A. Hernandez C., *in collaboration with* P. C. Mangelsdorf, 1957. Races of maize in Central America. Nat. Acad. Sci.-Nat. Res. Council Publ. No. 511.
45. Willey, G. R., 1955. The prehistoric civilizations of nuclear America. Amer. Anthropol. 57: 571-593.
46. Wright, A. C. A., 1949. Maize names as indicators of economic contacts. Uganda Jour. 13: 61-81.



Mangelsdorf, Paul C and Reeves, Robert G . 1959. "The Origin of Corn: IV. Place and Time of Origin." *Botanical Museum leaflets, Harvard University* 18(10), 413–427. <https://doi.org/10.5962/p.168522>.

View This Item Online: <https://www.biodiversitylibrary.org/item/31905>

DOI: <https://doi.org/10.5962/p.168522>

Permalink: <https://www.biodiversitylibrary.org/partpdf/168522>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.