

XIII. Description of *Brotera persica* and *Mustelia eupatoria*, two new Plants cultivated in the Botanic Garden of Halle, by Curt Sprengel, M.D. Professor of Botany in the University of Halle.

Read March 3, 1801.

BROTERA PERSICA.

TAB. XII.

CLASSI XIV. adnumeranda.

Character essentialis genericus.

LABII inferioris lacinia media cucullata, involvens genitalia, eaque cum impetu protrudens.

DESCRIPTIO.—*Herba quadripedalis, caule ramisque tetragonis, axillis (fig. a.) barbatis.*

Folia opposita, subsecunda, petiolata, ovata, ferrata, scabriuscula.

Infloresc. Cymata axillaris pedunculata. (fig. b. b.)

Cal. quinquearistatus, pubescens. (fig. c. c.)

Corolla minuta, calyce vix longior, ringens (fig. d.): labium superius bipartitum: (1.) inferius tripartitum, lacinia media (3.) cucullata, antheras cum stylo occultans, donec externus stimulus accedit, qui illico deprimit cucullum, ut antheræ erectæ prodeant

prodeant. Corolla pallida, lutescit ad faucem cuculli: ipse cucullus rufus est.

Stamina pilosa. Antheræ luteæ. (fig. e.)

Stylus violaceus. Stigma capitatum. (fig. f.)

Semina quatuor oblonga nuda in fundo calycis. (fig. g.)

In honorem summi botanici Felicis Avellar Brotero, Prof. Conimbricensis, id genus dixi. Accepi autem semina ab amico Thouino e museo naturali Parisino, quo apportata sunt ab Oliverio et Bruguerio e Persia.

MUSTELIA EUPATORIA.

TAB. XIII.

CLASSI XIX. adnumeranda.

Character essentialis genericus.

Anthodium simplex polyphyllum. Rec. nudum. Papp. duplex, paleaceus & quinquearistatus. Corollulæ quinquefidæ.

DESCRIPTIO.—*Herba bipedalis: caule inclinato, recurvato.*

Folia opposita, fasciculata, oblonga, apice denticulata, lucida, punctata, trinervia.

Inflo. in corymbis, quorum medius primo floret, lateralibus elongatis serius florescentibus.

*Anthodium constanter quinqueflorum, polyphyllum, æquale.
(fig. a.)*





Sprengel, Kurt Polycarp Joachim. 1802. "XIII. Description of Brotera persica and Mustetia eupatoria, two new Plants cultivated in the Botanic Garden of Halle." *Transactions of the Linnean Society of London* 6, 151–153.
<https://doi.org/10.1111/j.1096-3642.1802.tb00478.x>.

View This Item Online: <https://www.biodiversitylibrary.org/item/46586>

DOI: <https://doi.org/10.1111/j.1096-3642.1802.tb00478.x>

Permalink: <https://www.biodiversitylibrary.org/partpdf/18033>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.