- 1840. Shuckard, W. E. Monograph of the Dorylidæ, a Family of Hymenoptera Heterogyna. Ann. Nat. Hist. 5, 1840, pp. 188–231.
- 1851. SMITH, F. List of the British Animals in the Collection of the British Museum. 4, Hymenoptera Aculeata. London 1851, 134 pp.
- 1829. Stephens, J. F. A Systematic Catalogue of British Insects. London, Baldwin and Cradock, 1829.
- 1840. Westwood, J. O. Introduction to the Modern Classification of Insects. Vol. 2, London, 1840.
- 1918a. Wheeler, W. M. The Australian Ants of the Ponerine Tribe Cerapachyini. Proc. Amer. Acad. Arts Sc. 53, 1918, pp. 215–265, 17 figs.
- 1918b. Wheeler, W. M. A study of Some Ant Larvæ, with a Consideration of the Origin and Meaning of the Social Habit among Insects. Proc. Amer. Phil. Soc. 57, 1918, pp. 293–343, 12 figs.
- 1919a. Wheeler, W. M. The Ants of the Genus Metapone Forel. Ann. Ent. Soc. Amer. 12, 1919, pp. 173–191, 7 figs.
- 1919b. Wheeler, W. M. A Singular Neotropical Ant (*Pseudo-myrma filiformis* Fabricius). Psyche 26, 1919, pp. 124–131, 3 figs.

ODONATA OF CHATHAM, MASSACHUSETTS.

By R. Heber Howe, Jr.,
Thoreau Museum of Natural History, Concord, Mass.

The following list of Odonata includes material collected last summer at Chatham, and also that taken on various excursions to the surrounding towns. Mr. C. W. Johnson had collected a few species at Eastham of which I make mention, and other species have been recorded from Provincetown, Cotuit, Hyannisport, Woods Hole, Martha's Vineyard, the Elizabeth Islands, beside those listed by the author from Nantucket (May, 1919, report Maria Mitchell Association), and from Wareham (Psyche 26: June, 1919). Specimens of all recorded material are in the author's collection.

Zygoptera.

Agrionidæ.

1. Agrion maculatum Beauv. One at Chatham, July 3. Not recorded from east of Wareham before.

Cœnagrionidæ.

- 2. Lestes forcipatus Ramb. Chatham, July 20 to Aug. 23. New to Cape Cod, east of Woods Hole.
- Lestes unguiculatus Hagen. Chatham, Orleans, July 4 to Sept.
 Common on Cape Cod.
- 4. Lestes rectangularis Say. Chatham, July 3–4. Common on Cape Cod.
- 5. Lestes vigilax Hagen. Chatham, South Yarmouth, Brewster, South Orleans, Eastham, July 8 to Sept. 6. Common.
- 6. Argia violacea (Hagen). Orleans, Aug. 23. Not recorded from east of Wareham before.
- 7. Enallagma civile (Hagen). Chatham, South Orleans, July 4 to Sept. 6. Abundant on Cape Cod.
- 8. Enallagma durum (Hagen). South Orleans, Portanimicutt Pond, July 27. Recorded before from Woods Hole, Cutty-hunk Island, Wareham and Nantucket.
- 9. Enallagma minusculum Morse. South Orleans, Orleans, Eastham, July 8 to 12. Mr. Johnson had taken this species at Eastham in June, 1904. Since the species was described in 1895 by Dr. Morse from Sherborn, Mass., its range has been extended to Meredith Neck, Lake Winnepesaukee, by the author in 1916; to Eastham and Manomet, Mass., by Mr. Johnson in 1904 and 1905; Mt. Desert, Echo Lake, Maine by Mr. Johnson in 1918, where it was again taken by Mr. D. Merrill in 1919. Until this summer no female had ever been captured. In sweeping the marginal grass swale along the pond I captured one female which may be described as follows: Cuneiform bluish post ocular spots not completely connected. Vertex, a mid-dorsal thoracic, and a humeral stripe iridescent black, rest of thorax bluish. Abdomen bluish with dorsum of segments 1 to 10 with a broad iridescent black stripe widening into distal semi-rings on segments 1 to 7. Legs black above. Lgth. 29 mm. Abd. 20 mm. Hd. Wg. 16 mm.

- 10. Enallagma signatum (Hagen). Chatham, July 20. Not recorded from east of Wareham and Woods Hole before.
- Enallagma doubledayi Selys. South Orleans, July 8 to Aug.
 It has been reported from Provincetown by Mr. E. B. Williamson, and from Woods Hole, Nonamesset Island, by Dr. P. P. Calvert.
- 12. Nehalennia irene (Hagen). Chatham, Provincetown, July 12. Not recorded from east of Cotuit before.
- 13. Ischnura posita (Hagen). Chatham, Wellfleet, Barnstable, July 4 to July 22. Not recorded from east of Woods Hole before.
- 14. Ischnura verticalis (Say). Chatham, Eastham, Wellfleet, South Orleans, Brewster, Barnstable, South Yarmouth, July 8 to Sept. 8. Abundant on Cape Cod.

Anisoptera.

Æschnidæ.

- 15. Progomphus obscurus Ramb. South Orleans, July 12–14. Recorded only from Boston and Wareham before, this being the third station for New England.
- 16. Anax junius (Drury). Orleans, South Orleans, Chatham, July3 to Sept. 6. Great migrating swarms of this species werenoted at Chathamport. An abundant Cape Cod species.
- 17. Æshna umbrosa Walk. Orleans, Chatham, Oct. 19. Not recorded before from east of Wareham and Woods Hole on Cape Cod.
- 18. Æshna clepsydra Say. Chatham, July 11 to Aug. 23. Common on Cape Cod.
- 19. Æshna canadensis Walk. Chatham, Aug. 23. Not taken from east of Wareham and Woods Hole before on Cape Cod.

Libellulidæ.

- Epicordulia princeps (Hagen). Chatham, White pond, July
 Not recorded before from east of Wareham on Cape Cod.
- 21. Tetragoneuria cynosura (Say). Orleans, July 1-3. Not recorded from east of Wareham or Woods Hole before.
- 22. Libellula exusta (Say). Chatham, July 7. Not recorded before from east of West Chop and Woods Hole.

- 23. Libellula pulchella Drury. Chatham, Orleans, Brewster, July 1 to Aug. 23. Common on Cape Cod.
- 24. Libellula semifasciata Burn. Chatham, Orleans?, July 3-7. Recorded before from several stations on Cape Cod.
- 25. Libellula incesta Hagen. South Orleans, July 27. Not recorded before from east of Wareham and Woods Hole on Cape Cod.
- 26. Libellula auripennis Burn. South Orleans, July 27. Rare. Common about Buzzard's Bay.
- 27. Platyemis lydia (Drury). Chatham, July 17. Not recorded before from east of Wareham and Woods Hole on Cape Cod.
- 28. Perithemis domitia var. tenera (Say). South Orleans, July 27 to Aug. 23. Not recorded before from east of Wareham and Woods Hole on Cape Cod.
- 29. Nannothemis bella (Uhler). Brewster, July 12. Not recorded before from east of Wareham on Cape Cod.
- 30. Erythrodiplax berenice (Drury). Chatham, Cotuit, Orleans, July 20 to 27. Common at littoral stations where salt marshes are present.
- 31. Pachydiplax longipennis Burn. Orleans, July 3 to Aug. 23. Common on Cape Cod.
- 32. Sympetrum rubicundulum (Say). Chatham, Barnstable, July 3 to Sept. 6. Abundant on Cape Cod.
- 33. Sympetrum vicinum (Hagen). Chatham, Aug. 23 to Oct. 20. Common on Cape Cod.
- 34. Leucorrhinia intacta Hagen. Chatham, July 3 to 20. Common on Cape Cod.
- 35. Celithemis elisa (Hagen). Brewster, South Orleans, South Yarmouth, July 8 to Aug. 23. Common on Cape Cod, and with the small middle wing spot commonly absent.
- 36. Celithemis ornata (Ramb.). South Orleans, Quanset pond, July 27. Not uncommon on Cape Cod.
- 37. Tramea carolina (Linn.). Chatham, July 3 to Sept. 8. Not recorded before from east of Wareham and Woods Hole on Cape Cod.



Howe, Reginald Heber and Melo-Costa, Wanessa de. 1920. "Odonata of Chatham, Massachusetts." *Psyche* 27, 55–58.

https://doi.org/10.1155/1920/61358.

View This Item Online: https://www.biodiversitylibrary.org/item/44189

DOI: https://doi.org/10.1155/1920/61358

Permalink: https://www.biodiversitylibrary.org/partpdf/181669

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.