



FIG. 2. FLOWER OF *MALAXIS UNIFOLIA*, laid open, $\times 10$.

unifolia, when fully expanded, 1–10 cm. long and 1.3–2.5 cm. thick, with mature divergent pedicels 4–8 mm. long. In *M. unifolia* the larger flowers (FIG. 3 and TEXT-FIG. 2) have the oblong-oval lip shallowly cordate at base, with the 2 lateral apical lobes elongate, the central one a tiny tooth. The West Indian *M. Grisebachiana*, as shown by the illustrations (Fawcett & Rendle, Fl. Jam. i. t. 6, figs. 18–23) and by the West Indian specimens, has a short and thick raceme like that of *M. unifolia*, but an almost quadrate short-oblong lip only 1.75 mm. broad and with comparatively short basal lobes.

In its very slender raceme *Malaxis Bayardi* suggests the calcicolous boreal *M. brachypoda* (Gray) Fern. in RHODORA, xxviii. 176 (1926) and xxxv. 241, t. 253, figs. 1–4 (1933); but *M. brachypoda* has the leaf nearly basal, yellowish

and larger flowers, narrower bracts, and drooping cordate lip with prolonged entire tip.

(*To be continued*)

NEW NAMES AND NEW COMBINATIONS FOR TEXAS PLANTS

V. L. CORY

PRIOR to the publication of a check list of the plants of Texas by the Texas Agricultural Experiment Station to take place at an early date, it is found desirable to publish the new names and the new combinations that will be used in that list. In general these changes are needed to bring the nomenclature up to date and in harmony with the International Rules and conservative usage.

NEW NAMES

DESCURAINIA multifoliata, nom. nov. *Sophia millefolia* Rydb. ex Britton, Man. ed. 2, 462. 1905. Not *D. millefolia* (Ait.) Webb. & Berth. 1836.

CASSIA Fisheri, nom. nov. *Chamaecrista rostrata* Woot. & Standl. Contr. U. S. Nat. Herb. 16: 135. 1913. Not *Cassia rostrata* Voigt, 1928. Named for its collector, my friend, Geo. L. Fisher.

ASTRAGALUS Microphacos, nom. nov. *Dalea parviflora* Pursh, Fl. Amer. Sept. 474. 1814. *A. parviflorus* MacMill., 1892, not *A. parviflorus* Lam., 1783. *A. gracilis* A. Gray, 1864, not *A. gracilis* Nutt., 1818. *Microphacos parviflorus* Rydb., 1913.

PSORALEA Rydbergii, nom. nov. *Pediomelum humile* Rydb., N. A. Fl., 24: 24. 1919. Not *P. humilis* Mill., Gard. Dict. ed. 8. *Psoralea* no. 7, 1768.

OXALIS oreophila, nom. nov. *Ionoxalis monticola* Small, N. A. Fl. 25: 42. 1907. Not *O. monticola* Arech., Anal. Mus. Nac. Montevideo, 3: 231. 1900. Fl. Uruguay, 1: 231. 1900.

MAMMILLARIA Engelmannii, nom. nov. *Echinocactus Muehlenpfordtii* Poselg., Allg. Gartenz. 21: 102. 1853. Not *M. Muehlenpfordtii* Foerst, ex Otto & Dietr., Allg. Gartenz. 15: 49. 1847. *M. Scheeri* Muehlenpf., var. *valida* Engelm., Proc. Amer. Acad. 3: 265. 1856. Not *M. validula* Webber, Dict. Hort. Bois. 806. 1898.

MAMMILLARIA Escobaria, nom. nov. *Escobaria Runyonii* Britton & Rose, Cactaceae 4: 55. 1923.

HEDEOMA texana, nom. nov. *Hedeoma ciliata* Benth. ex DC. Prod. 12: 245. Nov., 1848. Not *H. ciliata* Nutt., Journ. Acad. Phila. II. 1: 183. Aug., 1848. *Stachydeoma ciliata* Small.

NEW COMBINATIONS

BOUTELOUA HIRSUTA Lag., var. **pectinata** (Featherly), comb. nov. *B. pectinata* Featherly, Bot. Gaz., 91: 103. 1931.

CAMASSIA scilloides (Raf.), comb. nov. *Cyanotris scilloides* Raf., Am. Month. Mag. 3: 356. 1818. *Lamotris hyacinthina* Raf., 1836. *Quamassia hyacinthina* Britton.

JUNCUS TENUIS Willd., var. **platyphyllus** (Wiegand), comb. nov. *J. dichotomus* Ell., var. *platyphyllus* Wiegand, Bull. Torr. Bot. Club, 30: 448. 1903.

AGAVE tigrina (Engelm.), comb. nov. *A. virginica* L., var. *tigrina* Engelm., Trans. Acad. Sci. St. Louis, 3: 302. 1875.

SPIRANTHES floridana (Wherry), comb. nov. *Ibidium floridanum* Wherry, Jour. Wash. Acad. Sci. 21: 49, fig. 1. 1931.

SPIRANTHES Reverchonii (Small), comb. nov. *Gyrostachys Reverchonii* Small, Bull. Torr. Bot. Club, 25: 610. 1898.

QUERCUS stellipila (Sarg.) Parks,¹ comb. nov. *Q. texana* Buckl., var. *stellipila* Sarg., Bot. Gaz. 65: 424. 1918.

TIDESTROMIA LANUGINOSA (Nutt.) Standl., var. **carnosa** (Steyermark), comb. nov. *Cladothrix lanuginosa* Nutt., var. *carnosa* Steyermark, Ann. Mo. Bot. Gard. 19: 389. 1932.

MIRABILIS JALAPA L., var. **Lindheimeri** (Standl.), comb. nov. *M. Jalapa* L., subsp. *Lindheimeri* Standl., Contr. U. S. Nat. Herb. 12: 368. 1909.

¹ Mr. H. B. Parks, Chief, Division of Apiculture, Texas Agr. Expt. Station, who is completing his study of the oaks of Texas.

NYMPHAEA lekophylla (Small), comb. nov. *Castalia lekophylla* Small, Man. Southeastern Fl. 543. 1933.

DESCURAINIA andrenarum (Cockerell), comb. nov. *Sophia andrenarum* Cockerell, Bull. Torr. Bot. Club, **24**: 48. 1901.

RORIPPA OBTUSA (Nutt.) Britton, var. **sphaerocarpa** (A. Gray), comb. nov. *Nasturtium sphaerocarpum* A. Gray, Mem. Amer. Acad., **4**: 6. 1849.

STREPTANTHUS validus (Greene), comb. nov. *Disaccanthus validus* Greene, Leaflets **1**: 225. 1906.

ACACIA densiflora (Alexander), comb. nov. *Vachellia densiflora* Alexander ex Small, Man. Southeastern Fl. 665. 1933.

CASSIA littoralis (Pollard), comb. nov. *Chamaecrista littoralis* Pollard, Proc. Biol. Soc. Wash. **15**: 20. 1902.

PSORALEA caudata (Rydb.), comb. nov. *Pediomelum caudatum* Rydb., N. A. Fl. **24**: 19. 1919.

PSORALEA psoraloides (Walt.), comb. nov. *Trifolium psoraloides* Walt., Fl. Carol. 184. 1788. *Hedysarum pedunculatum* Mill., Gard. Dict., ed. 8. *Hedysarum* No. 17. 1768. *P. pedunculata* Vail, 1894, not *P. pedunculata* Poir., 1816.

DALEA laxa (Rydb.), comb. nov. *Parosela laxa* Rydb., N. A. Fl. **24**: 85. 1920.

DALEA longipila (B. L. Robinson ex Rydb.), comb. nov. *D. mollis* Benth., var. *longipila* B. L. Robinson ex Rydb. N. Am. Fl. **24**: 64. 1919 (in synom.). *Parosela longipila* Rydb., l. c. 1919.

DALEA neomexicana (A. Gray), comb. nov. *D. mollis* Benth. (?), var. *neomexicana* A. Gray, Pl. Wright. **1**: 47. 1852. *Parosela neomexicana* Heller, Cat. Pl. N. Am. ed. 2, 6. 1900.

TEPHROSIA leucosericea (Rydb.), comb. nov. *Cracca leucosericea* Rydb., N. A. Fl. **24**: 163. 1923.

TEPHROSIA texana (Rydb.), comb. nov. *Cracca texana* Rydb., N. A. Fl. **24**: 176. 1923.

SESBANIA Drummondii (Rydb.), comb. nov. *Daubentonnia Drummondii* Rydb., Am. Journ. Bot., **10**: 498. 1923. *Daubentonnia longifolia* of authors; in part of DC., as to description.

SESBANIA exaltata (Raf.), comb. nov. *Darwinia exaltata* Raf., Fl. Ludov. 106. 1817. *Sesban exaltatus* Rydb., 1924.

ASTRAGALUS Emoryanus (Rydb.), comb. nov. *Hamosa Emoryana* Rydb., Bull. Torr. Bot. Club, **54**: 327. 1927.

ASTRAGALUS leptocarpoides (M. E. Jones), comb. nov. *A. Nuttallianus* DC., var. *leptocarpoides* M. E. Jones, Contr. W. Bot. **8**: 22. 1898. *Hamosa leptocarpoides* Rydb., 1927.

ASTRAGALUS macilentus (Small), comb. nov. *Hamosa macilenta* Small, Fl. Se. U. S. 618, 1332. 1903.

ASTRAGALUS Tracyi (Rydb.), comb. nov. *Phaca Tracyi* Rydb., N. A. Fl. **24**: 351. 1929.

EUPHORBIA Ingallsii (Small), comb. nov. *Chamaesyce Ingallsii* Small, Fl. Se. U. S. 708, 1333. 1903.

EUPHORBIA **Stanfieldii** (Small), comb. nov. *Chamaesyce Stanfieldii* Small, Fl. Se. U. S. 712, 1333. 1903.

RHAMNUS PURSHIANA DC., var. **betulaefolia** (Greene), comb. nov. *R. betulaefolia* Greene, Pittonia 3: 16. 1929.

SIDA **sagittaeifolia** (A. Gray), comb. nov. *S. lepidota* A. Gray, var. *sagittaeifolia* A. Gray, Pl. Wright. 1: 18. 1852. *Disella sagittaeifolia* Greene, 1906.

MAMMILLARIA **Runyonii** (Britton & Rose), comb. nov. *Coryphantha Runyonii* Britton & Rose, Cactaceae 4: 26. 1923.

MAMMILLARIA **Sneedii** (Britton & Rose), comb. nov. *Escobaria Sneedii* Britton & Rose, Cactaceae 4: 56. 1923.

HEIMIA **longipes** (A. Gray), comb. nov. *Nesaea longipes* A. Gray, Pl. Wright. 1: 68. 1852.

VACCINIUM **Langloisii** (Greene), comb. nov. *Polycodium Langloisii* Greene, Leafl. Bot. Obs. & Crit. 2: 226. 1912.

SALVIASTRUM TEXANUM Scheele, var. **canescens** (A. Gray), comb. nov. *Salvia texana* (Scheele) Torr., var. *canescens* A. Gray, Proc. Am. Acad. 8: 368. 1872.

MONARDA PUNCTATA L., var. **Stanfieldii** (Small), comb. nov. *M. Standfieldii* Small, Fl. Se. U. S., 1038. 1903.

AGASTACHE **pallida** (Lindl.), comb. nov. *Cedronella pallida* Lindl., Bot. Reg. t. 29. 1846.

PENSTEMON TRIFLORUS Heller, var. **integrifolius** (Pennell), comb. nov. *P. triflorus* Heller, subsp. *integrifolius* Pennell, Acad. Nat. Sci. Phil. Mon. 1: 252. 1935.

PENSTEMON GUADALUPENSIS Heller, var. **Ernesti** (Pennell), comb. nov. *P. guadalupensis* Heller, subsp. *Ernesti* Pennell, Acad. Nat. Sci. Phil. Mon. 1: 251, 252. 1935.

GERARDIA FLAVA L., var. **reticulata** (Raf.), comb. nov. *Aureolaria reticulata* Raf., New Fl. Amer. 2: 59. 1837. *Dasystoma bignoniiflora* Small, 1899.

GERARDIA GRANDIFLORA Benth., var. **cinerea** (Pennell), comb. nov. *Aureolaria grandiflora* (Benth.) Pennell, subsp. *cinerea* Pennell, Proc. Acad. Nat. Sci. Phila., 73: 510. 1922.

ELYTRARIA **acuminata** (Small), comb. nov. *Tubiflora acuminata* Small, Fl. Se. U. S. 1082, 1338. 1903.

LIATRIS **Langloisii** (Greene), comb. nov. *Laciaria Langloisii* Greene, Pittonia 5: 58. 1902.

APLOPAPPUS **annuus** (Rydb.), comb. nov. *Sideranthus annuus* Rydb., Bull. Torr. Bot. Club, 25: 472. 1898.

APLOPAPPUS **validus** (Rydb.), comb. nov. *Isopappus validus* Rydb., Brittonia 1: 100. 1931.

ASTER **linearis** (Greene), comb. nov. *Machaeranthera linearis* Greene, Bull. Torr. Bot. Club, 24: 511. 1897.

IVA **pedicellata** (Rydb.), comb. nov. *Cyclachaena pedicellata* Rydb., N. A. Fl. 33: 10. 1922.

EVAX **nivea** (Small), comb. nov. *Filago nivea* Small, Bull. Torr. Bot. Club, 24: 333. 1897.

POLYPTERIS macrolepis (Rydb.), comb. nov. *Othake macrolepis* Rydb., Bull. Torr. Bot. Club, **37**: 332. 1910.

POLYPTERIS robusta (Rydb.), comb. nov. *Othake robustum* Rydb., N. A. Fl. **34**: 60. 1914.

ACTINEA RICHARDSONI (Hook.) Kuntze, var. **floribunda** (A. Gray), comb. nov. *Actinella Richardsoni* Hook., var. *floribunda* A. Gray, Mem. Amer. Acad. n. ser. **4**: 101. 1849.

ACTINEA texana (Coulter & Rose), comb. nov. *Actinella texana* Coulter & Rose, Bot. Gaz. **16**: 27. 1891.

DYSSODIA gracilis (Rydb.), comb. nov. *Thymophylla gracilis* Rydb., N. A. Fl. **34**: 176. 1915.

CIRSIUM HELLERI (Small), comb. nov. *Carduus Helleri* Small, Fl. Se. U. S. 1307, 1341. 1903.

STEPHANOMERIA neomexicana (Greene), comb. nov. *Ptiloria neomexicana* Greene, Bull. Torr. Bot. Club, **25**: 123. 1898.

TEXAS AGRICULTURAL EXPERIMENT STATION,
Sonora, Texas.

EPIGAEA REPENS, forma **PLENA** in Connecticut.—Rarely, nature challenges the horticulturist by producing a double form of a wild flower. Such a form of the mayflower has been known at least since 1872 and has been named *Epigaea repens*, f. *plena* Rehder. It has been found at two stations each in Massachusetts and Maine, but seems not to have been reported from Connecticut.

It is therefore of interest to record its occurrence in that state. It was found in 1928 in the township of Madison by Esther Byington-Lindquist. The colony has been under observation regularly since and has consistently produced exquisite double blooms each year. Like constancy was noted in the plants found in 1872 in Massachusetts. The flowers have twelve or more small petals growing like dainty rosettes; they are not as large as many of the single blooms.—
E. H. BYINGTON, Guilford, Connecticut.

Volume 38, no. 454, including pages 333–372 and plates 437 and 438, was issued 17 October, 1936.



BHL

Biodiversity Heritage Library

Cory, V. L. 1936. "NEW NAMES AND NEW COMBINATIONS FOR TEXAS PLANTS." *Rhodora* 38, 404–408.

View This Item Online: <https://www.biodiversitylibrary.org/item/14508>

Permalink: <https://www.biodiversitylibrary.org/partpdf/188671>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.