

recently reported by our friend A.A. Allen (1996, *Ent. Rec.* **108**: 298). Our findings indicate, however, that other species of ladybird also are attracted to light.— J.A. OWEN, 8 Kingsdown Road, Epsom, Surrey KT17 3PU and J.V. DACIE, 10 Alan Road, Wimbledon, Surrey SW19 7PT.

### **Some records of Coccinellidae (Coleoptera) attracted to mercury vapour light**

These notes have been stimulated by the reading of A.A. Allen's interesting note on the occurrence of *Halyzia sedecimpunctata* (L.) at his mercury vapour lamp in south-east London (*Ent. Rec.* **108**: 298). I can report two captures of the Orange Ladybird taken in my mercury vapour trap at Grange-over-Sands, Cumbria (SD4077). The first was on 4.vii.1994 and the second on 2.vii.1996. Both specimens were in the trap. They exhibit the prominent translucent explanate sides of the thorax which Mr Allen emphasises as a useful diagnostic character of the species.

Mr Allen also refers to the interesting article by Majerus and Williams (1989, *Ent. Gaz.* **40**: 1-8) in connection with the distribution of the Orange Ladybird. In the same article the authors note that ". . . though ladybirds on the whole do not visit moth-traps, this species may be attracted to ultra-violet light". *Apropos* this statement, in addition to the above records I can add the following: *Adalia 10-punctata* (L.) one specimen on 27.ix.1995; *Coccinella 11-punctata* (L.) one specimen on 10.viii.1995; *Myzia oblongoguttata* (L.) one specimen 27.vii.1995. All these records were at my m.v. trap at Grange-over-Sands. Regarding *M. oblongoguttata* I was interested to read that a specimen was exhibited, at the BENHS Exhibition, taken at m.v. light in Richmond Park, Surrey by M.S. Parsons (*Br.J.ent.nat.Hist.* **9**: 234).

Though I have no specific data I have in the past frequently noted both *Coccinella 7-punctata* (L.) and *Adalia 2-punctata* (L.) in or about the trap.

— NEVILLE L. BIRKETT, Beardwood, Carter Road, Grange-over-Sands, Cumbria LA11 7AG.

### ***Halyzia sedecimguttata* (L.) (Col.: Coccinellidae): a postscript**

My recent note (*Ent. Rec.* **108**: 298) recording this ladybird here at light is inaccurate in one particular: it appears now that I had previously taken a specimen at m.v. light at Blackheath near here (24.vi.1959), but retained no memory of the event, and the beetle is not in my collection. This, therefore, and not the above Charlton record, may be the first for the London suburbs; though, as 1959 was a year of far greater insect abundance and migratory activity than 1996 in this district, the *Halyzia* may have come from an indefinite distance. Finally, two further specimens turned up at the lamp here last summer (22.vii.1996 & 19.viii.1996).— A.A. ALLEN, 49 Montcalm Road, Charlton, London SE7 8QG.



Allen, Anthony Adrian. 1997. "Halyzia sedecimguttata (L.) (Col.: Coccinellidae): a postscript." *The entomologist's record and journal of variation* 109, 125–125.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/95125>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/195371>

**Holding Institution**

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

**Sponsored by**

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

**Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Amateur Entomologists' Society

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.