Arctiidae

Spilosoma lubricipeda L. (White Ermine) — First brood common from 17th May; a few second brood Selby 5.9; Wass, 24.8 (AH).

Noctuidae

Agrotis segetum D. & S. (Turnip moth) — Wass. 10.9 (AH); Muston, 27.8 and 21.10 (PW); Cottingham, 25.9 — 1.10 (PC) and Selby (SMJ).

A. exclamationis L. (Heart and Dart) — Muston, near Filey, 5.9 and 25.9 (PW) and Selby (SMJ).

Lacanobia oleracea L. (Bright-line Brown-eye) — Muston, 18.8 and 22.9 (PW).

Mythimna pallens L. (Common Wainscot) — second brood specimens seen most years at Selby, as was the case in 1989. Also at Muston, 10.9 and 18.10 (PW); Cottingham 10.9 (PC).

M. litoralis Curt. (Shore Wainscot) — Spurn, second brood seen from 27.9 (BS).

Diachrysia chrysitis L. (Burnished Brass) — not common in first brood at Selby in 1989, but partial second brood seen 17.9; Muston 29.9 and 23.8 (PW); Wass 19.7 (AH).

Hypena proboscidalis L. (Snout) — a few second brood seen at Selby in September; Muston 12.9 (PW); Cottingham 7.9 (PC); Wass 11.10 (AH). S.M. JACKSON, 31 Hillfield, Selby, North Yorks YO8 6ND.

Cyclophora pendularia Cl. (Lep.: Geometridae) near Sandbanks, Dorset

I reported the trapping of a specimen of *Cyclophora pendularia* Cl. (Dingy Mocha) in July 1989 in the Luscombe Valley local nature reserve, near Sandbanks, Dorset in *Ent. Rec.* 101: 277. I claimed it as a new location for this species in Dorset. Subsequently I purchased a copy of *Local Lists of Lepidoptera* by J.M. Chalmers-Hunt. This very useful publication put me in touch with the work of the late Rev F.M.B. Carr, who resided only some 250 yards from Luscombe Valley from 1947 to 1951. He caught a single specimen of *C. pendularia* at a non-mv light trap in his garden in both 1948 and 1951. I think it likely that his specimens were wanderers from the nearby wetland area of Luscombe Valley and that there may well have been a resident colony in the valley for many years. However, the possibility that both his and my specimens originated from the other side of Poole Harbour (e.g. the Little Sea area of Studland), or even from the islands in the harbour, cannot be wholly discounted.

References: Carr, F.M.B. 1951 An account of some of the macrolepidoptera of Sandbanks, Dorset. Rep. Proc. Lancs. Chesh. Ent. Soc. 1949-50: 27; Carr F.M.B. 1952 Notes on Dorset and Hampshire lepidoptera in 1951. Ent. Rec. 64: 113.—G.G. EASTWICK-FIELD, Little Earlstone, Burghclere, Newbury, Berks.



1990. "Cyclophora pendularia Cl. (Lep.: Geometridae) near Sandbanks, Dorset." *The entomologist's record and journal of variation* 102, 106–106.

View This Item Online: https://www.biodiversitylibrary.org/item/94967

Permalink: https://www.biodiversitylibrary.org/partpdf/197224

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Amateur Entomologists' Society

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.