

Tausch-Catalog

der deutschen malacozoologischen Gesellschaft.

NB. Die Preise in Reichsmark per Stück.

<i>Helix</i>	<i>Mk</i>		<i>Mk</i>
ambrosia, Angas. Admirali- tät I.	1.—	migratoria, Pfr. Salom.-I.	— .75
Boivini, Petit. Admiralität I.	1.75	tricolor, " "	1.25
Lombe, Pfr. " "	1.50	xantocheila, " "	1.50
bipartita, " Australien	4.50	Studeriana, Fér. Seychellen.	3.—
Cunninghami, Gray " "	7.50	NB. Viele der Helices,	
launcestonensis, Rve. " "	5.50	Bulimi &c. im December-	
caribaea, Weinl. Bahamas	— .50	Nachrichtsbl. jetzt wieder da,	
brachyplecta, Gould. Birman	3.—	und mehrere davon im Preise	
discoidalis, (Sophina) " "	1.50	niedriger.	
rufovirens (Simpulopsis)			
Moric Brasilien	1.25	<i>Cyclostoma</i>	
Juliana, Gray. Ceylon	3.—	Barclayanum, Pfr. Mauritius	1.50
imperator, Montf. Cuba	10.50	tricarinatum & var. " "	1.—
Bonplandi, Lam. " "	1.—	unbestimmte, " "	— .50
alauda, Fér. " "	1.—	filo-striatum, Sow. " "	1.20
muscarum, Lea. " "	— .75	articulatum, Gray. Rodriguez	1.20
auricoma, Fér. " "	— .60-1	arthriticus, Benson. Birman	5.—
Brocheri, Gutier. " "	— .70	fulguratus, Pfr. " "	3.50
versicolor, Born. " "	— .75	Tomocyclus simulacrum.	
Faunus, Phil. Ecuador	4.—	Mexico	1—2
Ghiesbrechti, Nyst. Guatem.	3.50	Hybocystis gravida, Bens.	
platyodon, Pfr. Hainan	1.—	Birman	5.60
magnifica, Fér. Madagascar	3.—	Pupina arata, Bens. " "	1.—
inversicolor, Fér. Mauritius	— .50-1		
argentea, Rve. & var. " "	1.25	<i>Pupa</i>	
Rawsonis, Barclay " "	1.50	pagoda, Fér. Mauritius	1.50
Mauritiana, Pfr. " "	— .60	sulcata, Müll. " "	— .60
implicata, " " "	— .60	palanga, Morelet & var. " "	— .40
ruffa, var. semifossil " "	1.—	modiola, Fér. & var. " "	— .40
sulcifera, Ad. semifos. " "	3.—	mauritiana, Morel. " "	— .30
abax Crosse N.-Caledonien	1.—	Caldwelli, " " "	— .20
coelatura Fér. Reunion	1.20	striata-costata, " "	— .20
erinaceus, Pfr. Salomons-I.	3.—	holostoma, " "	— .20
fringilla, " " "	1.20	teres, Pfr. " "	— .30

<i>Bulimus</i>	<i>Mx</i>		<i>Mx</i>
auris muris, Moric. Brasil.	1.—	intercedens, Lea. Georgia VSt	1.—
Strangei, Pfr. Australia	1.20	hopetonensis, " "	1.50
cuneus, " Ecuador	3.50	obtusius, " "	1.50
Saturnus, " "	7.50	pullatus, " "	1.50
Binneyanus, " Guatemala	6.50	dolabriformis, " "	1.80
sanguineus, " Mauritius	— .60	boykinianus, " "	2.—
Pancheri, Crosse. N.-Caled.	2.50	splendidus, " " 1.60 bis	2.20
insignis, Petit. "	2.—	spinosus, " " 2.— bis	3.—
fibratus, Mart. "	3.50	Hyria corrugata Lam. Brasil.	1.50
Pseudo-Caledonicus, "	3.50	Monocondylaea crebristriata,	
mittocheilus, Rve. Salom.-I.	3.—	Ant. Pegu	4.—
" grosse, "	4.50	Alasmodonta Elliotti, Lea.	
Sancristovalensis, Pfr. "	4.50	Georgia	3.—
		" obscura, Anth.	
		New-York	1.—
<i>Oleacina</i>		" ambigua, Say. Ohio	1.—
Lattrei, Pfr. Guatemala	5.—	Anodonta trapezialis, Lam.	
nigricans, " "	5.—	Brasil.	1.50
Vitrina praestans, Gld. Birman	2.—	" cooperiana, Lea.	
Auricula gangetica, Bens.		Georgia	1.—
Ganges	— .35	Ampullaria depressa, Say.	
Assimineia Francisi, Pfr.		Georgia	— .80
Birman	— .35	Castalia ambigua, Lam.	
<i>Melania</i>		Brasil.	2.—
lineata, Gray. Birman	— .80	" lateriquadrata, D'Orb.	
Arthurii, Brot. N.-Caledonia	— .50	Brasil.	3.—
torulosa, Anthony. Tennessee	— .30	Hemicardium dioneum, Sow.	
scabra, Müll. Seychellen	— .50	Anaa	1.—
Hemisinus Behni, Rve. Brasil.	— .60	" mundum, Rve.	
		Paumotu-I.	1.—
<i>Limnaea</i>			
gracilis, Say. Ohio	— .35	<i>Pecten</i>	
catascopium, Say. Erie-Can.	— .10	Senatorius, Gmel. Aden	— .80
		" in Schwamm. "	1.—
<i>Unio</i>		Spondylus tenuispinosus.	
ellipticus, Spix. Brasil.	— .60	Mauritius	1.50
fallax, Lea. Georgia V. S.	— .75	Cytherea sp. Aden	— .80
Shepardianus, Lea. "	1.50	Circe & Venus, versch.	
Kleinianus, " "	1.50	Mauritius	— .50
aquilus, " "	1.—		

	<i>Mk</i>		<i>Mk</i>
Cypricardia 2 sp. Maurit.	— .60	Strombus lentiginosus, mit	
Terebratula vitrea Gmel.		Operc. L. Maurit.	— .80
M. Meer	1.50	Mitra variegata, Rve. "	— .75
Terebratula cubensis Pourt.		" sphaerulata, Martyn "	1.—
Golf. Str.	2.50	" coronata, Lam. "	1.—
Zirphaea crispata, L. Calif.	1.20	" lyrata, " "	2.20
Waldheimia floridana Pourt.		" muricata, " "	— .70
Golf Str.	3.—	" flammea, Quoy. "	— .80
Magilus antiquus Mtf. mit		" venustula, Rve. "	— .35
Operc. Mauritius	7.50	" tuberosa " "	— .30
do. 2 in situ. Chagos	4.—	" angulosa, Küster "	— .80
Umbrella indica, Lm. Maurit.	2.—	" crocata, Lam. "	— .75
Conus pennaceus, Born. "	1.50	" picta, Rve. "	— .50
" literatus, L. "	— .80	" militaris, Rve. "	— .60
Oliva guttata, Lam. "	— .30	" exasperata, Chm. "	— .60
" kleine sp. Chagos	— .15	" cucumerina, Lam. "	— .50
Epidromus Sowerbyi, Rve.		" pellis serpentis, Rve. "	— .60
Mauritius	4.—	" ticaonica, Rve. "	— .60
Epidromus obscurus, Rve.		" vulpecula, L. v. Ind. Oc.	— .80
Mauritius	1.50	" plicata, Klein. Philipp	— .80
Epidromus maculosus, Lam.		" adusta, Lm. Ind. Oc.	— .50
Mauritius	2.—	" ferruginea, " Maurit.	1.—
Ranella anceps, Lam. Maurit.	1.20	" filosa, " Viti-I.	— .80
Calyptrae auricul., Mke. W.I.	— .40	" nucea, Gronov. Süd-See	1.20
Dolium perdix, L. Maurit.	— .80	" episcopalis, Lam. Phil.	— .80
Terebra tigrina, Desh. "	— .30	Mauritia Barclayi, Ad.	
Leptoconchus Lamarkii, "	— .60	Maurit.	6.—
" Robilliardi, Desh. "	— .80		
" verschiedene, "	— .80	<i>Harpa</i>	
Tectum sinense, "	1.—	ventricosa, Lm. Maurit.	1.50
Nassa coronata, Brug. "	— .30	conoidea, " Ceylon	2.—
" conica, Powis "	— .40	nobilis, " Philipp	1.50
Strombus tridentatus, "	— .80	minor, Rumph. Ind. Oc.	— .50
" gibberulus, var. L. "	— .50	sp. nov. Maurit. 2 bis	2.50

Soeben kommen noch an circa 250 Species Mittelmeer-Conchylien, unter denen vieles sehr Interessante; dieselben können einzeln zu meistens bekannten Preisen, oder auch in Reihenfolgen von 50, 100, 150, 200 und 250 Species 1 bis 5 Stück per Species bestellt werden.

T. A. Verkrüzen.



Verkrüzen, T. A. 1876. "Tausch-Catalog." *Nachrichtenblatt der Deutschen Malakozoologischen Gesellschaft* 8, 57-59.

View This Item Online: <https://www.biodiversitylibrary.org/item/97390>

Permalink: <https://www.biodiversitylibrary.org/partpdf/199076>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.