

Alphabetisches Register.

Das alphabetische Verzeichnis des Käferkatalogs von Lüllwitz, umfassend die Familien und Gattungen, befindet sich am Schluß dieser Arbeit.

- | | | |
|---|--|--|
| <p> <i>abdominalis</i> 102.
 <i>Abemus</i> 297.
 <i>aciculata</i> 336.
 <i>acuticollis</i> 286.
 <i>adspersa</i> 197.
 <i>aeneiventris</i> 108.
 <i>aequatorialis</i> 98.
 <i>aequatoriensis</i> 271.
 <i>aerea</i> 107, 133.
 <i>aericollis</i> 119.
 <i>aethiopica</i> 349.
 <i>afra</i> 349.
 <i>Agenysa</i> 274.
 <i>Aleochara</i> 299.
 <i>alluaudi</i> 194.
 <i>Almana</i> 358.
 <i>Aluntia</i> 350.
 <i>anacantha</i> 122.
 <i>angulicollis</i> 99.
 <i>angulipennis</i> 108.
 <i>annamensis</i> 157.
 <i>anocypria</i> 92.
 <i>anogutta</i> 341.
 <i>Anomala</i> 88, 103, 302, 339.
 <i>Anomalophylla</i> 175.
 <i>alternans</i> 200.
 <i>apicata</i> 283.
 <i>Aselgeia</i> 350.
 <i>assamica</i> 160.
 <i>aulacoides</i> 327.
 <i>aurata</i> 88, 90.
 <i>aurichalcea</i> 109.
 <i>ausonia</i> 312.
 <i>Autoserica</i> 149.

 <i>bakeri</i> 159, 343.
 <i>basalis</i> 102, 151.
 <i>Batonota</i> 284.
 <i>bella</i> 293.
 <i>Berotha</i> 60.
 <i>bicolor</i> 120, 360.
 <i>bicoronata</i> 357.
 <i>bifasciata</i> 354.
 <i>bilobatus</i> 360.
 <i>bimarginata</i> 123.
 <i>bioculata</i> 268. </p> | <p> <i>biplagiata</i> 97.
 <i>bituberculatus</i> 364.
 <i>blanchardi</i> 188.
 <i>boliviana</i> 274, 347.
 <i>borneensis</i> 350.
 <i>bouvieri</i> 193.
 <i>brachycaula</i> 131.
 <i>brachyceph</i> 351.
 <i>brachyrhina</i> 356.
 <i>brasiliense</i> 293.
 <i>brunneipes</i> 188.
 <i>bryani</i> 104.
 <i>bubala</i> 356.
 <i>bugnioni</i> 265.
 <i>burmeisteri</i> 52, 115.

 <i>caduca</i> 107, 142.
 <i>caedemadens</i> 275.
 <i>Calliaspis</i> 270.
 <i>Callioserica</i> 175.
 <i>carbonaria</i> 92.
 <i>casta</i> 356.
 <i>castanipes</i> 190.
 <i>castelnaui</i> 103.
 <i>castamaya</i> 100.
 <i>catochlora</i> 139.
 <i>celebensis</i> 158.
 <i>Centromeria</i> 348.
 <i>Centromeriana</i> 349.
 <i>Ceranota</i> 299.
 <i>Championaspis</i> 279.
 <i>chelifera</i> 102.
 <i>chinensis</i> 88, 94, 144.
 <i>Chrysopidae</i> 60.
 <i>cinnabarina</i> 271.
 <i>circumcincta</i> 88.
 <i>Cistudinella</i> 282.
 <i>Cladyphini</i> 347.
 <i>coalita</i> 277.
 <i>coccinea</i> 270.
 <i>Coenochilus</i> 337.
 <i>coerulea</i> 90.
 <i>Comaserica</i> 193.
 <i>combusta</i> 288.
 <i>compressicrus</i> 177.
 <i>concolor</i> 356.
 <i>conflata</i> 121. </p> | <p> <i>connectens</i> 275.
 <i>conradti</i> 349.
 <i>conspersa</i> 347.
 <i>conspurcata</i> 196.
 <i>constatipennis</i> 199.
 <i>constricta</i> 128.
 <i>coquerelii</i> 358.
 <i>corpulenta</i> 317.
 <i>costalis</i> 364.
 <i>costata</i> 88, 90.
 <i>costulata</i> 148.
 <i>coxalis</i> 149.
 <i>crassicornis</i> 275.
 <i>cribriceps</i> 183.
 <i>Ctenopeuca</i> 299.
 <i>cuprascens</i> 109.
 <i>cuprea</i> 90, 319.
 <i>cuprifulgens</i> 91, 110.
 <i>cupripennis</i> 92.
 <i>cupripes</i> 331.
 <i>Curculionidae</i> 52.
 <i>curtipes</i> 165.
 <i>cyanicollis</i> 96.
 <i>Cylindrostethus</i> 359, 361.
 <i>cyprioptera</i> 92.

 <i>daimiana</i> 324.
 <i>dapitana</i> 339.
 <i>darjeelingia</i> 182.
 <i>Dasyglossa</i> 299.
 <i>decemmaculatus</i> 59.
 <i>decisa</i> 52, 53.
 <i>decolorata</i> 89.
 <i>decorata</i> 110, 137.
 <i>decoratus</i> 75, 76.
 <i>delecta</i> 186.
 <i>Deroserica</i> 175.
 <i>derugata</i> 89.
 <i>desmaresti</i> 274.
 <i>despumata</i> 95.
 <i>Diacira</i> 347.
 <i>diaphana</i> 347.
 <i>Dichoptera</i> 347.
 <i>Dichopterini</i> 347.
 <i>Dictyophara</i> 355.
 <i>Dictyopharina</i> 357. </p> |
|---|--|--|

Dictyopharinae 345.
 Dictyopharini 348.
 Dictyopharoides 353.
 Dictyoptera 352.
 Dictyosmylus 76.
 difficilis 88, 321.
 Dilarinae 60.
 dilutus 314.
 dimidiaticollis 334.
 discalis 97.
 discoidalis 52, 53, 55.
 discoidea 141.
 discipennis 283.
 discrepans 164.
 disticta 117.
 distincta 153.
 distinguenda 351.
 diversa 325.
 diversipennis 168.
 djampeana 133.
 Doryphorina 354.
 drescheri 113.
 dubia 303.
 dulcissima 96.
 Dymusia 332, 333.

ecbolima 106.
 Ectocemus 59.
 Edaphellus 291.
 Edaphus 291.
 elegans 98.
 elliptica 356.
 Elpinora 289.
 Elytracantha 59.
 enderleini 53, 54.
 ensifer 285.
 Eososmylus 73.
 Ephemera 4.
 Epietinaspis 102.
 Eriomela 88, 97.
 erythropus 362.
 Euaesthetus 291.
 Euchlora 104, 117, 331,
 340.
 Eudictya 355.
 eugeniae 356.
 europaea 355.
 Euryaspisini 359.
 Euryolinus 397.
 exarata 109.
 excellens 109.

faurinus 76, 86.
 Fernandea 349.
 fenerivensis 187.

fenestralis 268.
 ferocula 353.
 flavicorne 292.
 flavicornis 84.
 flavilabris 88, 91.
 flavipennis 90.
 flaviscutellata 350.
 flaviventer 363.
 flavocincta 269.
 flavomarginata 97.
 flavorufa 174.
 florens 351.
 floresina 159.
 floricola 100.
 floridana 99.
 Fulgoridae 345.
 fulgoroides 353.
 fulva 54, 56.
 fulvofusca 140.
 fusania 95.
 fuscipennis 108.
 fuscovittata 354.
 fusiformis 357.

gangelbaueri 273.
 gassneri 272.
 Gastroserica 175.
 Gerrinae 361.
 Gerrini 361.
 gibbera 287.
 Glenosmylus 86.
 globula 178.
 globulosa 179.
 gracilicornis 288.
 gracilipes 145.
 gracilis 201.
 granulipennis 195.
 grata 355.
 grayi 357.
 Gumilla 60.
 guttipennis 278.

Hadraspis 279.
 haedina 351.
 hamigera 127.
 Harmandinus 74.
 Hasta 355.
 hastata 355.
 hauseri 165.
 hebescens 121.
 helios 349.
 Heliosmylus 80, 82, 86.
 helleri 279, 280.
 Hemerobiidae 60.
 Hemerobiinae 60.

Hemerobius 4.
 Hemisphaerota 269.
 heraldica 99.
 herbida 357.
 Heteronychocassis 285.
 heterostigma 119.
 heynei 300.
 hildebrandti 194.
 Homaloplia 175.
 hondurae 102.
 Hoplionota 265.
 holocypria 92.
 holosericea 88, 92.
 humeralis 107, 131.
 hyalinata 347.
 hyalinatus 75.
 Hybosa 286.
 hydnorae 52.
 Hydrometridae 361.
 Hyposerica 186.
 Hyposmylus 76.

immaculatus 75, 332.
 imperfecta 142.
 implicata 149.
 inermis 155.
 inficita 354.
 infuscata 107.
 inguinalis 134.
 insignis 354, 361.
 instabilis 352.
 intricata 348.
 irrorella 115.
 Ischyrosonyx 283.

japonicus 76.
 javana 103, 355.
 jocosa 349.
 jokoensis 334.
 jonasi 326.
 junii 314.

keiana 110.
 krügeri 81, 86.
 kurseongana 182.

laetabilis 105.
 laminipes 147.
 Lappida 352.
 latefemorata 180.
 lateritia 146.
 lenzi 323.
 Leprota 353.
 Libellula 4.
 limbatinervis 353.
 limbifera 330.

lineata 354.
lineatus 361, 362.
lombokiana 154.
longipennis 348.
longipes 358.
lubrica 114.
lucens 321.
lucidula 108.
luculenta 316.
lugens 179, 181.
luridipennis 191.
luzonica 170.
Lyncides 358.
Lyncidini 345, 358.
Lysmus 74.

macrophthalma 198.
maculata 111.
madurana 167.
madurensis 150.
magnipennis 291.
major 3.
makilingica 169.
Mantispa 43.
marginata 99.
marginella 54, 55.
marginicollis 283.
Megaloptera 37.
metallescens 199.
Metrioxena 52, 54.
mexicanum 295.
Miasa 348.
Microserica 166, 178.
Mimela 88.
miniatura 171.
missionea 277.
modesta 296.
mongolica 318.
moreletiana 102.
morio 54, 57.
moseri 286, 289.
motschoulskyi 321.
moultoni 113, 267.
multimaculata 166.
multireticulata 351.
Myiodactylus 60.
Myrmeleonoidae 60.

neapolitana 311.
Nebraspis 279.
Neoserica 166.
Nersia 351.
Neuroptera 3.
Neurotmeta 358.
nietneri 363.

nigricornis 72, 73.
nigronotata 357.
nigropicea 266.
nigrosignata 283.
nikkoensis 76, 79.
nipponensis 76, 79, 83.
nitidicollis 281.
nitidipes 163.
nodivena 356.
Nymphes 60.
Nymphini 62.

obliquata 347.
obtusifrons 357.
ochrochalcona 91.
ochroptera 91.
octiescostata 317.
ohausi 284.
ogadensis 355.
Omaspides 280.
orbata 352.
Orgerini 358.
ornatipennis 161.
Orthopagus 349.
Orychodes 59.
osmanlis 313.
Osmylidae 60.
Osmylinae 75.
Osmylini 62.
Osmylus 60.
ovalis 117.
ovatula 105, 142.
Oxycoryninae 52.
Oxycorynus 52.
Oxynodera 273.

Pachyserica 175.
Paederomimus 296.
pagana 119.
pallescens 102.
pallida 116, 120, 355.
pallidipennis 108.
pannonica 355.
Panorpa 4.
Panorpina 37.
Paradictya 357.
paraguayana 234.
Paralappida 353.
Paramimela 88.
Paranagnia 349.
Paraxenopygus 298.
Paradaphus 291.
parellina 275.
Passerinii 88.
pauloense 294.

paupera 352.
pekinensis 88, 92.
pellicula 276.
Pentatomidae 359.
Pentatominae 359.
persephone 302.
peruana 271.
peruviana 275.
peruvianus 298.
phalaena 103.
phlyctenopyga 126.
Phryganea 4.
Phyllopertha 325.
Physonota 281.
piceonigra 192.
picticollis 200.
pictipennis 102.
picturata 112.
pilicollis 98.
pilosipennis 102.
planipennis 279.
Plegmatoptera 350.
Plethosmylus 76.
pleuritica 131.
Pochnodes 334.
Podopholis 335.
Poecilaspis 277.
poecilochalcona 328.
pogonocerus 59.
polyneura 352.
Polystoechotes 60.
ponticula 125.
porovatula 142.
praeferata 354.
praematura 104.
prasina 350.
preyeri 75.
prisca 141.
proboscidea 352.
productus 362.
propygidialis 337.
Prosopanche 52.
Protosmylinae 72.
pruinosa 151.
Psammoscaphus 314.
Pseudomesophalia 276.
Psychopsinae 60.
Pteroplegma 351.
pulchra 176.
pygmaea 99.

quadra 269.
quadrifasciata 343.
quadripunctata 313.
quinquefoliata 184.

- ramulifera 350.
 Raphidia 4.
 Raphidiodea 37.
 raphiocaula 129.
 recondita 184.
 regulus 362.
 repsimoides 96.
 Rhaphiophora 348.
 roseola 265.
 rostrata 352.
 rubida 155.
 rubra 271.
 rubrovittata 348.
 rufina 191.
 rufobrunnea 117, 174.
 rufocuprea 320.
 rufolutea 185.
 ruricola 176.
 Rutelarcha 343.

 Saceseurus 359, 360.
 saleyeriana 134.
 sangirana 132.
 sanguinolenta 344.
 saopyga 117.
 sauteri 329.
 Scaeocassis 287.
 schimperii 350.
 schönfeldti 322.
 Scitalinus 295.
 scrutator 362.
 sculpticollis 91.
 selandonica 355.
 Selma 296.
 semicyaneus 297.
 semiviridis 92.
 serena 352.
 Serica 144.
 sericeomicans 189.
 serricollis 52, 54.
 serripes 144.
 sertata 352.
 setiventris 170.
 sexfoliata 166.
 Sialidae 37.
 Sicoris 357.
 significans 153.
 silvicola 186.
 simlana 183.
 Sisyra 60.

 smaragdilinea 348.
 solita 311.
 sparsa 193.
 sparsepilosa 93.
 spectabilis 295.
 specularis 94.
 speilinea 348.
 splendens 96, 349.
 splendida 315.
 Spilophora 271.
 Spilosmylinae 76.
 Spilosmylus 72.
 Spilota 111.
 Spinanomala 320.
 spinifera 112.
 spinolae 358.
 spinosa 157.
 squamuligera 173.
 stali 354.
 Staphylinus 297.
 stictopyga 118.
 Stigmatosmylus 81, 82.
 stilbophora 94.
 stolidopyga 111.
 straminea 156.
 streptopyga 329.
 stridula 160.
 strigella 296.
 Strigoderma 98.
 subcoerulea 117.
 sublaevigata 281.
 subvittata 52, 53.
 sulcatula 92.
 sumatrana 52, 54, 58.
 sumatrensis 166.
 sumbana 162.
 sumptuosa 115.

 taeniata 269.
 Taenodema 292.
 talautana 133.
 Tamotus 291.
 teinzoana 161.
 tenuirostris 353.
 tessellata 197.
 tessellatus 75.
 testaceipes 88, 91.
 Tetraptera 3.
 Thanatodictya 354.
 Thlaspidosoma 288.

 Thyridosmylus 82.
 tigrina 115.
 trichaspis 101.
 Trichoderma 297.
 trichopyga 93, 340.
 tricolorea 137.
 tristicula 89, 157.
 tristis 102.
 trifasciata 102.
 trigemina 271.
 trinidadensis 296.
 tropicus 292.
 Tropophloeus 291.
 truncaticollis 282.
 truncatipennis 190.
 tuberculatus 76, 77.

 ulcerata 136.
 undulata 141.
 unicata 169.
 unicolor 356.
 unicolori 168.
 unimaculata 287.

 valida 270.
 validirostris 356.
 variabilis 333.
 variegata 196.
 vellicata 128.
 vinula 356.
 viridana 184.
 viridis 116, 120.
 viridissima 357.
 viriditincta 95.
 vitis 311.
 vitrea 348.
 vittifera 281.
 vittipes 362.
 Vulpia 272.

 wallandi 112.
 whicheadiana 108.
 windrathi 121.

 xanthopyga 138.
 xestopyga 340.

 ypsilon 121.
 zephyrus 348.



1915. "Alphabetisches Register." *Stettiner Entomologische Zeitung* 76, 368–371.

View This Item Online: <https://www.biodiversitylibrary.org/item/35653>

Permalink: <https://www.biodiversitylibrary.org/partpdf/206506>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.