140

Chase.]

[Feb. 7,

It is often much cooler at Charleston, Key West, and elsewhere at the South than it is at Baltimore or New York in these cases of excessive heat. And a whole month, as well as a shorter period may exhibit such comparatively cool weather at the points from which it might be inferred that the heat would be transferred to us. In fact, at Charleston and Savannah, the intense heat of the last summer at New York and the North were unknown !—a mean of 85° at the North being reduced there to a mean of $81\frac{1}{2}^{\circ}$ only.

5. These more striking non-periodic extremes, both of heat and cold, appear to be instituted at the districts where they are felt, by or through some superior and extraneous agency, the elements of which are at present extremely difficult of determination.

I beg for the present merely to submit these propositions, as being indicated only, not proved, although much time and observation have been given by me to the consideration of the subject. I shall beg also to submit at an early day, the numerical elements of the investigation as so far conducted.

OSCILLATORY FORCES IN THE SOLAR SYSTEM. By Pliny Earle Chase, Professor of Physics in Haverford College.

(Read before the American Philosophical Society, February 7th, 1873.)

All material motion seems to be determined by tendencies to equilibrium between elastic, or centrifugal, and attractive, or centripetal forces. It may, therefore, be presumed that every molecular motion can be so con-

The intermediate planets are arranged at distances proportioned to orbital times at reciprocal centres of oscillation and suspension. Jupiter's mean distance is nearly $3^{\frac{3}{2}} \times \text{Earth's}$; that of Uranus, $(3^{\frac{3}{2}})_2 \times \text{that}$ of Venus.

INTERMEDIATE PLANETARY POSITIONS.					
	Theoretical.	Observed.			
Uranus	19.30*	19.19			
Jupiter	5.20	5.20			
Venus	.72	.72			

The aphelion distances of Neptune, Uranus and Saturn, are at one extremity and centres of oscillation of a simple pendulum. The distance of Uranus, or the mean length of the pendulum, represents the length of a light undulation which is synchronous with a planetary oscillation at the Sun's surface. Jupiter's perihelion distance is one-sixth of Neptune's. The significance of this coincidence is the more interesting, in view of Stockwell's discovery that the mean perihelion longitudes of Jupiter and Uranus differ by exactly 180°, and, therefore, Jupiter's perihelion is properly comparable with the aphelion of Uranus.

The following table shows the accordance of these relations.

NODAL POINTS OF PLANETARY OSCILLATION.

				Theoretical.	Observed.
Neptune, mean aphelion				30.38	30.30
Uranus,	"	"		20.26	20.05
Saturn,	"	"		10.13	9.94
Light, Un	dulati	on		20.26	20.20
Jupiter, n	nean p	erihelio	n	4.96	4.98

The principal planetary masses are so placed as to exhibit simple relations between their orbital moments of inertia. The mean moments of Jupiter and Saturn are nearly equal; Neptune's is about π times as great as that of Uranus; the sum of the moments of Venus and Mars is about two-thirds as great as that of Earth and Mercury; the centre ofinertia of the planetary system is within the orbit of Saturn.

PLANETARY INERTIA.

Jupiter, n	nean m	omen	t		 	 	 258,200
Saturn,	""	66			 	 	 259,627
Uranus,	""	""	X	π.	 	 	 482,378
Neptune,	""	""			 	 	 480,439
$\frac{2}{3}$ (Earth -	+ Merc	eury).			 	 	 21.5
Venus + 1	Mars.				 	 	 20.8
Mean cent	re of i	nertia			 	 	 9.35
Mean dist	ance of	f Satu	rn		 	 	 9.54

* .955 x 20. 20. See next table.

1873.]



Chase, Pliny Earle. 1873. "Oscillatory Forces in the Solar System." *Proceedings of the American Philosophical Society held at Philadelphia for promoting useful knowledge* 13(81), 140–141.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/31322</u> Permalink: <u>https://www.biodiversitylibrary.org/partpdf/214696</u>

Holding Institution Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.