

BOLLETTINO

DRI

Musei di Zoologia ed Anatomia comparata

della R. Università di Torino

N. 197 pubblicato il 25 Febbraio 1895

Vol. X

I MOLLUSCHI dei terreni terziarii del Piemonte e della Liguria

descritti dal Dott. FEDERICO SACCO

PARTE XVII

(CERITHIIDAE, TRIFORIDAE, CERITHIOPSIDAE e DIASTOMIDAE)

Fam. **CERITHIIDAE** Férussac 1821.

Gen. **Cerithium** Adanson 1857 (tipo *C. Adansonii* Brug.)

Sottog. **Cerithium** (str. s.). — *C. Meneghinii* Micht. e var. *scalaratior* — *C. filigrana* Koen. var. *laevitalica* — *C. cf. Delbosii* Micht. — *C. cristatohirtum* Sacc. — *C.? acuticosta* Micht. e var. *angulatio* — *C. ornatum* Fuchs var. *apenninensis* — *C. taurosimplex* Sacc. e var. *longofusata*, *subconica*, *utriculosissima*, *doliolospinosa* e *perdolioliformis* — *C. Sismondæ* Micht. — *C. vulgatum* Brug. e var. *pergranulosa*, *pauciorinata*, *gracilis*, *alucastrea*, *tuberculata*, *Basteroti*, *bollenensis*, *spinosissima*, *totospinosa*, *taurominor*, *uninodosa*, *taurocristata*, *miospinosa*, *pseudoterebella*, *depressornata*, *dertomutica*, *pertorquata*; *nodulosa*, *granosoligustica*, *pergranosa*, *crassecingulata*, *subsimplex*, *persimplex*; *pulchella*, *dertopulchella*, *dertornatulina*, *tauroparva*, *ventrosonana* — *C. apenninicum* May. e var. *dertosulcata* — *C. dertonense* May. e var. *latetorquata*, *cingulellatior*, *perlongata*, *tauroprecedens* — *C. Zelebori* Hörn. var. *taurorara* e *laevituberculata* — *C. europaeum* May. e var. *perutriculata*, *gracitiornata*, *cingulosella*, *doliololaevis* — *C. laevisubuloides* Sacc. — *C. obsoletum* Rov. e var. *perobsoleta* e *plicatellula* — *C. varicosum* (Br.) e var. *laevissima*, *transiens* e *pyramidalis* — *C. cathedrale* May. — *C. Isseli* May. — *C. neogenitum* May. e var. *subcathedralis* — *C. taurinum* (Bell. e Micht.) e var. *ventricosula*, *turritissima*, *scalaratissima*, *subdolum*, *perconvexa*, *laeviscalaris*, *posttaurinia*, *dertoperplicata* e *dertoasclaris* — *C. crenatum* (Br.)

e var. *pergranulatina*, *semisublaevis*, *ligusticolaevis*, *perplicatellata*, *suturator*, *subcrenatocoronata*, *gracililonga* e *pliosalmo* — *C. crenatocoronatum* Sacc. — *C. procrenatum* Sacc. e var. *nodulosofasciata*, *strictisuturata*, *terebroides*, *magnastensis*, *pseudocrenata*, *plurifasciata*, *dertogranosa* e *salmovaricosa* — *C. taurocoronatum* Sacc. — *C. tauroacrenatum* Sacc. — *C. Klipsteini* Micht. e var. *latinflata*, *pertuberculata*, *unituberculata*, *pseudolaevigata* e *toto-tuberculata*.

Sottog. **Conocerithium** Sacc. 1895. — *C. tauroconicum* Sacc. (tipo del nuovo sottog.) e var. *inflatocrassa*, *elatomagna*, *subtorquata*, *plicatellata* ed *acutispira*.

Sottog. **Ptychocerithium** Sacc. 1895. — *P. Ighinai* (Micht.) e var. *rotunduloides*, *latecincta*, *percostata*, *taurotransiens* e *taurogigantea* — *C. granulinum* Bon. (tipo del nuovo sottog.) e var. *tuberculonata*, *percostulata*, *dertoconvexula*, *ornatella*, *torquator*, *dertolamellosa* ed *acutolonga* — *P. taurobronniioides* Sacc. e var. *subbicinctulata* — *P. Bronni* (Partsch) e var. *tauroplanata* e *transiens* — *P.?* *tuberculatum* (Bors.) — *P. turritoplicatum* Sacc. e var. *turritissima*, *astrangulata*, *bronniioides*, *pluriplicata* e *plicatogolicea* — *P. plicatovaricosa* Sacc. e var. *strictisuturata* — *P.?* *pseudolongatum* (D'Orb.) e var. *aconvexa* e *granulatella*.

Sottog. **Pithocerithium** Sacc. 1895. — *P. doliolum* (Br.) (tipo del nuovo sottog.) e var. *fossanensis* e *granulosissima* — *P. praedoliolum* (Fisch. e Tourn.) — *P. tauronicum* (May.) var. *dertoconica* — *P. italicum* (May.) e var. *tauropraecedens*, *perinflata*, *laevinflata*, *dertonepos* e *taurinflata* — *P. dertocostatum* Sacc. e var. *suturata* e *taurocrassa* — *P. costatum* (Bors.) e var. *dolioloides*, *longoutriculata*, *fusogracilis*, *perplicata* e *colligens* — *P. rubiginosum* (Eichw.) e var. *tauropraecedens*, *subtypica*, *subbigranosa*, *percingulellata* e *taurorubiginosa* — *P. Michelottii* (Hörn.) var. *dertoaspinosa*, *infracingulellata* e *mediocristata* — *P. taurovatula* Sacc. e var. *irregularicosta* — *P. obliquistoma* (Segu.) e var. *Mayeri*, *subturrita* ed *inflatovula*.

Sottog. **Tiaracerithium** Sacc. 1895 — *T. pseudotiarella* (D'Orb.) (tipo del nuovo sottog.) e var. *tauroturris*, *simplicocincta*, *pseudopicta*, *elatecincta* e *rugulosa*.

Sottog. **Vertagus** Klein 1753 — *V. Voglinoi* (Micht.) e var. *conico-scalaris* e *cingulellator* — *V. oligasper* Sacc. — *V. orditus* (Micht.) e var. *longofusata*.

Sottog. **Semivertagus** Cossm. 1889 — *S. submelanoides* (Micht.) e var. *turritolonga*, *conicina* e *crassecincta*.

Sottog. **Campanile** Bayle 1884 — *C. oligocenicum* Sacc.

Gen. **Bittium** Leach in Gray 1847 (tipo *B. reticulatum* Da Costa).

Bittium reticulatum (Da Costa) var. *pliolatreillii*, *rudis*, *tauroparvula*, *exferruginea*, *pliojadertina*, *priorotundula*, *taurosuturalis*, *laevicincta*, *dertoconica*, *dertofenestrata* e *dertobicarinata* — *B. laeviegans* Sacc. e var. *striolata* — *B. exiguum* (Montr.) var. *pago-diformis*, *parvoligustica* e *pliohelicoides* — *B. spina* (Partsch) e var. *convexorudis* e *taurocostatissima*.

Gen. **Potamides** Brongn. 1810 (tipo *P. Lamarcki* Brongn.).

Sottog. **Potamides** (str. s.) — *P. Basteroti* (De Serr.) var. *pseudoimbricata*, e *Bargellini* — *P. granosus* (Bors.) e var. *unogranosa* e *pliolapidum* — *P. Giulii* De Stef. e var. *costatopercincta*, *costicillata* e *transiens*.

Sottog. **Ptychopotamides** Sacc. 1895 — *P. tricinctus* (Br.) (tipo del nuovo sottogenere) e var. *scalaratina*, *subagranosa* e *conicina*.

Sottog. **Tympanotomus** Klein 1753 — *T. deperditus* (Micht.) — *T. margaritaceus* (Br.) e var. *cingulatio*, *compressa*, *inornata* e *conjungens* — *T. calcaratus* (Grat.) var. *promargaritacea*, *taurinensis*, *Squinaboli*, *tuberculosa*, *ornata*, *Rovasendae*, *ligustica*, *apenninica*, *solitaria*, *sasselliana* ed *Isseli* — *T. pedemontanus* (Sacc.) e var. *minor* — *T. trochlearispina* Sacc. e var. *acingulellata*, *subfenestrata*, *spinosissima* e *perconica* — *T. conjunctoturris* Sacc.

Sottog. **Terebralia** Swains. 1840 — *T. palustris* (L.) var. *lineata* (Bors.) — *T. dertonensis* (Sacc.) e var. *plurisulculellata*, *subaequicincta* e *fasciculata* — *T. lignitarum* (Eichw.) var. *Melii* — *T. colligens* (Sacc.) — *T. monregalensis* (Sacc.) e var. *rara* — *T. bidentata* (Defr.) var. *sulfurea*, *taurinensis*, *cingulatio*, *planulata*, *prolignitarum*, *reticulata*, *Perrandi*, *turrita*, *cingulosa* e *Clericii*.

Sottog. **Pyrasus** Montf. 1810 — *P. cf. pentagonatus* (Schlot.) — *P. monstrosus* (Grat.) var. *pedemontana*.

Sottog. **Telescopium** Montf. 1810 — *T. Charpentieri* (Bast.) var. *apenninensis*, *scalaratissima*, *crassecincta*, *subcylindrica*, *subagranosa*, *ornatior* e *tuberculatoconica*.

Sottog. **Granulolabium** Cossm. 1889 — *G. plicatum* (Brug.) e var. *italoturrita*, *perlateplicata* e *Galeotti* — *G. ? batillarioides* Sacc.

Sottog. **Pirenella** Gray 1847 — *P. bidisjuncta* Sacc. e var. *turrituloides*, *conicoides* e *bifunicillata*.

Sottog. **Tiarapirenella** Sacc. 1895 — *T. bicincta* (Br.) (tipo del nuovo sottog.) e var. *dertobicincta*, *undato-pincta*, *pseudocarinata*; *turritogracilis*, *propinquecincta*, *sexcincta* e *pergranulina* — *T. picta* (Bast.) var. *mitralis*.

Fam. **TRIFORIDÆ** Jousseaume 1884.

Gen. **Triforis** Desh. 1824 (tipo *T. plicatus* Duj.).

Triforis tauroturrita Sacc. e var. *spiraliorinata* — *T. taurorara* Sacc. — *T. Dujardini* May. var. *mutinensis*.

Sottog. **Monophorus** Grillo 1877 — *M. perversus* (L.) var. *adversa*, *cylindrata*, *obesula*, *subbicingulata* e *pertricingulata* — *M. cristulatus* Sacc. — *M. Dollfussi?* (Cossm.) var. *apenninica* e *taurotransiens* — *M. tricarinatus* (St. Meun.) var. *tauroregularis* — *M. Brugieri* (Micht.) e var. *tauroparva*.

Fam. **CERITHIOPSISIDÆ** Adams 1854.

Gen. **Cerithiopsis** Forb. e Hanley 1849 (tipo *C. tubercularis* (Mat.)).

Cerithiopsis tubercularis (Mont.) e var. *nana*, *pygmaea*, *obesula*, *filifera*, *taurosulcata* e *nanocolligens* — *C. taurorecta* Sacc. — *C. concatenata* (Cont.).

Sottog. **Dizoniopsis** Sacc. 1895 — *D. bilineata* (Hörn.) (tipo del nuovo sottog.) e var. *Clarki*, *turritotransiens* e *ventricosa*.

Gen. **Cerithiella** Verril 1882 (tipo *C. metula* Lov.).


Cerithiella oligoapenninica Sacc. — *C. Genei* (Bell. e Micht.) e var. *latefenestrata*, *graciliturrita*, *spiculina* e *pliotransiens* — *C. manzoniana* (Cocc.) e var. *Saccoi* — *C. paucicincta* Sacc. — *C. dertobicarinata* Sacc. — *C. exasperata* (Dod.) — *C. postdensicosta* Sacc. e var. *conjungens* e *pliocenica* — *C. suprabicincta* Sacc. e var. *supra-depressa* — *C. incertula* Sacc.

Sottog. **Seila** Adams 1861 — *S. trilineata* (Phil.) e var. *crassicincta* ed *infrapercincta* — *S. dertotrilineata* Sacc. e var. *conicina* e *subacosticillata* — *S. turrella* (Grat.) var. *taurotransiens*.

Fam. **DIASTOMIDÆ** Cossm. 1894.

Gen. **Diastoma** Desh. 1861 (tipo *D. costellatum* (Desh.)).

Diastoma Grateloupi (D'Orb.) var. *turritappenninica* — *D.?* *cylindraceoplicatum* Sacc.





Sacco, Federico. 1895. "I molluschi dei terreni terziarii del Piemonte e della Liguria (Sunto). Parte XVII." *Bollettino dei musei di zoologia ed anatomia comparata della R. Università di Torino* 10(197), 1–4.

View This Item Online: <https://www.biodiversitylibrary.org/item/137837>

Permalink: <https://www.biodiversitylibrary.org/partpdf/218698>

Holding Institution

University Library, University of Illinois Urbana Champaign

Sponsored by

University of Illinois Urbana-Champaign

Copyright & Reuse

Copyright Status: Not provided. Contact Holding Institution to verify copyright status.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.