

THE KNOWN GEOGRAPHIC DISTRIBUTION OF THE MEMBERS OF THE VERBENA-
CEAE, AVICENNIACEAE, STILBACEAE, SYMPHOREMACEAE, AND ERIOCAUL-
ACEAE. SUPPLEMENT 10

Harold N. Moldenke

Since the preparation of the previous installment of these supplementary lists the following new geographic records have come to light and are enumerated here for the first time, along with certain emendations of previous records. The specimens on which these additions are based are deposited in the herbaria of the British Museum (Natural History) at London, the Jardin Botanique de l'Etat at Brussels, the United States National Museum at Washington, and the New York Botanical Garden at New York.

UNITED STATES OF AMERICA:

Mississippi:

- Eriocaulon decangulare L. [Stone County]
- Phyla nodiflora (L.) Greene [Hancock County]
- Verbena brasiliensis Vell. [Hancock County]
- Verbena halei Small [Stone County]
- Verbena scabra Vahl [Harrison County]
- Verbena tenuisecta Briq. [George County]

Colorado:

- Verbena bracteata Lag. & Rodr. [Adams County]
- Verbena stricta Vent. [Elbert County]

CURACAO:

- Lantana moritziana Otto & Dietr.

COLOMBIA:

- Aegiphila aculeifera Moldenke [Huila]
- Aegiphila cuatrecasasi Moldenke [Huila]
- Aegiphila guianensis Moldenke [Caquetá]
- Aegiphila lehmannii Moldenke [Santander]
- Aegiphila sessiliflora Moldenke [Cauca]
- Avicennia tonduzii Moldenke [Valle del Cauca]
- Citharexylum kunthianum Moldenke [Huila]
- Citharexylum subflavescens Blake [Huila]
- Duranta mandoni Moldenke [Boyacá]
- Duranta sprucei var. colombiensis Moldenke -- delete the asterisk
- Lantana cujabensis Schau. [Cundinamarca]
- Lantana cujabensis var. punctata Moldenke [Huila]
- Lantana glutinosa Poepp. [Cundinamarca]
- Lantana moritziana Otto & Dietr. [Huila]
- Lippia americana f. pilosa Moldenke [Bolívar, Cundinamarca, & Méta]
- Paepalanthus andicola Körn. [Cauca & Norte de Santander]

- Paepalanthus killipii Moldenke [Huila & Méta]
Paepalanthus lodiculoides Moldenke [Méta]
Paepalanthus schultesii Moldenke [Norte de Santander]
Philodice hoffmannseggii Mart. [Magdalena]
Stachytarpheta mutabilis (Jacq.) Vahl [Santander]
Stachytarpheta straminea Moldenke [Antioquia]
Syngonanthus oblongus (Körn) Ruhl. [Amazonas]
Syngonanthus umbellatus (Lam.) Ruhl. [Amazonas]
Syngonanthus vaupesanus Moldenke [Amazonas]
Verbena glabrata H.B.K. [Cauca]
Vitex cymosa Bert. [Tolima]
Vitex klugii Moldenke [Amazonas]
Vitex orinocensis var. glabra Moldenke [Méta]*

ECUADOR:

- Lantana rugulosa H.B.K. [Caffar]
Lippia americana f. hyptoides (Benth.) Moldenke [Guayas]
Lippia americana f. pilosa Moldenke [Guayas]
Paepalanthus crassicaulis Körn. [Loja]
Verbena hispida Ruiz & Pav. [Azuay]

PERU:

- Amasonia lasiocaulos Mart. & Schau. [San Martín]
Citharexylum flexuosum var. subglabrum Moldenke is to be
 deleted
Citharexylum kobuskianum Moldenke [La Libertad]
Citharexylum peruvianum Moldenke [Ayacucho]*
Duranta sprucei var. colombiensis Moldenke [Amazonas]
Lippia americana f. hyptoides (Benth.) Moldenke [Piura]
Verbena cuneifolia Ruiz & Pav. [La Libertad]
Verbena litoralis H.B.K. [Ancachs & Cajamarca]

BRAZIL:

- Eriocaulon magnificum Ruhl. [Paraná]
Paepalanthus exiguus (Bong.) Körn. [Rio Branco]
Syngonanthus longipes Gleason [Guaporé]
Verbena lobata var. sessilis Moldenke [Paraná]*

BOLIVIA:

- Lantana trifolia f. hirsuta Moldenke [Tarija]

PARAGUAY:

- Lippia arechavaletae Moldenke

SIERRA LEONE:

- Clerodendrum splendens var. giletti (De Wild. & Durand)
 Thomas

BELGIAN CONGO:

- Clerodendrum dewittei Moldenke*
Clerodendrum sessilifolium Moldenke*
Clerodendrum splendens var. longicuspe Moldenke*
Gmelina elliptica J. E. Sm.

KENYA:

- Clerodendrum dalei Moldenke*

ANGOLA:

Eriocaulon welwitschii Rendle -- delete the asterisk

NORTHERN RHODESIA:

Clerodendrum luembense De Wild.

SOUTHERN RHODESIA:

Clerodendrum discolor var. crenatum Thomas

Clerodendrum glabrum var. vagum (Hiern) Moldenke

Clerodendrum tanganyikense var. bequaerti (De Wild.) Moldenke

Eriocaulon strictum Milne-Redhead

Eriocaulon welwitschii Rendle

Premna hildebrandtii Gürke

Vitex payos var. glabrescens (Pieper) Moldenke

Vitex welwitschii Gürke

BRITISH NYASALAND PROTECTORATE:

Phyla nodiflora (L.) Greene

Priva cordifolia var. flabelliformis Moldenke

Vitex madiensis var. gossweileri Pieper

PORTUGUESE EAST AFRICA:

Clerodendrum pleiosciadium Gürke

FRENCH INDO-CHINA:

Callicarpa nudiflora Hook. & Arn. [Tonkin]

THAILAND:

Callicarpa macrophylla Vahl

Clerodendrum laevifolium Blume

Clerodendrum laevifolium var. fletcheri Moldenke*

Premna tomentosa Willd.

PHILIPPINE ISLANDS:

Callicarpa longivillosa Merr. is to be deleted

BRITISH NORTH BORNEO:

Eriocaulon beccarii Suesseng. & Heine is to be deleted

SARAWAK:

Eriocaulon truncatum Hamilt.

NEW GUINEA:

Callicarpa macrophylla Vahl [Papua]

CULTIVATED:

Callicarpa arborea Roxb. [Sumatra]

Clerodendrum laevifolium var. fletcheri Moldenke [Thailand]

Holmskioldia tettensis (Klotzsch) Vatke [Southern Rhodesia]



Moldenke, Harold N. 1953. "The known geographic distribution of the members of the Verbenaceae, Avicenniaceae, Stilbaceae, Symphoremaceae, and Eriocaulaceae. Supplement 10." *Phytologia* 4(4), 266–268.

View This Item Online: <https://www.biodiversitylibrary.org/item/47070>

Permalink: <https://www.biodiversitylibrary.org/partpdf/219051>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.