Record of the Work of the Wilson Chapter,

FOR 1893 AND 1894,

ON THE MNIOTILTIDÆ. 21-86101628

By Lynds Jones, Chairman of Committee.

The character of the greater portion of the notes handed me has made a change in the original plan of this report necessary. It seems advisable to make a report upon only such points as are pretty fully covered by every set of notes received, at this time, reserving all other material for another report when a sufficient mass of matter has been accumulated to make it of the most value.

For the sake of brevity and clearness this report is presented in tabular form as far as practicable. Since it attempts to show only the migrations, relative abundance and breeding range of each species, the conclusions to be drawn are left to the reader, a glance at the table being sufficient to show everything.

I strongly recommend this work, now scarcely begun, to continue several years, if necessary.

This report is based upon notes received from the following twentynine localities :

San Bernardino, Cala	Edward Wall.
Bexar, Co., (San Antonio), Texas	.A. H. W. Norton.
Coffeyville, Kan	Geo. N. Upham.
Garden City, Kan	H. W. Menke.
Jackson Co., (Kansas City), Mo	John A. Bryant.
Salem, Iowa	David L. Savage.
Grinnell, Iowa	
Winnebago Co., (Rockford), Ill. J. E. Dickinson	n and F. A. Gregory.
Milton, Wis	Floyd Coon.
Meridian, Wis	
Delavan, Wis	Ned. Hollister.
Mt. Sterling, Wis	
St. Paul, Minn	
Palmer, Mich	
Hamilton Co., (Montgomery), O	J. C. Galloway.

Lorain Co., (Oberlin), O	Lynds Jones.
Green Co., (Waynesburgh), Penn	J. Warren Jacobs.
Berwyn, Penn	Frank L. Burns.
Perrineville, N. J	Chas. A. Ely.
Miller's Corners, N. Y	Bert Bennett.
Cortland Co., (Cincinnatus), N. Y	H. C. Higgins.
Gretna, N. Y	Millard Van Wagner.
Oswego City, N. Y	
Portland, Conn	
Wethersfield, Conn	
Belcherstown, Mass	
Bangor, Me	
Phillips, Me	
Toronto, Can	
There are also a few notes from Starke Fl	a by Ned Hollister

There are also a few notes from Starke, Fla., by Ned Hollister.

I am greatly indebted to Prof. Ludwig Kumlein, of Milton, Wis., for a list of the warblers of Wisconsin, particularly the south-central part. His work covers a long period of years.

Mr. Henry R. Buck has kindly furnished me with a list of the warblers of Connecticut, with notes of their arrival gleaned from all sources.

Many members have handed me valuable notes bearing upon the breeding habits and eggs. I retain these as a nucleus for another later report.

In a few cases members have sent notes on the authority of some well known ornithologist without first consulting him. This should never be done, since it involves both yourself and your authority in a possible and often probable difficulty. Always make sure of your records before reporting them finally.

Abbreviations used in this report are :

T. V.=Transient Visitant or Migrant.

S. R.=Summer Resident.

L.=Last one seen.

Tol. Com.=Tolerably common,

Not Com,=Not common.

Dates in numerals, as 5-2-'90=May 2d, 1890. The first number indicates the month, the second the day of the month, the last the year.

Abbreviations of states and months are as usual.

Mniotilta varia (L.) BLACK AND WHITE WARBLER.

	T. V.	S. R.	1892.	1893.	GENERAL NOTES.
Starke, Fla					
Jackson Co., Mo					reported
Garden City, Kan			one 5		is a strike strike a
Grinnell, Iowa	common	rare			firsts 4-16 to 5-9
Rockford, Ill	common	rare	5-I	5-4	and a state of the second
Hamilton Co., O	common			4-27	
Oberlin, O	common	rare	5-8	5-8	4-28-94
Green Co., Pa		rare			
Berwyn, Paa	abundant	rare		4-30	
Pereineville, N. J		common		6-1	
St. Paul, Minn o	common				
Mt. Sterling, Wis	rare				
Delavan. Wis	common	rare			
Meridian, Wis		common			
Palmer, Mich		rare		5-6	
Miller's Cor's, N.Y.	not com.			5-12	
Cortland Co, N. Y.	common		5-4	5-7	
Gretna, N. Y	common	rare			5-29-'94
Oswego City, N. Y	abundant	rare			
Portland, Conn	common	not com.			
Bangor, Me		common			
Phillips, Me		not com.			
Toronto, Can		common	10000	5-3	it who trains the the

At first glance this warbler may be mistaken for the nuthatches from its manner of feeding.

Protonotaria citrea (Bodd.) PROTONOTARY WARBLER.

Reports from Jackson Co., Mo. and Salem, Iowa, where it is not uncommon. In 1894 it arrived on May 10. Mr. Frank L. Burns reports a nest taken in Goodhue Co., Minn., June 13, 1893. There is little doubt that a sharper lookout will reveal this species in localities where it is not now supposed to be.

Helinaia swainsonii Aud. Swainson's WARBLER.

Mr. Burns describes a set collected by Troup D. Perry, in Catham Co., Ga., on June 2, 1890.

3

Helmintherus vern	nivorus (Gmel.)	WORM-EATING WARBLER.
	T. V. S. R,	GENERAL NOTES.
Jackson Co., Mo		Reported
Salem, Iowa	rare	5-6-'94
St. Paul, Minn		one 5-13-'93
Green Co., Pa	rare	
Berwyn, Pa,	not com.	5-8-'94
Portland Conn	rare	

Here is another bird which should have especial attention directed toward it. It should be found to be pretty generally distributed in suitable localities.

Helminthophila pinus	(Linn.)	Blue-winged Warbler.
T. V.	S. R.	GENERAL NOTES.
Coffeyville, Kan commo	n	
Jackson Co., Me	common	
Salem, Iowa	common	5-5-'93 5-5-'94
Grinnell, Iowa common	n tol. com.	
St. Paul, Minn not com	l.	
Winnebago Co., Ill. common	n rare	5-17-'93 5-2-'90
Hamilton Co., O common	n question	4-20-'91
Lorain Co O common	n few	5-15-'93 5-1-'94
Berwyn, Penn	common	
Portland, Conn	rare	

Once learn the piercing, insect tone of this little fellow and you are sure to find it, during late April or early May, high up in the tree tops. But its nest must be sought for on the ground, near which, in the underbrush, it stays during the summer.

Helminthophila ch	erysoptera.	GOLDEN-WING	ED WARBLER.
Т	. V. S.	R Genei	RAL NOTES.
Winnebago Co., Ill. not	t com.	5-8-'88 5-2	1-'93
Meridian, Wis	rare		
St. Paul, Minn com	mmon		
Lorain Co., O	rare	5-7-'94 first	county record
Green Co., Penn	rar	е	
Gretna, N. Y	fev	v 5-1-'93 5-9-	'94 young June 17
Portland, Conn	not co	om.	
Toronto, Can		5-6-'93	

4

A little persistent and careful work must certainly reveal this beautiful warbler to every member east of the plains. Look in the tree tops early in May.

Helminthophila leucobronchialis (Brewst.)

Portland, Conn., S. R., rare.

Helminthophila lawrencei (Herrick.)

Portland, Conn., very rare.

These two species belong in the "Hypothetical List," supposed to be hybrids between H. pinus and H. chrysoptera. The number of specimens grading each way, taken in Connecticut, seem to furnish material for doubting their authenticity.

Helminthophila ruficapit	lla (Wils.) NASHVILLE	WARBLER.
• T. V.	S. R.	GENERAL N	NOTES.
Coffeyville, Kan common			
Jackson Co., Mo common			
Salem, Iowa common		5-10-'94	
Grinnell, Iowaabundant		first week in 5 an	d middle of 9
Winnebago Co., Ill. common		5-7-'93 5-2-'88	L. 5-30-'93
Meridian, Wis common			
Milton, Wis common			
St. Paul, Minn		one taken 5-18 '	91.
Lorain Co., O abundant		5-8-'93 5-1-'94	L. 5-25-'94
Miller's Cor's, N. Y. rare		5-7-'93	
Oswego Co., N. Y. abundant			
Portland, Conn	common		
Wethersfield, Conn.	common	from May 26 to S	Sept. 21
Bangor, Me	common		
Phillips, Me	common	one nest	

It is almost a wonder that any one can overlook this little fellow. His concealed chestnut crown cannot be seen any more readily than the ruby crown of the Ruby-crowned Kinglet, whom he somewhat resembles in his actions and manner of feeding. Look for them in the middle and lower stories of the woodland. Helminthophila celata (Say.) ORANGE-CROWNED WARBLER.

	T. V.	GENERAL NOTES.
Jackson Co., Mo		reported
Winnebago Co., Ill.		adult male Oct. 14, '93
Lorain Co., O	rare	one taken 5-11-'92
Berwyn, Penn		10-19-'91 first Chester Co. record; young
Meridian, Wis	rare	[female

Most of us have still to make its acquaintance ! Prof. Ludwig Kumlein writes that it is "Some what earlier than the rest of the genus." "Procured specimens this year (1894) Apr. 26." "Rather rare." He is writing from southern Wisconsin.

Helminthophila celata lutescens (Ridgw.)

San Bernardino, Cala., S. R., common.

Helminthophila peregrina (Wils.) TENNESSEE WARBLER.

7	-	V.	
1		v .	

GENERAL NOTES.

Jackson Co., Mo... Grinnell, Iowa.... abundant Winnebago Co., Ill. common Meridian, Wis..... common Delavan, Wis..... tol. com. St. Paul, Minn.... abundant Lorain Co., O..... common Phillips, Me..... reported

reported

5-16-'93 L. 9-9-'93

few S. R. 5-5-'93 abundant to 5-15-'93 5-8-'93 5-1-,94 L. 5 25-'94

Get acquainted with these small warblers and you are sure to find them. Look for this one during the first week in May in the lower branches of the trees and in the under-brush.

Compsothlypis	america	na (Linn.)	PERULA WARBLER.
	T. V.	S. R.	GENERAL NOTES.
Starke, Fla	common		
Coffeyville, Kan	common		
Jackson Co., Mo			reported
Grinnell, Iowa	common	not com.	
Winnebago Co., Ill.		not com.	4-28-'88 5-10-'90
Meridian, Wis	rare		
St. Paul, Minn		rare	

T. V.	S. R	
Lorain Co., O common	rare	
Berwyn, Penn abundant		
Cortland Co., N. Y. common	rare	
Oswego City, N. Y. abundant	few	
Portland, Conn: abundant	rare	
Bangor. Me	common	

GENERAL NOTES.

arrives early May L. 11-1 5-13-'93 5-4-'92

I did not find it in Lorain Co., in either 1893 or 1894, nor during either summer. At Grinnell, Iowa, it was common during the migration, arriving late in April or early in May. I have always found them well up in the trees. Prof. Kumlein says of it in Wisconsin : "Not common. A few breed in suitable localities in the southern tier of counties."

7

Dendroica tigrina (Gmel.) CAPE MAY WARBLER.

T. V.

GENERAL NOTES.

Grinnell, Iowa..... tol. com. Winnebago Co., Ill. rare Meridian, Wis..... few Milton, Wis..... common Lorain Co., O..... rare Cortland Co., N. Y. rare Oswego City, N. Y. Portland, Conn.... occasional Phillips, Me..... not com.

one male 5-16-17-1890

5-26-'92 first record

Prof. Kumlein says it is very irregular in Wisconsin, some years being even abundant, and others just the reverse. At Grinnell, Iowa, I never found them really common, but some were seen every year, always in the lower branches of the trees, during the first or second week in May.

	Dendroica	æstiva	(Gmel.)	YELLOW	WARBLER.
--	-----------	--------	---------	--------	----------

S. R. 1893.

San Bernardino, Cal common Bexar Co., Texas.. common Coffeyville, Kan... common Garden City, Kan.. common Jackson Co., Mo... common Salem, Iowa..... common Grinnell, Iowa.... abundant

4-29-'94

GENERAL NOTES.

firsts from Apr. 27 to May 3

S. R. 1	1893.	GENERAL NOTES.
Winnebago Co., Ill. common	5-12	
Meridian, Wis not com.		
Milton, Wis common		
Mt. Sterling, Wis abundant		
Delavan, Wis not com.		
St. Paul, Minn abundant		4-26-'92
Hamilton Co., O abundant	4-25	4-20-'91 4-23-'90
Lorain Co., O abundant	5-1	4-25-'94 4-25-'92
Green Co., Pa common		
Berwyn, Pa not com.		
Perrineville, N. J common	5-1	
Gretna, N. Y abundant		5-1-'94
Miller's Cor's, N.Y. common	5-3	
Cortland Co., N. Y. common	4-28	5-2-'90 4-27-'89
Oswego City, N. Y. common		
Portland, Conn common		
Wethersfield, Conn. common		
Bangor, Meabundant		
Phillips, Me not com.		
Toronto, Canvery com.	•	

The universal distribution and general abundance of this bird would make it a very profitable subject for special study.

Dendroica cærulescens.	BLACK-T	THROATED BLUE WARBLER.
T. V.	1893.	GENERAL NOTES.
Garden City, Kan rare		10-17-'91 first state record
Jackson Co., Mo		reported
Grinnell, Iowa rare		
Winnebago Co., Ill common	5-9	9-3 to 10-8-'93
Milton, Wis rare		
Meridian, Wis rare		
Hamilton Co., O common		
Lorain Co., O common	5-15	5-1-94
Berwyn, Pa common	5-11	L. 9-11-'93
Miller's Cor's, N. Y. common	5-7	
Cortland Co., N. Y. common		seen 9-12-'93
Gretna, N. Y rare	5.13.	
Oswego Co., N. Y. abundant		

8

1893.

T. V.

GENERAL NOTES.

· Portland, Conn.... common Belcherstown, Mass. Phillips, Me..... common

A bird of the lowest branches and underbrush, often feeding upon the ground. At once recognized by the white spot at the base of the wing quills. Prof. Kumlein finds it a common migrant in Wisconsin : "apparently less common than 20 or 30 years ago."

Dendroica coronata (Linn.) YELLOW-RUMPED WARBLER.

T. V. S. R 1893. Starke, Fla..... tol. com. Coffeyville, Kan.... common Garden City, Kan.. common 4-2I Jackson Co., Mo... common Grinnell, Iowa.... abundant one pair known to breed St. Paul, Minn.... abundant Winnebago Co., Ill. abundant L. 5-12-'93 4-12 Delavan, Wis..... common Milton, Wis..... common 4-19 Meridian, Wis.... abundant Palmer, Mich..... common Hamilton Co., O... abundant Lorain Co., O.... common Berwyn, Pa..... common Cortland Co., N. Y. abundant Oswego City, N. Y. abundant Portland, Conn.... common Wethersfield, Conn. common (remained all winter and Duxbury, Mass.... common fed on grass seeds Belcherstown, Mass. common one pair bred rare Bangor, Me..... common common Phillips, Me..... common common Toronto, Can..... not com.

Usually very common in Lorain Co., O.; I did not see a dozen birds during the spring of 1893. This bird is worthy of special study. He is the earliest of the warblers.

seen 5-10-'83

GENERAL NOTES.

4-30	9-17 to 10-17-'93
	4-29-'91 10-3 to 10-25-'91
5-10	4-12-'94 L. 5-12-'94
4-12	9-1 to 10-30-'92
5.5	$\begin{cases} '92 \text{ record : males 5-2 ; L.} \\ males ; F. females 5-18; \\ L. female 5-24. \end{cases}$

Dendroica auduboni (Towns). AUDUBON'S WARBLER. Garden City, Kan., common T. V., 4-21-'93 San Bernardino, Cala., common T. V.

Dendroica maculosa (Gmel.) MAGNOLIA WARBLER.

T. V.	S. R.	1893.	GENERAL NOTES.
Jackson Co., Mo common			
Grinnell, Iowa common			
Winnebago Co., Ill. abundant		5-9	L. 5-20-'93 8-28 to 9-27-'93
Delavan, Wis common			
Meridian, Wis common			
Palmer, Mich common		5-27	
Hamilton Co., O			one 5-9-'92
Lorain Co., O common			4-28-'94 L. 5-17-'94
Berwyn, Pa abundant		5-11) never in perfect plumage 8-30 to 10-21-'93
Miller's Cor's N. Y common		5-18	
Cortland Co., N. Y. common	rare	5-20	
Gretna, N. Y abundant		5-13	
Oswego City, N.Y. common	few		
Portland, Conn common			
Wethersfield, Conn. common		5-26	
Bangor, Me rare			
Phillips, Me	abundant		

Prof. Kumlein says: "Of all the warblers this species has surely and steadily diminished in numbers the last 25 years." Look for it in the lower branches of the trees.

Dendroica c	ærulea	(Wils.)	CERULEAN WARBLER.
Lackson Co. Mo	T. V.	S. R.	GENERAL NOTES.
Jackson Co., Mo Grinnell, Iowa	rara		reported
Winnebago Co., Ill.	Tare	rare	t mala 5 t5 'aa a malaa i
Hamilton Co., O		rare	1 male 5-15-'92 2 males 4- 5-9-'91 [28-'88
Lorain Co., O	common	few	5-15-'93 5-7-'94
Berwyn, Pa	rare	2011	young male 10-27-'89
Cortland Co., N. Y.			young made to 27 dy
Bangor, Me	rare		

Prof. Kumlein says: "Very rare. I have never taken it but once (May 14, 1870, male), my father once, and Dr. Hoy but once or twice." I have found it in considerable numbers for two years in swampy woods, and heard males singing in several timber lots all summer.

Dendroica pennsylvanica	(Linn.)	CHES	TNUT-SIDED WARBLER.
T. V.	S. R.	1893.	GENERAL NOTES.
Grinnell, Iowa common			record of one nest
Winnebago Co., Ill. common	rare	5-9	L. 9-3-'93
Delavan, Wis common	······································		
Milton, Wis	common		Pandan Sanda (Danjead
Meridian, Wis irregular			and all the second second
Palmer, Mich	abundant	6-4	
Lorain Co., O common			4·28-'94 L. 5-14-'94
Berwyn, Pa abundant		5-8	8-13 to 10-8-'93
Miller's Cor's N. Y.	common		
Cortland Co., N. Y.	common	5-10	5-9-'92
Gretna, N. Y	common	5-13	5-13-'94
Oswego City, N. Y	common		
Portland, Conn	common		5-10-'94
Belcherstown, Mass.	common		
Bangor, Me	common		
Phillips, Me	abundant		Philippine (Based of)
Toronto, Can	common	5-26	Request repairs to be 100

Prof. Kumlein says that it is a common breeder and is very plenty during autumnal migrations, in Wisconsin. It seems probable that this species may be found nesting in many localities where it is now regarded as a migrant.

Dendroica castanea (Wils.) BAY-BREASTED WARBLER. T. V. GENERAL NOTES. Grinnell, Iowa..... rare Winnebago Co., Ill. rare 5-3-'87 5-18-'89 L. 5-30-'85 Meridian, Wis..... few 5-3-'93 ·Lorain Co., O..... common 4-28-'94 L. 5-14-'94 Berwyn, Pa.... not com. 5-20-'93 9-15-'91 Oswego City, N. Y.. common Portland, Conn....occasional

Prof. Kumlein thinks this species breeds in Wisconsin. He says :

"Common, especially in autumn. Some years the young are very common during the first 10 days of September." This species is so generally distributed that it must certainly occur at every station in its range. A little more careful and extended search will reveal it.

Dendroica striata (F	orst.)	BLACK-POLL WARBLER.
T. V.	1893.	GENERAL NOTES.
Garden City, Kan common		
Jackson Co., Mo common		
Salem, Iowa common		
Grinnell, Iowa abundant		
St. Paul, Minn	5-13	one taken
Winnebago Co., Ill. not com.	5-30	9-9-'93 5-17-'88
Milton, Wis common		
Meridian, Wis common		
Lorain Co., O common	5-23	one female
Berwyn, Pa rare		young male 10-8-'91
Cortland Co., N. Y. rare	5-25	L. 5-27-'93
Gretna, N. Yabundant		
Oswego City, N. Y. abundant		
Portland, Conn common		
Phillips, Me		two nests in 1891

It thus appears that this species is somewhat restricted locally. Prof. Kumlein reports it as "very common in spring. A few undoubtedly nest in the state. Less plenty in September." Mr. David L. Savage has sent me the skin of a female taken May 20, 1894, with its nest and eggs, in Dallas Co., Iowa, by Fred Hamlin. This is the first state record of a nest.

Dendroica blackburniæ (Gmel.) BLACKBURNIAN WARBLER.

T. V.	1893.	GENERAL NOTES.
Grinnell, Iowa tol. com.		
Winnebago Co Ill. tol. com,	5-16	
Milton, Wis common		
Meridian, Wis few		
Palmer, Mich	5-27	
Lorain Co., O common	5-11	5-2-'94 L. 5-12-'94
Berwyn, Pa common	5-20	L. 10-19
Miller's Cor's, N. Y. common	5-12	The Manufactory and Annalise
Cortland Co., N. Y. common	5-14	L. 5-19-'93 10-12-'93 5-18-'92

T. V. 1893. Oswego City, N. Y. abundant Portland. Conn.... not com. Belcherstown, Mass. common more common than usual Bangor, Me.... rare Phillips, Me..... rare Toronto, Can..... abundant

Prof. Kumlein writes : "Quite common as a migrant. A few breed as far south as Jefferson (heavy woods)." The striking color of this warbler should make it a conspicuous object readily noticed.

Dendroica nigrescens. BLACK-THROATED GRAY WARBLER. San Bernardino, Cal., S. R., rare.

Dendroica chrysoparia Sel. & Salv. GOLDEN-CHEEKED WARBLER.

Bexar Co., Texas, rare.

Dendroica virens. BLACK-THROATED GREEN WARBLER.

T. V. S. R. 1893. GENERAL NOTES.

Jackson Co., Mo.... common Grinnell, Iowa.... common

Winnebago Co., Ill. common

4-23-'88 8-27-'93 10-28-'87 5-17

Milton, Wis..... common Meridian, Wis..... rare Palmer, Mich.....

Berwyn, Pa.....abundant

Lorain Co., O.... common

Phillips, Me.....

Toronto, Can.....

Cortland Co., N. Y. common Gretna, N. Y..... common

Oswego City, N. Y. abundant Portland, Conn.... rare Belcherstown, Mass. common

common 6-4

> 5-10 5-7-'94 L. 5-25-'94 (9-1 to 10-9-'93) never seen in spring 5-10 10-12 to 10-20-'93 5-13-'94

5-28

5-10

In Wisconsin: "Fairly common migrant. Know of one instance of their breeding in Jefferson Co. Not as common as formerly." (L. Kumlein.) The first arrivals in spring are in high plumage, in Lorain Co., O.

rare

GENERAL NOTES.

Dendroica kirtlandi (Baird.) KIRTLAND'S WARBLER.

Winnebago Co., Ill., May 25, 1894. First local, second state record. For first record see *Auk*, July, 1894, p. 558.

Dendroica vigorsii (Aud.) PINE WARBLER.

T. V.

Starke, Fla..... abundant Milton, Wis..... not com. Meridian, Wis.... rare Lorain Co., O.... rare Oswego City, N. Y. rare Portland, Conn.... not com. Bangor, Me..... common GENERAL NOTES.

"Fairly common summer resident in the pine regions of Wisconsin. More common along the lake shore (Michigan) than in the interior. Rare migrant in the oak regions." (L. Kumlein.) Who will be the first to give us dates for the migrations?

Dendroica palmarum (Gmel.) PALM WARBLER.

T. V.

Jackson Co., Mo... common Grinnell, Iowa.... common Winnebago Co., Ill.. common Milton, Wis..... rare Meridian, Wis..... abundant Delavan, Wis..... tol. com. Lorain Co., O.... common Hamilton Co., O... abundant Oswego City, N. Y. GENERAL NOTES.

(5-6-'93 L. 5-10-'93 4-26-'88 5-9-'90) 9-12 to 10-12-'93

4-30-'94 L. 5-7-'94 5-2-'93 one male 1878

"Common migrant. First March 6, 1894." (L. Kumlein.) It is surprising that this early warbler is not more generally known. Rare in Lorain Co., 1893.

Dendroica palmarum hypod	chrysea. Yellow Palm Warbler.
T. V.	GENERAL NOTES.
Starke, Fla tol. com.	
Portland, Conn not com.	
Belcherstown, Mass. abundant	
Bangor, Me abundant	rare S. R.
Toronto, Can common	Apr. 23, 1893
Lorain Co., O	one male taken by G. D. Wilder, 4-10-'91

This and the preceeding species are of similar habits, and both are early spring arrivals, usually appearing in April.

Dendroica discolor (Vieill.) PRAIRIE WARBLER.

Lorain Co., O., one taken May 7. 1892. Perrineville, N. J., common S. R.

Portland, Conn., not common S. R.

We should keep a sharp lookout for this species. It seems to be very little known.

Seiurus aurocapillus (Linn.) OVEN-BIRD.

S. R.	1893.	GENERAL NOTES.
Garden City, Kan		not common T. V.
Jackson Co., Mo common		
Salem, Iowa common	5-5	4-29-'94
Grinnell, Iowa common		
Winnebago Co., Ill. common	5-4	L. 9-24-'93
Meridian, Wis common		
Delavan, Wis common		
St. Paul, Minn common		
Hamilton Co., O common		
Lorain Co., O abundant	5-13	5-2-'94
Green Co., Pa common		
Berwyn, Pa abundant	4-13	L. 9-21-'93
Perrineville, N. J abundant	5-1	L. 10-1-'93
Miller's Cor's, N. Y. common		
Cortland Co., N. Y. common	5-9	L. 10-20-'93
Gretna, N. Y common	5-1	5-6-'94
Oswego City, N. Y. abundant		
Portland, Conn common		
Wethersfield, Conn. common	5-26	
Phillips, Me common		
Toronto, Can common		

Another good subject for special study. One that always heralds his arrivals in a well known key. We all must find him if we go into the woods.

T		T	T
T	•	V	•

Jackson Co., Mo... Salem, Iowa..... Grinnell, Iowa..... rare Winnebago Co., Ill. common St. Paul, Minn..... Hamilton Co., O... few Lorain Co., O.... rare Portland, Conn.... common south as Manitonoc." GENERAL NOTES. reported 4-15-'94 one record 5-7-'89 4-26-'92 9-12 to 9-20-'93 S. R. common Prof. Kumlein writes from Wisconsin : "Very common T. V. I am very sure they nest in the state sometimes as far

Seiurus motacilla (Vieill.) LOUSIANA WATER THRUSH.

1	-	37	
1		V	

Salem, Iowa..... very rare Grinnell, Iowa.... rare Meridian, Wis.... common Hamilton Co., O... rare Lorain Co., O.... common Green Co., Pa.... common Oswego City, N. Y. abundant Portland, Conn... not com. GENERAL NOTES.

I suspect that some have confused this with the two preceeding species. "Very rare. One May 13, 1893, male. (L. 4-15-'94 [Kumlein.) 5-8-'93 4-21-'94

Geothlypis formosa (Wils.) KENTUCKY WARBLER.

Salem, Iowa, S. R. not common. Hamilton Co., O., S. R. 5-2-'92 4-28-'93. Lorain Co., O., rare. I have never seen it. Green Co., Pa., S. R. common. Berwyn, Pa., S. R. common.

"Very rare in Wisconsin." (L. Kumlein.)

Geothlypis agilis (Wils.) CONNECTICUT WARBLER.

Milton, Wis., T. V. rare. Hamilton Co., O., one male 5-16-93. Berwyn, Pa., T. V. rare. Female 9-19-'93. Portland, Conn., T. V. rare.

"Of regular occurence spring and fall. The very last arrival in spring. June 1 is the regular date to look for them. Found nesting once in Jefferson Co." (L. Kumlein.) It frequents tangled undergrowth. Geothlypis philadelphia (Wils.) MOURNING WARBLER.

Milton, Wis., T. V. rare. Meridian, Wis., T. V. rare. Lorain Co., O., male May 23, 1894. First Lorain Co., record. Cortland Co., N. Y., T. V. rare. Oswego City, N. Y., T. V. rare. Portland, Conn., T. V. rare.

"Frequents same localities as preceeding, but less common. One of our rarest warblers." (L. Kumlein.)

Geothlypis macgillivrayi (Aud.) MACGILLIVRAY'S WARBLER. San Bernardino Co., Cala., T. V. rare.

Mr. W. L. Dawson has taken eggs in Washington State.

n.)	MARYLAND YELLOW-THROAT.
1893.	GENERAL NOTES.
5-27	5-3-'88
6-4	
	4-28-'91-2
5-8	5-1-'94 remains well into Sept.
4-21	L. 9-18-'93
5-9	
5-3	5-7-'94
5-11	
	more numerous than usual 1893
	1893. 5-27 6-4 5-8 4-21 5-9 5-3

"Most abundant (in Wisconsin) last of August and first days of September among the *phragmites* and such like reeds along the lake shores." (L. Kumlein.)

17

Geothlypis brichas occidentalis. WESTERN YELLOW-THROAT.

S. R.	GENERAL NOTES.
San Bernardino, Cal. common	rare resident
Garden City, Kan rare	
Jackson Co., Mo common	
Salem, Iowa common	5-6-'92 5-5-'93 4-30-'94
Grinnell, Iowa common	(4·25-'85 5-3-'86 4-30-'87 5-3-'88) (5-5-'89 4-22-'90 departs late Sept.
St. Paul, Minn common	

I have detected no difference in song or habits between this and the preceeding species. The two would be an excellent special study. Thev are preeminently birds of swampy regions, and lowly in habits.

.

Icteria virens (Linn.) YELLOW-BREASTED CHAT.

S. R.

Coffeyville, Kan.... common Garden City, Kan.. common Jackson Co., Mo.... common Salem, Iowa..... common Grinnell, Iowa.... common Winnebago Co., Ill. common St. Paul, Minn.... common Hamilton Co., O... common Lorain Co., O..... rare Green Co., Pa.... abundant Berwyn, Pa.... common Cortland Co., N. Y. rare Gretna, N. Y..... common Portland, Conn.... common

GENERAL NOTES.

5-6-'94 common in brush skirting woods

5-1-'91 5-30-'93 L. 7-7-'93

4-20-'91 4-28-'92 14-18-'89 4-30-'90 1 4-29-'93 5-8-'94 only one pair seen

"S. R. rare. Of regular occurance in suitable localities." (L. Kumlein, Milton, Wis.) Its secretive habits have doubtlessly baffled many observers. Of bright colors and loud voice.

Icteria virens longicauda (Lawr.) LONG-TAILED CHAT. San Bernardino, Cala., S. R. common.

I have eggs taken in eastern Navada in 1891.

Syivania mitrata (Gmel.) HOODED WARBLER.

Starke, Fla., one specimen taken.

Winnebago Co., Ill., one male 9-19-'87.

Green Co., Pa., S. R. rare. One nest 6-6-'91. 5 eggs.

Oswego City, N. Y., S. R. common.

There is an unauthentic record for Grinnell, Iowa, and one for Lorain Co., O. "Not uncommon along Lake Michigan as a migrant, less common in the interior" (of Wisconsin). (L. Kumlein.)

Sylvania pusilla (Wils.) WILSON'S WARBLER.

Garden City, Kan., one taken in spring of 1891.
Jackson Co., Mo., T. V.
Grinnell, Iowa, T. V. common. Often abundant in Sept.
Winnebago Co., Ill., T. V. tol. com. 5-7-'87 5-16-'93 L. 5-28-'93
Meridian, Wis., T. V. not common.
Lorain Co., O., T. V. rare. One taken 5-21-'91 by G. D. Wilder.
Oswego City, N. Y., T. V. rare.
Portland, Conn., T. V. common.

"Not uncommon as a migrant. Undoubtedly breeds in Wisconsin." (L. Kumlein.) More of us should be acquainted with this interesting little fellow.

Sylvania pnsilla pileolata (Pall.) PILEOLATED WARBLER. San Bernardino, Cala., S. R. rare.

Sylvania conadensis (Linn.) CANADIAN WARBLER.

T. V.

GENERAL NOTES.

Winnebago Co., Ill. tol. com. Milton, Wis..... common Meridian, Wis..... common Lorain Co., O..... rare Berwyn, Pa..... abundant Cortland Co., N. Y. Oswego City, N. N. Portland, Conn.... common Bangor, Me..... rare 5-9-'93 L. 5-30-'93 8-27 to 10-17-'93 only in fall

two specimens taken in 1894 8-13 to 8-31-'93 none others ever found 5-20-'93 one specimen taken. common S. R.

"Fairly common. Probably breeds in Wisconsin." (L. Kumlein.) Evidently this species needs more study !

Setophaga ruticilla (Linn.) AMERICAN REDSTART.

S. R.

1893.

Jackson Co., Mo... common Salem, Iowa..... common 5-10-'94 5-12 Grinnell, Iowa.... common Winnebago Co., Ill. rare. 5-9 Milton, Wis..... common Meridian, Wis..... common Delavan, Wis..... common St. Paul, Minn.... common Palmer, Mich..... common L. 9-9-'93 5-27 Hamilton Co., O... common 4-14-'90 5-3-'91-2 56 Lorain Co., O..... common 5-8 5-2-'94 Green Co., Pa.... abundant abundant T. V. 9-5 to 9-29-'93 Berwyn, Pa..... 5-10 Perrineville, N. J. abundant 5-1 Miller's Cor's, N. Y. common 5-12 Cortland Co., N. Y. common Gretna, N. Y..... common 5-4-'94 5-13 Oswego City, N. Y. abundant Portland, Conn.... common Wethersfield, Conn. common Bangor, Me abundant Phillips, Me.....abundant Toronto, Can.... not rare

Another species for special work. Its general distribution would certainly afford some interesting comparisons.

In the preceeding report the capture of Dendroica eærulesceus (Gmel.) at Garden City, Kansas, by Mr. H. W. Menke, is the first one for Kansas. Prof. W. W. Cook speaks of it as a Kansas bird in his "Migration in the Mississippi Valley," but no record of an actual capture is given.

The specimen of Dendroica kirtlandi (Baird.) taken by Mr. J. E. Dickinson, in Winnebago Co., Ill., is the second one taken in the state. The other having been taken by Mr. B. T. Gault, at Glen Ellyn, on May 7, 1894. (Reference has already been given.)

The record of Helminthophila celata (Say.) by Mr. Frank L. Burns, at Berwyn, Pa., is the first one for Chester Co.; and those of Helminthophila chrysoptera (L.) and Geothlypis philadelphia (Wils.) taken by

GENERAL NOTES.

T. V. common L. 10-8-'93 4-27-'88

the writer, are the first for Lorain Co., Ohio. That of Dendroica tigrina (Gmel.) by D. D. Stone, is the first for Oswego City, N. Y.; and the nest of Dendroica striata (Forst.) in Dallas Co., Iowa, by Fred Hamlin, reported by David L. Savage, is the first for the state.

A more extended study of this group will add greatly to our knowledge of its range and habits. The progress already made is highly gratifying and full of promise.

In response to the special bulletin issued in November last, a number of members very generously subscribed money for the publication of this bulletin and another, to appear soon on the Crow. But we need a few more dollars for postage and binding. All contributions will be promptly acknowledged.

So much interest has been shown in the work of the Chapter by a number of members of late, as to give much encouragement.

I have appointed Mr. Lynds Jones as general chairman of all the committees on special investigations, with power to arrange committees for the special branches of work. In the next bulletin there will be more definite announcements concerning this.

We have exchanged a number of back numbers of the Chapter publications with F. H. Lattin, of Albion, N. Y., for the following books:

Ridgway's Manual of N. A. Birds, list price,	. \$7 50	5
Jordan's Manual of Vertebrates, list price, ,	2 50	0
Hornaday's Taxidermy,	. 3 00	5
Apgar's Key to Birds,	50	0
Birds of Greenland,	. I OC	0
Birds of Labrador ,	I OO)

The copy of Ridgway's Manual is somewhat shelf-worn, otherwise the books are perfectly new. Bids for the lot or for separate books should be sent to Mr. Lynds Jones, Oberlin, O., before February 10th.

The report of elections appears on another page.

Extra copies of this Bulletin 15 cents each.

REUBEN M. STRONG, President.

The experience of the work which the Chapter has done in years past, has taught us that one year is too short a time in which to make any thing like a careful study of even a single species, much less a group of species. Hence it is proposed that a continuous system of study be inaugurated.

Having selected a group for study, the Warblers, it is proposed for 1895 to 1899, to divide the topics for study between several competent members, giving to one *food*, to another *migrations*, to a third *song*,

to a fourth nesting. Each person so appointed will have charge of the investigations under his topic, and will be allowed four years in which to gather material for a final report, making, each year, a report of progress. By this means the work can be more carefully and thoroughly done, and the results will be more satisfactory and valuable. Should any member in charge of a topic wish to make a final report before the close of the four years, he would be at perfect liberty to do so. Mr. J. E. Dickinson, Rockford, Ill., has accepted the chairmanship of the department of migration and has already begun active work. Others will soon follow.

In addition to this work, Mr. Howard P. Mitchell, of Mt. Sterling, Wis., desires to study "Nestling Down." This is a field which is almost wholly open. I sincerely hope that in this study Mr. Mitchell may have the hearty, active co-operation of every member. Write to Mr. Mitchell at once, and ascertain more fully the scope and plan of his work.

There may be other special lines of study similar to that of Mr. Burns in the present report on the Crow. It is needless to say that these special lines, as well as the work in general, depend for their value and interest upon the individual effort of members.

A further announcement of the work will be made in the next bulletin. Meantime any questions or suggestions will be gladly received.

The annual dues of all members elected in October or January should be sent to the Treasurer as soon as possible.

Eleven members of the W. O. C. eligible to vote, have cast their ballots for officers of the W. O. C., for the year 1895, resulting as below :

For President -

R. M. Strong, 8. I. A. Bryant, 2. For Vice-President -Ned Hollister. 7. C. D. McLouth, 3. J. A. Bryant, I.

For Treasurer -Lynds Jones, 11.

For Secratary -

J. E. Dickinson, 6. H. E. Miller, 5.

For Executive Council (three to be elected)-J. Warren Jacobs, 9.

D. L. Savage, 7. Walton Mitchell, 5. C. A. Ely, 4. H. C. Oberholser, 4. A. H. W. Norton, 2.

F. L. BURNS, Judge of Election.

I have found this statement correct.

R. M. STRONG, President.

H. KENASTON, PRINTER, OBERLIN, OHIO.



Jones, Lynds. 1895. "Record of the Work of the Wilson Chapter, for 1893 and 1894, on the Mniotiltidæ." *The Wilson bulletin* 7(4), 1–22.

View This Item Online: https://www.biodiversitylibrary.org/item/35540 Permalink: https://www.biodiversitylibrary.org/partpdf/242019

Holding Institution American Museum of Natural History Library

Sponsored by Biodiversity Heritage Library

Copyright & Reuse Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.