

of them as well as of Filipendula,
though they are much more
tough. That in Holsdigen,
the young carpel has 2 ovules
will say little in my eyes.
Clematideae have 1-seeded
carpels though they possess
more than one ovule when
young. This shows only
questionable relation and nothing
more.

I am not in a position
to prove how far your func-
tion of Crinogonia and Petro-
phytum is justifiable,
but a priori I do not see
much to the contrary.

Thanking you once more
for the liberal spirit you
show to help me, I beg
to believe me, dear Sir,
very sincerely yours.

P. J. Maximowicz

Peter

Dear Sir.

Your letter and
of Pedicularis
and the latter
and the dra-
go the moun-
tains. I am
for this gift
and other
remain very
unseen by me
ones not seen
gray, I am
in a small
Museum, yet
1 Indian one
to get yet.
my analyses



Maximowicz, Carl Johann. 1890. "Maximowicz, Carl J. Oct. 27, 1890 [to S. Watson]." *Asa Gray correspondence. Senders McA-Ma*

View This Item Online: <https://www.biodiversitylibrary.org/item/224822>

Permalink: <https://www.biodiversitylibrary.org/partpdf/250664>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.