

Contents of Box 2, containing seeds
 Names underscored, are choice.

Name.	Cult. Area.	Remarks
<u>Linum Beslandiei</u> .	good.	dry open plains
<u>Acer glabrum</u>	"	a clumpy bush. 12 to 15 ft
<u>filia longifolia</u>	"	① ② dry sandy soil
<u>f. aggregata</u>	(Scant)	② dry soil
<u>Pentstemon humilis</u>	good.	dry rocky hills
<u>P. acuminatus</u>	"	" " "
<u>Anemone multifida</u>	"	dry soil
<u>Phacelia sericea</u>	extra	burnt woods &c
<u>Scum macrophyllum</u>	good	moist bottoms
<u>Polemonium caeruleum</u>	var.	high upland marshes
<u>Cardamine cordifolia</u>	"	margins of alpine bushes
<u>Meibomia leucocarpa</u>	(Scant)	" " "
<u>Agalegia caerulea</u>	(more to be got)	rich woods
<u>Ribes setosum</u>	good	Rocky hills
<u>R. cereum</u>	"	" "
<u>Lonicera involucrata</u>	"	Marshes.
<u>Arnica cordifolia</u>	"	moist rich woods
<u>A. angustifolia</u>	"	Alpine valleys
<u>Aster glaucus</u>	"	dry rocky hills
<u>Aplopappus Parryi</u>	"	burnt woods
<u>Nardosmia sagittata</u>	(Scant)	alpine marshes

Contents of Box 2 (continued)

Name	Condition	Remarks
<i>Actinella grandiflora</i>	good	Alpine meadows
<i>Machenanthera canescens</i>	"	rocky hill sides
<i>M. tinacoidifolia</i>	good (1)	dry plains
<i>Oxytropis splendens</i>	"	rich meadows
<i>O. deflexa</i>	"	" "
<i>O. Lamberti</i>	(Scant)	very common & variable
<i>Thermopsis rhomboides</i>	good	rich moist ground
<i>Trofolium Parryi</i>	(seed not well developed)	alpine meadows
<i>T. dasycyllum</i>	" " "	" " "
<i>Astragalus pictus</i>	(Scant)	Sandy soil
<i>A. Drummondii</i>	good	dry plains
<i>Berberis aquifolium</i>	"	rocky hills
<i>Gentiana acuta</i>	"	moist valleys
<i>Orthocarpus luteus</i>	"	dry soil
<i>Sedum stenopetalum</i>	"	dry soil
<i>Triglochin macroanthum</i>	"	moist valleys, or rocky slopes near streams
<i>Antennaria dioica</i>	"	forms a nice silvery sward
<i>Aster ascendeus</i>	"	dry hill sides
<i>Linum parryi</i>	"	dry soil, in clumps
<i>Oenothera marginata</i> (?)		rocky hill sides
<i>Pentstemon glabra</i>	(Scant)	dry soil
<i>Eryngium arkansanum</i>	good	dry soil

Sack No 3 contains
Abies Engelmannii cones & seed.

Box No 4 contains roots of
Antennaria dioica in mats
Pentstemon acuminatus 100 +
P. secundiflorus 100 +
Oxytropis splendens 50 ?
Sedum stenopetalum 200 +
Senecio. Fendleri — — — 5
Berberis aquifolium — — — 10

Empire Sept 20th/72

These parcels No 2-3-4 sent to Denver to
 day by the Byers wagon to be put in express
 office. Please, after looking over this &
 making any necessary memoranda. Enclose
 to the Backhouse. Each box contains on
 the lip a list of contents

C C Parry.

Enclosed to Prof. Aschmann
 Cambridge Mass



Parry, C. C. 1872. "Parry, C. C. Sept. 20, 1872 [list]." *Charles Christopher Parry letters to Asa Gray*

View This Item Online: <https://www.biodiversitylibrary.org/item/225935>

Permalink: <https://www.biodiversitylibrary.org/partpdf/254081>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.