

LIST OF BEETLES

collected in the months of August and September 1900
in Surinam (Dutch Guyana) and on the
island of Barbadoes

BY

Dr. D. L. UYTENBOOGAART.

In the months of August and September 1900 I collected some beetles, mostly small specimens, in Surinam, as well on the coast as in the inland. On my way back to Europe by the English Royal Mail, I visited Barbadoes and stayed there for a fortnight, in which time I also collected some Coleoptera. Dr. H. J. Veth has been kind enough to classify this collection and to determine a part of the species.

Entomologist who might wish to study species of this collection are kindly requested to communicate with Dr. D. L. Uyttenboogaart, N. Spiegelstraat 39, Amsterdam.

The classification is after the Catalogus Coleopterum of Gemminger & von Harold.

Carabidae.

<i>Casnonia</i> spec.?	On the banks of the Tempati-river.
<i>Agra erythropus</i> Dej	Paramaribo, hunting in the grass.
<i>Lebia</i> two different species?	Flying at night. Paramaribo.
<i>Tetragonoderus undatus</i> Dej	On the banks of the Surinam river near Paramaribo.
<i>Pachyteles</i> spec.?	In a piece of rotten wood on a plantation near Paramaribo.
<i>Scarites cayennensis</i> Dej.	Paramaribo. One came flying into a second stock room at night, attracted by the light.
" 8 punctatus Dej.	Under a piece of dead wood near Paramaribo.
<i>Oxydrepanus</i> spec.?	Very common on the banks of creeks near Paramaribo.

<i>Clivina</i> elongata Chaud	}	On the banks of small creeks in the
<i>Clivina</i> two species?		upper Tempati district.
<i>Selenophorus</i> two species?		Same place as foregoing species.
" " "		On a cocoa-plantation near Paramaribo.
<i>Selenophorus</i> spec.?	}	Barbadoes, hunting on the road.
<i>Hypolithus</i> "		
" " "		On a cocoa-plantation near Paramaribo.
<i>Harpalini</i> 1. species?		Same place as foregoing species.
<i>Acupalpus</i> spec.?		On the banks of a creek near Paramaribo.
<i>Platynus</i> "		Surinam.
<i>Lachnophorus</i> niger Gory.		On the banks of the Marowyne river near Albina.
" spec.?		On a sandbank in the upper Tempati. This species has exactly the colour of the sand.
<i>Tachys</i> 4 species?		Near Paramaribo.

Hydrophilidae.

<i>Hydrophilus</i> insularis Cast	Barbadoes. Very common over the whole island.
<i>Tropisternus</i> agilis Gylh.	Barbadoes. Very common over the whole island.
" lateralis Fabr.	Barbadoes. Very common over the whole island.
<i>Paracymus</i> spec.?	Barbadoes.
<i>Philhydrus</i> "	Barbadoes.
" 5 species?	Collected in creeks in the upper-Tempati district.
<i>Helochares</i> 2 "	Upper Tempati.
<i>Berosus</i> species?	In a trench on a cocoa-plantation. Para- maribo.
<i>Chaetarthria</i> 2 species?	Upper Tempati.
<i>Hydrochus</i> 4 "	" "
<i>Coelostoma</i> 2 "	In trenches on plantations near Para- maribo.
? spec.?	Surinam.

Staphylinidae.

<i>Gyrophæna</i> 1 species?	Surinam.
" spec.?	In a fungus on dead wood on the coast of Barbadoes.
<i>Dinopsis</i> spec.?	Surinam.
<i>Tachyporini</i> spec.?	"
<i>Belonuchus</i> haemorrhoidalis F.	Under the bark of <i>Eriodendron anfrac- tuosum</i> . Surinam.
<i>Medon</i> 2 species?	Near Paramaribo.
<i>Paederus</i> Crasiliensis Er.	" "
<i>Palaminus</i> pilosus Fr.	" "
" variabilis Er.	" "
<i>Stenus</i> anguinus Er.	" "
<i>Bledius</i> spec.?	" "

<i>Trogophloeus</i> 2 species	Surinam.
<i>Coprophilus</i> spec.?	"
<i>Homalini</i> 1. spec.?	"
<i>Piestus</i> spec.?	Under the bark of <i>Eriodendron anfractu- tuosum</i> . Surinam.
<i>Lispinus</i> striola	Near Paramaribo.
? spec ?	Surinam.
<i>Micropeplus</i> spec.?	"

Pselaphidae.

<i>Bryaxis</i> spec.?	Surinam.
-------------------------------	----------

Silphidae.

<i>Clambini</i> 2 species?	Surinam.
" 1 "	Barbadoes.

Histeridae.

<i>Hololepta</i> bractea Mars	Under the bark of the Poistree. Surinam.
" spec.?	Under the bark of the Poistree. Surinam.
<i>Lioderma</i> 4 dentatum F.	Under the bark of the Poistree. Surinam.
<i>Phelister</i> spec.?	Under the bark of <i>Eriodendron anfrac- tuosum</i> . Surinam.
<i>Epierus</i> lucidulus Mars.	Surinam.
" 2 species?	"
<i>Trypomaenus</i> 4 species?	Near Paramaribo.
? spec.?	Surinam.
? "	Barbadoes.

Phalacridae.

<i>Stilbus</i> 2 species?	Surinam.
-------------------------------------	----------

Nitidulidae.

<i>Carpophilus</i> dimidiatus F.	Upper Tempati.
<i>Epuraea</i> spec.?	In the flowers of Gramineae. Barbadoes.
<i>Camptodes</i> spec.?	Surinam.

Trogositidae.

<i>Airora</i> elivinoides Reitt.	Under the bark of the Poistree. Surinam.
<i>Tenebrioïdes</i> bipustulata F.	Under the bark of the Poistree. Surinam.
<i>Trogositae</i> Steinheili Reitt	Under the bark of the Poistree. Surinam.
" mauritanica L.	In the foodstorehouse of the mine Her- mina. Tempati.
" pulchella Reitt (?)	Under the bark of <i>Eriodendron anfrac- tuosum</i> . Surinam.

Colydiidae.

<i>Ditoma obscura</i> F.	Surinam.
<i>Aulonium</i> spec.	"
<i>Nematidium cylindricum</i> F.	Under the bark of the Poisontree. Surinam.
<i>Cerylon</i> spec.?	Surinam.
<i>Cerylonini</i> 1 species?	"
? 5 "	"

Cucujidae.

<i>Catogenus castaneus</i> Perty	Under the bark of the Poisontree. Surinam.
<i>Hyliotini</i> spec.?	Surinam.
<i>Microbrontes unicornis</i> Reitt. ♂ ♀.	"
<i>Telephanus</i> spec.?	"
<i>Laemophloeus castaneipennis</i> Grouw	"
" <i>bicolor</i> Chevr. (?)	"
" spec.?	"
<i>Silvanus triangulus</i> Reitt.	"
" <i>surinamensis</i> L.	"
<i>Cathartus quadricollis</i> Guér.	"
" <i>advena</i> Walth.	"
" spec.?	"
<i>Nausibius dentatus</i> Marsh.	"

Lathridiidae.

<i>Enicmus</i> spec.?	Surinam.
<i>Corticaria</i> 2 species?	"

Mycetophagidae.

<i>Typhaea</i> 2 species related to-	Surinam.
<i>Diplocoelus</i> spec.?	"

Dermestidae.

<i>Trogoderma insulare</i> Chevrol. (?)	Barbadoes.
---	------------

Byrrhidae.

<i>Limnichus</i> spec.?	Surinam.
---------------------------------	----------

Parnidae.

<i>Elmini</i> 1 species?	Surinam.
<i>Esolus</i> spec.?	Paramaribo.
<i>Stenelmis</i> 2 species?	Upper Tempati.

Passalidae.

<i>Spasalus crenatus</i> Mac L.	In pieces of rotten wood.	Surinam.
<i>Neleus interruptus</i> L.	" " " " " "	"
" <i>punctiger</i> Serv.	" " " " " "	"
<i>Ninus punctatissimus</i> Eschsch.	" " " " " "	"
" <i>interstitialis</i> Eschsch.	" " " " " "	"
<i>Verres furcilabris</i> Eschsch.	" " " " " "	"
? two species?	" " " " " "	"

Scarabaeidae.

<i>Canthon triangularis</i> Drzy.	Upper Tempati.
" <i>sordidus</i> Har	" "
<i>Onthophagus bidentus</i> Drup	Albina on the Marowine-river.
<i>Aphodius</i> spec.?	Barbadoes.
<i>Ataenius terminalis</i> Chevr.	"
" 3 species?	Upper Tempati.
<i>Anomala</i> var. of <i>undulata</i> Melsh. (?)	" "
<i>Rutela lineola</i> L. var. <i>Surinama</i> L.	Near Paramaribo.
<i>Cyclocephala rustica</i> Oliv.	Upper Tempati.
" <i>signata</i> Drury	Paramaribo. Very common. Flying into lighted rooms at night.
" <i>bicolor</i> Lap.	Oreala on the Corantine-river.
<i>Dyscinetus dubius</i> Ol.	Paramaribo. Very common, flying into lighted rooms at night.
<i>Dyscinetus</i> spec.?	Paramaribo.
<i>Ligyris ebeninus</i> Deg.	"
" <i>tumulosus</i> Burm	Barbadoes. Very common, flying into lighted rooms at night.
<i>Megaceras</i> spec.? ♀	Upper Tempati.

Buprestidae.

<i>Euchroma gigantea</i> L.	Flying round the goldiggers instruments in the sunshine. Upper Tempati.
<i>Psiloptera collaris</i> Oliv.	Collected with the former species.
<i>Colobogaster</i> 6 <i>punctata</i> F.	" " " " "
<i>Agrilini</i> 2 species?	Nickerie. Surinam.
<i>Brachys</i> spec.?	Surinam.

Triaxagidae.

<i>Triaxagus</i> spec.?	Surinam.
<i>Drapetes</i> spec.?	"

Monommidae.

<i>Hyporrhagus</i> spec.?	Surinam.
-----------------------------------	----------

Elateridae.

<i>Dilobitarsus bidens</i> F.	Under the bark of the Poistontree. Surinam.
<i>Meristhus</i> 2 species?	Surinam.
<i>Chalcolepidius porcatus</i> L.	On <i>Eriodendron anfractuosum</i> . Surinam.
<i>Ischiodontus nigrita</i> Cand.	Surinam.
" 2 species?	"
<i>Aeolus</i> 4 species?	"
<i>Monadicus</i> spec.?	"
<i>Cardiophorus</i> spec.?	"
<i>Limonius</i> spec.?	"
<i>Athous</i> spec.?	"
<i>Pyrophorus pellucidus</i> Eschsch.	Upper Tempati.

Dascillidae.

<i>Cyphon</i>	1 species related to-		Surinam.
<i>Scirtes</i>	1 " " "		"
<i>Scirtes</i>	3 species?		"
?	6 " "		"

Malacodermidae.

<i>Calopteron</i>	spec.?		Near Paramaribo.
<i>Emplectus</i>	7 individua		Belonging partly to different species. Surinam.
<i>Aspidosoma</i>	ignitum L.		Very common at Paramaribo.
<i>Photuris</i>	4 species?		Upper-Tempati.
<i>Cantharis</i>	luteus Blanch		Surinam.
<i>Cantharis</i>	2 species?		"
<i>Cantharini</i>	1 species?		"
<i>Silis</i>	spec.?		"
<i>Malthinus</i>	spec.?		"
<i>Malchinus</i>	spec.?		"

Cleridae.

<i>Priocera</i>	spinosa F.		Under the bark of the Poisontree. Surinam.
<i>Pelonium</i>	spec.?		Upper Tempati.
?	2 species?		Surinam.

Ptinidae.

<i>Xyletinus</i>	2 species? related to-	. . .	Surinam.
<i>Dorcatoma</i>	spec.?		"

Bostrychidae.

<i>Xylopertha</i>	spec.?		Surinam.
?	spec.?		"

Cioidae.

<i>Lyctopholis</i>	spec.?		Surinam.
?	spec.?		"

Tenebrionidae.

<i>Epitragus</i>	fuscus Latr.		Albina on the Marowine-river.
<i>Opatrinus</i>	geminatus Er.		Under the bark of a piece of dead wood. Paramaribo.
<i>Phaleria</i>	Chevrolati Fleut. (?)		On the coast of Barbadoes.
<i>Platyedema</i>	2 species? and 2 species rela-		Surinam.
	ted to-		
<i>Tribolium</i>	ferrugineum F.		Surinam.
<i>Zophobas</i>	spec.?		Barbadoes.
<i>Sitophagus</i>	scidarius Reitt.		Surinam.
<i>Lobopoda</i>	spec.?		Upper Tempati.
<i>Cistela</i>	spec.?		" "
<i>Lystromichidae</i>	1 species		Albina on the Marowine-river.

Lagriidae.

Statira fulvicollis F. (?) Upper Tempati.

Pedilidae.

Eurygenius 2 species? Surinam.
Macratia spec.? Upper Tempati.
Xylophilus (*Euglenes*) 3 species? Surinam.

Anthicidae.

Anthicus 5 species? Surinam.

Mordellidae.

Mordella ferruginea F. Surinam.

Rhipidophoridae.

Emenadia spec.? Barbadoes.

Cantharidae.

Epicauta spec.? probably *virgata* Klug. Paramaribo.

Oedemeridae.

Copidita 2 species? Surinam.
 " 2 species? Barbadoes.

Curculionidae.

Sitonini 3 species? 2 spec. from Surinam, 1 spec. from Barbadoes.
Exophthalmus abbreviatus L. Barbadoes.
Hylobiini 1 species? Surinam.
Apion 5 species? Surinam. The smallest specimen common on *Mimosa noli-me-tangere* near Paramaribo.
Attelabus spec.? Paramaribo.
Cryptorrhynchus spec.? Surinam.
Coelosternus spec.? "
Zygops 2 species? Upper Tempati.
Zygopini 2 species? Surinam.
Copturus spec.? "
Ceutorrhynchini 8 species? "
Diorygomenus spec.? "
Baris 6 species? "
Barini species? "
Rhynchophorus palmarum L. "
 " *politus* Gyll. Upper Tempati.
Sphenophorus hemipterus L. " "
Sphenophorini 1 species. " "
Pentarthrum spec.? Surinam.
Cossonus squama F. (?) Under the bark of the Poistree-Surinam.
 " spec.? Collected with the former species.
Cossonini 1 species? Upper Tempati.
 ? 2 species? Surinam.

Scolytidae.

<i>Hylastus</i> spec.?	Surinam.
<i>Hylesinini</i> 1 species?	"
<i>Phloeotribus</i> spec.?	"
<i>Cryphalus</i> 3 species?	"
<i>Xyleborus</i> 3 species?	"
<i>Platypus</i> <i>difficilis</i> Chap.	"
" <i>Sallei</i> Chap.	"
" 4 species?	"
<i>Tessarocerus</i> spec.?	"

Remark: Most of these Scolytidae were collected in the dense forests of the inland by means of a lamp at night.

Brenthidae.

<i>Brenthus</i> <i>anchorago</i> L.	Very common under the bark of the Poison-tree. Surinam,
" <i>bidentatus</i> Ol.	Collected with the former species.
" spec.?	" on flowers. Surinam.

Anthotribidae.

<i>Ptychoderes</i> <i>nebulosus</i> Ol. (?)	Under the bark of the Poison-tree. Surinam.
---	--

Cerambycidae.

<i>Mallodon</i> spec.?	Surinam.
<i>Sphallenum</i> <i>castanopternum</i> Er. (?)	Surinam.
<i>Chlorida</i> <i>festiva</i> ?	Upper Tempati.
" spec.?	" "
<i>Gnomidolon</i> spec.?	" "
<i>Obrium</i> 1 species related to-	" "
<i>Callichroma</i> spec.?	Surinam.
<i>Trachyderes</i> <i>succinctus</i> Drap. var. <i>cayennensis</i> . Nickerie.	
<i>Lyssonotus</i> <i>cruciatus</i> Drap.	Caught in a cob-web near Paramaribo.
<i>Lissonotus</i> <i>equestris</i> F.	Upper Tempati.
<i>Phryneta</i> <i>verrucosa</i> Drury	Barbadoes.
<i>Megacera</i> <i>vittata</i> Serv. (?)	Near Paramaribo.
<i>Stirastoma</i> <i>breve</i> Salz	Very harmful to the cocoa trees. Suri- nam.
<i>Amniscus</i> spec.	Paramaribo.
<i>Lagochirus</i> <i>araneiformis</i> L.	Caught in a cob-web near Paramaribo.
<i>Trypanidius</i> spec.?	Surinam.
<i>Probatius</i> spec.?	Upper Tempati.
<i>Colobotheca</i> <i>varia</i> F.	" "

Bruchidae.

<i>Bruchus</i> spec.?	Surinam.
-----------------------	----------

Chrysomelidae.

<i>Lema</i> praetentata Lac	Paramaribo.
" 4 species?	Surinam.
<i>Megascelis</i> frenata Lac. (?)	Albina on the Marowine-river.
<i>Chlamys</i> 2 species?	Albina. One of these species represents a remarkable form of mimicry, as it is exactly like the excrements of a certain caterpillar with which it lives on the same scrubs.
<i>Exema</i> spec.?	Surinam.
<i>Monachus</i> gemellus suffr.	"
<i>Cryptocephalus</i> spec.?	"
<i>Pachybrachys</i> mysticus Suffr.	"
" 2 species?	"
<i>Spintherophyta</i> spec.?	"
<i>Chalcoplacis</i> 2 species	"
<i>Metaxyonycha</i> testacea F.	"
<i>Colaspis</i> fastidiosa Lef	"
" occidentalis L.	Albina on the Marowine-river.
" 2 species?	Surinam.
<i>Otileia</i> spec.?	Upper Tempati.
<i>Chalcophana</i> 2 species?	Surinam.
<i>Eumolpus</i> surinamensis F.	Upper Tempati.
<i>Eumolpini</i> 6 species?	Surinam.
<i>Myochrous</i> dubius F.	On waterplants on the banks of the Surinam-river. Paramaribo.
<i>Epitrix</i> spec.?	Surinam.
<i>Haltica</i> 2 species.?	Surinam. One spec. was abundant at the mouth of the Tempati-river.
<i>Disonycha</i> glabrata F.	Upper Tempati.
" spec.?	Surinam.
<i>Lactica</i> 2 species?	"
<i>Longitarsus</i> 2 species?	"
<i>Chaetocnema</i> spec.?	"
<i>Asphaera</i> abbreviata F.	Near Paramaribo.
" spec.?	Surinam.
<i>Homophoeta</i> abdominalis L.	Surinam and very common on Barbadoes.
" spec.?	Surinam.
<i>Oedionychis</i> 10 guttata F.	"
<i>Monoplatites</i> 3 species?	"
<i>Halticidae</i> 34 individua	belonging for the greater part to diffe- rent species. Surinam
" 1 species?	Barbadoes.
<i>Diabrotica</i> trifasciata F.	Upper Tempati.
" bivittata F.	" "
" 2 species?	" "
" spec.?	In the flowers of a Passiflora. Albina.
" 3 species?	Surinam.
<i>Dircema</i> nigripennis F.	Upper Tempati.
" spec.?	" "
<i>Coelomera</i> cayennensis F	" "

<i>Cerotoma</i> variegata?	Surinam.
<i>Galerucidae</i> 9 species?	"
<i>Acanthodes</i> spec.?	Paramaribo.
<i>Uroplata</i> angulata F.	"
<i>Chalepus</i> ruficollis F.	"
<i>Cephalodonta</i> maculata Oliv.	"
<i>Himatidium</i> capense (Herbst)(fasciatum F.)	Paramaribo.
<i>Chelymorphe</i> variolosa F.	Paramaribo.
<i>Coptocycla</i> bicolor	"
" judaica F.	"
" 2 species?	"

Erotylidae.

? spec.?	Surinam.
------------------	----------

Endomychidae.

<i>Amphix</i> discoideus Gerst. (?)	Upper Tempati.
" marginatus F.	" "
<i>Epopterus</i> histrio Gerst. (?)	" "

Coccinellidae.

<i>Migilla</i> maculata Dej.	Surinam and Barbadoes.
<i>Halysia</i> confluens F.	Surinam.
<i>Neda</i> sanguinea L.	Near Paramaribo and on Barbadoes very common.
<i>Brachyacantha</i> 4 species?	Surinam.
<i>Hyperaspis</i> bisquinquepustulata F. . .	"
" 2 species?	"
<i>Scymnus</i> thoracicus F.	Barbadoes.
" probably a variety of thoracicus F.	Surinam.
<i>Scymnus</i> 8 species?	"
<i>Azya</i> spec.?	"
<i>Exoplectra</i> spec.?	"
? 5 species?	"

Corylophidae.

<i>Parnulus</i> (<i>Sacium</i>) 3 species?	Surinam.
--	----------

The list of the **Dytiscidae** and **Gyrinidae** will be published later on.

Amsterdam, October 1901.



Uyttenboogaart, Daniel Louis. 1902. "List of beetles collected in the months of August and September 1900 in Surinam (Dutch Guyana) and on the island of Barbados." *Tijdschrift voor entomologie* 45, 112–121.

View This Item Online: <https://www.biodiversitylibrary.org/item/40950>

Permalink: <https://www.biodiversitylibrary.org/partpdf/25752>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.