

Sapindaceae

- 1792 *Evolvulus* sp. n.
- 295 *Cytisus canariensis* Linn.
- 301 } *Crotalaria stipularia* Desv.
- 2214 } *Crotalaria stipularia* Desv.
- 300 — *pumila* R.Br.
- 299 — *micros* Desv.
- 290 — *angustirostris* H.B.K.
- 313 *Indigofera* unit
- 1795 — sp.
- 1797 — *mucronata* Spw.
- 314 — *lipedezoides* H.B.K.
- 310 } *Dalea nigra* Mart. & Gal.
- 311 — *domingensis* De.
- 1796 — sp. & *difflua* provinciae
- 2224 *Tephrosia cinerea* Pers. var.
- 245 — *extorta* De.
- 315 — *torreana* Pers.
- 2220 — sp. n.?
- 2216 *Agati grandiflora* Desv.
- 246 *Crocea* sp. (*genus novideundem*)
- 2217 *Diphysa scandens* Reut?
- 2222 *Couretia Sabicea florida* De.
- 309 *Arachis hypogaea* L.
- 1793 *Ptylorastris procumbens* Sw.
- 297 — *vicina* Sw. var. *acutipetala*
- 296 — *guianensis* var?
- 293 *Zornia diphylla* Pers.
- 290 *Poirinia scandens* Nutt.
- 292 *Chatocatzx hebecarpa* R.Br.
- 291 — *pubescens* De
- 194 *Nicotiana platzpurga* R.Br. X
- 2212 *Archynomeae revoluta* Sw.
- 2300 } — *americana* L. var. *major*
- 1779 } — — — var *minor*
- 289 } — — —
- 1700 } — — —
- 2213 } — *falcata* De
- 207 } — — —
- 1781 } — *brasiliensis* De.
- 2210 } — *panciculata* Willd.
- 1791 —

ca. 1859

- Pseudoceratinae (Venezuela)*
- 294 *Dermadium barbatum* R.Br.
 - 279 } — *uncinatum* De.
 - 280 } — *uncinatum* De.
 - 281 } — *uncinatum* De.
 - 282 } — *uncinatum* De.
 - 1783 — *meionema* De.
 - 284 } — — — var *villorior*
 - 285 } — — —
 - 277 } — *apicillare* De.
 - 278 } — *apicillare* De.
 - 276 — *cajanopolium* De.
 - 203 — *ericophyllum* Schlecht? — *Acetosella* De.
 - 1790 — *Darlosia* Reut. deg. R.Br.
 - 2211 — *scorpiurus* Desv.
 - 1780 — *asperum* Desv.
 - 206 — *pauchotianum* Vog.
 - 1782 — (*Calorum*) sp.
 - 1789 — *molle* De.
 - 1784 — *tortuosum* De. var?
 - 1785 } — *spicale* De.
 - 1786 } — *spicale* De.
 - 1787 } — *spicale* De.
 - 244 *Lathyrus tingitanus* L.
 - 2199 — *catinatus* L.
 - 305 *Cleitoria*, *C. arborealis* provinciae
 - 2201 — — — an eadem?
 - 1794 — *guyanensis* Reut.
 - 252 *Centrosema plumieri* R.Br.
 - 262 } — *Brasiliannum* R.Br.
 - 1778 } — *Braziliannum* R.Br.
 - 262 — *pubescens* R.Br.
 - 261 — *virginianum* R.Br.
 - 247 — *hastatum* R.Br.
 - 260 *Teramenea uncinatus* Sw. = X
 - 269 — — — ?
 - 274 *Galactea* sp.
 - 2206 — *gaumeri* H.B.K. var. *volutilla* (G. *volutina* R.Br.)
 - 1776 — *tenuiflora* W.C.Q.
 - 1775 *Stenolobium coeruleum* R.Br.
 - 1800 — *bryophyllum* var. *brachystachys* R.Br.
 - 272 — *galactioide* R.Br. chrysanthemum R.Br.
 - 273 } *Colloca*? v. *galactioide*? off. f. *Juricai*
 - 1774 } — * = 138 night. Culta. W

- 229 *Dioecia laevigata* Mart.
 • 250 — *guianensis* Blk. var. *grandiflora*?
 • 271 *Lauavalia vellora* Blk.
 • 268 — *gladecata* DC.
 • 251 — sp.
 • 266 *Mucuna flagellipes* Vog.
 • 1790? — *prorenis* Bl.
 • 2200? —
 • 2597 *Erythrina corallodendron* L.? (v. ?
 umbrosa H.R.K.? calyx dent.)
 • 304 — *umbrosa* H.R.K.
 • 306 — *glaeca* Willd
 • 307 — *velutina* Willd
 • 308 — sp.
 • 2203 *Pharbitis hispida* L. var. *macrocarpa*
 • 260 — — var? (*P. ximenesii* Zucc?)
 • 253 — *speciosa* H.R.K.
 • 255 — —?
 • 258 — *appendiculata* Blk.
 • 254? — —? (*P. angustifolia* Blk?)
 • 1777? —
 • 2205 — sp.
 • 259 — *peduncularis* H.R.K.
 • 257? — *Troxilleaei* H.R.K
 • 2202? — *leiorhiza* H.R.K.
 • 265 — *semi-crenata* Blk. var.
 • 1799 — *semi-crenata* Blk. var.
 • 264 — *cystothecacea* Mart.
 • 250 *Nigua buteola* Blk.
 • 2209 — *repanda* Blk.
 • 303 *Cayanus indicus* Spreng.
 • 2207 *Hypneaia reticulata* DC.
 • 275? — *mimica* DC.
 • 2208? — sp.
 • 267? — sp.
 • 270? — sp.
 • 302 *Iscoemum rufum* E. Mey.
 • 2215 *Abrus precatorius* L.
- 2220 *Mackernium* sp.
 • 1060 — *Moritzianum* Blk
 • 1750 — — ?
 • 2226 — *Humboldtiannum* Vog.
 • 2225 — *acuminatum* H.R.K.
 • 1913 — — var
 • 1065 — *Sennarum* Blk.
 • 2310 — sp?
 • 2227 — sp.
 • 1062 *Platynium polytachys* Blk.
 • 2221 *Soredocarpus guatemalensis* Blk. var.
 • 310 — *violaceus* H.R.K.
 • 1061 — *macrocarpus* Blk.
 • 1063? — *Rendlettii* Blk.
 • 2209? —
 • 2223 *Tessicalyx pseudeli* gen. nov.
 I have sent in the characters
 of this new genus to the Linnean
 Society - The loose fruits & struc-
 ture with the specimen, are
 those of a Guaiacum.
- 316 *Myoporumum frontescens* Jacq.
 • 2210 *Bowdichia virgilioides* H.R.K.
 • 1751 *Armenia fastigiata* Tul.
 • 1064 *Cesalpiniae* aff?
- rather a deodarae
- * 1866

* am 258
258.



Bentham, George. 1859. "Bentham, George [1859] [plant list]." *George Bentham letters to Asa Gray*

View This Item Online: <https://www.biodiversitylibrary.org/item/226393>

Permalink: <https://www.biodiversitylibrary.org/partpdf/261136>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.