

-MIXOMYCETES-

(Identified by D^r. W. G. Farlow)

All collected from Mangrove Cay, Andros.

l.c. Physarum Compressum A. & S. Distribution

Dr. Farlow says: "This specimen is interesting as being a form of the species noted in the tropics by Lister, but although not quite the northern form still not specifically distinct."

Physarum globuliferum (Bull.) Pers. Distribution

Physarum viride Pers. Distribution.

S Didymium squamulosum (A. & ~~f.~~) Fr. (D. effusum Ltr.).
Distribution.

Lister

Dictydium cancellatum (Batsch.) Macbride (D. umbilicatum Schrad.).
Distribution.

A widely distributed species.

Arcyria punicea Pers. Distribution.

Arcyria Oerstedtii Ros~~f.~~? Distribution.

t

l.c. Dr. Farlow remarks of the above that "it answers to descriptions of Arcyria oerstedtii Rostf. in most respects, but the Capillitium is not the same as in specimens of that species. It may be new."

Arcyria cinerea (Ball.) Pers. (*A. albida* Pers.). Distribution

Hemitrichia Clavata (Pers.) Rost. Distribution.

Lycogola epidendron (L.) Fr. Distribution.

Stemonitis herbatica. Distribution.

Dr. Farlow says of this: "It resembles in some respects *S. herbatica* and also *S. Smithei*, but as far as can be told from the specimens, the spores have not the ferruginous color of the latter species."



Coker, William Chambers. 1878. "Myxomycetes." *William Gilson Farlow miscellaneous specimen lists : collectors C-E*

View This Item Online: <https://www.biodiversitylibrary.org/item/240134>

Permalink: <https://www.biodiversitylibrary.org/partpdf/263282>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.