

Herbarium List

NORTH AMERICAN PLANTS.

CONTENTS OF FASCICLE I.

COLLECTED AND DISTRIBUTED BY A. H. CURTISS IN 1877.

- | | | | |
|--|---|--|--|
| <p><i>Clematis reticulata</i>, Walt.
 <i>Asimina parviflora</i>, Dunal.
 <i>grandiflora</i>, Dunal.
 <i>Nymphaea flava</i>, Leitner.
 <i>Sarracenia variolaris</i>, Mx.
 <i>Gynandropsis pentaphylla</i>, DC.
 <i>Helianthemum corymbosum</i>, Mx.
 <i>Ascyrum amplexicaule</i>, Mx.
 <i>Hypericum cistifolium</i>, Lam.
 <i>fasciculatum</i>, Lam.
 <i>myrtifolium</i>, Lam.
 <i>Arenaria diffusa</i>, Ell.
 <i>Portulaca pilosa</i>, L.
 <i>Sida stipulata</i>, Cav.
 <i>Hibiscus coccineus</i>, Walt.
 <i>Gordonia Lasianthus</i>, L.
 <i>Ximenesia Americana</i>, L.
 <i>Ceanothus microphyllus</i>, Mx.
 <i>Polygala Baldwinii</i>, Nutt.
 <i>cymosa</i>, Walt.
 <i>grandiflora</i>, Walt.
 <i>setacea</i>, Mx.
 <i>Lupinus villosus</i>, Willd.
 <i>Crotalaria Purshii</i>, DC.
 <i>Psoralea virgata</i>, Nutt.
 <i>canescens</i>, Mx.
 <i>Lupinellus</i>, Mx.
 <i>Petalostemon roseum</i>, Nutt.
 <i>gracilis</i>, Nutt.
 <i>corymbosus</i>, Mx.
 <i>Indigofera Caroliniana</i>, Walt
 <i>Glottidium Floridanum</i>, DC.
 <i>Astragalus obcordatus</i>, Ell.
 <i>Æschynomene viscidula</i>, Mx.
 <i>Rhynchosia tomentosa</i>, var.
 <i>monophylla</i>, T. & G.
 <i>var. erecta</i>, T. & G.
 <i>var. volubilis</i>, T. & G.
 <i>Galactia Elliottii</i>, Nutt.
 <i>Baptisia Lecontei</i>, T. & G.
 <i>Cassia obtusifolia</i>, L.
 <i>Schrankia angustata</i>, T. & G.
 <i>Prunus Caroliniana</i>, Ait.
 <i>Crataegus flava</i>, Ait.
 <i>Gaura angustifolia</i>, Mx.
 <i>Gnothera sinuata</i>, L.
 <i>Ludwigia virgata</i>, Mx.
 <i>linifolia</i>, Poir.
 <i>alata</i>, Ell.
 <i>Rhexia glabella</i>, Mx.
 <i>ciliosa</i>, Mx.
 <i>serrulata</i>, Nutt.
 <i>Piriqueta fulva</i>, Chapm.
 <i>Eryngium Mettaueri</i>, Wood.
 <i>aromaticum</i>, Baldw.
 <i>Tiedemannia teretifolia</i>, DC.
 <i>Heliosciadium letophyllum</i>, DC.
 <i>Leptocaulis divaricatus</i>, DC.
 <i>Cornus stricta</i>, Lam.
 <i>Galium hispidulum</i>, Mx.
 <i>Richardsonia scabra</i>, St. Hill.
 <i>Diodia Virginica</i>, L.
 <i>Chiococca racemosa</i>, Jacq.
 <i>Houstonia rotundifolia</i>, Mx.
 <i>Vernonia angustifolia</i>, Mx.
 <i>Carpheophorus corymbosus</i>.</p> | <p><i>Liatris elegans</i>, Willd.
 <i>tenuifolia</i>, Nutt.
 <i>gracilis</i>, Pursh.
 <i>paniculata</i>, Willd.
 <i>Eupatorium coronopifolium</i>, Willd.
 <i>Aster squarrosus</i>, Walt.
 <i>Erigeron vernalis</i>, T. & G.
 <i>Diplopappus obovatus</i>, T & G
 <i>Solidago brachyphylla</i>, Chap
 <i>tortifolia</i>, Ell.
 <i>Bigelovia nudata</i>, DC.
 <i>Heterotheca scabra</i>, DC.
 <i>Chrysopsis gossypina</i>, Nutt.
 <i>Conyza ambigua</i>, DC.
 <i>Baccharis angustifolia</i>, Mx.
 <i>glomeruliflora</i>, Pers.
 <i>Pterocaulon pycnostachyum</i>, Ell.
 <i>Berlandiera tomentosa</i>, T & G
 <i>Iva microcephala</i>, Nutt.
 <i>Melanthera hastata</i>, Mx.
 <i>Zinnia multiflora</i>, L.
 <i>Rudbeckia mollis</i>, Ell.
 <i>Helianthus Radula</i>, T. & G.
 <i>Actinomeris heterophylla</i>, Chapm.
 <i>Coreopsis aurea</i>, Ait.
 <i>gladiata</i>, Walt.
 <i>nudata</i>, Nutt.
 <i>Acanthospermum xanthioides</i>, DC.
 <i>Palafoxia integrifolia</i>, T & G.
 <i>Baldwinia uniflora</i>, Nutt.
 <i>Actinospermum angustifolium</i> T. & G.
 <i>Cirsium Nuttallii</i>, DC.
 <i>Chaptalia tomentosa</i>, Vent.
 <i>Lygodesmia aphylla</i>, DC.
 <i>Pyrrophappus Carolinianus</i>.
 <i>Lobelia glandulosa</i>, Walt.
 <i>paludosa</i>, Nutt.
 <i>Vaccinium myrsinites</i>, Mx.
 <i>Leucothoe axillaris</i>, Don.
 <i>acuminata</i>, Dunal.
 <i>Andromeda nitida</i>, Bartr.
 <i>ferruginea</i>, Walt.
 <i>ligustrina</i>, Muhl. var. <i>frondosa</i>, Pursh.
 <i>Kalmia hirsuta</i>, Walt.
 <i>Bejaria racemosa</i>, Vent.
 <i>Ilex ambigua</i>, Chapm.
 <i>myrtifolia</i>, Walt.
 <i>Dahoon</i>, Walt.
 <i>coriacea</i>, Chapm.
 <i>Bumelia tenax</i>, Willd., var.
 <i>Styrax pulverulenta</i>, Mx. +
 <i>Symplocos tinctoria</i>, L'Her.
 <i>Utricularia fibrosa</i>, Walt.
 <i>Pinguicula lutea</i>, Walt.
 <i>elator</i>, Mx.
 <i>pumila</i>, Mx.
 <i>Bignonia capreolata</i>, L.
 <i>Gratiola subulata</i>, Bald.
 <i>Scoparia dulcis</i>, L.
 <i>Buchnera elongata</i>, Swartz.
 <i>Seymeria tenuifolia</i>, Pursh.
 <i>pectinata</i>, Pursh.
 <i>Gerardia divaricata</i>, Chapm.</p> | <p><i>Gerardia aphylla</i>, Nutt.
 <i>purpurea</i>, L., var. <i>fasciculata</i>, Chapm.
 <i>filifolia</i>, Nutt.
 <i>Ruellia oblongifolia</i>, Chapm
 <i>Verbena Caroliniana</i>, Mx.
 <i>Callicarpa Americana</i>, L.
 <i>Hyptis radiata</i>, Willd.
 <i>spicata</i>, Poit.
 <i>Pycnanthemum nudum</i>, Nutt
 <i>Salvia azurea</i>, Lam.
 <i>Scutellaria integrifolia</i>, var.
 <i>major</i>, Chapm.
 <i>Bonamia humistrata</i>, Gray.
 <i>Lycium Carolinianum</i>, Mx.
 <i>Bartonia verna</i>, Muhl.
 <i>Gelsemium sempervirens</i>, Ait
 <i>Polypremum procumbens</i>, L.
 <i>Asclepias amplexicaulis</i>, Mx.
 <i>cinerea</i>, Walt.
 <i>Olea Americana</i>, L.
 <i>Rumex Engelmanni</i>, Ledeb.
 <i>Polygonella gracilis</i>, Meisn.
 <i>Persea Carolinensis</i>, Nees.
 <i>Callitriche peploides</i>, Nutt.
 <i>Euphorbia heterophylla</i>, L.
 <i>Jatropha urens</i>, L., var. <i>stimulosa</i>, S. Muller.
 <i>Stylingia sylvatica</i>, L.
 <i>ligustrina</i>, Mx.
 <i>Tragia innocua</i>, Walt.
 <i>Quercus Catesbaei</i>, Mx.
 <i>cinerea</i>, Mx.
 <i>Phellos</i>, L.
 <i>virens</i>, var. <i>dentata</i>, Chap.
 <i>Myrica cerifera</i>, L., var. <i>pumila</i>, Mx.
 <i>Pinus Elliottii</i>, Eng.
 <i>australis</i>, Mx.
 <i>Sabal Palmetto</i>, R. & S.
 <i>Sagittaria natans</i>, Mx., var.
 <i>lorata</i>, Chapm.
 <i>Burmanna capitata</i>, Chapm.
 <i>Habenaria cristata</i>, R. Br.
 <i>ciliaris</i>, R. Br., var.
 <i>nivea</i>, Spreng.
 <i>Spiranthes brevifolia</i>, Chap.
 <i>graminea</i>, var. <i>Walteri</i>, Gr.
 <i>Pogonia divaricata</i>, R. Br.
 <i>Calopogon parviflorus</i>, Lindl.
 <i>Aletris aurea</i>, Walt.
 <i>Tillandsia recurvata</i>, Pursh.
 <i>usneoides</i>, L.
 <i>Smilax auriculata</i>, Walt.
 <i>tamnoides</i>, L.
 <i>laurifolia</i>, L.
 <i>Lilium Catesbaei</i>, Walt.
 <i>Yucca aloifolia</i>, L.
 <i>Juncus Roemerianus</i>, Scheele
 <i>Tradescantia rosea</i>, Vent.
 <i>Xyris Elliottii</i>, Chapm.
 <i>platylepis</i>, Chapm.
 <i>torta</i>, Smith.
 <i>Eriocaulon gnaphalodes</i>, Mx.
 <i>Lachnocaulon Michauxii</i>, Kunth.
 <i>Cyperus articulatus</i>, L.
 <i>Baldwinii</i>, Torr.
 <i>microdontus</i>, Torr.</p> | <p><i>Cyperus tetragonus</i>, Ell.
 <i>rotundus</i>, var. <i>Hydra</i>, Gr.
 <i>Fuirena scirpoidea</i>, Vahl.
 <i>Eleocharis albida</i>, Torr.
 <i>Baldwinii</i>, Torr.
 <i>Fimbristylis ciliatifolia</i>.
 <i>stenophylla</i>.
 <i>spadicea</i>, Vahl., var. <i>puberula</i>, Chapm.
 <i>Dichromena latifolia</i>, Baldw.
 <i>leucocephala</i>, Mx.
 <i>Rhynchospora caduca</i>, Ell.
 <i>capitata</i>, Chapm.
 <i>Chapmanii</i>, M. A. Curtiss.
 <i>ciliata</i>, Vahl.
 <i>divergens</i>, Chapm.
 <i>Elliottii</i>, Dietr.
 <i>filifolia</i>, Gray.
 <i>Grayii</i>, Kunth.
 <i>megalocarpa</i>, Gray.
 <i>miliacea</i>, Gray.
 <i>oligantha</i>, Gray.
 <i>plumosa</i>, Ell.
 <i>Scleria ciliata</i>, Mx.
 <i>Elliottii</i>, Chapm.
 <i>Baldwinii</i>, Torr.
 <i>gracilis</i>, Ell.
 <i>Sporobolus Indicus</i>, Brown.
 <i>Floridanus</i>, Chapm.
 <i>Muhlenbergia trichopodes</i>, Chapm.
 <i>Aristida stricta</i>, Mx.
 <i>spiciformis</i>, Ell.
 <i>lanata</i>, Poir.
 <i>Ctenium Americanum</i>, Spr.
 <i>Eustachys petraea</i>, Desv.
 <i>glauca</i>, Chapm.
 <i>Floridana</i>, Chapm.
 <i>Dactyloctenium Ægyptiacum</i>, Willd.
 <i>Tricuspis ambigua</i>, Chapm.
 <i>cornuta</i>, Gray.
 <i>Uniola paniculata</i>, L.
 <i>Paspalum vaginatum</i>, Swartz.
 <i>distichum</i>, L.
 <i>præcox</i>, Walt.
 <i>Panicum gibbum</i>, Ell.
 <i>anceps</i>, var. <i>strictum</i>, Chap.
 <i>ignoratum</i>, Kunth.
 <i>molle</i>, Mx.
 <i>Cenchrus echinatus</i>, L.
 <i>Stenotaphrum Americanum</i>, Schrank.
 <i>Rottboellia rugosa</i>, Nutt.
 <i>Andropogon Elliottii</i>, Chapm.
 <i>brachystachyus</i>, Chapm.
 <i>tetrastachyus</i>, Ell.
 <i>Virginicus</i>, L., var.
 <i>melanocarpus</i>, Ell.
 <i>Sorghum pauciflorum</i>, Chap.
 <i>secundum</i>, Chapm.
 <i>Aspidium Floridanum</i>, Chap.
 <i>Lycopodium cernuum</i>, L.
 <i>inundatum</i>, L., var. <i>appressum</i>, Chapm.</p> |
|--|---|--|--|

or names being supplementary to Fasc. I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars. Jacksonville, Florida, January 1, 1880.

A. H. CURTISS.

NORTH AMERICAN PLANTS.

— CONTENTS OF —

FASCICLE II.

DISTRIBUTED BY A. H. CURTISS IN 1878.

- | | | | |
|--------------------------------|---------------------------------|-----------------------------------|--|
| Clematis Catesbyana, Pursh. | Rhexia Mariana, L. var. lan- | Ipomoea Bona-Nox, L. | Yucca filamentosa, L. <i>fruticosa</i> |
| Magnolia grandiflora, L. + | ceolata, Walt. (sp.) | sagittifolia, Bot. Reg. | Juncus dichotomus, Ell. |
| Asimina pygmaea, Dunal. | stricta, Pursh. | Dichondra repens, var. Caro- | Elliotii, Chapm. |
| Cabomba Caroliniana, Gray. | lutea, Walt. | linensis, Choix. | marginatus, Rostk. var. bi- |
| Nasturtium | Lythrum lineare, L. | Solanum rostratum, Dunal. | florus, Ell. (sp.) |
| tanacetifolium, H. & Arn. | Mentzelia Floridana, Nutt. | sisymbriifolium, Lam. | scirpoides, Lam., var. mac- |
| Leavenworthia | Passiflora incarnata, L. | aculeatissimum, Jacq. | rostem, Engelm. |
| Michauxii, Torr. | suberosa, L. | Capsicum frutescens, L. | var. echinatus, Engelm. |
| Draba brachycarpa, Nutt. | Melothria pendula, L. | Sabbatia calycosa, Pursh. | var. polycephalus, Eng. |
| Drosera brevifolia, Pursh. | Eugenia monticola, DC. | Mitreola sessilifolia, T. & G. | setaceus, Rostk. |
| capillaris, Poir. | Hydrocotyle repanda, Pers. | Amsonia | Commelina angustifolia, Mx. |
| Acyron stans, Mx. | interrupta, Muhl. | Tabernaemontana, Walt. | communis, L. ? |
| pumilum, Mx. | Eryngium yuccifolium, var. | Vinea rosea, L. | Xyris brevifolia, Mx. |
| Hypericum maculatum, Walt. | synchetonum, Gray, ined. | Asclepias paupercula, Mx. | flabelliformis, Chapm. |
| Stellaria prostrata, Baldw. | Bupleurum rotundifolium, L. | Michauxii, Decaisne. | Paspalum flavidum, K'nth. |
| Sesuvium Portulacastrum, L. | Psychotria rufescens, H. B. K. | perennis, Walt. | Cyperus Haspan, L. |
| Malvastrum angustum, Gray. | Oldenlandia glomerata, Mx. | tomentosa, Ell. | ovularis, Torr. |
| Sida rhombifolia, L. | Elephantopus tomentosus, L. | Seutera maritima, Decaisne. | retrofractus, Torr. |
| Kosteletzkya Virginica, Presl. | Liatris odoratissima, Willd. | Cynoctonum | stenolepis, Torr. |
| Hibiscus grandiflorus, Mx. | Eupatorium cuneifolium, Willd. | ? scoparium, Chapm. | Eleocharis capitata, R. Br. |
| Melia Azederach, L. | foeniculaceum, Willd. | Fraxinus platycarpa, Mx. | prolifera, Torr. |
| Zanthoxylum | Sericocarpus tortifolius, Nees. | Forestiera porulosa, Poir. | Rhynchospora Baldwinii, Gr. |
| Carolinianum, Lam. | Aster Carolinianus, Walt. | Oxybaphus <i>albiflorus</i> , Sw. | cephalantha, Torr. |
| Vitis vulpina, L. | Solidago angustifolia, Ell. | nyctaginosa, Sweet. | fascicularis, Nutt. |
| bipinnata, T. & G. | pilosa, Walt. | Boerhaavia erecta, L. | var. distans, Chapm. |
| Berchemia volubilis, DC. | Chrysopsis graminifolia, Nutt. | Rivina humilis, L. | nitens, Gray. |
| Sageretia Michauxii, Brongn. | Grindelia lanceolata, Gray. | Alternanthera flavescens, Moq. | rariflora, Ell. |
| Frangula Caroliniana, Gray. | Iva imbricata, Walt. | Frölichia Floridana, Moq. | Cladium effusum, Torr. |
| Pachystima Canbyi, Gray. | Eclipta erecta, L. | Piper leptostachyon, Nutt. | Scleria pauciflora, Muhl. vars. |
| Polygala leptostachys, Shuttl. | Borrchia frutescens, DC. | Euphorbia serpens, H. B. K. | Carex Fraseriana, Sims. |
| lutea, L. | Coreopsis angustifolia, Ait. | humistrata, Engelm. | glaucescens, Ell. |
| nana, DC. | Verbesina sinuata, Ell. | Acalypha Caroliniana, Walt. | stenolepis, Torr. |
| ramosa, Ell. | Leptopoda puberula, Macbr. | Croton maritimus, Walt. | Vilfa Virginica, Beauv. |
| Crotalaria ovalis, Pursh. | Marshallia angustifolia, Ph. | argyranthemus, Mx. | Sporobolus junceus, Kunth. |
| Psoralea subcaulis, T. & G. | Lactuca Canad's, var. gram- | glandulosus, L. | Muhlenbergia filipes, M.A.C. |
| Petalostemon foliosus, Gray. | infolia, Chapm. | capitatus, Mx. | Gymnopogon racemosus, Bv. |
| decumbens, Nutt. | Vaccinium arboreum, Marsh. | monanthogynus, Mx. | brevifolius, Trin. |
| Tephrosia spicata, T. & G. | Andromeda ferruginea, var. | Phyllanthus Carolinensis, Wlt. | Leptochloa mucronata, Kunth |
| hispidula, Pursh. | fruticosa, Mx. | Ceratiola ericoides, Mx. | Eatonia Pennsylvanica, var. |
| chrysophylla, Pursh. | Ilex Cassine, L. | Urtica chamaedryoides, Pursh. | filiformis, Chapm. |
| ambigua, M. A. Curtis. | Cyrtilla racemiflora, Walt. | Parietaria debilis, Forst. | Eragrostis nitida, Chapm. |
| Astragalus villosus, Mx. + ? | Plantago heterophylla, Nutt. | Quereus aquatica, Catesby. | Uniola nitida, Baldw. |
| Eschynomene hispida, Willd. | Centunculus minimus, L. | cinerea, Mx., var. pumila. | Paspalum Digitaria, Poir. |
| Desmodium lineatum, DC. | Utricularia subulata, L. | lyrata, Walt. | Walterianum, Schultes. |
| strictum, DC. | Herpestis Monniera, H. B. K. | Phellos, L., var. arenaria. | obtusifolium, Raddi. |
| Vicia acutifolia, Ell. | Gratiola quadridentata, Mx. | virens, Ait. | undulatum, Poir. |
| Floridana, Watson. | pilosa, Mx. | Pinus Taeda, L. + | Panicum serotinum, Trin. |
| Rhynchosia minima, DC. | Micranthemum Nuttallii, Gr. | serotina, Mx. + | Curtisii, Chapm. |
| Phaseolus perennis, Walt. | Gerardia linifolia, Nutt. | Taxodium distichum, Rich'd. | hirtellum, L. |
| Erythrina herbaea, L. | parvifolia, Chapm. | Sabal serrulata, R. & S. | rufum, Kunth. |
| Centrosema Virginian., Benth. | Schwalbea Americana, L. | Adansonii, Guerns. | Setaria corrugata, Schult. |
| Galactia pilosa, Ell. | Ruellia riparius, Chapm. | Sagittaria lancifolia, L. | composita, Kunth. |
| glabella, Mx. | Dianthera ovata, Walt. var. | natans, Mx. | Erianthus alopecuroides, Ell. |
| Cassia occidentalis, L. | Dielliptera brachiata, Spreng. | Burmanna biflora, L. | Andropogon argenteus, Ell. |
| nictitans, L. var. aspera. | Lippia nodiflora, Mx. | Apteria setacea, Nutt. | macrourus, Mx. |
| Gleditschia monosperma, Wlt. | Lantana Camara, L. | Calopogon multiflorus, Lindl. | var. viridis, Chapm. |
| Chrysobalanus | Dicerandra linearifolia, Bth. | Bletia verecunda, Swartz. | var. glaucopsis, Chapm. |
| oblongifolius, Mx. | Salvia coccinea, L. | Canna flaccida, Roscoe. | var. corymbosus, Chapm. |
| Prunus umbellata, Ell. | Stachys Floridana, Shuttl. | Amaryllis Atamaseo, L. | Polypodium incanum, Swz. |
| Rubus trivialis, Mx. | Heliotropium tenellum, Torr. | Pancratium rotatum, Ker. ? | Cheilanthes Alabamensis, Kze |
| Rosa laevigata, Mx. | Nemophila microcalyx, F. & M. | Crinum Americanum, L. | microphylla, Swz. |
| Decumaria barbara, L. | Gilia coronopifolia, Pers. | Hypoxys leptocarpa, Eng. | vestita, Swz. |
| Oenothera triloba, DC. | Batatas littoralis, Choix. | junea, Smith. | tomentosa, Link. |
| Ludwigia pilosa, Walt. | Ipomoea hederacea, Jacq. var. | Smilax humila, Walt. | Asplenium montanum, Willd. |
| microcarpa, Mx. | integriscula, Gr. ined. | Amianthium angustifolium. | Aspidium patens, Swz. |
| natans, Ell. | commutata, R. & S. | Allium mutabile, Mx. | Trichomanes radicans, Swz. |
| | Michauxii, Sweet. | | Lycopodium Carolinianum, L. |

— Last out
+ Fruit in case.

= Zephyranthes Trebilcockii
St. Wanda

Chapm., not

of names being supplementary to Fasc. I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars. Jacksonville, Florida, January 1, 1880.

A. H. CURTISS.

NORTH AMERICAN PLANTS.

— CONTENTS OF —

FASCICLE III.

Distributed by A. H. Curtiss in 1879-80.

- Alouatta palliata*
Rugellii
- Anona laurifolia*, Dunal.
(*Leavenworthia Michauxii*, Torr.
Warea cuneifolia, Nutt.
Alyssum Lescurii, Gray.
Polanisia trachysperma, Torr. & Gray
Polanisia tenuifolia, T. & G.
Hypericum aureum, Bartr.
Hypericum fasciculatum, Lam., var. *asplathoides*,
Arenaria patula, Michx.
Stellaria uniflora, Walt.
Siphonochia Americana, Torr. & Gr.
Sesuvium pentandrum, Ell.
Sida filiformis, Moric.
Urena lobata, L.
Modiola multifida, Moench.
Pavonia spinifex, Willd.
Hibiscus furcatus, Desv.
Melochia serrata, Benth.
Zanthoxylum Pterota, H. B. K.
Bursera gummifera, Jacq.
Amyris Floridana, Nutt.
Vitis Incisa, Nutt.
Gouania Domingensis, L.
Dodonaea viscosa, L.
Hypelate paniculata, Don.
Cardiospermum Halicacabum, L.
Polygala Rugellii, Shuttl.
Crotalaria incarnata, L.
" *pumila*, Ort.
Dalea Hallii, Gray.
Petalostemon carneus, Mx.
Tephrosia angustissima, Shuttl.
Tephrosia leptostachya, DC.
Indigofera tinctoria, L.
Glottidium Floridanum, DC., var.
Sesbania macrocarpa, Muhl.
Zornia tetraphylla, Mx.
Desmodium molle, DC.
Phaseolus sinuatus, Nutt.
Vigna gabra, Savi.
(*Galactia glabella*, Mx.
Canavalia obtusifolia, DC.
Sophora tomentosa, L.
— *Ecastophyllum Brownei*, Pers.
Cassia Roemeriana, Scheele.
Mimosa strigillosa, T. & G.
Desmanthus brachylobus, Benth.
(*Chrysobalanus oblongifolius*, Mx.
Chrysobalanus Icaco, L.
Ceanothus sinuata, L., var. *humifusa*, Tor. & Gr.
Ludwigia capitata, Mx. sp.
Rhizophora Mangle, L.
Laguncularia racemosa, Gaertn.
Conocarpus erecta, Jacq. var. *sericea*, Chapm.
(*Ammannia humilis*, Mx., v.
Ammannia latifolia, L.
Papaya vulgaris, DC.
Eugenia dichotoma, DC.
" *monticola*, DC.
" *buxifolia*, Willd.
Psidium Guayava, Raddi.
Eryngium Baldwinii, Sprg.
Cherophyllum Teinturierii Hook & Arn.
Borreria micrantha, T. & G.
Ernodea littoralis, Swz.
Psychotria lanceolata, Nutt.
" *rufescens*, H.B.K.
Hamelia patens, Jacq.
Randia aculeata, L.
Oldenlandia Halei, Chapm.
Vernonia Lindheimeri, Gray & Eng.
Eupatorium mikanioides, Chapm.
Bellis integrifolia, Mx.
Gutierrezia sphaerocephala, Gray.
Chrysopsis trichophylla, N.
" *hyssopifolia*, Nutt.
Berlandiera subacaulis, Nutt.
Hellianthus debilis, Nutt.
Coreopsis Leavenworthii, Torr. & Gray.
Bidens leucantha, Willd.
Flaveria linearis, Lag.
Palafoxia Feayi, Gray.
Lobelia Feayana, Gray.
Scaevola Plumieri, Vahl.
Campanula Floridana, Watson.
Vaccinium Elliottii, Chapm.
Chrysophyllum oliviforme, Lam.
Sideroxylon mastichodendron, Jacq.
Bumelia lycioides, Gaertn.
Ardisia Pickeringia, T. & G.
Plumbago scandens, L.
Samolus ebracteatus, Kth.
Utricularia gibba, L.
Ilysanthes grandiflora, Bth.
Gerardia Skinneriana, Wood.
Calophanes linearis, Gray.
Verbena bipinnatifida, Nutt.
" *Aubletia*, L.
" var. *maritima*.
Herpestis amplexicaulis, Ph.
Herpestis nigrescens, Benth.
Lantana involucrata, L. var.
Citharexylum villosum, Jacq.
Avicennia nitida, Jacq.
Satureia rigida, Bartr.
Hedeoma Drummondii, Bth.
Calamintha glabella, Benth.
" *coccinea*, Benth.
Scutellaria brevifolia, Gray.
Physostegia Virginiana, var. *denticulata*, Chapm.
Heliotropium curassavicum, L.
Heliotropium polyphyllum, Lehmann, var. *Leavenworthii*, Gray.
Heliotropium parviflorum, DC.
Phacelia Purshii, Buckl.
Ipomoea Pes Caprae, Sweet.
" *cathartica*, Poir.
Evolvulus argenteus, Pursh.
Solanum verbascifolium, L.
Physalis viscosa, Gr. Flora.
Sabbatia Elliottii, Steud.
" *gracilis*, Salisb., var. *grandiflora*, Gray.
Eustoma exaltatum, Griseb.
Limnanthemum trachyspermum, Gr.
Spigelia Marilandica, L.
Mitreola petiolata, T. & Gr.
(*Amsonia Tabernaemontana*, Walt.
(*Asclepias tomentosa*, Ell.
Metastelma Bahamense, Griseb.
Philibertia viminalis, Gray.
Gonolobus suberosus, R. Br.
Forestiera ligustrina, Poir.
" *acuminata*, Poir.
Aristolochia tomentosa, Sims.
Boerhaavia hirsuta, Willd.
Pisonia obtusata, Swartz.
Petiveria alliacea, L.
Atriplex cristata, H. B. K.
Iresine vermicularis, Moq.
Teianthera Floridana, Chapm.
Polygonella parvifolia, Mx.
Coccoloba uvifera, Jacq.
" *Floridana*, Meisn.
Persea catesbyana, Chapm.
Cassya filiformis, Miller.
Euphorbia dentata, Michx.
" *glabella*, Swartz.
" *graminifolia*, Mx.
" *pilulifera*, L.
" *polyphylla*, Eng.
" *trichotoma*, H. B. K.
(*Ceratiola ericoides*, Mx.
Batis maritima, L.
Ulmus crassifolia, Nutt.
Ficus aurea, Nutt.
Carya aquatica, Nutt.
(*Quercus lyrata*, Walt.
Myrica inodora, Bartr.
(*Sabal serrulata*, fr.
Epidendrum venosum, Lind.
Thalia divaricata, Chapm.
(*Zephyranthes Treatiae*, Watson.
Cooperia Drummondii, Her.
Tillandsia utriculata, Lec.
" *bracteata*, Chapm.
" *caespitosa*, Lec.
Smilax Walteri, Pursh.
Schenocaulon gracilis, Gr.
Nolina Georgiana, Mx.
Juncus repens, Michx.
Tradescantia Floridana, Watson.
Cyperus brunneus, Swz.
" *Lecontei*, Torr.
" *ligularis*, L.
" *Nuttallii*, Torr., var.
" *virens*, Michx.
(*Eleocharis albidula*, Torr.
" *capitata*, R. Br.
Scirpus supinus, L., var. *Hallii*, Gr.
Fimbristylis Warei, Torr.
Rhynchospora cymosa, Nt.
" *corniculata*, Gray.
" *divergens*, C. var.
" *microcarpa*, Bald.
" *semiplumosa*, Gray, var.
" *stipitata*, Chapm.
Carex dasycarpa, Muhl.
Aristida scabra, Kunth.
Vilfa sp.
Cynodon Dactylon, Pers.
Tricuspid striata, Nutt.
" *trinerviolum*, Buckl.
Paspalum fluitans, Kunth.
(*Paspalum distichum*, var.
Panicum amarum, Ell.
" *Colonum*, L.
" *divaricatum*, L.
" *microcarpon*, Muhl.
" *striatum*, Lam.? sp.
" sp.
Setaria Italica, Kunth.
Erianthus strictus, Baldw.
Andropogon tener, Kunth.
" *Torreyanus*, Steud.
Acrostichum aureum, L.
Polypodium pectinatum, L.
" *Phyllitidis*, L.
" *aureum*, L.
Ceratopteris thalictroides, Brongn.
Vittaria lineata, Swz.
Blechnum serrulatum, Mx.
Aspidium unitum, var. *glabrum*, Mett.
Nephrolepis exaltata, Schott.
Isoetes flaccida, Shuttl.

NOTE.—In this fascicle will be found 215 species and varieties, the 15 with parentheses at left of names being supplementary to Fasc. I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars. Jacksonville, Florida, January 1, 1880.

A. H. CURTISS.

Corrections, &c., for fasc. V. of

A. H. Curtis' collections.

BOTANIC GARDEN OF HARVARD UNIVERSITY,

CAMBRIDGE, MASS.

Feb 17th 1882

- 14*. "Arenaria heterophylla, Nutt.", which is
a var. of A. decapetala (A. Caroliniana)
304. ^{not} "Arenaria brevifolia", but A. glabra, Mx.
333*. "Spergularia Mexicana?" is Lepigonum
gracile, Watson, ined.
400*. ^{not} "Melochia hirsuta", but probably
only a form of M. serrata, Cav.
341*. "Paronychia riparia" = P. Baldwinii
apparently.
473. "Colubrina Americana, Nutt.", i.e. C. fer.
virginica, Brongn.
645*. ^{not} "Vicia pulchella", but V. Leavenworthii
T. & G.
709. ^{not} "Cassia angustisiliqua" but C. Bahamensis, Mill.
811. "Crataegus glandulosa", i.e. C. flava, Ait., var.
pubescens, Gray.
1036*. "Leptocaulis patens", with unusually smooth
fruit.
1279. ^{not} "Aster virgatus", but A. polyphyllus, Mill.
1637. ^{not} "Lobelia leptostachys", but L. Gattingeri, Gray, n.sp.
1669*. ^{not} "Vaccinium Cuneum", but Gaylussacia dumosa.
1775. "Cliftonia ligustrina", i.e. C. nitida, Banks.
2204. "Physalis angulata", = var. Linkiana, Gray.
2468*. "Euphorbia arenaria, Nutt.", i.e. E. zygophylloides, Boiss.

2508*. *Stillingia* - var. "*lanceolata*" should
be var. *linearifolia*, Boiss.

2525-C. Not "*Croton Cascarilla*", Linn., but
C. linearis, Jacq.

2860*. "*Sisyrinchium minus*, Engelm.", e. z.
S. geniculatum, Herb.

————— " —————

1988* of fasc. IV, "*Hyptis spiciosa*" is
H. pectinata^{82.} var.
1-

S.W.



Curtiss, Allen Hiram and Watson, Sereno. 1877. "North American Plants."
Plant lists : North America and Florida

View This Item Online: <https://www.biodiversitylibrary.org/item/243909>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264144>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.