

✓ bundles 3680-3688

Plants of Putumayo, Colombia, and Peru, collected by G. Klug.
(Report no. 1, February 1932)

Identifications by the following: W. R. Maxon (M), H. A. Gleason (G),
P. C. Standley (S), E. P. Killip (K), A. C. Smith (A. C. S.),
E. C. Leonard (L)

- ✓1603. *Asplenium auritum* Sw. (M)
- ✓1604. *Polypodium persicariaefolium* Schrad. (M)
- ✓1605. *Lacistema aggregatum* (Berg.) Rusby (S)
- ✓1607. *Heisteria cyanocarpa* Poepp. & Endl. (S)
- ✓1608. *Randia killipii* Standl. (S)
- ✓1610. *Pentagonia spathicalyx* Schum. (S)
- ✓1615. *Sphenoclea zeylanica* Gaertn. (S)
- ✓1618. *Mikania psilostachya* DC. (S)
- ✓1622. *Cassia macrophylla* Kunth (S)
- ✓1623. *Palicourea crocea* (Sw.) R. & S. (S)
- ✓1625. *Psychotria tessmannii* Standl. (S)
- ✓1626. *Warscewiczia coccinea* (Vahl) Kl. (S)
- ✓1627. *Isertia hypoleuca* Benth. (S)
- ✓1628. *Palicourea lasiantha* Krause (S)
- ✓1629. *Eupatorium marginatum* Poepp. (S)
- ✓1630. *Lantana camara* L. (S)
- ✓1633. *Mappia ampla* (Miers) Engl. (A. C. S.)
- ✓1634. *Cassia multijuga* Rich. (S)
- ✓1637. *Lippia alba* (Mill.) N. E. Brown (S)
- ✓1638. *Commelina longicaulis* Jacq. (S)
- ✓1639. *Urera caracasana* (Jacq.) Griseb. (K)
- ✓1643. *Borreria laevis* (Lam.) Griseb. (S)
- ✓1644. *Desmodium adscendens* (Sw.) DC. (S)
- ✓1645. *Hamelia patens* Jacq. (S)
- ✓1646. *Quamoclit pennata* (Desr.) Bojer (S)
- ✓1647. *Microtea debilis* Sw. (S)
- ✓1649. *Phaseolus peduncularis* H.B.K. (S)
- ✓1650. *Melia azedarach* L. (S)
- ✓1651. *Acacia polyphylla* DC. (S)
- ✓1653. *Sanchezia silvestris* Leonard (L)
- ✓1655. *Cissus sicyoides* L. (S)
- ✓1657. *Chamissoa macrocarpa* H.B.K. (S)
- ✓1661. *Begonia glabra* Aubl. (K)
- ✓1663. *Spathiphyllum cannifolium* (Dryand) Schott (S)
- ✓1671. *Cephaelis williamsii* Standl. (S)
- ✓1672. *Pilea poeppigiana* Wedd. (K)
- ✓1673. *Faramea glandulosa* Poepp. & Endl. (S)
- ✓1677. *Cephaelis tomentosa* (Aubl.) Vahl (S)
- ✓1678. *Psammisia guyanensis* Klotzsch. (A. C. S.)
- ✓1679. *Tournefortia obscura* DC. (K)
- ✓1680. " *ulei* Vaupel (K)
- ✓1683. *Rapatea spectabilis* Pilger (S)
- 1681. *Passiflora auriculata* HBK.
det. E.P.K.

Klug--2.

- ✓1684. *Iresine celosia* L. (S)
- ✓1697. *Miconia triangularis* Gleason (type)
- ✓1700. *Psychotria marginata* Sw. (S)
- ✓1703. " *rugescens* H. & B. (S)
- ✓1705. *Lycopodium cernuum* L. (M)
- ✓1707. *Dicranopteris bifida* (Willd.) Maxon (M)
- ✓1708. " *pectinata* (Willd.) Underw. (M)
- ✓1710. *Mendoncia glomerulata* Leonard (type)
- ✓1715. *Psychotria ernesti* Krause (S)
- ✓1717. *Faramea quinqueflora* Poepp. & Endl. (S)
- ✓1718. *Cephaelis umbriana* Standl. sp. nov.
- ✓1719. *Clidemia epiphytica* (Triana) Cogn. (G)
- ✓1721. *Xiphidium caeruleum* Aubl. (S)
- ✓1722. *Calopogonium mucunoides* Desv. (K)
- ✓1727. *Gongalagunia bunchosioides* Standl. (S)
- ✓1729. *Tectaria martinicensis* (Spreng.) Copel. (M)
- ✓1731. *Dichromena radicans* Schl. & Cham. (S)
- ✓1735. *Psychotria alba* R. & P. (S)
- ✓1736. *Selaginella haematodes* (Kunze) Spring (M)
- ✓1739. *Mycosyrinx cissi* (S)
- ✓1741. *Urera caracasana* (Jacq.) Griseb. (K)
- ✓1748. *Graffenrieda moritziana* Triana (G)
- ✓1754. *Calopogonium caeruleum* (Benth.) Hemsl. (K)
- ✓1756. *Iresine spiculigera* Seub. (S)
- ✓1759. *Leandra caquetensis* Gleason (G)
- ✓1762. *Palicourea ovalifolia* (Rusby) Standl. (S)
- ✓1766. *Tetrathylacium macrophyllum* P. & E. (K)
- ✓1769. *Cephaelis williamsii* Standl. (S)
- ✓1774. *Floscopa robusta* (Seub.) C. B. Clarke (S)
- ✓1775. *Polypodium ciliatum* Willd. (M)
- ✓1780. *Clidemia epiphytica* (Triana) Cogn. (G)
- ✓1782. *Sabicea reflexa* Standl. sp. nov.
- ✓1784. *Clidemia tiliaefolia* DC. (G)
- ✓1789. *Gurania spinulosa* (Poepp. & Endl.) Cogn. (K)
- ✓1790. *Miconia triangularis* Gleason (G)
- ✓1794. " *macrophylla* (Don) Triana (G)
- ✓1795. *Ixora escalerae* Standl. (S)
- ✓1803. *Clidemia umbonata* DC. (G)
- ✓1804. *Dolichodelphys chlorocrater* Schum. (S)
- ✓1808. *Trichomanes elegans* Rich. (M)
- ✓1811. " *diversifrons* (Bory) Mett. (M)
- ✓1812. *Psychotria brachiata* Sw. (S)
- ✓1816. *Ossaea robusta* (Triana) Cogn. (G)
- ✓1823. *Dichorisandra hexandra* (Aubl.) Standl. (S)
- ✓1826. *Miconia scorpioides* (S. & C.) Naud. (G)
- ✓1834. " " " " "
- ✓1838. *Polypodium bifrons* Hook. (M)
- ✓1839. *Cordia colombiana* Killip (K)
- ✓1842. *Psychotria hospitalis* Standl. (S)
- ✓1846. *Hemitelia spectabilis* Kunze (M)
- ✓1867. *Tournefortia psilostachya* H. B. K. (K)
- ✓1873. *Leptochilus oligarchicus* (Baker) C. Chr. (M)
- ✓1874. *Psychotria alba* R. & P. (S)

- ✓1879. *Cissus sicyoides* L. (S)
- ✓1882. *Maieta guianensis* Aubl. (G)
- ✓1883. *Trichomanes gardneri* v. d. B. (M)
- ✓1885. *Trichomanes pinnatum* Hedw. (M)
- ✓1886. *Saccoloma inaequale* (Kunze) Mett. (M)
- ✓1890. *Monolena primulaeflora* Hook. (G)
- ✓1892. *Hiraea putumayensis* Morton (type)
- ✓1893. *Iresine spiculigera* Seub. (S)
- ✓1902. *Isertia hypoleuca* Benth. (S)
- ✓1903. *Leandra dichotoma* (Don) Cogn. (G)
- ✓1909. *Conostegia poeppigii* Cogn. (G)
- ✓1910. *Trama micrantha* (L.) Blume (S)
- ✓1915. *Posoqueria longiflora* Aubl. (S)
- ✓1917. *Bertiera guianensis* Aubl. (S)
- ✓1918. *Mendoncia pedunculata* Leonard (L)
- ✓1926. *Miconia hypoleuca* (Benth.) Triana (G)
- ✓1928. *Polypodium megalophyllum* Desv. (M)
- ✓1929. *Ixora killipii* Standl. (S)
- ✓1931. *Pilea imparifolia* Wedd. (K)
- ✓1932. *Campelia zanonii* (L.) H. B. K. (S)
- ✓1940. *Meriania intonsa* Gleason (G)
- o 1942. *Tococa guyanensis* Aubl. (G)
- ✓1943. *Clidemia dispar* (Triana) Cogn. (G)
- ✓1944. *Neea spruceana* Heimerl. (S)
- ✓1955. *Neea parviflora* Poepp. & Endl. (S)
- ✓1957. *Bertiera guianensis* Aubl. (S)
- ✓1963. *Euphorbia densiflora* Kl. (K)
- ✓1973. *Palicourea lachryanthes* Standl. sp. nov.
- ✓1975. *Psychotria tessmannii* Standl. (S)
- ✓1977. *Palicourea klugii* Standl. sp. nov.
- ✓1980. *Mandevillea subsagittata* (R. & P.) Woodson (S)
- ✓1993. *Paullinia alata* Don (S)
- ✓1998. *Pouzolzia formicaria* (Poepp.) Wedd. (K)
- ✓1999. *Tournefortia bicolor* Sw. (K)
- ✓2002. *Erythroxylon coca* Lam. (S)
- ✓2009. *Mendoncia lurida* Leonard (type)
- ✓2017. *Calycophyllum spruceanum* (Benth.) Hook. f. (S)
- ✓2019. *Psychotria lorentensis* Standl. (S)
- ✓2020. *Ischnosiphon surinamensis* (Miq.) Koern. (S)
- ✓2022. *Loretoa peruviana* Standl. gen. nov. Rubiacearum
- ✓2026. *Neea spruceana* Heimerl. (S)
- ✓2030. *Pouzolzia formicaria* (Poepp.) Wedd. (K)
- ✓2038. *Cephaelis pubescens* Hoffmannsegg (S)
- ✓2040. *Hibiscus abelmoschus* L. (S)
- ✓2044. *Pavonia paniculata* Cav. (S)
- ✓2045. *Cephaelis plagiantha* Standl. sp. nov.
- ✓2047. *Phthirusa paniculata* (H. B. K.) Macbr. (S)
- ✓2048. *Adenaria floribunda* H. B. K. (S)

K--4.

- ✓2051. *Guettarda aromatica* Poepp. & Endl. (S)
- ✓2062. *Hamelia patens* Jacq. (S)
- ✓2066. *Cissus sicyoides* L. (S)
- ✓2070. *Coussarea macfantha* Standl. sp. nov.
- ✓2074. *Xylopia xylopioides* (Dunal.) Standl. (S)
- ✓2075. *Salix chilensis* Molina (S)
- ✓2079. *Trophis racemosa* (L.) Urban (S)
- ✓2081. *Cassipourea elliptica* (Sw.) Poir. (S)
- ✓2082. *Stenochlaena marginata* (Schrad.) C. Chr. (M)
- ✓2083. *Tournefortia ulei* Vaupel (K)
- ✓2085. *Sabicea amazonensis* Wernh. (S)
- ✓2094. *Melanthera aspera* (Jacq.) Steud. (S)
- ✓2096. *Centropogon cornutus* (L.) Druce (S)
- ✓2099. *Ficus radula* Willd. (S)
- ✓2107. *Schefflera acuminata* (R. & P.) Harms (S)

- ✓2088. *Sida acuta* Burm. (S)

Plants of Putumayo, Colombia and Peru, collected by G. Klug.
Report no. 2, March 1933.

Identifications by the following: S. F. Blake (Bl), H. A. Gleason (G),
William Trelease (T), A. C. Smith (A. C. S.), E. C. Leonard (L),
C. V. Morton (C. V. M.), E. P. Killip (K), P. C. Standley (S).

- ✓1601. *Hippocratea tenuiflora* Mart. (A. C. S.)
- ✓1602. *Virola cuspidata membranacea* Warb. (A. C. S.)
- ✓1606. *Paullinia nobilis* Radlk. (S)
- ✓1609. *Hiraea fagifolia candolleana* f. *riedleyana* (Juss.) Ndz. (C. V. M.)
- 1616. *Erythroxylon macrophyllum* Cav. (A. C. S.)
- ✓1617. *Securidaca rivinaefolia parvifolia* Benn. (A. C. S.)
- ✓1640. *Rivea corymbosa* (L.) Hallier (S)
- ✓1641. *Siparuna asperula* (Tul.) A. DC. (A. C. S.)
- ✓1642. *Acalypha macrostachya* Jacq. (S)
- ✓1648. *Acalypha arvensis* (P. & E.) Muell. Arg. (S)
- ✓1654. *Tetrapteris nitida* Juss. (C. V. M.)
- ✓1656. *Cissampelos fasciculata* Benth. (A. C. S.)
- ✓1658. *Sauvagesia erecta* L. (form) (K)
- 1660. *Gynandropsis speciosa* DC. (A. C. S.)
- 1662. *Habenaria monorrhiza* Reichb., f. (Det. Schweinfurth)
- ✓1664. *Mimosa polydactyla* H. & B. (K)
- ✓1665. *Ageratum conyzoides inaequipaleaceum* Hieron. (Bl)
- ✓1666. *Cissampelos pereira haenkeana* Presl (A. C. S.)
- ✓1667. *Serjania paniculata* H. B. K. (K)
- ✓1669. *Blakea bracteata* Gleason (type)
- ✓1675. *Dioscorea meridensis* Knuth (det.) Knuth)
- ✓1689. *Casearia combaymensis* Tul. (A. C. S.)
- ✓1693. *Jacobinia coccinea* (Nees) Hieron. (L)
- ✓1702. *Baccharis trinervis* (Lam.) Pers. (Bl)
- ✓1711. *Selaginella parkeri* (Hook. & Grev.) Spring. (det. Alston)
- ✓1713. *Dioscorea putumayensis* R. Knuth (type)
- ✓1720. *Casearia sylvestris* Sw. (A. C. S.)
- ✓1724. *Justicia klugii* Leonard (type)
- ✓1726. *Peperomia umbriana* Trel. (type)
- ✓1728. *Mauria suaveolens* P. & E. (A. C. S.)
- ✓1730. *Paullinia pterophylla* Tr. & Pl. (K)
- ✓1738. *Jussiaea latifolia* Benth. (K)
- ✓1742. *Justicia comata* (L.) Lam. (L)
- ✓1743. *Peperomia acrostachya* Trel. (T)
- ✓1745. *Aparisthium cordatum* (Juss.) Baill. (K)
- ✓1749. *Peperomia reptans* C. DC. (T)
- ✓1751. *Chamaefistula undulata* (Benth.) Pittier (K)
- ✓1753. *Securidaca varubilis* L. (A. C. S.)
- ✓1755. *Torenia thouarsii nivea* Pennell (Det. Pennell)
- ✓1758. *Casearia bangii* Rusby (A. C. S.)
- ✓1760. *Mendoncia aspera* (R. & P.) Nees (L)
- ✓1761. *Gouania lupuloides* (L.) Urb. (K)
- ✓1764. *Siparuna mollicoma* (Mart.) A. DC. (A. C. S.)
- ✓1771. *Peperomia umbriana* Trel. (T)
- ✓1777. " *sublaxiflora* C. DC. (T)
- ✓1778. *Selaginella parkeri* (Hook. & Grev.) Spring (Det. Alston)

- ✓1779. *Adelobotrys tessmannii* Hgf. (G)
- ✓1786. *Aristolochia schultzeana* O. C. Schmidt (type)
- ✓1791. *Banara guianensis* (Aubl.) (A. C. S.)
- ✓1793. *Nectandra reticulata* (R. & P.) Mez (A. C. S.)
- ✓1796. *Lantana camara* L. (K)
- ✓1800. *Miconia aulocalyx* Mart. (G)
- ✓1817. *Wulffia baccata* (L. f.) Kuntze (Bl.)
- ✓1821. *Peperomia putumayoana* Trel. (type)
- ✓1824. *Blakea bracteata* Gleason (G)
- ✓1830. *Bauhinia tarapotensis* Benth. (K)
- ✓1841. *Aristolochia klugii* O. C. Schmidt (type)
- ✓1843. *Paullinia eriantha* Benth. (K)
- ✓1845. *Conobea scoparioides* (C. & S.) Benth. (det. Pennell)
- ✓1851. *Hyptis mutabilis* (A. Rich.) Briq. (det. Epling)
- ✓1853. *Herrania mariae* (Mart.) Goud. (A. C. S.)
- ✓1854. *Couepia chrysocalyx* Benth. (A. C. S.)
- ✓1859. ~~*Mimosa pudica* L.~~ (K) *Miconia*. See letter from Killip 5/22/33
- ✓1862. *Blakea truncata* Gleason (type)
- ✓1877. *Pontederia cordata* L. (K)
- ✓1884. *Endlicheria klugii* O. C. Schmidt (det. Schmidt)
- ✓1888. *Acalypha macrostachya* Jacq. (S)
- ✓1891. *Jacquemontia lactescens* Seem. (K)
- ✓1894. *Petrea macrostachya* Benth. (A. C. S.)
- ✓1898. *Serjania lethalis* St. Hil. (K)
- ✓1901. *Psittacanthus falcifrons* Mart. (A. C. S.)
- ✓1904. *Endlicheria klugii* O. C. Schmidt (type)
- ✓1905. *Miconia longiracemosa* Gleason (G)
- ✓1906. *Acalypha cuneata* P. & E. (K)
- ✓1908. *Cissampelos grandifolia* Tr. & Pl. (A. C. S.)
- ✓1921. *Struthanthus suaveolens* (H. B. K.) Bl. (A. C. S.)
- ✓1922. *Ocotea cujumary* Mart. vel aff. (A. C. S.)
- ✓1923. *Carpotroche amazonica* Mart. (A. C. S.)
- ✓1938. *Swartzia arborescens* (Aubl.) Pittier (A. C. S.)
- ✓1948. *Hirtella macrophylla* Benth. (A. C. S.)
- ✓1949. *Rinorea falcata* (Mart.) Kuntze (A. C. S.)
- ✓1952. *Trichilia moritzii* C. DC. (det. Harms)
- ✓1956. *Lozania klugii* Mansf. (det. Mansfield)
- ✓1958. *Ocotea cujumary* Mart. vel aff. (det. O. C. Schmidt)
- ✓1960. *Guarea grandifolia* C. DC. var. (det. Harms)
- ✓1961. *Erythroxylum gracilipes* Peyr. (det. O. E. Schulz)
- ✓1965. *Osteophloeum platyspermum* (A. DC.) Warb. (A. C. S.)
- ✓1970. *Dichaea* (aff. *D. muricata* (Sw.) Lindl.) (det. Schweinfurth)
- ✓1974. *Miconia longiracemosa* Gleason (G)
- ✓1976. *Lozania klugii* Mansf. (det. Mansfield)
- ✓1983. *Picrolemma sprucei* Hook. f. (S)
- ✓1986. *Connarus ruber* (P. & E.) Planch. (S)
- ✓1989. *Hirtella americana latifolia* Macbride (det. Macbride)
- ✓1991. *Coccoloba polystachya* Wedd. (S)
- ✓1994. *Hiraea transiens* Ndz. (C. V. M.)
- ✓1997. *Miconia ternatifolia* Tr. (G)
- ✓2000. *Vasseltia laxiflora* (Poepp. & Endl.) Eichl. (S)
- ✓2014. *Liriosma gracilis* A. C. Smith (S)
- ✓2008. *Gilibertia tessmannii* Harms (S)

- ✓2016. *Gilibertia tessmannii* Harms (S)
- ✓2018. *Guazuma ulmifolia* Lam. (S)
- ✓2021. *Theobroma bicolor* Humb. & Bonpl. (S)
- ✓2025. *Cleidion amazonicum* Ule (S)
- ✓2027. *Aegiphila chrysantha* Hayek (det. Moldenke)
- ✓2029. *Cissampelos andromorpha* DC. (S)
- ✓2031. *Allophyllus punctatus* (P. & E.) Radlk. (S)
- ✓2034. *Piptadenia flava* (Spreng.) Benth. (S)
- ✓2035. *Brownea macbrideana* Standl. (S)
- ✓2041. *Hibiscus albemoschus* L. (previously reported as no. 2040)
- ✓2042. *Chondodendron polyanthum* Diels (A. C. S.)
- ✓2046. *Odontadenia hoffmannseggiana* (Steud.) Woods. (S)
- ✓2049. *Ipomoea squamosa* Choisy. (S)
- ✓2052. *Dioclea lasiocarpa* Mart. (S)
- ✓2054. *Mayna echinata* Spruce (form) (A. C. S.)
- ✓2055. *Allophyllus floribundus* Radlk. (S)
- ✓2056. *Plukenetia volubilis* L. (S)
- ✓2058. *Hiraea bahiensis salzmanniana* (Juss.) Ndz. (C. V. M.)
- ✓2059. *Phaseolus caracalla* L. (S)
- ✓2069. *Theobroma mariae* (Mart.) Schum. (S)
- ✓2076. *Aegiphila sufflava* Moldenke (det. Moldenke)
- ✓2077. *Malvaviscus cuspidatus* Turcz. (S)
- 2081. *Cassipourea peruviana* Alston (correction) (S)
- ✓2086. *Casearia sylvestris* Sw. (A. C. S.)
- ✓2087. *Triplaris pavonii* Meissn. (S)
- e/ ✓2089. *Couplia speciosa* Pilger (S)
- ✓2090. *Guarea fissicalyx* Harms (Type)
- ✓2091. *Paullinia nobilis* Radlk. (K)
- 2094. *Melanthera nivea* (L.) Small (correction) (Bl)
- ✓2095. *Merremia umbellata* (L.) Hallier (S)
- ✓2097. *Corynostylis arborea* (L.) Blake (S)
- ✓2101. *Cupania cineria* P. & E. (S)
- ✓2104. *Aegiphila vitelliniflora* Kl. (det. Moldenke)
- 2107. *Schefflera klugii* Harms (type) (Correction)
- ✓1995. *Guazuma ulmifolia* Lam. (S)

Bdls. 3851-7

Plants of Putumayo, Peru, collected by G. Klug (Klug II).
Report no. 2, October 1933.

Identified by P. C. Standley unless otherwise noted.

- ✓2120. *Gurania ulei* Cogn.
- 2135. *Mikania klugii* Robinson (type)
- 2172. " *brachiata* Poepp. (det. Robinson; correction)
- ✓2175. *Phoradendron huallagense* Ule
- ✓2176. *Roentgenia bracteomana* (K. Sch.) Urban (det. Sandwith)
- ✓2198. *Siolmatra simplicifolia* Harms
- ✓2253. *Endlicheria bracteata* Mez
- ✓2267. *Gurania eriantha* (P. & E.) Cogn.
- ✓2315. *Ocotea aciphiylla* (Nees) Mez
- ✓2339. *Hebepetalum humiriifolium* (Planch.) (det. Sandwith)

Klug. Bolls.
3682-4

Plants of Putumayo, Colombia and Peru, collected by G. Klug (Klug I)
Report No. 3, October 1933.

Mimosaceae and Caesalpiniaceae determined by W. L. Britton & E. P. Killip;
other as indicated.

-
- ✓1621. *Anona tessmannii* Diels (det. Standley)
 - 1622. *Chamaefistula gigantophylla* Britton & Killip (type; correction) *v. glabrescens*
 - 1629. *Eupatorium iresinoides* H. B. K. (Not *E. marginatum*; det. Robinson)
 - 1651. *Senegalia tomentella* Britton & Killip (type; correction)
 - 1688. *Brownea ariza* Benth. (det. Britton & Killip)
 - ✓1716. *Anneslia carbonaria* (Benth.) B. & R. (*Calliandra carbonaria* Benth.)
(det. Britton)
 - ✓1733. *Schnella umbriana* Britton & Killip (type)
 - ✓1737. *Inga olivacea* Sprague (det. Britton & Killip)
 - 1751. *Chamaefistula klugii* Britton & Killip (type; correction)
 - 1859. *Mikania* (not *Mimosa pudica* as reported in error)
 - ✓1865. *Klugiodendron umbrianum* Britton & Killip (type)
 - ✓1979. *Paullinia curvicaulis* Radlk. (det. Standley)
 - ✓1984. *Sicydium diffusum* Cogn. " "
 - 2023. *Siolmatra amazonica* Cogn. " "
 - ✓2106. *Astanthus subandinus* Ule " "



Klug, Guillermo et al. 1931. "Plants of Putumayo, Colombia, and Peru, Collected by G. Klug [reports no. 1-3]." *Plant lists : Colombia and Peru*

View This Item Online: <https://www.biodiversitylibrary.org/item/240525>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264351>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.