

IDENTIFICATION OF G. KLUG'S SPECIMENS

(Flacourtiaceae by Sleumer; others as indicated)

U. S. National Museum, March 1934.

✓ 2275. *Casearia decandra* Jacq.

✓ 2307. " *cambessedesii* Eichl.

✓ 2353. " *pavoniana* Sleumer

2632. *Xylosma tessmannii* Sleumer

2897. *Arrabidaea divaricata* Bur. & K. Sch. (Correction by Sandwith)

2964. *Memora schomburgkii* (DC.) Miers (Det. Sandwith)

2996. *Pleonotoma auriculatum* K. Sch. (Correction by Sandwith)

3062. *Centropogon silvaticus* Wimmer (type)

3112. *Casearia arborea* (Rich.) Urb. (Sens lat.)

Klug 341. *Alloplectus semicordatus* Poepp. & Endl.
359. *Codonanthe Uleana* Fritsch
822. " " "

Identification of G. Klug's specimens.

Besleria by C. V. Morton.

U. S. National Museum, December 1934.

✓1912. *Besleria immitis* Morton (type)
2660. " *capitata* Poepp.
2668. " *variabilis* Morton
2912. " " " (type)
2926. " *compta* Morton (type)

Klug I.

1770. *Miconia centrode^sma* Naud. (det. Gleason)
 ✓1772. *Biophytum somnians* (M. & Z.) Knuth (det. Knuth)
 ✓1819. *Solanum lepidotum* H. & B. (det. Morton)
 ✓1858. " *martinense* Morton (det. Morton)
 ✓1880. *Gustavia Tessmannii* R. Knuth (det. Knuth)
 ✓1897. *Inga punctata* Willd. (det. Killip)
 ✓1900. *Monopyle inaequalis* Morton, sp. nov. type.
 ✓1913. *Solanum loretoanum* Bitt. (det. Morton)
 ✓1985. *Tapura guianensis* Aubl. (det. Killip)
 ✓1987. *Coussarea obliqua* Standl. (det. Standley)
 ✓2063. *Solanum pulchrum* Dunal (det. Morton)
 ✓2067. *Bauhinia* (aff. *B. langsdorffiana* Bong.)
 ✓2071. *Solanum sempervirens* Dunal. (det. Morton)
 2081. *Cassipourea peruviana* Alston (corr.)

Klug II.

- ✓2321. *Cassia multijuga* L. C. Rich. (form) (det. Killip)

Klug III.

2659. *Solanum martinense* Morton type (not *S. monadelphum*)
 2667. *Pithecellobium* (*Zygia*) *juruanum* Harms (det. Killip)
 2676. *Polygala acuminata* Willd. (det. P. C. Standley)

Klug IV

3256. *Alsophila gibbosa* Kl.? (det. Maxon)
 3306. *Solanum citrifolium* Willd. (not *S. salviifolium*; det. Morton)
 3354. *Dryopteris sorbifolia* (Jacq.) Hieron.? (det. Maxon)
 3389. *Begonia klugii* Irmscher (type)
 3458. *Dicranopteris velata* (Kunze) Maxon (det. Maxon)
 ✓3491. *Solanum martinense* Morton (not *S. monadelphum*; det. Morton)
 ✓3493. *Hypericum euphorbioides* St. Hil. (det. Killip)
 ✓3565. *Acnistus arborescens* Schl. (det. Morton)
 ✓3570. *Turnera ulmifolia* L. (det. Killip)
 ✓3574. *Merremia umbellata* var. *occidentalis* Hall. f. (rather than *Ipomoea polyanthes* R. & S.; corr. by van Ooststroom)
 3576. *Solanum umbellatum* Mill. var.? (not *S. bicolor*; det. Morton)
 ✓3603. *Ipomoea lindenii* M. & G. (rather than *I. squamosa*; corr. by van Ooststroom)

Klug V

3180. *Peperomia elegantifolia* Trel. (not *P. loretana*)
 3200. " *granulatilimba* Trel. (not *P. rubellibacca*)

Klug VII

3623. *Pleurothallis velaticaulis* Reichb. f., (det. Ames)
 3626. " *ruscifolia* R. Br. " "
 3633. " *semipellucida* Reichb. " "
 3634. " *hemirhoda* Lindl. " "
 3683. *Cyrtopodium buchtienii* Schltr. " "
 3685. *Vanilla Pompona* Schiede (probably) " "
 3718. *Spiranthes costaricensis* Reichb. f. " "

Klug VIII

3847. *Xylophragma pratense* Sprague (det. Sandwith)
 3862. *Strychnos* (aff. *tarapotensis* Sprague & Sandw.; det. Sandwith)

Identification of G. Klug's specimens,

Ferns by W. R. Maxon.

U. S. National Museum, December 20, 1934.

- ✓1631. *Adiantum latifolium* Lam.
 ✓1676. *Paragonia pyramidata* (Rich.) But.
 ✓1734. *Dioscorea nicolasensis* R. Knuth (Det. Morton)
 1778. *Selaginella* sp. (Very likely new.—C. V. Morton)
 ✓1781. *Dioclea violacea* Mart.
 ✓1787. *Pteropepon deltoides* Cogn. (Det. Harms)
 ✓1792. *Tetrapteris nitida* Juss. (Det. Morton)
 1798. *Dioclea violacea* Mart.
 ✓1820. *Tetrapteris calophylla* Juss. (Det. Morton)
 ✓1850. *Dioclea lasiocarpa* Mart.
 ✓1861. *Vismia confertiflora* Spruce (Det. A. C. Smith)
 ✓1868. *Calathea comosa* (L. f.) Lindl.
 ✓1870. *Dioclea violacea* Mart.
 ✓1920. *Sticta weigeliai* Beauvoisii
 ✓1925. *Paullinia serjaniaefolia* Tr. & Planch.
 ✓1962. *Abuta concolor* P. & E. (Det. Diels)
 ✓2225. *Pachyrrhizus tuberosus* (Lam.) Spreng.
 ✓2231. *Besleria immitis* Morton (Det. Morton)
 2365. *Miconia triangularis* Gleason (Correction; not *M. scorpioides*)
 2779. *Pleurothyrium cuneifolium* Nees
 2980. *Platymiscium stipulare* Benth. (Correction)

Klug 509.

Dryopteris

desvauxii f. *glandulosa* Maxon & Morton

Klug

Determined by P. C. Standley unless otherwise noted
Reported By U.S. National Museum, Feb. 1937.

- ✓1636. *Phyllanthus pseudoconami* M. Arg.
- 1676. *Paragonia pyramidata* (Rich.) Bureau.
- 1894. *Petrea maynensis* Huber (Det. Moldenke)
- ✓2006. *Mimosa punctulata* Spruce (Det. Killip)
- 2054. *Doliocarpus dentatus* (Aubl.) Standl.
- ✓2057. *Triplaris peruviana* Fisch. & Mey.
- 2067. *Bauhinia Langsdorffiana* Bong.
- ✓2073. *Bauhinia Langsdorffiana* Bong.
- 2075. *Salix Martiana* Leybold, not chilensis.
- ✓2100. *Dilkea wallisii* Mast.? (Det. Killip)
- 2107. *Schefflera klugii* Harms (type)
- ✓2136. *Cestrum silvaticum* Francey (Det. Morton)
- ✓2254. *Aetanthus subandinus* Ule
- 2260. *Coccoloba Barbeyana* Lindau. Not Williamsii
- 2295. *Helicostylis tomentosa* (Poepp. & Endl.) Macbr. Not *Trymatococcus*
- ✓2338. *Phyllanthus nobilis* (L.) M. Arg.
- ✓2356. *Mimosa punctulata* Spruce (Det. Killip)
- 2601. *Phyllanthus pseudoconami* M. Arg.
- 2625. *Cestrum baenitzii* Lingolsh. (Det. Morton)
- 2683. *Oxalis raymondii* Knuth (Det. Killip)
- 2686. *Phyllanthus Klugii* Standl., sp. nov.
- 2690. *Cestrum silvaticum* Francey (Det. Morton)
- 2695. *Phyllanthus Klugii* Standl., sp. nov.
- 2722. *Inga matthewsiana* Benth. (Det. Killip)
- 2793. *Mimosa extensissima* Ducke (Det. Killip)
- 2835. *Couroupita peruviana* Berg (Det. A.C. Smith)
- 2847. *Aphelandra montis-scalaris* Lindau.
- 2932. *Forsteronia gracilioides* Woodson (Det. Woodson)
- 3016. *Aegiphila glandulifera* Moldenke (Det. Moldenke)
- 3062. *Centropogon sylvaticus* Wimmer (type)
- 3114. *Nissolia fruticosa* Jacq.
- 3210. *Jaegeria hirta* (Lag.) Less. (Det. Blake).
- 3259. *Inga matthewsiana* Benth. (Det. Killip)
- 3278. *Gaultheria glandulosissima* Sleumer (Det. Sleumer)
- 3279. *Senecio laricifolius* H.B.K. (Det. Greenman)
- 3281. *Pitcairnia tarapotensis* Baker (Det. L.B. Smith)
- 3357. *Pithecellobium jupunba* (Willd.) Urb. (Det. Killip)
- 3417. *Embothrium Weberbaueri* Perk. Not *E. mucronatum*
- 3432. *Centropogon alsophilus* Wimmer (type)
- 3547. *Pitcairnia puyoides* L.B. Smith (type)
- 3598. *Cassia multijuga lindleyana* (Gardn.) Benth. (Det. Killip)
- 3692. *Inga myriantha* P. & E. (Det. Killip)
- 3698. *Clarisia biflora* Ruiz & Pavon. Not *Sahagunia* n. sp.
- 3936. *Moutabea* sp. (Det. Sandwith)
- 3966. *Capparis sola* Macbr. (Det. A.C. Smith)
- 3995. *Piper callosum chazutanum* Trel. (type)
- 4046. *Arrabidaea* sp. (Det. Sandwith)
- 4079. *Aristolochia macbrideana* Standl. (type; substituted for *A. klugii*)
- 4115. *Stizophyllum* sp. (Det. Sandwith)
- 4138. *Adenocalymma* (Sect. *Hanburyophyton*) (Det. Sandwith)

Report of Collections of G. Klug

June 1938

Note: As orders for the sets were received at different times, some of the following names may have been on the labels at the time sets were sent out - E.P.K.

- ✓1652. *Siolmatra mexiae* Standl. (Det. Standley)
- ✓1690. *Ardisia panurensis* Mez (Det. Killip)
- ✓1694. *Arrabidaea nicotianiflora* Kränzl. (not *Mansea*; det. Sandwith)
- ✓1698. *Cuphea racemosa* (L.f.) Spreng. (Det. Killip)
- ✓1714. *Cyclanthera explodens* Naud. (Det. Killip)
- ✓1757. *Phyllanthus pseudo-conami* Muell. Arg. (Det. Killip)
- ✓1871. *Pterocarpus klugii* Killip (type)
- ✓1959. *Matisia glandifera* Tr. & Planch. (Det. Killip)
- 1962. *Abuta grandifolia* (Mart.) Sandw. (Det. Moldenke; dist. *A. concolor*)
- ✓1969. *Mabea klugii* Steyererm. (type)
- ✓2001. *Paullinia faginea* (Tr. & Pl.) Radlk. (Det. Killip)
- ✓2033. *Siolmatra brasiliensis* (Cogn.) Baill.
- ✓2064. *Mabea standleyi* Steyererm. (type)
- ✓2130. *Compsonura capitellata* (A.DC.) Warb. (Det. A. C. Smith)
- ✓2131. *Licaria quirirafuina* Kosterm. (Type)
- 2253. *Endlicheria cocuirey* Kosterm. (type; not *E. bracteata*)
- ✓2323. *Paullinia faginea* (Tr. & Pl.) Radlk. (Det. Killip)
- 2524. *Unonopsis elegantissima* R. E. Fries (type)
- 2532. *Iryanthera juruensis* Warb. (not *I. Tessmannii*; corr. by A. C. Smith)
- 2538. *Ruellia klugii* Leonard (Det. Leonard)
- 2544. *Iryanthera Ulei* Warb. (not *I. juruensis*; corr. by A. C. Smith)
- 2749. *Siolmatra mexiae* Standl. (Det. Standley)
- 2757. *Abuta grandifolia* (Mart.) Sandw. (dist. as *A. concolor*; corr. by Moldenke)
- 2825. *Miconia ternatifolia* Triana (Det. Gleason)
- 2833. *Endlicheria poeppigii* Kosterm. (not *E. Sprucei*; det. Kostermans)
- 2828. *Menopylles subsessilis* Benth. (not *M. macrocarpa*; det. Morton)
- 3006. *Abuta grandifolia* (Mart.) Sandw. (Reported as *A. concolor*; corr. by Moldenke)
- 3034. *Xylopia micans* Fries (type)
- 3125. *Serjania glabrata* H.B.K. (not *Paullinia glabrata*)
- 3133. *Cyperus cuspidatus* H.B.K. (Det. O'Neill)
- 3206. *Mabea elata* Steyererm. (type) (reported as *M. eximia*)
- ✓3210. *Jaegeria hirta* (Lag.) Less. (Det. Blake)
- 3232. *Hypopodium lehmanni* Hieron. (Not *L. trianae* Hieron; corr. by Maxon)
- 3239. *Tachigalia* (not *Brunellia*; corr. by Standley)
- 3354. = *Dryopteris salzmanni* (Fée) M. & M. (Det. Maxon)
- 3475. *Cayaponia psederifolia* Standl., sp. nov.
- 3538. *Pavonia mollis* H.B.K. (not *P. cuspidata*; corr. by Killip)
- 3698. *Clarisia biflora* R. & P. (Not *Sahagunia peruviana*; corr. by Standley)
- 3857. *Eugenia racemifera* Berg. (not *E. racemulosa*, as distributed)
- 3935. *Dioclea ucayalina* Harms (u. *D. lasiocarpa*)
- 3951. *Dialyanthera parvifolia* Markgr. (corr. by Smith; as *D. otoba*)
- 3982. *Comosoneura sprucei* (A. DC.) Warb. (Det. A. C. Smith; dist. as *C. capitellata*)
- 3985. *Aganisia pulchella* Lndl. (Det. Schweinfurth)
- 4009. *Miconia riparia* Triana (Det. Gleason)
- 4069. *Heterotrichum octomum* (Bonpl.) D.C. (Distributed as *Heterocentron*)
- 4086. *Trigonidium tenue* Lodd. (Det. Schweinfurth)

- 4099. *Phragmipedium caricinum* Rolfe (Det. Schweinfurth)
- 4145. *Zexmenia mikanoides* (Britton) Blake (Det. Blake)
- 4221. *Pavonia mollis* H.B.K. (not *P. paniculata*; corr. by Killip)
- 4223. *Rodriguezia batemanii* Poepp. & Endl. (Det. Ames)
- 4225. *Gongora quinquenervis* R. & P. (Det. Ames)
- 4237. *Pitcairnia calatheoides* L. B. Smith (Det. L. B. Smith)
- 4260. *Trichocentrum* (Det. Ames)
- 4264. *Bidens pilosa radiata* Sch. Bip. (Det. Sherff)
- 4301. *Epidendrum imatophyllum* Lindl. (Det. Ames)
- 4317. *Campylocentrum micranthum* Rolfe (Det. Ames)

g

G. Klug
Reported by U.S.N.M. April 1940.

1633. *Mappia poeppigiana* Baill., not *M. ampla* (Det. A.C. Smith)
1831. *Croton lechleri* Muell. Arg. (Det. Croizat)
1880. *Gustavia tessmannii* R. Knuth (Det. Knuth)
-2015. *Dalbergia nitida* (Radlk.) Ducke (Det. Hoehne)
-2050. *Stenomeria pentalepis* Turcz. (Det. Malme)
-2255. *Machaerium leiophyllum* (DC.) Benth. (Det. Hoehne)
2296. *Mahurea duckei* Huber, not *Caraipa glabrata* (Det. A.C. Smith)
2739. *Dalbergia volubilis* (L.) Urban (Det. Hoehne)
2808. *Machaerium decorticans* Ducke (Det. Hoehne)
2839. *Bouchea fluminensis* (Vell.) Moldenke (*B. pseudovergac*, syn.; det. Moldenke)
2961. *Symplocos sylvicola* Sleumer (Cited by Sleumer)
2967. *Mappia poeppigiana* Baill. (Det. Bashni)
3001. *Symplocos sylvicola* Sleumer (cited by Sleumer)
3042. *Aristolochia pinnosa* Mart. (Cited by Schmidt)
3279. *Senecio laricifolius* H.B.K. (Det. Greenman)
3330. *Elaphoglossum apodum* (Kaulf.) Schott (Det. Maxon)
3434. *Ouratea orthoneura* Standl. (Det. Dwyer)
3466. *Senecio klugii* Greenm. (type)
3636. *Elaphoglossum pachyraspedon* Christ (Det. Maxon)
3682. *Cladonia signata* Vainio (Det. Dodge)
3698. *Clarisia biflora* R. & P.
3750. *Forcelia nitidifolia* R. & P. (Det. Fries)
3839. *Unonopsis matthewsii* (Benth.) Fries (Det. Fries)
3892. *Mappia poeppigiana* Baill. (Det. A. C. Smith)
3923. *Xylopia densiflora* Fries (Det. Fries)
4003. *Byrsonima arthropoda* Juss. (Det. Morton)
4066. *Maripa peruviana* Van Ooststr. (not *M. glabra*; det. Van Ooststroom)
4317. *Campylocentrum micranthum* Rolfe (Det. Schweinfurth)

G. Klug

Det. E. P. Killip unless otherwise noted
Reported by U.S.N.M., April 1942

- Bignon
Xanth.
Sapot.
Verb.
- 1668. *Sapium* cf. *verum* Hemsl. (Det. Croizat)
 - 1682. *Wittia amazonica* Schum.
 - 1799, -1827. *Ipomoea phillomega* (Vell.) House
 - 1875. *Dalechampia dioscoreifolia* P. & E.
 - 1881. *Matisia klugii* Killip (type)
 - =2104, 2204. *Aegiphila chrysantha* Hayek (not *A. vitelliniflora*; corr. by Moldenke)
 - 2123. *Tachia guianensis* Aubl.
 - 2165. *Acalypha stachyura* Pax (Not *A. benensis*; corr. by Croizat.)
 - =2191, 2340 (type). *Schlegelia ramizii macrandra* Sandw. (Dist. as *S. peruviana* Standl. n. sp., ined.)
 - =2905 (type coll.), 3104. *Forsteronia decipiens* Woodson (Dist. as *F. montana*)
 - =2961, 3001. *Symplocos sylvicola* Sleumer (Dist. as *S. arechea*?)
 - 3066. *Prestonia vana* Woodson (type; dist. as *p. glabrata*)
 - 3100. *Acalypha foliosa* Rusby (not *A. benensis*; corr. by Croizat)
 - 3325. *Casearia arguta* H.B.K.
 - 3347. *Acalypha ruiziana* Muell. Arg. (not *A. benensis*; corr. by Croizat)
 - X 3364. *Chelonanthus bifidus* (H.B.K.) Gilg
 - X 3862. *Strychnos tarapotensis* Sprague & Sandw. (Det. Krukoff)
 - X 3699. *Ecclinusa klugii* (Baehni) Gilly (type of *Chrysophyllum klugii*) (corr.)
 - 4082. *Strychnos pamurensis* Sprague & Sandw. (Det. Krukoff; dist. as *S. killipiana* Standl., ined.)
 - 4155. *Petrea pubescens* var. *klugii* Moldenke (type) (Dist. as *P. arborea*.)
 - 4267. *Selaginella erythropus* (Mart.) Hieron. (det. Morton)
 - X 4344. *Polygala scleroxylon* Ducke

Cited in Fl. Peru, perhaps not reported to subscribers or other names reported.

- Melast.
Melast.
Flacourt
Melast.
Scyth.
Melast.
Viol.
Scyth.
Scyth.
- X 2011. *Ossaea araneifera* Markgr. (type)
 - X 2084. *Blakea ovalis* (R. & P.) D. Don?
 - 2207. *Miconia calvescens* (Schranke & Mart.) DC.
 - = 2246 (type), 2358. *Banara guianensis* var. *isadena* Standl. (Dist. as *B. isadena* Standl. ined.)
 - 2276. *Xylosma didygnum* (Benth.) Eichl.
 - = 2287, 2727. *Rinoreaocarpus ulei* (Melch.) Ducke
 - 2948. *Adelobotrys guianensis* (DC.) Gleason (Dist. as *A. adscendens*)
 - 3036. *Miconia cayumbensis* Gleason
 - X 3112. *Casearia cambessedesii* Eichl. (form) (reported as *C. arborea*, sens. lat.)
 - 3121. *Eschiveilera lorentensis* R. Knuth (Dist. as *E. cf. coriacea*)
 - 3216. *Cuphea bombonae* Spruce
 - = 3274, 3444, 4072. *Cuphea strigulosa* H.B.K. (Dist. as *C. carthagineum*.)
 - 3313. *Graffenrieda cinna* Macbr. (type; dist. as *G. pubescens* Gleason, ined.)
 - 3362. *Miconia puberula* Cogn.
 - 3483. *Hybanthus attenuatus* G. K. Schulze (not *H. parietariifolius*)
 - 3900. *Gustavia speciosa* (H.B.K.) DC. (Dist. as *G. angusta*)
 - 4296. *Begonia gesnerioides* Smith & Schubert (type)
 - X 4327. *Lafoensia puniceaefolia* DC. but with suggestion it might be a n. sp. Dist. as *L. peruviana* Standl. ined.)

C. Coll. Klug.

(Det. N. Y. Sandwith)

- o herb. No. 2137, distr. as Tapirira sp.; ^{anacard.} cf. Tapirira pilosa Sprague
- ✓ 3652, " " Tapirira myriantha Tr. et Pl. ?, is the rarely collected Huertia
glandulosa R. et P. *Euphyllae*.
- o herb. 4176, " " Connarus Patrisii (DC.) Planch., seems to be the very interesting
Allosanthus trifoliolatus Radlk.
(Sapindaceae), ex descr., previously un-
represented at Kew.

N.Y.S.

The Herbarium,
Royal Botanic Gardens,
Kew.

21st May, 1942.

G.
F. Klug

Reported by U.S.N.M., January 1944

9

1893. *Iresine polymorpha* var. *verticillata* f. *albonervosa* Stüsseng. (type; reported as *I. spiculigera*)
v/ 1954. *Trichostigma peruvianum* (Moq.) H. Walt. (Det. Killip) ined.
c/ 2045. *Psychotria emetica* L. f. (Dist. as ~~*Cephaelis*~~ *Cephaelis plagiantha* Standl.)
2129. *Telitoxium peruvianum* Moldenke (type)
- 3923. *Xylopiia densiflora* R. E. Fries (type; dist. as "*X. benthami*?")
o 4069. *Heterotrichum octomum* (Bonpl.) DC. (Det. Gleason)
4161. *Sorocea briquetii* Macbr. (Det. Killip; dist. as Euphorbiaceae.)
10083. *Epidendrum rectopendunculatum* C. Schweinf. (type)
10117. *Epidendrum magnicallosum* C. Schweinf. (type)
0.9. *Epidendrum latisegmentum* C. Schweinf. (type)

Euphorbiaceae; det. L. Croizat.

1704. *Dalechampia* cf. *juruana* Ule
2003. *Croton* cf. *tessmannii* Mansf.
2270. " " " "
t/ ~~3220x~~ 3980. *Croton tarapotensis* Muell. Arg. (not *C. palanostigma*)
4243. *Sebastiania huallagensis* Croizat (type)

Det. R. E. Schultes

1853. *Herrania nitida* var. *sphenophylla* R. E. Schultes (not *H. mariae*)
1930, 1933, 1935, 1937, 1946, 1947. *Paullinia yoco* Schultes & Killip
2069. *Herrania nycterodendron* R. E. Schultes

G.
A. Klug

aa

Reported by U.S.N.M., January 1944

1893. *Iresine polymorpha* var. *verticillata* f. *albonervosa* Stusseng. (type; reported as *I. spiculigera*)
V/ 1954. *Trichostigma peruvianum* (Moq.) H. Walt. (Det. Killip) ined.
C/ 2045. *Psychotria emetica* L. f. (Dist. as ~~*Cephaelis*~~ *Cephaelis plagiantha* Standl.)
C/ 2129. *Telitoxium peruvianum* Moldenke (type)
3923. *Kylopa densiflora* R. E. Fries (type; dist. as "*X. benthami*?")
4069. *Heterotrichum octorum* (Bonpl.) DC. (Det. Gleason)
4161. *Sorocea briquetii* Macbr. (Det. Killip; dist. as *Euphorbiaceae*.)
10083. *Epidendrum rectopendunculatum* C. Schweinf. (type)
10117. *Epidendrum magnicallosum* C. Schweinf. (type)
O.9. *Epidendrum latisegmentum* C. Schweinf. (type)

Euphorbiaceae; det. L. Croizat.

1704. *Dalechampia* cf. *juruaana* Ule
2003. *Croton* cf. *tessmannii* Mansf.
2270. " " " "
✓ 3980. *Croton tarapotensis* Muell. Arg. (not *C. palanostigma*)
4243. *Sebastiania huallagensis* Croizat (type)

Det. R. E. Schultes

1853. *Herrania nitida* var. *sphenophylla* R. E. Schultes (not *H. mariae*)
1930, 1933, 1935, 1937, 1946, 1947. *Paullinia yoco* Schultes & Killip
2069. *Herrania nycterodendron* R. E. Schultes

Klug number 3682-4
3851

KLUG I - IV

3851
Wendland

1624. *Peperomia farctifolia* Trel. (type)
1731. *Dichromena persooniana* Nees (correction)
1765. *Piper piluliferifolium* Trel. (type)
1801. *Piper umbriense* Trel. (type)
1805. *Peperomia hebetata* Trel. (type)
1832. *Piper selenitifolium* Trel. (type)
1835. *Piper superjectum* Trel. (type)
1840. *Piper nemoricultrix* Trel. (type)
1996. *Paragonia pyramidata* (Rich) Bur. (Det. Standley)
2007. *Arrabidaea xanthophylla* (DC.) Bur. & Sch. (Det. Standley)
2036. *Arrabidaea florida* DC. (Det. Standley)
2037. *Petastoma reticulatum* Bur. & Sch.?(Det. Standley)
2163. *Piper zubinetanum* Trel. (type)
2960. *Mikania klugii* Robinson (correction by Robinson)
3060. *Mikania parviflora* (Aubl.) Karst. (correction by B.C. Robinson)
2797. *Mikania platyphylla*, D.C. (det. Robinson)

Klug 4, 12, 97, 259, 1121, 1124 *Carpotroche longifolia* (P. & E.) Benth.
7, 300, 953, 795 *Patrisia pyrifera* L.C. Rich.
1462 *Hasseltia laxiflora* (Benth.) Eichl.
1120 *Carpotroche brasiliensis* (Raddi) Endl.
1297 *Homalium racemosum* Jacq.
3, 98, 499, 545 *Casearia lasiosperma* Triana (ex descr.)
866 *Mayna echinata* Spruce
656, 814 *Laetia cupulata* Spruce
520 *Casearia javitensis* HBK.
227 " " HBK. var. *congestiflora* Eichler
365 *Casearia arborea* (Rich.) Urban
20 " (?) *Pavoniana Sleumer*
461 *Laetia suaveolens* (P. & E.) Benth.
495 " *procera* (!) (P. & E.) Eichler

Klug

Senecio
3279. *S. laricifolius* H.B.K.
3466. *S. klugii* Greenm. (type)

Cited by Greenman in
Ann. Mo. B. G. 25: 795

KLUG I - IV

- ✓1624. *Peperomia farctifolia* Trel. (type)
- 1731. *Dichromena persooniana* Nees (correction)
- ✓1765. *Piper piluliferifolium* Trel. (type)
- ✓1801. *Piper umbriense* Trel. (type)
- ✓1805. *Peperomia hebetata* Trel. (type)
- ✓1832. *Piper selenitifolium* Trel. (type)
- ✓1835. *Piper superjectum* Trel. (type)
- ✓1840. *Piper nemoricultrix* Trel. (type)
- ✓1996. *Paragonia pyramidata* (Rich) Bur. (Det. Standley)
- ✓2007. *Arrabidaea xanthophylla* (DC.) Bur. & Sch. (Det. Standley)
- ✓2036. *Arrabidaea florida* DC. (Det. Standley)
- ✓2037. *Petastoma reticulatum* Bur. & Sch.? (Det. Standley)
- ✓2163. *Piper zubinetanum* Trel. (type)

Malpighiaceae

Det. C. V. Morton.

- Klug 1654 *Tetrapteris magnifolia* (Ruiz) Griseb. (not *T. nitida*)
 " 1740 *Stigmaphyllon alternans* Tr. & Pl.
 " 1792 *Tetrapteris magnifolia* (Ruiz) Griseb. (not *T. nitida*)
 - " 1797 *Stigmaphyllon puberum* Juss.
 - " 1833 *Bunchosia fluminensis* Griseb.
 - " 2053 *Banisteria* (*Heteropteris*) *anomala* (Juss.)
 - " 2153 *Banisteria* (*Heteropteris*) *cristata* (Benth.)
 " 2519 *Byrsonima fluminensis* Ndzu. (not *Burdachia prismatocarpa*)
 " 2561 *Spachea tricarpa* Juss. (not *Burdachia prismatocarpa*)
 " 2636 *Tetrapteris peruviana* Morton ined. (not *T. discolor*)
 " 2789 is almost certainly a very distinct new species but our specimen has no flowers. ~~Who else has this?~~
 " 2940 *Banisteria* (*Heteropteris*) *acutifolia* (Juss.) (not *Tetrapteris squarrosa*)
 " 2919 *Byrsonima arthropoda* Juss. (not *B. fluminensis*)
 " 2968 *Stigmaphyllon convolvulifolium* (Cav.) Juss. (not *S. brachiatum*)
 " 2993 *Byrsonima arthropoda* Juss. (not *B. fluminensis*)
 " 3075 *Stigmaphyllon brachiatum* Tr. & Pl. (not *S. puberum*)
 " 3154 *Tetrapteris peruviana* Morton ined. (not *T. crispa*)
 " 3253 *Byrsonima chrysophylla* H.B.K. (not *B. spicata*)
 " 3255 *Tetrapteris calophylla* Juss. (not *T. nitida*)
 " 3329 *Banisteriopsis leptocarpa* (Benth.) Williams (not *Banisteria elegans*)
 " 3662 *Tetrapteris peruviana* Morton n. sp. type (not *T. discolor*)
 " 4052 *Mascagnia psilophylla* var. *peruviana* Ndzu.
 " 4259 *Mascagnia rigida* Griseb.
 " 4291 *Tetrapteris mucronata* Cav.

G. Klug. Revised identifications of Myristicaceae

by A. C. Smith.

- 1602. *Virola elongata* (Benth.) Warb.
- 2166. *Virola elongata* (Benth.) Warb.
- ✓ 2234. *Iryanthera lancifolia* Ducke
- 2663. *Dialyanthera parvifolia* Markgraf
- 2822. *Virola mollissima* (A. DC.) Warb.
- 2842. *Compsoneura Sprucei* (A. DC.) Warb.
- 2944. *Virola elongata* (Benth.) Warb.
- 2946. *Compsoneura Sprucei* (A. DC.) Warb.
- 3058. *Iryanthera juruensis* Warb.
- 3085. *Virola Pavonis* (A. DC.) A. C. Sm.
- 3128. *Virola mollissima* (A. DC.) Warb.
- 3713. *Virola Pavonis* (A. DC.) A. C. Sm.



Klug, Guillermo et al. 1931. "[Untitled]." *Plant lists : Colombia and Peru*

View This Item Online: <https://www.biodiversitylibrary.org/item/240525>

Permalink: <https://www.biodiversitylibrary.org/partpdf/264352>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.