

Sept. 26, 1895.

Palmer's Plants from Acapulco.

- ✓ 1. *Sida salviaefolia*, Presl. ○
 > 2. *Cordia cana*, Mart. Gal. ○
 > 3. *Melampodium longicorne*, Gray. ○
 4. ○
 > 5. *Milleria quinqueflora*, L. ○
 ✓ 6. *Crotalaria* ~~fruticulosa~~ ^{Lepriciana, H. & A. pro Mill.} ○
 ✓ 7. *Missolia* ○
 ✓ 8. *Gaudichaudia filipendula*, Juss. ○
 ✓ 9. *Mimosa pusilla* Benth. ○
 ✓ 10. *Stylosanthes glutinosa*, HBK. ○
 > ! 11. *Argythamnia Manzanilloana*, Rose ex char. ○
 ✓ 12. *Schizocarpum alternatum*, Copu. & Rose, n. sp. ○
 ✓ 13. *Echinopepon Coulteri*, Rose. ○
 > 14. *Truelichia alata*, Wats. ○
 > ! 15. *Stemodia pusilla*, Benth., ex char. ○
 > ! 16. *Pectis depressa*, n. sp. ○
 ✓ 17. *Zornia diphylla*, Pers. ○
 ✓ 18. *Desmodium triflorum*, DC. ○
 > 19. *Sclerocarpus uniseriatis*, Benth. & Hook. ○
 > 20. *Dalechampia scandens*, L. ○
 > 21. *Scapharia dulcis*, L. ○
 > 22. *Hyptis suaveolens*, Poit. ○
 ✓ 23. *Cassia* ○
 ✓ 24. *Eichilia trifoliata*, Jacq. ○
 ✓ 25. *Stylosanthes humilis*, HBK. ○
 > 26. *Diodia prostrata*, Swartz. ○

- > 27. *Thevetia nerifolia*, Juss. °
 28. °
 ✓ 29. *Phaseolus semierectus*, L. °
 ✓ 30. *Sida aromata*, St. Hil. °
 ✓ 31. *Cassia* °
 > ! 32. *Convolvulus secundiflorus*, n. sp. °
 > 33. *Ipomoea hedrifolia*, L. °
 > ! 34. *Tournefortia calycina*, Benth. Ex char. °
 ✓ 35. *Oplismenus cristatus*, Presl. °
 ✓ 36. *Aristida Jauillensis*, Kth. °
 > 37. *Timbristylis miliacea*, Vahl. °
 38. *Antheophora clypeus*, Schreb. ?
 ✓ 39. *Eragrostis ciliatus*, Link. °
 ✓ 40. *Eragrostis plumosa*, Link. °
 ✓ 41. *Tournefortia Mexicana*, Scribn. °
 ✓ 42. *Opizia stolonifera*, Presl. °
 ✓ 43. *Tournefortia Mexicana*, Scribn. °
 > ! 44. *Montanoa Palmeri*, n. sp. °
 ✓ 45. *Abutilon giganteum*, Presl. °
 > 46. *Acalypha Indica*, L. °
 > 47. *Sclaphmella* ^{*spicargensis*, Baker, fide Underwood.} ~~*stomatophylla*, A. DC.~~ °
 > ! 48. *Bignonia patellifera*, Schl. Ex char. °
 > ! 49. *Ruellia albiflora*, Fern. n. sp. °
 ✓ 50. *Abutilon incanum*, Sweet. °
 ✓ ! 51. *Cuscuta gracillima*, Engelm. var. *saccharata*, Engelm. Ex char. °
 > ! 52. *Calcea* ~~*palmifolia*, H. & A.~~ ^{*zacatechichi*, Schlecht. var.} *rufosa*, Rob. & G. n. sp. _{in fruit} °
 > 53. *Loranthus calyculatus*, DC. °
 > ✓ 54. *Dalea laevigata*, Gray. °

- ✓ 55. *Dalea* 0
 > 56. *Herpestis rotundifolia*, Pursh. 0
 ✓ 57. *Myrtus*
 > 58. *Stemodia durantifolia*, Sw.
 ✓ 59. *Calliandra lapa*, Benth. 0
 > 60. *Gymnosperma calomelanos*, Kauff. 0
 > 61. *Euphorbia thymifolia*, L. 0
 > 62. *Ficus fasciculata*, Watson. 0
 ✓ 63. *Triumfetta*
 > 64. *Hydrolea spinosa*, L. 0
 > 65. *Dentella repens*, Forst. 0
 ✓ 66. *Paepplingia proelia*, Presl. 0 (with wood)
 ✓ 67. *Desmodium spirale*, DC., var. *Pigelovii*, Rob. & Greenm.
 68. *Mimosa rianzanilloana*, Rose. 0
 ✓ 69. *Bauhinia pescaprae*, Cav. 0
 > ! 70. *Cordia perlonga*, n. sp. 0
 > 71. *Achras Sapota*, L. 0
 > 72. *Terminalia Catappa*, L. 0
 ✓ 73. *Loucheocarpus* (wood) 0
 ✓ 74. *Sporobolus Domingensis*, Kth. 0
 ✓ 75. *Cenchrus multiflorus*, Tournef. 0
 > 76. *Scleria lithosperma*, Willd., var. *filiformis*, Britton 0
 ✓ 77. *Gouinca polygama*,ourn. 0
 ✓ 78. *Desmodium spirale*, DC. 0
 ✓ 79. *Heteropterys portillana*, Watson? 0
 ✓ 80. *Jussiaea erecta*, L. 0
 ✓ 81. *Samyda* 0
 ✓ 82. *Sida aggregata*, Presl. 0

- ✓ 83. *Pterocarpus acapulcensis*, Rose, n. sp. °
 84.
 ✓ 85. *Auoua* = *Rollinia*? °
 > 86. *Rauwolfia heterophylla*, R. & S. °
 ✓ 87. *Cassia occidentalis*, L. °
 ✓ 88. *Mimosa Nelsonii*, Robinson n. sp.
 ✓ 89. *Kosteletzkya hispida*, Presl. °
 ✓ 90. *Pithecolobium*
 ✓ 91. *Tephrosia leptostachya*, DC.
 > ! 92. *Phyllanthus glaucescens*, HBK. ex char. °
 ✓ 93. *Cassia* °
 > 94. *Evolvulus alsinoides*, L. °
 > 95. *Bidens tereticaulis*, DC. °
 > ! 96. *Eucelia tenuis*, n. sp. °
 > 97. *Euphorbia pilulifera*, L. °
 > 98. *Sponsea Juanoclit*, L. °
 > 99. *Heliotropium fruticosum*, L. °
 > 100. *Commelina palida*, Willd., var. *parviflora*, Clarke. °
 > 101. *Beloperone violacea*, Hauch. °
 ✓ 102. *Aeschynomene* ~~*Americanus*~~, L. °
 103. °
 ✓ 104. *Phaeolus* °
 ✓ 105. *Tephrosia leptostachya*, DC. °
 ✓ 106. *Aeschynomene* ^{106^a} *Diphysa seminoides*, Bth? °
 ✓ 107. *Melochia*
 > 108. *Justicia reflexiflora*, Rich.
 > 109. *Sponsea filipes*, Benth. °
 > 110. *Sesamum Indicum*, L. °

111.
 ✓ 112. *Panicum sanguinale*, L., var. *longiglume*, Doell. ○
 ✓ 113. *Bouteloua repens* HBK. ○
 ✓ 114. *Panicum divaricatum*, L. ○
 ✓ 115. *Panicum Compositum*, Sw. ○
 > 116. *Imbristylis miliacea*, Vahl. ○
 > 117. *Cyperus micradontus*, Sw. ○
 > 118. *Cyperus Haspan*, L. ○
 > 119. *Rhynchospora micrantha*, Vahl. ○
 ✓ 120. *Eleusine Indica*, Gaertn. ○
 ✓ 121. *Dactyloctenium Aegyptiacum*, Willd. ○
 ✓ 122. *Caesalpinia pulcherrima*, Swartz. ○
 > 123. *Sponocia trifida*, Don. ○
 ✓ 124. *Wimmeria pallida*, Rostk. ○
 ✓ 125. *Cassia rotundifolia*, L. & *C. diphylla*, Pers. ○
 126. ○
 ✓ 127. *Karwinskia Humboldtiana*, Zucc. ○
 > 128. *Hyptis stellulata*, Benth. ○
 ✓ 129. *Erythrina* (mord) ○
 ✓ 130. *Cardiaspermum* ○
 ✓ 131. *Tribulus maximus*, L. ○
 > 132. *Commelina Virginica*, L. ○
 ✓ 133. *Turnera diffusa*, var. *aphrodisiaca*, Urban. ○
 ✓ 134. *Calliandra emarginata*, Benth. (mord) ○
 ✓ 135. *Galactia acapulcensis*, Rose, n. sp. ○
 ✓ 136. *Helictres mollis*, Presl. ○
 > 137. *Conocarpus erectus*, L. ○
 ✓ 138. *Calliandra bijuga*, Rose, n. sp. ○

139. *Euphorbia* o
 ✓ 140. ~~*Crotalaria*~~ *pumila*, Orl. ? o
 > 141. *Sponocia triloba*, L. o
 > 142. *Amarantus scarious*, Benth. o
 > 143. *Sponocia cissoides*, Griseb. o
 ✓ 144. *Trixis Mexicana*, Lallav. & Lex, ex char. o
 ✓ 145. *Cauavalcia gladiata*, DC. o
 146. *Belosia insignis*, Bail. ? o
 > 147. *Solanum callicarpaeifolium*, Kth. & Bouché. o
 > 148. *Solanum Torvum*, Schw. o
 > 149. *Crescentia Cujete*, L. o
 > 150. *Heliotropium Indicum*, L. o
 > 151. *Aristolochia brevipes*, Benth. o
 > 152. *Eupatorium stillingiaefolium*, DC. o
 ✓ 153. *Pavonia arachnoidea*, Presl. o
 > 154. *Gomaea Gazi*, Rose. o
 ✓ 155. *Leprosia* o
 > 156. *Croton mirus*, Jacq. o
 ✓ 157. *Triumfetta*, *Helioarpus pallidus*, Rose, n. sp. o
 ✓ 158. *Phaseolus* o
 ✓ 159. *Eutada polystachya*, DC. o
 ✓ 160. *Gaya Preslii*, Rose. o
 ✓ 161. *Melochia radiata*, L. o
 > ! 162. *Bibesina pallens*, Benth. ex char. o rather *V. acapulcensis*,
 163. *Asclepias* ? o Rob. & Greene, n. sp.
 > 164. *Persea* ? / *longipes*, Meisn. o
 > ! 165. *Frax obovata*, Jurez. ex char. o
 ✓ 166. *Polygala Americana*, Mill. o
- prob.
new.

- > 167. *Lippia Berlandieri*, Schauer. 0
 ✓ 168. *Polygala Americana*, Mill. 0
 > 169. *Journefortia hirsutissima*, L. 0
 ✓ 170. *Myrtila scoparia*, Host. & Arn. 0
 > 171. *Stachytarpheta mutabilis*, Vahl. 0
 > 172. *Isocarpha oppositifolia*, R.Br. 0
 ✓ 173. *Chrysobalanus icaco*, L. 0
 > 174. *Aphelandra pectinata*, Willd. 0 (wood)
 ✓ 175. *Esenbeckia Acapulcensis*, Rose, n. sp. 0
 ✓ 176. *Eugenia*
 > 177. *Cordia Gerardianus*, Jacq. 0
 ✓ 178. *Bongniartia suberba*, Rose, n. sp. 0 (wood)
 ✓ 179. *Vigna strobilophora*, Robinson. 0
 > 180. *Elytharia tridentata*, Vahl. 0
 > 181. *Barleria micans*, Presl. 0
 > ! 182. *Aspilula strigosa*, Benth. & Hook, ex char. 0
 ✓ 183. *Cucubita radicans*, Lindl.
 ✓ 184. *Eucalyptus* 0
 185.
 > 186. *Melampodium divaricatum*, DC. 0
 > 187. *Euphorbia Schlechtendalii*, Poiss. 0
 > 188. *Schwenkia Americana*, L. 0
 ✓ 189. *Asimina foetida*, Rose, n. sp.
 > ! 190. *Acalypha Acapulcensis*, n. sp. 0
 > 191. *Cosmos sulphureus*, Cav. 0
 ✓ 192. *Phacelus* 0
 ✓ 193. *Melochia pyramidata*, L. 0
 > 194. *Ruellia albicaulis*, Bertens. 0

- > 195. *Boldoa laucolata*, Lag. °
 > 196. *Rauwolfia heterophylla*, R. & S. (pubescent)
 > 197. *Plumbago pulchella*, Boiss.
 > 198. *Angelonia angustifolia*, Benth. °
 > 199. *Amarantus spinosus*, L. °
 ✓ 200. *Mangifera Indica*, L. °
 ✓ 201. *Cassia alata*, L. °
 ✓ 202. *Portulaca pilosa*, L.
 > 203. *Tournefortia floribunda*, HBK. °
 ✓ 204. *Caesalpinia pulcherrima*, Swartz. °
 > 205. *Bidens refracta*, Brandegee. *
 > 206. *Coccoloba* . . . °
 ✓ 207. *Dalca* °
 > ! 208. *Eroton cladotrichus*, Mill. Arg. ex char. ° (wood)
 > 209. *Dysodia appendiculata*, Lag. °
 > 210. *Schultesia strobophylla*, Mart. °
 > 211. *Stachytarpheta jamaicensis*, Vahl. °
 > ! 212. *Crusca parviflora*, Hook. & Arn. ex char. °
 ✓ 213. *Jussiaea octonervia*, Lam. °
 214. °
 > ! 215. *Jaquemontia pycnocephala*, Benth. ex char. °
 > ! 216. *Solanum lignescens*, n. sp. °
 ✓ 217. *Crotolaria vitellina*, Ker. °
 ✓ 218. *Waltheria* °
 ✓ 219. *Heteropterus Acapulcensis*, Rose, n. sp. ° (wood)
 ✓ 220. *Buettneria Carthagenensis*, Jacq. °
 ✓ 221. *Cascaria corymbosa*, HBK.
 ✓ 222. *Sida physaloides*, Presl. °

- 223,
 ✓ 224. *Desmodium*
 225.
 ✓ 226. *Lonchocarpus*
 > 227. *Eupatorium conyzoides*, Vahl. °
 ✓ 228. *Gouania stipularis*, DC. °
 > 229. *Chenopodium ambrosioides*, L. °
 > 230. *Trema mollis*, Blume. °
 ✓ 231. *Cassia serpens*, L. °
 > 232. *Arpestis sessiliflora*, Benth. °
 233,
 > ! 234. *Sponsea pedata*, Mart. & Gal. ex char. °
 ✓ 235. *Jauva filosa*, Scribn. nom. nov. °
 > ! 236. *Cordia tinifolia*, Willd., ex char. °
 ✓ 237. *Passiflora viridiflora*, Cav. °
 > 238. *Evolvulus nummularius*, L. °
 ✓ 239. *Ayenia* °
 ✓ 240. *Schrankia distachya*, DC. °
 ✓ 241. *Prosopis dehiscens*, Rose. n. sp. °
 > 242. *Eupatorium*.
 > 243. *Lygodium venustum*, Swz. °
 > 244. *Salvia occidentalis*, Swartz. °
 # 245. *Liabum caducifolium* Rob. & Bartlett, n. sp. ° (nov.)
 ✓ 246. *Malpighia glabra*, L. °
 ✓ 247. *Turnera ulmifolia*, L. °
 248.
 249.
 ✓ 250. *Inga Xalapensis*, Benth. °

- ✓ 251. *Indigofera* °
 > ! 252. *Russelia rotundifolia*, Cav. ex char. °
 > 253. *Spermacoce asperifolia*, M. & G. °
 ✓ 254. *Gymnaurapiis pentaphylla*, DC. °
 > 255. *Auredera scandens*, Moq. °
 ✓ 256. *Centrosema* °
 ✓ 257. " *Plumieri*, Benth. °
 258. °
 > ! 259. *Echites* (*Palmeri*, n. sp.) °
 ✓ 260. *Cassia* °
 ✓ 261. *Melochia nodiflora*, L. °
 ✓ 262. *Oxalis heaei*, var. *glabrata*, Baker. °
 > 263. *Hyptis pectinata*, Poir. °
 ✓ 264. *Aeschynomene Americana*, L. °
 > 265. *Chiococca racemosa*, L. °
 ✓ 266. *Triumfetta* °
 ✓ 267. *Cassia* °
 > 268. *Lantana hoida*, HBK. °
 > 269. *Gomphrena globosa*, L. ^{ind.} °
 > 270. *Gomphrena globosa*, L. °
 > 271. *Gomphrena globosa*, L. °
 > ! 272. *Manihot rhomboidea*, Müll. ex char. °
 > 273. *Gymnosium calomelanos*, Kaulf. °
 274. *Byrsonima cotinifolia*, HBK. °
 ✓ 275. *Sida glutinosa*, Cav. & *S. arguta*, Swartz. °
 276. °
 ✓ 277. *Haematoxylon boreale*, Watson. °
 278. °

279.

280.

- > 281. *Melanopodium longicornis*, Gray. ○
 ✓ 282. *Hibiscus esculentus*, L.
 ✓ 283. *Aeschynomene paniculata*, Willd.
 ✓ 284. *Leptocarpus plicatus*, Benth. ○
 ✓ 285. *Anthephora elegans* Schreb. ○
 ✓ 286. *Eragrostis amena*, Presl. ○
 ✓ 287. *Panicum brevifolium*, L.
 ✓ 288. *Panicum insulare*, Meyen. ○
 ✓ 289. *Panicum paspaloides*, Pers.
 ✓ 290. *Leuchurus tribuloides*, L. ○
 > 291. *Cyperus Surinamensis*, Rottb. ○
 292.
 > 293. *Eleocharis microcarpa*, Tou. ○
 > 294. " *Libmaniana*, Boeckl. Ex char. ○
 > 295. *Cyperus ligularis*, L. ○
 296. *Mimosa acapulcensis*, Robinson, n. sp.
 ✓ 297. *Acacia felicina*, Willd. ○
 ✓ 298. *Melochia plicata*, Presl. & *Acacia plicata*, Presl. ○
 ✓ 299. *Acacia paniculata*, Willd. ○
 ✓ 300. *Acacia* ○
 ✓ 301. *Acacia* ○
 ✓ 302. *Acacia* ○
 ✓ 303. *Piptadenia leptocarpa*, Rose. (mod) ○
 > 304. *Phupalis Fendleri*, Gray. ○
 ✓ 305. *Acacia cochilacantha*, H. & B. ○
 ✓ 306. *Passiflora foetida*, L. ○

- ✓ 307. *Passiflora holosericea*, L. °
 > 308. *Baccharia viscosa*, L. °
 > 309. " *erecta*, L. °
 ✓ 310. *Desmodium albiflorum*, Salzm.
 > ! 311. *Heliconia hirsuta*, L.f. ex char? °
 > ! 312. *Evolvulus commelinifolius*, n. sp. °
 > ! 313. *Evolvulus ovatus*, n. sp. °
 ✓ 314. *Passiflora Mexicana*, Juss. °
 ✓ 315. *Passiflora foetida*, L. °
 ✓ 316. *Serjania trifoliata*, Radlk. °
 ✓ 317. *Serjania* °
 > 318. *Antigonon flavescens*, Ait. °
 ✓ 319. *Catalpa Maypurensis*, HBK. °
 > 320. *Hyptis lappacea*, Benth. °
 > 321. *Hyptis capitata*, Jacq. °
 ✓ 322. *Cracca Edwardsii*, Gray. °
 323.
 ✓ 324. *Anona* °
 ✓ 325. *Cassia grandis*, L.f.? °
 ✓ 326. *Guaiacum* °
 > 327. *Solanum Lequileuse*, Gray.
 ✓ 328. *Hibiscus tiliaceus*, L. ° (wood)
 329. *Diospyros* fr. °
 ✓ 330. *Hymenaea Caudolleana*, HBK. °
 ✓ 331. *Pachyrhizus angulatus*, Rich.
 332.
 > 333. *Quercus nectandraefolia*, Liebm. °
 > 334. *Quercus* °

335. *Crescentia* See bundle 317.
- > 336. *Vitex mollis*, HBK.
- ? 337. *Loranthus Oerstedii*, D. Oliv. ex char.
- 338.
- > 339. *Jacquinia macrocarpa*, Cav. ex char.
- > 340. *Agave vivipara*, L.
- > 341. *Luscuta Americana*, L.
- ✓ 342. *Licania arborea*, Seem.
- ✓ 343. *Curatella Americana*, L.
- ? 344. *Coccoloba Schiedraua*, Lindau, ex char.?
- ✓ 345. *Ascaecidium occidentale*, L.
- > 346. *Syngonium podophyllum*, Schott.
- ✓ 347. *Enterolobium cyclocarpum*, Griseb.
- ? 348. *Genipa(?) cinerea*, n. sp.
- ✓ 349. *Crataeva tapia*, L.
- ✓ 350. *Gliricidia maculata*, HBK.
- > 351. *Aristolochia pardinia*, Duchar. (wood)
- ✓ 352. *Cassia grandis*, L.f.
- > 353. *Basanacantha spinosa*, Schum.
- > 354. *Tecoma stans*, Juss. (wood)
- > 355. *Ficus populnea*, Willd.
- ✓ 356. *Rigisetachys bracteata*, Planch.
- ✓ 357. *Eugenia*
- ✓ 358. *Myrtus*
- ✓ 359. *Myrtus*
- ✓ 360. *Passiflora porphyreica*, Mast.
- > 361. *Tabebuia Palmeri*, Rose.
362. *Bignonia* (wood)

- ✓ 363. *Bauhinia latifolia*, Cav. ° (wood)
 ✓ 364. *Vitis acapulcensis*, HBK. °
 > 365. *Cordia alba*, Roem. & Schult. °
 ✓ 366. *Phaseolus* °
 > 367. *Bignonia unguis*, L. °
 ✓ 368. *Leucaena glabrata*, Rose, n. sp. °
 369. (wood) °
 > ! 370. *Sporoxea bombycina*, B. & H. ex char. ? °
 ✓ 371. *Cochlospermum hibiscoides*, Kunth. °
 > ! 372. *Miapa albens*, Hieron ? ex char. ° (wood)
 > 373. *Ficus Bonplandiana*, Miq. (wood) °
 > 374. *Xanthosoma roseum*, Schott.
 375. *Canavalia* Rose n. sp. °
 ✓ 376. *Diphysa Palmeri*, Rose. n. sp. °
 ✓ 377. *Cornubretum Mexicanum*, H. & B. °
 ✓ 378. *Bursera ovalifolia*, Engler. °
 > 379. *Piper leucophyllum*, B. & H. °
 > ! 380. *Tabernaemontana acapulcensis*, Hieron, ex char. ?
 ✓ 381. *Pithecolobium dulce*, Benth. °
 > 382. *Ruellia* °
 > 383. *Eupatorium quadrangulare*, DC. °
 ✓ 384. *Gossypium arboreum*, L. ° (wood)
 385. °
 > ! 386. *Lucuma Palmeri*, n. sp. °
 387. °
 > + 388. *Salmelia scandens*, DC.
~~*Antecaria pauciflora*, Hemsley, ex char. ?~~
 ✓ 389. *Matayba scrobiculata*, Radlk. ? °
 ✓ 390. *Acacia Hindii*, Benth. °

- ✓ 391. *Guarea* °
 > 392. *Marsdenia*? °
 > 393. *Gonolobus odoratus*, Gray. °
 ✓ 394. *Asimina foetida*, Rose, n. sp. °
 ✓ 395. *Ocotea arborea*, HBK. °
 ✓ 396. *Combretum Palmeri*, Rose, n. sp. °
 ✓ 397. " *farinosum*, HBK. °
 ✓ 398. *Bauhinia subrotundifolia*, Cav. °
 399. °
 ✓ 400. *Coursetia glandulosa*, Gray, var. °
 ✓ 401. *Licania arborea*, Seem. °
 ✓ 402. *Moringa pterygosperma*, Gaertn. °
 > 403. *Datura discolor*, Bernh. °
 > 404. *Pisonia aculeata*, L. °
 ✓ 405. *Sweetunia Mahagoni*, Jacq. °
 > 406. *Amphilophium paniculatum*, HBK. °
 407. °
 ✓ 408. *Conostegia Xalapensis*, Don. °
 ✓ 409. *Passiflora Liebmannii*, Mart. & P. *suberosa*, L. °
 ✓ 410. *Acacia* °
 ✓ 411. *Passiflora holosericea*, L. °
 ✓ 412. *Gomphia* °
 413. *Muntingia Calabura*, L. (wood) °
 > 414. *Euphorbia ligustrina*, Boiss. °
 > ! 415. *Sponsea Palmeri*, Watson, var. *platyphylla*, n. var. °
 ✓ 416. *Bombax ellipticum*, HBK. °
 ✓ 417. *Casuarina coumbosa*, HBK. °
 > 418. *Elephantopus spicatus*, Juss. °

419. *Tabebuia*. ° (wood)
- ✓ 420. *Paspalum platycaule*, Poir. °
- > 421. *Iresine celosioides*, L. °
- ✓ 422. *Indigofera Anil*, L. °
- 423.
- > 424. *Iresine interrupta*, Benth. °
- ✓ 425. *Colubrina*. °
- > 426. *Euphorbia pulcherrima*, Willd. °
- ✓ 427. *Paullinia fuscescens*, HBK. °
428. ° Photograph in drawer. 10 317
- > 429. *Acrocomia sclerocarpa*, Mart. Ex chor. °
- ✓ 430. *Hippocratea Mexicana*, Miers. °
- > 431. *Ipomoea fistulosa*, Mart. °
- ✓ 432. *Bursera Palmeri*, Watson. °
- ✓ 433. *Pennisetum purpurascens*, HBK. °
- ✓ 434. *Amundinella Martinicensis*, Trin. °
- > 435. *Eupatorium pycnocephalum*, Less. °
- ✓ 436. *Bauhinia Mermis*, Pers. °
- ✓ 437. *Heteropterys Beecheyana*, Juss. °
- ✓ 438. *Cissus sieyoides*, L. °
439. °
- > 440. *Agave* ? & *Heliconia decidentifolia*, Rose. n. sp. °
- > 441. *Pluchea subdecurrens*, Cass. °
- > 442. *Aphrodium patens*, Swz. °
- ✓ 443. *Jouva straminea*, Fourn. non Scribn. °
- > 444. *Kyllingia pumila*, Michx. °
- 445.
- ✓ 446. *Panicum sanguinale*, L., var. *breviglume*, Trin, forma distans, Doell.

- > 447. *Limbristylis miliacea*, Vahl. 0
 > 448. *Cyperus compressus*, L. 0
 ✓ 449. *Bauhinia pescaprae*, Cav. 0
 450. 0
 ✓ 451. *Bauhinia pescaprae*, Cav. 0
 ✓ 452. *Waltheria Americana*, L. 0
 453. 0
 ✓ 454. *Tribulus pistoides*, L. 0
 455. 0
 > 456. *Exostemma Caribaeum*, R. & S. 0
 457. 0
 ✓ 458. *Tetradlea sessiliflora*, Tr. & Pl. 0
 459. 0
 > 460. *Celosia* (!?) *monosperma*, Rose. 0
 ✓ 461. *Cassia oxyphylla*, Kunth. 0
 462. 0
 463. 0
 ✓ 464. *Mollugo verticillata*, L. 0
 465. 0
 ✓ 466. *Heliotropium* ~~*pauciflorum*~~ ^{*pauciflorum*}, ~~*nocturnum*~~, ~~*n. sp.*~~ Griseb. 0
 ✓ 467. *Triphasia trifoliata*, DC. 0
 > 468. *Glycauthes gratioloides*, Benth. 0
 > 469. *Herpestis sessiliflora*, Benth. 0
 > 470. ^{*Exostemma*} *Eclipta alba*, Hassk. 0
 471. 0
 > 472. *Herpestis rotundifolia*, Pursh. 0
 ✓ 473. *Eriosema diffusum*, G. Don. 0
 ✓ 474. *Galphimia glandulosa*, Rose, n. sp. 0

475.
 ✓ 476. *Indigofera mucronata*, DC.
 > 477. *Blechnum Brownei*, Juss.
 ✓ 478. *Cassia atomaria*, L.
 > 479. *Lippia callicarpaeifolia*, HBK.
 > 480. *Melanthera hastata*, Rich.
 > 481. *Peetia arenaria*, Benth.
 482. *Sporaea* ^{neg.}
 ?! 483. *Sporaea ampullacea*, n. sp.
 ✓ 484. *Colubrina arborea*, Brandege.
 ✓ 485. *Hirtella Americana*, Aubl.
 ✓ 486. *Colubrina*
 ✓ 487. *Cleome dioica*, L.
 > 488. *Spennacoce podoccephala*, Gay.
 489.
 490.
 > 491. *Zapmenia Ghiesbuchtii*, Gay.
 > 492. *Vernonia canescens*, HBK.
 > 493. *Bernardia Mexicana*, Mill. sp.
 ✓ 494. ~~*Olea*~~
 ✓ 495. *Sida dumosa*, Swartz.
 > 496. *Canna edulis*, Ker.
 > 497. *Brickellia* ^{glomerata, Fern.} ~~*Cavanillesii*~~, ^{Gay.} n. sp.
 > 498. *Laeselia ciliata*, L.
 ✓ 499. *Cayaponia attenuata*, Cogn.
 ✓ 500. *Xylooma Pringlei*, Robinson.
 ✓ 501. *Cassia*
 ✓ 502. *Waltheria Preslii*, Malp.

- ✓ 503. *Cayaponia attenuata*, Cogn. °
 > 504. *Solandra grandiflora*, Swartz. °
 ✓ 505. *Caesalpinia* °
 > ! 506. ~~*Dryschoriote*~~ *Calophanes* *saltuensis*, n. sp. °
 ✓ 507. *Dalea diffusa*, Moench. °
 > 508. *Laeselia glandulosa*, Don. °
 > ! 509. *Russelia rotundifolia*, Cav. ex char. °
 > 510. *Physalis foetens*, Poir. °
 > ! 511. *Ruprechtia fusca*, n. sp. °
 > 512. *Telanthera gracilis*, Moq. °
 > 513. *Eupatorium pycnocephalum*, Less. °
 ✓ 514. *Pilocarpus longipes*, Rose, n. sp. (wood) °
 > 515. *Eupatorium monanthum*, Sch. Bip. °
 > 516. *Smilax Mexicana*, Kth., var. *Costaricae*, DC. (wood) °
 > 517. *Ardisia coriacea*, Sw. °
 > 518. *Adiantum tenerum*, Swartz. °
 > 519. *Adiantum trapéziforme*, L. °
 > 520. " *trapéziforme*, L. °
 > ! 521. *Cestrum graciliflorum*, Don., ex char. °
 > 522. *Lixis obvallata*, Hook. & Arn. °
 > 523. *Zinnia maritima*, HBK. + *Desmodium* °
 524. *Phaseolus* °
 > 525. *Goumea martinicensis*, Mey. + *Crotalaria* °
 ✓ 526. *Acisnothera quadrata*, Juss. °
 ✓ 527. *Cuphea tenella*, Hook & Arn. °
 528. °
 > 529. *Castelia ampla*, Salisb. °
 530.

- > ! 531, *Loranthus inconspicuus*, Benth. ex char. °
 ✓ 532, *Mucuna urens*, L. °
 > ! 533, *Solanum lentum*, Cav. ex char. °
 > 534, *Isocarpha divaricata*, Benth. °
 > 535, *Cryptocarpus globosus*, HBK. °
 ✓ 536, *Malvaviscus* °
 > 537, *Islandia usneoides*, L. °
 ✓ 538, *Cassia* °
 ✓ 539, *Sergania* °
 ✓ 540, *Trichilia palmaria*, C.DC. °
 541, °
 542, °
 543, °
 ✓ 544, *Leprosia* °
 ✓ 545, *Bunchosia Palmeri*, Wats. °
 ✓ 546, *Caesalpinia eriostrachys*, Benth. °
 > 547, *Islandia foliosa*, Mart. & Gal. °
 ✓ 548, *Luffa operculata*, Cogn. °
 ✓ 549, *Panicum sanguinale*, L. °
 ✓ 550, *Sida rhombifolia* & *S. acuta*, var. *carpinifolia*, Schum. °
 > 551, *Priva echinata*, Juss. °
 ✓ 552, *Phaseolus* °
 ✓ 553, *Agrimone Mexicana*, L. °
 > 554, *Solanum nigrum*, L., var. *Dillenii*, Gray. °
 ✓ 555, *Nomoidia charantia*, var. *abbreviata*, Ser. °
 ✓ 556, *Simaba* °
 > 557, *Antigonon flavescens*, Wats. & *Melothria scabra*, Hand. °
 ✓ 558, *Call. Corallocarpus metoatharticus*, Cogn. °

- > 559. *Sporocarpium umbellata*, Mey. °
 ✓ 560. *Pterocarpus*? °
 > 561. *Croton micrus*, Jacq. °
 ✓ 562. *Guazuma ulmifolia*, Lam. °
 ✓ 563. *Tournefortia Indica*, L. °
 > 564. *Isotoma longiflora*, Presl. °
 > 565. *Mikania laevigata*, HBK. °
 ✓ 566. *Secundaria sylvestris*, Schlecht. °
 > 567. *Capriaria saxifragifolia*, Schl. & Ch. °
 > 568. *Heliotropium nudatum*, Swartz. °
 > 569. *Hyptis albida*, HBK. °
 ! 570. ~~Bleed~~ *Puellia ovalifolia*, Hemsl. Ex char? °
 ✓ 571. *Paullinia fuscescens*, HBK. °
 > 572. *Croton fruticulosus*, Torr. °
 > 573. *Cordia* °
 ✓ 574. *Annona* °
 > 575. *Hemiphaea costata*, Gray. & *Canavalia villosa*, Benth. °
 ✓ 576. *Capparis pauciflora*, Presl. °
 577. °
 ✓ 578. *Guarea* °
 > 579. *Hebanthe Hookeriana*, Hemsl. °
 > 580. *Jacobinia ovata*, Gray, var. *subglabra*, Wats.? °
 ✓ 581. *Sida Jamaicensis*, L. °
 > 582. *Arctostaphylos glabrescens*, Benth.? °
 > 583. *Nelsonia campestris*, R. Br. °
 ✓ 584. *Hippocratea Mexicana*, Miers. °
 585. *Trianthema Portulacastrum*, L. °
 > 586. *Euphorbia Brasiliensis*, Lam. °

587. *Bignonia aequinoctialis*, L. °
 588. *Hippocratea Mexicana*, Miers. °
 589. *Loucheocarpus* °
 590. *Glinus latoides*, Laefl. °
 591. *Chrysophyllum lamarit*, L. °
 592. *Conyza lyrata*, HBK. °
 593. *Glinus latoides*, Laefl. °
 594. *Sapronia palustris*, St. Hil. °
 595. °
 596. *Eragrostis reptans*, Nees. °
 597. *Cyperus ligularis*, L. °
 598. *Loucheocarpus senecius*, HBK. °
 599. °
 600. *Malachra digitata*, Presl. °
 601. *Loranthus Americanus*, Jacq. ex char. °
 602. *Coccoloba leptostachya*, Benth. ex char. °
 603. *Ceiba cascadea* Wed. (wood) °
 604. *Vitis* °
 605. *Triumfetta semitiloba*, Jacq. °
 606. *Gaudichaudia Schiedeana*, Juss. °
 607. °
 608. *Clematis Acapulcensis*, A. & A. °
 609. *Hypoxis decumbens*, n. sp. °
 610. *Cassia* °
 611. °
 612. °
 613. *Hiraea* °
 614. *Melochia radiata*, L. °

- ✓ 615. *Cassia tora*, L.
 ✓ 616. *Passiflora lunata*, Willd.
 > 617. *Croton minor*, Jacq. °
 > 618. *Croton Alamosanus*, Rose.
 > 619. *Ipomoea intropilosa*, Benth. Rose. °
 ✓ 620. *Centrosema hastata*, Benth.
 ✓ 621. *Phaseolus tuxillensis*, HBK. °
 622.
 623.
 ✓ 624. *Acacia paniculata*, Willd. °
 > 625. *Bauhinia subuligera*, Gray. & *Ipomoea cuspidata*, °
 626. *Krameria* °
 ✓ 627. *Cochlosoma acutangulus*, Lam. °
 > 628. *Herpestis Salzmanii*, Benth. °
 ✓ 629. *Hippocriata Acapulcensis*, HBK. °
 > 630. *Crescentia alata*, HBK. °
 > 631. *Tithonia tagetiflora*, Desf. °
 ✓ 632. *Cassia bicapsularis*, L. °
 633.
 634.
 635.



Palmer, Edward. 1895. "Palmer's Plants from Acapulco." *Gray Herbarium miscellaneous plant lists*

View This Item Online: <https://www.biodiversitylibrary.org/item/241019>

Permalink: <https://www.biodiversitylibrary.org/partpdf/267276>

Holding Institution

Harvard University Botany Libraries

Sponsored by

CLIR

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.