

THE PINES, BLUE HILL,
READVILLE, MASS.

13 Feb 1898.

Dear Mr Collins:

I return you the list
with my cordial
thanks for the same:
I have had a type-
written copy made,
with your various
manuscript additions,
+ I shall use it.

I send you some
notes on a few of
the names you
proposed to me,
taken from Bridel
Mueller + Michaux
Flor. Bor. Am.

I notice that Kew.
is given by you
as authority where
I find Schwaeg. do
you suppose that
Kitchcock catalogue
gives Kew. as the
authority instead of
Schwaeg. ~~because~~
for the reason that
in all Schwaeg. sup-
plementary volumes
to Hedwig, Species
Musco. Hedwig's
name heads the
title page while

Schwaeg. is down
in the middle of the
page? it seems to
me that might be
the reason -

I have in my library
all the books mentioned
as authorities for these
names & will be
happy to look up
anything for you in
them at any time.

I have done not
one stroke of moss
work this week
having been very
busy in other
directions,
Very truly yours
Geo. H. Kinnear

Pterogonium trichomutricum Schwag = *Pterigynandrum*
trichomutricum Kew = *Leptodan trichomutricum* Mohr
acc to page 201 Vol 2 of Bridel Byol Univ.

Anictangium filiforme on page 287 Vol 2 of
Mich. Flora Bor. Am. ¹⁸⁰³ described as "affine
A. ciliata, minus et multo gracilius, apice
foliorum non scarioso" "Hab. in rupibus Caro-
linae et Canadae" = *Hedwigia filiformis* in
Prodrome Par A.M.F.J. Palisot-Beauvois page 60
M.D.CCCV. and Pal Beau. says in note he
believes to be the same or a var of *integrifolia*.

and *H. integrifolia* of Pal Beau = *Schistidium*
inverbe (Smith) page 118 Vol I Bridel, which Bridel
says he has received from Torrey in New York = ¹⁸⁵¹
Heckera inverbis page 105 Vol 2 Müllers Synopsis,
where no mention at all is made of its growing in
America, but in Europe only, and *Heckera inverbis*
is *Hedwigidium inverbe* while *Anictangium ciliatum* of all
these authors is *Hedwigia ciliata*, so I suspect
Anictangium filiforme is a forgotten form of *Hedwigia*
ciliata. vide note on page 148 Bry. Britt Wilson. ed. 1855

Hypnum luteum Schreb = *H. luteum* Kütz.
see for page ~~456~~ 467 Vol 2 of Boidel. Bryot. Univer.

Hypnum proferum = *H. splendens* (Will. Flott.)
page 435 & 436. Vol 2 of Boidel. Bryot. Univer.

Pterogonium luteum Schreb. = *Pterogonium*
luteum Michx. & Nees =
subsp. I
character in Mueller's synopsis Vol 2 p. 468
= *Thelia lutea* Stey. g. near

Pterogonium luteum Schreb. see for Boidel
luteum (Will. Nees) but *luteum* 87 see to
= *luteum* in Mueller's synopsis Vol 2 p. 92

Pterogonium luteum Schreb. = *Pterogonium*
luteum (Michx. Nees) Boidel Vol 2 p. 179
= *Hypnum luteum* a. *luteum* = *luteum* in Mueller's
synopsis Vol 2 p. 338 = *luteum*

Hypnum luteum Schreb. = *Pterogonium* sub-
luteum = *Pterogonium* Schreb. Vol 2 p. 202 =
luteum in Mueller's synopsis Vol 2 p. 92 =
Hypnum luteum Schreb. = *Pterogonium* Schreb.



Kennedy, George G. 1898. "Kennedy, George G. Feb. 13, 1898." *James Franklin Collins correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/258528>

Permalink: <https://www.biodiversitylibrary.org/partpdf/275043>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Andrew W. Mellon Foundation

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.