

4
New Haven. Apr. 17. 1887

My dear Mr. Davenport.

Yours of 16th rec'd.

I have not seen Seemann's 1934.

Shaffner's 987 (in Gray's herb.) is our *Ch. Lindheimeri* - a species founded on Lindheimer's 744, which is in Gray's herb. also.

I copy Fee's account of his *Myriopteris cheilographys*. He says the pinnae are very glabrous beneath (en dessous) & then that the sporangia are buried in thick wool! This seems to me self-contradictory. Perhaps his "en dessous" is a misprint for "en dessus", which would mean above - but in either case it would not fit with *Ch. Lindheimeri*. His length of the frond - 11-13 centimetres equals $4\frac{1}{2}$ to $5\frac{1}{4}$ inches - a very small fern.

I think you might safely afford to neglect what Baker wrote you, & decide the matter for yourself.

Yours very truly

Samuel C. Eaton

Féé.

8me Mémoire sur la famille
des Fougères. [1854-1857]

P. 77.

Myriopteris

1. *M. Cheiloglyphys*. F. - La *Myriopteride*
à marges épaisses.

Frondes bipinnées, épaisses, à rhizome rampant, couvert d'écaillés serrées; à pétiole et à rachis robustes, revêtus de poils cloisonnés; frondules globuleuses, à nervilles en relief et à marges renflées, très-glabres en dessous; sporothèces plongés dans une laine épaisse.

Mexique, Orizaba, à 2500 mètres d'altitude.
(W. Schaffner, n° 91.)

Dimensions: longueur, 10-13 centimètres; pinnules, 11-13 millim.)

Cette jolie espèce, l'une des plus petites du genre, a des lobules arrondis, présentant des marges épaisses, sur lesquelles les nervilles laissent une impression très-marquée, qui leur donne une apparence réticulée; ces lobules devenus fertiles, sont à peu près globuleux. Le rhizome, gros comme une plume de pigeon, est recouvert de squamules fortement imbriquées, et traversée par un seul faisceau vasculaire cylindrique.



Eaton, Daniel Cady. 1887. "Eaton, Daniel C. Apr. 17, 1887." *George Edward Davenport correspondence*

View This Item Online: <https://www.biodiversitylibrary.org/item/173595>

Permalink: <https://www.biodiversitylibrary.org/partpdf/290704>

Holding Institution

Harvard University Botany Libraries

Sponsored by

IMLS

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.