

some in the autumn. The typical form is a low shrub broader than high with arching stems, and there is an arborescent form of excellent habit. This Crab produces great quantities of fruit which is not larger than a small pea and is bright red on some individuals and yellow on others. It has the merit of flowering later than the other Asiatic Crabapples. The variety *calocarpa* of *M. Sieboldiana* has larger flowers and fruit, and is a large arborescent shrub. As a flowering plant and when its bright red lustrous fruit is ripe it is one of the handsomest Crabapples. To Dr. William S. Bigelow of Boston, who sent the seeds to the Arboretum from Japan, western gardens owe this beautiful plant which is not known in a wild state. The small globose fruit of *M. baccata*, a common tree in northeastern Asia, varies considerably in size and in its shades of red, but all the forms are shapely trees handsome in spring and autumn. A Korean variety, var. *Jackii*, still rare in gardens, has perhaps the most brilliant fruit of any of the forms of *M. baccata*. A northern form, var. *mandshurica*, has larger fruit, and the flowers are more fragrant than those of any other Asiatic Crabapple. Attention may be called again to the value of *Malus Sargentii* as an autumn and winter plant. This is a shrub from northern Japan which grows only a few feet high but spreads by semiprostrate stems to a wide diameter. The scarlet fruit, which is produced in great quantities, is not apparently appreciated by birds and remains in good condition on the branches till spring. *M. transitoria* from western China has produced fruit in the Arboretum this year for the second time. It is ellipsoidal in shape, rose pink, darker on one side than on the other, very lustrous and about three-quarters of an inch long. The fruit of few Crabapples is more distinct and beautiful. Only a few plants in the Collection are mentioned in this Bulletin. Many others are equally interesting, and a study of the group will show possibilities for garden decoration which few persons in this country realize. In planting Crabapples it is well to remember that they only really thrive in rich, well-drained soil, that they require plenty of room in which to display their greatest beauty, that they are often attacked by the San Jose Scale which is easily controlled by spraying, and that their leaves are preyed on by the caterpillars which feed on the leaves of the Apple-trees of orchards.

Autumn Flowers. A few flowers can still be seen in the Arboretum, although the number of trees and shrubs which bloom in Massachusetts during the first weeks of October is not large. *Aralia spinosa*, the Hercules' Club of the middle and southern states, is still covered with its great terminal clusters of white flowers. These great flower-clusters and its compound leaves three or four feet in length give this tree an unusual and tropical appearance in northern woods. This *Aralia* is now well established in the Arboretum at the northern base of Hemlock Hill in the rear of the Laurels where it is spreading into thickets. *Indigofera amblyantha*, discovered by Wilson in western China, has been often referred to in these Bulletins, but it is interesting to note that it is still covered with its small rose pink flowers

which have been opening during the last three months. *Laspedeza formosa*, also collected by Wilson in western China, is the handsomest of the late Autumn-flowering shrubs in the Arboretum. Its arching stems, light green leaves, and innumerable small pea-shaped rose-colored flowers, make it a beautiful object at this season of the year. Often confounded with other species and burdened with an almost hopeless load of synonyms, *Indigofera formosa* appears to be little known in gardens.

than ever!
Autumn Foliage. The Autumn change of color in the trees and shrubs is later this year than usual and, owing to the dry summer, will probably be less brilliant than usual. As a general rule the bright colors appear earlier in the autumn on American than on allied Asiatic plants, but there are exceptions, of course, to this phenomenon; and the three plants in the Arboretum which have been most brilliant during the last week are *Acer ginnala*, *Evonymus alatus*, and *Rhododendron* (*Azalea*) *japonicum*. The Maple is a small, shrubby tree, sometimes thirty or forty feet high with pointed, deeply divided leaves, and compact clusters of fragrant flowers. A native of eastern Siberia, where it is common in the neighborhood of Vladivostok, it was one of the first Siberian plants introduced into the Arboretum from whence it came from St. Petersburg. The leaves of no American tree assume more brilliant tones, but this brilliancy lasts only for a few days for the leaves fall early. *Evonymus alatus* from Japan is without a rival in the brilliancy of the deep rose color passing to scarlet of its autumn foliage. The habit of this shrub is excellent when it has an opportunity to spread out in the sun but the flowers and fruits are inconspicuous. The value of this Burning Bush as a decorative plant is now appreciated and it is found in many American nurseries, but it must not be forgotten that it requires a large space in which to develop its greatest beauty. A form of this shrub raised from seeds collected in Korea by Mr. Jack is handsomer even than the Japanese form with its larger fruit and even more brilliant autumn foliage. In their autumn color of old gold the leaves of *Rhododendron japonicum* are more beautiful than those of any of the Azaleas in the Collection, and this autumn color greatly adds to the ornamental value of this shrub which when in flower is the handsomest of the Asiatic Azaleas which are hardy in this climate.

An illustrated guide to the Arboretum containing a map showing the position of the different groups of plants has been published. It will be found useful to persons unfamiliar with the Arboretum. Copies of this guide can be obtained at the Administration Building in the Arboretum, from the Secretary of the Massachusetts Horticultural Society, 300 Massachusetts Avenue, Boston, from The Houghton, Mifflin Company, 4 Park Street, Boston, and at the office of the Harvard Alumni Bulletin, 18 Plympton Street, Cambridge. Price, 30 cents.



1918. "Autumn Flowers." *Bulletin of popular information - Arnold Arboretum, Harvard University* 4(12), 47–48. <https://doi.org/10.5962/p.320857>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216946>

DOI: <https://doi.org/10.5962/p.320857>

Permalink: <https://www.biodiversitylibrary.org/partpdf/320857>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.