

INDEX TO SERIES 3 VOLUME II

Synonyms are in *italics*; illustrations in **black face** type

- Abies brachyphylla*, 49
— *cephalonica*, 50
— *cilicica*, 50
— *concolor*, 49
— — *Lowiana*, 49
— *Fargesii*, 50
— *homolepis*, 49
— — *umbellata*, 50
— *Nordmanniana*, 50
— *recurvata*, 50
Acer rubrum, 5
American Plums, 17
Amur Barberry, 68
Andromeda floribunda, 12
Apple Rose, 46
Arborvitae, 21
Asiatic Cherries, 18
— *Crabapples*, 17, 18
— *Quinces*, 17
Autumn Transplanting, 10
Azalea Louisa Hunnewell, 38
— **Vaseyi**, 35, 36
— *viscosa*, 61
Azaleas, 10, 18, 21, 22, 34, 36, 37, 38

Balsam Poplar, 18
Barberries, 45, 60, 68
Beautybush, 48
Bechtel's Crab, 39, 40
Benzoin aestivale, 1, 5
Berberis aggregata, 60
— — *Prattii*, 60
— — *amurensis*, 68
— — *polyantha*, 60
— — *Regeliania*, 68
— — *vulgaris*, 68
— — — *japonica*, 68
Boursault Rose, 46
Brooms, 34
Buddleia alternifolia, 58
— *Davidii*, 58
Bunchberries, 28
Bush Honeysuckles, 45
Bussey Hill, 18, 34, 48
Buttonbush, 60

Carolina Hemlock, 33
Catalpa speciosa, 54
Caucasian Fir, 50
Cedars of Lebanon, 21
Cedrela sinensis, 18
Centre Street Path, 46
Cephalanthus occidentalis, 60
Cercidiphyllum japonicum, 5
Cercis canadensis, 20
— *chinensis*, 20
Cherries, 17
Canadian Plum, 17
Candytufts, 9
Chinese Almond, 15, 16, 17
— *Cedar*, 18
— *Dogwood*, 48, 52
— *Golden Larch*, 34
— *Redbud*, 20
— *Silver Firs*, 50
Cicilian Fir, 50
Cinquefoil, 45
Cladrastris, 62
— *tinctoria*, 62
Clematis, 5
Clethra barbinervis, 61
Climbing Hydrangea, 58
Colutea arborescens, 46
Colorado White Fir, 49
Common Apple, 40
— *Hemlock*, 33
— *Lilac*, 29, 30, 32, 37
Conifers, 9, 10, 20, 33, 34, 49
Cornelian Cherry, 1, 6, 8, 10, 60
Cornels, 60
Cornus amomum, 60
— *canadensis*, 28
— *capitata*, 26
— *dubia*, 60
— **florida**, 25, 27, 48
— — *pendula*, 26
— — — *pluribracteata*, 26
— — — *rubra*, 26
— — — *xanthocarpa*, 26
— *kousa*, 26, 46
— — — *chinensis*, 26, 48, 52

- mas, 1, 6, 8, 60
- Nuttallii, 26
- officinalis, 6, 8
- paucinervis, 60
- suecica, 28
- Corylopsis, 12
 - Gotoana, 12, 20
 - pauciflora, 12, 20
 - spicata, 12, 20
- Cotoneaster salicifolia floccosa, 52
- Cotoneasters, 52
- Crabapples, 21, 24, 40, 65, 68
- Cytisus, 48

- Daphne Mezereum, 5
- David's Peach, 5
- Deutzia Vilmorinae, 46
 - Wilsonii, 46
- Deutzias, 20, 45, 46, 48
- Diervilla Maximowiczii, 36
- Diervillas, 36, 37, 45
- Dirca palustris, 1, 5
- Dogwood, 34, 36, 46
- Double-flowered Spring Cherry, 16

- Ehretia thrysiflora, 54
- Elaeagnus angustifolia, 52
 - longipes, 60
- Elm Leaf Prunus, 16
- Enkianthus, 37, 38
 - campanulatus, 37
 - — albiflorus, 37
 - — Palibinii, 37
 - cernuus, 38
 - — rubens, 38
 - japonicus, 37
 - perulatus, 37
 - subsessilis, 38
- Erica carnea, 9
 - darleyensis, 9
- European Hawthorn, 68

- Fir, Caucasian, 50
 - Cililian, 50
 - Colorado White, 49
 - Greek, 50
 - Nikko, 49
 - Nordmann, 50
- Flame Azalea, 48, 56
- Flowering Currants, 17
- Dogwood, 25, 26, 27, 28

- Forest Hills Gate, The, 13, 17
- Forsythia europaea, 4
 - Giraldiana, 2
 - intermedia, 2, 4
 - — densiflora, 4
 - — primulina, 4
 - — spectabilis, 3, 4
 - — vitellina, 4
 - japonica, 4
 - — saxatilis, 4
 - ovata, 2
 - suspensa, 2, 4
 - — atrocaulis, 4
 - — Fortunei, 2
 - — koreana, 4
 - — pubescens, 2
 - viridissima, 4
- Forsythias, 1, 2, 10, 13, 17
- Fothergilla Gardenii, 28
 - major, 28
 - monticola, 28
- Fothergillas, 28

- Goldenbells, 1, 4
- Great Laurel, 57
- Greek Fir, 50

- Hawthorn, European, 68
- Hawthorns, 18
- Heather, 9
- Hemlock, Carolina, 33
- Hemlocks, 33
- Honeysuckles, 5, 37, 61
- Hydrangea petiolaris, 58
 - Rosthornii, 52
 - — xanthoneura, 52
 - — setchuenensis, 52
 - — Wilsonii, 52

- Iberis sempervirens, 9
 - Tenoreana, 9
- Indigofera amblyantha, 48
 - Kirilowii, 46

- Japanese Cherry Albo-rosea, 21, 34
 - — Gioiko, 22
 - — Gozanomanioi, 22
 - — Grandiflora, 22
 - — Homogena, 21
 - — Horinji, 21
 - — Jugatsu-zakura, 16
 - — Kirigaya, 21

- — Masuyama, 21
- — Sekiyama, 21, 34
- — Shogetsu, 21
- — Sirotae, 21
- — Yaye-higan, 16
- Cherries,
 - 10, 13, 14, 17, 18, 21, 22, 34
- Spring Cherry, 10
- Wistaria, 40
- Junipers, 21, 34
- Kerria japonica, 36
 - pleniflora, 36
- Kalmias, 12, 62, 64
- Katsura, 5
- Koelreuteria paniculata, 62
- Kolkwitzia amabilis, 48
- Laburnum, 62
- Leatherwood, 1, 5
- Leptodermus oblonga, 60
- Lilacs, 1, 10, 17, 29, 30, 32
 - French, 32
 - Christophe Colomb, 32
 - Congo, 32
 - Duc de Massa, 32
 - Edith Cavell, 32
 - Edmond Boissier, 32
 - Georges Bellair, 32
 - Leon Gambetta, 32
 - Lucie Baltet, 32
 - Macrostachya, 32
 - Madame Casimir Périer, 32
 - Madame Florent Stepman, 32
 - Madame F. Morel, 32
 - Marceau, 32
 - Monge, 32
 - Mont Blanc, 32
 - Olivier de Serres, 32
 - Paul Thirion, 32
 - Princess Alexandria, 32
 - Princess Clementine, 32
 - Réaumur, 32
 - Rene Jarry-Desloges, 32
 - Thunberg, 32
 - Turenne, 32
 - **Vestale**, 31, 32
 - Violetta, 32
- Lonicera Altmannii, 45
 - deflexicalyx, 45
 - fragrantissima, 45
 - Korolkowii, 45
- Maackii podocarpa, 45
- praeflorens, 5
- Standishii, 5
- thibetica, 45
- Maackia amurensis, 61
 - Buergeri, 61
 - chinensis, 61
 - Fauriei, 61
- Magnolia glauca*, 54
 - stellata, 5
 - virginiana, 54
 - Watsonii, 46
- Magnolias, 10
- Mahonia Aquifolium, 10
 - repens, 9
- Malus baccata**, 20, 23
 - mandshurica, 20
 - coronaria, 40
 - ioensis, 40
 - **plena**, 39, 40
 - micromalus, 17
 - spectabilis, 24
 - theifera, 24
 - **toringoides**, 67, 68
- Maple, Red, 5
- Mezereon, 5
- Mitchella repens, 60
- Mollis Azaleas, 38
- Nikko Fir, 49
- Ninebarks, 45
- Nordmann Fir, 50
- Oaks, 21
- October-flowering Cherry, 16
- Oriental Dogwoods, 28
 - Pears, 18
 - Viburnums, 38
 - Witch-Hazels, 8, 10
- Oxydendrum arboreum, 62
- Pachistima Canbyi, 9
- Partridge-berry, 60
- Pentstemon, 36
- Pepper-bushes, 61
- Periwinkle, 9
- Persian Lilacs, 37
- Peters Hill, 18
- Phellodendron, 6
- Philadelphus Albatre**, 51

- Avalanche, 50
- Boule d'argent, 50
- Candelabre, 50
- coronarius, 50
- Erectus, 50
- Lemoinei, 50
- microphyllus, 50
- Mont Blanc, 50
- Monteau d'hermine, 50
- Physocarpus amurensis*, 45
- bracteatus, 45
- Pieris floribunda**, 10, 11
- formosa, 12
- japonica, 12
- taiwanensis, 12
- Pine*, Austrian, 72
 - Bhotan, 72
 - Black, 72
 - Bull, 70
 - Chinese White, 70
 - Fox-tail, 72
 - Hickory, 70
 - Jack, 70
 - Japanese Red, 72
 - White, 72
 - Jersey, 70
 - Korean Nut, 72
 - Limber, 72
 - Macedonian, 72
 - Mountain, 72
 - Norway, 70
 - Pitch, 70
 - Red, 70
 - Scots, 72
 - Short-leaved, 70
 - Sugar, 72
 - Swiss, 72
 - White, 70
 - Yellow, 70
- Pinus*, 69
 - aristata, 72
 - Armandi, 72
 - Balfouriana, 72
 - Banksiana, 70
 - cembra, 72
 - densiflora, 72
 - echinata, 70
 - excelsa, 72
 - flexilis, 72
 - koraiensis, 72
 - Lambertiana, 72
 - monticola, 70
 - mugo, 72
 - compacta, 72
 - — mughus, 72
 - — pumilio, 72
 - nigra, 72
 - parviflora, 72
 - peuce, 72
 - ponderosa, 70
 - Jeffreyi, 72
 - pendula, 72
 - pungens, 70
 - radiata, 69
 - resinosa, 70
 - rigida, 70
 - strobus, 70
 - **fastigiata**, 71
 - nana, 70
 - sylvestris, 72
 - Thunbergii, 72
 - virginiana, 70
- Potentilla fruticosa*, 45
 - dahurica, 45
 - — Veitchii, 45
- Prinsepia sinensis*, 17, 20
- Privet*, 30, 32, 54
- Prunus avium*, 17
 - campanulata, 14
 - Cerasus, 17
 - Davidiana, 5
 - glandulosa, 16
 - incisa, 16
 - japonica, 16
 - — Nakaii, 17
 - serrulata spontanea, 17
 - subhirtella, 10, 14, 16
 - — ascendens, 16
 - — autumnalis, 16
 - — pendula, 16
 - — tomentosa, 16
 - **triloba**, 15, 16
 - — multiplex, 16
 - — simplex, 16
 - — yedoensis, 14
- Pseudolarix amabilis*, 34
- Pterostyrax hispida*, 46
- Pyrus Calleryana**, 18, 19
 - serotina, 18
 - serrulata, 18
 - ussuriensis, 18
 - — oyoidea, 17

- Rambler Rose, 36
- Red Dogwood, 26
- Maple, 5
- Rhododendron arborescens, 56
- arboreum, 41
- brachycarpum, 42
- calendulaceum, 48, 56
- carolinianum, 42
- catawbiense, 41
- caucasicum, 41
- ciliatum, 6
- dauricum, 5, 6
- — album, 6
- — ciliatum, 6
- — **mucronulatum**, 5, 6, 7, 18
- — sempervirens, 6
- japonicum, 38
- maximum, 41, 57
- — album, 57
- — purpureum, 57
- — superbum, 57
- Metternichii, 42
- molle, 38
- obtusum Kaempferi, 34
- ponticum, 41, 42
- praecox, 6
- Schlippenbachii, 10, 18, 22
- **yedoense poukhanense**, 18, 22
- Rhododendrons, 9, 37, 57, 62
- Hybrid Album Elegans, 42
- — Album Grandiflorum, 42
- — Atrosanguineum, 42
- — Boule de Neige, 42
- — Caractacus, 42
- — Cassiope, 42
- — Catawbiense Album, 42
- — Charles Dickens, 42
- — Coriaceum, 42
- — Everestianum, 42
- — **Glenyanum**, 42, 43
- — Henrietta Sargent, 42
- — H. W. Sargent, 42
- — Lady Armstrong, 42
- — Mrs. Charles Sargent, 42
- — Mrs. Harry Ingersoll, 42
- — Mont Blanc, 42
- — Purpureum grandiflorum, 42
- — Roseum elegans, 42
- Ribes aureum, 17
- Rosa alba, 46
- bella, 46
- centifolia, 46
- — damascena, 46
- — Ecae, 46
- — eglanteria, 46
- — Fedtschenkoana, 46
- — Harisonii, 46
- — Hugonis, 46
- — Lheritierana, 46
- — Moyesii, 48
- — multiflora, 46
- — — cathayensis, 46
- — omeiensis, 46
- — rubrifolia, 46
- — rugosa alba, 46
- — — rosea, 46
- — Serafinii, 46
- — villosa duplex, 46
- — virginiana, 46
- Rose Bay, 57
- Rose Rugosa Hybrid, 46
- — — Belle Poitevine, 46
- — — Blanche Double de Coubert, 46
- — — F. J. Grootendorst, 46
- — — Max Graf, 46
- — — Roserie de L'Hay, 46
- — — Sir Thomas Lipton, 46
- Rosebud Cherry, 16
- Rouen Lilac, 37
- Russian Olive, 52
- Sargent Cherries, 14
- Schizophragma hydrangeoides**, 58, 59
- integrifolium, 60
- Sciadopitys verticillata**, 63
- Scotch Roses, 46
- Seashore Rose, 46
- Shrub Garden, 17, 45
- Silver Firs, 10, 49, 50
- Sophora japonica, 62
- — pendula, 62
- — viciifolia, 48
- Sorrel-tree, 62
- Sourwood, 62, 64
- Sphaeralcea remota, 64
- Spicebush, 1, 5
- Spiraea arguta, 17
- — gemmata, 46
- — Henryi, 45, 46
- — trichocarpa, 45, 46
- — Veitchii, 55, 56

- Spiraeas, 17, 20, 45, 46, 48, 56, 61
- Spring Cherry, 14
- Heath, 9
- Spruces, 10, 33
- Staphylea holocarpa, 20
- Stewartia koreana, 53
- malacodendron, 54
- monadelpha, 53
- pentagyna, 54
- — grandiflora, 54
- pseudocamellia, 53
- serrata, 53
- sinensis, 53
- virginica, 54
- Styrax japonica, 44, 46
- obassia, 44
- Sweetbay, 54
- Sweetbriar, 46
- Syringa vulgaris, 29
- Wolfii, 44

- Tsuga caroliniana, 33
- Taxus cuspidata, 34
- Tokyo Cherry, 14
- Torch Azalea, 34

- Umbrella Pine**, 63, 64

- Viburnum americanum*, 65
- betulifolium, 66

- bracteatum, 46
- **cassinoides**, 47, 48
- dilatatum, 50, 66
- — xanthocarpum, 52, 68
- erosum, 66
- hupehense, 66
- ichangense, 66
- lobophyllum, 66
- pauciflorum, 65
- *plicatum*, 38
- theiferum, 65
- tomentosum, 38
- — sterile, 38
- trilobum, 65
- Wrightii, 66
- Vinca minor, 9

- White Pines, 5, 37
- Wild Roses, 46
- Wilson's Crabapple, 68
- Winter Effects, 9
- Wistaria floribunda rosea, 40
- Wistarias, 37
- Witch-Hazels, 12, 28

- Xanthorrhiza apiifolia, 5

- Yellow-root, 5
- Yellow-wood, 62
- Yews, 9, 10, 33, 34
- Yoshino Cherry, 14



BHL

Biodiversity Heritage Library

Wilson, Ernest Henry. 1928. "Index [ser.3:v.2]." *Bulletin of popular information - Arnold Arboretum, Harvard University* 2(18), 73–78.

<https://doi.org/10.5962/p.322003>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216914>

DOI: <https://doi.org/10.5962/p.322003>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322003>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.