

I N D E X. †

Names of New Genera and Species have an asterisk (*) prefixed.

- | | |
|---|--|
| <p> <i>Abies smithiana</i>, 373
 <i>Accipiter melaschistus</i>, 78
 " <i>nisus</i>, 78
 <i>Acrocephalus stentoreus</i>, 81
 <i>Actinacantha propinqua</i>, 104
 <i>Æcidium compositarum</i>, 373
 " <i>euphorbiæ</i>, 366
 " <i>fragariæ</i>, 361
 * " <i>jasmini</i>, 363
 " <i>leucospermum</i>, 361, 362
 " <i>punctatum</i>, 361
 * " <i>saniculæ</i>, 352
 " <i>strobilanthus</i>, 351, 369
 " <i>thalictri flavi</i>, 362, 363
 " <i>urticæ</i>, 351
 " " <i>var. himalayense</i>, 368
 <i>Ægialites curonica</i>, 87
 <i>Alda cristata</i>, 84
 " <i>guttata</i>, 84
 * <i>Amphipronoë longicornuta</i>, 212, 220, 229
 <i>Anas angustirostris</i>, 88
 " <i>crecca</i>, 88
 " <i>penelope</i>, 88
 " <i>strepera</i>, 88
 <i>Andrachne cordifolia</i>, 351, 366, 367, 371
 <i>Anemone nemorosa</i>, 361, 362
 " <i>ranunculoides</i>, 361, 362
 " <i>rivularis</i>, 361, 362
 <i>Anthus blakistoni</i>, 84
 " <i>rosaceus</i>, 84
 <i>Aranea</i>, 107
 <i>Argiope</i>, 287
 <i>Arvicola guentheri</i>, 72
 <i>Ascyllus</i>, 283
 <i>Asio otus</i>, 79
 * <i>Atmetochilus</i>, 109
 * " <i>fossor</i>, 109
 <i>Attus</i>, 101
 " <i>forceps</i>, 283
 <i>Barbastellus communis</i>, 258
 <i>Berberis aristata</i>, 367
 " <i>lycium</i>, 368
 " <i>vulgaris</i>, 368
 <i>Brachypodium sylvaticum</i>, 359 </p> | <p> <i>Budytes citreola</i>, 83
 " <i>melanocephala</i>, 83
 <i>Buteo ferox</i>, 78
 <i>Buthus bengalensis</i>, 112
 <i>Cærostris paradoxa</i>, 107
 <i>Calandrella brachydactyla</i>, 84
 <i>Canis lupus</i>, 69
 <i>Caprimulgus europæus</i>, 79
 " <i>unwini</i>, 79
 <i>Carduelis caniceps</i>, 84
 <i>Carex setigera</i>, 369
 <i>Carine bactriana</i>, 79
 <i>Casarca rutila</i>, 89
 <i>Cedrus deodara</i>, 373
 <i>Cervus cashmirianus</i>, 76, 77
 " <i>maral</i>, 77
 <i>Cettia cetti</i>, 81
 <i>Chettusia villotæi</i>, 87
 <i>Chiracanthium</i>, 287
 <i>Cinclus asiaticus</i>, 83
 <i>Circus æruginosus</i>, 78
 " <i>cineraceus</i>, 78
 " <i>cyaneus</i>, 77
 " <i>macrurus</i>, 78
 <i>Citillus leptodactylus</i>, 71
 <i>Clangula glaucion</i>, 89
 <i>Cocalus</i>, 283
 " <i>concolor</i>, 283
 " <i>cyaneus</i>, 283
 " <i>salax</i>, 283
 <i>Columba eversmanni</i>, 86
 " <i>intermedia</i>, 86
 <i>Coracias garrula</i>, 79
 <i>Corvus frugilegus</i>, 85
 " <i>monedula</i>, 85
 " <i>splendens</i>, 257
 <i>Coturnix communis</i>, 87
 <i>Cotyle riparia</i>, 83
 " <i>rupestris</i>, 83
 <i>Crex pratensis</i>, 88
 <i>Cupressus torulosa</i>, 371
 <i>Cyanecula suecica</i>, 82
 * <i>Cyclosa albisternis</i>, 285
 * " " <i>var.</i>, 286 </p> |
|---|--|

† A complete Index to the articles on *Rhynchota* published in this volume will be issued with the last of the series in a subsequent volume.

- *Cyclosa anseripes, 286
 Cyllobelus, 283
 * " miniaceomicans, 283
 Cynonycteris amplexicaudata, 237, 238, 240, 257
 Cynopterus brachyotus, 239
 " marginatus, 237, 238, 239, 240, 257, 258
 Cypselus apus, 79
 " melba, 79
 *Cyriopagopus, 110
 * " paganus, 111
 Cystauchenium, 109
 Cytæa, 283
 * " albolimbata, 282
 " alburna, 282
 " sinuata, 282
 Dendrophthoe coccinea, 91
 " farinosa, 94
 " ferruginea, 92
 " ignea, 93
 " macrocalyx, 91
 " pentandra, 94
 " pentapetala, 90
 " pulcher, 90
 Dolomedes ocyale, 101
 Ellobius, 75
 " fuscocapillus, 74, 75
 * " intermedius, 73, 74, 75
 " talpinus, 74, 75
 " " var. rufescens, 75
 Elytranthe albida, 98
 " avenis, 97
 " farinosa, 94
 " formosa, 95
 " sphæroidea, 97
 Emberiza fucata, 85
 " pyrrhuloides, 85
 " schæniclus, 85
 Endophyllum euphorbiæ-silvaticæ, 366
 Epeira, 107, 287
 " anama, 107
 " caput-lupi, 107
 " dehaani, 106, 107
 * " masoni, 105
 " rhodosternon, 107
 * " submucronata, 106
 Erinaceus albulus, 68, 69
 " auritus, 69
 Erismatura leucocephala, 89
 Erythrospiza obsoleta, 84
 Erythrosteria parva, 80
 Euphorbia amygdaloides, 366
 " cognata, 351, 364, 372
 Euryattus, 283
 *Eurystheus hirsutus, 212, 227, 229
 Euspiza luteola, 85
 Felis caudata, 69
 Ficus, 61, 64, 65
 " alba, 67
 * " arfakensis, 63
 * " brachiata, 65
 Ficus chartacea, 64
 * " comitis, 68
 * " conora, 62
 * " conspicabilis, 61
 * " d'albertisii, 64
 * " dimorpha, 66
 * " dumosa, 67
 * " forbesii, 66
 * " grandis, 64
 * " mespiloides, 62
 " miquelii, 65
 " ribes, 66
 " roxburghii, 64
 Fragaria vesca, 351, 359
 Fulica atra, 88
 Fuligula cristata, 88
 " nyroca, 89
 Gagrella, 115
 * " binotata, 115
 * " cervina, 115
 * " quadravittata, 115, 116
 " signata, 117
 Gallinago scolopacinus, 87
 " solitaria, 87
 Gasteracantha, 104
 " annamita, 105, 284
 " frontata, 105
 Gazella subgutturosa, 76
 Geranium nepalense, 374
 Gerbillus erythrurus, 72
 " hurrianæ, 71, 72
 Gymnosporangium clavariæforme, 370, 371
 " juniperinum, 371
 Harpyiocephalus, 252
 " harpia, 258, 259
 " leucogaster, 251, 252
 Hasarius, 283
 " adansoni, 283
 Hersilia, 287
 *Heteropoda ferina, 102
 * " languida, 102
 " mediocris, 102
 " venatoria, 102
 Himantopus candidus, 87
 Hippasa greenalliae, 101
 Hipposideros fulvus, 248
 Hirundo rustica, 83
 Homalattus, 287
 Hormurus australasiæ, 113
 Hyperia, 224, 226, 227
 Hyperina, 212
 Hypolais pallida, 81
 " rama, 81
 Ischnurus australasiæ, 113
 " pistaceus, 113
 Isometrus varius, 112
 Jasminum grandiflorum, 364, 374
 " humile, 363, 374
 " officinale, 364, 374
 " revolutum, 351
 Lagomys rufescens, 75

- Lanius isabellinus*, 80
 „ *phoenicuroides*, 80
Larus ridibundus, 88
Leptoctenus denticulatus, 108
 „ *pullus*, 108
 * „ *tumidulus*, 108
Leptopelma, 287
Lepus lehmanni, 76
Lestrigonus, 224, 227
 * „ *bengalensis*, 212, 224, 225, 227, 229
 „ *ferus*, 225
 „ *fuscus*, 225
Liocheles, 113
 „ *australasiæ*, 113
 „ *complanatus*, 113
 „ *neocaledonicus*, 113
Loranthus, 89, 90, 99
 „ *albidus*, 98
 „ *ampullaceus*, 97
 „ *avenis*, 97
 „ *axanthus*, 90
 * „ *beccarii*, 98
 „ *bengalensis*, 92
 „ *carinulatus*, 97
 „ *coccineus*, 90, 91, 95
 „ *concavifolius*, 92
 „ *contractus*, 94
 * „ *crassipetalus*, 91
 „ *curvatus*, 95
 „ *dianthus*, 96
 * „ *duthieanus*, 94
 „ *eleutheropetalus*, 91
 „ *erythrostachys*, 90
 „ *evenius*, 97
 „ *farinosus*, 94
 „ *ferrugineus*, 92
 „ *finlaysonianus*, 94
 * „ *forbesii*, 100
 „ *formosus*, 95, 96
 „ *globosus*, 97
 „ *graciliflora*, 92
 * „ *grandifrons*, 93
 „ *heteranthus*, 91
 „ *kingii*, 99
 * „ *kunstleri*, 95
 „ *lævigata*, 92
 * „ *lampongus*, 100
 „ *leucosiphon*, 98
 „ *lobbii*, 90
 „ *longiflorus*, 93
 * „ *lowii*, 98
 „ *loxantherus*, 95
 „ *lydenianus*, 90
 „ *malaccensis*, 93
 „ *meluitangensis*, 96
 „ *obtectus*, 92
 „ *oleifolius*, 97
 „ *oortianus*, 92
 „ *pallens*, 97
 „ *parishii*, 90
 „ *pentandrus*, 93
Loranthus pentapetalus, 90
 * „ *platyphyllus*, 97
 „ *polycarpus*, 90
 * „ *productus*, 91
 „ *pulcher*, 90
 „ *racemiferus*, 91
 „ *reinwardtianus*, 95
 „ *retusus*, 98
 „ *rigidus*, 94
 „ *schultesii*, 93
 * „ *scortechinii*, 94
 „ *scurrula*, 93
 „ „ *var. oblecta*, 92
 „ *speciosus*, 90, 95
 „ *sphaerocarpus*, 97
 „ *sub-globosus*, 97
 „ *sub-umbellatus*, 97
 „ *viridiflorus*, 97
Lycosa, 101
 „ *virulenta*, 101
Lyreidus bairdii, 208
 * „ *channeri*, 206, 208, 376
 „ *elongatus*, 208
 * „ *gracilis*, 376
 * „ *stenops*, 209
 „ *tridentatus*, 207, 208, 209
Machetes pugnax, 87
Macrosolen, 97
 „ *formosus*, 95
 „ *oleioides*, 97
 „ *pallens*, 97
 „ *sphaerocarpus*, 97
Mævia, 283
Maracandus, 114
 „ *macei*, 114
 „ *mouhoti*, 114
 * „ *reticulatus*, 113
Megaderma lyra, 242, 258
Melanocorypha bimaculata, 84
Menemerus culicivorus, 101
Mergus albellus, 89
Merops apiaster, 79
Merula atrigularis, 81
 „ *maxima*, 81
 „ *vulgaris*, 81
Meta, 286, 287
 „ *fastigiata*, 107
 „ *fastuosa*, 107
Milvus migrans, 78
Miniopterus schreibersi, 251, 254, 256, 257
Moggridgea, 287
 * *Monosporidium*, 351, 364, 367, 371
 * „ *andrachnis*, 371
 * „ *euphorbiæ*, 364, 372, 373
Monticola cyanus, 82
Motacilla alba, 83
 „ *melanope*, 83
Murina leucogaster, 251
 „ *suillus*, 258
Mus bactrianus, 72
 „ *pachycercus*, 72

- Myriactis nepalensis, 373
 Nephila, 287
 " fuscipes, 107
 " maculata, 107
 " rivulata, 107
 Nephilengys hofmanni, 107
 " malabarensis, 107
 Noctulinia lasyura, 258
 Nycticejus nivicolus, 259
 Ocyale atalanta, 101
 Otis tertax, 87
 Oxyopes, 287
 Palamnaeus bengalensis, 112
 Palystes kochi, 103
 Paraphronima, 214
 Passer hispaniolensis, 85
 " indicus, 84
 " montanus, 84
 Pastor roseus, 86
 Phalacrocorax carbo, 88
 Phasianus colchicus, 86
 " principalis, 86
 " shawi, 86
 Phcenicanthemum bennetianum, 91
 " coccineum, 91
 " pentapetalum, 90
 Pholcus distinctus 108
 " elongatus, 107, 108
 " margarita, 108
 " phalangioides, 107
 " tipuloides, 108
 Phrictus flavopilosus, 110
 Phronima, 212, 213, 214
 * " bucephala, 212, 213, 214, 215, 229
 " sedentaria, 21
 Phronimella, 214
 * " hippocephala, 212, 213, 214, 217, 229.
 Phronimopsis, 214
 Phryctus, 111
 Phyllorhina amboinensis, 248, 249
 " armigera, 245, 247, 248
 " bicolor, 248
 " fulva, 248
 " micropus, 249
 Pica rustica, 85
 Pimpinella diversifolia, 352, 356
 Pinus excelsa, 373
 " longifolia, 373
 Plecotus auritus, 242, 258
 " darjilingensis, 258
 " homochrous, 258
 Plexippus, 283
 " aper, 283
 " argentosus, 283
 " catellus, 283
 " culicivorus, 101
 " erythrocephalus, 283
 " expectans, 283
 " frontatiger, 283
 " laticeps, 283
 " nimbatus, 283
 " ochropus, 283
 " pupulus, 283
 " ruber, 283
 " severus, 283
 Pollinia nuda, 369
 Porzana bailloni, 88
 " maruetta, 88
 Pratincola caprata, 80
 " maura, 80
 Priata agelenoides, 101
 Psecas, 283
 Pterocles alchata, 86
 Pteropus amplexicaudatus, 237
 " leucocephalus, 236
 " marginatus, 239
 " medius, 236, 238, 257
 " pyrivorus, 237, 238, 258
 Ptocasius, 283
 Puccinia anemones, 361
 " coronata, 358, 359
 " flosculosorum, 373
 * " fragariae, 359, 361
 " fusca, 362
 " graminis, 367, 368
 " pimpinellae, 356, 358
 " violae, 354, 356
 Pyrus variolosa, 359, 370
 Rallus aquaticus, 87
 Ranunculus diffusus, 374
 Rhabdosoma, 221
 " armatum, 219, 220
 * " investigatoris, 212, 219, 220, 219
 " whitei, 219, 220
 Rhamnus dahuricus, 358
 Rhinolophus affinis, 242, 257
 " armiger, 245
 Rhinolophus ferrum-equinum, 245
 " luctus, 240, 241
 " macrotis, 241, 242, 258
 " minor, 240, 243, 244, 245
 " perniger, 240
 " subbadius, 243, 244
 " tragatus, 245
 Ruticilla erythronota, 82
 " rufiventris, 82
 Sageretia oppositifolia, 359
 Salticus collingwoodi, 283
 " forceps, 283
 " sinuatus, 283
 " (Attus) forceps, 283
 Sanicula, 374
 " europaea, 352
 Sarpedon, 286
 * Satzicus, 286
 * " andamanicus, 287
 Saxicola deserti, 82
 " finschii, 82
 " isabellina, 82
 " morio, 82
 " opistholeuca, 82

- Scaea*, 283
Sceloporzias badius, 78
Scolopax rusticula, 87
**Scorpiops anthracinus*, 112
 " *hardwicki*, 113
 " *montana*, 113
 " *solidus*, 113
Scotophilus fuliginosus, 250, 251, 257
Selenocosmia, 110
Servæa, 283
Sitta syriaca, 83
Spermophilus, 71
*** " *bactrianus*, 70
 " *brevicauda*, 71
 " *citellus*, 71
 " *concolor*, 71
 " *dauricus*, 71
 " *erythrogegnys*, 71
 " *eversmanni*, 71
 " *fulvus*, 71
 " *guttatus*, 71
 " *leptodactylus*, 71
 " *mongolicus*, 71
 " *mugosaricus*, 71
 " *musicus*, 71
 " *rufescens*, 71
 " *xanthoprimum*, 71
**Spheodanus*, 284
 " *marginatus*, 284
 " *undatus*, 284
Stanneoclavus brevispina, 285
 " *canningensis*, 285
Sterna anglica, 88
 " *minuta*, 88
Strobilanthes dalhousianus, 351, 369
Sturnus poltaratskyi, 86
Sturnus vulgaris, 85
Sylvia affinis, 80
 " *familiaris*, 81
 " *minuscule*, 80
 " *mystacea*, 81
 " *rubescens*, 81
Synotus darjilingensis, 258
Tadorna vulpanser, 89
Tetragnatha gracilis, 286
Tetraogallus himalayensis, 86
Thalictrum javanicum, 362
 " *minus*, 363, 375
**Thelictopis canescens*, 103
 " *severa*, 104
Thelyphonus assamensis, 111
 " *formosus*, 111
Tinnunculus alaudarius, 79
 " *cenchrus*, 79
Tityus varius, 112
Totanus ochropus, 87
Tringoides hypoleucus, 87
Troglodytes nipalensis, 83
 " *parvulus*, 83
Turtur auritus, 86
Upupa epops, 80
Uromyces junci, 373
 " *pisi*, 366
 " *scutellatus*, 366
 " *valerianæ*, 351, 352, 354
Urtica parviflora, 351, 368
Valeriana wallichii, 351, 352
Vanellus cristatus, 87
Vespertilio abramus, 250
 " *adversus*, 255
 " *caliginosus*, 256
 " *darjilingensis*, 258
 " *ferrum-equinum*, 245
 " *formosa*, 254, 256
 " *formosus*, 254
 " *fuliginosa*, 254, 256, 257
 " *fuliginosus*, 251
 " *labiata*, 250, 256
 " *muricola*, 255, 256
 " *mystacinus*, 242, 254, 255, 256, 258
 " *nipalensis*, 253, 258
 " *noctula*, 250, 256
 " *pallidiventer*, 253
 " *pallidiventris*, 253
 " *schreibersii*, 256
 " *siligorensis*, 255, 258
 " *subbadia*, 243
Vesperugo abramus, 250, 251, 257
 " *noctula*, 250
Viola serpens, 354
Vulpes montana, 69, 70



Secretary, The Natural History. 1888. "Index." *The journal of the Asiatic Society of Bengal* 56(III), 377–381.

View This Item Online: <https://www.biodiversitylibrary.org/item/110436>

Permalink: <https://www.biodiversitylibrary.org/partpdf/368298>

Holding Institution

California Academy of Sciences

Sponsored by

California Academy of Sciences Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.