

S. 6/11 | 12

A. 268364

JOURNAL
OF THE
ASIATIC SOCIETY OF BENGAL.

Part II.—NATURAL SCIENCE.

SUPPLEMENT.—1890.

1.—*Catalogue of the Insecta of the Oriental Region.* No. 2, Order Coleoptera, Family Carabidæ.—By E. T. ATKINSON, B. A.

DR. HORN writes that the *Carabidæ* form one of the members of the Adephagous series of Coleoptera, which 'is readily recognized by the predaceous character of its mouth parts, its slender antennæ (except in the *Gyrinidæ*), pentamerous tarsi, and the structure of the first abdominal segment, which is in all cases divided or hidden by the posterior coxae in such a manner that it is entirely lateral, rarely appearing as a small triangular piece between the posterior coxae.'

The classification of the *Carabidæ* is still unsettled, and, notwithstanding the very great attention paid to this group, there is no generally recognized arrangement that can be followed for the species of the Oriental Region. The number of groups, their extent, relative position, and nomenclature, still leave much to be desired. Leconte, † writing in 1862, remarked:—'Numerous efforts have been made to indicate a rational distribution of the genera, and the attempts commenced by Latreille and Bonelli, and successively improved by the suggestions of Dejean, Erichson, Schiödte, Lacordaire, and myself, have finally, in the expert hands of Schaum, * assumed a form in which probably permanent results have been obtained.'

† 'Classification of the Coleoptera of North America,' in Smithsonian Miscellaneous Collections, 1862.

* Naturg. Ins. Deutschl, 1860, and 'Das system der Carabidinen,' in Berlin. Ent. Zeits., iv, 1860, p. 161.

Following the suggestions of the later authors, Leconte divided the whole family into three sub-families, formed thus:—

Middle coxæ distant;

Epimera of the mesonotum reaching the coxæ ... 1. CARABIDÆ.

Epimera of the mesonotum not reaching the coxæ ... 3. HARPALIDÆ.

Middle coxæ contiguous 2. OZENIDÆ.

In the *Carabidæ*, he placed the tribes *Omophronini*, *Hiletini*, *Carabini*, and *Scaritini*. To the second sub-family he attached the *Ozenini* and *Pseudomorphini*, and all the rest to the third sub-family. Leconte, writing of the Coleoptera of North America, did not indicate the position of the extra-American genera.

In 1880, † Kölbe, starting with the hypothesis that the land-beetles are later than the water-beetles, and that the points common to both are of primary value in classification, divided the family 'Carnivora' into six sections, which are further subdivided into groups. His arrangement, however, does not help us, and the placing of the family *Cicindelidæ* as a simple subsection of one of his groups does not appear to be correct.

In 1881, Dr. G. H. Horn, ‡ reviewed the genera of the *Carabidæ* of North America, and, in doing so, gave the following arrangement of the Adephagous families, which is followed in the present catalogue:—

I. Metasternum with an ante-coxal piece, separated by a well-marked suture, reaching from one side to the other, and extending in a triangular process between the coxæ.

Antennæ 11-jointed: posterior coxæ mobile and simple; habits terrestrial.

Antennæ inserted on the front above the base of the mandibles: *Cicindelidæ*.

Antennæ arising at the side of the head, between the mandibles and the eyes: *Carabidæ*.

Antennæ 10-jointed: posterior coxæ fixed, and with large plates almost entirely concealing the abdomen: habits aquatic: *Haliplidæ*.

II. Metasternum with a very short ante-coxal piece, the suture indistinct, posteriorly not prolonged between the coxæ: habits aquatic: legs ambulatorial: anterior coxæ globular:

Amphizoidæ.
Pelobiidæ.

Legs natatorial: anterior coxæ conical:

† *Natürliches System der Carnivoren Coleoptera*, in Deutsche Ent. Zeits., xxiv, 1880, p. 258.

‡ 'On the genera of the Carabidæ, with special reference to the fauna of Boreal America,' in Trans. Amer. Ent. Soc., 1880, p. 91-196.

III. Metasternum prolonged behind in a triangular process, the antecoxal piece entirely wanting : habits aquatic.

Antennæ slender, filiform or setaceous, abdomen with six segments : eyes two : *Dytiscidæ*.

Antennæ irregular, very short : abdomen with seven segments of which the first two are closely united : eyes four : *Gyrinidæ*.

The *Carabidæ* are divided into three sub-families :—

Middle coxal cavities not entirely enclosed by the sterna, the epimeron of the mesosternum attaining the coxae : *Carabinæ*.

Middle coxal cavities entirely enclosed by the sterna, the epimeron of the mesosternum not attaining the coxae.

Head without antennal grooves beneath and with distinct super-orbital setæ : ambulatorial setæ of abdomen usually well developed. *Harpalinæ*.

Head with distinct, usually long, antennal grooves beneath, and without distinct super-orbital setæ : ambulatorial setæ of the abdomen feeble or wanting. *Pseudomorphinæ*.

The *Harpalinæ* are further subdivided into two sections, the first in which the head has two super-orbital setigerous punctures, the second in which there is but one. The groups included in the subfamilies are as follows :—

| | | | |
|---------------------------|------------------------------|-----------------------------|---------------------------|
| Carabinæ. | 13. <i>Promceognathini</i> . | 25. <i>Licinini</i> . | 38. <i>Cratocerini</i> . |
| 1. <i>Omophronini</i> . | 14. <i>Enceladini</i> . | 26. <i>Platynini</i> . | 39. <i>Orthogonini</i> . |
| 2. <i>Trachypachini</i> . | 15. <i>Scaritini</i> . | 27. <i>Anchonoderini</i> . | Harpalinæ II |
| 3. <i>Cychrini</i> . | Harpalinæ I. | | 40. <i>Brachynini</i> . |
| 4. <i>Carabini</i> . | 16. <i>Panagæni</i> . | 28. <i>Ctenodactylini</i> . | 41. <i>Apotomini</i> . |
| 5. <i>Pamborini</i> . | 17. <i>Siagonini</i> . | 29. <i>Odacanthini</i> . | 42. <i>Broscini</i> . |
| 6. <i>Hiletini</i> . | 18. <i>Ozænini</i> . | 30. <i>Dryptini</i> . | 43. <i>Zacotini</i> . |
| 7. <i>Elaphrini</i> . | 19. <i>Nomiini</i> . | 31. <i>Mormolycini</i> . | 44. <i>Peleciini</i> . |
| 8. <i>Loricerini</i> . | 20. <i>Psydrini</i> . | 32. <i>Agrini</i> . | 45. <i>Chlænini</i> . |
| 9. <i>Nebriini</i> . | 21. <i>Morionini</i> . | 33. <i>Egini</i> . | 46. <i>Zabrinii</i> . |
| 10. <i>Migadopini</i> . | 22. <i>Bembidiini</i> . | 34. <i>Lebiini</i> . | 47. <i>Harpalinii</i> . |
| 11. <i>Metriini</i> . | 23. <i>Pogonini</i> . | 35. <i>Helluonini</i> . | 48. <i>Pseudomorphinæ</i> |
| 12. <i>Mystropomini</i> . | 24. <i>Pterostichini</i> . | 36. <i>Graphipterini</i> . | 37. <i>Anthiini</i> . |

Several of these groups are further subdivided, but these details need not be noticed here.

M. Borré writes of this arrangement :—‘ Beaucoup des genres prennent ainsi des places bien différentes de celles où nous sommes accoutumés de les voir ; déjà, dans l’arrangement des tribus, nous avons pu voir que des affinités consacrées par un usage pour ainsi dire général, sont tout à fait brisées, et je dois dire avec justice, car tous ceux qui ont approfondi un peu la matière le savent, il n'y avait dans notre classification que trop de traces de cette mesquine étude que l'on peut appeler l’entomologie

de clocher, c'est-à-dire que les premiers auteurs s'étaient mis en route avec l'insoutenable préjugé que notre petite Europe allait nous offrir l'abrégé exact de la nature du globe, et la possibilité de formuler par elle seule le système de cette nature.' The arrangement, however, has been adopted in Leconte and Horn's edition* of Leconte's work on the classification of American Coleoptera already noticed, and in most of the later European catalogues. There still remains the task of amalgamating the groups of all countries in one list.

Another attempt at the classification of the *Carabidæ* has been made by M. des Gozis.† This is based principally on the presence or absence of setigerous pores in the pronotum. He distributes the genera into six sections, but this arrangement appears to bring together genera incongruous in other respects, *Oodini*, *Omophronini*, *Dryptini* and *Zabrini* in the first group; *Brachynini* and *Harpalini* in the second group; whilst the fifth group contains an agglomeration of apparently widely distinct genera.

Mr. Sharp, in a paper‡ on the *Carabidæ*, quotes Leconte's remarks already noticed, and adds:—'The learned and energetic American expert had himself contributed greatly, probably as much or more than any other of the authors he mentions, to the rational system of classification he describes, and had no doubt done so at the expense of great labour and time, but the lapse of time has not altogether justified his expression of reliance as to the permanency of the results then reached. Duval, Chaudoir, C. J. Thomson and others have worked, since Leconte, at the classification of these insects, and each has contributed more or less to our knowledge, and has thus induced change. The genera of a large number of groups have been entirely remodelled by Chaudoir; while of the larger groups it may be truly said that at present but little accord exists as to their limits and arrangement, except in the case of certain comparatively small and isolated groups.'

Mr. Sharp further remarks:—'Indeed I am, myself, of opinion that classification of the groups superior in complexity to genera is at present (1883) so extremely far from approximation to the actual facts, and that these groups will thus probably in future assume a totally different form, that we should do well to refrain from giving them names at all,

* 'Classification of the Coleoptera of North America,' by J. L. Leconte and G. H. Horn, in Smithsonian Miscellaneous Collections, 1883; and separate, 1888. Bibliography of the American Carabidæ, *ib.*, p. 536.

† 'Mémoire sur les pores sétigères prothoraciques dans la tribu des Carnivores,' in MT Schwe. Ent. Ges. vi, 1882, p. 285.

‡ Trans. Ent. S. Lond., 1883, p. 61. 'On the classification of the Adephaga, or carnivorous series of the Coleoptera.'

and contenting ourselves with the simple method of numbering the tribes or groups, instead of naming them.' As pointed out by Mr. Sharp, the number of tribes, or groups of genera, in each sub-family is greater than those given by Dr. Horn, whose investigations refer mainly to the species of North America. Mr. Sharp also remarks that, in the case of many of the tribes adopted by Dr. Horn, that writer makes use of the same names for them as have been used by his predecessors, although giving to those names a widely different extension or meaning. Though this is the usual plan, it gives to classifications a false appearance of accord and permanence, and also, by giving to the names the sanction of long use, tends to make them appear in the eyes of many of more importance than they are in fact. With these remarks I thoroughly concur, and any one who has had to study the literature of the *Carabidæ*, will, I am sure, endorse them. In preparing this paper, I have found that it would be possible almost to count as a group* each genus, and I consider the best course is to arrange the genera as near as possible in the groups that have been established with some authority, and then to give fairly full references†, which those who have the knowledge and material can hereafter work out for themselves. I possess neither the time nor the material necessary for this purpose, and my object is merely to help others by giving a list of the recorded species from the Oriental Region.‡

Bates H. :—

On the group *Pericalini* :—Ent. Mon. Mag., vi. 1869. p. 69.

“ “ *Lachnophorini* :—l.c. viii. 1871. p. 29.

Biologia Centrali-Amer., Col. i (i), 1881.

Bonelli, F. A. :—

'Observations entomologiques,' in Mémoires de l' Académie Impériale des Sciences, Littérature et Beaux-arts, classe de Physique et de Mathématique, pour les années, 1809-10. Turin, 1809, p. 21 : *ibid.*, 1813 p. 442. [My copy does not contain the *tab. syn.* quoted by authors.]

Brulle, A. :—

Histoire naturelle des Insectes, par M M Audouin et Brullé. (Coléoptères). iv-vi. Paris, 1834.

* Let any one compare the notes in the *Zoological Record* for a series of years, and he will at once appreciate the extent of the existing confusion, which the *Zoologischer Jahresbericht* got over by giving the genera in alphabetical order.

† A list follows of the principal papers of Chaudoir, Putzeys, Bates, and others on classification.

‡ A few extra-Oriental species, marked by an asterisk, are given from the collection made by the Yarkand Mission of which the types are in the Indian Museum. The species identified in the Indian Museum have the precise locality in angular brackets.

Chandoir, M. le Baron de :—

Bulletin de la Société Impériale des Naturalistes, Moscou.

- 1.—Genres nouveaux et espèces nouvelles des *Carabiques*, *ib.* :—x (3), 1837, p. 1 ; (7) p. 3.
- 2.—Tableau d'une nouvelle subdivision du genre *Feronia*. *ib.*, xi (1), 1838, p. 1.
- 3.—Genres nouveaux *ib.*—xv, 1842, p. 832 ; xvi, 1843, p. 383, 671.
- 4.—Trois Mémoires sur la famille des *Carabiques* : *ib.*, xvii, 1844, p. 415.
- 5.—Note sur le groupe des *Stomides* : *ib.*, xix (2), 1846, p. 511.
- 6.—Mémoire sur la famille des Carabiques, I., *ib.*, xxi (1), 1848, p. 1 :—Odacan. thini (p. 26), Pericalus (111). II, *ib.*, xxiii (1), 1850, p. 1 :—Drypta, p. 33, Anthia (41), Callida (51), Catascopus (349), Coptodera (356), Pristonychus (379), Dicranoncüs (392), Callistus (394), Lasiocera (402), Omophron (424). III, *ib.*, xxv (1), 1852, p. 1 :—Triplogenius (p. 71). IV, *ib.*, xxvii (1), 1854, p. 112, 279 :—Ozaenini (p. 279). V, *ib.*, xxviii (1), 1855, p. 1 :—Scaritini (p. 5). VI, *ib.*, xxix (3), 1856, p. 187 :—Chlaenini, xxx (3), 1857, p. 1.
- 7.—Materiaux pour servir à l'étude des *Cicindelètes* et des *Carabiques*, *ib.*, xxxiii (4), 1860, p. 269 (*Cicindelidae*) : xxxiv (1), 1861, p. 491 :—Cychrini (p. 493), Carabini (502), Nebriini (504), Opisthius (505), Hiletini (506), Dendrocellus (545), Drypta (546), Galerita (551), Anthia (561) : *ib.* (2), p. 335 :—Revision de l'ancien genre *Panagaeus* :—Epicosmus (p. 335), Peronomerus (354), Euschizomerus (354).
- ib., xxxv (4), 1862, p. 275 :—Casnonia (p. 275), Dicraspeda (300) Helluodes (302), Physotographus (303), Pogonoglossus (304), Zuphium (310).
- 8.—Essai monographique sur le genre *Abacetus*, xlII (1), 1869, p. 355.
- 9.—Monographie des *Graphiptérides*, *ib.*, xlIII (1), 1870, p. 281.
- 10.—Monographie des *Lèbiides*, *ib.*, xlIII (2), 1870, p. 111 :—Dictya (p. 123), Nematopeza (146), Lebia (162) : *ib.*, xlIV (1), 1871, p. 1 :—Stephanas (p. 55).
- 11.—Observations sur quelques genres des *Carabiques*, *ib.*, xlV (1), 1872, p. 382 :—Callistomimus (p. 382), Casnonia (397).
- 12.—Materiaux pour servir à l'étude des *Feroniens* ;—xlVI (2), 1873, p. 85 ; *ib.*, xlVIII (1), 1874, p. 1 :—Aepsera (p. 29).
- 13.—Etude monographique des *Masoréides*, et des *Tetragonodérides*, *ib.*, li (3), 1876, p. 1 :—Caphora (p. 8), Masoreus (11), Cyclosomus (27), Tetragonoderus (33), Mnuphorus (69), Tilius (71).
- 14.—Monographie des *Siagonides*, *ib.*, 1 (1), 1876, p. 62 :—Siagona (p. 76), Coscinia (115).
- 15.—Genres nouveaux et espèces inédites des Carabiques :—*ib.*, lIII (3), 1878 p. 1 :—Rhathymus (p. 7), Tropidocerus (9), Abacetus (25), Triplogenius (31).
- 16.—Essai monographique sur les *Morionides*, *ib.*, lv (1), 1880, p. 317 :—Morio, Morionidius.

Annales de la Société Entomologique de France.

- 1.—Genres et espèces des *Carabiques* nouveaux :—iv, 1837, p. 429.
- 2.—Monographie du genre *Colpodes*, Macleay :—(3 s.) vii, 1859, p. 287.
- 3.—Revision des genres *Dicranoncüs* and *Colpodes* ; (5 s.) viii, 1878, p. 275.
- 4.—Monographie des *Ooides* :—(6 s.) ii, 1882, p. 317, 485.

L'Abeille.

- 1.—Monographie du genre *Paeilus* :—xvi, 1876, p. 1.
Annales de la Société Entomologique de Belgique.
- 1.—Révision du groupe des *Ozénides*, xi, 1867-68, p. 43 :—Picrus (p. 45), Itamus (51), Eustra (71).
- 2.—Révision des *Trigonotomides*, *l. c.*, p. 151 :—Triplogenius (p. 154), Trigonotoma (158).
- 3.—Mémoire sur les *Thyreoptérides*, xii, p. 113 :—Brachichila (p. 123), Tantillus (126), Sinurus (129), Mormolyce (131), Serrimargo (134), Peripristus (135), Thyreopterus (141), Miscelus (152), Holcoderus (153), Catascopus (158), Pericallus (158).
- 4.—Mémoire sur les *Coptodérides*, *ib.*, p. 163 :—Coptodera (p. 163), Lioptera (208), Mootherus (240), Dolichoctis (245), Brachyctis (252).
- 5.—Essai monographique sur le groupe des *Pogonides*, *ib.*, xiv, 1870-71, p. 21 :—Pogonus (p. 23), Patrobus (40).
- 6.—Essai monographique sur les *Orthogoniens*, *ib.*, xiv, 1870-71, p. 95 :—Orthogonius (p. 98), Hexachaetus (124), Actenoncus (126).
- 7.—Essai monographique sur les *Drimostomides* et les *Cratocérides*, *ib.*, xv, 1872, p. 5 :—Drimostoma (p. 9), Stomonaxus (13), Diceromerus (15).
- 8.—Monographie des *Callidides*, *ib.*, xv, 1872, p. 97 :—Callida (p. 103), Crossoglossa (177), Bothynoptera (181), Endynomena (186).
- 9.—Monographie des *Brachynides*, *ib.*, xix, 1876, p. 11 :—Pheropsophus (p. 16), Brachynus (49), Styphlomerus (87), Mastax (97).
- 10.—Essai monographique sur les *Panagéides*, *ib.*, xxi, 1878, p. 83 :—Brachyonychus (p. 86), Epicosmus (104), Eudema (133), Microcosmus (139), Dischissus (149), Euschizomerus (157), Peronemerus (162), Trichisia (164).
- 11.—Monographie des *Scaritides*. *ib.*, xxii, 1879, p. 124-181; xxiii, 1880, p. 5-130 :—Oxylobus (p. 129), Coptolobus (159), Distichus (p. 44), Scarites (63.).

Annali Museo Civico di Genova.

- 1.—Monographie des *Chléniens* :—viii, 1876, p. 5 :—*Chlaenius* (p. 10), *Hololius* (290), *Rhopalistes* (291).
- 2.—*Féronides* from Australia :—vi, 1874, p. 568 : *Harpaliens* from Australia, xii, 1878, p. 475.

Clairville, J. de :

Entomologie Helvétique, ou Catalogus des insectes (Coléoptères) de la Suisse. Zurich, 1798 ; vol. ii, 1806.

Curtis, J. :

British Entomology being Illustrations and Descriptions of the genera of insects found in Great Britain and Ireland. London, 1823-40.

Dejean, P. F. :

Species général des Coléoptères. Paris, 1825-31.

Iconographie et Histoire naturelle des Coléoptères d'Europe. Paris, 1829-40.

Erichson, W. F. :

Die Käfer der Mark Brandenburg. Berlin, 1837, 1839.

Fabricius, J. C. :—See Cat. *Capsidæ*, p. 28.

Fischer, G. :—

Entomographia imperii Russici, iii, Moscow, 1825-28.

Herbst, J. F. W. :—

Kritisches Verzeichniss meiner Insecten-Sammlung (Col.), in Archives de l' histoire des insectes par J. Füsl, 1784; in French by Winterthür, 1794.

Kirby, W. :—

Fauna boreali-Americanæ, Zool., iv. Norwich, 1837.

Lacordaire, J. T. :—
Genera des Coléoptères. I, Paris, 1854.

Faune entomologique des environs de Paris. Paris, 1835.

Latreille, P. A. :—

Histoire naturelle générale et particulière des Crustacés et des Insectes. Paris, 1802-1805.

Genera Crustaceorum et Insectorum, secundam ordinem naturalem in familias disposita, &c. Paris, i, iii, 1806-7.

Motschoulsky, V. :—

A list of the genera and species described by this author (1834-1867) will be found in the Supplement to vol. iv of the Horae Societatis entomologicae Rossicæ. St. Petersburg, 1868.

Enumération des nouvelles espèces des Coléoptères rapportées de ses voyages iv, Bull. Mosc., xxxvii (3), 1864, p. 171, 297; ib., xxxviii (4), 1865, p. 227.

Essai d'une Catalogue des Insectes de l'île Ceylon. Bull. Mosc., xxxiv (1), 1861, p. 95.

Olivier, A. G. :—

Entomologie ou Histoire naturelle des Insectes. Paris, 1789-1808.

Panzer, G. W. F. :—

Faunæ insectorum Germaniæ initia. Nürnberg, 1793-1809.

Putzeys, J. :—

1.—Monographie des *Clivines* et des genres voisins. Mém. de la Soc. Roy. Liège, ii, 1846.

2.—Postscriptum ad *Clivinidarum* Monographiam, l. c., xviii, 1862.

3.—Révision générale des *Clivinides*, Ann. Soc. Ent. Belg., x, 1866-67, p. 1-225.

4.—Supplément à la Révision générale des *Clivinides*, l. c., xi, 1867-68, p. 1-22.

5.—Deuxième supplément à la même, l. c., xvi, 1873, p. 10.

6.—Monographie des *Calathides*, l. c., xvi, p. 19.

7.—*Broscosoma*, Carabidum genus novum. Brussels, 1846.

8.—Les *Broscides*, Stettin Ent., Zeit., 1868, p. 304:—*Broscosoma*, p. 253.

9.—Etude sur les *Amara* de la Collection de Chaudoir. Liège, 1866.

10.—Monographie des *Amara*. L'Abeille, 1871, p. 100.

11.—*Trechorum oculatorum monographia*. Stettin Ent. Zeit., 1870.

Stephens, J. F. :—

Illustrations of British Entomology, or a Synopsis of indigenous insects. Mandibulata. Col. I-VI. London, 1828-32.

A Manual of British Coleoptera. London, 1839.

A Systematical catalogue of British Insects. London, 1829.

Wiedemann, C. R. W. :—

Zoologisches Magazin, Vol. i. (3), 1819; ii (1), 1823.

Germar's Magazin der Entomologie, iv. 1821, p. 107.

OMOPHRONINI :—

Lacordaire, Gen. Col., i, 1854, p. 41 : Horn, Gen. Carab., p. 105 : Leconte and Horn, Class. Col., 1883, p. 6.

Genus OMOPHRON.

Latreille, Hist. Nat. Ins., iii, 1802, p. 89 : Lacord., Gen. Col., i, p. 42 : Mun. Cat., p. 42 : Chaudoir, Rev. Mag. Zool., 1868, p. 54 : Bates, Biol. Centr. Amer. Col., i, p. 19.

Epactius, Schneider (1791), teste Bergr., Berlin. Ent. Zeits., 1884, p. 229.

Homophron, Zool. Rec., 1875, p. 279.

Scolytus, pt. Fabr., Ent. Syst., i, 1792, p. 180.

Brettinghamiae. Pascoe, Jour. Ent., i, 1860, p. 38.

Hab. India.

maculosus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 424.

Hab. N. India.

pictus (*Scolytus*), Wiedemann, Zool. Mag., ii (1), 1823, p. 69.

Hab. India, Bengal.

vittatus (*Scolytus*), Wiedemann, l. c., p. 69.

Hab. India, Bengal.

CYCHRINI :—

Horn, Gen. Carab., 1881, p. 107 : Leconte & Horn, Class. Col., 1883, p. 7.

[M. Géhin (Cat. Carab., 1885) places the *Cychrini* with the *Carabini* which he describes as comprising three genera, designated sub-tribes by him, *Cychrus*, *Carabus* and *Calosoma*, each with numerous sub-divisions. M. Géhin writes :—" Tous les groupes que je viens d'examiner ont pour moi le même valeur systématique, ce sont des sous-genres des *Carabus*, *Calosoma* et *Cychrus*. Si dans le synopsis j'ai fait précéder leur nom des mots 'genre' ou 'sous-genre', c'est pour montrer le peu d'harmonie qui existe entre les entomologistes". For the reasons given by Dr. Horn (l. c. supra), the *Cychrini* are retained as a separate group, and I give the other names as subgenera or synonyms, except *Coptolabrus* and *Damaster* which appear to be well established genera].

Genus CYCHRUS.

Fabricius, Skrift. Nat. Selsk., iii (2), 1794, p. 68-71 : Clairv., Ent. Hel., ii, p. 116 t. 19 : Latr., Hist. Crust., iii, p. 90 : Lacord., Gen. Col., i, p. 62 : Chaudoir, Bull. Mosc., xxxiv (1), 1861, p. 493 : Mun. Cat., p. 82 : Gehin, Cat., 1885, p. xxxvi, 73.

Brennus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 311 : Gehin, Cat., p. xxxvii, 75.

Irichrous, Newman, Ent. Mag., v., 1838, p. 385 : Gehin, Cat., p. 71.

Pemphus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 312 : Gehin, Cat., p. xxxvi, 73.

Scaphonotus, Latreille, Ic. Règne Anim., i, 1822, p. 87 : Mun. Cat., p. 84 : Gehin, Cat., p. xxxvi, 71.

- Sphaeroderus*, Dejean, Spec., ii, 1826, p. 14 : Mun. Cat., p. 84 : Gehin, Cat. p. xxxvi, 72.
Davidis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 307.
 Hab. Yunnan.
yunnanus, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.
 Hab. Yunnan.

CARABINI :—

Horn, Gen. Carab., p. 108 : Leconte and Horn, Class. Col., p. 9.

Genus CARABUS.

- Linn., Syst. Nat., i (2), 1767, p. 668 : Lacord., Gen. Col., i, p. 54 : Chaudoir, Bull. Mosc., xxxiv (1), 1861, p. 502 : Mun. Cat., p. 57 : Gehin, Cat. Carab., 1885, p. xi, xxv : Kraatz, Deutsche Ent. Zeits., 1878, passim ; xxx, 1886, p. 225 : Morawitz, Mém. Acad. St. Petersb., xxxiv, 9, 1886, p. 1.
Aeoptolabrus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 17.
Alogocarabus, Morawitz, l.c., p. 60.
Apolothorax, Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 207 : Lacord., Gen. Col., i, p. 58 : Gehin, Cat., p. xxviii, 54.
Apotomopterus, Hope, Col. Man., ii, 1838, p. 48 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 281 = *Morphocarabus*, Gehin, Cat., p. 16.
Archicarabus, Seidlitz, Fauna Baltica (2 ed.), 1887, p. 6 : Kraatz, Deutsche Ent. Zeits., xxxi, 1887, p. 362.
Autocarabus, Seidlitz, l. c., p. 7 : Kraatz, l. c. supra, p. 362.
Axinocarabus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 55.
Calocarabus, Séménow, Hor. Ent. Ross., xxi, 1887, p. 166.
Cathaicus, Bates, Ent. Mon. Mag., 1872, p. 32 : Kraatz, Deutsche Ent. Zeits., 1878, p. 151 : Gehin, Cat., p. xv, 13.
Cechenes, Fischer, Ent. Imp. Russ., i, 1822, p. 110 : Gehin, Cat. p. xxiv, 39.
Cechenochilus, Motsch., Ins. Russ., 1846, p. 74, note. : Gehin, Cat., p. xxiv.
Ceroglossus, Solier, Mém. Acad. Turin., 1848, p. 10 ; id., Truqui and Baudet, Stud. Ent., p. 49 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 283 : Gehin, Cat., p. xxviii, 54.
Chætocarabus, G. Thoms., Op. Ent., 1875, p. 654 : Gehin, Cat., p. xxv, 40.
Chætomelas, G. Thoms., l.c., p. 635 : Gehin, Cat., p. xii, 5.
Chrysocarabus, G. Thoms., l.c., p. 692 : Gehin, Cat., p. xxv, 41.
Cratocephalus, Kirsch, Stettin. Ent. Zeit., 1859, p. 199 : Gehin, Cat., p. xvi, 13.
Ctenocarabus, G. Thoms., Op. Ent., 1875, 683 : Gehin, Cat., p. xxvi, 44.
Eucarabus, Gehin, 1876 ; Cat., p. xxi, 29.
Eupachys, Chaudoir, Stettin, Ent. Zeit., 1857, p. 80 : Gehin, Cat., p. xvi, 13.
Eurycarabus, Gehin, 1876 ; Cat., p. xxi, 33 : Kolbe, Ent. Nachr., xii, 1886 p. 273.
Eutelocarabus, Gehin, 1876 ; Cat., p. xix, 22.
Goniagnathus, Kraatz, Deutsche Ent. Zeits., 1883, p. 361 : Gehin, Cat., p. xvii, 14.
Gonocarabus, Gehin, Cat., p. xvii, note, = preceding.
Hadrocarabus, G. Thoms., Op. Ent., 1875, p. 646 : Gehin, Cat., p. xvi, 13 : Ganglb., Deutsche Ent. Zeits., 1886, p. 228.

- Hemicarabus*, Gehin, 1876 ; Cat., p. xix, 24.
Hygrocarabus, G. Thoms., Op. Ent., 1875, p. 682 ; Gehin, Cat., p. xix, 25.
Iniopachys, Solier, Mém. Acad. Turin., 1848, p. 10 ; *id.*, Truqui & Baudet's Stud. Ent., i, p. 58 : Gehin, Cat., p. xxiv, 40.
Ischnocarabus, Kraatz, Deutsche Ent. Zeits., 1877, p. 78 : Gehin, Cat., p. xiii, 8.
Lamprocarabus, G. Thoms., Opusc. Ent., 1875, p. 673, Gehin, Cat., p. 9.
Lamprostus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 297 : Gehin, Cat., p. xiv, 8.
Leptocarabus, Gehin, Cat., p. xxiii, 36.
Limnocarabus, Gehin, 1876 ; Cat., p. xx, 25.
Lipaster, Motsch., Bull. Mosc., xxxviii (4) 1865, p. 296 : Gehin, Cat., p. xiv, 9.
Macrogenus, Motsch., *l.c.*, xix (2), 1846, p. 346 : Gehin, Cat., p. xii, 4.
Macrothorax, pt, G. Thoms., Opusc. Ent., 1875, p. 691 : Gehin, Cat., p. xxii, 35.
Megodontus, Solier, Mém. Acad. Turin, 1848, p. 10, Gehin, Cat., p. xiv, 9.
Melancarabus, G. Thoms., *l.c. supra*, p. 674 : Gehin, Cat., p. 6.
Mesocarabus, G. Thoms., *l.c.*, p. 678 : Gehin, Cat., p. xvii, 14.
Mimocarabus, Gehin, 1876 ; Cat., p. xxviii, 53.
Morphocarabus, Gehin, *l.c.*, p. xviii, 16.
Neoplectes, Reitter, Wien Ent. Zeit., 1885, p. 27 ; *ib.*, vi, p. 104 : Gehin, Cat., 36.
 { *Oreocarabus*, Gehin, 1876 : Cat., p. xxvi, 44.
 { *Oreinocarabus*, Kraatz, Deutsche Ent. Zeit., 1877 : *ib.*, xxxi, p. 362 : Ent. Nach., xiii.
Pachycranion, Solier, Mém. Acad. Turin, 1848, p. 10.
Pachycranius (Solier), Gehin, Cat. p. xv, 12.
Pachystus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xii, 5.
Pagocarabus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 45.
Pantophyrtus, Thieme, Berl. Ent. Zeits., 1881, p. 98 : Gehin, Cat., p. xvii, t. 9. p. 14.
Paraplesius, Morawitz, Mém Acad. St. Petersb., xxxiv (9), 1886, p. 51.
Platycerus, Kolenati, Mel. Ent., i, 1845, p. 24 : Gehin, Cat., p. xxiv, 39.
Plectes, Fischer, Ent. Imp. Russ., i, 1817, p. 19 ; ii, 1824, p. 53 : Gehin, Cat. p. xxiii 36 ; Reitter, Wien. Ent. Zeit., 1887, p. 104.
Procerus, Dejean, Spec., ii, 1826, p. 22 : Lacord., Gen. Col., i, p. 52 : Gehin, Cat., p. xi, 1.
Procrustes, Bonelli, Mém. Acad. Turin, 1809, p. 39 ; Lacord., Gen. Col., i, p. 53 : Gehin, Cat., p. xi, 2.
Procrusticus, White, Ann. Mag. N. H. 1845, p. 111 ; Gehin, Cat., p. xii, 5 : Ganglb., Deutsche Ent. Zeits., 1887, p. 146.
Pseudotribax, Kraatz, Deutsche Ent. Zeits., 1884, p. 217 : Gehin, Cat., p. xiv, 9.
Rhabdotocarabus, Seidlitz, Fauna Baltica (*ed. 2*), 1887, p. 6.
Sphodristus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xi, 4 : Kraatz, Deutsche Ent. Zeits., xxxi, p. 146.
Sphodristocarabus, Gehin, 1876 ; Cat., p. xx, 27 : Ganglb., Deutsche Ent. Zeits., xxxi, 1887, p. 129.

Trachycarabus, Gehin, 1876, Cat. p. xxvii, 44.

Tribax, Fischer, Bull. Mosc., v, p. 483 : G. Thoms., Op. Ent., 1875, p. 670 : Gehin, Cat., p. 8 : Ganglbauer, Deutsche Ent. Zeits., xxx, 1886, p. 305 : Reitter, Wien Ent. Zeits., 1887, p. 186.

Albrechtii (*Morphocarabus*), Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 237 : Bates, Trans. Ent. S. Lond., 1873, p. 233 : Gehin, Cat., p. 17.

fiduciarius, G. Thoms., Op. Ent., 1875, p. 728 (*nec* J. Thoms.).

var. *corvinus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 283.

„ *Lewisii*, Bates, Trans. Ent. S. Lond., 1883, p. 229.

„ *Maiyasanus*, Bates, l. c., 1873, p. 232 ; id. 1883, p. 230.

„ *multistriatus*, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 283.

„ ? *striatus*, Chaudoir. q. v.

Hab. Japan, Canton.

caschmirensis (*Megodontus*), Kollar, in Hügel's Kaschm., iv (2), 1844, p. 499, t. 23, f. 4 : Gehin, Cat., p. 10.

var. *lithariophorus*, Tatum, Ann. Mag. N. H., xx, 1847, p. 14.

Hab. Himálaya, Kashmir [*Ind. Mus.*, Murree].

coriaceipennis (*Trachycarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xv, 1863, p. 114 :

Gehin, Cat., p. 53.

Hab. China.

Davidis (*Morphocarabus*), Deyrolle and Fairm., Ann. Soc. Ent. Fr., (5 s.) viii, 1878, p. 87, t. 3, f. 4 : Gehin, Cat., p. 16.

Hab. Middle China.

Delevayii, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Fr., l.c., (6 s.) vi, 1886, p. 308.
Hab., Yunnan.

Feæ, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 106.

Hab., Burma, Bhamo, Kachin-Kauri.

fiduciarius (*Morphocarabus*), J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 338, t. 9, f. 3. : Gehin, Cat., p. 16.

Hab., China [*Ind. Mus.* China].

Hienfoungli (*Eucarabus*), J. Thomson, Arch. Ent., i, 1857, p. 166 : Gehin, Cat., p. 29.

Hab. China [*Ind. Mus.* China].

indicus Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ix, 1889, p.

Hab. Sikkim [*Ind. Mus.* Darjiling].

insulicola (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 232 ; ib., 1876, p. 2 : Gehin, Cat., p. 17.

Kaempferii, G. Thomson, Opusc. Ent., 1875, p. 729.

Hab. Japan, Canton (*Putzeys*).

prodigus (*Morphocarabus*), Erichson, Nova Acta Leop. Car. Nat. Cur., xvi, Suppl., 1834, p. 221, t. 37, f. 1 : (*Apotomopterus*) Hope, Col. Man., ii, p. 47 : Gehin, Cat., p. 16.

Hab. China [*Ind. Mus.* China].

Stoliczkanus (*Morphocarabus*), Bates, Proc. Zool. S. Lond., 1878, p. 713 : Gehin, Cat., p. 17, 77.

Hab. India, Murree [*Ind. Mus.*, type].

- striatus** (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 25.
 ? = *Albrechtii*, Morawitz, q. v.
 Hab. China.
- Tienteii** (*Morphocarabus*), J. Thomson, Arch. Ent., i, 1857, p. 165 : Gehin, Cat., p. 16.
 Hab. China.
- viridifossulatus**, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.
 Hab. Tibet, Moupin.
- Wagae** (*Sphodristocarabus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ii, 1882, p. 65 :
 Gehin, Cat., p. 28.
 Hab. N. India.
- Wallichii** (*Oreocarabus*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 46.
Boysii, Tatum, Ann. Mag. N. H., viii, 851, p. 51.
 Hab. Nepal.
- yunnanus**, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 309.
 Hab. Yunnan.

Genus COPTOLABRUS.

- Solier, Truqui and Baudet's Stud. Ent., i, 1848, p. 58 : Mun. Cat., p. 77 : Gehin, Cat., p. xxii, 35.
Macrothorax, pt., G. Thoms., Opusc. Ent., 1875, p. 691.
- Elysi**, J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 337, t. 9, f. 2 :
 Gehin, Cat., p. 35.
 Hab. E. China.
- gemmafer**, Fairmaire, Bull. Soc. Ent. Fr., (6 s.) vii, 1887, p. xxvii ; Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.
 Hab. Yunnan.

- Lafossei**, Feisthamel, Ann. Soc. Ent. Fr., 1845, p. 103, t. 2, f. 2 : Gehin, Cat., p. 35.
 var. *coelestis*, Steuart, Ann. Soc. Ent. Fr., (3 s.) iii, 1855, p. 75, t. 7, 1 : Kraatz, Deutsche Ent. Zeits., xxx, 1886, plate, f. 8, ♀.
 Hab. N. China, Shanghai, Canton (*Putzeys*) [*Ind. Mus.*, China].

- pustulifer** (*Carabus*), Lucas, Bull. Soc. Ent. Fr., (4 s.) ix, 1869, p. x ; ib., (5 s.), ii, 1872, p. 293, t. 14, f. 12, ♂ : Gehin, Cat., p. 35, t. 10.
 Hab. N. Tibet, Moupin.

- taliensis**, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.), vi, 1886, p. 308.
 Hab. Yunnan.

Genus DAMASTER.

- Kollar, Ann. Wien Mus., i, 1836, p. 333 : Lacord., Gen. Col., i, p. 61 : Mun. Cat., p. 77 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36 : Horn, Gen. Carab., p. 108.
- blaptoides**, Kollar, Ann. Mus. Wien, i, 1836, p. 334, t. 31, f. 1 : Lacord., Gen. Col. Atlas, t. 2, f. 2 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36, t. 10 : Morawitz, Mém. Acad. St. Petersb., 1886, p. 18.

- cyanostola*, Lewis, Trans. Ent. S. Lond., 1882, p. 524.
Fortunei, G. Thomson, Opusc. Ent., 1875, p. 657.
viridipennis, Lewis, Ent. Mon. Mag., xvii, 1880, p. 159.
Fortunei, Adams, Ann. Mag. N. H., (3 s.) viii, 1861, p. 59 : Bates
var. { Trans. Ent. S. Lond., 1873, p. 230 : Lewis, ib., 1882, p. 524.
oxuroides, Schaum, Ann. Soc. Ent. Fr., (4 s.) ii, 1862, p. 68, t. 2, f. 1.
" *Lewisii*, Rye, Ent. Mon. Mag., 1872, p. 131.
" *pandurus*, Bates, Trans. Ent. S. Lond., 1873, p. 230 ; id., l.c., 1883, p.
231 : Kolbe, Ent. Nach., xiii, 1887, p. 340.
Hab. Japan, Formosa [Ind. Mus., ? loc.].

Genus CALOSOMA.

Weber, Obs. Ent., i, 1801, p. 20 : Latr., Hist. Nat. Crust. Ins., iii, 1802, p. 91 : Lacord., Gen. Col., i, p. 58 : Mun. Cat., p. 78 : Gehin, Cat. Carab., 1885, p. xxix, 56.

- Aulacopterum*, Gehin, Cat., p. xxxiv, 67.
Blaptosoma, Gehin, 1876 ; Cat., p. xxxiii, 65.
Calamata, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 307 ; Gehin, Cat., p. 59.
Callipara, Motsch., l. c., p. 308 : Gehin, Cat., p. 57.
Callisphaena, Motsch., Et. Ent., 1859, p. 127 : Gehin, Cat., p. 68.
Callisthenes, Fischer, Lettre à Pander, 1821, p. 10 : Gehin, Cat., p. xxxv, 68.
Callistrata, Motsch., Bull. Mosc., l. c. supra., p. 306 : Gehin, Cat., p. 62.
Callistriga, Motsch., l.c., p. 307 : Gehin, Cat., p. xxx, 58.
Callitropa, Motsch., l. c. supra, p. 300 : Gehin, Cat., p. xxxii, 63.
Calodrepa, Motsch., l. c., p. 310 : Gehin, Cat., p. 56.
Calopachys, Haury, Le Nat., 1880, p. 164 : Gehin, Cat., p. xxxiv, 67.
Camedula, Motsch., l. c. supra, p. 304 : Gehin, Cat., p. xxx, 59.
Caminara, Motsch., l. c., p. 303 : Gehin, Cat., p. xxx, 59.
Campalita, Motsch., l. c., p. 304 : Gehin, Cat., p. xxxii, 62.
Carabosoma, Gehin, 1875 ; Cat., p. xxxii, 63.
Cathoplus, G. Thoms., Opusc. Ent., 1875, p. 628 : Gehin, Cat., p. xxxv, 70.
Castrida, Motsch., Bull. Mosc., l. c. supra, p. 300 : Gehin, Cat., p. 58.
Charmosta, Motsch., l. c., p. 301 : Gehin, Cat., p. xxxi, 61.
Chrysostigma, Kirby, Faun. Bor. Amer., iv, 1837, p. 18 : Gehin, Cat., p. xxxiv, 67.
Cosmopleta, Motsch., Bull. Mosc., l. c. supra, p. 305 : Gehin, Cat., p. 61.
Ctenosta, Motsch., l. c., p. 306 : Gehin, Cat., p. xxxii, 59.
Cychrocephalus, Gehin, 1876 ; Cat., p. 70.
Eutelodontum, Gehin, Bull. Soc. Ent. Fr., 1882, p. cxxxii ; Cat., p. xxxiii, 66.

chinense (*Charmosta*), Kirby, Trans. Linn. S. Lond., xii, 1818, p. 379 : Gehin, Cat., p. 61.

var. *aeneum*, Motsch., Bull. Mosc., xxxii (4), 1859, p. 481.

Hab. China, Canton, Japan, India, Ceylon [Ind. Mus., Sahibganj, Calcutta].

himalayanum, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 851 : Gehin, Cat., p. 57.

Hab. N. W. Himalaya, Ladak.

indicum (*Ctenosta*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 61.
Hab. Nepál.

investigator, Illiger, Käfer Preuss., i, 1798, p. 142 : Schaum, Naturg. Ins., i (i), p., 114 : (*Charmosta*) Motsch., Bull. Mosc., xxxviii (4), 1865, p. 301 : Gehin, Cat., p. 61.

sericeum, Sturm, Ins. Deutschl., iii, 1815, p. 130, t. 66, f. a : Dejean, Spec. ii, p. 206 ; Ic., ii, t. 71, f. 2.

var. *caspium*, Fischer, Ent. Imp. Russ., iii, 1826, p. 236, t. 8, f. 5, 6.

, *dauricum*, Motsch., Ins. Sib., 1844, p. 119, t. 4, f. 9 ; Bull. Mosc., xxxviii (4), p. 303.

, *leptophyllum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 239, t. 8, f. 4.

, *lugubre*, Motsch., Ins. Sib., 1844, p. 121.

, *rugulosum* Motsch., Ins. Russ., 1846, note 2.

, *russicum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 238, t. 8, f. 2.

, *sibiricum*, Motsch., Ins. Sib., 1844, p. 121 ; Bull. Mosc., xx (3), 1847, p. 226.

? *sericeum*, Gebler, Ledeb. Reise, iii, 1830, p. 58 (*nec* Fabr.).

Hab. Prussia, S. Russia, Siberia [*Ind Mus.*, Kashmir, Srinagar].

lugens (*Charmosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 372 : Gehin, Cat., p. 61.

var. *Davidis*, Gehin, Cat. Carab., 1885, p. 61.

Hab. N. China, Fuchau.

nigrum (*Charmosta*), Parry, Trans. Ent. S. Lond., iv, 1845, p. 85 : Gehin, Cat., p. 62.

var. *scabripenne*, Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 371.

Hab. Assam, N. India.

orientale (*Ctenosta*), Hope, Trans. Zool. S. Lond., i, 1833, p. 92 : ? Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 368 : Gehin, Cat., p. 61.
Hab. India, Poona [*Ind Mus.*, Sind Valley, Kogyar].

parallelum (*Campalita*), Motsch., Ins. Sib., 1844, p. 123, t. 4, f. 4 : Gehin, Cat., p. 63.

Hab. Kirgisia, India [*Ind Mus.*, Kashmir, Srinagar].

squamigerum (*Ctenosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 369 : Gehin, Cat., p. 60.

Hab. Bengal, Coimbatore (Madras).

thibetanum Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.

Hab. Moupin, N. Tibet.

HILETINI :—

Lacordaire, Gen. Col., i, 1854, p. 47 : Chaudoir, Bull. Mosc., xxxiv (i). 1861, p. 506 : Horn, Gen. Carab., p. 110.

Genus HILETUS.

Schiödte, Kröyer's Tidskr., (2 s.) ii, 1847, p. 346 : Lacord., Gen. Col., i, p. 48 : Mun. Cat., p. 46.

Camaragnathus, Bocandé, Mag. Zool., 1845, p. 4, t. 163-4 ; Rev. Mag. Zool., (2 s.) i. 1849, p. 460.

sumatreensis, Oberthür, Notes Leyden Mus., v, 1883, p. 215.
Hab. E, Sumatra, Serdang.

ELAPHRINI :—

Lacord., Gen. Col., i, 1854, p. 43 : Chaud., Bull. Mosc., xxxiv (1), 1861, p. 524 : Horn, Gen. Carab., p. 110 : Leconte & Horn, Class. Col., p. 10.

Genus ELAPHRUS.

Fabricius, Syst. Ent., 1775, p. 227 ; Syst., Eleuth., i, 1801, p. 245 : Latr. Hist. Nat. Ins., iii, 1802, p. 82 : Lacord., Gen. Col., i, p. 44 : Mun. Cat., p. 44.
Davidis, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 89.
Hab. Yunnan.

NEBRIINI :—

Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 504 : Horn, Gen. Carab., p. 112 : Leconte & Horn, Class. Col., p. 12.

Genus OPISTHIUS.

Kirby, Faun. Bor. Amer., iv, 1837, p. 60 : Lacordaire, Gen. Col., i, p. 45 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 505 : Mun. Cat., p. 47.
indicus, Chaudoir, Ann. Soc., Ent., Fr. (4 s) iii, 1863, p. 449.
Hab. N. India.

Genus NOTIOPHILUS.

Dumeril, Zool. Analyt., 1806, p. 194 : Lacord., Gen. Col., i, p. 43 : Mun. Cat., p. 43 : Bates, Biol. Centr. Amer., Col., i (i), p. 19.
acuticollis, Putzeys, Mém. Liège, 1866, p. 164.
Hab. N. China, ? Shanghai.
orientalis, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 428.
Hab. India, Simla.

Genus LEISTUS.

Frölich, Naturf., xxviii, 1794, p. 9 ; Clairv., Ent. Helv., ii, p. 146, t. 23 : Lacord., Gen. Col., i, p. 52 : Mun. Cat., p. 54.
Pogonophorus, Latreille, Hist. Nat. Ins., iii, 1802, p. 88 ; Gen. Crust., i, p. 223.
angulicollis, Fairmaire, Le Nat., 1886, p. 223 ; *id.*, Ann. Soc. Ent. Fr., (6s) vi, 1886, p. 307.
Hab. Yunnan.

Genus NEBRIA.

Latreille, Hist. Crust. & Ins., iii, 1802, p. 89 : Clairv., Ent. Helv., ii, 1806, p. 140, t. 22 : Lacord., Gen. Col., i, p. 50 : Mun. Cat., p. 47.
Alpaeus, Bonelli, Mém. Acad. Turin, 1809, p. 68.
Helobia (Leach), Stephens, Ill. Brit. Ent., iii, 1827, t. 103.
Chaslii, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6s) vi, 1886, p. 306.
Hab. China, Kiangsi.

chiuensis, Bates, Ent. Mon., ix, 1872, p. 52; Trans. Ent. S. Lond., 1873, p. 236: Fairm. Ann. Fr., l. c. *supra*, p. 306.

Hab. Yangtse Valley in China, Japan.

Desgodinsii, Oberthür, Nov. Col., i, 1883, p. 47.

Hab. Darjiling.

lividipes, Fairmaire, Le Nat., viii, 1886, p. 223; Ann. Fr. l. c. *supra*, p. 306.

Hab. China, Kiangsi.

pulcherrima, Bates, Trans. Ent. S. Lond., 1873, p. 236: Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.

Hab. Yangtse Valley, Japan, Kiangsi.

xanthacra, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 423.

Hab. India, Simla.

ENCELADINI:—

Horn, Gen. Carab., p. 118.

Genus LUPERCA.

Lap. de Casteln., Hist. Nat. Ins. Col., i, 1840, p. 63: Lacord., Gen. Col., i, p. 163: Mun. Cat., p. 162.

Holoscelis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 438; *id.*, 50 (i), 1876, p. 71.

laevigata, (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 304; Ent. Syst., i, p. 143; Syst. Eleuth., i, p. 124: Oliv., Ent., iii 36, p. 7, t. 2, f. 18: Herbst., Natursyst. Ins., Käfer, x, p. 256, t. 175, f. 6; Lacordaire, Gen. Col., Atlas, t. 6, f. 1: (*Enceladus*) Dejean, Spec., v, p. 474: Chaudoir, Bull. Mosc., 50 (i), 1876, p. 74: Dohrn, Stettin. Ent. Zeit., 1881, p. 309.

herculanea, Lap. de Casteln., Et. Ent., i, 1834, p. 151.

Hab. India, Bengal [*Ind. Mus.*, Ceylon.]

SCARITINI:—

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 124; xxiii, 1880, p. 5: Horn, Gen. Carab., p. 119; Leconte & Horn, Class. Col., p. 16.

Dr. Horn divides the tribe, so far as he deals with it, into two sections which he names *Scarites* (*Pasimachus* and *Scarites*), and *Clivinae* (*Dyschirius*, *Clivina*, *Ardistomis*). Others make four sections, of which the genera occurring in the Oriental Region are:—

Pasimachina :—*Mouhotia*.

scaritina :—*Oxylobus*, *Haplogaster*, *Scaritoderus*, *Coptolobus*, *Distichus*, *Scarites*.

scapterina :—*Scapterus*, *Thlibops*, *Systenognathus*, *Oxygnathus*, *Dacca*.

Clivinina :—*Dyschirius*, *Clivina*, *Coryza*, *Ancus*, *Ardistomis*, (Putzeys, Rév. Gen., Ann. Soc. Ent. Belg., x, 1866, p. 1),

Genus MOUHOTIA.

Lap. de Casteln., Rev. Mag. Zool., xiv, 1862, p. 305: Mun. Cat., p. 180.

convexa, Lewis, Ent. Mon. Mag., xix, 1883, p. 193: Waterhouse, Aid, t. 129, f. 1
Hab. Laos.

gloriosa, Lap. de Casteln., Rev. Mag. Zool., 1862, p. 306: Lucas, Bull. Soc. Ent. Fr., (5 s) vii, p. clxxiii.

Midas, Schaum, Proc. Ent. S. Lond., 1862, p. 94.
Hab. Laos.

Genus OXYLOBUS.

Chaudoir, Bull. Mosc., xxviii (i), 1855, p. 5; *id.*, *Monograph*, Ann. Soc. Ent. Belg. xxii, 1879, p. 129: Mun. Cat., p. 181.

alveolatus, Chaudoir, Mon. *l. c.*, p. 134.
Hab. India.

asperulus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 58: *Mon.*, p. 133.
Hab. Ceylon.

costatus, Chaudoir, *Mon.*, p. 134.
Hab. Malabar, Colombo (*Bates*).

designans (*Scarites*), Walker, Ann. Mag. N. H., (3 s) ii, 1858, p. 203: Bates, *l. c.*, (5 s) xvii, p. 210.
? = *sculptilis*, Westwood, *q. v.*
Hab. Ceylon.

foveiger, Chaudoir, *Mon.*, p. 133.
Hab. India.

lateralis (*Scarites*), Dejean, Spec., i, 1825, p. 400; Chaud., Bull. Mosc., xxviii (i), 1855, p. 8; *id.*, *Mon.*, p. 131.
Hab. India, Coromandel.

punctatosulcatus, Chaudoir, Bull. Mosc., xxviii (i), 1855, p. 6; *Mon.*, p. 131.
Hab. Nepal.

quadricollis, Chaudoir, Bull. Mosc., *l. c.*, p. 7; *Mon.*, p. 130.
Hab. India, Nilgiris, Colombo (*Bates*).

sculptilis, Westwood, Arc. Ent., i, 1843, p. 88, t. 23, f. 1: Chaudoir, *Mon.*, p. 133.
Hab. India, Coromandel [*Ind. Mus.*, Utakamand].

Genus HAPLOGASTER.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 149.

humeralis, Putzeys, Chaudoir, *Mon.*, *l. c.*, p. 151.
Hab. Madras.

ovatus, Chaudoir, *Mon.*, *l. c.*, p. 150.
Hab. N. India.

Genus SCARITODERUS.

Fairmaire, Bull. Soc. Ent. Fr., (6 s.) iii, 1883, p. lv, note.

Anomoderus, Chaudoir, Ann. Soc. Ent. Belg., xxii, 1879, p. 156 (*nom. praeoc.*).

Anomophaenus, Fauvel, Rev. d'Ent., i, 1882, p. 229 (*nom. praeoc.*).

Loyolae, Fairmaire, *l. c. supra*, p. lv.
Hab. India, Ramnad.

Genus COPTOLOBUS.

Chaudoir, Bull. Mosc., xxx (3), 1857, p. 59; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 159 : *Mun. Cat.*, p. 182.

Anodon, Chaudoir, *Mon.*, *l.c.*, p. 160.
Hab. Ceylon.

glabriculus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 60 ; *Mon.*, *l.c.*, p. 162 : *Mun. Cat.*, p. 182.

? *obliterans* (*Scarites*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 203.
? *subsignans* (*Scarites*), Walker, *l.c.*, p. 203.

Hab. Ceylon, Nuwara Eliya, Horton Plains (*Bates*), Canton (*Putzeys*).

Omodon, Chaudoir, *Mon.*, *l.c.* p. 161.
Hab. Ceylon, Colombo (*Bates*).

taprobanae, Chaudoir, *Mon.*, *l.c.*, p. 161.
Hab. Ceylon, Colombo, (*Bates*).

Genus DISTICHUS.

Motschulsky, Et. Ent., 1857, p. 96 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 44 : Bates, Biol. Centr. Amer., Col., i (i), p. 30.

Scarites, pt., Bonelli, Dejean *auct.*

Taeniolobus, pt., Chaudoir, *olim*.

dicaelus, Chaudoir, *Mon.*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 52.
Hab. Singapur.

Iucidulus, Chaudoir, *Mon.*, *l.c.*, 57.
Hab. Dekhan, Rangoon, Siam.

modestus, Chaudoir, *Mon.* *l.c.*, p. 57.
Hab. India.

picicornis (*Scarites*), Dejean, Spec. v, 1831, p. 493 : Chaudoir, *Mon.*, *l.c.*, p. 56.
troglodytes, Erichson, Wieg. Arch., 1843, p. 214.

? var. *minor*, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 389 : Ann. Mag. N. H., (2 s.) xix, 1857, p. 244.

Hab. Ceylon, Colombo, Dekhan, W. Africa, Zanzibar.

planus (*Scarites*), Bonelli, Mém. Acad. Turin., 1813, p. 470 : Dejean, Spec., i, p. 395 ; *id.*, Ic. Col. Eur., i, t. 21, f. 3 : Klug, Symb. Phys., Dec. iii, t. 23, f. 5 : Chaudoir *Mon.*, *l.c. supra*, p. 53.

? *bisquadripunctatus* Klug, Peters Reise Mössamb., v. 1862, p. 158.

punctostriatus, Redtenb., Russegger Reise., p. 979.

sexpunctatus, Ménétriés, Cat. Rais., i, 1832, p. 103.

var *nitidus*, Dejean, Spec. v. 1831, p. 484.

Hab. Mediterranean and Caspian regions, N. India.

puncticollis, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 47 ; *Mon.*, *l.c. supra*, p. 55
Hab. N. India.

striaticeps, Chaudoir, *Mon.*, *l.c.*, p. 52.
Hab. India.

Genus SCARITES.

- Fabricius, Ent. Syst., i, 1792, p. 94; Syst. Eleuth., i, p. 123 (*Attelabus*, DeGeer, *nec* Linn.): Lacord. Gen. Col., i, p. 194: Schmidt Goebel, Faun. Col. Birm., p. 93: Mun. Cat. p. 184: Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 5; *id.*, Monograph, Ann. Soc. Ent. Belg., xxiii, 1880, p. 63: Motschulsky, Et. Ent., 1857, p. 93.
- Broscomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 66.
- Glyptomorphus*, Motsch., *l. c.*, p. 95.
- Harpalites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Parallelomorphus*, Motsch., *l. c.*, p. 96: Käf. Russl., 1850, t. v: Chaud., Mon., p. 65.
- Paramecomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 65.
- Scallophorites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Stigmapterus*, Motsch., *l. c.*, p. 95.
- Taeniolobus*, pt, Chaudoir, *olim*: Mun. Cat., p. 183.
- acutidens*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 98; *id.*, Mon., p. 83.
Hab. E.coast China, Chusan.
- barbarus*, Dejean, Spec., i, 1825, p. 388: Chaud., Mon., p. 96.
Hab. India, Dekhan.
- bengalensis*, Dejean, Spec., ii, 1826, p. 468: Chaud., Bull. Mosc., xxvii (i), 1855, p. 79; *id.*, Mon., p. 89.
Hab. N. India, Bengal.
- Boysii*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 57; Mon., p. 107.
Hab. N. India.
- capito*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 92, 108; Mon., p. 95.
?= *Selene*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 94 [descr. incompr.].
Hab. Burma, Rangoon, N. India.
- ceylonicus*, Chaudoir, Mon., p. 85.
Hab. Ceylon, Galle, Colombo (Bates).
- cycloderus*, Chaudoir, Mon., p. 112.
Hab. India.
- denticulatus*, Chaudoir, Mon., p. 98.
Hab. Cochinchina.
- dyschromus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 78; *id.*, Mon., p. 82.
Hab. N. India.
- estriatus*, Fairmaire, Ann. Soc. Ent. Belg., 1887, p. 93.
Hab. China, Fukien.
- Geryon*, Hope, Gray's Zool. Misc., 1831, p. 21: ? MacLeay, Trans. Ent. Soc. N. S. Wales, i, 1863, p. 68 (Australia).
Hab. Nepal.
- inconspicuus*, Chaudoir, Bull. Mosc., *l. c. supra*, p. 82; Mon., p. 97.
Hab. N. India [*Ind. Mus.*, Jhelam Valley].
- indus*, Olivier, Ent., iii, 36, 1795, p. 9, t. 1, f 2 *a-b*: Dejean, Spec., i, p. 395: MacLeay, Annul. Javan., p. 35: Chaud., Mon., p. 102.
Hab. India, Ceylon, Colombo [*Ind. Mus.*, Bengal, Tínpahár, Sáhibgunj?].
- lopterus*, Chaudoir, Mon., p. 87.
Hab. N. India.

- longiusculus*, Chaudoir, *Mon.*, p. 86.
 Hab. Philippines.
- mancus*, Bonelli, Mém. Acad. Turin, 1813, p. 473 : Dejean, Spec., i, p. 394 ; Chaudoir, *Mon.*, p. 102.
 Hab. India, Java, Philippines.
- opacus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 88 ; *id.*, *Mon.*, p. 103.
 ? = *parvus*, Wiedemann, Zool. Mag., ii (i), 1823, p. 37.
 Hab. N. India, Bengal.
- orthomous*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 55 ; *id.*, *Mon.*, p. 88.
 Hab. Himalaya.
- pacificus*, Bates, Trans. Ent. S. Lond., 1873, p. 238 : Chaud., *Mon.*, p. 101.
 Hab. Formosa, Japan.
- parallelus*, Dejean, Spec., i, 1825, p. 382 : Chaudoir, *Mon.*, p. 86.
 Hab. Java.
- praedator*, Chaudoir, *Mon.*, p. 97.
 Hab. Burma, Rangoon.
- punctum*, Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Chaudoir, *Mon.*, p. 127.
 Hab. Bengal.
- semicircularis*, MacLeay, Annul. Javan., 1825, p. 24 : Chaudoir, *Mon.*, p. 127.
 ? = *punctum* Wiedemann, *q.v.*
 Hab. Java
- semirugosus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 90 ; *Mon.*, p. 82.
rugipennis, Chaudoir, Bull. Mosc., l.o., p. 82.
 Hab. Bengal, Bangkok, Philippines.
- similis*, Chaudoir, *Mon.*, p. 83.
 Hab. ? E. Asia.
- subnitens*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 87 ; *Mon.*, p. 103.
 Hab. N. India.
- subproductus*, Chaudoir, *Mon.*, p. 90.
 Hab. Siam, Bangkok.
- sulcatus*, Oliv., Ent. iii, 36, 1795, p. 7. t. 1, f. 11 ; Dejean, Spec., i, p. 375 : Chaud., *Mon.*, p. 80.
chinensis, Erichson, Nova Acta Leop. Carol. Nat., xvi, Supp. i, 1832, p. 220.
 Hab. India, Macao, Formosa [*Ind. Mus.*, Sikkim, Assam ?].

Genus SCAPTERUS.

- Dejean, Spec., ii, 1826, p. 471 : Lacord., Gen. Col., i, p. 197 : Mun. Cat., p. 188.
 Putzeys, Révision Clivinides, Ann. Soc. Ent. Belg., x, 1866, p. 7.
- figuloides*, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 301, fig.
 Hab. Burma.
- Guerinii*, Dejean, Spec., ii, 1826, p. 472 ; Icon. Col. Eur., i, t. 22, f. 3 : Guérin, Ic. Règne Anim., t. 5, f. 3 a : Gray, Griffith Anim. Kingd., Ins. ii, 1832, t. 8, f. 3.
 Hab. India.

riparius, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 299, fig.
Hab. Burma, Minhla.

sulcatus, Putzeys, Mém. Roy. Soc. Liège, Postscr., 1863, p. 17 : ? Chaudoir, Rev. Mag. Zool. (2 s.), xv, 1863, p. 117.
Hab. N. E. India [*Ind. Mus.*, Sibságar, Assam].

Genus **THLIBOPS**.

Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 9 : Mun. Cat., p. 188.

crenata, Chaudoir, Rev. Zool. (2 s.), xv, 1862, p. 118.
Hab. Cochin China.

Dohrnii, Chaudoir, *l. c.*, p. 118.
Hab. Java.

puncticollis, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 302.
Hab. Burma.

Genus **OXYGNATHUS**.

Dejean, Spec., ii, 1826, p. 473 ; Icon. Col. Eur., i., t. 22. f. 5 : Lacord., Gen. Col., i, p. 198 : Mun. Cat., p. 190.

elongatus (*Scarites*), Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Dejean, Spec., ii, p. 475.
Hab. India.

Genus **DACCA**.

Putzeys, Mém. Liège, Postscr., 1862, p. 68 : Mun. Cat., p. 191.

forcipata, Putzeys, *l. c.*, p. 68, t. 1, f. 41.
Hab. India.

Genus **SPAROSTES**.

Putzeys, Révision, Ann. Soc. Ent. Belg., x, 1866, p. 27 : Mun. Cat., p. 192.

brevicollis, Putzeys, *l. c.*, p. 27.
Hab. N. China, ? Canton.

striatulus, Putzeys, *l. c.*, p. 29.
Hab. India, Siam.

Genus **DYSCHIRIUS**.

Bonelli, Mém. Acad. Turin., 1813, p. 483 : Lacord., Gen. Col., i, p. 202 : Mun. Cat., p. 193 : Putzeys, Monograph Mém. Liège, ii, sep. 1846, p. 4 ; *id.*, Révision générale, Ann. Soc. Ent. Belg., x, 1866, p. 32 ; Suppt., *ib.*, xi, 1868, p. 7 ; xvi, 1873, p. 10.

Acephorus, Leconte, Ann. Lyc. Nat. Hist., New York, v, 1851, p. 194.

Phreoryctes, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6.

{ *Reicheia*, Saulcy, Ann. Soc. Ent. Fr., (4 s) ii, 1862, p. 285 : Putzeys, *l. c.*, p. 39 : Mun. Cat., p. 193.

Spelaeodytes, Müller, Wien. Ent. Monats., vii, 1863, p. 28.

binodosus, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.
Hab. Calcutta.

- daimiellus, Bates, Trans. Ent. S. Lond., 1873, p. 241.
Hab. Yangtse Valley, Japan, Nagasaki.
- debilis, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6 : Putzeys, Rév., Ann. Soc. Ent. Belg., x, 1867, p. 97 ; id., C. R. Ent. Belg., 1878, p. clxxiv.
interpunctatus, Putzeys, Rév. l.c., p. 97.
- pusillus* (*Phreoryctes*), Schmidt Goebel : Putzeys, Rév., p. 97. (nec. Dejean).
Hab. Burma, N. India.
- Doriae, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 14.
Hab. Borneo, Sarawak.
- fusus, Putzeys, C. R. Soc. Ent. Belg., xxi, 1878, p. clxxii.
Hab. Calcutta.
- hispidulus, Putzeys, Rév., l.c., p. 98.
Hab. Siam.
- impunctatus, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 10.
? = *debilis*, Schmidt Goebel, q. v.
Hab. Siam, Bangkok.
- indicus, Putzeys, Rév., l. c., p. 91.
Hab. N. India.
- nitens, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.
Hab. Calcutta.
- ordinatus, Bates, Trans. Ent. S. Lond., 1873, p. 240.
Hab. Japan, Ceylon, Kandy.
- orientalis, Putzeys, Rév., p. 92 : Bates, Trans. Ent. S. Lond., 1873, p. 241.
Hab. Hongkong, Japan.
- ovicollis, Putzeys, Ann. Soc. Ent. Belg., 1873, p. 14.
Hab. Shanghai.
- porosus, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xl.
Hab. Burma.
- rugifer, Putzeys, l.c., C. R., 1878, p. clxxiii.
Hab. Calcutta.
- Schmidtii, Putzeys, l.c. 1877, p. xli.
Hab. Calcutta.
- stenoderus, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 13.
Hab. Shanghai.
- verticalis, Putzeys, l.c. C. R., 1878, p. clxxii.
Hab. Calcutta.

Genus CLIVINA.

Latreille, Consid. génér., 1810, p. 156 : Lacord., Gen. Col., i, p. 204 : *Monograph*, Putzeys, Mém. Liège, ii, 1846 ; *Révision générale*, id., Ann. Soc. Ent. Belg., x, 1866, p. 107 : Mun. Cat., p. 198 : Horn, Gen. Carab., p. 121 : Bates, Biol. Centr. Amer., Col., i (i), p. 32.

Eupalamus, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.

- advena, Putzeys, *Révision*, 1866, p. 123.
 Hab. India.
- agona, Putzeys, *Révision*, 1866, p. 131.
 Hab. Siam.
- anceps, Putzeys, Mém. Liège., Postscr., 1862, p. 50; *id.*, *Révision*, p. 124.
 Hab. India, Dacca.
- angularis, Putzeys, *Révision*, 1866, p. 122.
 Hab. India.
- assamensis, Putzeys, *Mon.*, Mém. Liège, ii, 1846, p. 584, sep. p. 66; *id.*, Postscr., p. 35; *Révision*, p. 108.
 Hab. Assam.
- attenuata, Herbst, Natursyst. Ins., Käfer, x, 1806, p. 264, t. 176, f. 7: Putzeys, *Révision*, p. 110.
melanaria, Putzeys, *Mon.*, 1846, p. 586, sep., p. 68.
picipes, Bonelli, Mém. Acad. Turin, 1813, p. 481: Dejean, Spec., i, p. 416:
 Putzeys, Mém. Liège, 1846, p. 623; *id.*, Postscr., 1863, p. 51.
 Hab. India, Bengal, Assam.
- bengalensis, Putzeys, *Mon.* 1846, p. 603, sep., p. 85; *id.*, *Révision*, p. 137.
 Hab. Bengal.
- brevior, Putzeys, *Révision*, 1866, p. 126.
 Hab. Burma, Rangoon.
- brunnescens, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.
 Hab. Ceylon.
- capitata, Putzeys, *Révision*, 1866, p. 122.
 Hab. India.
- castanea, Westwood, Proc. Zool. S. Lond., 1837, p. 128: Putzeys, *Révision*, p. 131,
 note.
 Hab. Philippines, Manilla.
- cordicollis, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102.
 Hab. Ceylon.
- divaricata, Putzeys, *Révision*, 1866, p. 122.
 Hab. India. [*Ind. Mus.?*]
- dolens, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.
 Hab. Shanghai.
- elongatula, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 390: Ann. Mag. N. H., (2 s.)
 xix, 1857, p. 245: Putzeys, *Révision*, p. 123.
 Hab. Ceylon, Colombo.
- extensicollis, Putzeys, *Mon.* 1846, p. 601; *id.*, *Révision*, p. 115.
 Hab. Java.
- foveicollis, Putzeys, Mém. Liège, Postscr. 1863, p. 61; *id.*, *Révision*, p. 133.
 Hab. China.
- fulvaster, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.
 Hab. Ceylon.

- grammica**, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xi.
Hab. Calcutta.
- Helferii**, Putzeys, *Révision*, 1866, p. 126.
Hab. India.
- humeralis**, Putzeys, Mém. Liège, Postscr. 1863, p. 48 ; *id.*, *Révision*, p. 125.
Hab. Sumatra.
- humilis**, Morawitz, Beitr. Käfer-fauna Ins. Jesso, i, 1863, p. 22 : Bates, Trans. Ent. S. Lond., 1873, p. 238.
vulgivaga, Bohemann, Freg. Eug. Resa, Col., 1858, p. 9.
Hab. China, Hongkong, Yangtse Valley, Japan.
- hydropica**, Putzeys, *Révision*, 1866, p. 121.
Hab. N. India [*Ind. Mus.—?*].
- indica**, Putzeys, *Mon.*, 1846, p. 535, sep., p. 69 ; *id.*, Postscript, p. 35 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 72.
rugosifrons, Nietner, Journ. As. Soc. Ben., xxv, 1856, p. 390 : Ann. Mag. N. H., (2s.) xix, 1857, p. 245.
Hab. Ceylon, Colombo, N. India, Dekhan.
- javanica**, Putzeys, *Mon.*, 1846, p. 529, sep., p. 74 ; *id.*, *Révision*, p. 124.
Hab. Java.
- lata**, Putzeys, *Révision*, 1862, p. 131 : Bates, Trans. Ent. S. Lond., 1876, p. 3.
Hab. India.
- lobata**, Bonelli, Mém. Acad. Turin., 1813, p. 481 : Dejean, Spec., i. p. 414 : Putzeys, *Mon.*, p. 599, sep., p. 81 ; *id.*, *Révision*, p. 120.
Hab. Bengal.
- marginicollis**, Putzeys, *Révision*, 1866, p. 133.
Hab. India.
- memnonia**, Dejean, Spec., v. 1831, p. 503 : Putzeys, *Mon.*, sep., p. 70 ; *id.*, *Révision*, p. 108.
Hab. Java.
- moerens**, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.
Hab. Shanghai.
- mordax**, Putzeys, Mém. Liège, Postscr., 1862, p. 67 : *Révision*, p. 133.
Hab. India.
- nipponensis**, Bates, Trans. Ent. S. Lond., 1873, p. 239.
Hab. Yangtse Valley, Japan.
- Parryi**, Putzeys, Mém. Liège, Postscr., 1862, p. 60 ; *id.*, *Révision*, p. 130 : Bates, Trans. Ent. S. Lond., 1873, p. 233 ; *ib.*, 1876, p. 3 ; *id.*, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.
clivinoides, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3., f. 4.
Hab. India, Nilgiris, Bombay, Rangoon, Bhamo, Teintso, Ceylon, Colombo, Yangtse Valley, Japan.
- pluridentata**, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.
Hab. Calcutta.

recta, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.
Hab. Ceylon.

rufipes, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102 ; Putzeys, *Révision*, p. 134.
Hab. Ceylon, Colombo.

sabulosa, MacLeay, Annul. Javan., 1825, p. 24 : Putzeys, *Révision*, p. 119 note, 124.
Hab. Java.

semicarinata, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xliv.
Hab. Calcutta.

siamica, Putzeys, *Révision*, 1866, p. 124.
Hab. Siam.

striata, Putzeys, Mon., 1846, p. 592, sep., p. 74 ; *Révision*, p. 110.
Hab. India, Coromandel.

stricta, Putzeys, Mém. Liège, Postscr., 1862, p. 49 ; *Révision*, p. 125.
Hab. Java.

sulcigera, Putzeys, *Révision*, 1866, p. 110.
Hab. Siam.

tranquebarica, Bonelli, Mém. Acad. Turin, 1813, p. 484.
Hab. India.

transversa, Putzeys, *Révision*, 1866, p. 125.
Hab. Siam.

unicolor, Herbst, Natursyst. Ins., Käfer, x, 1806, p. 265, t. 176, f. 9, g.
Hab. India.

Westwoodii, Putzeys, *Révision*, 109.

castanea, Putzeys, Mém. Liège, 1863, p. 35 (*nec* Westwood).
Hab. India, Ceylon, New Guinea.

Genus CORYZA.

Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 194 : Mun. Cat., p. 203.

cariniceps (Chaudoir), Putzeys, l. c., x, 1866, p. 196.
Hab. N. India.

maculata (*Clivina*), Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 391 : Ann. Mag. N. H., (2 s.) xix, 1857, p. 246 : Putzeys, Ann. Soc. Ent. Belg., x, p. 196.
Hab. Ceylon.

Neitnerii, Putzeys, l. c., p. 196.

maculata, Putzeys, Mém. Liège, Postscr., 1862, p. 51 (*nec* Nietner).
Hab. India.

Genus ANCUS.

Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 197 : Mun. Cat., p. 204.

bicornutus, Putzeys, Mém. Liège, 1863, p. 45 ; l. c. *supra*, p. 198.
Hab. Siam.

Genus ARDISTOMIS.

Putzeys, Mém. Liège, ii, 1846, p. 636, sep., p. 118 ; *id.*, Ann. Soc. Ent. Belg., x, p. 200 : Lacord., Gen. Col., i. p. 206 : Mun. Cat., p. 204.

paradoxa, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 21.
Hab. Siam, Bangkok.

Genus PSILUS.

Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.

acutipalpis, Putzeys, *l.c.*, p. xlvi.
Hab. Calcutta.

Sect. **HARPALINÆ BISETOSÆ**—Horn, Gen. Carab., 1881, p. 122 ; Leconte & Horn, Class. Col., p. 19.

PANAGAEINI :—Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 83 ; Horn, Gen. Carab., p. 126 ; Leconte & Horn, Class. Col., p. 22.

Genus BRACHYONYCHUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 86.
Epicosmus, pt, Chaudoir, *olim*.

Andersonii, Bates Journ. Linn. S. Lond., xxi, 1887, p. 135.
Hab. Mergui Archipelago (Elphinstone Island) : [*Ind. Mus.* type].

humerus (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69 ; *Mon.*, p. 89.
Hab. Cochin China.

laevipennis, Chaudoir, *Mon.*, p. 87.
Hab. Siam, Cochin China.

punctipennis, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 305.
Hab. Laos.

sublaevis (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 67 ; *Mon.*, p. 89.
Hab. Cambodia, Cochin China.

Genus EPICOSMUS.

Chaudoir, Bull. Mosc., xvii, 1844, p. 512, note ; *id.*, *l.c.*, xxxiv (2), 1861, p. 335 ; Ann. Soc. Ent. Belg., xxi, 1878, p. 104.

Craspedophorus, pt, Hope, Col. Man., i. p. 9 : Lacord., Gen. Col., i, p. 210 : Murray, Schaum.

Eudema, pt., Lap. de Casteln. Hist. Nat. Ins. Col., i, 1840, p. 137 : Mun. Cat., p. 208.

Isotarsus, pt, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 217 ; Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 134.

Panagaeus, pt, Dejean *et auct.*

basifasciatus, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 115 ; Ann. Soc. Ent. Belg., xxi, 1878, p. 127.

? = *Saundersii*, Chaudoir, *q.v.*
Hab. Laos, Cambodia.

Castelnauii, Chadoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 112.

bifasciatus, Lap. de Casteln., Et. Ent., 1834, p. 155 (*nec Fabr.*) : Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 336.

Hab. India, Nilgiris, Coromandel, Colombo (Bates).

Feae, Gestro, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.

Hab. Burma, Bhamo, Teintso, Prome.

hexagonus, Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 338 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 114.

Hab. India [*Ind. Mus.—?*].

hilaris, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, ♂ : Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 345 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 110.

? *geniculatus* (*Panagaeus*), Wied., Zool. Mag., ii (i), 1823, p. 56 : Chaud., Ann. Belg., *l.c. supra*, p. 112.

rufipalpis, Laferté, *l.c. supra*, p. 221, ♀.

Hab. India, N. Bengal.

laticollis, Chadoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 : Ann. Soc. Ent. Belg., xxi, p. 125.

Hab. Cambodia, Laos.

mandarinus (*Isotarsus*), Schaum, Ann. Soc. Ent. Fr., (3s.) 1853, p. 436 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 113 : R. Gestro, Ann. Mus. Civ. Gen. xviii, 1882, p. 304.

Hab. Hongkong, Burma.

Mouhotii, Chadoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69 ; Ann. Belg., *l.c. supra*, xxi, p. 124.

Hab. Cambodia, Laos.

notulatus, Fabr., Syst. Eleuth., i, 1801, p. 201 : Schönherr, Syn. Ins., i, p. 209 ; Chadoir, Ann. Belg., *l.c. supra*, p. 115.

elegans, Dejean, Spec. ii, 1826, p. 290 : Laferté, *l.c. supra*, p. 221 ; Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 432.

Hab. Bengal, Dekhan [*Ind. Mus.*].

pubiger, Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 337 : Ann. Belg., *l.c. supra*, p. 122.

Hab. India.

Saundersii, Chadoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 ; Ann. Belg., *l.c. supra*, p. 125.

? *basifasciatus*, Chadoir, *q. v.*

Hab. Cambodia.

Genus EUDEMA.

Lap. de Casteln., pt. Hist. Nat. Col., i. 1840, p. 137 : Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 133.

Pimelia & *Carabus*, Fabricius : *Isotarsus*, *pt.*, Laferté : *Panagaeus*, Dejean, & *auct.*

angulatum, Fabr., Spec. Ins., i, 1781, p. 302 ; Mant. Ins., i, p. 197 ; Ent. Syst., i, p. 148 (*nec Syst. Eleuth.*, i, p. 203) : Gmelin, ed., Syst. Nat., iv, p. 1963

- Olivier, Ent., iii, 35, p. 38, t. 7, f. 76; id., Enc. Méth., Carab., No. 41: Schönherr, Syn. Ins., i, p. 166: Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 336: Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 431.
fasciatum (*Pimelia*), Fabr., Spec. Ins., i, p. 318; Mant. Ins., i, p. 209; Ent. Syst., i, p. 104: Schönherr, Syn. Ins., i, p. 166: ? Chaudoir, Bull. Mosc. xxxiv (2), 1861, p. 336; id., Mon. l. c. supra, p. 133.
tomentosum (*Panagaeus*), Vigors, Zool. Journ., i, 1825, p. 557, t. 20, f. 1: Dejean, Spec., ii, p. 284: Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 431. Hab. India, Nilgiris, Coromandel, Pondicherry [*Ind. Mus.*, Utakamand, Orissa, China].
sundaicum, Oberthür, Notes Leyden Mus., v, 1883, p. 221.
Hab. E. Sumatra, Serdang.
transversum (*Epicosmus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 332.
Hab. India.

Genus LOROSTEMMA.

- Motschulsky, Bull. Mosc., xxxvii (3), 1864 p. 329: Mun. Cat., p. 212.
Lorostema, Motsch., l. c. supra.
alutacea, Motsch., l. c. supra, p. 330.
Hab. India, Tranquebar.

Genus MICROCOSMUS.

- Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 139.
Craspedophorus, pt, Murray, Schaum.
Isotarsus, pt, Laferté.
Panagaeus, pt, Dejean & auct.
flavopilosus, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 348: Ann. Belg., l. c. supra, p. 142: Bates, Trans. Ent. S. Lond., 1873, p. 243.
Hab. Bengal, Formosa, Japan.

Genus DISCHISSLUS.

- Bates, Trans. Ent. S. Lond., 1873, p. 243: Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 149; Rev. Zool., (3s.) vi, p. 86.
Panagaeus, MacLeay, Lap. de Castelnau: *Craspedophorus*, pt, Murray, Schaum: *Isotarsus*, pt., Laferté, Schaum.
borneensis, Frivaldszky, Term. füz., vi, 1883, p. 134.
Hab. Borneo.
cereus (*Panagaeus*), MacLeay, Annul. Javan., 1825, p. 12: Chaud., Rev. Mag. Zool., (2s.) xxi, 1869, p. 116; Ann. Soc. Ent. Belg., xxi, 1878, p. 150.
? versutus, Lap. de Casteln., Et. Ent., 1834, p. 155.
Hab. Java.
guttiferus, Schaum, Ann. Soc. Ent. Fr., (3s) i, 1853, p. 437: Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 151.
Hab. Java.

longicornis (*Craspedophorus*), Schaum, Berlin. Ent. Zeits., 1863, p. 84 : Chaud., Ann. Soc. Ent. Belg., p. 153.

Hab. Nilgiris, Hongkong, N. China.

quadrinotatus (*Peronomerus*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 333 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 152 : Bates, Trans. Ent. S. Lond., 1873, p. 244.

Hab. ? India, Japan.

Genus EUSCHIZOMERUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 413 : Lacord., Gen. Col., i, p. 212 : Ann. Soc. Ent. Belg., xxi, 1869, p. 157 : Mun. Cat., p. 211.

aeneipennis, Chaudoir, Rev. Mag. Zool. (2s.), xxi, 1869, p. 118 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 159.

?= *denticollis*, Kollar, *q. v.*

Hab. Malacca.

aeneus, Chaudoir, Rev. Mag., *l. c.*, p. 118 : *id.*, Ann. Belg. *l. c. supra*, p. 160.
Hab. Dekhan.

denticollis, Kollar, Ann. Wien Mus., i, 1836, p. 334, t. 31, f. 2, a. b.
Hab. ? India.

metailicus, Harold, Stettin. Ent. Zeit. xl, 1879, p. 331.
Hab. India.

Genus PERONOMERUS.

Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 162 : Mun. Cat., p. 211.

fumatus, Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 162 : Bates, Trans. Ent. S. Lond., 1873, p. 245 ; *ib.*, 1883, p. 234.

aeratus, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 354.

nigrinus, Bates, Trans. Ent. S. Lond., 1873, p. 245 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 164.

Hab. India, Dacca, Hong-Kong, Japan [*Ind. Mus.*, Hong Kong].

Genus TRICHISIA.

Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 331 : Chaudoir, *l. c.*, xliv (2), 1872, p. 283 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 164 : Mun. Cat., p. 211.

Epicosmus, pt., Chaudoir, *olim* : *Eudema*, pt, Lap. de Casteln.

Isotarsus, pt, Laferté, Schaum.

cyanea (*Isotarsus*), Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 439 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 165.

cyanescens, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 332.
Hab. India, Hong-Kong.

morio (*Isotarsus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, note 4 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 165.
Hab. Bengal, Dekhan.

SIAGONINI, Lacordaire, Gen. Col. i, 1854, p. 162 : Chaudoir, Bull. Mosc. 1 (i), 1876, p. 62 : Horn, Gen. Carab., p. 127.

Genus **SIAGONA**.

Latreille, Gen. Crust. & Ins., i, 1806, p. 160 : Lacord., Gen. Col., i, p. 162 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; *Monograph ib.*, 1 (i), 1876, p. 76.

atrata. Dejean, Spec., i, 1825, p. 360 : Chaudoir, *Mon.*, p. 85.
Hab. India, Dekhan, Burma.

Baconii, Chaudoir, *Mon.*, p. 89.
Hab. N. India, Burma.

cinctella, Chaudoir, *Mon.*, p. 95.
Hab. Burma, Rangoon.

depressa (*Galerita*), Fabr., Ent. Syst. Suppt., 1798, p. 56 : *id.*, Syst. Eleuth., i, p. 215 : Chaudoir, *Mon.*, p. 90 : Bedel, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 195.
europaea, Dejean, Spec., ii, 1826, p. 468 ; Ic. Col. Eur., i. t. 20, f. 2 : Chaudoir, *Mon.*, p. 91 : ? Gray, Griffith An. Kingd. Ins., i, 1832, t. 8, f. 1.
Oberleitneri, Dejean, Spec., v, 1831, p. 477 : Ic., i. t. 20, f. 3 : Peyron, Ann. Soc. Ent. Fr., (3 s.), 1858, p. 389.
Hab. Mediterranean & Caspian regions, Senegal, Nubia, Persia, India [*Ind. Mus.*, China, Bengal, Sáhibganj].

flesus (*Galerita*), Fabr., Syst. Eleuth., i, 1801 p. 216 : Dejean, Spec., i, 1825, p. 363 : Chaudoir, *Mon.*, p. 94.
dorsalis, Dejean, Spec. v, 1831, p. 477.
Hab. India, Senegal.

germana, Chaudoir, *Mon.*, p. 96.
Hab. Coromandel (? Pondicherry, Nilgiris).

induta, Chaudoir, *Mon.*, p. 98.
Hab. India, Dekhan.

obscuripes, Chaudoir, *Mon.*, p. 86.
Hab. Burma, Rangoon.

plagiata, Chaudoir, *Mon.*, p. 93.
Hab. India, Dekhan.

plana, Bonelli, Mém. Acad. Turin, 1813, p. 458 : Bedel, Ann. Soc. Ent. Fr., (6. s.) vii, 1887, p. 195.
depressa, Dejean, Spec., i, 1825, p. 361 (*nec* Fabr.) : Chaud., *Mon.*, p. 90.
Hab. India, Dekhan, Coromandel.

pubescens, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; *Mon.*, p. 95.
var. *dilutipes*, Chaudoir, Bull. Mosc., l. c., p. 440.
Hab. N. India [*Ind. Mus.*, Sáhibganj, Rangoon].

punctatissima, Chaudoir, *Mon.*, p. 106.
Hab. N. India, Simla.

punctulata, Chaudoir, *Mon.*, p. 99.
Hab. India, Dekhan.

sublaevis, Chaudoir, *Mon.*, p. 86.

Hab. Malacca, Bangkok, Cambodia.

OZAENINI :—Lacordaire, Gen. Col., i, p. 155 : *Révision*, Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-68, p. 45 : Horn, Gen. Carab., p. 128 : Leconte & Horn, Class. Col., p. 23.

Genus PSEUDOZAENA.

Lap. de Casteln., Et. Ent., i, 1834, p. 55 : Mun. Cat., p. 158.

Hoplognathus, Chaudoir, Bull. Mosc., xxi, 1848, p. 101.

Ozaena, Klug, Dejean, ? pt. Lap. de Casteln, *nec* Olivier.

Picrus, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 290 ; *Révision*, p. 45.

obscura (*Picrus*), Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-8, p. 46.

Hab. Borneo.

opaca (*Picrus*), Chaudoir, *l. c.*, p. 46.

Hab. India.

orientalis (*Ozaena*). Klug, Jahrb. Ins., 1834, p. 81, t. 1, f. 8 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 101 ; *id.*, xxvii (2), 1854, p. 291 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 45.

megacephala, (*Pseudozaena*), Lap. de Casteln., Et. Ent., i, 1834, p. 54, t. 2, f. 4.

Hab. Java, Borneo, Malacca.

Genus ITAMUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 160 : Mun. Cat., p. 159 : Chaudoir, Ann. Soc. Ent. Belg., xi, 1867, p. 51.

castaneus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 67 : Chaudoir, *l. c. supra* p. 51.

Hab. Burma.

Genus EUSTRA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 161 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxvii (i), 1854 p. 309 : *id.*, Ann. Soc. Ent. Belg., xi, 1867, p. 71.

plagiata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 66, t. 3, f. 1 : Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 309 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 71 : Bates, Trans. Ent. S. Lond., 1873, p. 237.

Hab. Burma, Martaban, Japan.

NOMIINI :—Horn, Gen. Carab., 1881, p. 129 : Leconte & Horn, Class. Col., p. 24. *Coscinini*, Chaudoir, Bull. Mosc., 1 (i), 1876, p. 115.

Genus COSCINIA.

Dejean, Spec., v, 1831, p. 478 : Lacord., Gen. Col., i, p. 167 : Mun. Cat., p. 162 : Chaudoir, Bull. Mosc., 1 (i), 1876, p. 115.

Cymbionotum, Baudi, Berlin. Ent. Zeits., 1864, p. 211.

Graniger, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 197.

Trychina, Klug, Symb. Phys., 1832.

fascigera, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 92; *ib.*, 1 (i), 1876, p. 121.

Hab. N. India.

Helferii, Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 441; *ib.*, 1 (i), 1876, p. 122.

Hab. Burma, Martaban, Siam.

MORIONINI:—Lacordaire, Gen. Col., i, p. 180 : Chaudoir, Bull. Mosc., lv (i), 1880, p.

317 : Horn, Gen. Carab., p. 132 : Leconte & Horn, Class. Col., p. 26 : Bates, Biol. Centr. Amer., Col., i (i), p. 88.

Genus MORIO.

Latreille, Consid. Gén., 1810, tab. méth.: Lacord., Gen. Col., i, p. 183 : Mun. Cat., p. 172 : Putzeys, Stettin. Ent. Zeit., xl. 1879, p. 283 : Chaudoir, *Monograph*, Bull. Mosc., lv (i), 1880, p. 327.

Harpalus, pt, Latreille : *Scarites*, pt, Pal. Beauv.

angustus, Chaudoir, Bull. Mosc., lv (i), 1880, p. 346.

Hab. Philippines.

brevior, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., *l. c.* *supra*, p. 340.

Hab. Borneo, Sarawak.

cordicollis, Chaudoir, Bull. Mosc., lv (i), 1880, p. 343.

Hab. Borneo, Kandy, Balangoda (*Bates*).

cucujoides, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203 : ? Chaud., *l. c. supra*, p. 342 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 211.

Hab. Ceylon.

Doriae, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., Bull. Mosc., lv (i), p. 345.

Hab. Borneo, Sarawak.

intermedius, Chaudoir, Bull. Mosc., lv (i), 1880, p. 344.

Hab. Philippines, Batchian, Ternate, ? Java.

luzonicus, Chaudoir, *l. c.*, xxv (i), 1852, p. 81 ; *id.*, lv (i), 1880, p. 344 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 726.

Hab. Siam, Philippines, Amboina, Ternate.

orientalis, Dejean, Spec., i, 1825, p. 432 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 216 : Bates, *l. c.*, (2s.) vii, 1889, p. 106 : Chaud., Bull. Mosc., lv (i), 1880, p. 338.

Hab. Java, Burma, Bhamo, Meetan, [*Ind. Mus.*, Tavoy, Tenasserim].

subconvexus, Chaudoir, Bull. Mosc., lv (i), 1880, p. 340.

Hab. ? Java.

submarginatus Chaudoir, *l. c.*, p. 342.

Hab. ? Borneo, Sunda Islands.

trogositoides, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203, *ne* Chaudoir, Bull. Mosc., xxv (i), 1852, p. 81 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 143, 211, Hab. Ceylon, ? Andaman Islands.

Walkerii, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 216 : Chaud., Bull. Mosc., lv (i), 1880, p. 341.

Hab. Ceylon, Kandy (*Bates*).

Genus MORIOIDIUS.

Chaudoir, Bull. Mosc., lv (i), 1880, p. 380.

Doriae, Chaudoir, l. c., p. 383.

Hab. Borneo, Sarawak.

BEMBIDIONINI:—Lacordaire, Gen. Col., i, 1854, p. 379 : Horn, Gen. Carab., p. 133 : Leconte & Horn, Class. Col., p. 27.

Genus TACHYPOUS.

Lacordaire, Gen. Col., i, 1854, p. 381 : Mun. Cat., p. 400.

indicus, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 189.

Hab. N. India.

semilucidus, Motschulsky, Et. Ent. 1861, p. 24 ; Bull. Mosc., xxxvii (3), 1864, p. 180 : Bates, Trans. Ent. S. Lond., 1873, p. 300.

nubifer, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 327.

Hab. Hongkong, Japan, Amuria.

Genus BEMBIDION.

Latreille, Hist. Nat. Ins., viii, 1804, p. 221 : Lacord., Gen. Col., i, p. 382 : Jacq. Duval, Monograph (Eur. Spec.), Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 441 ; x, 1852, p. 101 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 198 : Mun. Cat., p. 405.

Actedium, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 182.

Amerizus, Chaudoir, Rev. Mag. Zool., 1868, p. 216.

Apteromimus, Wollaston, Col. St. Helena, 1877, p. 7.

Bembicidium, Mun. Cat. p. 405.

Campa, Motschulsky, Ins. Sib., 1842, p. 263 ; Bull. Mosc., l. c. supra, p. 185.

Chlorodium, Motschulsky, Bull. Mosc., l. c. supra p. 182.

Cillenus, Samouelle, Ent. Comp., 1819, p. 148 : Curtis, Brit. Ent., i, 1828, p. 200.

Emphanes, Motschulsky, Käfer Russl., 1850 : Bull. Mosc., l. c. supra, p. 185.

Endosomatium, Wollaston, Col. St. Helena, 1877, p. 8.

Eudromus, Kirby, Faun. Bor Amer., 1837, p. 55.

Eurytrachelus, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., l. c. supra, p. 183.

Hydrium, Leconte, Ann. Lyc. Nat. Hist. N. York, iv, 1848, p. 353 : Motsch., Bull. Mosc., l. c. supra, p. 186.

Leja, Dejean, Spec., v, 1831, p. 150.

Lopha, Dejean, l. c., p. 183 : Motsch., Bull. Mosc., l. c. supra, p. 190.

Lymnaeum, Stephens, Ill. Brit. Ent., ii, 1829, p. 3 : Motsch., Bull. Mosc., l. c. supra, p. 133.

Metallina, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., l. c. supra, p. 187.

Neja, Motschulsky, Bull. Mosc., l. c., p. 188.

- Nepha*, Motschulsky, *l. c.*, p. 190.
Notaphus (Megerle), Stephens, Ill. Brit. Ent. ii, 1829, p. 4; Motsch., Bull. Mosc., *l. c.*, p. 184.
Ochthedromus, Leconte, *l. c. supra* p. 153.
Ocys, Stephens, *l. c. supra*, p. 10; Motsch., Bull. Mosc., *l. c. supra*, p. 188.
Ocydromus, Clairville, Ent. Helv., ii, 1806, p. 20.
Odontium, Leconte, *l. c. supra*, p. 352.
Omala, Motschulsky, Ins. Sib., 1842, p. 250.
Peryphus, Dejean, Spec. v. 1831, p. 101: Motsch., Bull. Mosc. *l. c. supra*, p. 189.
Phila, Motschulsky, Ins. Sib., 1842, p. 260; Bull. Mosc., xxxvii (3), 1864, p. 188.
Philochthus, Stephens, *l. c. supra*, p. 7: Motsch., Bull. Mosc., *l. c.* p. 186.
Plataphus, Motschulsky, Bull. Mosc., *l. c. supra*, p. 184.
Principium, Motschulsky, *l. c. supra*, p. 181.
Pseudophilochthus, Wollaston, Col. St. Helena, 1877, p. 7.
Sinechostictus Motschulsky, Bull. Mosc., *l. c. supra*, p. 186.
Talanes, Motschulsky, *l. c. supra*, p. 187.
Testedium, Motschulsky, *l. c. supra*, p. 182.
Trepanes, Motschulsky, *l. c. supra*, p. 186.
- callipygum**, Bohemann, Freg. Eug. Resa, Col., 1858, p. 17.
 Hab. Hongkong.
- chloratum**, Bates, Trans. Ent. S. Lond., 1873, p. 332.
 Hab. Yangtse Valley, Japan.
- collutum** Bates, *l.c.*, p. 332.
 Hab. Yangtse Valley, Fuchau.
- europus**, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 156.
 Hab. Ceylon, Kandy.
- luridipenne**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.
 Hab. Bengal.
- niloticum**, Dejean, Spec., v, 1831, p. 73; Bates, Trans. Ent. S. Lond., 1873, p. 301; *ib.*, 1883, p. 269.
Batesii (Notaphus), Putzeys, C. R. Soc. Ent. Belg., xviii, 1875, p. lii.
opulentum, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 420.
 Hab. Egypt, Japan, China, Ceylon.
- *pamirense**, Bates, Proc. Zool. S. Lond., 1878, p. 718.
 Hab. Pamir, between Sirikol and Pangu [*Ind. Mus.*, type].
- *punctipenne**, Bates, *l.c.*, p. 718.
 Hab. ? Pámir or near Yarkand [*Ind. Mus.*, type].
- tæniatum**, Wiedemann, Zool. Mag., ii (i), 1823, p. 62.
 Hab. Bengal.
- xanthacrum**, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 175, note.
 Hab. N. India.

Genus **TACHYNOTUS**.

Motschulsky, Bull. Mosc., xxxiv, (i), 1861, p. 100 : Mun. Cat., p. 395.

castaneus, Motschulsky, *l.o. supra*, p. 100, t. 9, f. 1.

Hab. Ceylon.

Genus **TACHYS**.

(Ziegler) Motschulsky, Käfer Russl., 1850 : Mun. Cat., p. 401 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 737 ; Bates. Biol. Centr. Amer., Col., i (i), p. 138.

[Although Motschulsky's revision of the genus (summarised in Et. Ent., 1862, p. 27) has not been generally accepted, his observations deserve apparently more attention than has hitherto been given to them. I reproduce here the arrangement proposed by him in his own words :—

I.—Antennes allongées, composées d'articles plus longs que larges.

(a) corps plus ou moins convexe, ovalaire, luisant :—

1. élytres rétrécies vers la base, glabres au milieu, avec un petit sillon basal et un entier vers la suture et la marge laterale :—*Tachylopha*.
2. élytres profondément sillonnées vers la suture :—*Tachyura—Klugii, orientalis*, Nietner.

(b) corps plus ou moins déprimé, oblong ou parallèle, avec un reflet métallique, changeant sur les élytres, qui sont striées, surtout vers la suture. *Tachys*.

(c) corps déprimé, allongé, parallèle ; élytres multistriées ; tête petite, courte ; troisième article de palpes max. élargi. *Lymnastis—pullulus, indicus*, Motsch.

II.—Antennes pas ou à peine plus longues que la moitié du corps, robustes, grossissant vers l'extrémité et composées d'articles plus ou moins larges.

(a). corps déprimé presque parallèle ; cotés du corselet rebordés sur toute leur largeur, sans angles relevés en arrière ; élytres multistriées ; elles vivent sous l'écorce des arbres. *Tachymenis—umbrosa*, Motsch.

(b). corps un peu convexe, ovalaire ; cotés du corselet rebordés seulement en arrière, avec les angles à peine saillants ; élytres glabres, sans striés, ou à peine marquées de chaque côté de la suture des sillons plus ou moins effacés ; palpes grands, de la longueur de la tête ; graduellement atténus en avant. *Polyderis—tenellus*, Motsch.

To these I have added

Elaphropus, Motsch., Bull. Mosc., xii, 1839, p. 4 ; *id., ib., xxii*, 1859, p. 40, f. 4 : Mun. Cat., p. 400—*gracilis, latissimus*, Motsch.]

acaroides, Motsch., Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 240.
Hab. Ceylon, Colombo.

albicornis, Schaum, Berlin Ent. Zeits., iv, 1860, p. 199.
Hab. Hongkong.

amplians, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.
Hab. Ceylon, Kandy.

anceps, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 742.
Hab. India.

- arcuatus.** Putzeys, *l. c.*, p. 744.
 Hab. Ceylon.
- atomarius.** Wollaston, Col. Hesperid., 1868, p. 28 : Bates, Ann. Mag. N. H., (5 s.) xvii, p. 152.
microscopica, Bates, Trans. Ent. S. Lond., 1873, p. 299.
?*tenella* (*Polyderis*), Motsch., Et. Ent., 1862, p. 35.
 Hab. Cape Verâ Islands, Ceylon (Bogawantalawa).
- bioculatus,** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743 : Bates, *l. c.*, (2 s.) vii 1889, p. 105.
 Hab. Ceylon ; Burma, Bhamo, Teintso, Tenasserim.
- ceylanicus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 423.
 Hab. Ceylon.
- cinctipennis,** Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 99.
 Hab. Ceylon, Colombo.
- coracinus,** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739.
 Hab. Borneo, Sarawak.
- dorsalis,** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.
 Hab. India.
- emarginatus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 425 :
 Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739 : Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.
scydmaenoides, Bates, Trans. Ent. S. Lond., 1873, p. 299 (*nec* Nietner).
 Hab. Ceylon, Colombo (*Bates*), Fuchau, Lower Yangtse Valley.
- euides,** Bates, Ann. Mag. N. H., (6 s.) xvii, 1886, p. 153.
 Hab. Ceylon, Dikoya.
- finitimus** (*Bembidium*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 204.
 Hab. Ceylon.
- flaviculus,** Motschulsky, Et. Ent., 1859, p. 39.
 Hab. Ceylon.
- fumigatus,** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.
 Hab. India.
- fusculus,** Schaum, Berlin Ent. Zeits., iv, 1860, p. 200 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 741.
 Hab. Hongkong.
- gracilis** (*Elaphropus*), Motsch., Et. Ent., 1862, p. 36.
 Hab. India.
- gradatus,** Bates, Trans. Ent. S. Lond., 1873, p. 331.
 Hab. Fuchau, China.
- impresipennis,** Motschulsky, Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 745.
 Hab. Ceylon, Colombo.
- impressus,** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.
 Hab. India.

- indicus* (*Lymnaeum*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 507; *id.*, (*Lymnastis*), Et. Ent., 1862, p. 27.
Hab. India.
- infans*, Bates, Ann. Mag. N. H., (6s.) xvii, 1886, p. 154.
Hab. Ceylon, Kandy.
- Klugii* (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 423.
Hab. Ceylon.
- latissimus* (*Elaphropus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508: *id.*, Et. Ent., 1859, t. 1, f. 5.
Hab. India.
- Nietnerii* (*Tachyta*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 88.
Hab. Ceylon.
- notaphoides*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 156.
Hab. Ceylon, Kitugalle.
- orientalis* (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 425.
Hab. Ceylon.
- ornatus* (*Bembidium*), Nietner, *l. c.*, p. 426: Putzeys, Ann. Mus. Civ. Gen., vii, p. 741.
Hab. Ceylon, Kandy (*Bates*).
- ovatus* (*Lopha*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.
albicornis, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.
Hab. Hongkong.
- paralellus* Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.
Hab. India.
- peryphinus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 153.
Hab. Ceylon, Kitugalle.
- poecilopterus*, Bates, Trans. Ent. S. Lond., 1873, p. 331.
Hab. Fuchau, China.
- politus*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 509: Putzeys, Ann. Mus. Civ. Gen., vii p. 743.
ebeninus (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 424.
Hab. Ceylon.
- pullulus* (*Lymnastis*), Motschulsky, Et. Ent., 1862, p. 31.
Hab. India.
- scydmaenoides* (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427.
Hab. Ceylon, Colombo (*Bates*); Yangtse Valley (*Levis*).
- sericeus*, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.
Hab. India.
- spilotus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 152.
Hab. Ceylon, Colombo.
- subvittatus*, Bates, *l. c.*, p. 151.
Hab. Ceylon, Dikoya.

sulcatus (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 509 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 740.

Hab. India.

sulculatus, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743.

Hab. Hongkong.

suturalis (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 508 : Putzeys, *l. c.*, *supra*. p. 746.

Hab. India.

tenellus, Motsch., Et. Ent., 1862, p. 35.

Hab. India.

triangularis (*Bembidium*), Nietner, Journ. As. Soc. Beng., 1857, p. 72 : Ann. Mag. N. H., (3s.) ii, 1858, p. 422 : Schaum, Berlin. Ent. Zeits., 1863, p. 72 : Bates, Trans. Ent. S. Lond., 1873, p. 298.

atriceps, W. MacLeay, Trans. Ent. S. N. S. Wales, 1871, p. 116.

Hab. Egypt, Yemen (Arabia), Japan, Yangtse Valley, Ceylon, Colombo, Dikoya (*Bates*), Celebes, Melbourne, Queensland.

tropicus (*Bembidium*), Nietner, Ann. Mag. N. H., (2s.) ii, 1858, p. 421.

Hab. Ceylon, Dikoya (*Bates*).

truncatus (*Bembidium*), Nietner, *l. c.*, p. 421.

Hab. Ceylon.

umbrosus, Motsch., Bull. Mosc., xxiv (4), 1851, p. 507 ; *id.*, *ib.*, xxv, 1862, p. 32.

(*Tachymenis*), Et. Ent., ix, 1862, p. 32.

? *extremus* (*Acupalpus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

Hab. India, Ceylon, Dikoya (*Bates*), Kiukiang in Yangtse Valley.

vixstriatus, Bates, Trans. Ent. S. Lond., 1873, p. 331.

Hab. Yangtse Valley.

POGONINI :—Lacordaire, Gen. Col., i, 1854, p. 364 : Chadoir, *Essai*, Ann. Soc. Ent. Belg., xiv, 1871, p. 21 : Horn Gen. Carab., p. 135.

Genus POGONUS.

Dejean, Spec., iii, 1828, p. 6 : Lacord., Gen. Col., i, p. 368 : Mun. Cat., p. 384 : Chadoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 23.

hindustanus, Motsch., Bull. Mosc. xxxvii (3), 1864, p. 192 : Chadoir, Ess., p. 38 (*gen. dub.*).

Hab. India, Tranquebar.

transfuga, Chadoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 30.

orientalis, Gebler, Bull. Mosc., xx (i), 1847, p. 319.

persicus, Chadoir, *l. c.*, xv, 1842, p. 821.

Hab. Siberia, S. Russia, Pe:sia, ? Kashmir.

Genus PATROBUS.

Dejean, Spec., iii, 1828, p. 26 : Lacord., Gen. Col., i, p. 367 : Mun. Cat., p. 386 : Chadoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Schaum, Naturg. Deutsch. Ins. i, p. 375.

Carabus, Paykull, Duftschmid, Panzer, Illiger. *Harpalus*, Gyllenhal, Zetters-tedt. *Platysma*, Sturm.

flavipes, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 191 : Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Bates, Trans. Ent. S. Lond., 1873, p. 294 : (*Deltomerus*) Chaudoir, Bull. Mosc., liii (3), 1878, p. 79.

Hab. Japan, Yangtse Valley, Hongkong.

yunnanus, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 317.

Hab. Yunnan.

Genus TRECHUS.

Clairville, Ent. Helv., ii, 1806, p. 22 : Lacord., Gen. Col., i, p. 370 : Mun. Cat., p. 389 : Mon., Putzeys, Stettin Ent. Zeit., 1847, p. 302 : Pandellé, Mat. Col. France, 1867, p. 131.

Blemus, pt. Stephens, Ill. Brit. Ent., 1828, p. 50 : Motsch., Bull. Mosc. xxxvii (3), 1864, p. 190.

Epaphius, Stephens, l. c., supra p. 50.

Thalassophilus, Wollaston Ins. Mader., 1854, p. 20.

convexus, MacLeay, Annul. Javan, 1825, p. 20.

Hab. Java.

fasciatus, Motsch., Bull. Mosc., xxiv (4), 1851, p. 506.

Hab. India.

PTEROSTICHINI:—Horn, Gen. Carab., p. 136 : Leconte & Horn, Class., Col., p. 30.

Feronides, Lacordaire, Gen. Col., i, p. 317.

Stomides, Lacordaire, l. c., p. 247.

Trigonotomides, Lacordaire, l. c., p. 309.

Div. TRIGONOTOMINA:—Lacordaire, l. c. : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 151.

Genus TRIPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 : id., *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 152.

Omaseus, Morawitz, Motschulsky, MacLeay.

Trigonotoma, pt, Dejean, Laporte.

? *aeratus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.

Hab. Nepal.

andamanensis, Chaudoir, Bull. Mosc., liii (3), 1878, p. 22.

Hab. Andaman Islands.

Buquetii, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, Mon., p. 162 ; Bull. Mosc., liii (3), 1878, p. 31.

Hab. Java.

chalcothorax, Chaudoir, Ann. Soc. Ent. Belg. xi, 1868, p. 153 ; Bates, Ann. Mus. Civ. Gen., (2s) vii, 1889, p. 105.

Hab. Cambodia, Cochin China ; Burmah, Bhamo.

himaleicus (*Omaseus*), Redtenb., Hügel's Kaschm., iv (2), 1844, p. 501.

Hab. N. W. Himalaya ; Mussooree.

? *indicus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.

Hab. Nepal.

- ingens** (*Omaseus*), Morawitz, Beitr. Z. Käf. Faun. Jesso, i, 1863, p. 54 : Chaudoir, Ann. Soc. Ent. Belg., xi, p. 154.
 (magnus (*Omaseus*), Motschulsky, Et. Ent., 1860, p. 5.
 Hab. China, Japan.
- insignis**, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 310.
 Hab. Borneo, Sarawak, Labuan.
- Mouhotii**, Chaudoir, *Mon.*, p. 152 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.
 Hab. Cambodia ; Burma, Bhamo.
- obscurus**, Lap. de Casteln., Et. Ent., 1834, p. 76.
 Hab. Java.
- planicollis**, Dejean, Spec., iii, 1828, p. 185 : Chaud., *Mon.*, p. 154.
 Hab. Bengal.
- praestans**, Chaudoir, *Mon.*, p. 154.
 Hab. Hongkong.
- Putzeysi**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 31.
 Hab. Java.
- rectangulus**, Chaudoir, *Mon.*, p. 153.
 Hab. Dekhan.
- semiviolaceus**, Chaudoir, *Mon.*, p. 152.
 Hab. N. India.
- serraticollis**, Chaudoir, *Mon.*, p. 153.
 Hab. Dekhan.
- viridicollis** (*Omaseus*), MacLeay, Annul. Javan., 1825, p. 17 : Chaudoir, *Mon.*, p. 154 : Guérin, Ic. Règne Anim., t. 6, f. 2a : Gray, Griffith Anim. Kingd., Ins., i., 1832., t. 25, f. 2.
 (bicolor, Lap. de Casteln., Et. Ent., 1834, p. 75, t. 2, f. 2 : Chaud., *Mon.*, p. 152 ; id., Bull. Mosc., liii (3), 1878, p. 33.
 Hab. Java.
- Waterhousei**, Chaudoir, Rev. Mag. Zool., 1862, p. 489 ; id., *Mon.*, p. 55.
 Hab. N. India, Java.

Genus LESTICUS.

- Dejean, Spec., iii, 1828, p. 190 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 ; Chaudoir, Ann. Soc. Ent. Belg., xi, 1868, p. 155.
- amabilis**, Chaudoir, *l. c. supra*, p. 155.
 Hab. Java.
- janthinus**, Dejean, Spec., iii, 1828, p. 190 : Ic. Col. Eur., ii, t. 124, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 120 : Chaudoir, *l. c.*, p. 155.
 Hab. Java.
- tricostatus**, Chaudoir, *l. c. supra*, p. 157.
 Hab. India.

Genus **TRIGONOGNATHA.**

Motschulsky, Et. Ent., vi, 1857, p. 25.

princeps, Bates, Trans. Ent. S. Lond., 1883, p. 243.

Hab. China, Kwantung.

Genus **TRIGONOTOMA.**

Dejean, Spec., iii, 1828, p. 182 : Lacord., Gen. Col., i, p. 311 : Mun. Cat., p. 293 :

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 ; *id.*, Monograph, Ann. Soc. Ent. Belg., xi, 1868, p. 158.

chalcea, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Hongkong.

Comottoi, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 308.

Hab. Burma.

concinna, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, *Mon.*, p. 159 : Bates,

Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Java.

crenata, Chaudoir, *Mon.*, p. 159.

Hab. India.

curtula, Chaudoir, *Mon.*, p. 160.

Hab. Laos.

Dohrnii, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 69 ; *Mon.*, p. 159.

Hab. Hongkong.

fulgidicollis, Lap. de Casteln., Et. Ent., 1834, p. 77 : Gestro, Ann. Mus. Civ. Gen.,

xviii, 1882, p. 309.

Hab. Java, ? Laos.

indica, Brullé, Hist. Nat. Ins., iv, 1840, p. 333 : Chaud., *Mon.*, p. 158 : Bates, Ann.

Mag. N. H., (5 s.) xvii, 1886, p. 145.

viridicollis, Dejean, Spec., iii, 1828, p. 183 (*nec* MacLeay) : Lap. de Casteln., Hist. Nat. Ins., i, p. 220.

Hab. Java, Ceylon, Colombo.

Lewisii, Bates, Trans. Ent. S. Lond., 1873, p. 284.

var. **bhamoensis**, Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Manchuria, Japan, China, Burma, Bhamo.

luzonica, Chaudoir, *Mon.*, p. 161.

Hab. Philippines, Luzon, Manilla.

nitidicollis, Chaudoir, *Mon.*, p. 160.

Hab. Cochinchina.

Petelii, Lap. de Casteln., Et. Ent., 1834, p. 78 : Chaud., *Mon.*, p. 159.

Hab. Java.

similis, Chaudoir, *Mon.*, p. 158.

Hab. Dekhan.

Genus TRIGONOMINA.

Motschulsky, Bull. Mosc. xxxvii (4), 1864, p. 349 : Mun. Cat., p. 293.

? = *Triplogenys*, Chaudoir, q. v.

politocollis, Motschulsky, l. c., p. 349.

Hab. India.

Div. STOMINA:—Lacordaire, Gen. Col., i, p. 247 : Chaudoir, Bull. Mosc., xix (4), 1846, p. 511.

Genus IDIOMORPHUS.

Chaudoir, Bull. Mosc., xix (4), 1846, p. 515 : Lacord., Gen. Col., i, p. 254 : Mun. Cat., p. 248 : Horn, Gen. Carab., p. 175.

Guerinii, Chaudoir, Bull. Mosc., xix (4), 1846, p. 518 : Lacord., Gen. Col., Atlas, t. 12, f. 1 a.

Hab. India, Nilgiris.

Genus DISPHAERICUS.

Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 211 : Lacord., Gen. Col., i, p. 249 : Mun. Cat., p. 247 : Horn, Gen. Carab., p. 126.

Dyschiridium, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 130.

Spanus, Westwood, Proceed. Ent. S. Lond., iii, Feb. 1864, p. 3.

marginicollis, Schaub, Berlin. Ent. Zeits., 1864, p. 122, t. 2, f. 3.

Hab. India, Tranquebar.

ovicollis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 73.

Hab. Ceylon, Dikoya.

Genus PACHYTRACHELUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 85 : Mun. Cat., p. 248.

Batoscelis, Lacord., Gen. Col., i, 1854, p. 261 : Mun. Cat., p. 249.

Systemognathus, Putzeys, Mém. Liège, xviii, 1862, p. 18 : Mun. Cat., p. 189.

ceylonicus (*Batoscelis*), Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 103.

Hab. Ceylon.

cribriceps, Chaudoir, l. c., xxv (i), 1852, p. 86.

Hab. N. India.

discipennis (*Agonoderus*), Dejean, Spec., v, 1831, p. 815.

Hab. India, Simla.

oblongus (*Agonoderus*), Dejean, l. c., p. 813.

Hab. India.

politus, Schmidt Goebel, Faun. Col. Birm., 1846, t. 2, f. 8 a.-d.

Hab. Burma.

porosus, Putzeys, Mém. Liège, xviii, 1862, p. 19, t. 1, f. 2-4.

Hab. India.

Div. PTEROSTICHINI:—Horn, Gen. Carab., p. 137.

Genus CATADROMUS.

MacLeay, Annul. Javan., 1825, p. 18 : Lacord., Gen. Col., i, p. 321 : Mun. Cat., p. 298.

tenebrioides (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 324 ; id., Ent., iii, 35, p. 17, t. 6, f. 67 : Dejean, Spec., iii, p. 187 : Gray, Griffith, Anim. Kingd., Ins. i, t. 12, f. 3 : Macleay, Annul. Javan., p. 19, t. 1, f. 5,
Rajah (*Harpalus*), Wiedemann, Anal. Ent., 1824, p. 7.
 Hab. Java [*Ind. Mus.*, Australia ?].

Genus PTEROSTICHUS.

Bonelli, Obs. Ent. 1809, tab. syn. : Lacord., Gen. Col., i, p. 400 : Mun. Cat. p. 317.

- Adelosia*, Stephens, Cat. Brit. Ins. (2 ed.), 1832.
- Aello*, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 297.
- Agonodemus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Arachnoidius*, Chaudoir, l. c., p. 9.
- Argutor* (Megerle), Stephens, Ill. Brit. Ent., i, 1828.
- Argutoroidius*, Chaudoir, Ann. Soc. Ent. Belg., xix, 1876, p. 114.
- Bothriopterus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Brachystylus*, pt. Chaudoir., l. c., p. 10.
- Bryobius*, Chaudoir, l. c., p. 10.
- Calopterus*, Chaudoir, l. c., p. 11.
- Ceneus*, Chaudoir, l. c., xxviii (3), 1865, p. 109.
- Cheporus*, Latreille, Règne. Auim., (2 ed.) iv, 1825, p. 396.
- Cophosus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828 : Chaud., l. c., *supra*, p. 1.
- Cosciniopterus*, Chaudoir, l. c. *supra*, p. 11.
- Cryobius*, Chaudoir, l. c., p. 11.
- Dysidius*, Chaudoir, l. c., p. 8.
- Glyptopterus*, Chaudoir, l. c., p. 10.
- Gonoderus*, Motschulsky, Bull. Mosc., xxxii, 1859, p. 149.
- Haplocoelus*, Chaudoir, Bull. Mosc., xi, 1838, p. 8.
- Haptoderus*, Chaudoir, l. c., p. 10.
- Hypherves* (Esch.), Chaudoir, l. c., p. 8.
- Lianoe*, Gozis, MT. Schw. Ent. Ges., vi, 1882, p. 298.
- Hyperophorus*, Motschulsky, Mém. Ac. St. Petersb., v, 1846, p. 136.
- Hyperosomus*, Motschulsky.
- Lyperus*, Chaudoir, Bull. Mosc., xi, 1838, p. 12.
- Lyropedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Lyrothorax*, Chaudoir, l. c., *supra*, p. 9.
- Melanius*, Bonelli Mém. Acad. Turin, tab. syn., 1809.
- Myosodus*, Fischer, Ent. Imp. Russ., ii, 1823, p. 122.
- Omaseus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828.
- Oreophilus*, Chaudoir, l. c. *supra*, p. 9.
- Orthomus*, Chaudoir, l. c., p. 8.
- Parapedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Pedius*, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 242.
- Petrophilus*, Chaudoir, l. c. *supra*, p. 9.
- Phonias*, Gozis, Récherche, 1886, p. 8.

- Platypterus*, Chaudoir, *l. c. supra*, p. 11.
Platysma, Bonelli, Obs. Ent., 1809, *tal. syn.* : Mun. Cat., p. 317.
Pledarus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 254.
Pseudocryobius, Motschulsky, Käfer Russl., 1850, 9.
Pseudoderus, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
Pseudopedius, Seidlitz, *l. c.*, p. 36.
Pseudosteropus, Chaudoir, *l. c. supra*, p. 9.
Psychobius, Chaudoir, *l. c.*, p. 12.
Rhagadus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 261.
Steropus (Megerle), Stephens, Ill. Brit. Ent., i, 1828. Chaud., *l. c.*, *supra*, p. 9.

[The above synonymy requires examination and revision.]

aeneocupreus (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.
 Hab. Yunnan.

birmanus (*Loxandrus*), Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.
 Hab. Burma, Bhamo.

curtatus (*Euryperus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 312.
 Hab. Yunnan.

diversus (*Omaseus*), Fairmaire, *l. c.*, p. 311.
 Hab. Yunnan.

gagates (*Platysma*), Hope, Gray's Zool. Misc., 1831, p. 21.
 Hab. Nepál.

latecosta (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 94.
 Hab. Yunnan.

Yunnanus, (*Pterostichus*), Fairmaire, *l. c.*, p. 94.
 Hab. Yunnan.

longinquus, Bates, Trans. Ent. S. Lond., 1873, p. 286.
 Hab. Yangtse Valley, Japan.

Noguchii, Bates, *l. c.*, p. 286.
 Hab. Yangtse Valley, Nagasaki.

simillimus, Fairmaire, Ann. Soc. Ent. Fr., (4s.) vi, 1886, p. 312.
 Hab. Yunnan. ÷

piscescens (*Simodontus*), Chaudoir, Bull. Mosc., xlvi (3), 1873, p. 114.
 Hab. ? Philippines ? Australia.

Genus RHATHYMUS.

Dejean, Spec., v, 1831, p. 783 : Mun. Cat., p. 334 : Chaudoir, Bull. Mosc., liii (3), 1878, p. 7.

Rathymus, Dejean, *l. c. supra* : Lacord., Gen. Col., i, p. 329.

Selenidia, Motsch., Et. Ent., 1855, p. 45.

Strigia, Brullé, Hist. Nat. Ins., iv, 1840, p. 382 : Lacord., Gen. Col., i, p. 327 : Mun. Cat., p. 333.

ater, Chaudoir, Bull. Mosc., liii (2), 1878, p. 8.
 Hab. India, Coromandel.

maxillaris (*Strigia*), Brullé, Hist. Nat. Ins., iv, 1840, p. 382, t. 15, f. 6 : Chaudoir,
l.c. supra, p. 8.

Hab. India.

stigma, Fabr., Syst. Eleuth., i, 1801, p. 192 : (*Selenidia*) Motsch., Et. Ent., 1855, p.
45 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140 ; *id.*, Bull. Mosc.,
liii (3), p. 9.

? *sulcatus*, Fabr. Ent. Syst. iv, App. 1794, p. 443.
Hab. India, Dekhan, Java.

Genus LAGARUS.

Chaudoir, Bull. Mosc., xi, 1838, p. 10.

? ? *Argutor*, Stephens, Ill. Brit. Ent., 1828 ; *teste*, Gozis, Récherche, p. 8.

? *impunctatus*, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 145.
Hab. Ceylon, Colombo.

Genus ABACETUS.

Dejean, Spec., iii, 1828, p. 195 : Lacord., Gen. Col., i, p. 315 : Mun. Cat., p. 295 :
Chaudoir, Stettin. Ent. Zeit., 1859, p. 126 ; *id.*, Monograph, Bull. Mosc.,
xlvi (i), 1869, p. 353.

Astygis, Rambur, Faun. Andal., 1842, p. 95.

Coelostomus, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist.
Nat. Ins., i, p. 123.

Dicaelindus, MacLeay, Annul. Javan., 1825, p. 18 : Schaum, Berlin. Ent.
Zeits., vü, 1863, p. 86 : Chaud., Bull. Mosc., xlvi (i), 1869, p. 356.

Distrigodes, pt., Motsch., Bull. Mosc., xxxvii (4), 1864, p. 353 : Mun. Cat.,
p. 296.

Distrigus, Dejean, Spec., iii, 1828, p. 191 : Lacord., Gen. Col., i, p. 316 :
Mun. Cat., p. 296.

aenigma, Chaudoir, Mon., Bull. Mosc., xlvi (i), 1869, p. 358 : Fairm. Ann. Soc. Ent.
Fr., 1888, p. 336.

Hab. Cochin China, Tonkin, Hongkong.

amplicollis, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.

Hab. Burma, Katha, Teintso, Bhamo.

anomalus, Chaudoir, Mon., p. 367.

Hab. Ceylon, Colombo.

antiquus (*Argutor*), Dejean, Spec., iii, 1828, p. 246 : Chaudoir, Mon., p. 391.

picipes, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 228 (*nec* MacLeay).

relinquens (*Argutor*), Walker, Ann. Mag. N.H., (3s.) ii, 1858, p. 204.

submetallicus (*Distrigus*), Nietner, *l.c.*, p. 177.

Hab. India, Coromandel, Ceylon, Colombo,

atratus (*Distrigus*), Dejean, Spec., iii, 1828, p. 194 : Chaud., Mon., p. 358.

costatus (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 176.

Hab. Ceylon, Colombo.

bipunctatus (*Distrigodes*), Motsch., Bull. Mosc., xxxviii (4), 1864, p. 352 ; Chaudoir.
Mon., p. 386.

? *pallipes*, Chaudoir, q. v.

- rufulus* (*Distrigodes*), Motsch., *l.c.*, xxxviii (4), 1865, p. 327.
 Hab. India, Burma.
- bisignatus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.
 Hab. Burma, Bhamo, Shwego.
- carinifrons*, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 144.
 Hab. Ceylon, Colombo.
- chalceolus*, Chaudoir, *Mon.*, p. 384.
 Hab. N. India.
- cordicollis*, Chaudoir, *Mon.*, p. 357.
 Hab. India, Tranquebar; Ceylon, Galle.
- cyathoderus*, Chaudoir, *Mon.*, p. 373.
 Hab. N. India.
- degener* (*Argutor*), Walker, Ann. Mag. N.H., (3s.) ii, 1858, p. 204.
 Hab. Ceylon.
- Dejeanii* (*Distrigus*), Nietner, *l.c.*, p. 178 : Chaud., *Mon.*, p. 390.
flavipes (*Caelostomus*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 228.
 Hab. India, Ceylon.
- dilutipes*, Chaudoir, *Mon.*, p. 383.
 Hab. Siam.
- dorsalis* (*Astygis*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 229 : Chaud., *Mon.*,
 p. 397.
 ?= *rufopiceus*, Nietner, *q. v.*
 Hab. India, Tranquebar, Madura.
- felspathicus* (*Dicælindus*), MacLeay, Annul. Javan., 1825, p. 19, t. 1, f. 6 : Schaum,
 Berlin. Ent. Zeits., 1863, p. 86.
 Hab. Java.
- femoralis* (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 354 : Chaud.,
Mon., p. 386.
 Hab. India, Tranquebar.
- guttula*, Chaudoir, *Mon.*, p. 374.
 Hab. Dekhan.
- haplosternus*, Chaudoir, Bull. Mosc., liii (3), 1878, p. 25.
 Hab. Siam, Bangkok.
- hirmococclus*, Chaudoir, *Mon.*, p. 372.
 Hab. Burma, Rangoon.
- impressicollis* (*Distrigus*), Dejean, Spec., iii, 1828, p. 193 : Lap. de Casteln., Hist.
 Nat. Ins., 1, p. 118 : Chaud., *Mon.*, p. 359.
 Hab. India, Dekhan.
- leucotelus*, Bates, Trans. Ent. S. Lond., 1873, p. 283.
 Hab. Yangtse Valley, Nagasaki.
- lioderes*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 144.
 Hab. Ceylon, Colombo.

- maculipes**, Chaudoir, *Mon.*, p. 384.
 Hab. Burma, Martaban.
- marginicollis**, Chaudoir, *Mon.*, p. 359.
 Hab. Burma, Pegu, Rangoon.
- Nietnerii**, Chaudoir, *Mon.*, p. 392.
aeneus (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : (*nec*, Dejean).
 Hab. Ceylon, Colombo.
- pallipes**, Chaudoir, *Mon.*, p. 386.
? = bipunctatus, Motschulsky, *q.v.*
 Hab. Burma, Martaban.
- picipes** (*Coelostomus*), MacLeay, Annul. Javan, 1825, p. 24 : Hope, Col. Man., ii, t. 3 f. a.d. (*nec* Motsch.) : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.
 Hab. India.
- picticornis**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 27.
 Hab. Middle China.
- politus**, Chaudoir, *Mon.*, p. 368.
 Hab. India, Dekhan.
- politulus**, Chaudoir, *Mon.*, p. 369.
 Hab. Burma, Rangoon.
- promptus** (*Distrigus*), Dejean, Spec., iii, 1828, p. 195 : Chaud., *Mon.*, p. 370.
 Hab. India, Coromandel.
- quadricollis**, Chaudoir, *Mon.*, p. 382.
 Hab. Burma, Martaban.
- quadriguttatus**, Chaudoir, *Mon.*, 387 : Bates. Ann. Mag. N. H., (5s.) xvii, 1886, p. 143.
 Hab. Ceylon, Kandy.
- quadrimaculatus**, Chaudoir, *Mon.*, p. 380.
 Hab. N. India.
- quadrinotatus**, Chaudoir, *Mon.*, p. 388.
 Hab. Bengal.
- reflexus**, Chaudoir, *Mon.*, p. 358.
 Hab. N. India.
- rufopiceus** (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : Chaud., *Mon.*, p. 398.
 Hab. Ceylon.
- rufotestaceus**, Chaudoir, *Mon.*, p. 398.
 Hab. Dekhan.
- siamensis**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 26.
 Hab. Siam, Bangkok.

Genus CHLAEMINUS.

Motsch., Bull. Mosc., xxxvii (4), 1864, p. 351 : Mun. Cat. p. 229: Chaud., *Monograph*, Bull. Mosc., xlvi (i), 1869, p. 401.
Distrigodes, pt, Motschulsky, *l.c. supra*, p. 353,

bifasciatus, Motsch., Bull. Mosc. xxxvii (4), 1864, p. 351 : Chaud., *Mon.*, p. 401.

Hab. India, Dekhan, Tranquebar, Burma, Martaban.

biplagiatus, Chaudoir, *Mon.*, p. 402.

Hab. Burma, Rangoon.

cruciatus, Chaudoir, *Mon.*, p. 403.

Hab. Bengal.

flavoguttatus (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 354 : Chaud., *Mon.*, p. 404.

Hab. Burma.

quadriplagiatus, Chaudoir, *Mon.*, p. 403.

Hab. Dekhan.

Genus **HOLCONOTUS**.

Chaudoir, Rev. Mag. Zool., (3s.) iv, 1876, p. 352.

ferrugineus (*Abacetus*), Chaudoir, Bull. Mosc., xli (2), 1869, p. 399; Schmidt Goebel, Faun. Col. Birm., t. 2, f. 6.

Hab. Burma, Siam.

Genus **AULACOCOELIUS**.

Chaudoir, Bull. Mosc., xlvi (2), 1869, p. 405.

Hopleurus Chaudoir, l.c., p. 406.

Hab. ? N. Australia, ? Philippines, Luzon.

Genus **POECILUS**.

Bonelli, Obs. Ent., 1809, tab. syn : Lacord., Gen. Col., i, p. 402 ; Mun. Cat., p. 300 : Chaudoir, L'Abeille, xiv, 1875, p. 1-54.

Ancholeus, subg., Chaudoir, L'Abeille, xiv, 1876, p. 45.

Blennidus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 251.

Brachystylus, pt, Chaudoir, Bull. Mosc., xi, 1838, p. 10.

Carenostylus, Chaudoir, l.c., p. 8.

Chlaeniodius, Chaudoir, Bull. Mosc., xxxviii (3), 1865, p. 110.

Cyclomus, Chaudoir, Bull. Mosc., xi, 1838, p. 8.

Derus, Motschulsky, Käfer Russl., 1850, p. 50 ; id., Bull. Mosc., xxxvii, (4), 1865, p. 255.

Sogines, (Leach) Stephens, Ill. Brit. Ent., 1828 : Chaud., Bull. Mosc., xi, p. 8. *Trirammatius*, Chaudoir, Bull. Mosc., xi, 1838, p. 8 : Motsch., l.c., xxxviii (4), 1865, p. 252.

cupreus, Linn., Faun. Suec., 1746, No. 801 : Dejean, Spec., iii, p. 207 ; for *syn. vide* Mun. Cat., p. 301.

Hab. Europe, N. Africa, Asia Minor, Persia, Japan, Canton (*Putzeys*).

indicus (*Sogines*), Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 257.

Hab. N. India.

Genus TROPIDOCERUS.

Chaudoir, Bull. Mosc., liii(3), 1873, p. 9.

indicus, Chaudoir, *l.c.*, p. 13.

Hab. N. India.

Genus MOLOPS.

Bonelli, Obs. Ent. i, 1809, *tab. syn.*; Mun. Cat., p. 332 : Kraatz, Deutsche Ent. Zeits., 1875, p. 369.

piliferus, Bates, Proc. Zool. S. Lond., 1878, p. 718.

Hab. India, Murree [*Ind. Mus.*, type].

Genus AEPSERA.

Chaudoir, Bull. Mosc., xlviii (i), 1874, p. 28.

ferruginea, Chaudoir, *l.c.*, p. 30.

Hab. Burma.

Genus AMARA.

Bonelli, Obs. Ent., 1809, *tab. syn.* : Lacord., Gen. Col., i, p. 332 : Mun. Cat., p. 347 : Putzeys, *Monograph*, L'Abeille, 1871, p. 100.

Acrodon, Zimmermann, Gistl's Faunus, i, 1832, p. 40 : Mun. Cat., p. 344.

Amarocelia, Motschulsky, Et. Ent., 1862, p. 4.

Amathitis, Zimmermann, *l.c. supra*, p. 39 ; Mun. Cat., p. 342.

Bradytus, Stephens, Ill. Brit. Ent., i, 1828, p. 131 : Mun. Cat., p. 338.

Celia, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 344.

Curtonotus (*Cyrtionotus*), Stephens, *l.c. supra*, p. 138 : Mun. Cat., p. 339 : Bates, Biol. Centr. Amer., Col., i (i), p. 76.

Isopleurus, pt, Kirby, Faun. Boreal. Amer., iv, 1837, p. 34.

Leiocnemis (*Lioconemis*), Zimmermann, *l.c. supra*, p. 38 : Mun. Cat., p. 342.

Leirus, Zimmermann, *l.c. supra*, p. 17 (= *Cyrtionotus*).

Percosia, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 337.

Triaena, Leconte, Ann. Lyc. N. York, iv, 1848, p. 265.

ambigena, Bates, Proc. Zool. S. Lond., 1878, p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

**badiola* (*Amathitis*), Bates, *l.c.*, p. 717.

Hab. north of Kuenluen [*Ind. Mus.*, type].

**bamidunya*, Bates, *l.c.*, p. 716.

Hab. Pámír [*Ind. Mus.*, type].

compactus (*Bradytus*), Bates, Proc. Zool. S. Lond., 1878, p. 49.

Hab. India, Murree [*Ind. Mus.*, type].

darjelingensis, Putzeys, Stettin Ent. Zeit, xxxviii, 1877, p. 102.

Hab. Darjiling.

* *frivola* (*Lioconemis*), Bates, Proc. Zool. S. Lond., 1878, p. 717.

Hab. ? Yarkand, or E. slopes Pámír [*Ind. Mus.*, type].

himalaica (*Lioconemis*), Bates, *l. c. supra*, p. 716.

Hab. India, Ladák [*Ind. Mus.*, type].

indica (*Lioonemis*), Putzeys, Mém. Liège, 1866, p. 216.
Hab. N. India.

* **kuenlunensis** (*Amathitis*), Bates, *l. c. supra*, p. 717.
Hab. Sanju [*Ind. Mus.*, type].

nitens (*Cyrtonotus*), Putzeys, Et. s. l. Amara, 1866, p. 234.
Hab. Manchuria, Japan, N. China, Szechuen.

* **pamirensis** (*Cyrtonotus*), Bates, Proc. Zool. S. Lond., 1878, p. 717.
Hab. Pámir [*Ind. Mus.*, type].

* **tartariae** (*Lioonemis*), Bates, *l. c. supra*, p. 716.
Hab. Between Yangihissar and Sirikol [*Ind. Mus.*, type].

? **yunuana**, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.
Hab. China.

Genus DRIMOSTOMA.

Dejean, Spec., v. 1831, p. 745 : Lacord., Gen. Col., i, p. 313 : Mun. Cat., p. 294 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 9.

rectangulum, Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 11 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 106.
Hab. Java, Burma, Shwegu, Teintso, Bhamo.

Genus STOMONAXUS.

Motschulsky, Etudes Entomologiques, 1859, p. 34.

Diceromerus, Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 15.

Chaudoirii (*Diceromerus*), Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 60.
Hab. Annam, Hué.

orientalis (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35 : Chaudoir (*Diceromerus*), Ann. Soc. Ent. Belg., xv, 1872, p. 15.
Hab. India, Tranquebar, Ceylon, Dikoya (Bates).

striaticollis, Dejean, Spec., v, 1831 p. 747 : Chaud., Ann. Soc. Ent. Belg., xv, 1872, p. 13.

ceylanicum (*Drimostoma*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 178.
? *marginalis* (*Drimostoma*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51 : Bates, *ib.*, (5 s.) xvii, 1886, p. 212.

rufipes (*Drimostoma*), Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

? *sculptipennis* (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35, t. 1, f. 6.
Hab. India, Ceylon, Hong-Kong, Japan, Senegal.

LICININI :—Lacord., Gen. Col., i, p. 231 : Horn, Gen. Carab., p. 139 : Leconte & Horn., Class. Col., 1883, p. 32.

Genus RHEMBUS.

Latreille, Ic. Col. Epr., i, 1822, p. 85 : Mun. Cat., p. 238 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 278.

? *Diplocheila*, Brullé, Hist. Nat. Ins., Col., i, 1834, p. 407 : Horn, Bull. Brookl. Ent. Soc. iii, 1880, p. 52.

Rembus, Latr., *l. c. supra* : Lacord., Gen. Col., i, p. 233 : Laferté.

Symphyus, Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 180,

elongatus. Bates, Trans. Ent. S., Lond., 1873, p. 256.
Hab. Yangtse Valley, Japan.

impressus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57; Syst. Eleuth., i, p. 188 : Dejean, Spec., ii, p. 383.
Hab. India.

latifrons, Dejean, Spec. v, 1831, p. 679.
Hab. India.

opacus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.
Hab. Japan China, ? India, Java.

politus (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 146; Syst. Eleuth., i, p. 189 : Dejean, Spec., ii, p. 381 : Lap. de Casteln., Hist. Nat. Ins., Col. i, p. 133.
Hab. India, [Ind. Mus., Bengal, Sahibganj].

unicolor, Nietner, Ann. Mag. N. H., (3 s.), ii p. 1858, p. 180.
Hab. Ceylon.

zeelandicus, Redtenb., Reise Novara, Col., 1867, p. 10, t. 1, f. 5 : Bates, Trans. Ent. S. Lond., 1873, p. 256.
Hab. Formosa, Yangtse Valley, Japan, ? New Zealand.

Genus BADISTER.

Clairville, Ent. Helv., ii, 1806, p. 90 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 403 : Lacord., Gen. Col., i, p. 234 : Mun. Cat., p. 239 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 285 : Leconte, Trans. Amer. Ent. S., viii, p. 165 ; id., Bull. Brookl. Ent. S., v, 1882, p. 7.

Amblychus, Gyllenhal, Ins. Suec., ii, 1810, p. 74.

Baudia, Ragusa, Nat. Sicil., vii, 1884, p. 3.

Trimorphus, Stephens, Cat. Brit. Ins., 1829, p. 405.

rubicollis, Wiedemann, Zool. Mag., ii (i), 1823, p. 58.
Hab. Bengal.

thoracicus, Wiedemann, l. c., p. 57.
Hab. India.

Genus ECCOPTOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 72 : Lacord., Gen. Col., i, p. 320 : Mun. Cat., p. 297.

moestus, Chaudoir, l. c. supra, p. 74 : Bates, Ann. Mag. N. H., (5. s.) xvii, p. 212.
? *retinens*, Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51.
Hab. N. India, Ceylon.

Genus DIROTUS.

MacLeay, Annul. Javan., 1825, p. 16 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 : Lap. de Casteln., Hist. Nat. Ins., i, p. 133.

subiridescens, MacLeay, Annul. Javan., 1825, p. 16 : Hope, Col. Man., ii, t. 2, f. 1, a—e.
Hab. Java.

PLATYNINI:—Horn, Gen. Carab., p. 141 : Leconte & Horn, Class. Col., p. 33 : (*Anchomenini*) Bates, Biol. Centr. Amer., Col., ii., p. 91.

Horn forms three sub-divisions :—*Platyni* (*Calathus*, *Pristonychus*), *Masorei*, and *Perigoni*.

Genus SPHODRUS.

Clairville, Ent. Helv., ii, 1806, p. 88 : Brullé, Hist. Nat. Ins. Col., i, 1834, p. 310 : Lacord., Gen. Col., i, p. 340 : Mun. Cat., p. 356 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 314 *tab. syn.*

? *brunneus*, Hope, Gray's Zool. Misc., 1831, p. 21.

Hab. Nepál.

cordicollis, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 315.

Hab. Circassia, Georgia, India [Ind. Mus., ? var, Murree].

indus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.

Hab. N. W. Himálaya [? Ind. Mus. Murree].

Genus EULEPTUS.

Klug, Bericht über Madagasc. Ins., 1833, p. 9 : Lacordaire, Gen. Col., i, 1854, p. 353.

ooderus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 365.

Hab. Himálaya.

Genus FEANUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 107.

spinipennis, Bates, l. c., p. 108.

Hab. Burma, Bhamo, Teintso.

Genus ONYCHOLABIS.

Bates, Trans. Ent. S. Lond., 1873, p. 329.

sinensis, Bates, l. c., p. 329.

Hab. Yangtse Valley.

Genus CALATHUS.

Bonelli, Obs. Ent., tab. syn., 1809 : Dejean, Spec., iii, p. 62 : Brullé, Hist. Nat. Ins. Col., i, 1834, p. 303 : Lacord., Gen. Col., i, p. 342 : Gautier, MT. Schw. Ent. Ges., ii, 1867, p. 236 : Putzeys, Monograph, Ann. Soc. Ent. Belg., xvi, 1873, p. 19 : Mun. Cat., p. 360 : Leconte, Proc. Acad. Phil., vii, 1854, p. 36 ; ib., 1860, p. 317.

Odontonyx, Stephens, Cat. Brit. Ins., 1829, p. 28 ; id., Man. Brit. Col., p. 28.

Pristodactyla, Dejean, Spec., iii, 1828, p. 82 : Lacord., Gen. Col., i, p. 343.

Pristosia, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 311 : Mun. Cat., p. 360.

aeneocupreus, Fairmaire, Ann. Sc. Ent. Fr., (6 s.) vi, 1886, p. 314.

Hab. Yunnan.

cathaicus (*Pristodactyla*), Bates, Trans. Ent. S. Lond., 1873, p. 330.

Hab. Fuchau.

cyclodera (*Pristodactyla*), Bates, l. c., p. 273.
Hab. Fuchau, Japan.

crenatus, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 82.
Hab. N. India.

Delevayii, Fairmaire, l. c., xxxi, 1887, p. 96.
Hab. Yunnan.

falsicolor, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.
Hab. Yunnan.

Kollarii, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 72.
angustatus, Redtenb., Hügel's Kaschmir, iv (2), 1844, p. 500 (*nom. praeoc.*).
Hab. India.

lateritius, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 314.
Hab. Yunnan.

pectiniger, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 86.
Hab. N. India.

piceus (*Pristosia*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 312 : Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 91.
Hab. India.

Genus PRISTONYCHUS.

Dejean, Spec., iii, 1828, p. 43 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 379 ; Lacord., Gen. Col., i, p. 341 : Mun. Cat., p. 358 : Schaufuss, Monograph, SB. Nat. Ges. 'Isis,' xlvi, 1865, p. 139 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 379.

Cryptotrichus, Schaufuss, Monograph, 1865, p. 110 : Mun. Cat. p. 355.

Cryptoxenus, Motsch., Bull., Mosc., xxxvii, (3), 1864, p. 314.

Ctenipes, Latreille Régne Anim, (2 ed.) iv, 1829 p. 400.

{ *Læmostenus*, Bedel, Ann. Soc. Ent. Fr., (5s) vii, 1877, p. 250.

{ *Læmosthenes*, Bonelli, Mém. Ac. Turin, 1809, tab-syn. ; Mun. Cat., p. 355.

Platynomerus, Faldermann, Faun. Ent. Transc., i, 1835, p. 45 : Mun. Cat., p. 354.

piscescens, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.
Hab. Yunnan.

spinifer. Schaufuss, S. B. Nat. Ges. 'Isis,' 1862, p. 66 ; ib., Mon., 1865, p. 176.
Hab. Himalaya.

Genus PLATYNUS.

Bonelli, Obs. Ent., i, 1809, tab. syn. : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 316 : Mun. Cat., p. 366 : Leconte, Proc. Acad. Phil., vii, 1854, p. 39 : Bates, Trans. Ent. S. Lond., 1873, p. 278 ; id., Biol. Centr. Amer. Col., i (i), p. 91 : Leconte, Bull. Brookl. Ent. S., ii, 1879, p. 43.

Agonocyrthes, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

Agonothorax, Motsch., l. c., p. 317.

Agonum, Bonelli, Mém. Ac. Turin., 1813 tab. syn.

Anchodemus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

Anchomenus, pt., Bonelli, Mém. Ac. Turin., 1813, tab. syn. : Lacord. Gen. Col., i, p. 349.

- Anchus*, Leconte, Proc. Ac. N. Sci. Phil., vii, 1854, p. 38.
Batenus, Motsch., Bull. Mosc. l. c. *supra*, p. 317 *ined.*?
Clibanarius, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 295.
Dolichodes, Motsch., *l. c. supra*, p. 317.
Europophilus (Chaudoir) : Motsch. *l. c.* p. 317 : *ined.*?
Limodromus (Eschsch.), Motsch., *l. c.* p. 317, 318.
Oxypselaphus, Chaudoir, Bull. Mosc., xvi, 1843 p. 415.
Promecoptera, Dejean, Spec., v., 1831, p. 443 ; Lacord., Gen. Col., i, p. 131 : Mun. Cat., p. 143.
Rhadine, Leconte, Ann. Lyc. Nat. Hist. New York, 1848, p. 218.
Rhytiderus, Chaudoir, Bull. Mose., xvii (3), 1844, p. 470.
Tanystola, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.
[*Anchomenus* (*Bonelli*), Bates (Biol. Centr. Amer., Col., i (i), p. 93, should apparently be separated].
- aeneotinctus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 330.
Hab. Fuchau.
- amaroides* (*Calathus*), Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 103.
Hab. Darjiling.
- ceylonicus* (*Agonothorax*), Motschulsky, Et., Ent., viii, 1859, p. 36.
Hab. Ceylon, Dikoya (*Bates*).
- chinensis*, Bohemann, Freg. Eug. Resa, Col., 1858, p. 15.
Hab. China.
- Daimio* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 279.
Hab. China, Fuchau, Japan.
- ilocatus* Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates (*Anchomenus*), *ib.*, (5s. xvii, 1886, p. 146.
degener (*Argutor*), Walker, *l. c. supra*, p. 204.
Hab. Ceylon, Nuwara Eliya.
- iridens* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 329.
Hab. Hongkong.
- * *ladakensis*, Bates, Proc. Zool. S. Lond., 1878, p. 718.
Hab. Pámir, Pankong Valley, Tangtze, [*Ind. Mus.*, type].
- laetus*, Erichson, Nov. Acta Leop. Car., 1834, Suppl., p. 222, t. 37, f. 2.
Hab. Philippines.
- limbatiscollis*, Gemm. & Har., Mun. Cat., p. 373.
limbatus, Bohem., Freg. Eug. Resa, Col., 1858, p. 15 (*neu* Say).
Hab. China.
- lisopterus*, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 136.
Hab. N. India.
- magnus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 278.
Hab. Yangtse Valley, Shanghai, Japan.
- marginalis* (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60. (? *Anchomenus*) : (*Promecoptera*) Lap. de Casteln., Hist. Nat. Ins., i. p. 54 :
Hab. Bengal.

nuceus (*Anchomenus*), Fairmaire, Ann. Soc. Ent. Belg. xxxi, 1887, p. 96.

Hab. Yunnan.

orbicollis (*Agonocyrthes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 323.

Hab. Hongkong.

placidulus (*Agonum*), Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203.

Hab. Ceylon.

politissimus, Bates, Proc. Zool., S. Lond., 1878, p. 719.

Hab. India, Murree (Panjab) [*Ind. Mus.*, type].

protensus (*Dyscolus*), Morawitz, Beitr. Käferf. Jesso, 1863, p. 42 : Bates, Trans.

Ent. S. Lond., 1873, p. 278.

Hab. China, Japan.

scintillans, Bohem., Freg. Eug Resa, Col., 1858, p. 16.

Hab. Hongkong.

semicupreus (*Agonum*), Fairmaire, Ann. Soc. Ent. Belg. 1887, p. 97.

Hab. Yunnan.

Genus DICRANONCUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 392 ; Lacord., Gen. Col., i, p. 358 : Mun. Cat., p. 384 : Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 277.

Loxocrepis, Brullé, Hist. Nat. Ins. Col., i, 1834, p. 325 (*neq; Eschsch.*) : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 309.

amabilis, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 350 note ; *id.*, (5s.) viii, 1878, p. 277.

ruficeps (*Loxocrepis*), Brullé (*neq; MacLeay*), Hist. Nat. Ins. Col., i, 1834, p. 325, t. 12, f. 2.

Hab. N. India, Java.

cinctipennis, Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 278.

Hab. Ceylon, Hongkong.

femoralis, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 393 : *id.*, Ann. Fr., l.c. *supra*, p. 277 : Bates, Trans. Ent. S. Lond., 1873, p. 278.

coelestinus (*Loxocrepis*), Motsch., Bull. Mosc. xxxvii (3), 1864, p. 310.

Hab. Bengal, Simla, Burma, Japan (*Lewis*).

Genus MENERA.

Motschulsky, Et. Ent., 1859, p. 32.

quadridens, Motschulsky, l.c., p. 32.

Hab. Java.

Genus COLPODES.

MacLeay, Annul. Javan., 1825, p. 17 : Lacord. Gen. Col., i, p. 361 : Mun. Cat., p. 381 : Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 287 ; *id.*, *Monograph*, l.c., (5s.) viii, 1878, p. 278 : Bates, Biol. Centr. Amer., Col., i (i), p. 100.

Abropus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 306 (*neq; Guérin*).

Dyscolus, Dejean, Spec., v, 1831, p. 437 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 381 : Lacord., Gen. Col., i, p. 356.

- Loxocrepis*, Esehsch., Zool. Atlas, ii, 1829, p. 6 : Lacord., Gen. Col., i, p. 362.
- Metallosomus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 304.
- Omiastus*, Motschulsky, l.c., p. 306.
- Ophryodactylus*, Chaudoir, l.c., xxiii (2), 1850, p. 382.
- Paranomus*, Chaudoir, l.c., p. 383.
- Pleurosoma*, Guérin, Mag. Zool., vi, 1844, t. 186.
- Scaphiodactylus*, Chaudoir, Bull. Mosc., xi, 1838, p. 20.
- Stenocnemus*, Mannerheim, Bull. Mosc., x, 1837, p. 29.
- abropoides*, Chaudoir, *Mon.*, l.c. *supra* p. 361.
Hab. Philippines.
- aeneipennis* (*Dyscolus*), Dejean, Spec., v, 1831, p. 441 ; Chaudoir, *Mon.*, p. 333.
Hab. Java.
- aenescens*, Chaudoir, *Mon.*, p. 368.
Hab. N. India.
- amoenus*, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 327 ; *Mon.*, p. 367.
splendens, Morawitz, Bull. Acad. Petrop., v, 1863, p. 324.
Hab. N.-W. India, Ceylon, Dikoya (Bates), Java, Philippines, Japan.
- apicalis* Chaudoir, *Mon.*, p. 367.
Hab. Philippines.
- Baconii*, Chaudoir, *Mon.*, p. 311.
Hab. Bengal.
- bengalensis*, Chaudoir, *Mon.* p. 312.
Hab. Bengal.
- bipars* (*Lebia*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates, id., (5s.) xvii, 1886, p. 148.
Hab. Ceylon.
- ? *bispinus* (*Euplynes*), Motschulsky, Et. Ent., 1859, p. 33.
Hab. Java.
- brunneus*, MacLeay, Annul. Javan., 1825, p. 17, t. 1, f. 3 : Gray, Griffith Anim., Kingd. Ins., i, t. 15, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
Hab. Java.
- Buchananii*, Hope, Gray's Zool. Misc., 1831, p. 21 : Lap. de Casteln. l.c., *supra*, p. 57.
Hab. Nepal.
- coelopterus*, Chaudoir, *Mon.*, p. 368.
Hab. Shanghai.
- cruralis*, Chaudoir, *Mon.*, p. 376.
Hab. India, Malabar.
- Dohrnii*, Nietner, Ann. Mag. N. H. (3s.), ii, 1858, p. 429 ; Chaudoir, *Mon.*, p. 375.
Hab. Ceylon, Colombo, Pusilawa.
- Hardwickii*, Hope, Gray's Zool. Misc., 1831, p. 21 : Lap. de Casteln., Hist. Nat. Ins. i, 1850, p. 57.
Hab. Nepal.

hirmocoelus. Chaudoir, *Mon.*, 365.

Hab. N. India.

incertus, Chaudoir, *Mon.*, p. 369.

? = *Buchanani*, Hope, *supra cit.*

Hab. India.

iteratus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 149.

Hab. Ceylon, Dikoya, Nuwara Eliya.

japonicus, (*Tanystola*), Motsch., Et. Ent., 1860, p. 9: ? Morawitz, Bull. Acad. St.

Petersb., v, 1863, p. 324: Bates, Trans. Ent. S. Lond., 1873, p. 277.

Hab. Japan, China.

lampriodes, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 147.

Hab. Ceylon, Hadley, Dikoya.

luzonicus, Chaudoir, *Mon.*, 366.

Hab. Philippines.

nigriceps (*Loxocrepis*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 310.

Hab. India.

nilgherriensis, Chaudoir, *Mon.*, p. 301.

Hab. India, Nilgiris, Malabar.

obscuritarsis, Chaudoir, *Mon.*, p. 375.

Hab. Burma, Rangoon.

olivius, Bates, Trans. Ent. S. Lond., 1873, p. 331.

Hab. Hongkong.

ovaliceps, Bates, Proc. Zool. S. Lond., 1878, p. 719.

Hab. India, Murree [*Ind. Mus.*, type].

parallelus, Chaudoir, Ann. Soc. Ent. Fr., (5s.) ix, 1859, p. 326; *Mon.*, p. 368.

Hab. Sumatra.

plagioderus, Chaudoir, *Mon.*, p. 374.

Hab. India.

repletus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 148.

Hab. Ceylon, Bogawantala.

retusus, Bates, *l.c. supra*, p. 148.

Hab. Ceylon, Kandy.

rotundatus, Chaudoir, *Mon.*, p. 302.

Hab. Nilgiris, Malabar.

ruficeps (*Lamprias*), MacLeay, Annul. Javan., 1825, p. 25: (*Loxocrepis*), Eshchsch., Zool. Atlas, ii, p. 6, t. 8, f. 3: Gray, Griffith's Anim. Kingd., Ins., i, 1832, t. 19, f. 1: Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 348; *id.*, *Mon.* p. 376: Bates, Trans. Ent. S. Lond., 1883, p. 263; *id.*, Ann. Mag. N. H., (5 s.) xxii, p. 147.

Hab. India, Java, Sumatra, Philippines [*Ind. Mus.*, Calcutta, Sikkim].

rufitarsis (*Dyscolus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 385; Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 351; *Mon.*, p. 375.

Hab. Singapur, Sumatra.

saphyrinus, Chaudoir, *Mon.*, p. 366.

Hab. Penang, Tonda.

saphyripennis, Chaudoir, *Mon.*, p. 334.

Hab. India.

semiaeneus, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.

Hab. Yunnan.

semistriatus, Chaudoir *Mon.*, p. 365.

Hab. N. India.

smaragdipennis, Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 359 : *Mon.*, p. 375.

Hab. Sumatra, Mt. Singalang.

stricticollis, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 316.

Hab. Yunnan.

subsericatus, Fairmaire, l. c., p. 316.

Hab. Yunnan.

sycophanta, Fairmaire, l. c., p. 316.

Hab. Yunnan.

Xenos, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 146.

Hab. Ceylon, Bogawantala.

Genus PIRANTILLUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1819, p. 108.

Feae, Bates, l. c., p. 109.

Hab. Burma, Tenasserim, Meetan.

Genus CAPHORA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 91 : Lacord. Gen. Col., i, p. 309 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Mun. Cat., p. 146.

humilis, Schmidt Goebel, l. c. *supra*, p. 91, t. 3, f. 8 : Chaudoir, Bull. Mosc., li (3), 1876, p. 8.

Hab. Burma.

Genus ANAULACUS.

MacLeay, Annul. Javan., 1825, p. 22 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Aephnidius, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 308 : Chaudoir, *Mon.*, p. 15.

Macracanthus, Chaudoir, Bull. Mosc., xix, 1846, p. 539 ; *id.*, *Mon.*, p. 23 : Lacord., Gen. Col., i, p. 265.

Masoreus, Dejean, Spec., iii, 1828, p. 536 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 145 : Zimmermann, *Mon.*, Gistl's Faunus, i, 1832, p. 119 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 234 : Chaudoir, *Mon.*, l. c., li (3), 1876, p. 11, 23, 25 : Bates, Biol. Centr. Amer. Col., i (i), p. 174.

- adeloides* (*Aephnidius*), MacLeay, Annul. Javan., 1825, p. 23, t. 1, f. 7 : Schmidt Goebel, Faun. Col. Birm., p. 88 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 307 : Chaudoir, Mon., p. 17 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
sericeus, Zimmermann, Mon., 1832, p. 120 : Motseh., Bull. Mosc., xxxvi (3), 1864, p. 234 : Chaud., Mon., p. 17.
 Hab. Java, Bengal, Dekhan, Burma, Bhamo, Cochinchina, China, Japan, W. Australia.
- fasciatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 25.
 var. *basalis*, Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 59, 60, t. 4, f. 1.
 Hab. Burma ; Annam, Hué.
- fuscipennis* (*Aephnidius*), Schmidt Goebel, l. c., p. 89 : Chaudoir, Mon., p. 16 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
 Hab. Burma, Bhamo, Shwesu, Tenasserim.
- opaculus* (*Masoreus*), Zimmermann, Mon. Carab., 1832, p. 120 : Chaudoir, Mon. p. 19.
 Hab. India, Ceylon.
- orientalis* (*Masoreus*), Dejean, Spec., iii, 1828, p. 539 : Chaudoir, Mon. p. 14.
grandis, Zimmermann, Mon. Carab., 1832, p. 121.
laticollis, Chaudoir, Bull. Mosc., xvi (4), 1843, p. 778.
 Hab. India, Egypt, Abyssinia.
- pleuronectes* (*Masoreus*), Zimmermann, Mon., 1832, p. 120 : Chaudoir, Mon. p. 19.
 Hab. India, Malabar, Coimbatore, Ceylon.
- quadrimaculatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 90 : Chaudoir, Mon., p. 25.
 Hab. Burma.
- sericans* (*Masoreus*), Schmidt Goebel, l. c. supra, p. 87 : Chaudoir, Mon., p. 28 (gen. dub. near *Mochtherus*).
 Hab. Burma.
- scriceipennis* (*Anaulacus*), MacLeay, Annul. Javan., 1825, p. 22, t. 1, f. 4 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Chaudoir, Mon., p. 25.
 Hab. Java.
- siamensis* (*Masoreus*), Chaudoir, Mon., p. 25.
 Hab. Bangkok.
- simplex* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 22 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
 Hab. Bengal, Malabar ; Burma, Bhamo, Mandalay.

Genus PERIGONA.

- Lap. de Casteln., Et. Ent., 1834, p. 15 : Chaudoir, Bull. Mosc., xliv (2), 1872, p. 281 : Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 218 : Bates, Biol. Centr. Amer., Col., i (i), p. 133.
Masoreus, pt. Lacordaire, Gen. Col., i, p. 134.

- Nestra*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 ; Et. Ent., 1859, p. 37 : Mun. Cat., p. 394.
Siltopia, Castelnau, Trans. R. S. Victoria, viii (2), 1868, p. 127.
Spathinus, Nietner, Ann. Mag. N. H. (3 s.), ii, 1858, p. 428 : Mun. Cat., p. 394.
Trechicus, Leconte, Trans. Amer. Phil. Soc. x, 1853, p. 386 : Lacord., Gen., Col., i, p. 393.
Beccarii, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 732.
var. *suffusa*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 151.
Hab. Borneo, Sarawak ; Ceylon.
convexicollis, Putzeys, Ann. Mus. Civ. Gen., vii. 1875, p. 729.
Hab. Johore, Malayan Peninsula.
fimicola, Wollaston, Ins. Mader., 1854, p. 63 : Ann. Mag. N. H., (3 s.) viii, 1862, p. 288 ; Col. Hesperid. p. 27 : Bates Ann. Mag. N. H., (5 s.) xvii, 1886, p. 150.
Jansonianus, Wollaston, Ann. Mag. N. H., (3 s.) ii, 1858, p. 19.
Hab. Cape Verde Islands, Ceylon, Colombo.
livens, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 225.
Hab. ? Coromandel.
luzonica, Putzeys, l. c., vii, 1875, p. 728.
Hab. Philippines, Manilla.
minor, Putzeys, l. c., p. 734.
Hab. Borneo, Sarawak.
nigriceps (*Spathinus*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 429.
? = *fimicola*, Wollaston, *supra cit.*
Hab. Ceylon.
nigricollis (*Nestra*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222.
Hab. Borneo, Sarawak, Ceylon.
nigrifrons (*Nestra*), Motsch., Et. Ent., 1859, p. 38, t. 1, f. 1 : Putzeys, l. c. *supra*, p. 220.
Hab. Ceylon, Galle (Putzeys), Bogawantala (Bates).
ruficollis (*Nestra*), Motsch., Bull. Mosc., xxiv (4) 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222 ; Bates, l. c., (2 s.) vii, 1889, p. 104.
Hab. Ceylon Kandy (Bates), Borneo, Sarawak (Putzeys), Burma (Bates).
sinuaticollis, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 149.
Hab. Ceylon.
ANCHONODERINI :—Lacordaire, Gen. Col., i, 1854, p. 373 : Bates, Ent. Mon. Mag., viii, 1871, p. 29 : Horn, Cat. Carab., p. 144 : Leconte & Horn, Class. Col., 1883, p. 35.

Genus LASIOCERA.

Dejean, Spec., v, 1831, p. 283 : Brullé, Hist. Nat. Ins. Col., i, p. 142 : Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 402 : Lacord., Gen. Col., i, p. 376 : Mun. Cat., p. 397.

orientalis. Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 403.
Hab. N. India.

Genus OCHTHEPHILUS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 136; *id.*, Ann. Mag. N. H., (2 s.) xx, 1857, p. 275: Mun. Cat. p. 399.
Perileptus, Schaum, Nat. Ins., i, 1860, p. 663.

ceylanicus. Nietner, Jl. As. Soc. Beng., *l. c. supra.*, p. 137: Ann. Mag. *l. c. supra* p. 276: Putzeys, Stettin Ent. Zeit., xxxi, p. 362.
Hab. Ceylon.

Genus SELINA.

Motsch., Et. Ent., 1857, p. 110: Schaum, Berlin Ent Zeits., vii, 1863, p. 74.
Steleodera, Schaum, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 396.

Ritsemae. Oberthür, Notes Leyden Mus., v. 1883, p. 223.
Hab. E. Sumatra, Serdang.

Westermannii. Motschulsky, Et. Ent., 1857, p. 110, t. 1, f. 6: Schaum, Berlin Ent. Zeits., 1860, p. 172, t. 3, f. 11, *a. b.*
setosus (*Pselaphanax*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 52: Waterhouse, Aid Ident. Ins., t. 120.
Hab. India, Tranquebar; Ceylon, Peradeniya (*Bates*); ? Madagascar, Natal.

HEXAGONINI (*Ctenodactylini*), Horn, Gen. Carab., p. 145.

Genus HEXAGONIA.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 563: Brullé, Hist. Nat. Col., i, p. 476: Lacord., Gen. Col., 1, p. 69: Schmidt Goebel, Faun. Col. Birm., p. 49: Mun. Cat., p. 86: Bates, Biol. Centr. Amer., Col., i (i), p. 158.

Trigonodactyla, Dejean, Spec. v, 1831, p. 288: Chaud., Bull. Mosc., xxxiv (i), 1861, p. 532.

apicalis. Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 1.
Hab. Calcutta (Kasipur).

Bowringii. Schaum, Berlin Ent. Zeits., 1863, p. 73, 433, t. 3, f. 8.
Hab. Penang.

brunnea. Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 531: Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.
Hab. N. India.

cephalotes (*Odacantha*), Dejean, Spec. ii, 1826, p. 439: (*Trigonodactylus*) Guérin, Mag. Zool., 1833, cl. ix, p. 73: Lap. de Casteln., Hist. Nat. Ins., i, p. 31.
Hab. India.

Kirbyii. Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 2.
Hab. Darjiling.

longithorax (*Lebia*), Wiedemann, Zool. Mag. ii (i), 1823, p. 58 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.

Hab. India.

terminata, Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 564 (*nec* Dejean) : Brullé, Hist. Nat. Ins., Col., i, p. 227 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46.

Hab. India.

ODACANTHINI (*Odontacanthini* Col. Hefte. vi, p. 114) : Lacordaire, Gen. Col., i, p. 71 : Horn, Gen. Carab., p. 147 : Leconte & Horn., Class, Col., 1883, p. 38.

Genus **CASNONIA**.

Latreille, Ic. Col. Eur., i, 1822, p. 77 : Lacord., Gen. Col., i, p. 72 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 44 ; *id.*, *ib.*, xxxv (4), 1862, p. 275 ; xlvi (i), 1872, p. 397 : Mun. Cat., p. 86 : Leconte, Bull. Brookl. Ent. S., ii, 1880, p. 85 : Bates, Biol. Centr. Amer., Col., i, (i), p. 160.

Apodera, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 35 : Lacord., Gen. Col., i, p. 72.

Lachnothorax, Motschulsky, Et. Ent., 1862, p. 48.

Ophionea, pt, Klug, Ent. Bras. Spec. prim, p. 298 (*nec* Eschsch.).

Plagiorhytis, Chaudoir, Bull. Mosc., xxi (i) 1848, p. 31 : Lacord., Gen. Col., i, p. 71.

? *apicalis* (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 408.

Hab. Siam, Bangkok.

biguttata (*Lachnothorax*), Motsch., Et Ent., 1862, p. 50.

oculata, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 291.

Hab. India, Tranquebar ; Siam.

bimaculata, Kollar, Hügel Kaschmir, iv (2), 1844, p. 498, t. 23, f. 2 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 25.

Hab. Kashmir, Simla [*Ind. Mus.*].

celebensis, R. Gestro, Ann. Mus. Civ. Gen., vii 1875, p. 854.

Hab. Siam, Bangkok.

Chaudoirii (*Ophionea*), Bohemann, Freg. Eug. Resa Col., 1858, p. 2.

Hab. Hongkong [*Ind. Mus.*].

distigma, Chaudoir, Bull. Mosc., xxii, (i), 1850, p. 26 ; xlvi (i), 1872, p. 407.

bimaculata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 18 (*nec* Kollar).

Hab. Burma.

flavicauda, Bates, Trans. Ent. S. Lond., 1873, p. 303.

Hab. China, Fuchau, Japan.

fulvipennis, (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 407 : Bates, Trans. Ent. S. Lond., 1883, p. 278.

Hab. Hongkong, ? Celebes.

fuscipennis Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 26 ; *id.*, xxxv (4), 1862, p. 289 : Fairm., Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.

Hab. India, Simla, Tranquebar, Siam, Malacca, Tonkin, Maccassar, China, Chusan.

- haemorrhoidalis**, Motsch., Bull. Mosc., xxxvii (3). 1864, p. 219 : Chaudoir *l. c.* xlv (i), 1872, p. 404 ; lii (2), 1877, p. 266.
Hab. India, Ceylon, Colombo (*Bates*), Siam, Celebes, ? Chusan.
- latifascia**, Chaudoir, Bull., Mosc., xlv (i), 1872, p. 404.
Hab. India.
- litura** (*Odacantha*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 22 : Chaudoir, Bull. Mosc., xlv (i), 1872, p. 405 ; lii (2), 1877, p. 266.
Hab. Burma, Java, Japan.
- metallica**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.
Hab. Tonkin.
- opacipennis**, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 107.
Hab. Burma, Bhamo.
- pilifera**, Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 179.
Hab. Ceylon.
- punctata**, Nietner, *l. c.*, *supra*, p. 178.
Hab. Ceylon.
- subapicalis**, Oberthür, Notes Leyden Mus., v, 1883, p. 216.
Hab. E Sumatra, Serdang.
- tetraspilota**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 19.
Hab. Burma.
- virgulifera**. Chaudoir, Bull. Mosc., xlv (i), 1872, p. 403 : Gestro. Ann. Mus. Civ. Gen., vii, p. 854.
Hab. Siam, Bangkok.

Genus OPHIONEA.

- Eschsch., Zool. Atlas, ii, 1829, p. 5 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 43 ; Lacord., Gen. Col., i, p. 73 : Mun. Cat., p. 85.
Casnoidea, Lap de Casteln., Et., Ent., i, 1834, p. 40 ; *id.*, Hist. Nat. An. Ins., i, p. 28.
- Beauchenii**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 333.
Hab. Tonkin.
- cyancephala** (*Carabus*), Fabr. Ent. Syst. Suppl., 1798 p. 60 : (*Casnonia*) Dejean, Spec., i, p. 173 ; Lacord. Gen. Col. Atlas, t. 3. f. 2 : Schmidt Goebel, Faun. Col. Birm., p. 20.
Hab. India, Ceylon, Colombo (*Bates*), Celebes, Japan, Hongkong [*Ind. Mus.*, Calcutta, S. India].

- interstitialis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 20.
Hab. Burma, Java, Soerabaya, Buitenzorg, Celebes.

- nigrofasciata**, Schmidt Goebel, *l. c.*, p. 21.
Hab. Burma, Ceylon, Colombo (*Bates*).

Genus DICRASPEDA.

- Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 300.
brunnea, Chaudoir, *l. c.*, p. 300.
Hab. Siam.

DRYPTINI :—Horn, Gen. Carab., p. 148 : Leconte & Horn, Class Col., 1883, p. 40 : Lacordaire (*Galeritidcs*), Gen. Col., i, p. 79.

Genus DRYPTA.

Fabricius, Syst. Eleuth., i, 1801, p. 230 : Brullé, Hist. Nat. Ins. Col., i, p. 163 : Lacord. Gen. Col., i, p. 75 : Mun. Cat., p. 90.

aeneipennis, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.
Hab. Burma, Bhamo.

amabilis, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 35 (? = *Dendrocellus id*).
Hab. India, Tibet.

crassiuscula, Chaudoir, l.c., xxxiv (i), 1861, p. 550.
Hab. N. India.

dimidiata, Putzeys, Notes Leyden Mus., ii, 1880, p. 191 ; Mid. Sumatra, iv, 6, t. 2, f. 2.

Hab. Sumatra.

flavipes, Wiedemann, Zool. Mag., ii (i), 1823, p. 60 : Dejean, Spec., ii, p. 442 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 34.

pallipes, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 33 ; ib., (i), 1860, p. 548.
Hab. N. India, Simla.

formosana, Bates, Trans. Ent. S. Lond., 1873, p. 333 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 257.

Hab. Formosa.

lineola, Dejean, Spec., i, 1825, p. 184 : MacLeay, Annul. Javan, p. 27 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 33 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

var. *philippinensis*, Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

Hab. India, China, Hongkong, Philippines [*Ind. Mus.*, Madras].

lugens, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.
Hab. Burma.

mandibularis, Lap. de Casteln., Et. Ent., 1834, p. 43.
Hab. India, Borneo.

Mouhotii, Chaudoir, Rev. Mag. Zool., (2s.), xxiii, 1872, p. 102.
Hab. Laos.

obscura, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.
Hab. Burma.

tristis, Schmidt Goebel, l.c., p. 23.
Hab. Burma.

virgata, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 34.
Hab. India.

Genus DENDROCELLUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : Lacord., Gen. Col., i, p. 80 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 545 : Mun. Cat., p. 91.
Desera (Leach), Hope, Col. Man. ii, p. 96, 105.

aeneipes (*Drypta*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60.
Hab. India.

discolor, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24.
Hab. Burma, Martaban [*Ind. Mus.*, Dhansiri Valley, Assam].

geniculatus, Klug, Jahrb. Insec., i, 1834, p. 52 : Schmidt Goebel, *l.c.*, *supra*, p. 25.
Hab. India, Assam, Burma, Malacca, Java, Japan.

longicollis (*Drypta*), Dejean, Spec., i, 1825, p. 185.
Hab. India.

nepalensis (*Desera*), Hope, Gray's Zool. Misc., 1831, p. 21.
flavipes, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : *nec* Wied.
nec Dejean. Calcutta.

rugicollis, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 546.
Hab. Nepal, Calcutta, Burma.

parallelus, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 101.
Hab. Sumatra.

unidentatus (*Drypta*), MacLeay, Annul. Javan., i, 1825, p. 28.
coelestinus, Klug, Jahrb. Insect., i, 1834, p. 54.
Hab. Java.

Genus GALERITA.

Fabr., Syst. Eleuth., i, 1801, p. 214 : Brullé, Hist. Nat. Ins. Col., i, p. 166 : Schmidt Goebel, Faun. Col. Birm., p. 62 : Lacord., Gen. Col., i, p. 82 : Mun. Cat., p. 92, Leconte, Bull. Brookl. Ent. S., 1879, ii, p. 61 : Bates, Biol. Centr. Amer. Col., i (i), p. 164.

attelaboides (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 305 ; Mant. Ins., i, p. 198 ; Ent. Syst., i, p. 132 ; Syst. Eleuth., i, p. 214 : Oliv., Ent., iii, 35, p. 50, t. 6, f. 70 : Chaudoir, Bull. Mosc., xxiv (i), 1861, p. 560.
? *leptodera*, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 559.
Hab. India, (not S. America).

indica, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 557.
Hab. N. India.

nigripennis, Chaudoir, *l.c.* p. 557.
Hab. Dekhan.

orientalis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 26 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.
Hab. Burma, Bhamo.

peregrina, Dohrn, Stettin. Ent. Zeit., xli, 1880, p. 291.
Hab. Hongkong.

ruficeps, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 556 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.
Hab. N. India ; Burma, Bhamo.

Genus **ZUPHIUM**.

Latreille, Gen. Crust, & Ins., i, 1806, p. 198 : Lap. de Casteln., *Monograph*, Silb. Rev. i, p. 251 : Lacord., Gen. Col., i, p. 85 : Brullé, Hist. Nat. Ins. Col., i, p. 174 : Mun. Cat., p. 98 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 310 : Leconte, Bull. Brookl. Ent. Soc., 1879, p. 61 : Bates, Biol. Centr. Amer. Col., i (i), p. 166.

Zophium, Schmidt Goebel, Faun. Col. Birm., 1846, p. 27.

bimaculatum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28 : Chaudoir, Rev. Mag. Zool., 1872, p. 105.

vittigerum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28.

Hab. Burma, Martaban [*Ind. Mus.*, China].

erythrocephalum, Chaudoir, Bull. Mosc., xxxv (2), 1862, p. 311.

Hab. India, Malabar.

inconspicuum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 30.

Hab. Burma.

modestum, Schmidt, Goebel, *l. c.*, p. 29.

Hab. N. India, Burma.

olens (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 139 ; *id. (Galerita)*, Syst. Eleuth., i, p. 215 : Olivier, Ent., iii, 35, p. 94, t. 13, f. 156 : (*Zuphium*) Dejean, Spec., i, p. 192 ; *id.*, Ic. Col. Eur. i, t. 10., f. 3 : Brullé, Hist. Nat. Ins. Col., i, p. 175, t. 6, f. 1 : Lap. de Casteln., *Mon.*, p. 253 : Schmidt Goebel, Faun. Col. Birm., p. 28 ; Duval, Gen. Carab., t. 21, f. 105 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 311.

longiusculum, Chaudoir, Bull. Mosc., xv (4), 1842, p. 804 : *id.*, xxxv (4), 1862, p. 312.

rufifrons, Chaudoir, *l. e.*, (4), 1862, p. 311.

Hab. S. Europe, N. Africa, Asia Minor, Maulmain, Siam.

piceum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 29.

Hab. Burma.

pubescens, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 182.

Hab. Ceylon.

siamense, Chaudoir, Rev. Mag. Zool., (2 s), xxiii, 1872, p. 104.

Hab. Siam.

Genus **AGASTUS**.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 30 : Lacord., Gen. Col., i, p. 87 : Mun. Cat., p. 95.

lineatus, Schmidt Goebel, *l. c.*, p. 91.

Hab. Burma.

ustulatus, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 876.

Hab. Singapur.

MORMOLYCINI, Horn, Gen. Carab., p. 149.

Genus **MORMOLYCE**.

Hagenbach, Nov. Gen. Col., 1825 : Brullé, Hist. Nat. Ins. Col., i, p. 310 : Lacord., Gen. Col. i, p. 144 : Mun. Cat., p. 152 : Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886.

Castelnauddii. Deyrolle, Ann. Soc. Ent. Fr., (2s.) iv, 1862, p. 314, t. 11, f. 3.
Hab. Malacca.

Hagenbachii. Westwood, Ann. Mag. N. H., (3s.) ix, 1862, p. 96 : Deyrolle, l. c. supra, p. 313, t. 11, f. 2.

blattoides, Thomson, Mon. Mormolyce, 1862, p. 8.
Hab. Sumatra.

phyllodes. Hagenbach, Nov. Gen. Col., 1825, fig. a-b. : Gray, Griffith's Anim. Kingd., Ins. i, 1832, t. 25, f. 7 : Brullé, Hist. Nat. Ins., Col. i, p. 313, t. 11, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i. p. 119, t. 7, f. 3 : Deyrolle, l. c. supra, t. II., f. 1 : Verhuel., Ann. Soc. Ent. Fr., 1847, p. 344, t. 7, f. 1-6 : Overdijk, Mém. Ent. S. Pays-Bas, i, 1857, p. 41.

var. *borneensis*, Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886, fig.
Hab. Java, Borneo, ? New Guinea [*Ind. Mus.*, Singapur].

LEBIINI:—Horn, Trans. Amer. Ent. Soc., x, 1882, p. 126 : Gen. Carab., p. 155 : Leconte & Horn, Class. Col., p. 42.

Lebiides. pt, Lacordaire, Gen. Col., i, p. 102.

Pericalides. Lacordaire, l. c., p. 137.

Includes *Tetragonoderini*, Chaudoir, Bull. Mosc., li (3), 1876, p. 28.

Genus CYCLOSOMUS.

Latrelle, Règne Anim., ii, 1829, p. 394 : Dejean, Spec., iv, p. 23 : Lacord. Gen. Col., i, p. 258 : Mun. Cat., p. 248 : Chaudoir, Bull. Mosc., li (3), 1876, p. 29.

dytiscoides (*dyticoides*), Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 132 : Ann. Mag. N. H., (2s.) xx, 1857, p. 272 : Chaudoir, Bull. Mosc., li (3), 1876, p. 31.
Hab. Ceylon, Colombo.

flexuosus. Fabricius, Syst. Ent., 1775, p. 246 ; Spec. Ins., i, p. 311 ; Mant. Ins., i, p. 203 ; Ent. Syst., i, p. 180 ; (*Scolytus*) Syst. Eleuth., i, p. 247 : Lap. de Casteln., Hist. Nat. Ins., i, p. 96 : Lacord. Gen. Col. : Atlas, t. 10, f. 4 a-b. : Gray, Griffith, An. Kingd., Ins. i, 1832, t. 8, f. 12 : Brullé, Hist. Nat. Ins. Col., ii, p. 140 : Chaudoir, Bull. Mosc., li (3), 1876, p. 32.

suturalis (*Scolytus*), Wiedemann, Zool. Mag., i (3), 1819, p. 169.
Hab. Bengal, Hongkong.

marginatus. Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 200 : Chaudoir, ib., li (3), 1876, p. 32.
Hab. India.

Genus TETRAGONODERUS.

Dejean, Spec., iv, 1829, p. 485 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Lacord., Gen. Col., i, p. 132 : Mun. Cat., p. 144 : Chaudoir, Monograph, Bull. Mosc., li (3), 1876, p. 33 : Syn. Amer. Sp., Horn, Trans. Amer. Ent. S., iv, 1872, p. 136 : Bates, Biol. Centr. Amer., Col., i (i), p. 171.

Carabus, Fabr. et vet. auct : *Bembidium*, Wied., Germar : *Dromius*, Reiche, Putzeys, Dejean.

Peronoscelis, Chaudoir, Mon., p. 56.

arcuatus. Dejean, Spec., iv, 1829, p. 495 : Chaudoir, Mon., p. 38.
Hab. India, Egypt, Senaar.

cursor, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 201.
Hab. Ceylon, Kandy.

dilatatus (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 ; Chaudoir, *Mon.*, p. 41.
Hab. India, Bengal.

discopunctatus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 456 ; *id.*, *Mon.*, p. 48.
Hab. N. India, Simla.

fimbriatus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 202.
Hab. Ceylon, Kandy.

notaphioides, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 99 : Bates, *l. c. supra*, p. 201 :
Chaud., *Mon.*, p. 54.
Hab. Ceylon, Colombo, Dikoya.

punctatus (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 : Dejean, Spec. iv, p. 505 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Chaud., *Mon.*, p. 48.
Hab. India, Bengal, Dekhan.

quadrinotatus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 55 ; *id.*, Syst. Eleuth. i, p. 186 ; Dejean, Spec., iv, p. 491 : Lap. de Casteln., Hist. Nat. Ins., i, p. 89 : Chaud., *Mon.*, p. 41.
Hab. India, Ceylon [*Ind. Mus.*].

quadrisignatus, Quensel, Schönherr, Syn. Ins., i, 1806, p. 212 note : Dejean, Spec. iv, p. 491 : Chaud., *Mon.*, p. 41.
Hab. India, Hongkong [*Ind. Mus.*, Madras].

rhombophorus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 93 : Chaud., *Mon.*, p. 48.
Hab. Burma, Martaban.

trifasciatus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 455 ; *id.*, *Mon.*, p. 48.
Hab. N. India.

Genus **MNUPHORUS**.

Chaudoir, Berlin. Ent. Zeits., 1873, p. 55 ; *id.*, Bull. Mosc., li (3), 1876, p. 69.

discophorus, Chaudoir, *l.c.*, p. 69.
Hab. N. India, Simla.

Genus **TILIUS**.

Chaudoir, Bull. Mosc., li (3), 1876, p. 71.

Lionychus, Chaudoir, *olim* (*ne* Wissmann).

holosericeus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 68 ; *id.*, li (3), 1876, p. 72.
Hab. N. Bengal.

Genus **DICTYA**.

Chaudoir, Bull. Mosc., xlivi, (2), 1870, p. 116, 123.

cibricollis, Morawitz, Bull. Ac. Petr., v. 1863, p. 245 : Chaudoir, *l. c. supra*, p. 124.
Hab. E. Siberia, N. China, Canton (*Putzeys.*).

Genus NEMATOPEZA.

Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 146.

Baconii, Chaudoir, *l. c. supra*, p. 150.

Hab. N. India.

basalis (*Lebia*), Chaudoir, *l. c.*, xxv (i), 1852, p. 43; *id.*, *ib.*, xlivi (2), 1870, p. 149.
Hab. N. India.

decora, Chaudoir, *l. c.*, xlivi (2), 1870, p. 150.

Hab. N. India.

Genus LEBIA.

Latreille, Hist. Nat. Ins., viii, 1804, p. 247 : Lacord., Gen. Col., i, p. 127 : Mun. Cat., p. 136 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 226, *tab. syn.* : Chaudoir, *l. c.*, xlivi (2), 1870, p. 111, 162 : Bates, Biol. Centr. Amer., Col., i (i), p. 222.

Echimuthus, Leach, Endinb. Encycl., 1818.

Homalops, Motschulsky, Käfer Russl., 1845, p. 42.

Lamprias, Bonelli, Obs. Ent., 1809, *tab syn.*

Lebida, Motschulsky, Et. Ent., 1862, p. 51 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 225.

Lebistina, Motschulsky, Bull. Mosc., *l. c.*, p. 227 : Chaud., *l. c.*, lii (2), 1877, p. 218.

Lionedya, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 126.

Omalomorpha, Motschulsky, Ins. Sib., 1842, p. 42.

Boysii, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 ; xlivi (2), 1870, p. 223.

Hab. N. India, Simla.

calycophora, Schmidt Goebel, Faun. Col. Birm., 1846, p. 44.

Hab. Burma.

chinensis, Bohem., Freg. Eng. Resa, Col., 1858, p. 6 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 163.

Hab. Hongkong [*Ind. Mus.*, China.].

circumdata, Schmidt Goebel, Faun. Col., Birm., 1846, p. 44 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 224.

Hab. Burma.

elevata (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 162 ; Syst. Eleuth., i, p. 204 : Chaudoir, Bull. Mosc., xxvii (i) 1854, p. 133 : Schmidt Goebel, Faun. Col., Birm., p. 43.

massiliensis, Fairmaire, Ann. Soc. Ent. Fr. 1849, p. 419 : Brullé, Silb. Rev., ii, p. 108.

unifasciata, Dejean, Spec., v, 1831, p. 389.

Hab. S. Europe, Burma.

exsanguis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 209.

Hab. Ceylon, Dikoya.

fuscula, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 221.

Hab. India, Simla.

gressoria, Chaudoir, *l.c.*, p. 222.

Hab. N. India.

infuscata, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 227.

Hab. India.

sellata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 45.

Hab. Burma.

tan, Schmidt Goebel, *l.c.*, p. 45.

Hab. Burma.

Genus STEPHANA.

Chaudoir, Bull. Mosc., xliv (i), 1871, p. 55.

princeps (*Lebia*), Chaudoir, *l.c.*, xxv (i), 1852, p. 41 ; *id.*, xliv (i), 1871, p. 56.

Hab. N. India.

Genus PHYSODERA.

Eschscholtz, Zool. Atlas, ii, 1829, p. 8 : Schmidt Goebel, Faun. Col. Birm., p. 46 ; Lacord., Gen. Col., i, p. 130 ; Mun. Cat., p. 143.

Davidis, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.

Hab. China, Fuhkien.

Dejeanii, Eschscholtz, Zool. Atlas, ii, 1829, p. 8, t. 8, f. 6 : Gray, Griffith's Anim. Kingd. Ins., i, t. 19 f. 4 : Lacord., Gen. Col., i, p. 130, Atlas, t. 4, f. 3 : Schmidt Goebel, Faun. Col. Birm., p. 46.

Hab. Burma ; Philippines, Manilla [*Ind. Mus.*, Andamans].

Eschscholtzii, Parry, Trans. Ent. S. Lond., v, 1849, p. 179, t. 18, f. 2.

Hab. Ceylon, Peradeniya (*Bates.*).

Genus EUPLYNES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Lacord., Gen. Col., i, p. 131 : Mun. Cat., p. 380 : Bates, Trans. Ent. S. Lond., 1883, p. 264 ; *id.*, Biol. Centr. Amer. Col., i (i), p. 158.

bispinus, Motschulsky, Et. Ent., 1859, p. 33.

Hab. Java.

cyanipennis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Bates, Ann. Mag. N. H., (5s.) xvii, p. 147.

Schmidti, Chaudoir, Ann. Soc. Ent. Fr., (3s.) vii, 1859 p. 360.

Hab. India, Burma.

Dohrnii, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 429 : Bates, *l. c.*, (5s.) xvii, 1886, p. 147.

Hab. Ceylon.

Genus ALLOCOTA.

Motschulsky, Et. Ent., 1859, p. 29 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 203,

viridipennis, Motsch., Et. Ent., 1859, p. 29, f. 3 : Chaudoir, *l.c. supra*, p. 205.

Hab. Singapur, Malacca, Java.

Genus **PARENA**.

Motschulsky, Et. Ent., 1859, p. 31 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 207.

bicolor, Motschulsky, Et. Ent., 1859, p. 32.
Hab. Java.

Genus **LACHNODERMA**.

W. MacLeay, Trans. Ent. S. N. S. Wales, ii, 1873, p. 321 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 212 : R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 858.

hirsutus (Singilis), Bates, Trans. Ent. S. Lond., 1873, p. 333 ; ib., 1883, p. 285.
Hab. Hongkong.

Genus **SCALIDION**.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 63 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147.

hilare, Schmidt Goebel, l.c. *supra*, p. 64.
Hab. Burma.

Genus **COPTODERA**.

Dejean, Spec., i, 1825, p. 273 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 149 : Mémoire, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 163.

Agonocheila, Chaudoir, Bull. Mosc., xxi, 1848, p. 119.

Belonognatha, Chaudoir, l. c., xvi (3), 1843, p. 383 : Lacord., Gen. Col., i, p. 142.

Rhinotheila, Montrouzier, Ann. Soc. Linn. Lyon, 1864, p. 57 : Mun. Cat., p. 141.

bicincta, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14 : Chaudoir, Mém., p. 187.
Hab. Canton, Hongkong.

discoguttata, Chaudoir, Mém., 1868, p. 195.
Hab. Borneo, Celebes.

elegantula, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.
Hab. Burma, Bhamo, Teintso, Tenasserim.

flexuosa, Schmidt Goebel, l.c., p. 55 : Chaudoir, Mém., p. 196.
Hab. Burma, Singapur, Borneo.

interrupta, Schmidt Goebel, l.c., p. 53 : Chaudoir, Mém., p. 194.
Hab. Burma, Siam, Borneo, Ceylon, Colombo (Bates).

ocellata, Chaudoir, Mém., p. 188.
Hab. N. India.

transversa, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Chaudoir, Mém., p. 165.
Hab. Burma.

tetrastigma, Chaudoir, *Mém.*, p. 174.

Hab. Borneo, Sarawak.

piligera, Chaudoir, Col. Novit., 1883, p. 20.

Hab. Tibet, Moupin.

Genus LIOPTERA.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

Plato, Bates, Trans. Ent. S. Lond., 1883, p. 281, note.

Hab. N. Borneo.

quadriguttata, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

Hab. Philippines.

Genus MOCHTHERUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 76 : Lacord., Gen. Col., i, p. 137 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 240.

Dromius, pt. MacLeay.

Thyreopterus, pt. Dejean, Spec., v, 1831, p. 445.

Cyrtopterus, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

immaculatus, Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 7 : Chaudoir, *Mém.*, p. 243.

Hab. Malacca, Java.

tetraspilotus (*Dromius*), MacLeay, Annul. Javan., 1825, p. 25 : Schaum, Berlin Ent. Zeits., 1860, p. 187 : Chaudoir, *Mém.*, p. 241.

angulatus (*Mochtherus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 76.

quadrinotatus (*Cyrtopterus*), Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106 : Gerst., Wiegmann Archiv. Naturg., 1863, p. 75.

retractus (*Panagaeus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.

tetrasemus (*Thyreopterus*), Dejean, Spec., v, 1831, p. 448.

Hab. India, Malabar, Burma, Java, Borneo, Ceylon, Colombo, Galle (*Bates*), [Ind. Mus., Andaman Islands].

Genus DOLICHOCTIS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 62 : Lacord., Gen. Col., i, p. 136 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 245.

Cyrtopterus, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

Coptodera, pt. Dejean.

angulicollis, Chaudoir, *Mém.*, p. 250.

Hab. Burma, Rangoon.

fasciola, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Balangoda.

gilvipes, Dejean, Spec. v, 1831, p. 396 : Chaud., *Mém.*, p. 248.

Hab. Philippines, Manilla.

gonioderus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.
Hab. Ceylon, Kitugalle.

marginifer (*Dromius*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202; id, Bates,
l.c. supra, p. 210.

parvicollis, Chaudoir, *Mém.*, p. 249.
Hab. Borneo.

quadriplagiata, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106, t. 9, f. 4 : Chaudoir
Mém. p. 245.

marginicollis (*Colpodes*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 51.
Hab. Ceylon, Anarajapura.

rotundatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 77 : Chaud., *Mém.* p. 241,
246 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1882, p. 111.
Hab. Burma, Bhamo, Teintso, Shwegu.

striata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 62 : Chaudoir, *Mém.* p. 246.
Hab. Burma, Isl. Aru, ? Celebes.

tenuilimbata, Oberthür, Notes Leyden Mus., v, 1883, p. 219.
Hab. Sumatra, Serdang.

tetracolon, Chaudoir, *Mém.*, p. 248.
Hab. Borneo, Sarawak [*Ind. Mus.*, Sikkim].

vitticollis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.
Hab. Ceylon, Dikoya.

Genus BRACHYCTIS.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 252.

rugulosa, Chaudoir, *l.c.*, p. 252.
Hab. Borneo, Sarawak.

Genus PELIOCYPAS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 33 : Lacord., Gen. Col., i, p. 116 : Mun.
Cat. p. 127.

hamatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 35.
Hab. Burma.

luridus, Schmidt Goebel, *l.c.*, p. 35.
Hab. Burma.

signifer, Schmidt Goebel, *l.c.*, p. 35 : Bates, Ann. Mag. N. H. (5s.) xvii, p. 209.
Hab. Burma.

suturalis, Schmidt Goebel, *l.c.*, p. 34.
Hab. Burma.

uniformis, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888., p. 334.
Hab. Tonkin.

Genus **DROMIUS**.

Bonelli, Obs. Ent., i, 1809, tabl. syn : Lacord., Gen. Col., i, p. 119 : Mun. Cat., p. 128 : Schaum, Ins. Deutschl., i (i), p. 263.

Crossonychus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 97.

Lobius, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 230.

Microlestes, Schmidt Goebel, Faun. Col. Birm., 1846, p. 41.

Philarhizus, Hope, Col. Man., 1838, p. 66.

exilis (*Microlestes*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 42.

Hab. Burma.

inconspicuus (*Microlestes*), Schmidt Goebel, l.c., p. 41.

Hab. India.

orthogonioides, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Dikoya.

steno, Bates, l.c., p. 206.

Hab. Ceylon, Nuwara Eliya.

Genus **BLECHRUS**.

Motschulsky, Bull. Mosc., xx (3), 1847, p. 219 ; xxi (2), 1848, p. 543 ; Et. Ent., 1858, f. 2, 3 : Mun. Cat., p. 131.

xanthopus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Colombo.

Genus **METABLETUS**.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 38 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 94 : Lacord., Gen. Col., i, p. 122 : Mun. Cat., p. 132.

Bomius, pt., Leconte, Ann. Lyc. Nat. Hist. New York., v, 1852, p. 177 : Lacord., Gen. Col., i, p. 120.

Charopterus, Motsch., Et. Ent., 1858, p. 155.

Dromoceryx, Schmidt Goebel, Faun. Col. Birm., 1846, p. 40.

angularis (*Dromoceryx*), Schmidt Goebel, l.c., p. 41.

Hab. Burma.

dorsalis (*Dromoceryx*), Schmidt Goebel, l.c., p. 40.

Hab. Burma.

quadripunctatus, Schmidt Goebel, l.c., p. 39 : Bates, Trans. Ent. S. Lond., 1883, p. 284.

Hab. Bengal, Japan.

* *tartareus*, Bates, Proc. Zool. S. Lond., 1878, p. 719.

Hab. Between Yangi Hissar and Sirikol [*Ind. Mus.*, type].

Genus **APRISTUS**.

Chaudoir, Enum. Carab. Caucas., 1846, p. 62 : id., Bull. Mosc., xxiii (i), 1850, p. 65 : Lacord. Gen. Col., i, p. 123 : Mun. Cat., p. 134.

aeneipennis (*Lionychus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 37 : Fairm. Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335.

Hab. Burma, Tonkin.

aeneomicans, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 66.

Hab. N. India, Simla.

subtransparens, Motsch., Bull. Mosc. xxxiv (i), 1861, p. 104; Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Nuwara Eliya, Hadley, Dikoya (Bates).

Genus APRISTOMORPHUS.

Motschulsky, Bull. Mosc. xxxiv (i), 1861, p. 104.

sexpunctatus, Motschulsky, l.c., p. 105, t. 9, f. 2.

Hab. Ceylon, Nuwara Eliya.

Genus LIONYCHUS.

Wissmann, Stettin Ent. Zeit., vii, 1846, p. 25; Lacord., Gen. Col., i, p. 122; Mun. Cat., p. 133; Schmidt Goebel, Faun. Col. Birm., p. 36.

albivittis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

Hab. Ceylon, Peradeniya.

marginellus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 37, t. 3, f. 3.

Hab. Burma.

Genus TETRAGONICA.

Motschulsky, Et. Ent., 1859, p. 26; Mun. Cat., p. 136; Bates Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

catenata, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Bogawantala.

euproctoides, Bates, l.c., p. 209.

Hab. Ceylon, Colombo.

fusca, Motschulsky, Et. Ent., 1859, p. 28, t. 1, f. 2.

Hab. Ceylon, Nuwara Eliya, Dikoya, Bogawantala (Bates).

intermedia, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Horton Plains.

mellea, Bates, l.c., p. 208.

Hab. Ceylon, Colombo.

repandens, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51; Bates, l.c. *supra*, p. 210.

Hab. Ceylon.

Genus BRACHICHLA.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 123.

hypocrita, Chaudoir, *Mém.*, l.c., p. 123.

Hab. Hongkong.

Genus TANTILLUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 126.

brunneus, Chaudoir, *Mém.*, l.c., p. 126.

Hab. Ceylon, Dikoya (Bates).

vittatus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 202.

Hab. Ceylon, Bogawantala.

Genus **SINURUS**.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 129.

opacus, Chaudoir, *Mémoire*, p. 130.

Hab. Borneo, Sarawak.

Genus **SERRIMARGO**.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 134.

Thyreopterus, pt. Schaum, Chaudoir *olim*.

guttiger, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189, t. 3. f. 5 : Chaudoir, *Mém.*, p. 135.

Hab. Borneo, Sarawak, Malacca.

verrucifer, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 171 ; *Mém.*, p. 135.

Hab. Malacca.

Genus **PERIPRISTUS**.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 135.

ater (*Thyreopterus*), Lap. de Casteln., Et. Ent., 1834, p. 149 : Schmidt Goebel, Faun. Col. Birm., p. 79 : Chaudoir, *Mém.*, p. 136 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.

Hab. Burma, Malacca, Bhamo, Tenasserim.

Genus **THYREOPTERUS**.

Dejean, Spec., v, 1831, p. 445 : Lacord., Gen. Col., i, p. 143 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 186 : Mun. Cat., p. 151 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 141.

Thysanotus, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 123.

impressus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 80 : Chaudoir, *Mém.*, p. 142 : *gen. dub.*

Hab. Burma.

Genus **MISCELUS**.

Klug, Jahrb. Insect., 1834, p. 82 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 311 : Lacordaire, Gen. Col., i, p. 146 : Chaudoir, Berlin. Ent. Zeits., iv, 1861, p. 125 : *id.*, Ann. Soc. Ent. Belg., xii, 1868, p. 152 : Mun. Cat., p. 154.

Leptodactyla, Brullé, Hist. Nat. Ins., iv, 1837, p. 130.

convexicollis, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 724.

Hab. Borneo, Sarawak.

javanus, Klug, Jahrb. Insect., 1834, p. 82, t. 1, f. 9 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 32 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 723.

apicalis (*Leptodactyla*), Brullé, Hist. Nat. Ins., iv, 1837, p. 130, t. 4, f. 1.
Hab. Java, Borneo, Sarawak [*Ind. Mus.*, Andaman Islands].

paradoxus, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 724.

Hab. Philippines

rufiventris, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202.

ceylonicus, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 125.

Hab. Ceylon, Colombo (*Bates*).

unicolor, Putzeys, Mèm. Soc. Liège, ii, 1845, p. 375 ; *id.*, Ann. Mus. Civ. Gen., vii, 1875, p. 725.

Hab. Java.

Genus HOLCODERUS.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

auripennis, Chaudoir, Bull. Mosc., lii (2), 1877, p. 198.

Hab. Penang.

limbipennis, Chaudoir, L. & C., p. 199.

Hab. Penang.

praemorsus, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

Hab. Ceylon, Dikoya, Bogawantala (*Bates*).

Genus CATASCOPUS.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 94 : Schmidt Goebel, Faun. Col. Birm., p. 80 : Lacord., Gen. Col., i, p. 145 : Mun. Cat., p. 152 : W. W. Saunders, Trans. Ent. S. Lond., (3s.) i, 1863, p. 455 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113. ; *id.*, Berlin. Ent. Zeits., v, 1861, p. 116 ; *id.*, Ann. Soc. Ent. Belg., xii, p. 158.

Cyphosoma, Hope, Anu. Mag. N. H., ix, p. 426.

aeneipennis, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 118.

Hab. Dekhan.

aeneus, Saunders, Trans. Ent. S. Lond., 1863, p. 467, t. 17, f. 2 *a-b*.

Hab. Borneo, Sarawak.

aequatus, Dejean, Spec., v. 1831, p. 452 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54.

Hab. Philippines, Manilla.

andamanensis, Chaudoir, Bull. Mosc., lii (2), 1877, p. 200.

Hab. Andaman Islands.

angulatus, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117.

elegans, MacLeay, Annul. Javan., 1825, p. 15 (*nec Fabr.*).

facialis, Dejean, Spec., v, 1831, p. 452 (*nec Wied.*).

var. *illustris*, Mannerheim, Bull. Mosc., xxxiii (i), 1850, p. 89.

„ *oxygonus*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 244 : Saund., Trans. Ent. S. Lond., 1863, p. 468.

Hab. Malacca, Java, Borneo, Amboina, Ternate, Macassar.

brachypterus, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 119 ; Saund., Trans. Ent. S. Lond., 1863, p. 468.

Hab. Borneo, Sarawak, Singapur.

cingalensis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 203.

Hab. Ceylon, Kandy, Balangoda.

cupreicollis, Waterhouse, Trans. Ent. S. Lond., 1877, p. 1.

Hab. Andaman Islands.

cupripennis (*Pericalus*), Thomson, Arch. Ent. i, 1857, p. 282 : Chaudoir, Berlin-Ent. Zeits., v, 1861, p. 122.

Hab. Singapur, Borneo, Sarawak.

cyanellus, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113.

Hab. Nepál.

cyanipennis, Chaudoir, l.c., xxvii (i), 1854, p. 130.

Hab. N. India.

elegans, Fabr., Syst. Eleuth., i, 1801, p. 184 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 354 ; Berlin. Ent. Zeits., v, 1861, p. 120 : Lap. de Casteln., Hist. Nat. Ins. Col., i, p. 54, t. 4, f. 2.

amoenus, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 120 : Rev. Mag. Zool. (2s) xxiii, 1872, p. 247, 250 : Saund., Trans. Ent. S. Lond., 1863, p. 468.

var. *australasiae*, Hope, Ann. Mag. N. H., ix, 1842, p. 426.

,, *celebensis*, Thoms., Arch. Ent., i, 1857, p. 282.

? *elegans*, Schmidt Goebel, Faun. Col. Birm. p. 83, nec Weber.

? *lateralis*, Brullé, Hist. Nat. Ins., iv, 1837, p. 233.

nitidulus, Lap. de Casteln., Et. Ent., 1834, p. 60.

var. *cyaneus*, Chaudoir, Rev. Mag. Zool., 1872, p. 247.

Hab. Java, Sumatra, Philippines, Ambina, Aru, Dorey, Batchian, Ceram, Celebes, Australia, Cape York, New Guinea.

elevatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.

Hab. Burma, Martaban.

excisus, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 303.

Hab. India.

facialis, Wiedemann, Zool. Mag., i (3), 1819, p. 165 : Dejean, Spec., i, p. 329 ; Ic., ii, p. 116, t. 7, f. 8 : Brullé, Hist. Nat. Ins. Col., i, p. 232 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 352 ; id., Berlin Ent. Zeits., v, 1861, p. 116 : Saund., Trans. Ent. S. Lond., 1863, p. 468 : Bates, Ann. Mus. Civ. Gen., (2s.) viii, 1889, p. 12.

Hardwickei, Kirby, Trans. Linn. S. Lond., xvi, p. 98, t. 3, f. 1.

Hab. Bengal, Burma, Bhamo, Malacca, Ternate, Batchian, Ceram [*Ind Mus.*, Sibságar, Assam].

fuscoaeneus, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 247, 249.

aeneus, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 303 (nec Saund.).

Hab. Penang, Malacca.

Goebelli, Gemm. & Har., Mun. Cat., 1868, p. 153 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.

facialis, Schmidt Goebel, Faun. Col. Birm., p. 81 (nec Wied) : Chaud., Bull. Mosc., xxiii (2), 1850, p. 352.

? var. *basalis*, Chaudoir, Rev. Mag., l.c., p. 245.

Hab. Burma, Malacca.

gracilis, Oberthür, Notes Leyden Mus., v. 1883, p. 220.

Hab. Sumatra, Serdang ; Philippines, Mindanao.

punctipennis, Saunders, Trans. Ent. S. Lond., 1863, p. 464, t. 18, f. 4 a-b.

Hab. Singapur.

- reductus**, Walker, Ann. Mag. N. H., (2s.) ii, 1858, p. 203 : ? *ne*c Chaudoir, Berlin Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 210.
 Hab. India, Ceylon, Malacca.
- regalis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.
 Hab. Burma.
- ? **rufipes**, Gory, Ann. Soc. Ent. Fr., 1833, p. 204 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 269.
Subquadratus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 302.
 Hab? Ind'a (*ne*c Senegal).
- Schaumi**, Saunders, Trans. Ent. S. Lond., 1863, p. 457, t. 17, f. 3 a-b.
 Hab. Borneo, Sarawak.
- simplex**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 246.
 Hab. Philippines, Mindanao.
- smaragdulus**, Dejean, Spec., i, 1825, p. 331 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54 : Chaudoir, Berlin Ent. Zeits., v, 1861, p. 119.
 ? *pauper*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.
 Hab. Java, Burma [*Ind. Mus.*, Andaman Islands].
- splendidus**, Saunders, Trans. Ent. S. Lond., 1863, p. 459, t. 17, f. 1a-b.
costulatus, Chaudoir, Rev. Mag. Zool. 1863, p. 489 ; *ib.*, 1872, p. 249.
 Hab. Borneo, Sarawak.
- versicolor**, Saunders, *l. c. supra*, p. 463, t. 18, f. 1a-b.
 Hab. Sumatra.
- violaceus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 82.
 Hab. Burma, Maulmain.
- virens**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.
 Hab. Celebes, ? India.
- Vollenhovenii**, Chaudoir, *l. o.*, p. 248.
 Hab. Sumatra.
- Whithillii**, Hope, Col. Man., ii, 1838, p. 164, t. 3, f. 2.
 Hab. India [*Ind. Mus.*, Sikkim, Assam, Calcutta, Burma].

Genus PERICALUS.

- MacLeay, Annul. Javan., 1825, p. 15 : Schmidt Goebel, Faun. Col. Birm., p. 85 : Lacord., Gen. Col., i, p. 174 : Mun. Cat., p. 154 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 111 ; Berlin. Ent. Zeits., 1861, p. 123 ; *id.*, Ann. Soc. Ent. Belg., xii, 1868, p. 158 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189 : Bates, Ent. Mon. Mag., vi, 1869, p. 69.
Coeloprosopus, Chaudoir, Bull. Mosc., xv (i), 1842, p. 839.
Pericallus, Chaudoir, *auct.*
- cicindeloides**, MacLeay, Annul. Javan., 1825, p. 15, t. 1, f. 2 : Gray Griffith's Anim. Kingd., Ins., i, 1832, t. 15, f. 2 : Brullé, Hist. Nat. Ins., Col., i, p. 230 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
 Hab. Java.

- guttatus**, Chevrolat, Mag. Zool., 1832, cl. ix, t. 46 : Brullé, Hist. Nat. Ins., Col., i, p. 231 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
Hab. Java.
- laetus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 190.
Hab. Borneo.
- longicollis**, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 159.
Hab. Malacca.
- ornatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 86.
Hab. Burma.
- quadrimaculatus** (*Catascopus*), MacLeay, Annul. Javan., 1825, p. 15 : Lap. de Casteln., Hist. Nat. Ins., i, p. 55, t. 4., f. 3 : (*Coeloprosopus*) Chaudoir, Bull. Mosc., xv (i), 1842, p. 839.
quadrisignatus, Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 392.
Hab. Java.
- tetrastigma**, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 123.
Hab. Singapur, Sarawak.
- undatus**, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 111.
Hab. Philippines.
- xanthopus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 191.
Hab. Borneo.

Genus CALLEIDA.

- Dejean, Spec., i, 1825, p. 220 : Lacord., Gen. Col., i, p. 105 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 103 : Mun. Cat., p. 114 : Schmidt Goebel, Faun. Col. Birm., p. 32 ; Bates, Biol. Centr. Amer., Col i (i), p. 203.
Caillida, Chaudoir, l.c. supra.
- Trigonothops**, W. MacLeay, Trans. Ent. S. N. S. W., i, 1864.
- chloroptera**, Dejean, Spec., v, 1831, p. 340 : Schmidt Goebel, Faun. Col. Birm., p. 33 : Chaud., Mon., p. 112.
Hab. India, Java.
- cupreo-micans**, Oberthür, Notes Leyden Mus., v, 1883, p. 218.
Hab. E. Sumatra, Serdang.
- femoralis**, Chaudoir, Mon., p. 112.
Hab. Dekhan.
- lativittis**, Chaudoir, Mon., p. 113.
Hab. Dekhan.
- lepidia**, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 6, t. 1, f. 2 : Chaudoir, Mon., p. 112.
Hab. Hongkong, Japan.
- ? **onypterygoides**, Chaudoir, Mon., p. 123.
Hab. ? Dekhan, ? Colombia.
- propinqua**, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 59.
Hab. Annam, Hué.

- splendidula* (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 184 : Dejean (*Calleida*), Spec. v, p. 341 : ? (*Lebia*) MacLeay, Annul. Javan., p. 26 : Schmidt Goebel, Faun. Col. Birm., p. 32 : Chaud., Mon., p. 113.
rubicata (*Calleida*), Motsch., Bull. Mosc., xxxvii (2), 1864, p. 238.
 Hab. Bengal, Java, Hongkong, Shanghai.
? terminata, Waterhouse, Trans. Ent. S. Lond., 1876, p. 11.
 Hab. Borneo, Sarawak.

Genus PLOCHIONUS.

- Dejean, Spec., i, 1825, p. 250 : Hope, Col. Man., ii, t. 1, f. 6 : Schmidt Goebel, Faun. Col. Birm., p. 42 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 168 : Bates, Biol. Centr. Amer., Col., i (i), p. 197.
brunneus (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 59 : gen. dub. ? *Lebia*.
 Hab. India, Bengal.
fenestratus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 42 : gen. dub.
 Hab. Burma.
pallens (*Carabus*), Fabricius, Syst. Ent., 1775, p. 244 : Chaudoir, Mon., p. 76 : Bates, Biol. Centr. Amer., Col., i (i), p. 198.
Boisdurvalii, Gory, Ann. Soc. Ent. Fr., 1833, p. 189.
Bonfilsii, Dejean, Spec., i, p. 251 : Hope, Col. Man., ii, t. 1, f. 6 : Brullé, Hist. Nat. Ins. Col., i, p. 224, t. 7, f. 6 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 41.
 Hab. N. and S. America, Europe, Africa, Asia, Java, Formosa, Oceania.

Genus CROSSOGLOSSA.

- Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 177.
latecincta, Bates, Trans. Ent. S. Lond., 1873, p. 315.
 Hab. Hongkong, Japan.
nigrolineata (*Plochionus*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 44 ; Mon., p. 180.
 Hab. Bengal.
testacea, Chaudoir, Mon., p. 178.
 Hab. Dekhan.

Genus BOTHYNOPTERA.

- Schaum, Jl. Ent., ii (1863), 1866, p. 75 : Mun. Cat., p. 143 : Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 181.
dorsigera, Schaum, l.c. *supra*, p. 76, t. 4, f. 3 : Chaudoir, l.c. *supra*, p. 181.
 Hab. N. India.

Genus ENDYNOMENA.

- Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 186.
? Pradierii, Fairmaire, Rev. Mag. Zool., 1849, p. 34 : Chaudoir, l.c. *supra*, p. 186.
 Hab. Marquesas Islands, ? Pondicherry.

Genus ANCHISTA.

Nietner, Jl. As. Soc. Ben., xxvi 1856, p. 523 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 374 : Mun. Cat., p. 118 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.

Paraphaea, Bates, Trans. Ent. S. Lond., 1873, p. 312.

binotata (*Plochionus*), Dejean, Spec., i, 1825, p. 252 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.

discophora, (*Callida*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 48.

signifera (*Paraphaea*), Bates, Trans. Ent. S. Lond., 1873, p. 312.

Hab. N. India, Andamans, Mariannes, Japan.

curydesa, Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.

Hab. India.

glabra, Chaudoir, *l.c.*, p. 237.

Hab. India, Pondicherry.

modesta, Nietner, Journ. As. Soc. Ben., xxv, 1856, p. 523 : Ann. Mag. N. H., (2s.) xix, 1857, p. 375 : Chaudoir, *l.c. supra*, p. 239.

Hab. Ceylon, Colombo.

picea, Chaudoir, Bull. Mosc., lii (2), 1877, p. 238.

Hab. Dekhan.

subpubescens, Chaudoir, *l.c.*, p. 238.

Hab. N. India.

Genus CYMINDIS.

Latreille, Gen. Crust., i, 1806, p. 190 : Lacord., Gen. Col., i, p. 108 : Mun. Cat., p. 118 : Schmidt Goebel, Faun. Col. Birm., p. 31 : *Monograph*, Chaudoir, Berlin. Ent. Zeits., xvii, 1873, p. 53.

Anomoeus, Fischer, Ent. Imp. Russ., i, 1821, p. 125.

Arrhostus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 240, *tab.*

Berus, Motsch., *l.c.*, p. 240.

Cymindoidea, Lap. de Casteln., Ann. Soc. Ent. Fr., i, 1832, p. 390 : Chaud., Bull. Mosc., xxix (3), 1875, p. 9.

Malisus, Motsch. *l.c. supra*, p. 240.

Mastus, Motsch., *l.c. supra*, p. 240.

Menas, Motsch., *l.c.*, p. 240.

Philotechnus, Mannerheim, Brachyél., ii, 1837, p. 42 : Mun. Cat., p. 123.

Psammastus, Motsch., *l.c. supra*, p. 240, 299, *tab. syn.*

Tarsostinus, Motsch., *l.c.* p. 240.

Tarus, Clairville, Ent. Helv., i, 1806, p. 94 : Motsch., *l.c. supra*, p. 240, 302.

**attenuata*, Jakowleff, Hor. Soc. Ent. Ross., xxi, 1887, p. 150.

Hab. Pámir, Gilgit.

distigma (*Cymindoidea*), Chaudoir, Bull. Mosc. xlix (3), 1875, p. 15.

Hab. Bengal.

glabrella, Bates, Proc. Zool. S. Lond., 1878, p. 719,

Hab. India, Ladák [*Ind. Mus.*, type].

- indica*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 31 : Chaudoir, Bull. Mosc., xlix (3), 1875, p. 16.
Guérinii, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 49.
 Hab. Burma, N. India, Nilgiris.
- * *Mannerheimii* Gebler, Bull. Ac. St. Petersb., i, 1842, p. 36 : Bull. Mosc., 1859, p. 317.
 Hab. Siberia [Ind. Mus., Yarkand Mission, Bates].
- nigra*, (*Cymindoidea*), Chaudoir, Bull. Mosc., xlix (3), 1875, p. 19.
 Hab. Coromandel.
- quadrimaculata*, Redtenbacher, Hügel Kaschm., iv (2), 1844, p. 499, t. 23, f. 3.
 Hab. India.
- ? *stigmula* (*Cymindis*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 57 : ib., xlix (3), 1875, p. 61.
 Hab. N. India, Simla.

Genus TARIDIUS.

Chaudoir, Bull. Mosc., xlix (3), 1875, p. 7.

opaculus, Chaudoir, l.c., p. 8.
 Hab. N. India.

Genus PLATYTARUS.

Fairmaire, Bull. Soc. Ent. Fr., (2s.) viii, 1850, p. xvii : Mun. Cat., p. 123.

Boysii (*Cymindis*), Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 50.
 Hab. N. India, Simla.

Genus CELAENEPHES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 77 : Lacord., Gen. Col., i, p. 138 : Mun. Cat., p. 148.

parallelus, Schmidt Goebel, l.c., *supra*, p. 78, t. 2, f. 5.
linearis (*Leistus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.
 Hab. Burma, Ceylon, Malacca, Perak, Siam, Sumatra, New Caledonia.

Genus PENTAGONICA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 48 : Lacord., Gen. Col., i, p. 133 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 212 : Bates, Trans. Ent. S. Lond., 1873, p. 321.

Didetus, Leconte, Trans. Amer. Phil. Soc., 1853, p. 377.

Elliotia, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 524 ; id., Ann. Mag. N. H., (2s.) xix, 1857, p. 375.

Rhombodera, Reiche, Rev. Zool., 1842, p. 313 : Lacord., Gen. Col., i, p. 139 : Mun. Cat., p. 148 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 (*nom. praeoc.*).

Trichothorax, Montrouzier, Ann. Soc. Ent. Fr., 1860, p. 235.

Wakefieldia, Broun, Man. New Zeal. Col., 1880, p. 62.

Xenothorax, Wollaston, Col. Hesper., 1867, p. 15.

Erichsonii, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.
Hab. Burma.

marginata, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 105, t. 9, f. 3.
Hab. Ceylon.

pallipes (*Elliotia*), Nietner, Jl. As. Soc. Ben., 1856, p. 525 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 376.
? = *Erichsonii*, Schmidt Goebel, *q.v.*
Hab. Ceylon.

ruficollis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.
Hab. Burma, N. India.

suturalis (*Rhombodera*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 75.
Hab. Hongkong.

transparipes, Motschulsky, Et. Ent., 1859, p. 29.
Hab. Ceylon, Kandy (*Bates*).

HELLUONINI :—Lacordaire, Gen. Col., i, p. 90 : Horn, Gen. Carab., p. 160 : Leconte & Horn, Class. Col., p. 45.

Genus CREAGRIS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 277 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 262 : Gestro, Ann. Mus. Civ. Gen., vii, p. 868.

Pseudohelluo, Lap. de Casteln., Nat. Austr. Col., 1867, p. 18.

affinis, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 870, fig.
Hab. Siam, Bangkok.

labrosus, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 278 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 213 : R. Gestro, *l.c. supra*, p. 872, fig.
piceus, Schaum, Berlin. Ent. Zeits., 1863, p. 80 : *id.*, *l.c.*, 1864, p. 116, t. 2, f. 6.
Hab. Ceylon, Colombo (*Bates*).

Genus MACROCHILUS.

Hope, Col. Man., ii, 1838, p. 116 : Schmidt Goebel, Faun. Col. Birm., p. 64 : Lacord., Gen. Col., i, p. 93 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 80 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 247.

Acanthogenius, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 3 : Lacord., Gen. Col., i, p. 93.

Macrocheilus, (Kirby), Hope, *l.c. supra*.

Meladroma, Motsch., Et. Ent., 1855, p. 54 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.

anthoides, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 169.
Hab. Bengal.

asteriscus, White, Ann. Mag. N. H., xiv, 1844, p. 422 : Chaudoir, Rev. Mag. Zool., 1872, p. 172.

crucifer, Redten bacher, Reise Novara, Zool. ii, Col., 1867, p. 4, t. 2, f. 3.
Hab. China, Hongkong [*Ind. Mus.*, Hongkong].

Bensonii, Hope, Col. Man., ii, 1838, p. 166, t. 1, f. 5 : Chaudoir, Rev. Mag. l.c. *supra*, p. 212.

quadrimaculatus, Guérin, Rev. Zool., 1840, p. 38 : Rev. Mag. Zool., Ins. t. 47.

" Hab. N. India, Madras, Ceylon, [*Ind. Mus.*, Madras, Giridhi, Sibságar, Darjiling, Rurki].

distactus, Wiedemann, Zool. Mag., ii (i), 1823, p. 49.

Hab. Java.

dorsalis, Klug, Jahrb. Insect., 1834, p. 77.

Hab. India.

impictus, Wiedemann, Zool. Mag., ii (i), 123, p. 49.

Hab. Java.

scapularis, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 343.

Hab. India.

trimaculatus, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.

Hab. Dekhan.

tripustulatus, Fabr., Ent. Syst., i, 1792, p. 145 : Dejean, Spec., i, p. 286 : Guérin, Voy. Delessert, ii, p. 34 : Schmidt Goebel, Faun. Col. Birm., p. 65, pt. : (*Helluo*) Lap. de Casteln., Hist. Nat. Ins., i, p. 47 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 212.

Hab. Java, Burma [*Ind. Mus.*, Rangoon].

Genus PLANETES.

MacLeay, Annul. Javan., 1825, p. 28 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 95.

Heteroglossa, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 141 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 279.

bimaculatus, MacLeay, l.c. *supra*, p. 29, t. 1. f. 8 : Chaudoir, Rev. Mag. Zool., 1872, p. 139 : Bates, Trans. Ent. S. Lond., 1873, p. 304.

Hab. Java, China, Japan.

elegans, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 143 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 281.

Hab. Ceylon.

immaculatus, Schaum, Berlin. Ent. Zeits., 1863, p. 81.
Hab. Malacca.

- ruficeps*, Schaum, *l.c.*, p. 81 : Chaudoir, Rev. Mag. Zool., 1872, p. 139.
bimaculatus, Nietner (*nec MacLeay*), Jl. As. Soc. Ben., xxvi, 1857, p. 144 ;
 Ann. Mag. N. H., (2s.) xx, p. 282.
 Hab. Ceylon.
- ruficollis*, Nietner, Jl. As. Soc. Ben. *l.c. supra*, p. 144 ; Ann. Mag., *l.c. supra*, p. 282.
 Hab. Ceylon.
- secernendus*, Oberthür, Notes Leyden Mus., v, 1883, p. 217.
 Hab. E. Sumatra, Serdang.
- simplex*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 199.
 Hab. Ceylon, Peradeniya.

Genus OMPHRA.

- Reiche, Ann. Soc. Ent. Fr., 1842, p. 330 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 100.
- atrata*, Klug, Jahrb. Insect., 1834, p. 72.
 Hab. India.
- complanata*, Reiche, Ann. Soc. Ent. Fr., 1842, p. 342 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 141.
bravis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 36.
 Hab. India, Simla.
- hirta*, Fabr. Syst. Eleuth., i, 1801, p. 214 : Dejean, Spec., i, p. 284 ; Ic., ii, t. 7, f. 1 : (*Helluo*) Lap. de Casteln., Hist. Nat. An. Art., i, p. 47.
 Hab. India [*Ind. Mus.*, Bengal, Giridhi, Vizagapatam. S. India].
- pilosa*, Klug, Jahrb., i, 1834, p. 71.
attelaboides, Fabr., Syst. Eleuth., i, 1801, p. 24 : Erichs., Stettin Ent. Zeit., 1847, p. 141.
 Hab. India, Ceylon.
- rotundicollis*, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140.
 Hab. India.
- rufipes*, Klug, Jahrb. Ins., i, 1834, p. 72 : Chaudoir, *l.c. supra*, p. 141 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 71.
 Hab. India, Ceylon, Colombo.

ANTHIINI:—Lacordaire, Gen. Col., i, 1854, p. 175 : Horn, Gen. Carab., p. 162.

Genus ANTHIA.

- Weber, Obs. Ent., 1801, p. 17 : Bonelli, Mém. Acad. Turin, 1813, p. 451 : Lacord. Gen. Col., i, p. 177 : Mun. Cat., p. 168 ; Lequien, Mag. Zool., 1832, cl. ix, t. 38-41 : Gory, *ib.*, 1839, t. 14-16 : Guérin, Voy. Abyssin., Zool. Ins., p. 256 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 41 ; *ib.*, xxxiv (i), 1861, p. 561.
- Gonogenia*, Chaudoir, Bull. Mosc., xvii, 1844.
- Microlestia*, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 45.
- Pachymorpha*, Hope, Col. Man., ii, 1838, p. 51 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 215.
- Thermophila* (Leach), Hope, *l.c. supra*, p. 52.

elliptica, (*Pachymorpha*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 216.
Hab. Tranquebar.

indica, Chaudoir, Bull. Mosc. xxxiv (i), 1861, p. 563.
Hab. India [*Ind. Mus.*, Vizagapatam, W. Bengal].

orientalis, Hope, Col. Man., ii, 1838, p. 163, t. 3, f. 4 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 563 ; Motsch., *l.c.* xxxvii (3), 1864, p. 216.
Hab. Bombay [*Ind. Mus.* N. India].

sexguttata, Fabr., Syst. Ent., 1775, p. 236 : Oliv., Ent., iii (35), p. 15, t. 1, f. 6 : Dejean, Spec., i, p. 341 : Brullé, Hist. Nat. Ins. Col., i, p. 270, t. 9, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i, p. 60 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 562 : Motsch., *l.c.*, xxxvii (3), 1864, p. 216.
Hab. India, Pondicherry [*Ind. Mus.*, Berhampur].

PHYSOCROTAPHINI-- Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 301 : Horn, Gen. Carab., p. 162.

Genus **HELLUODES**.

Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279 : Lacord., Gen. Col., i, p. 92 : Mun. Cat., p. 96 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 302.

taprobanæ, Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279, t. 21, f. B.
ceylonicus, Lacordaire, Gen. Col., Atlas, t. 7, f. 1, (*nec Parry*).
Hab. Ceylon, Kitugalle (*Bates*).

Westwoodii, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 203.
Hab. Dekhan.

Genus **PHYSOCROTAPHUS**.

Parry, Trans. Ent. S. Lond., v, 1849, p. 180 : Lacord., Gen. Col., i, p. 181 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 303 : Mun. Cat., p. 96.

ceylonicus, Parry, Trans. Ent. S. Lond., v, 1849, p. 180, t. 18, f. 4.
Hab. Ceylon, Dikoya (*Bates*).

Genus **POGONOGLOSSUS**.

Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : Gestro, Ann. Mus. Civ. Gen., vii, p. 862.

Chaudoirii, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 863.
Hab. Cambodia.

sumatrensis, R. Gestro, *l.c.*, p. 863.
Hab. Sumatra.

validicornis, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : R. Gestro, *l.c. supra*, p. 862.
Hab. Java.

Cratocerini:—Horn, Gen. Carab., p. 163.

Genus BRACHIDIUS.

Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 18: Lacord., Gen. Col., i, p. 264: Mun. Cat., p. 250.

corpulentus, Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 20.

Hab. Penang.

crassicornis, Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Mon.*, p. 19.

Hab. Timor, Moluccas, Philippines.

Orthogonini, Chaudoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95: Horn, Gen. Carab., p. 164.

Genus ORTHOGONIUS.

Dejean, Spec., i, 1825, p. 279: Lacordaire, Gen. Col. i, p. 269: Schmidt Goebel, Faun. Col. Birm., p. 55: Mun. Cat., p. 251: Chaudoir, Bull. Mosc., xxi (i), 1848, p. 98; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95.

Maraga, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204: Waterhouse, Ent. Mon. Mag., x, 1873, p. 17: Chaudoir, *Mon.*, p. 121.

Subg. Apsectra, Schmidt Goebel, Faun. Col. Birm., 1846, p. 61.

Subg. Haplopisthius, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434.

acrogenus, Wiedemann, Zool. Mag., i (3), 1819, p. 167: Dejean, Spec., v, p. 398: Lacordaire, Gen. Col., Atlas, t. 10, f. 7: Lap. de Casteln., Hist. Nat., An. Art., i, p. 46: Chaud., *Mon.*, p. 104.

brunnabilbris, MacLeay, Annul. Javan., 1825, p. 27.

Hab. Java.

acutangulus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 5.

Hab. Ceylon.

alternans (*Plochionus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52: Brullé, Hist. Nat. Ins., i, p. 225, t. 8, f. 1: Chaudoir, *Mon.*, p. 102: Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.

Hab. Java.

angulatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 58: Chaudoir, *Mon.*, p. 110.

Hab. Burma, Tenasserim.

angusticollis, Schmidt Goebel, *l.c.*, p. 61: Chaudoir, *Mon.*, p. 122.

Hab. Burma.

? **angustus**, Chaudoir, *Mon.*, p. 114.

Hab. ? Lake Ngami, ? Malaya.

Baconii, Chaudoir, *Mon.*, p. 109.

Hab. Bengal.

crassicrus, Chaudoir, *Mon.*, p. 105.

Hab. Java.

crenaticrus, Chaudoir, *Mon.*, p. 113.

Hab. Cambodia.

Davidii, Chaudoir, Bull. Mosc., liii (2), 1878, p. 3.
Hab. Middle China.

deletus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 56 : Chaud., *Mon.*, p. 113.
Hab. Burma.

duplicatus (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Schmidt Goebel,
Faun. Col. Birm., p. 60 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46 :
Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.
Hab. Burma, Thagata, Tenasserim, S. China.

femoralis, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 99 ; *Mon.*, p. 111.
Hab. India, Nilgiris.

femoratus, Dejean, Spec., i, 1825, p. 281 : Chaud., *Mon.*, p. 122.
picilabris, MacLeay, Annul. Javan., 1825, p. 27.
Hab. Java, Penang, Malacca.

fugax, Chaudoir, *Mon.*, p. 108.
Hab. Ceylon.

Hagenii, Oberthür, Notes Leyden Mus., v, 1883, p. 222.
Hab. E. Sumatra, Serdang.

hirtus, Chaudoir, *Mon.*, p. 103.
Hab. Penang.

Hopei, Gray, Griffith Anim. Kingd., Ins., ii, 1832, p. 273, t. 13, f. 4 : Lap. de Casteln.,
Hist. Nat. An. Art., i, p. 46 : Chaud., *Mon.*, p. 103.
Malabarensis, Gory, Ann. Soc. Ent. Fr., 1833, p. 196.
? *Doriae*, Putzeys, Ann. Soc. Ent. Belg., xiv, 1871, p. 104, note. Borneo.
Hab. India, Malabar, Malacca [*Ind. Mus.*, Khasiya Hills, Sibságar, Assam].

hypocrita, Chaudoir, *Mon.*, p. 102.
Hab. Philippines, ? Java.

intermedius, Chaudoir, *Mon.*, p. 102.
Hab. Java.

insularis, Chaudoir, *Mon.*, p. 106.
Hab. Penang.

longicornis, Chaudoir, *Mon.*, p. 109.
Hab. Siam.

luzonicus, Chaudoir, *Mon.*, p. 123.
Hab. Philippines.

melanarius, Chaudoir, *Mon.*, p. 113.
Hab. Penang.

Mellyi (*Haplopisthius*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434 ; *Mon.*,
p. 101.
Hab. N. India, Bengal.

Mniszechii, Chaudoir, *Mon.*, p. 101.
Hab. Malacca.

Mouhotii, Chaudoir, *Mon.*, p. 107.
Hab. Cochin China.

- opacus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 60.
Hab. Burma.
- parallelus**, Chaudoir, *Mon.*, p. 109.
Hab. Ceylon.
- parvus**, Chaudoir, *Mon.*, p. 112.
Hab. Nilgiris.
- ? **philippensis** (*Amblygnathus*), Chevrolat, Rev. Zool., 1841, p. 221.
Hab. Philippines.
- piceus**, Chaudoir, *Mon.*, p. 122.
Hab. Malacca.
- picipennis**, Chaudoir, *Mon.*, p. 100.
Hab. Cambodia.
- planiger** (*Maraga*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 : Bates, *I.c.*, (5s.), xvii, 1886, p. 211 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 121.
Hab. Ceylon.
- plicatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chaud., *Mon.*, p. 110.
Hab. Burma, Tenasserim.
- politus**, Chaudoir, *Mon.*, p. 105.
Hab. Malacca.
- profundestriatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 58 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.
Hab. Burma, Teintso.
- puncticollis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 57 : Chaudoir, *Mon.*, p. 112.
duplicatus, Dejean, Spec., i, 1825, p. 279 (*ne* Wied.) : ? MacLeay, Annul. Javan., p. 27.
Hab. India, Burma, Tenasserim.
- punctulatus**, Chaudoir, *Mon.*, p. 110.
Hab. India.
- Schaumii**, Chaudoir, *Mon.*, p. 112.
Hab. Ceylon.
- Schmidt Goebelii**, Chaudoir, *Mon.*, p. 99.
duplicata (*Apsectra*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 61 : (*ne* Wied.).
Hab. Burma.
- sulcatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chaudoir, *Mon.*, p. 110.
Hab. Burma, Tenasserim.
- suturalis**, Chaudoir, *Mon.*, p. 104.
Hab. Penang.
- xanthomerus**, Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 12 : Chaud., *Mon.*, p. 124.
Hab. Hongkong.

Genus **HFXACHAETUS**.

Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 124.

laevissimus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 6.
Hab. Malacca.

lateralis, Guérin, Voy Delessert, ii, 1843, p. 35 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 125.
Hab. Coromandel, Penang.

Genus ACTENONCUS.

Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.

ater, Lap. de Casteln., Et. Ent., 1834, p. 48 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 7.
atratus, Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.
Hab. Java.

Sect. HARPALINÆ UNISETOSÆ:—Horn, Gen. Carab., p. 165.

BRACHYNINI:—Lacordaire, Gen. Col., i, p. 97 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 11 : Horn, Gen. Carab., p. 166 : Leconte & Horn, Class. Col., p. 47.

Genus PHEROPSOPHUS.

Solier, Ann. Soc. Ent., Fr., 1833, p. 461 ; id., 1834, t. 16, f. 6-7 : Lacord., Gen. Col., i, p. 99 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 16 : Mun. Cat., p. 102.

agnatus, Chaudoir, Mon., p. 43.
Hab. Chusan, ? Hongkong.

amoenus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 : Mon., p. 36.
Hab. India.

annulus, Fabr., Syst. Eleuth., i, 1801, p. 217 : Chaud., Mon., p. 47.
Hab. India, Tranquebar.

aptinoides, Chaudoir, Mon., p. 19.
Hab. India.

assamensis, Chaudoir, Mon., p. 33.
Hab. Assam.

assimilis, Chaudoir, Mon., p. 38.
Hab. North China, ? Yangtse Valley.

bimaculatus, Linn., Mantis., 1771, p. 532 : ? Fabr., Syst. Ent., i, p. 243 ; Oliv., Ent., iii 35, p. 65, t. 2, f. 16 a—c : Dejean, Spec., i, p. 299 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 51 ; Chaudoir, Mon., p. 34.
Hab. N. India, Ceylon, Kitugalle (*Bates*) [Ind. Mus., Calcutta, Afghanistan].

Catoirei (*Brachinus*), Dejean, Spec. i, 1825, p. 301 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chaudoir, Mon., p. 24.
var. *lineifrons*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 80.
Hab. Bengal, Simla, Assam, Ceylon, Kandy (*Bates*).

consularis (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 75.
Hab. Burma.

- discicollis* (*Brachinus*), Dejean, Spec., i, 1825, p. 300 : Chaudoir, *Mon.*, p. 21.
 var. *affinis* (*Brachinus*), Dejean, Spec., i, 1825, p. 301.
 Hab. India, Dekhan.
- emarginatus*, Chaudoir, *Mon.*, p. 20.
 ? = *Girionierii*, Eyd. & Soul., q.v.
 Hab. Philippines.
- fumigatus* (*Brachinus*), Dejean, Spec., i, 1825, p. 307 : Chaudoir, *Mon.*, p. 40.
 Hab. Philippines.
- fuscicollis* (*Brachinus*), Dejean, Spec., i, 1825, p. 306 : Chaudoir, *Mon.*, p. 37.
 var. *ambiguus*, Dejean, Spec., i, 1825, p. 304 : Chaudoir, *Mon.*, p. 37.
 „ *interruptus*, Dejean, l.c. p. 306 : Schmidt Goebel, Faun. Col. Birm., p. 74 : Chaudoir, *Mon.*, p. 37.
 „ *quadripustulatus*, Chaudoir, Bull. Mosc., xvi (3), 1843, p. 706 ; *Mon.*, p. 37.
 Hab. Borneo, Sumatra, Java, Ceylon, Kitngalle (*Bates*).
- Girionierii*, Eydoux & Souleyet, Rev. Zool., 1839, p. 264 : Desmarest, Voy. La Bonite, i, 1841, p. 293, t. 2, f. 2 : Chaudoir, *Mon.*, p. 32.
 Hab. Philippines, Mindanao, Luzon.
- hilaris*, Fabr. Ent. Syst. Suppl., 1798, p. 56 ; Chaudoir, *Mon.*, p. 25.
 var. *sobrinus*, Dejean, Spec., ii, 1826, p. 462.
 Hab. Dekhan, Coromandel, Burma.
- Javanus* (*Brachinus*), Dejean, Spec., i, 1825, p. 305 : Chaudoir, *Mon.*, p. 42.
occipitalis (*Aptinus*), MacLeay, Annul. Javan., 1825, p. 28.
 var. *fimbriatus* (Dejean), Chaudoir, *Mon.*, p. 42.
 Hab. Java.
- Jessoensis*, Morawitz, Bull. Acad. St. Petersb., v. 1862, p. 322 : Beitr. Käf. Faun. Jesso, p. 22, t. 1, f. 9 : Chaudoir, *Mon.*, p. 35.
 Hab. Manchuria, Japan, ? Hongkong.
- lissoderus*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 79 : id., *Mon.*, p. 24.
 Hab. Tibet.
- marginalis*, Dejean, Spec., i, 1825, p. 310 : Schmidt Goebel, Faun. Col. Birm., p. 74 : Chaudoir, *Mon.*, p. 34.
 Hab. India, Burma, Siam, Cochinchina, Cambodia [*Ind. Mus.*, Calcutta, Sikkim, Sibságar, Assam].
- marginicollis*, Motschulsky, Et. Ent., 1853, p. 44 : Chaudoir, *Mon.*, p. 43.
 Hab. N. China, ? Shanghai.
- melancholicus* (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 71 : Chaudoir, *Mon.*, p. 20.
 Hab. India, Bengal.
- nebulosus*, Chaudoir, *Mon.*, p. 27.
 Hab. Cochinchina.
- picicollis*, Chaudoir, *Mon.*, p. 44.
 Hab. Burma, Rangoon.
- siamensis*, Chaudoir, *Mon.*, p. 29.
 Hab. Siam.

stenoderus, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 77 ; *Mon.*, p. 41.

=? *consularis*, Schmidt Goebel, *q.v.*

Hab. N. India, Bengal, Dekhan, Java.

subcordatus, Chaudoir, *Mon.*, p. 38.

Hab.—?

Genus BRACHYNUS.

Weber, Obs. Ent., 1801, p. 22 : Lacord., Gen. Col., i, p. 99 : Motsch., Bull. Mosc. xxxvii (3), 1864, p. 214, *tab. syn.* : Mun. Cat., p. 103 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 49.

Aploa, Hope, Trans. Zool. S. Lond., 1833, p. 91.

atripennis, Chaudoir, *Mon.*, p. 71.

Hab. India, Simla.

bigutticeps, Chaudoir, *Mon.*, p. 52.

Hab. ? India, ? Sunda Islands.

caligatus, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.

Hab. Burma, Bhamo.

chinensis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 81 ; *Mon.*, p. 68.

Confucius, Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

Hab. Hongkong.

cinctellus, Chaudoir, *Mon.*, p. 55.

Hab. India, Dekhan.

flaviventris, Chaudoir, *Mon.*, p. 68.

Hab. India, Coromandel.

Hägenii, Oberthür, Notes Leyden Mus., v, 1883, p. 217.

Hab. E. Sumatra, Serdang.

hexagrammus, Chaudoir, *Mon.*, p. 55.

Hab. Bengal.

illotus, Chaudoir, *Mon.*, p. 58.

Hab. Dekhan.

limbellus, Chaudoir, *Mon.*, p. 70.

Hab. Dekhan.

limbicollis, Chaudoir, *Mon.*, p. 67.

Hab. Dekhan.

longipalpis, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 118 : Dejean, Spec. i, p. 314 : Chaudoir, *Mon.*, p. 87.

Hab. Bengal.

luzonicus, Chaudoir, *Mon.*, p. 68.

Hab. Philippines.

modestus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chaudoir, *Mon.*, p. 69.

Hab. Calcutta, Maulmain.

piceus, Chaudoir, *Mon.*, p. 53.

Hab. Philippines.

- plctus* (*Aploa*), Hope, Trans. Zool. S. Lond. i, 1833, p. 92 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 223 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 53 : Chaudoir, *Mon.*, p. 54.
figuratus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 41.
Hab. N. India, Bengal.
- puncticollis*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 72 : Chaudoir, *Mon.*, p. 69.
Hab. Burma.
- scitulus*, Schmidt Goebel, *i. e.* p. 72 : ? Chaudoir, *Mon.*, p. 59.
Hab. Burma, ? Tranquebar.
- scotomedes*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 5 : Chaudoir, *Mon.*, p. 53.
Hab. Hongkong, Shanghai.
- scutellatus*, Chaudoir, *Mon.*, p. 69.
Hab. Dekhan.
- sexmaculatus*, Dejean, Spec., i, 1825, p. 312 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chaudoir, *Mon.*, p. 63.
Hab. N. to S. India.
- suturellus*, Chaudoir, *Mon.*, p. 69.
Hab. N. India.
- tetracolon*, Chaudoir, *Mon.*, p. 61.
Hab. Dekhan.
- tetragrammus*, Chaudoir, *Mon.*, p. 54.
Hab. Bengal.
- vigilans*, Chaudoir, *Mon.*, p. 68.
Hab. N. India.
- vitticollis*, Chaudoir, *Mon.*, p. 56.
Hab. Burma, Rangoon.

Genus STYPHLOMERUS.

- Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 87.
Styphromerus, Chaudoir, *l. o.*, p. 88.
- dichrous*, Gemm. & Har., Mun. Cat., 1868, p. 105 : Chaudoir, *Mon.*, p. 92.
bicolor, Bohem., Freg. Eug. Resa, Col., 1858, p. 3 (*nec.* Brullé) : *nec* Bates, Trans. Ent. S. Lond., 1873, p. 307.
Hab. Hongkong.
- fusciceps* (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chaudoir, *Mon.*, p. 92.
Hab. Burma.
- ruficeps*, Chaudoir, *Mon.*, p. 91.
Hab. India, Coromandel.

Genus CREPIDOGASTER.

- Bohemian, Ins. Caffr., i. 1848, p. 68 : Mun. Cat., p. 109 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 92.
Aptinus, pt. Dejean, Spec., i, 1825, p. 290.

Orepidostoma, Motsch., Et. Ent., 1862, p. 54.
humeratus, Chaudoir, Mon., p. 96.
 Hab. India, Malabar.

Genus **MASTAX**.

Fischer, Ent. Imp. Ross., iii, 1825, p. 111 ; Schmidt Goebel, Faun. Col. Birm., p. 68 : Lacord. Gen. Col., i, p. 101 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 82 : Mun. Cat., p. 108 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 97.

Brachinus, Fabricius, Dejean, Steven.

elegantulus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 69, t. 2, f. 1 : Chaudoir, Mon., p. 99.
 Hab. Burma.

histrio, Fabricius, Syst Eleuth., i. 1801, p. 219 : Chaudoir, Mon., p. 101.
 Hab. India, Dekhan.

moestus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 70, t. 2, f. 3 : Chaudoir, Mon., p. 100.
 Hab. Burma.

ornatus, Schmidt Goebel, l. c., p. 70 : Chaudoir, Mon., p. 100.
 Hab. Burma.

poecilus, Schaum, Berlin. Ent. Zeits., vii, 1863, p. 82 : Chaudoir, Mon., p. 101.
 Hab. China, Hongkong, Singapur.

pulchellus, Dejean, Spec., v, 1831, p. 433 : Chaudoir, Mon., p. 99.
 Hab. India.

striaticeps, Chaudoir, Mon., p. 99.
 Hab. Dekhan.

APOTOMINI—Jacq. Duval, Gen., i, p. 43 ; Horn, Gen. Carab., p. 167.

Genus **APOTOMUS**.

Illiger, Mag. Ins., vi, 1807, p. 348 : Lacord., Gen. Col., i, p. 172 : Mun. Cat., p. 166.

atripennis, Motschulsky, Et. Ent., 1858, p. 22.
 Hab. Ceylon.

fuscus, Motschulsky, l. c., p. 22.
 Hab. India.

xanthotelus, Bates, Ent. Mon. Mag., xi, 1874, p. 95 ; Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.
 Hab. India, Burma, Bhamo.

BROSCINI, (*Cnemacanthini*), Putzeys, Stettin. Ent. Zeits., xxix, 1868, p. 305 : Horn. Cat. Carab.

Genus **BROSCUS**.

Panzer, Index Ent., 1813, p. 62 : Lacord., Gen. Col., i, p. 239 : Mun. Cat., p. 243 : Putzeys, *Monograph*, Stettin. Ent. Zeit., 1868, p. 307.
Cephalotes, Bonelli, Mém. Acad. Turin, 1810 (*nom præoc.*).
Pseudocupis, Voet, Cat. Col., 1770, teste, Gozis, Récherche, 1886, p. 6.

anomalus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 1.
Hab. N. W. Himalaya.

nepalensis (*Percus*), Hope, Gray's Zool. Misc., 1831, p. 21.
Hab. Nepál.

nobilis (*Caphalotes*), Dejean, Spec., iii, 1828, p. 432.
rufipes, Guérin, Ic. Reg. An., t. 6, f. 5 : Gray, Griffith, An. Kingd., Ins., i, 1832, t. 25, f. 3.
Hab. ? India, Syria.

punctatus (*Caphalotes*), Dejean, Spec., iii, 1828, p. 431 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 2.
limbatus, Ball., Bull. Mosc., xlivi (2), 1870, p. 327.
Hab. Egypt, Syria, Arabia, Nepál.

Genus CRASPEDONOTUS.

Schaum, Berlin. Ent. Zeits., vii, 1863, p. 87 : Mun. Cat., p. 245 : Putzeys, Stettin. Ent. Zeit., 1868, p. 314.

tibialis, Schaum, l.c. *supra*, p. 87, t. 1, f. 5 : Putzeys, l.c. *supra*, p. 314 : Bates, Trans., Ent. S. Lond., 1873, p. 243.
Hab. Japan, China, Fuchau.

Genus BROSCOSOMA.

Putzeys, Car. Gen. Nov., 1846 ; *id.*, Stettin. Ent. Zeit., xxix, 1868, p. 353 : Lacord., Gen. Col., i, p. 242 : Mun. Cat., p. 244.

Ribbeii, Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 100.
Hab. Darjiling.

CHLAENINI :—Lacordaire, Gen. Col., i, 1854, p. 215 : Horn, Trans. Amer. Ent. S., x, p. vii : Gen. Carab., p. 171 : Leconte & Horn, Class. Col., p. 50.

Genus CHLAENIUS.

Bonelli, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 224 : Mun. Cat., p. 214 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 187 ; *id.*, Monograph, Ann. Mus. Civ. Gen., viii, 1876 : Laferté Sénectére, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 209. [Laferte's numerous undescribed species are omitted].

Acacus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 254 : Lacord., Gen. Col., i, p. 222.

Aleptocerus, Laferté, l.c. *supra*, p. 236 : Lacord., Gen. Col., i, p. 218.

Amblygenius, Laferté, l.c., p. 263 : Mun. Cat., p. 213.

Barymorphus, Laferté, l. c., p. 235.

Callistoides, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 334.

Chlaenites, Motsch., Bull. Acad. St. Petersb., ii, 1860, p. 411.

Diaphoropsophus, Chaud., Bull. Mosc., xxiii (2), 1850, p. 407 : Lacord., Gen. Col., i, p. 221.

Dilobochilus, Laferté, l.c. *supra*, p. 293 : Lacord., Gen. Col., i, p. 222.

Dinodes, Bonelli, Obs. Ent., i, 1809, tabl. syn. : Laferté, l.c. *supra*, p. 264.

- Epomis*, Bonelli, *l.c. supra* : Laferté, *l.c. supra*, p. 252 : Lacord., Gen. Col., i, p. 223 : Chaud., *Mon.*, p. 120.
- Eurydactylus*, Laferté, *l.c. supra*, p. 255.
- Glyptoderus*, Laferté, *l.c.*, p. 260 : Chaud., *Mon.*, p. 75.
- Homalolachnus* Laferté, *l.c.*, p. 293 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 26.
- Lissauchenius*, MacLeay, Annul. Javan., 1825, p. 13 : Lacord., Gen. Col., i, p. 217 : Chaud., *Mon.*, p. 34.
- Ocybatus*, Laferté, *l. c. supra*, p. 293 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 37.
- Ocydromus*, Laferté, *l.c.* p. 230.
- Omalotrichus*, Laferté, *l.c.* p. 233.
- Poeciloistus*, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 347.
- Rhysotrachelus*, Bohem., Ins. Caffr., i, p. 133 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 29.
- Tomochilus*, Laferté, *l.c. supra*, p. 253.
- Trichochlaenius*, Seidlitz, Fauna Baltica, (ed. 2), 1887, p. 23.
- Vertagus*, Dejean, Spec., v, 1831, p. 608 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 31.
- acroxanthus*, Chaudoir, *Mon.*, p. 112.
Hab. Siam, Singapore, Java.
- agilis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 246 : *Mon.*, p. 193.
Hab. N. India.
- amabilis*, Chaudoir, *Mon.*, p. 279.
Hab. Siam.
- amplipennis*, Chaudoir, *Mon.*, p. 252.
Hab. Java.
- apicalis* (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Dejean, Spec. ii, p. 324 : Chaud., *Mon.*, p. 89.
Hab. Bengal, Dekhan, Burma.
- atrides*, Chaudoir, *Mon.*, p. 160.
Hab. India, Dekhan.
- bengalensis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 262 : *Mon.*, p. 157.
princeps, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 371.
- quadricolor* (*Poeciloistus*), Motsch. (*nec* Oliv.), Bull. Mosc., xxxvii (3), 1864, p. 348.
Hab. N. India, Bengal, Tranquebar, Ceylon, Siam, Tchekian (China).
- bicolor*, Chaudoir, *Mon.*, p. 130.
Hab. Dekhan.
- biguttatus*, Motsch., Et. Ent., 1854, p. 63 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 341 : Chaudoir, *Mon.*, p. 274.
- subhamatus*, Bates, Trans. Ent. S. Lond., 1873, p. 248 (*nec* Chaud.).
Hab. Japan, China, Yangtse Valley, Hongkong.

- bihamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 210; *id.*, *Mon.*, p. 62.
hamifer, Bates, Trans. Ent. S. Lond., 1873.
 Hab. N. India, Tranquebar, Borneo, Java, Hongkong.
- bimaculatus**, Dejean, Spec., ii, 1826, p. 301: Lacord., Gen. Col., i, p. 218, note: Chaud., *Mon.*, p. 51.
? flaviguttatus, MacLeay, Annul. Javan., 1825, p. 14: Chaud., *Mon.*, p. 52.
 var. *celebensis*, Schauf., Hor. Ent. Ross., xxi, 1887, p. 105.
 Hab. India, Java, [*Ind. Mus.*, Bombay, N. Khasiya Hills, Andaman Islands].
- binotatus**, Dejean, Spec., ii, 1826, p. 302: Chaud., *Mon.*, p. 48.
maculifer, Casteln., Not. Austr. Col., 1867, p. 62.
punctatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 200.
puncticeps, Gemm. & Har., Mun. Cat., 1869, p. 224.
 var. *biguttatus*, Montrouzier, Ann. Soc. Ent. Fr. (4s.) i, 1860, p. 237.
 „ *guttatus*, Eschsch., Zool. Atlas, v, 1829, p. 26, t. 25, f. 8: Fajrm., Rev. Zool., 1849, p. 282.
 Hab. Java, Sumatra, Philippines, Australia, New Guinea, New Caledonia.
- bioculatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 198: *Mon.*, p. 50.
 Hab. India, Dekhan, Coromandel.
- birmanicus**, Chaudoir, *Mon.*, p. 93, 95.
 Hab. Burma, Rangoon.
- braminus**, Chaudoir, *Mon.*, p. 139.
 Hab. Coromandel.
- callichloris**, Bates, Trans. Ent. S. Lond., 1873, p. 250: Chaud., *Mon.*, p. 198.
 Hab. Kiukiang on Yangtse, Japan.
- Camillae**, R. Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 108.
 Hab. Burma, Teintso.
- celer**, Chaudoir, *Mon.*, p. 201.
 Hab. N. India, Dekhan.
- chalcoderus**, Chaudoir, *Mon.*, p. 139.
 Hab. Siam, Bangkok.
- chaleothorax** (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 51: Dejean, Spec., ii, p. 304: Chaud., *Mon.*, p. 138.
pubipennis, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 233.
 Had. India, Tranquebar.
- chlorodius**, Dejean, Spec., ii, 1826, p. 365: Chaud., *Mon.*, p. 176.
 Hab. India, Cis Ganges [*Ind. Mus.*, Madras].
- cinctus** (*Carabus*), Fabr., Ins., i, p. 310: Herbst, Füsl. Arch., iv, 1783, p. 135, t. 29 f, 7: Dejean, Spec., ii, p. 307: MacLeay, Annul. Javan., p. 13: Chaud., *Mon.*, p. 135: Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 74.
pulcher, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 387; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 242.
 Hab. Bengal, Dekhan, Ceylon, Colombo (Bates) [*Ind. Mus.* Sibságar, Assam, ? China].
- circumdatus**, Brullé, Silb. Rev. Ent., iii, 1835, p. 283: Chaud., *Mon.*, p. 114: Bates, Ann. Mag. N. H., (5s.) xvii, p. 74.

cupricollis, Nietner, Jour. As. Soc. Ben., xxv, 1856, p. 387 : Ann. Mag. N. H., (2s.) xix, 1857, p. 243.

limbatus, Dejean, Spec., ii, 1826, p. 306.

Hab. India, Bengal, Kandy & Colombo (Bates), ? Java.

contractus, Chaudoir, *Mon.*, p. 202.

Hab. Dekhan.

convexus, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.

Hab. Yunnan.

costiger, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 258 ; *Mon.*, p. 95 : Bates, Trans. Ent. S. Lond., 1873, p. 253.

Hab. Hongkong, Formosa, Yangtse Valley, Japan.

crebrepunctatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 204 ; *id.*, *Mon.*, p. 55.
Hab. N. India.

culminatus, Bates, Trans. Ent. S. Lond., 1873, p. 251.

Hab. ? Hongkong, Chekiang, Japan.

cupreolineatus, Chaudoir, *Mon.*, p. 158.

Hab. Siam, Bangkok.

cyaneonitens, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.

Hab. Yunnan.

cyaniceps, Bates, Trans. Ent. S. Lond., 1873, p. 325 : Chaudoir, *Mon.*, p. 278.

Hab. Hongkong.

dilatatus (*Poeciloistus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 348 : Chaudoir *Mon.*, p. 157.

Hab. India, Dekhan.

distigma, Chaudoir, *Mon.*, p. 49.

? = *aspericollis*, Bates, Trans. Ent. S. Lond., 1873, p. 248.

Hab. Singapur.

Doriae, Chaudoir, *Mon.*, p. 137.

Hab. Siam, Bangkok.

ducalis, Chaudoir, *Mon.*, p. 155.

Hab. India, Dekhan, Rangoon.

Duvaucelii (*Eponis*), Dejean, Spec., v, 1831, p. 668 : Motsch., Bull. Mosc., xxxvii (3), p. 344 : Chaudoir, *Mon.*, p. 122.

Hab. India, Bengal.

extremus, Chaudoir, *Mon.*, p. 112.

? = *postscriptus*, Bates, q. v.

Hab. Hongkong.

femoratus, Dejean, Spec., ii, 1826, p. 328 : Chaudoir, *Mon.*, p. 93, 94.

flavofemoratus, Casteln., Et. Ent., p. 81, t. 1., f. 3 : Chaud., Bull. Mosc., xxix (3), 1856, p. 244.

Hab. Java.

frater, Chaudoir, *Mon.*, p. 261 : Bates Ann. Mag. N. H., (5s) xvii, 1886, p. 74.

Hab. India, Malabar : ? Colombo (Bates).

- ? *fuscomarginatus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 345.
 Hab. India.
- fugax*, Chaudoir, *Mon.*, p. 266.
 Hab. N. India.
- germanus*, Chaudoir, *Mon.*, p. 199.
 Hab. Laos.
- Gestroi*, Chaudoir, *Mon.*, p. 51.
 Hab. Malacca, Macao.
- guttula*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 216 : *Mon.*, p. 281.
 Hab. Hongkong.
- hamatus*, Eschsch., Zool. Atlas, v, 1831, p. 26 : Dej. Spec., v, p. 633 : Chaudoir, *Mon.*, p. 63.
 Hab. Philippines.
- impressicollis*, Chaudoir, *Mon.*, p. 236.
 Hab. N. India.
- inops*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 239 ; *id.*, *Mon.*, p. 262.
arcuaticollis, Motsch., Et. Ent., 1860, p. 7.
vestitus, Morawitz, teste Chaudoir, *Mon.*, l.c.
 Hab. Formosa, Yangtse Valley, Chusan, Japan, Korea, Manchuria.
- javanus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 229 : *Mon.*, p. 115.
 Hab. Malaya, Java.
- Lafertei*, Guerin, Voy. Deless., 1843, p. 36 : Chaudoir, *Mon.*, p. 86.
centromaculatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 218.
difinis, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851 p. 241.
maculipennis, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.
 Hab. India, Bengal, Pondicherry.
- laetiusculus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 248 : *Mon.*, p. 264.
 Hab. N. India, Ceylon. [*Ind. Mus.*, Kargil, Turkistán].
- laevipennis*, Chaudoir, *Mon.*, p. 196.
 Hab. Dekhan.
- leucops* (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52 : Chaudoir, *Mon.*, p. 71.
aeruginosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 271.
 Hab. N. India, Colombo, Philippines, Cochinchina, Ceram.
- limbicollis*, Chaudoir, *Mon.*, p. 41.
 Hab. Dekhan, Formosa.
- luteicauda*, Chaudoir, *Mon.*, p. 201.
 Hab. Dekhan.
- luzonicus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 261 : *Mon.*, p. 159.
 Hab. Philippines (Luzon).
- lynx*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 199 : *Mon.*, p. 50.
 Hab. Hongkong.
- macropus*, Chaudoir, *Mon.*, p. 140.
 Hab. Dekhan.

- maculatus*, Dejean, Spec., ii, 1826, p. 300 : Chaud., *Mon.*, p. 99.
Hab. Dekhan, Siam.
- marginifer*, Chaudoir, *Mon.*, p. 118.
marginatus, Dejean, Spec., ii, 1826, p. 305 (*nec Rossi*).
Hab. India.
- medioguttatus* (*Lissanchenius*), Chaudoir, *Mon.*, p. 35.
Hab. Dekhan, Burma.
- melanopterus*, Chaudoir, *Mon.*, p. 226.
Hab. Siam, Ceylon (Peradeniya).
- micans* (*Carabus*), Fabr. Eut. Syst., i, 1792, p. 157 ; Syst. Eleuth., i, 1801, p. 151 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 201, 206 ; *id.*, *Mon.*, p. 62.
hamifer, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 209 ; *Mon.*, p. 62 : Bates, Trans. Ent. S. Lond., 1873, p. 247.
Hab. India, Zanzibar, [*Ind. Mus.*, Calcutta].
- micans*, MacLeay, Annul. Javan., 1825, p. 14 (*nec Fabr.*) : Chaud., *Mon.*, p. 52.
Hab. Java.
- Mouhotii*, Chaudoir, Col. Novit., i, 1883, p. 34.
Hab. Laos.
- mutatus*, Gemm. & Har., Mun. Cat., p. 222 : Chaudoir, *Mon.*, p. 52.
apicalis, MacLeay, Annul. Javan., 1825, p. 14 (*nec Wied.*).
Hab. Java.
- naeviger*, Morawitz, Bull. Acad. St. Petersb., 1862, p. 324 ; *id.*, Beitr. Käferfaun. Ins. Jesso, p. 33, t. 1, f. 16 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Chaud., *Mon.*, p. 273.
Hab. Ningpo, Hangkow, Nagasaki.
- neelgheriensis*, Guérin, Rev. Zool., 1840, p. 38 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206 : *id.*, *Mon.*, p. 54.
bilunatus, Guérin, Voy. Deless., 1843, p. 36.
binotulatus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.
formosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206.
maleolens, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 148 ; Ann. Mag., (2s.) xx, 1857, p. 371.
Hab. Bengal, Nilgiris, Tranquebar, ? Zanzibar.
- nepalensis*, Hope, Gray, Zool. Misc., 1831, p. 21.
concinnus (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.
Mellyi (*Diaphoropsophus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 407 ; *ib.*, (2), 1856, p. 213 ; *id.*, (*Rhysotrachelus*), *Mon.*, p. 30.
planicornis (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.
Swinhoei, Bates, Proc. Zool. S. Lond., 1866, p. 342.
Hab. India, Bengal, Malabar, Ceylon, Formosa [*Ind. Mus.*, China, Calcutta].
- nigricans*, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 110, 6 : (*Epomis*) Dejean, Spec., ii, p. 371 : Chaudoir, *Mon.*, p. 126.
culminatus, Bates, Trans. Ent. S. Lond., 1873, p. 251.

rugicollis (*Epomis*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 253, note I.
Hab. Hongkong, Chekiaug, Formosa, Japan, ? Java.

nigricoxis, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 94.
Hab. Hongkong.

nigripennis, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 250 ; *Mon.*, p. 225.
Hab. N. India.

nitidicollis. Dejean, Spec., ii, 1826, p. 314 : Chaud., p. 117.
Hab. Bengal [*Ind. Mus.*, Sikkim].

opacipennis, Chaudoir, *Mon.*, p. 176.
Hab. Bengal.

orbicollis (*Ocybatus*), Chaudoir, *Mon.*, p. 40.
Hab. Nilgiris.

pachysomus, Chaudoir, *Mon.*, p. 117.
Hab. Siam.

panagaeoides (*Homalolachnus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 235 :
Chaudoir, *Mon.*, p. 28.
Hab. India, Malabar.

parallelus, Dejean, Spec., v, 1831, p. 627 : Chaud., *Mon.*, p. 69.
Dohrnii, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 149 ; Ann. Mag. N.
H., (2s.) xx, 1857, p. 372.
Hab. Coromandel, Ceylon, Colombo.

pericallus, Redtenb., Reise Novara, Zool. ii, Col., 1867, t. 1, f. 4 : Chaud., *Mon.*, p.
286. : Bates, Trans. Ent. S. Lond., 1873, p. 249.
pulcher, Redtenb., *l.c.*, p. 10.
Hab. Hongkong, Kiukiang on Yangtsekiang (Bates), Japan (Osaka).

phaenoderus, Chaudoir, *Mon.*, p. 161.
? = *glabriocollis*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 348.
Hab. Dekhan.

pictus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 208 ; *id.*, *Mon.*, p. 62 : Bates, Trans.
Ent. S. Lond., 1873, p. 247.
? = *Schönherrii*, Dejean, *q. v.*
Hab. N. India to N. China.

pleuroderus, Chaudoir, Col. Novit., 1883, p. 30.
Hab. India.

posticalis, Motschulsky, Et. Ent., 1853, p. 44 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p.
340 : Chaud., *Mon.*, p. 273.
hospes, Morawitz, Beitr. z. Käfer Faun. Jesso. 1863, p. 32, t. 1, f. 15.
semipurpureus, Motsch., Bull. Mosc., *l.c. supra*, p. 340.
Hab. N. China, ? Canton.

posticus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57 ; *id.*, Syst. Eleuth., i, p.
191 : Chaud., *Mon.*, p. 55.
Hab. India.

postscriptus, Bates, Trans. Ent. S. Lond., 1873, p. 326 : Chaud., *Mon.*, p. 113, 156.
Hab. Hongkong.

pratensis, Chaudoir, *Mon.*, p. 210.

Hab. Shanghai, ? Canton.

pretiosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 288 ; *id.*, *Mon.*, p. 178.

Hab. N. India.

prostenus, Bates, Trans. Ent. S. Lond., 1873, p. 325 ; 1883, p. 235 : Chaudoir, *Mon.*, p. 259.

Hab. Kiukiang on Yangtse river, Japan.

proximus, Chaudoir, *Mon.*, p. 113.

Hab. Dekhan.

pudicus? (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 193 : Chaud., *Mon.*, p. 280.

malachinus (*Callistoides*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 335.

Hab. Bengal.

pugni, Camerano, Atti R. Acad. Soc. Turin., xiv, 1878, p. 146 : Gestro, Ann. Mus.

Civ. Gen., xviii, 1882, p. 306.

Hab. Burma, Mandalay.

punctatostriatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 244 : *id.*, *Mon.*, p. 91.

Hab. N. India.

puncticollis, Dejean, Spec., ii, 1826, p. 315 : Chaudoir, *Mon.*, p. 196.

Hab. Bengal, N. India.

quadricolor (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 344 ; *id.*, Ent., iii, 35, p.

77, t. 10, t. 111 : Fabr., Syst. Eleuth., i, p. 180 : Dejean, Spec., ii, p. 317 : Schaum, Stettin Ent. Zeit., 1847, p. 44 ; Chaudoir, *Mon.*, p. 154.

chlænioides (*Amblygenius*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 263, ♀.

orientalis, Dejean, Spec., ii, 1826, p. 339.

? *laevicollis* (*Poeciloistus*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 348.

Hab. India, Tranquebar, Bengal, Java [*Ind. Mus.*, Sikkim].

rudesculptus, Chaudoir, *Mon.*, p. 136.

Hab. Siam.

rufifemoratus (*Lissauchenius*), MacLeay, Annul. Javan., 1825, p. 13, t. 1, f. 1 :

Chaud., Bull. Mosc., xxix (3), 1856, p. 198 : *Mon.*, p. 35.

Hab. Java, Bangkok, India.

rufithorax, Wiedemann, Germ., Mag. Ent., iv, 1821, p. 112 : Dejean, Spec. ii, p. 322 :

Chaudoir, *Mon.*, p. 259.

Hab. India.

rugulosus, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 388 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 243 : Bates, *id.*, (5s.) xvii, 1886, p. 74 : Chaud., *Mon.*, p. 90.

Hab. Ceylon, Negumbo (*Nietn.*) : Kandy, Peradeniya (*Bates*).

scapularis, Chaudoir, *Mon.*, p. 98.

Hab. Bengal.

Schönherrii (*Vertagus*), Dejean, Spec., v, 1831, p. 611 : Chaud., *Mon.*, p. 32.

? *pictus*, Chaudoir, q. v.

Hab. India, Africa.

Semperii, Chaudoir, *Mon.*, p. 92.

Hab. Philippines.

sericimicans, Chaudoir, *Mon.*, p. 235.

Hab. China, Hongkong.

sinensis, Chaudoir, Bull. Mosc. xxix (3), 1856, p. 263 : *Mon.*, p. 162.

Hab. Hongkong, Shanghai.

sinuatus, Dejean, Spec., ii, 1826, p. 321 : Chaudoir, *Mon.*, p. 194.

Hab. India.

sobrinus, Dejean, Spec., ii, 1826, p. 316 : Chaudoir, *Mon.*, p. 197.

Hab. India.

spathulifer (*Vertagus*), Bates, Trans. Ent. S. Lond., 1873, p. 324 ; Chaud., *Mon.*, p. 43.

Hab. China.

spoliatus (*Carabus*), Rossi, Fauna Etrusc., i, 1790, p. 33 : Chaudoir, *Mon.*, p. 88.

var. *inderiensis*, Motsch., *I.c.*, p. 346 [*Ind. Mus.*, Kargil, Turkistan].

,, *nicanus* (*Chlaenites*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 346 : Bates, Trans. Ent. S. Lond., 1873, p. 249.

Hab. Europe, N. Africa, Yangtse Valley, Japan.

stenoristus, Chaudoir, *Mon.*, p. 265.

Hab. India, Malabar.

? **subhamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 211 : Bates, Trans. Ent. S. Lond., 1873, p. 248.

Hab. Kiukiang on Yangtse, Japan.

submarginatus, Chaudoir, *Mon.*, p. 235.

Hab. N. India, Rangoon.

Sykesii, Hope, Trans. Zool. S. Lond., 1833, p. 93, t. 13, f. 2.

Hab. India, Puna.

tetragonoderus, Chaudoir, *Mon.*, p. 68.

Hab. Sumatra, Macassar.

trinotatus, Chaudoir, *Mon.*, p. 179.

Hab. N. India.

variicornis, Morawitz, Käfer Jesso, 1863, p. 35, t. 1, f. 17 : Bates, Trans. Ent. S. Lond., 1873, p. 252 : Chaud., *Mon.*, p. 267.

Hab. China, Japan.

variipes, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 268 : *Mon.*, p. 87.

Hab. N. India.

velocipes, Chaudoir, *Mon.*, p. 266.

Hab. Bengal (Dacca), Siam, Ceylon (Dikoya), Nilgiris.

virgulifer, Chaudoir, *Mon.*, p. 61.

? *pictus*, Bates, Trans. Ent. S. Lond., 1873, p. 247.

Hab. Hongkong, N. China, ? Japan.

viridanus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 223.

Hab. India.

vividus, Chaudoir, *Mon.*, p. 176.
Hab. N. India.

vulneratus, Dejean, *Spec.*, v, 1831, p. 624 : Chaudoir, *Bull. Mosc.*, xxix (3), 1856, p. 203 ; *id.*, *Mon.*, p. 52.
Hab. N. India, Bengal.

xanthacrus, Wiedemann, *Zool. Mag.*, (ii) i, 1823, p. 51 : Dejean, *Spec.* ii, p. 323 : Chaud., *Mon.*, p. 8. (gen dub. ? *Lachnophorus*).
Hügelii, Redtenb., *Reise Novara*, *Zool.* ii, *Col.*, 1867, p. 9, t. 1, f. 3.

Hab. Bengal, Calcutta.

xanthopleurus, Chaudoir, *Bull. Mosc.*, xxix (3), 1856, p. 230 ; *id.*, *Mon.*, p. 115.
Hab. Hongkong, Formosa, Chusan, N. China, Japan.

xanthospilus (*Carabus*), Wiedemann, *Germar. Mag. Ent.*, iv, 1821, p. 115 : Chaud., *Mon.*, p. 285.

quinquemaculatus, Nietner, *Journ. As. Soc. Ben.*, xxv, 1856, p. 386 ; *id.*, *Ann. Mag. N. H.*, (2 s.) xix, 1857, p. 242.
Hab. Dekhan, Ceylon, Siam.

Genus PENTHIMUS.

Mun. Cat., p. 229 : Chaudoir, *Ann. Mus. Civ. Gen.*, viii, 1876, p. 291.

Ceroglossus, Chaudoir, *Bull. Mosc.*, xxx (3), 1857, p. 192 (*nec Solier*).
Harpoglossus, Motschulsky.

opacus (*Ceroglossus*), Chaudoir, *Bull. Mosc.*, xxx (3), 1857, p. 6.

Hab. N. India.

Genus HOLOLIUS.

Laferté Senect., *Ann. Soc. Ent. Fr.*, (2s.) ix, 1851, p. 274 : Lacord., *Gen. Col.*, i, p. 227 : Mun. Cat., p. 230 : Chaudoir, *Bull. Mosc.*, xxx (3), 1857, p. 9 ; *id.*, *Ann. Mus. Civ. Gen.*, viii, 1876, p. 290 ; *Col. Nov.*, 1883, p. 37.

Hololeius, Laferté Senect., *l. c. supra*.

nitidulus (*Chlaenius*) Dejean, *Spec.*, ii, 1826, p. 341 : Laferté, *l. c. supra*.

ceylanicus, Nietner, *Jl. As. Soc. Beng.*, xxv, 1856, p. 385 ; *id.*, *Ann. Mag. N. H.*, (2s.) xix, 1857, p. 241 ; Bates, *ib.*, (5s.) xvii, 1886, p. 75.
var. *punctulatus*, Chaudoir, *Bull. Mosc.*, xxx (3), 1857, p. 10 ; *id.*, *Ann. Mus. Civ. Gen.*, viii, p. 291.
Hab. India, Ceylon, Kandy, Hongkong.

Genus RHOPALISTES.

Mun. Cat., p. 230 : Chaudoir, *Ann. Mus. Civ. Gen.*, viii, 1876, p. 291.

Rhopalopalpus, Laferté Senect., *Ann. Soc. Ent. Fr.*, (2s.) ix, 1851, p. 262 : Chaudoir, *Bull. Mosc.*, xxx (3), 1867, p. 11.

janthinus (*Chlaenius*), Redtenb., Hügel's Kaschm., iv (2), 1844, p. 500 : Chaudoir, *Ann. Mus. Civ. Gen.*, viii, p. 292.

poeciloides, Laferté, *Ann. Soc. Ent. Fr.*, (2s.) ix, 1851, p. 262 : (*Rhopalopalpus*) Chaudoir, *Bull. Mosc.*, xxx (3), 1857, p. 11, ♀.
Hab. N. India, Kashmir.

Genus PRISTOMACHAERUS.

Bates, Trans. Ent. S. Lond., 1873, p. 323.

chalcocephalus (*Panagaeus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 57 : Schann, Berlin Ent. Zeits., vii, 1863, p. 433 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 84.

chlorocephalus, Kollar, Aqñ. Mus. Wien. i., 1836, p. 335, t. 31, f. 4-6.
Hab. N. India [*Ind. Mus.* ? Jhelam Valley].

Messii, Bates, Trans. Ent. S. Lond., 1873, p. 324.

Hab. Hongkong.

quadricolor, Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 101.

Hab. Darjiling.

quadriguttatus, Putzeys, l.c., p. 101.

Hab. Darjiling.

Genus CALLISTUS.

Bonelli, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 374 : Mun. Cat., p. 213 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 395 ; ib., xlvi (i), 1872, p. 384 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 85.

Callistomimus, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382.

coarctatus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 230.

littoralis, Motschulsky, Et. Ent. 1859, p. 33.

Westwoodii, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85.

Hab. N. India, Tranquebar, Ceylon.

Dicksonii (*Callistomimus*), Waterhouse, Ann. Mag. N. H., (5s.) xiv, 1884, p. 429.

Hab. Formosa.

modestus, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85 : Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Fairm., Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 336.

Hab. Tonkin, China, Hongkong, Canton, Nagasaki.

suturalis, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 61, t. 4, f. 2.

Hab. Annam, Hué.

Div. OODINI :—Chaudoir, Bull. Mosc., xxx (3), 1857, p. 13 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 317, 485.

Genus ANATRICHIS.

Leconte, Trans. Ann. Phil. Soc., x, 1853, p. 391 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 21 ; *id.*, *Mon.*, l.c. *supra*, p. 318 : Bates, Biol. Centr. Amer., Col., i (i) p. 269.

Oodinus, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 352.

Oodes. pt, Dejean, Spec., v, p. 677.

indicus, Chaudoir, *Mon.*, p. 320.

Hab. Dekhan.

pedinoides, Chaudoir, *Mon.*, p. 321.

Hab. India.

Genus SYSTOLOCRANIUS.

Chaudoir, Bull. Mosc., xxx (3), 1857, p. 23 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s) ii, 1882, p. 326 : *Mun. Cat.*, p. 231.

Chlaenius, Boheman.

Oodes, Wiedemann, Eschscholtz, Dejean, Gory, Laferté.

linea (*Oodes*), Wiedemann, Germar Mag. Ent., iv, 1821, p. 113 ; *Chaudoir*, *Mon.*, p. 331.

grandis (*Oodes*), Dejean, Spec., ii, 1826, p. 376.

Hab. India, Bengal.

sulcatus, Eschsch., Zool. Atlas., v, 1829, p. 28 : *Chaud.*, *Mon.*, p. 335 : *id.*, (nec Laferté), Bull. Mosc., xxx (3), 1857, p. 25. (*sp. dub.*).

Hab. Philippines, Manilla.

Genus OODES.

Bonelli, Mem. Acad. Turin, 1809, *tab. syn.* : *Lacord.*, Gen. Col., i, p. 229 ; *Mun. Cat.*, p. 231 : *Chaudoir*, Bull. Mosc., xxx (3), 1857, p. 25 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 341 : *Horn*, Gen. Carab., p. 172.

Lonchosternus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 267 : *Lacord.*, Gen. Col., i, p. 231.

Stenocrepis, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 45 ; *Mun. Cat.*, p. 234.

Stenous, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 39 : *Mun. Cat.*, p. 233.

chalceus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 30 ; *Mon.*, p. 357.

nepalensis, Motsch., Et. Ent., 1858, p. 171 ; Bull. Mosc., xxxvii (4), 1864, p. 353.

subolivaceus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 4.

Hab. Nepál, N. India.

coelestinus, Chaudoir, *Mon.*, p. 363.

Hab. Borneo, Sarawak.

parallelus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 5 : *Chaudoir*, *Mon.*, p. 347.

Hab. N. India, Dekhan, Malaccas.

piceolus, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 93.

Hab. China, Fokien.

piceus, Nietner, Journ. As. Soc. Ben., xxv, 1856, p. 526 ; *id.* Ann. Mag. N. H., (2s.) xix, 1857, p. 377.

vilis, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 32 ; *Mon.*, p. 369.

Hab. Assam, Tranquebar, Ceylon, Siam, China, Macassar.

slamensis, Chaudoir, *Mon.*, p. 358.

Hab. Siam, Bangkok.

subcoriaceus, Chaudoir, *Mon.*, p. 362.

Hab. Malacca.

varians, Chaudoir, *Mon.*, p. 352.

Hab. Bengal,

virens, Wiedemann, Zool. Mag., ii (i), 1823, p. 50.

Hab. Bengal.

Westermannii, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 2 : Chaud., Bull. Mosc., xxx (3), 1857, p. 31 ; *Mon.*, p. 368.
hispanicus (*Oodes*), pt. Dejean, Spec., ii, 1826, p. 379.
 Hab. India, Bengal, Dekhan.

Genus SIMOUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 373.
aeneus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 270, note 4 : Chaud., *Mon.*, l.c. *supra*, p. 375.
 Hab. Java.
lucidus (*Oodes*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 76 ; *Mon.*, p. 376.
 Hab. Siam, Annam, Cambodia.
Mouhotii, Chaudoir, Rev. Mag. Zool., (2s.) xxi, p. 76 ; *Mon.*, p. 373.
 Hab. Laos.
nigriceps (*Oodes*), Wiedemann, Germar, Mag. Ent., iv, 1821, p. 114 : Chaudoir, *Mon.*, p. 375.
pulcher (*Oodes*), Dejean, Spec., ii, 1826, p. 375.
 Hab. India.

Genus LACHNOCREPIS.

Leconte, Trans. Am. Phil. S., x, 1853, p. 391 : Lacord., Gen. Col., i, p. 394 : Mun. Cat., p. 230 : Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 377.
japonicus, Bates, Trans. Ent. S. Lond., 1873, p. 255 : Chaudoir, *Mon.*, 378.
 Hab. Yangtse Valley, Japan.

Genus HOLCOCOLEUS.

Chaudoir, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 521.
Oodes, Laferté, Chaudoir, *olim*.
sulcatus (*Oodes*), Chaudoir, Bull. Mosc., xxx (3), 1857, p. 38 ; *id.*, *Mon.*, l.c. *supra*, p. 522.
latus (*Oodes*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 269, note 2.
 Hab. Nilgiris.

Genus MELANODES.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 545.
Oodes, Erichson : *Chlaenius*, Laferté : *Poecilus*, Reiche : *Feronia*, Klug.
pernitidus, Chaudoir, *Mon.*, l.c., p. 550.
 Hab. Dekhan, Rangoon.
subelongatus, Chaudoir, *Mon.*, l.c., p. 550.
 Hab. Dekhan.

Genus PATELLUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 551 : Zool. Jahr., Arthr., 1883, p. 212.
drimostoides, Chaudoir, *Mon.*, l.c. *supra*, p. 553.
 Hab. Burma.
ZABRINI :—Horn, Gen. Carab., p. 173.

Genus ZABRUS.

Clairville, Ent. Helv., ii, 1806, p. 80 : Zimmermann, Monograph Carabiden, 1831 : Lacord., Gen. Col., i, p. 330 : Schaum, Revision, Berlin. Ent. Zeits., 1864, p. 174 : Mun. Cat., p. 334 : Horn, Gen. Carab., p. 174.

Pelor, Bonelli, Mém. Acad. Turin., Obs. Ent., 1813. tab.

Pelosomus, Motschulsky.

Polysitus, Zimmermann, Mon. Carab., 1831, p. 8.

chinensis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 313.

Hab. Yunnan.

HARPALINI, Horn, Gen. Carab., p. 174 : Leconte & Horn, Class. Col., p. 52.

Anisodactylides, pt, Lacordaire, Gen. Col., i, p. 268.

Cratocerides, pt, Lacordaire, l.c., p. 257.

? *Ditomides*, pt, Lacordaire, l.c., p. 165.

Harpalides, Lacordaire, l.c., p. 285.

Horn (*l.c. supra*) divides this tribe into *Dapti*, *Glypti*, *Harpali*, and *Anisodactyli*.

Genus LIODAPTUS.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 102.

birmanus, Bates, l.c., p. 102.

Hab. Burma, Bhamo, Mandalay.

Genus BARYSOMUS.

Dejean, Spec., iv, 1829, p. 56 : Lap. de Casteln., Hist. Nat. Ins., i, p. 94 : Lacord., Gen. Col., i, p. 290 : Mun. Cat. p. 261 : Bates, Biol. Centr. Amer., Col., i (i), p. 67.

Oosoma, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 144 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 368.

Gyllenhalii, Dejean, Spec., iv, 1829, p. 59. : Lap. de Casteln., Hist. Nat. Ins., i, p. 95.

arenarius (*Oosoma*), Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 146 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon, Colombo (Bates).

semivittatus (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 201 : Dejean, Spec., iv, p. 60 : Lap. de Casteln., l.v. *supra*. p. 95.

Gerstaeckeri, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon.

subcaneus (*Amara*), MacLeay, Annul. Javan., 1825, p. 21.

Hab. Java.

subolivaceus (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

tricolor (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

Genus BRADYBAENUS.

Dejean, Spec., iv, 1829, p. 160 : Lacord., Gen. Col., i, p. 292 : Mun. Cat., p. 261.

Calodromus, Nietner, Ann. Mag. N. H., (3s.) ii, 1859, p. 181.

festivus, Dejean, Spec., iv, 1829, p. 163 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.

exornatus (*Calodromus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 181.

ornatus, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 14, t. 1, f. 8.

Hab. Ceylon, Kandy (*Bates*).

Genus **HYPSINEPHUS**.

Bates, Proc. Zool. S. Lond., 1878, p. 715.

ellipticus, Bates, l.c., p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

Genus **PANGUS**.

Leconte, Trans. Am. Philad., x, 1853, p. 385 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 267.

infixus, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 (*gen. dub.*).

Hab. Ceylon.

orientalis (*Selenophorus*, *Pangus*), Dejean, Spec., iv, 1829, p. 128.

Hab. India.

quadricollis, Kollar, Hügel's Kaschm., iv (2), 1844, p. 502.

Hab. Kashmir.

Genus **HYPOLITHUS**.

Dejean, Spec., iv, 1829, p. 166 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 268.

javanus, Gory, Ann. Soc. Ent. Fr., 1833, p. 241.

Hab. Java.

perlucens, Bates, Proc. Zool. S. Lond., 1878, p. 715.

Hab. India, Jhelam Valley [*Ind. Mus.*, type].

Genus **HARPALUS**.

Latreille, Hist. Nat. Ins., viii, 1804, p. 325 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 272 : Horn, Gen. Carab., p. 181.

Actophilus, Motschulsky, Bull. Mosc., xxxviii (3), 1864, p. 208.

Amblystus, Motschulsky, l.c., p. 209.

Artabas, Gozis, Mt. Schw. Ent. Ges., 1883, p. 287.

Biderus, pt, Motschulsky, Käfer Russl., 1850, t. vii.

Conicus, Motschulsky, Bull. Mosc., xxxviii (3), 1864, p. 209.

Erpeinus, Motschulsky, l.c., p. 208.

Harpalidium, Kolbe, Berlin Ent. Zeits., 1883, p. 17.

Harpalodes, Motschulsky, l.c. supr., p. 208.

Holosus, Motschulsky, Bull. Mosc., xxx (2), 1857, p. 496.

Ovistus, Motschulsky, l.c., xxxvii (3), 1864, p. 209.

Pheuginus, Motschulsky, l.c., p. 209.

Platus, Motschulsky, Cat. Carab. Russ., 1850.

Pseudoophonus, pt, Motschulsky, Ins. Sib., 1842, p. 196.

[This synonymy requires examination and revision].

- advolans**, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 226 *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 377.
Hab. Ceylon.
- cephalotes** (*Pseudoophonus*), Motschulsky, Et. Ent., 1861, p. 3 ; Bull. Mosc., xxxvii (3), 1864, p. 214.
capito, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 359 : Bates, Trans. Ent. S. Lond., 1873, p. 260.
Hab. Yangtse Valley, Nagasaki, Ussuri.
- chalcentus**, Bates, *l.c. supra*, p. 263.
Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- * **coeruleatus**, Bates, Proc. Zool. S. Lond., 1878, p. 714.
Hab. Yangi Hissar [*Ind. Mus.*, type].
- crates**, Bates, Trans. Ent. S. Lond., 1883, p. 239, note.
Hab. Hongkong, Yangtse Valley, Korea.
- cyanescens**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.
Hab. China.
- difficilis**, Hope, *l.c.*, p. 15.
Hab. China.
- griseus**, Panzer, Fauna Germ., 38, 1797 : Dejean, Spec., iv, p. 251 : Schaum, Naturges. Ins., i, p. 584.
bicolor, Marshall, Ent. Brit., i, p. 436.
ruficornis, var., Illiger, Käfer Preuss., i, 1798, p. 171 : Morawitz, Beitr. z. Käf. Jesso, i, p. 68.
var. *Reichei*, Desbrochers, Nat. Ent. Bourb., 1866, p. 42.
Hab. Europe, E. Siberia, Japan, China, Shanghai, ? Canton.
- indicola**, Bates, Proc. Zool. S. Lond., 1878, p. 714.
Hab. India, Murree [*Ind. Mus.*, type].
- laevistriatus**, Sturm, Abbild. Oliv. Ent. Käfer, 4, 1803, p. 80 t. 91, f. B.
Hab. India.
- leucops**, Wiedemann, Zool. Mag., ii (i), 1823, p. 52.
Hab. Bengal.
- * **liodes**, Bates, Proc. Zool. S. Lond., 1878, p. 715.
Hab. ? near Yarkand [*Ind. Mus.*, type].
- * **masoreides**, Bates, *l.c.*, p. 715.
Hab. Pamir [*Ind. Mus.*, type].
- melaneus**, Bates, *l.c.*, p. 714.
Hab. India, Murree, Sind Valley, Leh. [*Ind. Mus.*, type].
- punctilabris**, MacLeay, Annul. Javan., 1825, p. 20.
Hab. Java.
- punctulatus**, MacLeay, *l.c.*, p. 21.
Hab. Java.
- relucens**, Bates, Trans. Ent. S. Lond., 1873, p. 264.
Hab. Fuchau, Nagasaki.

- rugicollis* (*Plutus*), Motschulsky, Et. Ent., 1860, p. 5 : Harold, Abh. Nat. Ver. Bremen, iv, 1875, p. 285 ; Bates, Trans. Ent. S. Lond., 1883, p. 236.
- japonicus*, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 227 ; Beitr. z. Käfer Faun. Jesso, i, 1863, p. 69 ; Bates, l.c. *supra*, 1873, p. 261.
- Hab. Formosa, Fuchau, Shanghai, Yangtse Valley, Japan [*Ind. Mus.*, Murree].
- sinicus*, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14.
Hab. China.
- tinctulus*, Bates, Trans. Ent. S. Lond., 1873, p. 263.
Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- trechooides*, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.
Hab. China.
- tridens*, Morawitz, Beitrag. Käfer, Faun. Jesso., i, 1863, p. 69 : Bates, Trans. Ent. S. Lond., 1883, p. 236.
Hab. Canton, Japan.
- * *turculus*, Bates, Proc. Zool. S. Lond., 1878, p. 714.
Hab. ? near Yarkand [*Ind. Mus.*, type].

Genus **IRIDESSUS**.

- Bates, Trans. Ent. S. Lond., 1883, p. 240.
- relucens*, Bates, l.c., 1873, p. 264 ; 1883, p. 240.
Hab. Fuchau, Nagasaki.

Genus **GNATHAPHANUS**.

- MacLeay, Annul. Javan., 1825, p. 20 : Lacord., Gen. Col., i, p. 299 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 503 : Mun. Cat., p. 286.
- aereus*, Schaufuss, Horae Ent. Ross., xxi, 1887, p. 105.
Hab. China, Macassar.
- subcostatus*, Dejean, Spec., iv, 1829, p. 261 : Lacord., Gen. Col. i. p. 299.
? = *vulneripennis*, MacLeay, q. v.
Hab. India [*Ind. Mus.*, Tenasserim].
- vulneripennis*, MacLeay, Annul. Javan., 1825, p. 20 : Hope, Col. Man., ii, t. 2, f. 2,
a-d : Erichs., Wieg. Arch. (2), 1840, p. 317.
Hab. India.

Genus **CARICUS**.

- Motsch., Bull. Mosc., xxxix (2), 1886, p. 394.
- testaceipes*, Motsch., l.c., p. 394.
Hab. Ceylon, Colombo.

Genus **STENOLOPHUS**.

- Dejean, Spec., iv, 1829, p. 405 ; Lacord., Gen. Col., i, p. 303 ; Mun. Cat., p. 290 : Horn, Gen. Carab., p. 181.
- Acupalpus*, Latreille, Règne Anim., (2ed.) iv, 1829, p. 391 : Lacord., Gen. Col., 1, p. 302 : Mun. Cat., p. 287.

- Anthracus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207. Balion, Schiödte.
- Egadroma*, Motschulsky, Et. Ent., 1855, p. 43; *id.*, *Lc. supra*, p. 201.
- Manicellus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.
- Megrammus*, Motschulsky, Et. Ent., 1857, p. 26.
- Philodes*, Leconte, Class. Col., 1861, p. 33.
- apicalis* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.
Hab. India, Tranquebar.
- biplagiatus*, Bohem., Freg. Eug. Resa. Col., 1858, p. 12.
Hab. China.
- chalceus*, Bates, Trans. Ent. S. Lond., 1873, p. 270.
Hab. Yangtse Valley, Japan.
- connotatus*, Bates, *l.c.*, p. 327.
Hab. Yangtse Valley, Japan.
- yanellus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.
Hab. Burma, Rangoon, Mandalay, Bhamo.
- derogatus* (*Acupalpus*), Walker, Ann. Mag. N. H., (2s.) ii, 1858, p. 204: *ib.*, Bates, (5s.) xvii, 1886, p. 80.
Hab. Ceylon, Nuwara Eliya (*Bates*).
- gonidius*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 104.
Hab. Burma, Bhamo, Teintso, Thagata (Tenasserim).
- guttula* (*Acupalpus*), Dejean, Spec., v, 1831, p. 858.
Hab. India.
- inornatus* (*Acupalpus*), Bates, Trans. Ent. S. Lond., 1873, p. 268.
Hab. Yangtse Valley, Japan.
- iridicolor*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 16.
Hab. Hongkong.
- lucidus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 419.
proximus, Falderm., Fauna Ent. Transcauc., iii, 1838, p. 86.
Hab. India, Caucasus.
- minimus* (*Acupalpus*), Dejean, Spec., iv, 1829, p. 483.
Hab. India.
- nitens* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.
Hab. Bombay.
- opaculus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.
Hab. Ceylon, Nuwara Eliya.
- polygenus*, Bates, *l.c.*, p. 79.
Hab. Ceylon, Nuwara Eliya.
- proximus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 420; *id.*, *Ic.*, t. 198, f. 4.
Hab. S. Russia, Japan, Shanghai.
- quinquepustulatus* (*Badister*), Wiedemann, Zool. Mag., ii (i), 1823, p. 58:
(*Stenolophus*) Dejean, Spec., iv, p. 414: Bates, Trans. Ent. S. Lond., 1873, p. 270; Ann. Mag., N. H., (5s.) xvii, 1886, p. 79.

Hab. Japan, China, Yangtse Valley, Cochinchina, Bengal, Ceylon, Colombo, (Bates).

smaragdulus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 60 : (*Stenolophus*) Dejean, Spec., iv, 1829, p. 418 : Lap. de Casteln., Hist. Nat. Ins., i, p. 90 : (*Egadroma*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 205.

stolidus (*Harpalus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

vulneratus, Dejean, Spec., v, 1831, p. 852.

Hab. India, Ceylon.

splendida (*Egadromo*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 205.

Hab. Burma.

Genus ANOPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 88 : Lacord., Gen. Col., i, p. 304 : Mun. Cat., 292.

? *Compsolepis*, Nietner.

Lepithrix, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 151 : Ann. Mag., (2s.) xx, 1857, l.c., p. 374.

Loxoncus, Schmidt Goebel, Faun. Col. Birm., 1846, on wrapper : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 204.

circumcinctus, Motsch., Et. Ent., 1857, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 269.

Hab. Yangtse Valley, Ningpo, Fuchau, Shanghai, Japan.

discophorus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 90.

Hab. N. India, Simla.

elevatus (*Loxoncus*), Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 9.

Hab. Burma.

foliolosus (*Lepithrix*), Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 152 ; id., Ann. Mag. N. H., (2s.) xx, 1857, p. 374 : Bates, l.c., (5s.) xvii, 1886, p. 79.

Hab. Ceylon.

microgonus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 78.

Hab. Ceylon, Colombo, Siam.

renitens, Bates, l.c., p. 79.

Hab. Ceylon, Colombo.

utilans, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.

Hab. Burma, Katha.

Genus BRADYCELLUS.

Erichson, Käfer Mark. Brand., i, 1837, p. 64 : Lacord., Gen. Col., i, p. 294 : Mun. Cat., p. 263 : Horn, Gen. Carab., p. 294 : Bates, Biol., Centr. Amer., Col., i (i), p. 71.

Liocellus, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.

laeticolor, Bates, Trans. Ent. S. Lond., 1873, p. 267.

Hab. Yangtse Valley, Nagasaki.

marginale (*Drimostoma*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51.

Hab. Ceylon.

sinicus, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Yangtse Valley.

Genus **OXYCENTRUS**.

Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 345 : Mun. Cat., p. 249.

angustus, Bates, Trans. Ent. S. Lond., 1876, p. 3, note, ♂.

Hab. Burma, Rangoon.

borneensis, Bates, l.c., p. 4, note, ♂.

Hab. Borneo.

parallelus, Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 347.

Hab. N. India.

Genus **TACHYCELLUS**.

Morawitz, Bull. Acad. Petr., v, 1863, p. 261 : Mun. Cat., p. 264 : Horn, Gen. Carab., p. 182.

Iamprus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.

Hab. Ceylon, Colombo.

Genus **DICHIROTRICHUS**.

Jacq. Duval, Gen. Col. Carab., 1855, p. 35 : Mun. Cat., p. 262.

* **alticola**, Bates, Proc. Zool. S. Lond., 1878, p. 713.

Hab. Pámír [Ind. Mus., type].

amplipennis, Bates, Trans. Ent. S. Lond., 1873, p. 326.

Hab. Shanghai.

Genus **CALATHOMIMUS**.

Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.

consors, Bates, l.c., p. 78.

Hab. Ceylon, Bogawantalawa.

maculatus, Bates, l.c., p. 77.

Hab. Ceylon, Bogawantalawa.

Genus **DIORYCHE**.

MacLeay, Annul. Javan., 1825, p. 21 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 309 : Mun. Cat., p. 287.

Platymetopus, Dejean, Spec., iv, 1829, p. 68 : Lacord., Gen. Col., i, p. 300 : Bates, Trans. Ent. S. Lond., 1873, p. 121.

amoena (*Platymetopus*), Dejean, Spec., iv, 1829, p. 73.

Hab. Java.

colombensis, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 151 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373 : ib., Bates, (5s.) xvii, 1886, p. 76.

Hab. Ceylon, Colombo.

corrosa, Bates, Trans. Ent. S. Lond., 1873, p. 270.

Hab. Yangtse Valley, Fuchau, Japan.

- interpunctata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 71 : Klug, Ins. Madag., p. 133.
 Hab. India, Coromandel.
- laticeps* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 76.
 Hab. Philippines, Manilla.
- melanaria*, Boheman, Freg. Eug. Resa, Col.. 1858, p. 10.
 Hab. China.
- quadrimaculata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 70 : Lap. de Casteln., Hist. Nat. Ins., i, p. 92.
 Hab. Cochinchina.
- rugosa*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373.
 Hab. Ceylon, Colombo.
- senilis*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 372.
 Hab. Ceylon, Colombo.
- Thunbergii*, Quensel, Schönh., Syn., i, 1806, p. 188, note : Dejean, Spec., iv, p. 74 : Erichson, Wieg. Arch., (2) 1840, p. 367 : Bates, Trans. Ent. S. Lond., 1873, p. 271.
 Hab. ? Cape of Good Hope, ? India.
- torta*, MacLeay, Annul. Javan., 1825, p. 21 : Hope, Col. Man., ii, 1838, t. 2, f. 4 *a-d* : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 271.
 Hab. Java.

Genus AMBLYSTOMUS.

- Erichson, Käfer Mark Brand., i, 1837, p. 59 : Lacord., Gen. Col., i, p. 301 : Mun. Cat., p. 143.
Hispalis, Rambur, Faun. Andal., 1838 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 233, *tab. syn.*
- Megaristerus*, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427 : Mun. Cat., p. 286.
- aenescens*, Motschulsky, Et. Ent., 1858, p. 23 : (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1864, p. 233.
 Hab. India.
- biguttatus*, Motschulsky, Et. Ent., 1858, p. 25 : (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.
 Hab. India, Tranquebar.
- femoralis*, Motschulsky, Et. Ent., 1858, p. 24 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- flavipes*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- fuscescens*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- guttatus*, Bates, Trans. Ent. S. Lond., 1873, p. 327.
 Hab. China, Fuchau.

- indicus* (*Megaristerus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 428.
 Hab. Ceylon, Kitugalle (*Bates*), Madras.
- mandibularis* (*Megaristerus*), Nietner, l.c., p. 428.
 Hab. Ceylon, Colombo.
- pallipes*, Motschulsky, Et. Ent., 1858, p. 24; (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1864, p. 233.
 Hab. India.
- quadriguttatus*, Motschulsky, l.c., p. 24; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.
 Hab. India.
- stenolophoides* (*Megaristerus*), Nietner, l.c. *supra*, p. 428.
 Hab. Ceylon, Colombo.

Genus SIOPELUS.

- Murray, Ann. Mag. N. H., (3s.) iii, 1859, p. 27 : Mun. Cat., p. 287.
- ferreus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 76, 211.
 ?= *compositus* (*Curtonotus*), Walker, l.c., (3s.) ii, 1858, p. 204.
 Hab. Ceylon, Newara Eliya.

Genus ANISODACTYLUS.

- Dejean, Spec., iv, 1829, p. 132 : Lacord., Gen. Col., i, p. 278 : Mun. Cat., p. 254 : Horn, Gen. Carab., p. 184 : Bates, Biol. Centr. Amer., Col., i (i), p. 52.
- Amphasia*, Newman, Ent. Mag., v, 1838, p. 387 : Lacord., Gen. Col. i, p. 277 : Mun. Cat., p. 254.
- Anisotarsus*, Chaudoir, Bull. Mosc., x, 1837, p. 41 : Lacord., Gen. Col., i, p. 279 : Mun. Cat., p. 257.
- Aplocentrus*, Leconte, Geod. Un. St., 1846, p. 108.
- Dicheirus*, Mannerheim, Bull. Mosc., xvi, 1843, p. 211.
- Eurytrichus*, Leconte, Geod. Col. Un. St., in Ann. Lyc. Nat. Hist. N. York, iv, 1846, and separate, p. 115 : Mun. Cat., p. 257.
- Gynandromorphus*, Dejean, Spec., iv, 1829, p. 186 : Lacord., Gen. Col., i, p. 283 : Mun. Cat., p. 258.
- Gynandrotarsus*, Laferté-Sénectere, Ann. Soc. Ent. Fr., (2s.) x, 1852, p. 202 : Lacord., Gen. Col., i, p. 283.
- Spongopus*, Leconte, Geod. Col. Un. St., l.c. *supra*, iv, 1846, p. 277 ; sep. p. 105 : Mun. Cat., p. 258.
- Triplectrus*, Leconte, l.c., p. 108.
- Xestonotus*, Leconte, Trans. Amer. Phil., x, 1853, p. 383 : Mun. Cat., p. 258.
- dispellens*, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51 : Bates, l.c., (5s.) xvii, 1886, p. 75.
 Hab. Siam, Ceylon, Kandy, Hongkong, Fuchau.
- javanus*, Dejean, Spec., iv, 1829, p. 146.
 Hab. Philippines.
- signatus*, Illiger. Käfer Preuss., i, 1798, p. 174 : Panzer, Faun. Germ., 38, 4 ; Dejean Spec., iv, p. 138 : Schaum, Nat. Ins., i, p. 565.
- rusticus*, Dahl, Col. & Lep., 1823, p. 11.
 Hab. Europe, Siberia, China, Canton (*Putzeys*).

Genus LAMPROPHONUS.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.

lucens, Bates, *l.c.*, p. 3.

Hab. Burma.

Genus CHYDAEUS.

Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 343 : Mun. Cat., p. 254.

obscurus, Chaudoir, *l.c. supra*, p. 344.

Hab. N. India.

Genus HYPHARPAX.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 282 : Mun. Cat., p. 258 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 496.

Sagraemerus, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 13.

dentipes (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 54 : Chaudoir, *l.c. supra*, p. 500:

? = *lateralis* MacLeay, *q.v.*

Hab. Java.

javanus (*Sagraemerus*), Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 14, t. 1, f. 7.

Hab. Java.

lateralis, MacLeay, Annul. Javan., 1825, p. 22 : Hope, Col. Man., ii, t. 2, f. 3 a-e

Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Hab. Java.

simplices, Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 502.

Hab. Java.

Genus HYPHAEREON.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 284 : Mun. Cat., p. 259.

reflexus, MacLeay, *l.c. supra*, p. 22 : Hope, Col. Man., ii, t. 2, f. 5 a-c.

Hab. Java.

PSEUDOMORPHINI:—Westwood, Rev. Mag. Zool., v, 1853, p. 395 : Lacord., Gen. Col., i, 1854, p. 149 : Horn, Gen. Carab., p. 186 : Leconte & Horn, Class. Col., p. 58.

Genus ADELOTOPUS.

Hope, Trans. Ent. S. Lond., i, 1834, p. 11 : Westwood, Rev. Mag. Zool., v, 1853, p. 403 : Lacord., Gen. Col., i, p. 153 : Mun. Cat., p. 157.

collaris, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Siam.

Genus CRYPTOCEPHALOMORPHA.

Ritsema, Tijds. v. Ent., xviii, 1875, p. xcii.

Gaverei, Ritsema, *l.c.*, p. xciii ; *ib.*, xxxii, p. lxxxviii.

marginatus, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Java, Batavia.

ADDITIONS.

OMOPHRON.—P. 6—

axillaris, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 59. Hab. Bengal.

guttatus, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

interruptus, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

levigatus, Gestro, Ann. Mus. Civ. Gen. (2s.) vi, 1888, p. 172. Hab. Burma.

porosus, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 61. Hab. Dekhan.

saigonensis, Chaudoir, *l.c.*, p. 57. Hab. Cochinchina, Saigon.

striaticeps, Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 173. Hab. Burma.

P. 12—The reference to *Carabus indicus*, is Bull. Soc. Ent. Fr., (6s.) ix, 1889, p. xv.
Hab. Darjiling.

MOUHOTIA, p. 17.

Batesii, Lewis, Ent. Mon. Mag., xvi, 1879, p. 186: Waterhouse, Aid, t. 125, f. 3.
Hab. Burma.

PSEUDOZAENA.—P. 32—

spissicornis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335. Hab. Laos.

PRISTONYCHUS.—P. 54—

alticola, Fairmaire, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. xvi.

Hab. Himalaya, Mt. Yeomitong (11,000—12,000 feet) [*Ind. Mus.*]

Add also :—

P. 96—*Broscus Davidianus*, Fairmaire, Ann. Soc. Ent. Belg., xxxii, 1888, p. 7. Hab.
Yunnan, Hongkong.

P. 97—*Chlaenius hemichlorus*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Stobeus collucens*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Aurisma Delevayii*, Fairmaire, *l.c.*, p. 9. Hab. Yunnan.

P. 44—*Steropanus forticornis*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Omaseus stictopleurus* Fairmaire, *l.c.* p. 10. Hab. Yunnan.

P. 44—*Steropus licinoides*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Steropus scuticollis*, Fairmaire, *l.c.*, p. 11. Hab. Yunnan.

P. 44—*Pterostichus haesitatus*, Fairmaire, *l.c.*, p. 11. Hab. Yunnan.

P. 44—*Abax tantillus*, Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus strigipennis*, Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus nubilipennis*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 54—*Agonum dorsistriatum*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 56—*Dyscolus ovipennis*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 39—*Patrobus microphthalmus*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 50—*Amara orientalis*, Hope Trans. Ent. S. Lond. iv, 1845, p. 14. Hab. China.

P. 61—*Perigona Beccarii*, Putzeys = *fimicola*, Wollast.

P. 95—*Brachynus pictus*, add to references after '92', 't. 13, f. 1': and at end '[*Ind. Mus.*, Dehli].'

P. 56—*Colpodes superlita*, Bates. Proc. Zool. S. Lond, 1888, p. 383, Kiukiang.

" " *melittus*, Bates, *l.c.*, 1889, p. 215. Goorais Valley.

" " *eulabes*, Bates, *l.c.*, p. 215. Goorais Valley.

P. 70—*Lebia coelestis*, Bates, *l.c.*, 1888, p. 380. Kiukiang.

" " *chrysomia*, Bates, *l.c.*, p. 382. Kiukiang.

" " *caliata*, Bates, *l.c.*, p. 382. Kiukiang.

" " *xanthophana* Bates, *l.c.*, p. 382; *ib.*, 1889, p. 218. Kinkiang, Ichang.

- P. 70—*Lebia prattiana*, Bates, *l.c.*, 1889, p. 218. Ichang.
 ,, *callitrema*, Bates, *l.c.*, p. 219. Ichang.
- P. 97—*Chlaenius anchomenoides*, Bates, *l.c.*, p. 212. Goorais Valley.
- P. 111—*Harpalus kashmirensis*, Bates, *l.c.*, p. 213. Goorais Valley.
 ,, *idiotus*, Bates, *l.c.*, p. 213. Goorais Valley.
- P. 53—*Pristodactyla lacerans*, Bates, *l.c.*, p. 214. Goorais Valley.
 ,, *agonoides*, Bates, *l.c.*, p. 218 Ichang.
- P. 54—*Pristonychus kashmirensis*, Bates, *l.c.*, p. 214. Goorais Valley.
- P. 55—*Anchomenus mesostictus*, Bates, *l.c.*, p. 215. Goorais Valley.
- P. 10—*Carabus Tientei*, Thoms., var. *minor*, Bates, *l.c.*, p. 217. Ichang.
 ,, *ichangensis*, Bates, *l.c.*, p. 217, ♂. Ichang.
 ,, *protones*, Bates, *l.c.*, p. 217. Ichang.
 ,, *kiukiangensis* Bates, *l.c.*, 1888, p. 381. Kiukiang.
 ,, *dardiellus*, Bates, *l.c.*, 1889, p. 211. Goorais Valley, Kashmir.
 ,, var. *granulisparsus*, Bates, *l.c.*
 ,, *barysomus*, Bates, *l.c.*, p. 210. Goorais Valley.
- P. 13—*Carabus (Coptolabrus) angustus*, Bates, Proc. Zool. S. Lond., 1888, p. 387.
 Kiukiang, Yangtse Valley.
 var. *ignimitella*, Bates, *l.c.*
 ,, *principalis*, Bates, *l.c.*, 1889, p. 216. Ichang, Yangtse Valley.
 ,, ,, *pustulifer*, Lucas, var., Bates, *l.c.*, p. 217. Ichang.
 ,, ,, *longipennis*, Chaudoir, Bates, *l.c.*, p. 217. Ichang.
- P. 16—*Nebria himalayica*, Bates, *l.c.*, p. 212. Goorais Valley.
- P. 34—*Bembidion bracculatum*, Bates, *l.c.*, p. 212. Goorais Valley.
 ,, ,, *dardum*, Bates, *l.c.*, p. 212. Goorais Valley.

CORRECTIONS.

- P. 26—for 'Neitnerii,' read 'Nietnerii.'
- P. 28—line 5 from top, for 'Gestro.' read 'Bates.'
- P. 30—line 19 from top, for 'metailicus,' read 'metallicus.'
- P. 34—for 'MOROIDIUS,' read 'MORIONIDIUS.'
- P. 42—for 'Comottoii,' read 'Comottii.'
- P. 65—for 'dimdiata,' read 'dimidiata.'
- P. 72—line 22 from top, for 'Rhinotheila,' read 'Rhinocheila.'

INDEX GENERUM.

- | | | |
|-----------------------|---------------------|-----------------------|
| Abacetus, 46. | Anomoderus, 18. | Blennidus, 49. |
| Abax, 120. | Anomoeus, 83. | Bomius, 75. |
| Abropus, 56. | Anomophaenus, 18. | Bothriopterus, 44. |
| Acacus, 97. | Anoplogenius, 115 | Bothynoptera, 82. |
| Acanthogenius, 85. | Anthia, 87. | Brachichila, 76. |
| Accephorus, 22. | Anthiini, 87. | Brachidius, 89.] |
| Acopiglabrus, 10. | Anthracus, 114. | Brachinus, 96. |
| Acrodon, 50. | Apiodera, 63. | Brachyctis, 74. |
| Actedium, 34. | Aploa, 94. | Brachynini, 92. |
| Actenoncus, 92. | Aplocentrus, 118. | Brachynus, 94, 120. |
| Actophilus, 111. | Aplothorax, 10. | Braehyonychus, 27. |
| Acupalpus, 113. | Apotomini, 96. | Brachystylus, 44, 49. |
| Adelosia, 44. | Apotomopterus, 10. | Bradybaenus, 110. |
| Adelotopus, 119. | Apotomus, 96. | Bradycellus 115. |
| Aello, 44. | Apristomorphus, 76. | Bradytus, 50. |
| Aephnidius, 59. | Apristus, 75. | Brennus, 9. |
| Aepsera, 50. | Apsectra, 89. | Broseini, 96. |
| Agastus, 67. | Apteromimus, 34. | Broscosoma, 97. |
| Agonocheila, 72. | Aptinus, 95. | Broscomorphus, 20. |
| Agonocyrthes, 54. | Arachnoidius, 44. | Broscus, 96, 120. |
| Agonodemus, 44. | Archicarabus 10. | Bryobius, 44, |
| Agonothorax, 54. | Ardistomis 27. | Calamata, 14. |
| Agonum, 54, 120. | Argutor, 44, 46. | Calathomimus, 116. |
| Aleptocerus, 97. | Argutoroidius, 44. | Calathus, 53, 120. |
| Allocota, 71. | Arrhostus. 83. | Calleida, 81. |
| Alogocarabas, 10. | Artabas, 111. | Callida, 81. |
| Alpaeus, 16. | Astygis, 46. | Callipara, 14. |
| Amara, 50, 120. | Aulacocoelius, 49. | Callisphaena, 14. |
| Amarocelia, 50. | Aulacopterum 14. | Callisthenes, 14. |
| Amathitis, 50. | Aurisma, 120. | Callistoides, 97. |
| Amblychus, 52. | Autocarabus, 10. | Callistomimus, 107. |
| Amblygenius, 97. | Axinocarabus, 10. | Callistrata, 14. |
| Amblystomus, 117. | Badister, 52. | Callistriga, 14. |
| Amblystus, 111. | Baudia, 52. | Callistus, 107. |
| Amerizus, 34. | Barymorphus, 97. | Callitropæ, 14.] |
| Amphasia, 118. | Barysomus, 110. | Calocarabus, 10. |
| Anatrichis, 107 | Batenus, 55. | Calodrepa, 14. |
| Anaulacus, 59. | Batoscelis, 43. | Calodromus, 110. |
| Anchista, 83. | Belonognatha, 72. | Calopachys, 14. |
| Anchodemus, 54. | Bembicidium, 34. | Calosoma, 14. |
| Ancholeus, 49. | Bembidion, 34. | Calopterus, 44. |
| Anchomenus, 54. | Bembidionini, 34. | Camaragnathus, 15. |
| Anchonoderini, 61. | Berus, 83. | Camedula, 14. |
| Anchus, 55. | Biderus, 111. | Caminara, 14. |
| Aneus, 26. | Blaptosoma, 14. | Campa, 34. |
| Anisodactylides, 110. | Blechrus, 75, | Campalita, 14. |
| Anisodactylus, 118. | Blemus, 40. | Caphora, 59. |
| Anisotarsus, 118. | | |

- | | | |
|---------------------------------|------------------------------|-----------------------------|
| CARABINI, 10. | Creagris, 85. | Dromoceryx, 75. |
| <i>Carabosoma</i> , 14. | Crepidogaster, 95. | Drypta, 65. |
| Carabus, 10. | <i>Crepidostoma</i> , 96. | Dryptini, 65. |
| <i>Carenostylus</i> , 49. | Crossoglossa, 82. | <i>Dryschloridium</i> , 43. |
| <i>Caricus</i> , 113. | <i>Crossonychus</i> , 75. | Dyschirius, 22. |
| <i>Casnoidea</i> , 64. | <i>Cryobius</i> , 44. | <i>Dyscolus</i> , 56, 120. |
| <i>Casnonia</i> , 63. | Cryptocephalomorpha, 119. | <i>Dysidius</i> , 44. |
| <i>Castrida</i> , 14. | <i>Cryptotrichus</i> , 54. | Eccoptogenius, 52. |
| <i>Catadromus</i> , 44. | <i>Cryptoxenus</i> , 54. | <i>Echimuthus</i> , 70. |
| <i>Catascopus</i> , 78. | <i>Ctenipes</i> , 54. | <i>Egadroma</i> , 114. |
| <i>Cathaicus</i> , 10. | <i>Ctenocarabus</i> , 10. | Elaphrini, 16. |
| <i>Cathoplius</i> , 14. | <i>Ctenosta</i> , 14. | <i>Elaphropus</i> , 36. |
| <i>Cechenochilus</i> , 10. | <i>Curtonotus</i> , 50. | Elaphrus, 16. |
| <i>Ceckenes</i> , 10. | <i>Cychrini</i> , 9. | <i>Eliotia</i> , 84. |
| <i>Celaenephes</i> , 84. | <i>Cychocephalus</i> , 14. | <i>Emphanes</i> , 34. |
| <i>Celia</i> , 50. | <i>Cyhrus</i> , 9. | ENCELADINI, 17. |
| <i>Ceneus</i> , 44. | <i>Cyclomus</i> , 49. | <i>Endosomatium</i> , 34. |
| <i>Cephalotes</i> , 96. | <i>Cyclosomus</i> , 68. | Endynomena, 82. |
| <i>Ceroglossus</i> , 10, 106. | <i>Cymbionotum</i> , 32. | <i>Epicosmus</i> , 27, 30. |
| <i>Chaetocarabus</i> , 10. | <i>Cymindis</i> , 83. | <i>Epomis</i> , 98. |
| <i>Chaetomelas</i> , 10. | <i>Cymindoidea</i> , 83. | <i>Epactius</i> , 9. |
| <i>Charmosta</i> , 14. | <i>Cyphosoma</i> , 78. | <i>Epaphius</i> , 40. |
| <i>Charopterus</i> , 75. | <i>Cyrtionotus</i> , 50. | <i>Erpeinus</i> , 111. |
| <i>Cheporus</i> , 44. | <i>Cyrtopterus</i> , 73. | <i>Eucarabus</i> , 10. |
| Chlaeminus 48. | Dacca, 22. | Eudema, 27, 28, 30. |
| Chlaenini, 87. | Damaster, 13. | <i>Eudromus</i> , 34. |
| <i>Chlaenites</i> , 97. | Dendrocellus, 65. | Euleptus, 53. |
| Chlaenius, 97, 108, 109, 120. | <i>Derus</i> , 49. | <i>Eupachys</i> , 10. |
| <i>Chlaenioidius</i> , 49. | <i>Desera</i> , 65. | <i>Eupalamus</i> , 23. |
| <i>Chrysocarabus</i> , 10. | <i>Diaphoropsophus</i> , 97. | Euplynes, 71. |
| <i>Chrysostigma</i> , 14. | <i>Dicaelindus</i> , 46. | <i>Europhilus</i> , 55. |
| <i>Chlorodium</i> , 34. | <i>Diceromerus</i> , 51. | <i>Eurycarabus</i> , 10. |
| <i>Chydaeus</i> , 119. | <i>Dicheirus</i> , 118. | <i>Eurydactylus</i> , 98. |
| <i>Cillenus</i> , 34. | <i>Dichirotrichus</i> , 116. | <i>Eurytrachelus</i> , 34. |
| <i>Clibanarius</i> , 55. | <i>Dicranoneus</i> , 56. | <i>Eurytrichus</i> , 118. |
| <i>Clivina</i> , 23. | <i>Dicraspeda</i> , 64. | <i>Euschizomerus</i> , 30. |
| <i>Coeloprosopus</i> , 80. | <i>Dictya</i> , 69. | Eustra, 32. |
| <i>Coelostomus</i> , 46. | <i>Didetus</i> , 84. | <i>Eutelocarabus</i> , 10. |
| Colpodes 56. | <i>Dilobochilus</i> , 97. | <i>Eutelodontum</i> , 14. |
| <i>Composolepis</i> , 115. | <i>Dinodes</i> , 97. | Feanus, 53. |
| <i>Conicus</i> , 111. | <i>Dioryche</i> , 116. | <i>Feronia</i> , 109. |
| <i>Cophosus</i> , 44. | <i>Diplocheila</i> , 51. | <i>Feronides</i> , 41. |
| <i>Coptodera</i> , 72, 73. | <i>Dirotus</i> , 52. | Galerita, 66. |
| <i>Coptolabrus</i> , 13. | <i>Dischissus</i> , 29. | <i>Glyptoderus</i> , 98. |
| <i>Coptolobus</i> , 19. | <i>Disphaericus</i> , 43. | <i>Glyptomorphus</i> , 20. |
| <i>Coryza</i> , 26. | <i>Distichus</i> , 19. | <i>Glyptopterus</i> , 44. |
| <i>Coscinia</i> , 32. | <i>Distrigodes</i> , 46, 48. | <i>Gnathaphanus</i> , 113. |
| <i>Coscinini</i> , 32. | <i>Distrigus</i> , 46. | <i>Goniagnathus</i> , 10. |
| <i>Cosciniopterus</i> , 44. | <i>Ditomides</i> , 110. | <i>Goniocarabus</i> , 10. |
| <i>Cosmoplatia</i> , 14. | <i>Dolichoctis</i> , 73. | <i>Gonoderus</i> , 44. |
| <i>Craspedonotus</i> , 97. | <i>Dolichodes</i> , 55. | <i>Gonogenia</i> , 87. |
| <i>Craspedophorus</i> , 27, 29. | <i>Drimostoma</i> , 51. | <i>Graniger</i> , 33. |
| <i>Cratocephalus</i> , 10. | <i>Dromius</i> , 68, 73, 75. | |
| <i>Cratocerides</i> , 110. | | |
| <i>Cratocerini</i> , 89. | | |

- | | | |
|------------------------------------|---|------------------------------|
| <i>Gynandromorphus</i> , 118. | <i>Lachnocrepis</i> , 109. | <i>Macrogenus</i> , 11. |
| <i>Gynandrotarsus</i> , 118. | <i>Lachnoderma</i> , 72. | <i>Macrothorax</i> , 11, 13. |
| <i>Hadrocarabus</i> , 10. | <i>Lachnothorax</i> , 63. | <i>Malisus</i> , 83. |
| <i>Haplocoelus</i> , 44. | <i>Laemostenus</i> , 54. | <i>Manicellus</i> , 114. |
| <i>Haplogaster</i> , 18. | <i>Laemosthenes</i> , 54. | <i>Maraga</i> , 89. |
| <i>Haplopisthius</i> , 89. | <i>Lagarus</i> , 46. | <i>Masoreus</i> , 59, 60. |
| <i>Haptoderus</i> , 44. | <i>Lamprias</i> , 70. | <i>Mastax</i> , 96. |
| <i>Harpalides</i> , 110. | <i>Lamprocarabus</i> , 11. | <i>Mustus</i> , 83. |
| <i>Harpalidium</i> , 111. | <i>Lamprophonus</i> , 119. | <i>Megaristerus</i> , 117. |
| <i>Harpalini</i> , 110. | <i>Lamprostus</i> , 11. | <i>Megodontus</i> , 11. |
| <i>Harpalinæ bisetosæ</i> , 27. | <i>Lasiocera</i> , 61. | <i>Megrammus</i> , 114. |
| <i>Harpalinæ unisetosæ</i> , 92. | <i>Lebia</i> , 70. | <i>Meladroma</i> , 85. |
| <i>Harpalites</i> , 20. | <i>Lebida</i> , 70. | <i>Melancarabus</i> , 11. |
| <i>Harpalodes</i> , 111. | <i>Lebiides</i> , 68. | <i>Melanarius</i> , 44. |
| <i>Harpalus</i> , 33, 111. | <i>Lebiini</i> , 68. | <i>Melanodes</i> , 109. |
| <i>Harpoglossus</i> , 106. | <i>Lebistina</i> , 70. | <i>Menas</i> , 83. |
| <i>Helobia</i> , 16. | <i>Lebius</i> , 75. | <i>Menera</i> , 56. |
| <i>Helluodes</i> , 88. | <i>Leistus</i> , 16. | <i>Mesocarabus</i> , 11. |
| <i>HELLUONINI</i> , 85. | <i>Leja</i> , 34. | <i>Metabletus</i> , 75. |
| <i>Hemicarabus</i> , 11. | <i>Lepithrix</i> , 115. | <i>Metallina</i> , 34. |
| <i>Heteroglossa</i> , 86. | <i>Leptocarabus</i> , 11. | <i>Metallosomus</i> , 57. |
| <i>Hexachaetus</i> , 91. | <i>Leptodactyla</i> , 77. | <i>Microcosmus</i> , 29. |
| <i>Hexagonia</i> , 62. | <i>Lesticus</i> , 41. | <i>Microlestes</i> , 75. |
| <i>Hexagouini</i> , 62. | <i>Lianoe</i> , 44. | <i>Microlestia</i> , 87. |
| <i>Hiletini</i> , 15. | <i>LICININI</i> , 51. | <i>Mimocarabus</i> , 11. |
| <i>Hiletus</i> , 15. | <i>Limodromus</i> , 55. | <i>Miscelus</i> , 77. |
| <i>Hispalis</i> , 117. | <i>Limnocarabus</i> , 11. | <i>Mnuphorus</i> , 69. |
| <i>Holecocoileus</i> , 109. | <i>Liocellus</i> , 115. | <i>Mochtherus</i> , 73. |
| <i>Holecoderus</i> , 78. | <i>Liocnemis</i> , 50. | <i>Molops</i> , 50. |
| <i>Holconotus</i> , 49. | <i>Liodaptus</i> , 110. | <i>Morio</i> , 33. |
| <i>Hololeius</i> , 106. | <i>Lionedya</i> , 70. | <i>MORIONINI</i> , 33. |
| <i>Hololius</i> , 106. | <i>Lionychus</i> , 69, 76 | <i>Mormolycye</i> , 67. |
| <i>Holoscelis</i> , 17. | <i>Lioptera</i> , 73. | <i>Mormolycini</i> , 67. |
| <i>Holosus</i> , 111. | <i>Lipaster</i> , 11. | <i>Morphocarabus</i> , 11. |
| <i>Homalops</i> , 70. | <i>Lissauchenius</i> , 9 ^a . | <i>Mouhotia</i> , 17, 120. |
| <i>Homalolachnus</i> , 98. | <i>Lonchosternus</i> , 108. | <i>Myosodus</i> , 44. |
| <i>Homophron</i> , 9. | <i>Lopha</i> , 34. | |
| <i>Hoplognathus</i> , 32. | <i>Lorostemma</i> , 29. | <i>Nebria</i> , 16. |
| <i>Hydrium</i> , 34. | <i>Lorostema</i> , 29. | <i>NEBRIINI</i> , 16. |
| <i>Hygrocarabus</i> , 11. | <i>Loxocrepis</i> , 56, 57. | <i>Neja</i> , 34. |
| <i>Hyphaereon</i> , 119. | <i>Loxoncus</i> , 115. | <i>Nemopeza</i> , 70. |
| <i>Hypharpax</i> , 119. | <i>Luperca</i> , 17. | <i>Neoplectes</i> , 11. |
| <i>Hypherves</i> , 44. | <i>Lymnaeum</i> , 34. | <i>Nepha</i> , 35. |
| <i>Hypolithus</i> , 111. | <i>Lynnastis</i> , 36. | <i>Nestra</i> , 61. |
| <i>Hypsinephus</i> , 111. | <i>Lyperopherus</i> , 44. | <i>NOMIINI</i> , 32. |
| <i>Idiomorphus</i> , 43. | <i>Lyperosomus</i> , 44. | <i>Notaphus</i> , 35. |
| <i>Iniopachys</i> , 11. | <i>Lyperus</i> , 44. | <i>Notiophilus</i> , 16. |
| <i>Irichrous</i> , 9. | <i>Lyropediuss</i> , 44. | |
| <i>Iridessus</i> , 113. | <i>Lyrothorax</i> , 44. | <i>Ocybatus</i> , 98. |
| <i>Ischnocarabus</i> , 11. | | <i>Ocydromus</i> , 35, 98. |
| <i>Isopleurus</i> , 50 | <i>Macranchthus</i> , 59. | <i>Ochthedromus</i> , 35. |
| <i>Isotarsus</i> , 27, 28, 29, 30. | <i>Macrocheilus</i> , 85. | <i>Ochthephilus</i> , 62. |
| <i>Itamus</i> , 32. | <i>Macrochilus</i> , 85. | <i>Ocys</i> , 35. |

Odontium, 35.
Odontonyx, 53.
Omala, 35.
Omalomorpha, 70.
Omalotrichus, 98.
Omaseus, 40, 44, 120.
Omiastus, 57.
Omophron 9, 120.
Omophronini, 9.
Omphra, 87.
Onycholabis, 53.
Oodes, 107, 108, 109.
Oodini, 107.
Oodinus, 107.
Ooistus, 111.
Oosoma, 110.
Ophionea, 63, 64.
Ophryodactylus, 57.
Opisthius, 16.
Oreinocarabus, 11.
Oreocarabus, 11.
Oreophilus, 44.
Orthogonini, 89.
Orthogonius, 89.
Orthomus, 44.
Oxycentrus, 116.
Oxygnathus, 22.
Oxylobus, 18.
Oxypselaphus, 55
Ozaena, 32.
Ozaenini, 32.

Pachycranion, 11.
Pachycranius, 11.
Pachymorpha, 87.
Pachystus 11.
Pachytrachelus, 43.
Pagocarabus, 11.
Panagaeini, 27.
Panagaeus, 27, 28, 29.
Pangus, 111.
Pantophyrtus, 11.
Parallelomorphus, 20.
Paramecomorphus, 20.
Paranomus, 57.
Parapedius, 44.
Paraphaea, 83.
Paraplesius, 11.
Parena, 72.
Patellus, 109.
Patrobus, 39, 120.
Pediush, 44.
Peliocypas, 74.
Pelor, 110.
Pelorosomus, 110.

Pemphus, 9.
Pentagonica, 84.
Penthimus, 106.
Percosia, 50.
Pericalides, 68.
Pericallus, 80.
Pericalus, 80.
Perigona, 60 120.
Perileptus, 62.
Peripristus, 77.
Peronomerus, 30.
Peronoscelis, 68.
Peryphus, 35.
Petrophilus, 44.
Pheuginus, 111.
Pheropsophus, 92.
Phila, 35.
Philothus, 35.
Philodes, 114.
Philorrhizus, 75.
Philoteenus, 83.
Phonias, 44.
Phreoryctes, 22.
Physocrotaphini, 88.
Physocrotaphus, 88.
Physodera, 71.
Picrus, 32.
Pimelia, 28.
Pirantillus, 59.
Plagiorhytis, 63.
Planetes 86.
Plataphus, 35.
Platus, 111.
Platycrus, 11.
Platymetopus, 116.
Platynus, 54.
Platynini, 53.
Platynomerus, 54.
Platypterus, 45.
Platysma, 45.
Platytarus, 84.
Plectes, 11.
Pledarus, 45.
Pleurosoma, 57.
Plochionus, 82.
Poecilostus, 98.
Poecilus, 49, 109.
Pogonini, 39.
Pogonoglossus, 88.
Pogonophorus, 16.
Pogonus, 39.
Polyderis, 36.
Polysitus, 110.
Principidium, 35.
Pristodactyla, 53.

Pristomachaerus, 107.
Pristonychus, 54, 120.
Pristosia, 53.
Procerus, 11.
Procrustes, 11.
Procrusticus, 11.
Promecoptera, 55.
Psammastus, 83.
Pseudocryobius, 45.
Pseudocupis, 96.
Pseudoderus, 45.
Pseudohelluo, 86.
PSEUDOMORPHINI, 119.
Pseudoophonus, 111.
Pseudopedius, 45.
Pseudophilocthus, 35.
Pseudosteropus, 45.
Pseudotribax, 11.
Pseudozaena, 32, 120.
Psilus, 27.
Psychobius, 45,
PTEROSTICHINI, 40, 43.
Pterostichus, 44, 120.

Rathymus, 45.
Reicheia, 22.
Rembus, 51.
Rhabdotocarabus, 11.
Rhadine, 55.
Rhagadus, 45.
Rhathymus, 45.
Rhembus, 51.
Rhinocheila, 72.
Rhombodera, 84.
Rhopalistes, 106.
Rhopalopalpus, 106.
Rhysotrachelus 98.
Rhytiderus, 55.

Sagraemerus, 119.
Scalidion, 72.
Scallopophorites, 20.
Scaphiodactylus, 57,
Scaphonotus, 9.
Scapterus, 21.
Scarites, 19, 20.
Scaritini, 17.
Scaritoderus, 18.
Scolytus, 9.
Selina, 62.
Selenidia, 45.
Serrimargo, 77.
Siagona, 31.
Siagonini, 31.
Simous, 109.

| | | |
|--------------------------------|-------------------------------|------------------------------|
| <i>Sinechostictus</i> , 35. | <i>Tachycellus</i> , 116. | <i>Tribax</i> , 12. |
| <i>Sinurus</i> , 77. | <i>Tachylopha</i> , 36. | <i>Trichisia</i> , 30. |
| <i>Siopelus</i> , 118. | <i>Tachymenis</i> , 86. | <i>Trichochlaenius</i> , 98. |
| <i>Sogines</i> , 49. | <i>Tachynotus</i> , 36. | <i>Trichothonax</i> , 84. |
| <i>Spanus</i> , 43. | <i>Tachypus</i> , 34. | <i>Trigonodactyla</i> , 62. |
| <i>Sparostes</i> , 22. | <i>Tachys</i> , 36. | <i>Trigonognatha</i> , 42. |
| <i>Spathinus</i> , 120. | <i>Tachyura</i> , 36. | <i>Trigonomina</i> , 43. |
| <i>Spelaeodytes</i> , 22. | <i>Taeniolobus</i> , 19, 20. | <i>Trigonothops</i> , 81. |
| <i>Sphodristocarabus</i> , 11. | <i>Talanes</i> , 35. | <i>Trigonotoma</i> , 40, 42. |
| <i>Sphodristus</i> , 11. | <i>Tantillus</i> , 76. | <i>Trigonotomides</i> , 40. |
| <i>Sphodrus</i> , 53. | <i>Taridius</i> , 84. | <i>Trigonotomina</i> , 40. |
| <i>Spongipous</i> , 118. | <i>Tanystola</i> 55. | <i>Trimorphus</i> , 52. |
| <i>Steleodera</i> , 62. | <i>Tarsostinus</i> , 83. | <i>Triplectrus</i> 118. |
| <i>Stenocnemus</i> , 57. | <i>Tarus</i> , 83. | <i>Triplogenius</i> , 40. |
| <i>Stenocrepis</i> , 108. | <i>Testidium</i> , 35. | <i>Trirammatius</i> , 49. |
| <i>Stenolophus</i> , 113. | <i>Tetragonica</i> , 76. | <i>Tropidocerus</i> , 50. |
| <i>Stenus</i> , 108. | <i>Tetragonoderini</i> , 68. | <i>Trychina</i> , 33. |
| <i>Stephana</i> , 71. | <i>Tetrogonoderus</i> , 68. | <i>Vertagus</i> , 98. |
| <i>Steropanus</i> , 120. | <i>Thalassophilus</i> , 40. | <i>Wakefieldia</i> , 84. |
| <i>Steropus</i> , 45, 120. | <i>Thermophila</i> , 87. | <i>Xenothorax</i> , 84. |
| <i>Stigmapterus</i> , 20. | <i>Thlibops</i> , 22. | <i>Xestonotus</i> , 118. |
| <i>Stobeus</i> , 120. | <i>Thyreopterus</i> , 77. | <i>Zabriini</i> , 109. |
| <i>Stomides</i> , 40. | <i>Thyreopterus</i> , 73, 77. | <i>Zabrus</i> , 110. |
| <i>Stomouanax</i> , 51. | <i>Thysanotus</i> , 77. | <i>Zophium</i> , 67. |
| <i>Strigia</i> , 45. | <i>Tilius</i> , 69. | <i>Zuphium</i> , 67. |
| <i>Styphlomerus</i> , 95. | <i>Tomochilus</i> , 98. | |
| <i>Styphromerus</i> , 95. | <i>Trachycarabus</i> , 12. | |
| <i>Sympodus</i> , 51. | <i>Trechus</i> , 40. | |
| <i>Systenognathus</i> , 43. | <i>Trepanes</i> , 35. | |
| <i>Systolocranius</i> , 108. | <i>Triaena</i> , 50. | |



Atkinson, Edwin Thomas. 1890. "I.—Catalogue of the Insects of the Oriental Region. No. 2. Order Coleoptera, Family Carbidæ." *The journal of the Asiatic Society of Bengal* 59(II Supplement 1), 1–126.

View This Item Online: <https://www.biodiversitylibrary.org/item/230750>

Permalink: <https://www.biodiversitylibrary.org/partpdf/368334>

Holding Institution

Cornell University Library

Sponsored by

Cornell University Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.