TRIBOLIUM CASTANEUM (HERBST, 1797) (INSECTA, COLEOPTERA): PROPOSED CONSERVATION BY THE SUPPRESSION OF TRIBOLIUM NAVALE (FABRICIUS, 1775) Z.N.(S.)2575

By Robert D. Pope (British Museum (Natural History), London SW7 5BD, U.K.) and J. Charles Watt (Entomology Division, Department of Scientific and Industrial Research, Auckland, New Zealand)

The 'rust-red flour beetle' known as *Tribolium castaneum* (Herbst, 1797) is a cosmopolitan pest of stored products and an important laboratory insect in the fields of genetics, population studies and pest management. It has had six available names applied to it:

Dermestes navalis Fabricius, 1775 (p. 56)
Tenebrio ferrugineus Fabricius, 1781 (p. 324)
Colydium castaneum Herbst, 1797 (p. 282; pl. 112, fig. 13E)
Ips testaceus Fabricius, 1798 (p. 179)
Tenebrio bifoveolatus Duftschmid, 1812 (p. 304)
Uloma rubens Laporte de Castelnau, 1840 (p. 220).

2. Since their original publication, only the first three have been used as the valid name of the species, the others being quoted in synonymy.

3. Colydium castaneum is, by monotypy, the type species of Tribolium W. S. MacLeay, 1825 (p. 47), the generic name in modern usage. Its identity, found to agree with current interpretation, has been established by examination of the three female specimens so-named from Herbst's collection (now in the Museum für Naturkunde der Humboldt-Universität, Berlin) all agreeing with the original illustration (Herbst, 1797; pl. 112, fig. 13E) and all catalogued by Gerstaecker as 'nr. 47293'. One specimen, additionally labelled by Gerstaecker 'Castanea. n. Colydium cast. Ht. Trogosita ferruginea [sic] Fab. Tenebr. ferrugin Ol. Germ. Ind. or' is here designated as lectotype.

4. Waterhouse (1896, p. 230), by examining the original material, discovered that *Tenebrio ferrugineus* Fabricius, 1781 was not a synonym of *Colydium castaneum* Herbst, 1797. In the same year Champion (1896, p. 82) asserted that *Dermestes navalis* Fabricius, 1775 could not be one either, and after a later review of the situation by Blair (1913, p. 222) *Tribolium castaneum* (Herbst, 1797) won universal acceptance and has been consistently

used as the valid name of the species for more than 60 years.

5. Champion stated (loc. cit.) that the original material of navalis, said by Fabricius to be in the Banks collection at the British Museum (Natural History), London, was missing. He based his interpretation of the species on a subsequent description by Fabricius (1792, p. 504). We believe that our recent search of the Banks collection has discovered the 'missing' material and that it is conspecific with T. castaneum (Herbst). A single specimen, although labelled 'chinensis?' in an unknown hand (Dermestes chinensis Fabricius, 1775, p. 58 is, according to Motschulsky (1858, p. 146), an anobiid belonging to the genus Xyletinus Latreille, 1810), is pinned and mounted on

identical paper in the same distinctive way as specimens of the same species in the Hunterian Museum in Glasgow and the Fabricius' own (Kiel) collection in Copenhagen, both standing as 'Dermestes navalis'. We believe they are all part of the same original series, are therefore confident of the Banks'

specimen's authenticity, and have labelled it as lectotype.

6. It follows that the earliest available name for the 'rust-red flour beetle' is *Tribolium navale* (Fabricius, 1775). The first use of *T. navale* as the valid name for the taxon was by Seidlitz (1894, p. 583). He was followed by Heyden, Reitter & Weise (1906, col. 493). The last occasion of its use appears to have been that of Reitter (1911, p. 343). In the last 40 years, *Tribolium castaneum* (Herbst) has appeared in the titles and content of more than 30 papers in scientific journals and in over 100 research reports (Tribolium Information Bulletin) by at least 30 different authors. A representative list of references has been given to the Commission Secretariat.

7. The re-discovered identity of *Dermestes navalis* threatens the stability of a long-established and widely-used name. We consider that the evidence makes a *prima facie* case that this is so and we therefore ask the

Commission on Zoological Nomenclature:

(1) to use its plenary powers to suppress the specific name *navalis* Fabricius, 1775, as published in the binomen *Dermestes navalis*, for the purpose of the Principle of Priority only;

(2) to place on the Official List of Generic Names in Zoology the name Tribolium MacLeay, 1825 (gender: neuter), type species

by monotypy Colydium castaneum Herbst, 1797;

(3) to place on the Official List of Specific Names in Zoology the name castaneum Herbst, 1797, as published in the binomen Colydium castaneum, (specific name of the type species of Tribolium MacLeay, 1825);

(4) to place on the Official Index of Rejected and Invalid Specific Names in Zoology the name *navalis* Fabricius, 1775, as published in the binomen *Dermestes navalis* and as suppressed in (1)

above.

REFERENCES

BLAIR, K. G 1913. Tribolium castaneum Herbst=ferrugineum, Auct. (nec Fab.). Entomologist's mon. Mag., vol. 49, pp. 222-224.

CHAMPION, G. C. 1896. Tribolium ferrugineum (Fabr.). Entomologist's mon. Mag.,

vol. 32, pp. 82-83.

DUFTSCHMID, K. 1812. Fauna Austriae, vol. 2, viii + 311 pp. Linz & Leipzig.

FABRICIUS, J. C. 1775. Systema entomologiae, xxxi+832 pp. Flensburgii & Lipsiae.

—1781. Species Insectorum, vol. 1, viii + 552 pp. Hamburgi & Kilonii.

——1792. Entomologia systematica, vol. 1(2), 538 pp. Copenhagen. ——1798. Supplementum Entomologiae Systematicae, 572 pp. Hafniae.

HERBST, J. F. W. 1797. Natursystem aller Insecten: die Käfer, vol. 7, xi+346 pp.; pls. 96–116. Pauli, Berlin.

HEYDEN, L. VON, REITTER, E. & WEISE, J. 1906. Catalogus Coleopterorum Europae, ed. 2, [iv] + 750 col. + pp. 751-774. E. Reitter, Paskau etc.

LAPORTE DE CASTELNAU, F. L. 1840. Histoire Naturelle des Insectes, Coléoptères, vol. 2, 563 pp. P. Duménil, Paris.

MACLEAY, W. S. 1825. Annulosa Javanica, vii + 50 pp., 1pl. Kingsbury, Parbury and Allen, London.

MOTSCHULSKY, V. 1858. Sur les collections Coléoptèrologiques de Linné et de Fabricius (Continuation). (pp. 123-152) In Études Entomologiques, part 7, 192 pp. Imprimerie de la Société de Littérature Finnoise, Helsingfors.

REITTER, E. Fauna Germanica. Die Käfer des Deutschen Reiches, vol. 3, 436 pp. pls

81-127. K. G. Lutz, Stuttgart.

SEIDLITZ, G. VON 1894. (pp. 401-608) In ERICHSON, W. F. [1877]-1898. Naturgeschichte der Insecten Deutschlands. Erste Abtheilung Coleoptera, vol. 5(1), xxviii + 877 pp. Nicolaische Verlags-Buchhandlung, Berlin.

WATERHOUSE, C. D. 1896. Note on Tenebrio ferrugineus, Fabr., in the Banksian Collection of Coleoptera. Ann. Mag. nat. Hist. Series 6, vol. 17, pp. 230-231.



Pope, Robert D and Watt, J. C. 1986. "Tribolium castaneum (Herbst, 1797) (Insecta, Coleoptera): proposed conservation by the suppression of Tribolium navale (Fabricius, 1775) Z. N. (S.) 2575." *The Bulletin of zoological nomenclature* 43, 363–365. https://doi.org/10.5962/bhl.part.470.

View This Item Online: https://www.biodiversitylibrary.org/item/45868

DOI: https://doi.org/10.5962/bhl.part.470

Permalink: https://www.biodiversitylibrary.org/partpdf/470

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.