

LIST OF THE DESCRIBED GENERA AND SPECIES
OF THE AUSTRALIAN AND POLYNESIAN
PHASMIDÆ (SPECTRE-INSECTS).

By J. G. O. TEPPER, F.L.S., F.S.Sc., &c.

[Read October 21, 1902.]

1. MYRONIDES, Stål, Rev. Orth., III., p. 8, 1875.

(Type—*Lonchodes Pfeifferæ*, Westw., Cat. Orth., p. 44, pl. 5, f. 6.)

M. FILUM, Sharp, Willey's Zool. Results, 1897, p. 81, pl. 7, f. 1.

M. BINODES, Sharp, *l.c.*, f. 2.

M. BITUBER, Sharp, *l.c.*, p. 82.

M. SIMPLEX, Sharp, *l.c.*, p. 83, f. 3.

M. SORDIDUS, Sharp, *l.c.*, p. 83.

M. RAMULUS, Sharp, *l.c.*, p. 83.

Hab.—New Britain.

2. LONCHODES, Gray, Syn. Phas.; Westwood, *l.c.*, p. 36; Stål, *l.c.*, p. 8, 66.

(Type—*L. geniculatus*, Westwood.)

L. NIGROPUNCTATUS, Kirby, Trans. Linn. Soc., Lond., VI., p. 453.

Hab.—Lizard Island (Queensland).

3. DIXIPPUS, Stål, *l.c.*, p. 9, 66 (1875).

(Types—*Lonchodes nematodes*, Westw. (female), Cat. Phas., p. 421; and *Phasma (Bacteria) nodosum*, DeHaan (male), Orth., p. 133.)

D. (?) INSULARIS, Kirby, *l.c.*, p. 460.

Hab.—Thursday Island (New Guinea).

4. HYRTACUS, Stål, Rev. Orth, p. 10.

(Type—*Bacteria eutrachelia*, Westw., *l.c.*, p. 32, pl. 34, f. 11).

H. TUBERCULATUS, Stål, *l.c.* (*B. eutrachelia*, Westw.), p. 67.

Hab.—Western Australia.

5. BRACHYRTACUS, Sharp, Willey's Zool. Results, 1898.

B. CELATUS, Sharp, *l.c.*, p. 84, pl. 7, f. 4.

Hab.—New Britain.

6. PACHYMORPHA, Gray, Syn. Phas.; Stål, *l.c.*, p. 9 (*Phasma, Bacillus* &c., auct.).

P. SQUALIDA (Hope), Gray, *l.c.*; Westwood, Cat. Orth., p. 15, pl. 22, f. 4 (fem.).

Hab.—Australia.

P. (?) SIMPLICIPES, Serv.; Westwood, *l.c.*, p. 15.

Hab.—Australia.

P. HISTRICULEA, Westwood, *l.c.*, p. 16, pl. 1, f. 4 (fem.);
Hutton, Trans. N.Z. Inst., XXXI., p. 52.

Hab.—New Zealand.

P. NOVÆGUINÆ, Kaup, Berl. Ent. Zeitschr., XI., p. 26 (1871).

Hab.—New Guinea.

P. ANNULATA, Hutton, Trans. N.Z. Inst., XXX., 1897, p. 162.

Hab.—New Zealand.

P. SALEBROSA, Hutton, *l.c.*, XXXI., p. 52.

Hab.—New Zealand.

P. ACORNUTA, Hutton, *l.c.*, p. 53.

7. CANDOVIA, Stål, *l.c.*, pp. 12, 70.

(Type—*Bacteria coenosa*, Gray (Hope MS.)).

C. COENOSA, Gray; Westwood, *l.c.*, p. 33, 71 (*B. tenuis*, Hope, male; *B. coenosa*, female, *B. fragilis*, larva, Hope).

Hab.—North Australia.

8. PROMACHUS, Stål, Rev. Orth., p. 17.

P. SORDIDUS, Kirby, Trans. Linn. Soc. Lond., VI., p. 463,
pl. 40, f. 4.

Hab.—Thursday Island (N. Guinea).

9. PHIBALOSOMA, G. R. Gray, Syn. Phas.; Stål, *l.c.*, p. 28.

(*Cladoxerus*, Gray, male; *Cladomorphus*, Gray, female;
Xylodus, Sauss., female).

The genus extends to India and South America.

P. CAPRELLA, Westwood, Cat. Phas., p. 76, pl. 21, f. 3 (male).

Hab.—Australia.

P. DAVIDIS, LeGuill.; Westw., *l.c.*, p. 77.

Hab.—Solomon Islands.

P. BRITANNIÆ, Wood-Mason, Journ. Asiat. Soc. Bengal,
XLVI., p. 75, 351. *P. feejeeanus*, Westw.).

Hab.—New Britain.

P. APOLLONIUS, Westwood, *l.c.*, p. 181, pl. 40, f. 4 (female).

Hab.—Fiji Islands.

10. BACTERIA, Latr.; Stål, *l.c.*, p. 29.

Most of the species of this genus have been distributed
among other genera by Stål.

B. FRENCHI, Wood-Mason, Ann. Mag. Nat. History, Fourth
Series, vol. XX., 1878, p. 78.

Hab.?—

11. BACTRIDIDIUM, Saussure, Mel. Orth., I., 1868-71, p. 125 ; Stål, *l.c.*, p. 30.

B. COULONIANUM, Sauss., *l.c.*, p. 126, pl. 2, f. 8.
Hab.—? Australia (? Chili).

12. CLITARCHUS, Stål, Rev. Orth., III., p. 34, 82.

(*Bacteria, Bacillus, Acanthoderus, &c.*, auct., pars.)

C. HOOKERI, White, Zool. "Ereb. and Terr.," p. 24, pl. 6, f. 6 ;
 Westwood, Cat. Phas., p. 14 ; Hutton, Tr. N.Z. Inst.,
 1898, p. 54.

Hab.—New Zealand.

C. COLOREUS, Colenso, Trans. N.Z. Inst., XVIII., p. 151 ;
 Hutton, *l.c.*, 54.

Hab.—New Zealand.

C. LAEVIUSCULUS, Stål, *l.c.*, p. 82 ; Hutton, *l.c.*, p. 56.

Hab.—New Zealand.

C. REDUCTUS, Hutton, Trans. N.Z. Inst., XXXI. (1898), p. 55.

13. ARGOSARCHUS, Hutton (*Clitarchus*), Trans. N.Z. Inst., XXX.,
 1897, p. 165 ; XXXI., 1898, p. 58.

A. HORRIDUS, White, *l.c.*, p. 24, pl. 5, f. 4 ; Westwood, *l.c.*,
 p. 49 ; Hutton, *l.c.*, 58.

Hab.—New Zealand.

A. GERHARDII, Kaup., Proc. Zool. Soc. Lond., 1866, p. 577.

Hab.—Southern Island, New Zealand.

A. SYLVATICUS, Colenso, Trans. N.Z. Inst., XIV., 1882, p. 278.

Hab.—Hawke Bay, N.Z.

14. ACROPHYLLA, Gray, Ent. Austr. ; Westwood, *l.c.*, p. 113 ; Stål,
l.c., p. 34.

(*Phasma, Diura, Cyphocrania, Ctenomorpha, Dairus,*
Lopaphus, auct.)

A. TITAN, Macleay, in King's Surv. Austr., II., 454 ; West-
 wood, *l.c.*, 114.

Hab.—Australia.

A. BRIAREUS, Gray, Trans. Ent. Soc., I., p. 45 ; Westw., *l.c.*, 114.

A. CHRONUS, Gray, Syn. Phas., p. 39 ; Ent. Austr., I., pl. 50,
 f. 2. ; Westw., *l.c.*

Hab.—Australia.

A. JAPETUS, Gray, Syn. Phas., p. 41 ; Ent. Austr., I., pl. 50, f. 1 ;
 Westwood, Cat. Phas., p. 114.

Hab.—Melville Island (N. Australia).

A. OSIRIS, Gray, Trans. Ent. Soc., I., p. 46, Syn. Phas., p. 40
 (= *spinicollis*, Gray) ; Westwood, *l.c.*, p. 115.

Hab.—North Australia.

A. ACHERON, Gray, *l.c.*, p. 46, 40 ; Westwood, *l.c.*, 115.

Hab.—N. Australia.

A. MACLEAYI, Gray, Syn. Phas., p. 41; Westwood, *l.c.*, 115.

Hab.—Australia.

A. TESSELATA, Gray, *l.c.*, p. 44; Westwood, *l.c.*, 115.

Hab.—Queensland.

A. SALMACIS, Westwood, *l.c.*, p. 116, pl. 37, f. 2.

Hab.—Northern Australia.

A. VIOLASCENS, Leach, Zool. Mix., I., p. 9; Gray, Syn. Phas., p. 40; Ent. Austr., pl. 6., f. 1; pl. 7, f. 1 (*roseipennis*); Westwood, *l.c.*

Hab.—Queensland (Australia).

A. MACROTEGMA, Tepper (*Lopaphus macrotegmus*, Tepper), Trans. Roy. S.A., IX., 1886, p. 112, pl. vi.

Hab.—South Australia.

A. TASMANIENSIS, Lea, separate print, 1902.

Hab.—Tasmania.

15. ACANTHODYTA, Sharp, Willey's Zool. Results, 1898.

A. SPINIVENTRIS, Sharp, *l.c.*, p. 85.

Hab.—Lifu, Fiji Islands.

16. CTENOMORPHA (G. R. Gray), Stål., Rev. Orth., p. 35.

CT. NIGROVARIA, Stål, *l.c.*, III., p. 83.

Hab.—Cape York, Queensland.

CT. ALBOPUNCTATUM, Kirby, Trans. Linn. Soc. Lond., VI., p. 472, pl. 39.

Hab.—Queensland.

17. CYPHOCRANIA, Serville, Enc. M. X., p. 445. Stål, *l.c.*, p. 35; Westwood, Cat. Orth., p. 106 (*Eurynema*).

C. REINWARDTH, DeHaan, Orient. Orth., p. 130, pl. 10, f. 1 (male); Westwood, *l.c.*, p. 107.

Hab.—New Guinea.

C. GOLIATH, Gray, Trans. Ent. Soc., I., p. 45; Syn. Phas., p. 39; *C. versirubra*, Serv., Orth., p. 235; Westw., *l.c.*, 107.

Hab.—Java; Timor; N. Guinea; N. Australia; Queensland.

C. PASIMACHUS, Westwood, *l.c.*, p. 109, pl. 9, f. 5 (female).

Hab.—Australia.

C. HERCULANEA, Charpentier, Orth. pl. i. (1841), female; *C. versifasciata*, Serv., male (?), H. N. Orth., p. 235; *Eur. aestuans*, Karsch., Ent. Nachr., XXIV., p. 365; *C. Hanitschi*, Sharp, Willey's Zool. Res., p. 89 (1898); Brunn., Mitth. Mus. Hamb., XV., p. 4.

Hab.—Java; North Australia.

18. OPHICRANIA, Kaup, Berl. Ent. Zeitschrift, 1871.

O. STRIATICOLLIS, Kaup, *l.c.*, p. 38.

Hab.—Australia.

19. ANCHIALE, Sharp, Willey's Zool. Res., 1898.

(*Cyphocrania maculata*, auct., pars.)

- A. CONFUSA, Sharp, *l.c.*, p. 80; Westwood, Cat. Orth., p. 111
(nov. nom. pro *C. maculata*, West., pars.).

Hab.—Amboyna; Sandwich Islands.

- A. STOLLII, Sharp, *l.c.*, p. 89 (*C. maculata*, auct. p.).

Hab.—Lifu, Fiji Islands.

20.—CLEMACANTHA, Rainbow, Rec. Austr. Mus., III., 1897.

- C. REGALE, Rainbow, *l.c.*, p. 34, pl. 9 (possibly referable to
Cyphocrania herculanea, Sharp).

Hab.—New South Wales; Queensland.

21. VETILIA, Stål, Rev. Orth., III. (*Cyphocrania*, p.); Stål, *l.c.*, p. 36;
Westwood, *l.c.*

- V. ENCELADUS, Westwood, *l.c.*, p. 108, pl. 39, f. 1, 2; Stål, *l.c.*,
p. 84.

Hab.—Australia.

22. DIURA, Gray, *l.c.*; Stål, *l.c.*, p. 37.

- D. VIRGINEA, Stål, *l.c.*, p. 84 (male). Near *D. violascens*.

Hab.—Cape York, Queensland (N. Australia).

23. TROPILODERUS, Gray, Syn. Phas., p. 31; Westwood, *l.c.*, p. 165;
Stål, p. 38.

(*Diura*, *Trigonoderus*.)

- T. CHILDRENI, Gray (female), *T. typhæus*, Gray (male), Ent.
Austr., I., p. 26, pl. 3, f. 1; pl. 6, f. 2; Syn. Phas., pp. 31,
40; Westwood, *l.c.*, p. 165.

Hab.—N.E. Australia.

- T. IODOMUS, McCoy, Prod. Zool. Vict., pl. 69, 70, f. 2, 3.

Hab.—Victoria.

- T. RHODOMUS, McCoy, *l.c.*, fig. 1.

Hab.—South Australia; Victoria.

- T. DECIPIENS, Rainbow, Rec. Austr. Mus., III.

Hab.—New South Wales.

24. LYSICLES, Stål, Compt. Rend. Belg., XX., 1876.

- L. HIPPOLYTUS, Stål, *l.c.*, Esp. nouv. Phas., p. 65.

Hab.—Queensland.

25. PODACANTHUS, Gray, Ent. Austr.; Syn. Phasm.; Westwood, *l.c.*,
116; Stål, *l.c.*, p. 38.

- P. TYPHON, Gray, *l.c.*, p. 32, pl. 2, f. 1; *P. unicolor*, Charp.,
Orth., pl. 56; Westwood, *l.c.*, p. 117.

Hab.—New South Wales; Australia.

- P. VIRIDIROSEUS (Curt., M.S.), Gray, *l.c.*, p. 43; Westwood,
l.c., 117.

Hab.—Queensland; S. Australia.

P. WILKINSONI, Macleay, Proc. Linn. Soc. N.S.W., VI., pp. 536, 1882.

Hab.—New South Wales.

26. VASILISSA, Kirby, Trans. Linn. Soc. Lond., VI., p.

V. WALKERI, Kirby, *l.c.*, p. 489.

27. GIGANTOPHASMA, Sharp, Willey's Zool. Res., 1898.

G. BICOLOR, Sharp, *l.c.*, p. 87, pl. 7, f. 6.

Hab.—Lifu, Fiji Islands.

G. PALLIPES, Sharp, *l.c.*, p. 88, pl. 7, f. 5.

Hab.—Lifu, Fiji Islands.

28. EXTATOSOMA, Gray, Syn. Phas.; Ent. Austr.; Westwood, Cat. Orth., p. 170; Stål, Rev. Orth. III., p. 38.

E. TIARATUM, Macleay, King's Surv. Austr. App. II., p. 455, pl. B, f. 3, 4; Gray, *l.c.*, p. 29; I., pl. 8, f. 1, 2; Westwood, *l.c.*, p. 170.

Hab.—N.S. Wales (Australia); New Guinea; Tasmania.

E. BUFONIUM, Westwood, Thes. ent. Oxon., 1874, p. 174, pl. 32, f. 2.

Hab.—Australia.

29. GRÆFFEA, Brunn.; Stål, *l.c.*, p. 40 (*Lopaphus*, pars.; *Anophelepis*, pars.)

G. COCCOPHAGA (Gray), Westwood, *l.c.*, p. 99; *A. fulvescens*, Sauss., Mel. Orth. II., p. 117, pl. 2, f. 3, 4, 1869.

Hab.—Navigator Islands; Tonga; Fiji.

G. LIFUENSIS, Sharp, Willey's Zool. Res., 1898, p. 86, pl. 7, f. 21.

Hab.—Lifu, Fiji Islands.

30. NECROSCIA, Serville, H.N., Orth., p. 250; Westwood, *l.c.*, p. 128; *l.c.*, p. 41.

N. ARUANA, Westw., *l.c.*, p. 134, pl. 39, f. 4.

Hab.—Aru Islands (N. Guinea).

N. CARTERUS, Westw., *l.c.*, p. 138, pl. 15, f. 5.

Hab.—Australia.

N. SARPEDON, Westw., *l.c.*, p. 138, pl. 32, f. 5; pl. 16, f. 1.

Hab.—Northern Australia.

N. CURTIPES, Westwood, Cat. Orth., p. 143.

Hab.—Prince of Wales Island (N. Guinea).

N. ANNULIPES (Curt. MS.), Gray, Syn. Phas., p. 37 (*Platy-crania*); Westw., *l.c.*, p. 150.

Hab.—India, &c.; Australia.

N. PAPUANA, Branscik, Jahrb. nat. wiss. Ver., Trencs., XXXI., pl. 2, fig. 9.

Hab.—New Guinea.

N. DISTINCTA, Branscik, *l.c.*

Hab.—New Guinea.

31. MEGACRANIA, Kaup, Berl. Ent. Zeitschr., XI.

(Platyocrania, Westw.).

M. PHELAUS, Westw., Cat. Orth., p. 113, pl. 27, f. 5.

New genus for this species as a type.

Hab.—Fiji Islands.32. LOPAPHUS, Westwood, *l.c.*, p. 99.*Orxines*, Stål, Rev. Orth. III., p. 43.L. GORGUS, Westwood, *l.c.*, p. 102, pl. 11, f. 4.*Hab.*—New South Wales.33. ANOPHELEPIS, Westwood, *l.c.*, p. 68.*Græffea* (Brunn.), Stål. (pars.), p. 40, 84.A. TELEPHORUS, Westw., *l.c.*, p. 69, pl. 8, f. 3, 7.*Hab.*—Western Australia.A. PERIPHANES, Westw., *l.c.*, p. 100, pl. 8, f. 2.*Hab.*—Australia.A. RHIPHEUS, Westw., *l.c.*, p. 100, pl. 8, f. 10.*Hab.*—Western Australia.34. CHONDROSTETHUS, Kirby, Trans. Linn. Soc. Lond., VI., p. 472
(for *Thrasyllus*, Stål, Orth. Ins. Phil., p. 41).CH. WOODFORDI, Kirby, *l.c.*, p. 455, pl. 39, f. 1, 2.*Hab.*—Solomon Islands.

35. HERMARCHUS, Stål, Rev. Orth. III., p. 45, 89.

*(Phibalosoma, Westw., l.c., pars.)*H. PYTHONIUS, Westwood, *l.c.*, p. 73, pl. 35, f. 3; pl. 12, f. 1.*Hab.*—Fiji Islands.36. ASPRENAS, Stål, *l.c.*, p. 45.A. FEMORATUS, Stål., *l.c.*, p. 89.*Hab.*—New Caledonia.37. NEANTHES, Stål, *l.c.*, p. 45.N. BRUNNERI, Stål, *l.c.*, p. 90.*Hab.*—New Caledonia.

NOTE.—This genus and species is stated by Brunner (Rev. Syst. Orth., 1893, p. 83) to represent the female of the preceding.

38. KARABIDION, Montrouzier (*Eurycantha*, p.), Ann. Sc. Lyon, ser. 2,
VII., p. 81; Stål, *l.c.*, p. 46, 90.K. AUSTRALIS, Mont., *l.c.*, p. 86; Westw., *l.c.*, p. 65, pl. 1,
f. 1, 2.*Hab.*—Lord Howe's Island.39. EURYCANTHA, Boisd., Voy. Astrolabe, Zool. Ent.; Westwood
Cat. Orth., p. 62; Stål, Rev. Orth., III., p. 46.E. HORRIDA, Boisd., *l.c.*, p. 647, pl. 10, f. 2; Westw., *l.c.*, p. 63.*Hab.*—Dorei, N. Britain; Woodlark Is. (N. Guinea).

- E. TYRRHAEUS, Westw., *l.c.*, p. 64, pl. 2, f. 1.
Hab.—New Hebrides; Loyalty Islands.
- E. MICRANTHA, Montr., Ann. Sc. Lyon, ser. 2, VII., p. 85;
 Westw., *l.c.*, p. 64.
Hab.—Woodlark Island (N. Guinea).
- E. SCORPIONIDES, Monr., *l.c.*, suppl., p. 85; Westw., *l.c.*, p. 64.
Hab.—Woodlark Island.
- E. ROSENBERGI, Kaup, Berl. Ent. Zeitschr., XI., p. 34 (1871).
Hab.—New Guinea.
- E. ECHINATA, Lucas, Bull. Soc. Ent. France, VIII., p. 163 (1878).
Hab.—New Guinea.
40. CANACHUS, Stål, *l.c.*, p. 47.
- C. CROCODILUS, Stål, *l.c.*, p. 90.
Hab.—New Caledonia.
- C. SALAMANDRA, Stål, *l.c.*, p. 91.
Hab.—New Caledonia.
41. DIMORPHODES, Westwood, *l.c.*, p. 80.
- D. PROSTASIS, Westw., *l.c.*, p. 81, pl. 34, f. 4, 5.
Hab.—Aru Islands (New Guinea).
42. HETEROPTERYX, Gray, Syn. Phas.; Westw., Cat. Orth., p. 81;
 Stål, Rev. Orth., III., p. 48.
- H. AUSTRALIS, Kirby, Trans. Linn. Soc. Lond., VI., p. 472.
Hab.—Australia.
43. ACANTHODERUS, G.R. Gray, Syn. Phas.; Westwood, Cat. Orth.,
 p. 48; Stål, Rev. Orth., III., p. 49.
 (*Phasma, Bacteria, Raphiderus, Clitarchus, Sect. B.*, Hutton).
- A. SPINOSUS, Gray, *l.c.*, p. 14; Westw., *l.c.*, p. 48.
Hab.—Western Australia.
- A. SPINIGER, White, Voy. "Er. and Terr.," p. 24; Westw.,
l.c., p. 48; Hutton, Trans. N.Z. Inst., XXX, 1897, p. 164.
Hab.—New Zealand (North Island?).
- A. OCCIPITALIS, Kaup, Berl. Ent. Zeitschr., XI., 1871, p. 31.
Hab.—Celebes, New Guinea.
- A. ATRO-ARTICULATUS, Colenso, Trans. N.Z. Inst., XVII., p.
 154; Hutton, *ibid*, XXX, p. 164.
Hab.—New Zealand.
- A. PRASINUS, Westw., *l.c.*, p. 49, pl. 3, f. 2; Hutton, *l.c.*, p. 164.
Hab.—New Zealand (North and South Island).
- A. FILIFORMIS, Colenso, *l.c.*, p. 153; Hutton, *l.c.*, p. 164.
Hab.—New Zealand (Hawke Bay).
- A. GEISOVII, Kaup, Proc. Zool. Soc. Lond., 1866, p. 578;
 Hutton, *l.c.*, p. 165.
Hab.—New Zealand (Great Barrier Is., Canterbury).

A. SUTERI, Hutton, *l.c.*, XXXI, p. 56 (1898).

Hab.—New Zealand (Wanganui, N. Island).

A. FASCIATUS, Hutton, *l.c.*, p. 58.

Hab.—Great Barrier Is., N. Zealand.

44. PYLÆMENES, Stål., Rev. Orth., III., p. 51.

(*Acanthoderus*, West., pars.)

P. CORONATUS, DeHaan, Orth. Orient., p. 134, pl. 14, f. 4, 5;
Westwood, Cat. Orth., p. 51; Stål., *l.c.*, p. 93.

Hab.—Amboyna, Ceram, Australia.

45. METRIOTES, Westwood, *l.c.*, p. 158; Stål, *l.c.*, p. 60.

(*Platycrania*, Gray, pars.)

M. AGATHOCLES, Stål, *l.c.*, p. 100.

Hab.—(?) Australia.

46. PRISOPUS, Stål, *l.c.*, p. 60.

(*Xeroderus*, Gray; Westwood, *l.c.*, 102)

P. KIRBYI, Gray, Syn. Phas., p. 32; Westw., *l.c.*, pl. 31, f. 6, 7.

Hab.—Australia.

47. LEOSTHENES, Stål, *l.c.*, p. 60.

L. AQUATILIS, Stål, *l.c.*, p. 102.

Hab.—New Caledonia.

48. BACILLUS, Latreille; Westw., *l.c.*, p. 3; Stål, *l.c.*, 61.

B. BEECHEYI, Gray, Syn. Phas., p. 21; Burmeister, Handb., II,
p. 562; Westwood, *l.c.*, p. 12.

Hab.—Sandwich Islands (Hawaii).

B. BRUNNEUS, *l.c.*; Ent. Austr., pl. 7, f. 3.

Hab.—Western Australia.

B. AUSTRALIS, Charp., Orth. descr., p. 57; Westw., *l.c.*, p. 12.

Hab.—Australia

B. DOLOMEDES, Westw., Cat. Orth. Ins., p. 13, pl. 5, f. 4.

Hab.—Australia.

B. PERISTHENES, Westw., *l.c.*, p. 13, pl. 7, f. 1; pl. 8, f. 2.

Hab.—Australia.

B. PERIDROMES, Westw., *l.c.*, p. 13, pl. 8, f. 2b, 2c.

Hab.—Australia.

B. MINIMUS, Colenso, Trans. N.Z. Institute, XVII., p. 185.

Hab.—(?) New Zealand.

49. CACOMORPHA, Sharp, Willey's Zool. Res., 1898.

C. ABERRANS, Sharp, *l.c.*, p. 91, pl. 8, f. 12.

Hab.—Lifu, Fiji Islands.

50. PHYLLIUM, Illiger, &c ; Westwood, *l.c.*, p. 171; Stål, *l.c.*, p. 104.

(*Gryllus*, *Mantis*, *Phasma*, *Pteropus*.)

PH. SICCIFOLIUM, Linn., &c., Cuvier, Reg. An, pl. 79 ; Westwood, *l.c.*, p. 172.

Hab.—India, Java, Timor, N. Guinea.

PH. GERYON, Gray, in Zoologist, 1843, I., 118 ; DeHaan, Orth. Orient., pl. 15, f. 7.

Hab.—Philippine Is.; (?) New Caledonia (Mus. Adel.).

51. CHITONISCUS, Stål, *l.c.*, p. 62.

(*Phyllium*, Westw., p.)

CH LOBIVENTRIS, Blanch., in d'Urville, Zool. Voy. Pole Sud, IV., p. 359, pl. 50, f. 9 ; Westw., *l.c.*, p. 174, pl. 39, f. 5.

Hab.—Levuka, Ovalau, Fiji Islands.

CH FEEJEEANUS, Sharp, Willey's Zool. Results, 1898, p. 87, pl. 8, f. 14.

Hab.—Fiji Islands.

ALPHABETICAL INDEX OF GENERA.

	No.		No.
Acanthoderes ...	43	Græffea ...	29
Acanthodyta ...	15	Hermarchus ...	35
Acrophylla ..	14	Heteropteryx ...	42
Anchiale ...	19	Hyrtacus ...	4
Anophelepis ..	33	Karabidion...	38
Argosarchus ...	13	Leosthenes ...	47
Asprenas ...	36	Lonchodes ...	2
Bacillus ...	48	Lopaphus (<i>Orxines</i>) ...	32
Bacteria ...	10	Lysicles ...	24
Bactridium ...	11	Megacrania...	31
Brachyrtacus ...	5	Metriotes ...	45
Cacomorpha ...	49	Myronides ...	1
Canachus ...	40	Neanthes ...	37
Candovia ...	7	Necroscia ...	30
Chitoniscus...	51	Ophicrania ...	18
Chondrostethus ...	34	Pachymorpha ...	6
Clemacantha ...	20	Phibalosoma ...	9
Clitarchus ...	12	Phyllium ...	50
Ctenomorpha ...	16	Podacanthus ...	25
Cyphocrania ...	17	Prisopus ...	46
Dimorphodes ...	41	Promachus ...	8
Diura ...	22	Pylæmenes ...	44
Dixippus ...	3	Tropidoderus ...	23
Eurycantha ...	39	Vasilissa ...	26
Extatosoma ...	28	Vetilia ...	21
Gigantophasma ...	27		



Tepper, J. G. O. 1903. "List of described genera and species of the Australian and Polynesian Phasmidae (Spectre-insects)." *Transactions of the Royal Society of South Australia* 26, 278–287.

View This Item Online: <https://www.biodiversitylibrary.org/item/84662>

Permalink: <https://www.biodiversitylibrary.org/partpdf/64011>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.