

Corallus. As will be observed in the figure of the lung of *Corallus caninus*, the headward running pocket of the lungs occupies a different position in the two lungs. In the case of the larger lung it will be seen that the anterior process of the lung in question is partly roofed by the interannular membrane of the trachea as well as by the bronchial semirings. On the other hand, the same anterior process of the shorter lung has no relation whatever to the interannular tracheal membrane. I do not know how far this is to be seen in other two-lunged snakes (Boidæ). I hope to look into this matter further, since it has an obvious bearing upon the degree of degeneration of the smaller lung, and therefore upon the phylogeny of the group.

The following brief statement of the anatomical characters of the species will serve for a comparison with the corresponding definitions of *C. madagascariensis* and *C. cookii* upon p. 151.

Corallus caninus.

Mental groove bordered by 15 scales on each side. Bronchus continued only for a short distance into interior of larger lung; its rings become irregular and interrupted by orifices into lung-tissue. Intercostal arteries like those of C. cookii. A rudiment of umbilical vein persists. Liver with long posterior prolongation of hepatic substance. Gall-bladder rather near to end of liver. Pancreas with no prolongation to spleen.

The agreement with *Corallus cookii* is obviously much closer than with *C. madagascariensis*.

3. Description of a new Species of Monkey of the Genus *Cercopithecus*. By R. I. POCK, F.L.S., Superintendent of the Gardens.*

[Received February 18, 1908.]

(Plate X.†)

The Zoological Society has recently acquired by purchase from Mr. F. C. Thorpe, of Hull, a young example of a species of *Cercopithecus* quite different from any form hitherto described. At Mr. Thorpe's special request I dedicate this new species to Mr. Ezra, of Calcutta.

CERCOPITHECUS EZRÆ Pock.

Abstr. P. Z. S. 1908, p. 10 (March 3).

Skin of upper part of face black; that of the lips and chin blue, clothed with white hairs. Head ornamented in front with a

* [The complete account of the new species described in this communication appears here; but as the name and the preliminary diagnosis were published in the 'Abstract,' the species is distinguished by the name being underlined.—EDITOR.]

† For description of the Plate, see p. 160.



J. Green del. et Chromo lith.

NEW SPECIES OF CERCOPITHECUS.



Pocock, R. I. 1908. "Description of a new Species of Monkey of the Genus *Cercopithecus*." *Proceedings of the Zoological Society of London* 1908, 158–160.
<https://doi.org/10.1111/j.1096-3642.1908.tb01841.x>.

View This Item Online: <https://www.biodiversitylibrary.org/item/97671>

DOI: <https://doi.org/10.1111/j.1096-3642.1908.tb01841.x>

Permalink: <https://www.biodiversitylibrary.org/partpdf/72434>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.