

ADDITIONAL PANAMANIAN BRYOPHYTES

MARSHALL R. CROSBY¹

ABSTRACT

Twenty-seven mosses and one liverwort are reported from Panamá for the first time.

In a recent survey of the mosses recorded from Panamá, 213 species and seven varieties were listed (Crosby, 1969). Breen and Reese (1971) added 21 species, and Crosby (1971a) described *Squamidium chiriquense* from western Panamá. The 27 additional records listed herein are based mainly on collections I made in 1965 and 1969. I am grateful to various members of the staff of the Missouri Botanical Garden for taking time to collect mosses while engaged in work for the *Flora of Panama* and other projects. Specimens of all taxa listed are in MO, and duplicates of most are in DUKE.

HEPATICAE

Micropterygium trachyphyllum Reim. COLÓN: Santa Rita Ridge, Crosby 4444. COCLÉ: N of El Valle de Antón, base of Cerro Pilón, Crosby 4395. PANAMÁ: Cerro Campana, Crosby 4495; Cerro Jefe, Crosby 4535, Lewis & Dressler 7603. — According to Fulford (1966) the genus *Micropterygium* is not known from Central America. Fulford recognizes 18 species, many of which occur in Venezuela and Colombia. *Micropterygium trachyphyllum* is common on tree trunks in moist localities in Panamá. This species has a wide distribution, ranging from Cuba and Jamaica through the Lesser Antilles and across northern South America.²

MUSCI

Acrocryphaea gardneri (Mitt.) Jaeg. CHIRIQUÍ: Boquete, Cornman 3168.

Adelothecium bogotense (Hampe) Mitt. CHIRIQUÍ: N of Cerro Punta, Croat 10534D.

Aongstroemia jamaicensis C. Müll. CHIRIQUÍ: N of Cerro Punta, Croat 10453, 10462B; N of El Hato del Volcán, Croat 10663.

Calymperes lonchophyllum Schwaegr. COLÓN: Santa Rita Ridge, Crosby 4461. VERAGUAS: Mouth of Río Concepcion, Lewis et al. 2802A.

Calymperes venezuelanum (Mitt.) Reese. PANAMÁ: Cerro Jefe, Crosby 4531.

Campylopus harrisii (C. Müll.) Par. PANAMÁ: Cerro Jefe, Lewis & Dressler 7604, 7605. — Previously known from Cuba, Jamaica, and Surinam.

Daltonia longifolia Tayl. COCLÉ: N of El Valle de Antón, base of Cerro Pilón, Crosby 4392B.

¹ Cryptogamic Herbarium, Missouri Botanical Garden, 2315 Tower Grove Avenue, St. Louis, Missouri 63110.

² I thank Dr. Margaret Fulford, University of Cincinnati, for confirming my initial determinations of this species.

- Eustichia spruceana* (C. Müll.) Par. CHIRIQUÍ: S of Boquete, Crosby 3965.
- Heterophyllum nemorosum* (Brid.) Kindb. CHIRIQUÍ: Las Cumbres near Cerro Punta, Croat 13751C.
- Holomitrium arboreum* Mitt. CHIRIQUÍ: S of Cerro Horqueta Peak, N of Boquete, Crosby 4004. PANAMÁ: Cerro Campana, Stimson 5392A.
- Hypnella pilifera* (Hook. & Wils.) Jaeg. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4068B, 4071, 4079.
- Hypnum polypteron* (Mitt.) Broth. CHIRIQUÍ: N of Cerro Punat, Croat 10463; Las Cumbres near Cerro Punta, Croat 13749B, 13751F.
- Isodrepanium lentulum* (Wils.) Britt. CHIRIQUÍ: S of Cerro Horqueta Peak, N of Boquete, Crosby 3994. COCLÉ: N of El Valle de Antón, base of Cerro Pilón, Crosby 4387, 4417. PANAMÁ: Cerro Campana, Crosby 4480.
- Leptodontium cirrhifolium* Mitt. CHIRIQUÍ: Boquete, Cornman 3079; above Cerro Punta, D'Arcy 5377.
- Leptodontium valerianum* Bartr. CHIRIQUÍ: S of Boquete, Crosby 3964.
- Leptotheca costaricensis* Card. & Thér. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4067. — This species is also known from Colombia, Costa Rica, Jamaica, and Venezuela. See Crosby (1971b).
- Leskeodon longipilus* (Besch.) Bartr. PANAMÁ: Cerro Campana, Crosby 4498.
- Macromitrium standleyi* Bartr. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4049. — A distinctive species with very long, undulate leaves. Previously known only from Costa Rica.
- Meteoriump undulifolium* Broth. & Thér. CHIRIQUÍ: N of Cerro Punta, Croat 10534B; Río Chiriquí Viejo, near Nueva California, D'Arcy 4245B.
- Neohypnella diversifolia* (Mitt.) Welch & Crum. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4023B, 4046A, 4052, 4063, 4074.
- Octoblepharum cocuiense* Mitt. COCLÉ: N of El Valle de Anton, base of Cerro Pilón, Crosby 4393. PANAMÁ: Cerro Jefe, Crosby 4518. — Previously known from Brazil, Colombia, Gayana, and Surinam.
- Phyllodrepanium falcifolium* (Schwaegr.) Crosby. PANAMÁ: Along road above Goofy Lake, Crosby 4343. — See Crosby (1970) for notes on this species.
- Stenodictyon sericeum* Bartr. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4010. — Bartram (1929) based this species on a sterile collection from Costa Rica. The present collection is fertile, and the peristome confirms its placement in *Stenodictyon*. The seta, slightly roughened at the apex and smooth below, is 2–2.5 cm long, intermediate in length between that of *S. nitidum* (Mitt.) Jaeg. (5 cm), Ecuador and Panamá, and that of *S. pallidum* Crum & Steere (0.8–1.4 cm), Greater Antilles.
- Stereophyllum subobtusum* Ren. & Card. CHIRIQUÍ: S of Boquete, Crosby 3959B.
- Streptopogon calympipes* C. Müll. ex Geh. CHIRIQUÍ: About 4 km from Cerro Punta, Correa 1219.
- Tayloria moritziana* C. Müll. CHIRIQUÍ: Holcomb Trail, N of Boquete, Crosby 4019, 4076.
- Zygodon reinwardtii* (Hornschr.) B.S.G. CHIRIQUÍ: S of Cerro Horqueta Peak, N of Boquete, Crosby 3987D.



BHL

Biodiversity Heritage Library

Crosby, Marshall R. 1971. "Additional Panamanian Bryophytes." *Annals of the Missouri Botanical Garden* 58, 258–260. <https://doi.org/10.2307/2394935>.

View This Item Online: <https://www.biodiversitylibrary.org/item/54727>

DOI: <https://doi.org/10.2307/2394935>

Permalink: <https://www.biodiversitylibrary.org/partpdf/7887>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.