



Published to advance the Science of cold-blooded vertebrates

A RECORD OF THE BERMUDA CHUB (KYPHOSUS) FROM LONG ISLAND, NEW YORK.

A Bermuda Chub (*Kyphosus sectatrix*) was taken November 2, 1915, at Orient, Long Island, in Long Island Sound. It was 10 inches long, 3 inches deep, 1 inch thick in widest part near the head. The specimen has been identified by the Department of Fishes of the American Museum of Natural History, New York, from a photograph taken of it at the time of capture.

I have been about pound-fishing for over twenty years on the east end of Long Island, and this is the first specimen of this species that I have seen.

ROY LATHAM,
Orient, N. Y.

AQUARIUM CULTURE OF TRICHO- GASTER LALIUS.

Of all the Labyrinth-fish so far known in this country not one has been such a general favorite as *Trichogaster lalius*, commonly called Dwarf Gurami. Seldom more than two inches in length, this little beauty, which was first imported from India into Europe in 1903, has, through its interesting habits in breeding and general graceful bearing, quickly found many friends in the Aquarium world. At first ex-



Latham, Roy. 1916. "A Record of the Bermuda Chub (*Kyphosus*) from Long Island, New York." *Copeia* 28, 17–17. <https://doi.org/10.2307/1435496>.

View This Item Online: <https://www.biodiversitylibrary.org/item/53398>

DOI: <https://doi.org/10.2307/1435496>

Permalink: <https://www.biodiversitylibrary.org/partpdf/85666>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.