

GENERAL NOTES.

A Curious Influx of Southern Herons to New Jersey.— In the October, number of 'The Auk' (XXV, p. 473) I recorded the capture of an American Egret at Sea Bright, N. J., by Mr. R. B. Romaine. He has since informed me that sometime between August 5 and 15 two more were seen, and that from August 6 to September 5, 1908, a large flock (nearly fifty birds) of immature Little Blue Herons (*Ardea cœrulea*) were inhabiting the tide flats. On September 5, the last day they were seen, he shot a male out of a flock of three, and wounded another. This specimen he had mounted, and is now in his home.

Mr. Romaine's family have lived at Sea Bright for nearly forty years, and never before have they seen any species of southern heron in the neighborhood. Could the excessively hot weather of the past July have caused their occurrence? —REGINALD HEBER HOWE, JR., *Concord, Mass.*

The Little White Egret in New Mexico.— A specimen of this beautiful heron (*Egretta candidissima*) was shot Oct. 21, 1908, while on a small pond at the home ranch of the G. O. S. Cattle Co., by one of the farm hands. Fortunately the writer arrived at the ranch the next day and was able to skin the bird at once; it proved to be a male in excellent plumage and flesh. It had been noticed for several hours before alighting on the pond, flying about the barn buildings in company with a flock of domestic pigeons. The bird is now in the possession of Mrs. Victor Culberson of the G. O. S. Ranch. This ranch has an altitude of 6300 feet, and is on the head waters of the Sapillo Creek (a tributary of the Gila River), the exact location of the ranch being Section 15, T 15 S, R 12 W.

The spot where this bird was taken is about sixty miles north of the place where the specimen reported in 'The Auk' two years ago by Maj. Munson, was secured.— W. H. BERGTOLD, *Denver, Colo.*

The Clapper Rail in Essex County, Mass.— On September 15, 1908, I picked up on the beach at Plum Island, Mass., near the mouth of the Ipswich River, a dead Clapper Rail. After fully satisfying myself as to the identity of the bird, I took it to the Abbott Frazar Co., taxidermists, in Boston, to be mounted. I have since been informed by them that no indications were found of the bird's having been shot; and, taking into consideration the fact that water ran freely from the bird's mouth when picked up by the legs, I imagine that it probably died in the water. The body did not appear to be decomposed to any extent, and the taxidermist's foreman informed me that the bird had probably not been dead over three days. Taking into consideration the direction of winds, etc., during that period, it seems very unlikely that the rail could have drifted from further south. I have written a full statement of the facts to Mr. John Robinson, of the Peabody Museum at Salem, Mass., and Mr. Edward S. Morse, the



Howe, Reginald Heber. 1909. "A Curious Influx of Southern Herons to New Jersey." *The Auk* 26, 76–76. <https://doi.org/10.2307/4070481>.

View This Item Online: <https://www.biodiversitylibrary.org/item/55092>

DOI: <https://doi.org/10.2307/4070481>

Permalink: <https://www.biodiversitylibrary.org/partpdf/87214>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.