211 39D

V 38 F

Nº 196 / 2

Thomas Martyn. Thirty-Eight Plates, With Explanations, Intended to Illustrate Linnaeus's System of Vegetables, and Particularly Adapted to the Letters on the Elements of Botany. London: B. and J. White, 1794.

Thomas Martyn (1735-1825) followed his father as professor of botany at the University of Cambridge and held this post for sixty-three years. The Letters on the Elements of Botany (1785) included eight by J.J. Rousseau (printed separately in 1805 as La Botanique; see Case 6) and twenty-four by Martyn and were intended to popularise Linnaeus's system of plant classification. These Thirty-Eight Plates gave them further botanical value. All were drawn and engraved by Frederick Polydore Nodder (d. 1800?), "Botanic Painter to Queen Charlotte". The book is open at the Lilium candidum (White lily).

Digitized by the Internet Archive
in 2010 with funding from
University of Toronto

THIRTY-EIGHT PLATES,

WITH

EXPLANATIONS;

INTENDED TO ILLUSTRATE

LINNÆUS'S SYSTEM OF VEGETABLES,

AND PARTICULARLY ADAPTED TO THE

LETTERS ON THE ELEMENTS OF BOTANY.

By *THOMAS MARTYN, B. D. F. R. & L. S. S.*

REGIUS PROFESSOR OF BOTANY

IN THE UNIVERSITY OF CAMBRIDGE.

L O N D O N :

PRINTED FOR J. WHITE, AT HORACE'S HEAD,
FLEET-STREET.

1799.

ADVERTISEMENT.

SOME persons, who have honoured the *Letters on the Elements of Botany* with their approbation, having signified a wish that the subject might be still farther illustrated by figures, Mr. NODDER, an ingenious artist, has been employed for this purpose, and has both drawn and engraved thirty-eight plates. By these, and the explanations which are given on the opposite page,

the Author hopes that he may have met the ideas of his friends.

These Plates, with their explanations, may be considered as an entire work: but it is presumed that they will be much more satisfactory when studied jointly with the Letters.

Six plates are given to illustrate Rousseau's six letters upon the most remarkable Natural Classes. The rest are intended to explain the Classes of Linnæus's System in their order, except the thirty-fourth, which exhibits figures of the most remarkable Nectaries. No general plate, explanatory of the classical characters, is given; both because it has already been elegantly done by Mr. Curtis, and also may easily be collected from the particular plates of this work.

Thus

Thus the character of the Clafs

MONANDRIA	is explained in	—	Plate VII.
DIANDRIA	—	—	VIII.
TRIANDRIA	DIGYNIA	—	IX.
—————	MONOGYNIA	—	X.
TETRANDRIA	—	—	XI.
PENTANDRIA	MONOGYNIA	—	XII.
—————	DIGYNIA	—	V. and XIII.
HEXANDRIA	—	—	I. and XIV.
HEPTANDRIA	}	—	XV.
OCTANDRIA			
ENNEANDRIA	}	—	XVI.
DECANDRIA			
DODECANDRIA	—	—	XVII.
ICOSANDRIA	—	—	XVIII.
POLYANDRIA	—	—	XIX.
DIDYNAMIA	—	—	IV. and XX.
TETRADYNAMIA	—	—	II. and XXI.
MONADELPHIA	—	—	XXII.
DIADELPHIA	—	—	III. and XXIII.
POLYADELPHIA	—	—	XXIV.
SYNGENESIA	—	—	VI.
—————	POLYGAMIA ÆQUALIS	—	XXV.
—————	SUPERFLUA		XXVI.
			SYNGENESIA

SYNGENESIA POLYGAMIA FRUSTRANEA &	PLATE
NECESSARIA	XXVII.
SEGREGATA	XXVIII.
MONOGAMIA	XXIX.
GYNANDRIA	XXX.
MONOECIA	XXXI.
DIOECIA	XXXII.
POLYGAMIA	XXXIII.
CRYPTOGAMIA, FILICES	XXXV.
MUSCI	XXXVI.
ALGÆ	XXXVII.
FUNGI	XXXVIII.

PLATE I. LETTER I.

LILIACEOUS FLOWERS.

Lilium candidum. White Lily.

- a* The flower in bud.
- b* The corolla expanding.
- c* The corolla quite open.
- d* The pistil or pointal. *e* The germ.
f The style. *g* The stigma.
- h* The six stamens. *i* The filaments.
k The anthers.
- l* The germ advanced into a pericarp,
which here is a capsule.
- m* A transverse section of the pericarp, to
show the three cells and seeds.

Drawn & engraved by J. L. Vobler.

Published as May 748 as the 112 dirc. by J. L. Vobler.

PLATE II. LETTER II.

CRUCIFORM FLOWERS.

Cheiranthus incanus. *Stock-Gilliflower.*

- a* A flower of the stock, showing the four petals and the cruciform shape of the corolla.
- b* A back view of it, exhibiting the calyx, consisting of four leaflets, and bulging out at the bottom.
- c* A single petal separated, to show the lower narrow part, called *unguis*, or the tail; and the upper spreading part, named *lamina*, or the border, emarginate or notched at the end.
- d* A section of the calyx, with the single pistil and six stamens in their proper situation.
- e* The six stamens, two of which are sensibly shorter than the other four.
- f* The pistil separated from the other parts.
- g* A single stamen.
- h* The fruit, seed-vessel, or pericarp, called a silique, opening from the bottom

upwards, and showing the two valves, with the seeds ranged along the dissepiment, or partition, of the two cells, and the permanent stigma at the top.

i k l Figures of filicles, or small short pods or pouches.

i The flat triangular, or heart-shaped filicle of the shepherd's purse.

k The oblong filicle of scurvy-grass, both shut and open.

l The almost spherical filicle of candy-tuft.
See Letter XXIII. and Plate XXI.

e Explains the classical character of the class *Tetradynamia*, and

h i k l Explain the characters of the two orders, *Siliquosa* and *Siliculosa*, into which it is divided.

PLATE III. LETTER III.

PAPILIONACEOUS FLOWERS.

Pisum sativum. *Garden Pea.*

Fig. 1. The peduncle or flower-stem of the pea, showing the papilionaceous corolla in three different situations.

- a* A young flower not fully expanded.
- b* An expanded flower, showing the back; the standard, or banner, fully displayed, and the calyx cleft into five parts.
- c* A side view of an expanded flower, showing the banner, wings, and keel in their natural situation.

Fig. 2. The banner (*vexillum*), obcordate or inversely heart-shaped, and emarginate.

- 3. The two wings (*alæ*).
- 4. The keel (*carina*).
- 5. The pistil and stamens in their natural situation.

Fig. 6. The lower broad stamen, which involves the germ, terminating in nine filaments, with an anther on each.

7. The upper narrow filament, accompanied with the pistil.

8. The pericarp, which is a legume, or pod, open to show the two valves and the seeds fastened alternately to the futures of the valves at the back of the legume. The permanent calyx is also here exhibited.

Obs. The character of the class *Diadelphia*, and of the order *Decandria*, as also of the natural class of *Leguminous* plants, is here explained.

PLATE IV. LETTER IV.

RINGENT FLOWERS.

Fig. 1. *Lamium album. White Dead Nettle.*

- a* Part of a whorl of flowers, showing how they grow in the bosom of a leaf.
- b* A single flower, showing the structure of a labiate or ringent corolla, and of that of the *Lamium* in particular.
- c* The corolla cut away, in order to show more distinctly the situation of the stamens and the classical character.
- d* The germs, with the style.
- e* The calyx, with the four seeds within it.

Fig. 2. *Antirrhinum majus. Snapdragon.*

- a* The closed ringent, or personate corolla, in its natural form.
- b* The corolla opened, to show the situation of the stamens.
- c* The capsule, with the permanent style and calyx.

Fig. 3. *Digitalis purpurea*. *Purple Fox-glove*.

- a* A single flower, showing the open bell-shaped corolla.
- b* The inside, exhibiting the situation and structure of the stamens.
- c* The germ, with the style.
- d* The capsule, with the style permanent.
- e* A section of the capsule.
- f* A capsule, deprived in part of its outer skin, to show the interior texture of the coat.

PLATE V. LETTER V.

UMBELLATE FLOWERS.

Fig. 1. *Apium Petroselinum.* *Garden Parsley.*

Fig. 2. *Aethusa Cynapium.* *Fool's Parsley.*

a The three long leaflets of the partial involucre, showing a principal difference between this and the true Parsley.

Fig. 3. *Scandix Cerefolium.* *Garden Chervil.*

Fig. 4. *Sambucus nigra.* *Common Elder.*

To show the difference between that and an umbellate plant.

Fig. 5. The flower of an umbellate plant magnified, to show the particular structure.

Obs. Instances of compound umbels in Fig. 1, 2, 3, and Fig. 1, 2, of Plate XIII. A simple umbel is represented at Fig. 3, Plate XIII.

1

2

4

3

Drawn & engraved by A. L. Delile.

Published by the author, 1788, in the *Journal de Botanique*.

PLATE VI. LETTER VI.

COMPOUND FLOWERS.

Fig. 1. *Bellis perennis. Common Daisy.*

- a* The flower, which is compound and of the radiated kind, having semiflorets or ligulate florets in the ray, and tubular florets in the disk.
- b* A section of the receptacle, with the florets on it.
- c* A semi-floret.
- d* The cylinder of anthers, with the style perforating it.
- e* A floret.

Fig. 2. *Leontodon Taraxacum. Dandelion.*

- a* The whole compound flower, consisting entirely of semi-florets, called by Linnaeus ligulate florets.
- b* A single floscule, or floret.
- c* The head of seeds.

Fig. 3.

Showing a flosculous flower, or a flower composed of florets only, called by Linnæus tubular florets.

a The whole compound flowers.

b A single floscule.

c The back of a compound flower, showing the calyx.

Fig. 4. *Trifolium pratense. Red Clover.*

To show the difference between this, which is a head or aggregate of flowers, and a genuine compound flower, such as Fig. 1, 2, 3, exhibit.

Drawn & Engraved by J. K. V. d. d. d.

Published 1. May 1712, as the Act directs, by B. White. Sculps.

PLATE VII. LETTER XI.

MONANDRIA.

Fig. 1. *Canna indica. Indian Shot.*

- a a a* Three different views of the flower, the corolla cut into six lanceolated parts, one of the three interior reflected.
- b* The scabrous germ, with
- c* The triphyllous perianth, or calyx, on the top of it.
- d* The anther growing to one of the petals, which serves it for a filament.
- e* The style, growing to the petaliform filament.
- f* The scabrous capsule.
- g* Cut open to show the three cells.

Fig. 2. *Hippuris vulgaris. Mare's Tail.*

- a a* The germ.
- b* The stamen.
- c* The style.

PLATE VIII. LETTER XII.

DIANDRIA.

Fig. 1. *Veronica Chamædrys. Wild Speed-well.*

- a* The wheel-shaped corolla, divided into four segments, the lowest (*b*) narrower than the rest.
- c* The capsule.
- d* The oval, wrinkled leaves, indented about the edge.

Fig. 2. *Jasminum officinale. White Jasmine.*

- a* A front view of the monopetalous falver-shaped corolla, divided into five segments.
- b* A back view of the corolla.
- c* The tube of the corolla, with the anthers lying within it.
- d* The calyx, with the rudiment of the fruit.
- e* A leaf pinnated, with all the lobes distinct.

Fig. 3. *Salvia officinalis.* *Garden Sage.*

a A flower.

b The two stamens, showing their singular structure.

c The pistil separate.

Described & Engraved by F. L. V. S. 1811.

Published on May 17th, on the Act directed, by B. White & Son.

PLATE IX. LETTER XIII.

TRILANDRIA, DIGYNIA GRASSES.

Fig. 1. *Lolium perenne.* *Ray Grass.*

As an instance of a spiked grass.

Fig. 2. *Dactylis glomerata.* *Hard Grass.*

a The chaff or glume.

b b b The three stamens.

c The two reflected styles, with the feathered stigmas.

Drawn & Engraved by F. R. S. S. S.

Published 1. May 1788, as the Act directs, by B. White, &c.

PLATE X. LETTER XIV.

TRIANDRIA MONOGYNIA.

Iris pumila.

- a* The sheath, or spathe.
- b* The corolla, consisting of six parts,
united at the base.
- c c* The outer petals, called *falls*.
- d d* The inner petals, called *standards*.
- e e* The petal-form stigma, each part con-
cealing one stamen under it.
- f* A single stamen.
- g* The germ, inferior or below the corolla.
- h h* The nectary, in a villous line along the
reflected petals.

PLATE XI. LETTER XV.

TETRANDRIA.

Fig. 1. *Scabiosa columbaria*. *Small Scabious*.

An aggregate flower, consisting of many flos-
cules.

b A single floscule; the corolla cut into five
irregular segments, and the germ
crowned with hairs.

c The calyx, with the four stamens and
the pistil.

Fig. 2. *Rubia peregrina*. *Wild Madder*.

An instance of stellated plants.

The square stalk: the stellated leaves: the
corolla of four segments: the double
germ below the flower.

Fig. 3. *Plantago lanceolata*. *Ribwort Plan-
tain*.

a The flowers growing in a spike or oblong
head.

- f* The angular scape.
- o* A single flower, exhibiting the quadrifid corolla and the very long filaments.
- d* The germ and style.
- c* The calyx, inclosing the capsule.

Drawn & engraved by P. B. Audley.

Published 1. May 1798 in the Art directs. by P. B. White & Son.

PLATE XII. LETTER XVI.

PENTANDRIA MONOGYNIA.

Fig. 1. *Nicotiana Tabacum.* *Common Tobacco.*

- a* A flower-bud.
- b* A flower, showing the funnel-shaped corolla displayed.
- c* The corolla removed, to show the five stamens and pistil.
- d* A transverse section of the capsule.

Fig. 2. A flower of *Dodecatheon Meadia.*

Fig. 3. *Convolvulus sepium.* *Great Bind-Weed.*

- a* The corolla, with the involucre immediately below it, at Fig. 3.
- b* The five stamens displayed.
- c* The germ within the calyx, with the style, terminated by the two stigmas.

Fig. 4. *Lonicera Caprifolium.* *Garden
Honeysuckle.*

- a* A flower, exhibiting the irregular mono-petalous corolla.
- b* The tube opened, to show the manner in which the filaments are fixed.
- c* The pistil.

Fig. 5. *Vinco major.* *Great Periwinkle.*

- a* The corolla, showing the bending of its five divisions, and the pentagon form of the *faux*, or opening of the tube.
- b* The calyx divided to the bottom into five segments; and the pistil with two stigmas, one over the other.
- c* The tube of the corolla opened, to show the situation of the five stamens and form of the anthers.
- d* A single stamen separate.

Drawn & Engraved by W. D. Nodder.

Published as they appear, as the Art directs, by B. White & Son

PLATE XIII. LETTER XVII.

PENTANDRIA DIGYNIA.

Fig. 1. *Sium nodiflorum.* *Creeping Water Parsnep.*

To show the difference between this plant and water cresses, represented in Plate XXI.

- a* A pinnated leaf, the pinnæ, small or component leaves, longer and narrower than those of water cresses, serrated on the edges and pointed at the end: the terminating pinna trifid.
- b* A sessile umbel of flowers.
- c* A single flower.—*d* The fruit.

Fig. 2. *Scandix Anthriscus.* *Hemlock Chervil.*

To show the difference between that and *Garden Chervil.* Plate 5, Fig. 3.

- a* An umbel of flowers.
- b* An umbel of fruits.

Fig. 3. Scandix Pecten. *Shepherd's Needle,*
or *Venus's Comb.*

- a* The umbels, being instances of a simple umbel.
- b* The feeds, terminated by the long processes or beaks, which gave occasion to the names.

Drawn & Engraved by W. B. Sadtler.

Published 1 May 1788, as the Act directs, by B. White & Son.

PLATE XIV. LETTER XVIII.

HEXANDRIA.

Fig. 1. *Tradescantia Virginica*. *Virginian Spiderwort*.

- a* The corolla of three petals.
- b b* The three-leaved calyx.
- c* One of the fringed filaments.
- d* The pistil.

Fig. 2. *Narcissus Tazetta*. *Polyanthus Narcissus*.

- a* The corolla in front, showing the six equal petals, and the funnel or cup-shaped nectary.
- b* A back view of the flower, showing that the corolla is superior, or on the top of the germ.
- c* The spathe.
- d* The corolla opened, to show the situation of the six stamens within the nectary.
- e* The pistil.

1887

...

...

...

...

...

...

...

Drawn & Engraved by H. L. Voth.

Published 15 May 1798, as the 11th volume, by D. White & Son.

PLATE XV. LETTER XIX.

HEPTANDRIA.

Fig. 1. *Æsculus Hippocastanum.* *Horse*
Chestnut.

- a* The corolla of five petals, and the seven
stamens, with bending filaments.
- b* The one-leaved calyx, swelling at the base,
and divided at top into five segments.
- c* The young capsule terminated by the style.
- d* A single stamen.

OCTANDRIA.

Fig. 2. *Oenothera biennis.* *Tree Primrose.*

- a* A flower, showing the four-parted calyx,
and the corolla of four obcordate petals.
- b* The eight stamens, and the pistil in the
middle, with the deflected calyx.
- c* The pistil, with the filiform style, and the
quadrifid stigma.
- d* The capsule.
- e* A transverse section of the capsule, show-
ing the four cells.
- f* The seeds.

Fig. 3. *Epilobium angustifolium*. *French Willow*.

- a* The flower.
- b* The four-leaved calyx.
- c* The stamens, four longer and four shorter.
- d* A single stamen.
- e* The pistil.
- f* The capsule.
- g* A seed crowned with down.

Stemum (Engraved by F. K. Siedler.) ²

Published 1. May 1788 as the Act directs, by B. White & Son.

PLATE XVI. LETTER XIX.

ENNEANDRIA HEXAGYNIA.

Fig. 1. *Butomus umbellatus.* *Flowering*
Rush.

- a* The flower of six petals.
- b* The nine stamens.
- c* The six capsules.

DECANDRIA MONOGYNIA.

Fig. 2. *Dictamnus albus.* *Fraxinella.*

- a* The flower, with a corolla of five spreading petals.
- b* The five-leaved calyx, with the capsules.
- c* A single filament, with its glandules.

Drawn & engraved by A. B. Sedler

Published in May 1791, as the 11th number, by B. White & Son

PLATE XVII. LETTER XX.

DODECANDRIA DODECAGYNIA.

Sempervivum tectorum. *Common Houseleek.*

- a* The flower-stem, with a reflexed range of flowers.
- b* A flower in front, showing the corolla of twelve petals.
- c* The calyx, with the capsules, after the flower is past.
- d* A single capsule.
- e* The twelve stamens and twelve styles, separated from the flower.
- f* A single pistil, exhibiting the germ, style, and anther.
- g* Two stamens.

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

1877-1878 (1877-1878)

2 flowers. Engraved by T. C. Vowler.

Published on May 1768, as the Act directs, by B. White & Son.

PLATE XVIII. LETTER XXI.

ICOSANDRIA.

Fig. 1. *Myrtus communis.* *Common Myrtle.*

a The corolla.

b The fruit or berry.

c A single flower without the corolla, showing the stamens proceeding from the calyx.

Fig. 2. *Pyrus Cydonia.* *The Quince.*

Drawn & engraved by J. P. Sadler.

Published in May 1781, under the title of "The Flower of the Year," by R. White & Son.

PLATE XIX. LETTER XXI.

POLYANDRIA.

Fig. 1. *Caltha palustris.* *Marsh Marigold.*

- a* A flower, showing the corolla of five petals, the many stamens shorter than the corolla, &c.
- b* Another flower, showing that it has no calyx.
- c* The capsules, after the flower is past.

Fig. 2. *Papaver Rhoeas.* *Corn Poppy.*

- a* The corolla of four large roundish petals.
- b* The numerous stamens proceeding from the receptacle.
- c* The capsule crowned with its stigma.

Obs. Fig. 1. is an instance of the order Polygynia. Fig. 2. of the order Monogynia.

Drawn & Engraved by J. B. Soder.

Published 1. May 1788, as the Act directs, by B. White & Son.

PLATE XX. LETTER XXII.

DIDYNAMIA GYMNOSPERMIA.

Fig. 1. *Glechoma hederacea. Ground Ivy.*

- a* The kidney-shaped leaves.
- b* The ringent flowers.
- c* A flower opened, to show the situation of the stamens.
- d* A flower exhibiting the cruciform appearance of the anthers.
- e* The calyxes.
- f* A single filament.
- g* The pistil.

DIDYNAMIA ANGIOSPERMIA.

Fig. 2. *Bignonia radicans. Trumpet Flower.*

- a* The calyx.
- b* The corolla.
- c* The corolla displayed, to show the situation of the stamens.
- d* The pistil.

Obs. The classifical character is clearly shown at Fig. 2. *c*.

This class was farther illustrated in Plate IV.

Drawn & engraved by F. B. S. Muller.

Published 1. May 1788, as the Act directs, by W. White & Son.

PLATE XXI. LETTER XXIII.

TETRADYNAMIA.

Sisymbrium Nasturtium. Water Cress.

- a a* The pinnated leaves.
- b* The odd lobe ending blunt.
- c* The corymb of flowers.
- d* A single four-petalled cruciform flower.
- e* A single petal.
- f* The calyx.
- g* The calyx, with the stamens.
- h* A single stamen.
- i* The silique.

Compare Plate XIII. See also Plate II.

PLATE XXII. LETTER XXIV.

MONADELPHIA.

Fig. 1. *Althæa officinalis.* *Marsh Mallow.*

- a* The flower, showing the five petals united at bottom, obcordate or inversely heart-shaped, and slightly emarginated or end-nicked. In the centre is the column of stamens, with the pistils in the middle of them.
- b* The column of stamens and pistils removed from the corolla, and showing the rudiment of the fruit underneath.
- c* The pistil separate.
- d* The calyx, exhibiting the nine divisions of the outer calyx, which is one of the principal generic characters.

Fig. 2. *Malva sylvestris.* *Common Mallow.*

- a* The flower as before. The petals narrow, heart-shaped, and much more deeply end-nicked.
- b c* The column of stamens, and pistil separated.
- d* The fruit, with the double calyx; the outer very narrow, the clefts of the

inner broad and large: there are five of these, and three distinct leaves in the other; but all of them could not be represented. The fruit flat, with many seeds in a ring, each covered with its aril, or loose coat.

Fig. 3. *Geranium zonale*. *Horse-shoe Cranebill*.

- a* The flower, showing the corolla of five unequal petals, with the column of stamens, very slightly connected at bottom, and of unequal lengths.
- b* The calyx, with the column of stamens. Both these figures show the style standing up above the stamens, and terminated by five stigmas.
- c* The fruit, with the permanent style and stigmas; showing the beaked form of it, and the five seeds in their arils, each terminated by a tail, and separating from the beak. *a b c* show that the calyx is single and five-leaved.

N. B. These figures serve to explain the class *Monadelphia*: and two of the orders, *Decandria*, Fig. 3, and *Polyandria*, Fig. 1, 2.

Drawn & Engraved by J. L. Smith.

Published on May 1791 as the Act directs, by B. White & Son

PLATE XXIII. LETTER XXV.

DIADELPHIA DECANDRIA.

Lathyrus latifolius. Everlasting Pea.

Fig. 1. A bunch of flowers, in their natural size and situation.

Fig. 2. The banner.

Fig. 3. One of the wings.

Fig. 4. The keel.

Fig. 5. The stamens and pistil in their natural situation.

Fig. 6. The stamens, showing the simple filament separate from the compound one.

Fig. 7. The pistil.

See Plate III.

was & Engraved by F. R. Waller. ~)

Published on May 27th, as the Act directs, by R. White & Son. ~)

PLATE XXIV. LETTER XXV.

POLYADELPHIA.

Hypericum Ascyron. Garden Tutsan.

- a* The flower, with a corolla of five petals and the numerous stamens in the middle.
- b* A single pencil or parcel of stamens.
- c* The permanent five-parted calyx, including the germ terminated by five pistils.
- b* Explains the characters of the class and order—Polyadelphia Polyandria.

Drawn & Engraved by T. L. Voolker. -)

Published 1. May 1788, as the 1st No. of the, by E. White & Co.

PLATE XXV. LETTER XXVI.

SYNGENESIA POLYGAMIA ÆQUALIS.

Fig. 1. *Tragopogon porrifolium. Salsify.*

- a* A flower closed, showing the simple calyx.
- b* A single ligulate floscule.
- c* A floscule, deprived of the corolla.
- d* A seed, with the feathered stipitate down.
- e* The cylinder of anthers, with the pistil perforating it, terminated by the two revolute stigmas.
- f* The cylinder of anthers alone.

Fig. 2. *Carduus nutans. Musk Thistle.*

- a* The compound flower, showing the calyx all imbricate with thorny scales.
- b* A front view of the whole compound flower, composed wholly of tubulous florets.
- c* A single floscule or floret.
- d* The cylinder of anthers.
- e* The pistil.

Fig. 3. *Eupatorium cannabinum*. *Common
Hemp Agrimony*.

- a* A bunch of flowers.
- b* A single flower.
- c* A single bunch of flowers.
- d* The down.

Obs. These three figures explain the three sections of this order. 1. Containing compound flowers with ligulate florets only. 2. The capitate or headed flowers, with tubulous florets only. 3. The discoid, or naked discous flowers, with tubulous florets, but not in a head.

PLATE XXVI. LETTER XXVI.

SYNGENESIA POLYGAMIA SUPERFLUA.

*Doronicum pardalianches. Common Leopard's
Bane.*

- a* The compound radiated flower, consisting of regular tubulous floscules in the disk, and irregular ligulate floscules in the ray.
- b* The under part of the flower, showing the double row of scales to the calyx.
- c* One of the semi-florets, or ligulate floscules, taken from the ray, to show that the seed is naked, or destitute of down.
- d* A floret from the disk, the seed of which is crowned with a simple down.
- e* A section of the disk, in order to exhibit the naked receptacle.

Drawn & Engraved by J. B. A. V. A. V. A.

Published as May 1792, on the 1st . . . by B. White & Son

PLATE XXVII. LETTER XXVI.

SYNGEN. POLYG. FRUSTRANEA

and NECESSARIA.

Fig. 1. *Centaurea montana*. *Mountain Blue Bottle*.

- a* The compound flower, showing the neutral or barren florets on the outside, longer than the fertile ones in the middle, and the ciliated scales of the calyx.
- b* A barren floret.
- c* A fertile floret, with some of the bristles at the base.
- d* The same, divested of the corolla.
- e* The pistil.

N. B. This serves to explain the order Polygamia Frustranea in the class Syngenesia.

Fig. 2. *Calendula officinalis*. *Garden Marigold*.

- a* The compound radiated flower.
- b* The calyx, with the seeds in the ray only, bending inwards after the florets are decayed.

- c* The boat-shaped muricated seed, without down.
- d* A barren seed, from one of the central flowers.
- e* A fertile floscule from the ray.
- f* A barren floscule from the disk.

N. B. This serves to explain the order Polygamia Neceffaria in the clafs Syngenefia.

Drawn & Engraved by J. B. Sower.

Published as they are the Act directs, by B. White & Son

PLATE XXVIII. LETTER XXVI.

SYNGEN. POLYG. SEGREGATA.

Echinops sphærocephalus. Globe Thistle.

- a* The entire compound flower, consisting of tubular florets, separated by their proper perianths; which determines this plant to be of the segregate order in the class Syngenesia.
- b* A sinuated leaf, the jags ending in spines.
- c* A single floscule in its calyx.
- d* A floscule taken out of the calyx, with the style separate.
- e* A single subulate leaflet of the calyx, in three different views.

Drawn & engraved by T. P. Sower.

Published 4. May 1768, as the Act directs, by R. White & Son.

PLATE XXIX. LETTER XXVI.

SYNGENESIA MONOGAMIA.

Viola odorata. Sweet Violet.

- a* The calyx of five leaves.
- b* The corolla of five irregular petals.
- c* The horn-shaped nectary.
- d* A flower opened, to show the stamens
with the five connected anthers.
- e* The stamens within the calyx.
- f* A single stamen.
- g* The pistil.
- h h h* The heart-shaped leaves.
- i i* The young leaves, involuted, rolled
inwards, or rather upwards.
- k k k* The scape, with the double bracte on
the middle of it.
- l* One of the stolones, or runners, putting
forth roots.

^R
 Drawn & engraved by J. P. Weller

Published 1. May 1791. as the Act directs, by D. White & Son

PLATE XXX. LETTER XXVII.

GYNANDRIA.

Passiflora cærulea. *Blue Passion Flower.*

- a* The palmated leaf.
- b* The corolla and calyx, each of five leaves,
and having the same appearance in
front.
- c* The radiate crown, which is the nectary.
- d* The pistil and five stamens.
- e* The anthers terminating the filaments,
which spring from the bottom of the
germ, where it meets the pedicle,
upon which it stands.
- fff* The three stigmas arising from the
germ.

L. v. 1840

Published by the University of the Netherlands, by the Ministry of Education.

PLATE XXXI. LETTER XXVIII.

M O N O E C I A.

Momordica Elaterium. *Spirting Cucumber.*

- a a* The male or staminiferous flowers.
- b b* The female or pistilliferous flowers, with the large germ below the receptacle.
- c* The male flower, showing the three filaments, with double anthers on two of them, and a simple anther on the third.
- d* The germ, surmounted with the style, divided into three parts, each part sustaining an oblong gibbous stigma.
- e* The divided part of the style, with the stigmas.
- f* Two different views of a single stigma.

Drawn & engraved by H. B. Volder.

Published 1. May 1791, as the Art directs, by B. White, & Son.

PLATE XXXII. LETTER XXIX.

DIOECIA.

Cannabis fativa. Hemp.

Fig. 1. *Female Hemp.*

a A single female flower.

b The seed included within the calyx.

Fig. 2. *Male Hemp.*

a Male flowers separate.

Engraved by F. P. Siedler.

Published 1. May 1788, as the 11th. No. 11, by B. White & Son.

PLATE XXXIII. LETTER XXX.

POLYGAMIA MONOECIA.

Acer campestre. Common Maple.

- a a* The lobed leaves.
- b b* Bunches of flowers. — *c* Perfect. —
d Male, with stamens only.
- e* A single perfect flower.
- f* A petal.
- g* A perfect flower divested of the corolla
and calyx.
- h* A single stamen.
- i* The pistil, with the two revolute stigmas,
and the rudiment of the two capsules,
terminating in a wing.
- k* A male, or stamiferous flower, and a
single petal of it.

Drawn & engraved by F. R. Nodder.

Published v. May 1798, as the Act directs by B. White & Son.

PLATE XXXIV. LETTER XXXI.

NECTARIES.

Fig. 1. *Aconitum Napellus. Blue Monk's Hood.*

a a The two recurved pedunculated nectaries.

b A single nectary, taken out of the flower.

Fig. 2. *Delphinium Ajacis. Garden Larkspur.*

a The nectary, continued backward in form of a horn or spur.

Fig. 3. *Parnassia palustris.*

a A flower, with the nectareous scales at the base of the stamens.

b The five heart-shaped nectaries, terminating in hairs, with a little ball on the top of each, and placed between the stamens.

Fig. 4. A petal of the *Ranunculus*, showing the honied gland just above the base, on the inside at *a a*.

Fig. 5. Iris or Flag. The nectary, in form of a villous line, along the middle of one of the reflex petals.

Fig. 6. *Fritillaria Imperialis*. *Crown Imperial*.

a An excavation at the base of the petal, which is the nectary.

Fig. 7. *Asphodelus luteus*. *Yellow Asphodel*.

a The flower, showing the six stamens, each fitting on its valve, and the six valves forming an arch over the germ.

b A single filament on its scale, which is inserted into the base of the petal.

Fig. 8. *Helleborus foetidus*. *Stinking Black-Hellebore*.

a The tubular nectaries placed in a ring at the base of the stamens.

b A single nectary.

Drawn & engraved by F. B. Nodder.

Published 1. May 1790, as the 1st divison, by B. White & S.

PLATE XXXV. LETTER XXXII.

CRYPTOGAMIA FILICES. Ferns.

Osmunda Spicant. Rough Spleenwort.

- Fig. 1. The barren frond.
Fig. 2. The fertile frond.
Fig. 3. A single pinna magnified, with the
scales at *aa*; and covers of the
capsules at *bb*.
Fig. 4. A part of the pinna more magni-
fied, with the anthers on the rib
at *a*, and the membrane rolled
back at *bb*, to exhibit the rudi-
ments of the seed vessels at *cc*.

PLATE XXXVI. LETTER XXXII.

CRYPTOGAMIA MUSCI. Mosses.

Bryum pyriforme. Pear Bryum.

- Fig. 1. The moss of its natural size.
Fig. 2. The anthers yet entire.
Fig. 3. The female flower, while it is yet inclosed within the inmost leaves.
Fig. 4. The same separated, with the appendages, viz. *a a* the adductors. *b b* the cylindrical jointed threads.

2

Drawn & Engraved by J. B. Waller.

Published on May 17th, as the Act directs, by R. White & Son.

Drawn & Engraved by F. L. Vaddoe.

Published by H. K. Gay, at the Old Church, by B. White & Son.

PLATE XXXVII. LETTER XXXII.

CRYPTOGAMIA ALGÆ.

Lichen ciliaris. *Ciliated Liverwort.*

Fig. 1. The plant of its natural size.

Fig. 2. The same magnified.

a a The male or barren flowers.

b b The females in a state of ripeness.

c c The rooting hairs.

d d The hairs, or ciliæ, growing on the
 extremities.

Fig. 3. The seeds magnified.

PLATE XXXVIII. LETTER XXXII.

CRYPTOGAMIA FUNGI. Fungufes.

Agaricus Dillen. giff. p. 185.

Fig. 1. Plants of different ages, and of their natural fize.

a Is the Fungus in its perfect or adult ftate.

b The fame in its middle ftate.

c Small plants juft rifing.

Fig. 2. A parcel of knotted threads from the fungus marked *b*, fuppofed to be the ftamens.

Fig. 3. A fection of the cap (*a*) and lamella (*b*) of the fame fmall fungus magnified.

Fig. 4. The ripe feeds of this fungus much magnified.

Obj. Thefe four plates are copied from Hedwig's Thecrida, as it would have answered little purpofe to figure fuch minute plants of their natural fize only.

T H E E N D.

De raven & engraved by J. B. Neuber.

Published 1. May 1793, under the Act direct, by B. White & Son.

B O O K S

Lately Published by JOHN WHITE.

1. Letters on the Elements of BOTANY. Addressed to a Lady, by the celebrated J. J. ROUSSEAU. Translated into English, with Notes, and twenty-four additional Letters, fully explaining the System of Linnæus. By THOMAS MARTYN, B.D. F.R. and L.S.S. Professor of Botany in the University of Cambridge. The Fourth Edition. Price Seven Shillings, in Boards.

2. The LANGUAGE of BOTANY: being a Dictionary of the Terms made use of in that Science, principally by Linnæus: with familiar Explanations, and an Attempt to establish Significant English Terms. The whole interspersed with Critical Remarks. By THOMAS MARTYN, B.D. F.R. and L.S.S. &c. Price Five Shillings, in Boards.

3. FLORA DIÆTETICA; or, History of Esculent Plants, both domestic and foreign: in which they are accurately described, and reduced to their Linnæan Generic and Specific Names; with their English Names annexed, and ranged under eleven General Heads, viz. 1. Esculent Roots; 2. Shoots, Stalks, &c; 3. Leaves; 4. Flowers; 5. Berries; 6. Stone Fruit; 7. Apples; 8. Legumens; 9. Grain; 10. Nuts; 11. Funguses; and a particular Account of the Manner of using them; their native Places of Growth; their several Varieties and Physical Properties: together with whatever is otherwise curious or remarkable in each Species. By CHARLES BRYANT. Price Six Shillings, in Boards.

4. Elements of CONCHOLOGY: or, an Introduction to the Knowledge of Shells. With seven Plates, containing Figures of every Genus of Shells. By EMANUEL MENDES DA COSTA. Price Seven Shillings and Sixpence; or, the Plates beautifully coloured, Fifteen Shillings, in Boards.

5. The NATURALIST's JOURNAL, upon the Plan of Mr. Stillingfleet, for keeping a daily Register of Observations on the Weather, Plants, Birds, Insects, &c. By the Honourable DAINES BARRINGTON: a new Edition, neatly engraved, and printed on a fine Writing Paper. Price Five Shillings, sewed in Marble Paper.

6. The Natural History of many curious and uncommon ZOOPHYTES, collected from various Parts of the Globe. By the late JOHN ELLIS, Esq. F. R. S. Systematically arranged and described by the late DANIEL SOLANDER, M. D. F. R. S. &c. with sixty two very elegant Plates. Price One Pound Sixteen Shillings, in Boards.

7. New Illustrations of ZOOLOGY, intended as a Supplement to Edwards's Natural History of Birds. By PETER BROWN. With fifty Plates of new, curious, and non-descript Birds, Quadrupeds, &c. most beautifully coloured. Price three Guineas, half bound.

8. Handsomely printed on a fine Paper, in One Volume Quarto, ornamented with elegant Engravings, The Natural History and Antiquities of SELBORNE, in the County of Southampton; in a Series of Letters to THOMAS PENNANT, Esq. and the Honourable DAINES BARRINGTON. By the Reverend GILBERT WHITE, M. A. late Fellow of Oriel College in Oxford. Price one Guinea, in Boards.

9. The LIFE of LINNÆUS, with a List of his Works, and a Biographical Sketch of the Life of his SON. Translated from the Original German, of D. H. STOECKER, Ph. D. by JOSEPH TRAPP, A. M. Dedicated to the Linnæan Society; with a Portrait of Linnæus, by Heath. Price One Guinea, in Boards.

10. The same on Large Paper. Price One Pound Seven Shillings.

**Library
of the
University of Toronto**