580.3

L64s

Index

S

THE UNIVERSITY
OF ILLINOIS
LIBRARY

580.3
L64s
Index

BOTANY

DEPARTMENT

AUG 16 1967

4056
20/5 99.

INDEX PERFECTUS
AD
CAROLI LINNÆI
SPECIES PLANTARUM,

NEMPE EARUM
PRIMAM EDITIONEM,
(ANNO 1753).

COLLATORE
FERDINANDO DE MUELLER.

Melbourne:

M'CARRON, BIRD & SOCII IMPRESSERUNT.

MDCCCLXXX.

INDEX PERFECTUS

AD

Carolus Linnaeus

CAROLI LINNÆI

SPECIES PLANTARUM,

NEMPE EARUM

PRIMAM EDITIONEM,

(ANNO 1753).

COLLATORE

FERDINANDO DE MUELLER.

Melbourne:

M'CARRON, BIRD & SOCI IMPRESSERUNT.

MDCCCLXXX.

580.3

L64s

Index

LIBER aureus Linnæi anno MDCCLIII promulgatus, quo vir immortalis primum nomina plantarum specifica constituit, diu adeo rarescebat, ut etiam in operibus phytographorum præstantissimis fere semper tantummodo editio secunda specierum plantarum citaretur. Hodie autem prioritatis legem exactam prorsus in phytographia agnoscimus, quare verum hujus scientiæ recentioris fundamentum ex multis annis fere occultum iterum lustrare necesse habeo. Codex quoque Richteri (anno 1835) cum indice Petermanni (anno 1840) omnium operum Linnæi parum in usum constantem venit, tametsi amplissimus atque eximius; igitur indicem hunc modestum et simplicem primo pro meorum operum scribendi facilitate solummodo constructum nunc etiam usui forsan commodo præsertim amicorum offerre audeo.

Digitized by the Internet Archive
in 2010 with funding from
University of Illinois Urbana-Champaign

INDEX PERFECTUS

AD

CAROLI LINNÆI

SPECIES PLANTARUM.

- ACALYPHA**—virginica, indica, 1003; australis, 1004.
ACANTHUS—mollis, spinosus, ilicifolius, maderaspatensis, 939.
ACER—tataricum, Pseudo-Platanus, 1054; rubrum, saccharinum, platanoides, pensylvanicum, campestre, 1055; monspesulanum, Negundo, 1056.
ACHILLEA—santolina, 896; Ageratum, falcata, tomentosa, pubescens, abrotanifolia, 897; macrophylla, impatiens, Clavennæ, Ptarmica, 898; alpina, atrata, nana, Millefolium, nobilis, cretica, 899; ægyptiaca, bipinnata, inodora, 900.
ACHYRANTHES—aspera, lappacea, lanata, 204; repens, corymbosa, 205.
ACHRAS—Sapota, 1190.
ACNIDA—cannabina, 1027.
ACONITUM—lycoctonum, variegatum, Napellus, pyrenaicum, Anthora, 532.
ACORUS—Calamus, 324.
ACROSTICHUM—lanceolatum, citrifolium, heterophyllum, 1067; crinitum, septentrionale, pectinatum, dichotomum, digitatum, polypodioides, 1068; aureum, sorbifolium, areolatum, platyneuron, 1069; nodosum, trifoliatum, siliquosum, thalictroides, 1070; marantæ, ilvense, ebeneum, Thelypteris, 1071; cruciatum, barbarum, calomelanos, pulchrum, 1072.
ACTÆA—spicata, racemosa, cimicifuga, 504.
ADANSONIA—digitata, 1190.
ADENANTHERA—pavonina, 384.
ADIANTUM—reniforme, philippense, radiatum, 1094; pedatum, trilobum, serrulatum, flabellulatum, trifoliatum, chusanum, 1095; Capillus veneris, pulverulentum, clavatum, aculeatum, 1096; trapeziforme, hexagonum, 1097.

- ADONIS—annua, vernalis, 547; apennina, capensis, 548.
 ADOXA—Moschatellina, 367.
 ÆGILORS—ovata, 1050; caudata, squarosa, triuncialis, incurva, 1051.
 ÆGINETIA—indica, 632.
 ÆGOPodium—Podagria, 265.
 ÆSCHYNOMENE—aspera, americana, arborea, indica, 713; Sesban, 714.
 ÆSCULUS—Hippo-Castanum, Pavia, 344.
 ÆTHUSA—Cynapium, 256.
 AGARICUS—Cantharellus, quinquepartitus, integer, 1171; muscarius, dentatus, deliciosus, lactifluus, 1172; piperatus, campestris, violaceus, cinnamomeus, viscidus, equestris, Georgii, 1173; mammosus, clypeatus, extinctorius, fimentarius, 1174; campanulatus, separatus, fragilis, umbelliferus, androsaceus, clavus, 1175; quercinus, betulinus, alneus, 1176.
 AGAVE—americana, vivipara, virginica, foetida, 323.
 AGERATUM—conyzoides, ciliare, altissimum, 839.
 AGRIMONIA—Eupatoria, agrimonoides, 448.
 AGROSTEMMA—Githago, 435; Cœlirosa, Coronaria, Flos jovis, 436.
 AGROSTIS—spica venti, miliacea, arundinacea, 61; rubra, canina, paradoxa, 62.
 AIRA—spicata, cristata, cœrulea, 63; arundinacea, minuta, aquatica, spicata, cœspitosa, 64; flexuosa, montana, alpina, canescens, præcox, 65; caryophyllea, 66.
 AJUGA—orientalis, pyramidalis, genevensis, reptans, 561.
 AIZOON—canariense, hispanicum, paniculatum, 488.
 ALCEA—rosea, ficifolia, 687.
 ALDROVANDA—vesiculosa, 281.
 ALETRIS—farinosa, 319.
 ALCHEMILLA—vulgaris, alpina, pentaphyllea, 123.
 ALISMA—Plantago, 342; flava, Damasonium, cordifolia, natans, ranunculoides, subulata, 343.
 ALLIUM—Ampeloprasum, Porrum, lineare, Victorialis, subhirsutum, 295; obliquum, ramosum, roseum, sativum, 296; Scorodoprasum, arenarium, carinatum, sphærocephalon, 297; descendens, moschatum, flavum, vineale, oleraceum, nutans, senescens, 299; angulosum, ursinum, triquetrum, Cepa, 300; Moly, fistulosum, Schœnoprasum, tenuissimum, Chamœ-Moly, 301; Canadense, 1195.
 ALLOPHYLUS—zeylanicus, 348.
 ALOE—perfoliata, 319, 320; variegata, disticha, hyacinthoides, 321; spiralis, retusa, viscosa, pumila, 322; Uvaria, 323.
 ALOPECURUS—pratensis, geniculatus, hordeiformis, 60; monspeliensis, 61.
 ALPINIA—racemosa, 2.
 ALSINE—media, segetalis, 272.

- ALTHÆA**—officinalis, cannabina, 686; hirsuta, 687.
ALYSSUM—spinosum, montanum, halimifolium, saxatile, incanum, 650; minimum, clypeatum, sinuatum, creticum, Vesicaria, hyperboreum, 651.
AMARANTHUS—tricolor, melancholicus, tristis, 989; lividus, græcizans, Blitum, caudatus, hybridus, 990; hypocondriacus, retroflexus, spinosus, 991.
AMARYLLIS—lutea, Atamasco, 292; formosissima, Belladonna, sarniensis, zeylanica, longifolia, orientalis, 293; guttata, 294.
AMBROSIA—trifida, elatior, 987; artemisifolia, maritima, 988.
AMETHYSTEA—cœrulea, 21.
AMMANNIA—latifolia, 119; ramosior, baccifera, 120.
AMMI—majus, glaucifolium, 243.
AMOMUM—Zingiber, Zerumbet, Cardamom, 1; Granum paradisi, 2.
AMORPHA—fruticosa, 713.
AMYGDALUS—Persica, 472; communis, nana, 473.
ANABASIS—aphylla, foliosa, 223.
ANACARDIUM—occidentale, 383.
ANACYCLUS—creticus, orientalis, valentinus, 892.
ANAGALLIS—arvensis, monelli, 148; latifolia, capensis, 149.
ANAGYRIS—fœtida, 374.
ANASTATICA—hierochuntica, 641.
ANCHUSA—officinalis, angustifolia, undulata, orientalis, virginiana, 133; sempervirens, 134.
ANDRACHNE—fruticosa, 1014.
ANDROMEDA—tetragona, hypnoides, cœrulea, mariana, Polifolia, 393; paniculata, racemosa, arborea, calyculata, 394.
ANDROPOGON—contortum, divaricatum, nutans, alopecuroides, 1045; distachyon, Schoenanthus, virginicum, bicornis, hirtum, Nardus, 1046; Ischœmum, fasciculatum, 1047.
ANDROSACE—maxima, 141; septentrionalis, villosa, Halleri, lactea, carnea, 142.
ANDRYALA—integrifolia, sinuata, 808.
ANEMONE—Hepatica, palmata, patens, vernalis, 538; Pulsatilla, pratensis, coronaria, alpina, 539; hortensis, sylvestris, virginiana, dichotoma, trifolia, 540; quinquefolia, nemorosa, apennina, ranunculoides, Sibirica, 541; narcissiflora, fasciculata, thalictroides, 542; malvifolia, 1197.
ANETHUM—graveolens, Fœniculum, 263.
ANGELICA—Archangelica, 250; sylvestris, atropurpurea, lucida, 251.
ANNOXA—muricata, 536; squamosa, reticulata, glabra, triloba, asiatica, africana, 537.
ANTHEMIS—Cota, altissima, maritima, tomentosa, 893; mixta, chia, nobilis, arvensis, Cotula, 894; cretica, repanda, Pyrethrum, valentina, americana, 895; Millefolia, tinctoria, arabica, 396.

- ANTHERICUM—revolutum, Liliago, frutescens, 310; aloides, asphodeloides, annuum, ossifragum, calyculatum, 311.
- ANTHOCEROS—punctatus, lævis, 1139; multifidus, 1140.
- ANTHOSPERMUM—æthiopicum, 1058.
- ANTHOXANTHUM—odoratum, indicum, paniculatum, 28.
- ANTHOLYSSA—ringens, Cunonia, 37.
- ANTHYLLIS—tetraphylla, Vulneraria, montana, cornicina, 719; lotoides, Barba jovis, cytisoides, hermannia, Erinacea, 720.
- ANTIDESMA—alexiteria, 1027.
- ANTIRRHINUM—Asarina, Cymbalaria, Elatine, 612; spurium, ægyptiacum, triphyllum, triornithophorum, triste, purpureum, 613; bipunctatum, repens, arvense, 614; pelisserianum, organifolium, multicaule, alpinum, supinum, 615; dalmaticum, hirtum, genistifolium, Linaria, monspessulanum, 616; chalepense, minus, majus, orontium, bellidifolium, 617; canadense, 618; sparteum, 1197; molle, 1198.
- APHANES—arvensis, 123.
- APHYLLANTHES—monspeliensis, 294.
- APIUM—Petroselinum, graveolens, 264.
- APLUDA—mutica, 82.
- APOCYNUM—androsæmifolium, cannabinum, venetum, frutescens, 213; reticulatum, 214.
- AQUILEGIA—vulgaris, alpina, canadensis, 533.
- ARABIS—alpina, 664; grandiflora, thaliana, lyrata, canadensis, pendula, Turrita, 665.
- ARACHIS—hypogæa, 741.
- ARALIA—spinosa, chinensis, racemosa, 273; nudicaulis, 274.
- ARBUTUS—Unedo, acadensis, alpina, Uva ursi, 395.
- ARCTIUM—Lappa, Personata, 816.
- ARCTOPUS—echinatus, 1058.
- ARCTOTIS—tristis, Calendula, aspera, 922; augustifolia, 923.
- ARECA—Cathecu, 1189.
- ARENARIA—peplodes, tetraquetra, lateriflora, trinervia, serpyllifolia, rubra, 423; saxatilis, tenuifolia, laricifolia, mucronata, 424; ciliata, hispida, 425.
- ARETIA—alpina, 141.
- ARETHUSA—bulbosa, 950; ophioglossoides, divaricata, 951.
- ARGEMONE—mexicana, 508; armeniaca, pyrenaica, 509.
- ARISTIDA—adscensionis, 82.
- ARISTOLOCHIA—bilobata, trilobata, peltata, arborescens, indica, 960; bætica, hirta, sempervirens, Serpentaria, 961; Pistorlochchia, rotunda, longa, clematidis, 962.
- ARNICA—montana, scorpioides, maritima, 884; crocea, Gerbera, coronopifolia, 885.
- ARTEDIA—squamata, muricata, 242.
- ARTEMISIA—æthiopica, Abrotanum, Santonicum, 845; campestris, palustris, crithmifolia, maritima, 846; rupestris, pontica,

annua, 847; *tanacetifolia*, *Absinthium*, *vulgaris*, *integri-
folia*, *cœrulescens*, 848; *Dracunculus*, *chinensis*, *maderas-
patana*, *minima*, 849.

ARUM—*Dracunculus*, *Dracontium*, *pentaphyllum*, 964; *triphyllum*, *trilobatum*, *Colocasia*, *esculentum*, *macrorrhizon*, 965; *peregrinum*, *divaricatum*, *sagittæfolium*, *maculatum*, *virginicum*, *proboscideum*, *Arisarum*, 966; *ovatum*, *tenuifolium*, *arborescens*, 967.

ARUNDO—*Bambos*, *Donax*, *phragmites*, *epigejos*, 81; *Calamogrostis*, *arenaria*, 82.

ASARUM—*europæum*, *canadense*, *virginicum*, *Hypocistis*, 442.

ASCLEPIAS—*undulata*, *gigantea*, *syriaca*, *amœna*, *purpurascens*, 214; *variegata*, *nivea*, *incarnata*, *curassavica*, 215; *decumbens*, *lactifera*, *Vincetoxicum*, *nigra*, *fruticosa*, 216; *sibirica*, *verticillata*, *rubra*, *tuberosa*, 217.

ASCYRUM—*Crux Andreae*, 787; *hypericoides*, *villosum*, 788.

ASPALATHUS—*astroites*, *chenopoda*, *thymifolia*, *ericifolia*, 711; *verrucosa*, *retroflexa*, *uniflora*, *araneosa*, *indica*, *cretica*, *tridentata*, 712; *argentea*, *callosa*, 713.

ASPARAGUS—*officinalis*, *declinatus*, *falcatus*, *retrofractus*, *asiaticus*, 313; *albus*, *acutifolius*, *aphyllus*, *capensis*, *sarmentosus*, 314.

ASPERUGO—*procumbens*, 138.

ASPERULA—*odorata*, *arvensis*, *taurina*, 103; *tinctoria*, *pyrenaica*, *cynanchica*, 104.

ASPHODELUS—*luteus*, *fistulosus*, 309; *ramosus*, 310.

ASPLENIUM—*rhizophylla*, *Hemionitis*, 1078; *Scolopendrium*, *nidus*, *serratum*, *bifolium*, 1079; *Ceterach*, *obtusifolium*, *salicifolium*, *Trichomanes*, *dentatum*, 1080.

ASTER—*fruticosus*, *alpinus*, *sibiricus*, *Tripolium*, 872; *Amellus*, *divaricatus*, *dumosus*, *tenuifolius*, 873; *linariifolius*, *linifolius*, *sedifolius*, *concolor*, *rigidus*, 874; *undulatus*, *novæ anglæ*, *ericoides*, *cordifolius*, *puniceus*, *annuus*, 875; *vernus*, *indicus*, *lævis*, *mutabilis*, *tradesanti*, 876; *novi belgii*, *grandiflorus*, *miser*, *reflexus*, *chinensis*, *aurantius*, 877.

ASTRAGALUS—*alopecuroides*, *christianus*, *capitatus*, 755; *pilosus*, *hedysaroides*, *sulcatus*, *galegiformis*, 756; *uliginosus*, *carolinianus*, *canadensis*, *Cicer*, *microphyllus*, 757; *glycyphyllos*, *hamosus*, *contortuplicatus*, *boeticus*, 758; *sesameus*, *Epiglottis*, *syriacus*, *arenarius*, *Glaux*, 759; *Onobrychis*, *alpinus*, *montanus*, *vesicarius*, *physodes*, 760; *uralensis*, *monspessulanus*, *grandiflorus*, *campestris*, *trimestris*, 761; *tragacanthoides*, *Tragacantha*, 762.

ASTRANTIA—*major*, *minor*, 235.

ATHAMANTA—*Libanotis*, *sibirica*, *Oreoselinum*, *sicula*, 244; *cre-
tensis*, *annua*, *chinensis*, *Meum*, 245; *condensata*, 1195.

ATRACYLIS—*fruticosa*, *gummifera*, *humilis*, 829; *cancellata*, 830.

ATRAGENE—*zeylanica*, *alpina*, 542; *sibirica*, *capensis*, 543.

ATRAPHAXIS—*spinosa*, *undulata*, 333.

- ATRIPLEX**—Halimus, 1052; portulacoides, tartarica, hortensis, laciniata, hastata, patula, 1053; littoralis, 1054.
ATROPA—Belladonna, physalodes, 181; frutescens, 182.
AVENA—sibirica, elatior, pensylvanica, Loefflingiana, sativa, 79; fatua, flavescens, fragilis, pratensis, spicata, 80.
AVERROA—Bilimbi, Carambola, acida, 428.
AVICENNIA—officinalis, 110.
AXYRIS—ceratoides, amaranthoides, 979; hybrida, prostrata, 980.
AZALEA—indica, pontica, lutea, 150; viscosa, lapponica, procumbens, 151.
BACCHARIS—ivæfolia, tenuifolia, neriifolia, halimifolia, 860; indica, fœtida, 861.
BÆCKEA—frutescens, 358.
BALLOTA—nigra, lanata, 582.
BANISTERIA—lupuloides, purpurea, benghalensis, dichotoma, fulgens, 427; brachiata, 428.
BARLERIA—solanifolia, Prionitis, buxifolia, crustata, 636; coccinea, 637.
BARRERIA—capensis, 274.
BARTSIA—coccinea, pallida, viscosa, alpina, Trixago, 602.
BARTRAMIA—indica, 389.
BASELLA—rubra, alba, 272.
BAUHINIA—scandens, aculeata, divaricata, unguolata, 374; variegata, purpurea, tomentosa, acuminata, 375.
BEGONIA—obliqua, 1056.
BELLIS—perennis, 886; annua, 887.
BELLONIA—aspera, 172.
BERBERIS—vulgaris, 330; cretica, 331.
BESLERIA—melittifolia, lutea, cristata, 619.
BETA—vulgaris, 222.
BETONICA—officinalis, orientalis, alopecurus, annua, 573.
BETULA—alba, nigra, 982; lenta, nana, Alnus, 983.
BIDENS—tripartita, 831; cernua, nodiflora, frondosa, pilosa, bipinnata, 832; nivea, verticillata, fruticosa, scandens, bullata, 833.
BIGNONIA—Catalpa, 622; sempervirens, unguis cati, æquinoctialis, paniculata, 623; crucigera, capreolata, Leucoxydon, radiata, radicans, 624; peruviana, indica, cœrulea, 625.
BISCUTELLA—auriculata, 652; didyma, 653.
BISERRULA—Pelecinus, 762.
BIXA—Orellana, 512.
BLASIA—pusilla, 1138.
BLÆRIA—ericoides, 162.
BLECHNUM—orientale, occidentale, 1077.
BLITUM—capitatum, virgatum, 4.
BOBARTIA—indica, 54.
BOCCONIA—frutescens, 505.

- BOERHAVIA**—erecta, diffusa, scandens, repens, 3; diandra, 1194.
BOLETUS—suberosus, fomentarius, ignarius, versicolor, 1176;
suaveolens, perennis, viscidus, luteus, bovinus, granulatus,
1177; subtomentosus, subsquamosus, 1178.
BOMBAX—Ceiba, pentandrum, 511; religiosa, 512.
BONTIA—daphnoides, 938.
BORASSUS—flabellifer, 1187.
BORBONIA—trinervia, lanceolata, cordata, tomentosa, 707; crenata,
708.
BORAGO—officinalis, indica, 137; africana, orientalis, 138.
BOSEA—yervamora, 225.
BRABEJUM—stellatifolium, 121.
BRASSICA—orientalis, campestris, Napus, Rapa, 666; oleracea,
violacea, Erucastrum, Eruca, 667; vesicaria, 668.
BREYNIA—indica, 503.
BRIZA—minor, media, maxima, Eragrostis, 70.
BROMELIA—Ananas, Pinguin, Karatas, lingulata, 285; nudicaulis,
286.
BROMUS—secalinus, squarrosus, purgans, ciliatus, 76; sterilis,
arvensis, tectorum, hordeaceus, giganteus, 77; pinnatus,
cristatus, 78.
BROSSÆA—coccinea, 1190.
BROWALLIA—americana, 631.
BRUNSFELSIA—americana, 191.
BRUNIA—nodiflora, lanuginosa, ciliata, abrotanoides, Levisanus,
uniflora, 199.
BRYONIA—alba, palmata, cordifolia, 1012; laciniosa, africana,
cretica, 1013.
BRYUM—apocarpum, striatum, pomiforme, 1115; pyriforme, ex-
tinctorium, subulatum, rurale, 1116; murale, scoparium,
undulatum, 1117; glaucum, albidum, pellucidum, aciculare,
flexuosum, heteromallum, 1118; tortuosum, truncatulum,
viridulum, paludosum, hypnoides, 1119; verticillatum,
Celsii, trichodes, squarrosus, argenteum, 1120; pulvinat-
um, cæspiticius, capillare, 1121; carneum, 1122.
BUBON—macedonicum, Galbanum, 253; gummiferum, rigidius, 254.
BUCEPHALON—racemosum, 1190.
BUCHNERA—americana, asiatica, 630.
BUDDLEJA—americana, 112.
BUFONIA—tenuifolia, 123.
BULBOCODIUM—vernum, otinum, 294.
BUNIAS—cornuta, 669; Erucago, orientalis, Cakile, 670.
BUNIUM—Bulbocastanum, 243.
BUPHTHALMUM—frutescens, spinosum, aquaticum, maritimum, 903
salicifolium, grandiflorum, helianthoides, 904.
BUPLEURUM—rotundifolium, stellatum, petraeum, angulosum, 236;
longifolium, falcatum, odontites, ranunculoides, 237; rigi-
dum, tenuissimum, villosum, fruticosum, difforme, 238.

BURMANNIA—disticha, biflora, 287.

BUTOMUS—umbellatus, 372.

BUXUS—sempervirens, 983.

BYSSUS—Flos aquæ, phosphorea, velutina, aurea, cryptarum, antiquitatis, 1168; saxatilis, Jolithus, candelaris, botryoides, incana, lactea, 1169.

CACALIA—papillaris, Anteuphorbium, Kleinia, ficoides, Porophyllum, 834; sonchifolia, hastata, suaveolens, atriplicifolia, 835; alpina, 836.

CACTUS—mammillaris, Melocactus, heptagonus, tetragonus, hexagonus, 466; pentagonus, repandus, lanuginosus, peruvianus, Royeni, grandiflorus, flagelliformis, 467; triangularis, moniliformis, Opuntia, Ficus indica, Tuna, cochinillifer, 468; curassavicus, Phyllanthus, Pereskia, portulacifolius, 469.

CÆSALPINIA—brasiliensis, Crista, 380; Sappan, vesicaria, 381.

CALENDULA—officinalis, pluvialis, hybrida, 921; nudicaulis, graminifolia, 922.

CALAMUS—Rotang, 325.

CALLA—æthiopica, palustris, 968.

CALLICARPA—americana, 111.

CALLITRICHE—palustris, 969.

CALOPHYLLUM—Inophyllum, 513; Calaba, 514.

CALTHA—palustris, 558.

CAMELLIA—japonica, 698.

CAMERARIA—latifolia, angustifolia, 210.

CAMPANULA—uniflora, pulla, rotundifolia, patula, 163; Rapunculus, decurrens, persicifolia, pyramidalis, americana, 164; liliifolia, rhomboidalis, laciniata, latifolia, rapunculoides, bononiensis, 165; graminifolia, spicata, Trachelium, glomerata, 166; Cervicaria, thyrsoides, Medium, sibirica, saxatilis, 167; canariensis, fruticosa, speculum, hybrida, 168; Penta-gonia, Erinus, perfoliata, capensis, hederacea, 169.

CAMPHOROSMA—monspeliaca, acuta, glabra, 122.

CANNA—Indica, angustifolia, glauca, 1.

CANNABIS—sativa, 1027.

CAPPARIS—spinosa, 503; cynophallophora, Baducca, 504.

CAPRARIA—biflora, 628.

CAPSICUM—annuum, 188; frutescens, 189.

CARDAMINE—bellidifolia, asarifolia, nudicaulis, petræa, trifolia, 654; africana, chelidonia, impatiens, græca, hirsuta, 655; pratensis, amara, resedifolia, Virginica, Lunaria, 656.

CARDIOSPERMUM—Halicacabum, 366.

CARDUUS—Acarna, leucographus, 820; lanceolatus, nutans, acanthoides, crispus, 821; palustris, dissectus, cyanoides, monspessulanus, 822; casabonæ, stellatus, marianus, syriacus, eriophorus, 823; altissimus, virginianus, tuberosus,

heterophyllus, 824; helenioides, serratuloides, tataricus, flavescens, 825; acaulos, 1199.

CAREX—dioica, pulicaris, 972; squarrosa, arenaria, uliginosa, leporina, vulpina, 973; muricata, loliacea, elongata, canescens, 974; flava, hirta, digitata, montana, 975; globularis, filiformis, pilulifera, saxatilis, atrata, 976; limosa, capillaris, pallescens, panicea, 977; folliculata, Pseudo-Cyperus, cespitosa, acuta, 978; vesicaria, 979.

CARICA—Papaya, Posoposa, 1036.

CARLINA—acaulis, lanata, vulgaris, corymbosa, 828; racemosa, pyrenaica, 829.

CARPESINUM—cernuum, 859; abrotanoides, 860.

CARPINUS—Betulus, Ostrya, 998.

CARTHAMUS—tinctorius, lanatus, cœruleus, 830; mitissimus, Carduncellus, arborescens, 831.

CARUM—Carvi, 263.

CARYOPHYLLUS—aromaticus, 515.

CARYOTA—urens, 1189.

CASSIA—diphylla, Absus, Tagera, Tora, bicapsularis, emarginata, 376; obtusifolia, Senna, falcata, occidentalis, planisiliqua, fistula, 377; hirsuta, ligustrina, alata, marilandica, biflora, tenuissima, 378; Sophora, auriculata, javanica, Chamæcrista, mimosoides, flexuosa, 379; nictitans, procumbens, 380.

CASSINE—Peragua, 268; Maurocenia, 269.

CASSYTHA—filiformis, 35.

CATANANCHE—cœrulea, lutea, 812; græca, 813.

CATESBÆA—spinosa, 109.

CAUCALIS—grandiflora, 240; daucoides, mauritanica, platycarpus, orientalis, 241; leptophylla, 242.

CEANOTHUS—americanus, 195; asiaticus, africanus, 196.

CELASTRUS—bullatus, scandens, myrtifolius, 196; buxifolius, pyracanthus, 197.

CELOSIA—argentea, cristata, lanata, nodiflora, 205; paniculata, 206.

CELSIA—orientalis, 621.

CELTIS—australis, 1043; orientalis, occidentalis, 1044.

CENCHRUS—racemosus, capitatus, 1049; echinatus, tribuloides, frutescens, 1050.

CENTAUREA—Crupina, moschata, erucifolia, 909; Lippii, alpina, Centaurium, phrygia, capillata, 910; nigra, pullata, montana, Cyanus, 911; paniculata, sessiliflora, spinosa, ragusina, Cineraria, argentea, 912; sibirica, sempervirens, Scabiosa, orientalis, 913; Stæbe, acaulis, Behen, Jacea, alba, splendens, 914; Rhapontica, glastifolia, conifera, sonchifolia, seridis, 915; romana, sphærocephala, Isnardi, napifolia, aspera, eriophora, 916; Calcitrapa, solstitialis, melitensis, 917; sicula, centauroides, collina, salmantica, muricata, peregrina, 918; Crocodylium, galactites, 919.

CENTUNCULUS—minimus, 116.

- CEPHALANTHUS—orientalis, occidentalis, 95.
CERASTIUM—perfoliatum, viscosum, 437; semidecandrum, pentandrum, arvense, dichotomum, alpinum, 438; repens, stricatum, saffruticosum, maximum, aquaticum, latifolium, 439; tomentosum, 440.
CERATOCARPUS—arenarius, 969.
CERATONIA—Siliqua, 1026.
CERATOPHYLLUM—demersum, 992.
CERBERA—Ahouaj, Manghas, 208; Thevetia, 209.
CERCIS—Siliquastrum, canadensis, 374.
CERINTHE—major, 136; maculata, minor, echioides, 137.
CEROPEGIA—Candelabrum, biflora, 211.
CESTRUM—nocturnum, diurnum, 191.
CACHRYS—Libanotis, 246.
CHÆROPHYLLUM—temulum, hirsutum, 258; aromaticum, arborescens, 259.
CHAMÆROPS—humilis, 1187.
CHARA—tomentosa, vulgaris, hispida, 1156; flexilis, 1157.
CHEIRANTHUS—erysimoides, Cheiri, chius, 661; incanus, annuus, fruticulosus, trilobus, lacerus, 662; tricuspidatus, 663; fenestralis, 1198.
CHELIDONIUM—majus, 505; Glaucium, corniculatum, 506; hybridum, 506.
CHELONE—glabra, hirsuta, 611; Pentstemon, 612.
CHENOPODIUM—Bonus Henricus, urbicum, rubrum, 218; murale, album, viride, hybridum, Botrys, ambrosioides, 219; multifidum, anthelminticum, glaucum, Vulvaria, polyspermum, 220; Scoparia, maritimum, fruticosum, altissimum, salsum, hirsutum, aristatum, 221; virginicum, 222.
CHERLERIA—sedoides, 425.
CHIONANTHUS—virginica, zeylonica, 8.
CHIRONIA—trinervia, linoides, 189; campanulata, angularis, dodecandra, baccifera, frutescens, 190.
CHONDRILLA—juncea, 796.
CHRYSANTHEMUM—frutescens, 887; serotinum, Leucanthemum, montanum, graminifolium, 888; monspeliense, alpinum, indicum, arcticum, segetum, 889; coronarium, corymbosum, bipinnatum, flosculosum, 890.
CHRYSOBALANUS—Icaco, 513.
CHRYSOCOMA—Coma aurea, cernua, 840; ciliata, Linosyris, biflora, graminifolia, villosa, 841.
CHRYSOGONUM—virginianum, peruvianum, 920.
CHRYSOPHYLLUM—Cainito, 192.
CHRYSOSPLENIUM—alternifolium, oppositifolium, 398.
CICER—arietinum, 738.
CICHORIUM—Intybus, Endivia, spinosum, 813.
CICUTA—virosa, bulbifera, 255; maculata, 256.
CINCHONA—officinalis, 172.

- CINNA—arundinacea, 5.
CIRCÆA—lutetiana, alpina, 9.
CISSAMPELOS—Pareira, 1031; Caapeba, smilacina, 1032.
CISSUS—vitiginea, 117.
CISTUS—populifolia, laurifolia, ladanifera, 523; incana, monspeliensis, albida, salvifolia, crispa, halimifolia, 524; umbellatus, Fumana, canus, 525; marifolius, oelandicus, Tuberaria, guttatus, canadensis, 526; ledifolius, salicifolius, ægyptiacus, surrejanus, nummularius, serpillifolius, 527; thymifolius, pilosus, Helianthemum, hirtus, 528; apenninus, 529; squamatus, 1196.
CITHAREXYLUM—spinosum, 625.
CITRUS—Medica, Aurantium, 782.
CLATHRUS—cancellatus, denudatus, nudus, 1179.
CLAVARIA—pistillaris, militaris, ophioglossoides, digitata, Hypoxylon, coralloides, 1182; fastigiata, muscoides, 1183.
CLAYTONIA—virginica, sibirica, 204.
CLEMATIS—Viticella, Viorna, crispa, orientalis, 543; Vitalba, cirrhosa, Flammula, recta, integrifolia, 544.
CLEOME—fruticosa, gynandra, 671; icosandra, viscosa, dodecandra, ornithopodoides, violacea, monophylla, 672.
CLERODENDRUM—infortunata, 637.
CLETHRA—alnifolia, 396.
CLIFFORTIA—ilicifolia, ruscifolia, polygonifolia, trifoliata, 1038.
CLINOPODIUM—vulgare, 587; incanum, rugosum, 588.
CLITORIA—Ternatea, brasiliana, virginiana, mariana, 753.
CLUSIA—major, 509; minor, 510.
CLUTIA—alaternoides, pulchella, retusa, Eluteria, Cascarilla, 1042.
CLYPEOLA—Jonthlaspi, alyssoides, maritima, 652.
CNEORUM—tricocon, 34.
CNICUS—benedictus, oleraceus, spinosissimus, centauroides, cerneus, 826.
COCHLEARIA—officinalis, danica, grælandica, 647; saxatilis, Coronopus, Armoracia, glastifolia, 648.
COCOS—nucifera, 1188.
COFFEA—arabica, 172.
COIX—Lacryma Jobi, dactyloides, 972.
COLCHICUM—autumnale, 341; montanum, variegatum, 342.
COLDENIA—procumbens, 125.
COLLINSONIA—canadensis, 28.
COLUMNÆA—scandens, 938.
COLUTEA—arborescens, frutescens, herbacea, 723.
COMARUM—palustre, 502.
COMMELINA—communis, 40; africana, benghalensis, erecta, tuberosa, Zanonina, nudiflora, 41; axillaris, cristata, 42.
CONFERVA—rivularis, fontinalis, bullosa, canalicularis, amphibia, 1164; littoralis, æruginosa, dichotoma, scoparia, cancellata, reticulata, fluviatilis, 1165; gelatinosa, capillaris, coralli-

- noides, catenata, 1166 ; polymorpha, vagabunda, glomerata, rupestris, ægagropila, 1167.
- CONIUM—maculatum, africanum, Royeni, 243.
- CONNARUS—monocarpus, 675.
- CONOCARPUS—erecta, 176 ; procumbens, 177.
- CONVALLARIA—majalis, 314 ; verticillata, Polygonatum, multiflora, racemosa, 315 ; stellata, trifolia, bifolia, 316.
- CONVOLVULUS—arvensis, sepium, Scammonia, panduratus, 153 ; carolinus, hederaceus, Batatas, 154 ; umbellatus, malabarius, canariensis, aculeatus, Turpethum, 155 ; tomentosus, althæoides, paniculatus, Medium, siculus, 156 ; nummularius, alsinoides, tridentatus, Cneorum, 157 ; Cantabrica, spithameus, persicus, tricolor, repens, reptans, 158 ; hirtus, Soldanella, Pes capræ, brasiliensis, 159 ; peltatus, 1194.
- CONYZA—squarrosa, linifolia, asteroides, bifrons, 861 ; lobata, bifoliata, tortuosa, candida, cinerea, chinensis, 862 ; hirsuta, 863.
- CORCHORUS—siliquosus, olitorius, capsularis, 529 ; hirsutus, 530.
- CORDIA—Myxa, Sebestena, 190 ; glabra, 191.
- COREOPSIS—verticillata, 907 ; tripteris, alba, auriculata, lanceolata, augustifolia, Bidens, 908 ; alternifolia, 909.
- CORIANDRUM—sativum, testiculatum, 256.
- CORIARIA—myrtifolia, ruscifolia, 1037.
- CORIS—monspeliensis, 177.
- CORYPHA—umbraculifera, thebaica, 1187.
- CORISPERMUM—hyssopifolium, squarrosum, 4.
- CORNUCOPIÆ—cucullatum, 54.
- CORNUS—florida, mas, sanguinea, 117 ; suecica, canadensis, 118.
- CORNUTIA—pyramidata, 628.
- CORONILLA—Emerus, juncea, valentina, 742 ; argentea, Securigera, varia, cretica, scandens, 743.
- CORRIGIOLA—littoralis, 271.
- CORTUSA—Matthioli, Gmelini, 144.
- CORYLUS—Avellana, 998 ; Colurna, 999.
- CORYMBIUM—africanum, 928.
- CORYPHA—umbraculifera, 1178.
- COSTUS—arabicus, 2.
- COTULA—anthemoides, 891 ; coronopifolia, viscosa, turbinata, 892.
- COTYLEDON—orbiculata, hemispherica, serrata, spinosa, umbilicus, 429 ; laciniata, 430 ; hispanica, 1196.
- CRACCA—virginiana, villosa, maxima, purpurea, tinctoria, senticosa, 752.
- CRAMBE—maritima, orientalis, hispanica, 671.
- CRANIOULARIA—annua, fruticosa, 618.
- CRASSULA—coccinea, perfoliata, 282 ; tetragona, cultrata, ciliata, scabra, alternifolia, nudicaulis, orbicularis, pellucida, 283.
- CRATÆGUS—Aria, 475 ; terminalis, coccinea, Crus galli, tomentosa, viridis, 476 ; indica, Oxyacantha, Azarolus, 477.

- CRATEVA—tapia, Marmelos, 444.
CREPIS—pygmæa, nudicaulis, bursifolia, barbata, vesicaria, 805;
 rubra, alpina, pulchra, 806; sibirica, tectorum, biennis,
 hirta, foetida, 807.
CRESCENTIA—Cujete, 626.
CRESSA—cretica, 223.
CRINUM—latifolium, 291; asiaticum, americanum, africanum, 292.
CRITHMUM—maritimum, pyrenaicum, 246.
CROCUS—sativus, Bulbocodium, 36.
CROTALARIA—perfoliata, sagittalis, juncea, 714; retusa, triflora,
 villosa, verrucosa, latifolia, lunaris, laburnifolia, 715;
 incana, alba, quinquefolia, 716.
CROTON—castaneifolium, palustre, tinctorium, argenteum, sebi-
 ferum, Tiglium, 1004; lacciferum, aromaticum, moluccanum,
 hastatum, lobatum, spinosum, urens, 1005; variegatum,
 1199.
CRUCIANELLA—angustifolia, latifolia, maritima, monspeliaca, 109.
CUCUBALUS—baccifer, Behen, Fabarius, viscosus, stellatus, 414;
 quadrifidus, ægyptiacus, tataricus, catholicus, Otites,
 acaulis, 415; reflexus, 416.
CUCUMIS—Colocynthis, Anguria, acutangulus, Melo, Dudaim, 1011;
 sativus, maderaspatanus, 1012.
CUCURBITA—lagenaria, Pepo, verrucosa, Melopepo, Citrullus, 1010.
CUMINUM—Cyminum, 254.
CUPANIA—americana, 200.
CUPRESSUS—sempervirens, 1002; disticha, thyoides, 1003.
CURCUMA—rotunda, longa, 2.
CUSCUTA—europæa, americana, 124.
CYCAS—circinalis, 1188.
CYCLAMEN—europæum, indicum, 145.
CYMBARIA—daurica, 618.
CYNANCHUM—acutum, suberosum, hirtum, monspeliacum, 212;
 erectum, 213.
CYNARA—Scolymus, Cardunculus, 827; humilis, 828.
CYNOSURUS—cristatus, echinatus, Lima, durus, cæruleus, ægyptius,
 indicus, 72; paniceus, aureus, 73.
CYNOGLOSSUM—officinale, virginianum, cheirifolium, apenninum,
 linifolium, 134; omphaloides, 135.
CYNOMETRA—cauliflora, ramiflora, 382.
CYNOMORIUM—coccineum, 970.
CYPERUS—articulatus, minimus, arundinaceus, 44; haspan, longus,
 rotundus, esculentus, Iria, elegans, 45; odoratus, com-
 pressus, flavescens, fuscus, 46; strigosus, Papyrus, 47.
CYPRIPEDIUM—Calceolus, bulbosum, 951.
CYTISUS—Laburnum, nigricans, sessilifolius, Cajan, hirsutus, 739;
 supinus, æthiopicus, græcus, monspessulanus, argenteus,
 740; pinnatus, 741.

- DACTYLIS—cynosuroides, glomeratus, 71.
 DALECHAMPIA—scandens, 1054.
 DAPHNE—Mezereum, Thymelaea, Tarton-raira, alpina, 356;
 Laureola, pontica, indica, Cneorum, Gnidium, 357;
 squarrosa, 358.
 DATISCA—cannabina, hirta, 1037.
 DATURA—Stramonium, Metel, arborea, 179.
 DAUCUS—Carota, Visuaga, Gingidium.
 DALIBARDA—repens.
 DELPHINIUM—Consolida, 530; Ajacis, peregrinum, grandiflorum,
 elatum, Staphisagria, 531.
 DENTARIA—enneaphyllos, bulbifera, 653; pentaphyllos, 654.
 DIANTHERA—americana, 27.
 DIANTHUS—barbatus, carthusianorum, 409; Armeria, prolifer,
 Caryophyllus, 410; deltoides, glaucus, chinensis, plumarius,
 411; arenarius, alpinus, virgineus, 412; arboreus, fruti-
 cosus, saxifragus, 413.
 DIAPENSIA—lapponica, helvetica, 141.
 DICTAMNUS—albus, 383.
 DIGITALIS—purpurea, 621; lutea, ferruginea, canariensis, 368.
 DILLENIA—indica, 535.
 DIODIA—virginiana, 104.
 DIOSCOREA—pentaphylla, triphylla, 1032; aculeata, alata, bulbi-
 fera, sativa, villosa, oppositifolia, 1033.
 DIOSMA—oppositifolia, hirsuta, rubra, ericoides, ciliata, lanceolata,
 uniflora, 198.
 DIRCA—palustris, 358.
 DIOSPYROS—Lotus, virginiana, 1057.
 DIPSACUS—fullonum, laciniatus, pilosus, 97.
 DODARTIA—orientalis, indica, 633.
 DODECATHEON—Meadia, 144.
 DOLICHOS—Lablab, unguiculatus, ensiformis, 725; minimus,
 scarabæoides, erosus, trilobus, regularis, lignosus, poly-
 stachios, 726; Soja, biflorus, 727.
 DORONICUM—pardalianches, plantagineum, 885; incanum, Belli-
 diastrum, 886.
 DORSTENIA—Contrajerua, caulescens, 121.
 DRABA—alpina, verna, pyrenaica, muralis, 642; nemorosa, incana, 643.
 DRACOCEPHALUM—virginianum, canariense, pinnatum, 594; aus-
 triacum, Ruyschiana, grandiflorum, Moldavica, canescens,
 595; peltatum, nutans, thymiflorum, 596.
 DRACONTIUM—polyphyllum, spinosum, foetidum, 967; camts-
 chatcense, pertusum, 968.
 DROSERA—rotundifolia, 281; longifolia, lusitanica, capensis, indica,
 282.
 DRYAS—pentapetala, octopetala, 501.
 DRYPIS—spinosa, 413.
 DURANTA—repens, erecta, 637.

- EBENUS—cretica, 764.
ECHINOPHORA—spinosa, tenuifolia, 239.
ECHINOPS—sphaerocephalus, 814; Ritro, strigosus, corymbosus, fruticosus, 815.
ECHIUM—fruticosum, italicum, vulgare, creticum, orientale, 139; lusitanicum, 140.
ELEAGNUS—angustifolia, latifolia, 121.
ELATINE—Hydropiper, 367; Alsinastrum, 368.
ELATE—sylvestris, 1189.
ELÆOCARPUS—serrata, 515.
ELEPHANTOPUS—scaber, tomentosus, 814.
ELVELA—Mitra, Pineti, 1180.
ELYMUS—arenarius, Sibiricus, canadensis, 83; virginicus, caput medusae, 84; Hystrix, 560.
EMPETRUM—album, nigrum, 1022.
EPHEDRA—distachya, monostachya, 1040.
EPIDENDRUM—Vanilla, domesticum, Flos aeris, tenuifolium, spatulatum, ovatum, 952; nodosum, carinatum, aloifolium, guttatum, retusum, amabile, 953; ensifolium, moniliforme, 954.
EPIGÆA—repens, 395.
EPILOBIUM—angustifolium, latifolium, hirsutum, 347; montanum, tetragonum, palustre, alpinum, 348.
EPIMEDIUM—alpinum, 117.
EQUISETUM—sylvaticum, arvense, palustre, 1061; fluviatile, limosum, hyemale, 1062.
ERANTHEMUM—capense, 9.
ERICA—vulgaris, umbellata, herbacea, cinerea, 352; scoparia, caffra, viridi-purpurea, Tetralix, arborea, 353; pallido-purpurea, ciliaris, triflora, curviflora, bruniades, 354; capitata, carnea, multiflora, pilulifera, coccinea, corifolia, abietina, gnaphaloides, Plukeneti, 356.
ERIGERON—viscosum, carolinianum, canadense, bonariense, philadelphicum, 863; alpinum, uniflorum, gramineum, siculum, camphoratum, tuberosum, 864.
ERINUS—alpinus, africanus, peruvianus, laciniatus, 630.
ERIOCEPHALUS—africanus, 926.
ERIOCAULON—quinquangulare, sexangulare, setaceum, decangulare, 87.
ERIPHORIUM—vaginatum, polystachion, virginicum, 52; alpinum, 53.
ERVUM—Lens, tetraspermum, hirsutum, monanthos, Ervilia, 738.
ERYNGIUM—fœtidum, aquaticum, 232; planum, pusillum, maritimum, alpinum, campestre, amethystinum, 233.
ERYSIMUM—officinale, Barbarea, Alliaria, 660; cheiranthoides, 661.
ERYTHRINA—herbacea, corallodendrum, 706; Piscipula, 707.
ERYTHRONIUM—Dens canis, 305.
EUGENIA—malaccensis, Jambos, uniflora, 470; acutangula, racemosa, 471.

EUONYMUS—europæus, americanus, 197.

EUPATORIUM—hyssopifolia, scandens, Houstonianum, 836; zeylanicum, sessilifolium, chinense, rotundifolium, altissimum, trifoliatum, 837; cannabinum, purpureum, cælestinum, perfoliatum, 838; aromaticum, 839.

EUPHORBIA—antiquorum, canariensis, heptagona, 450; mammillaris, cereiformis, officinarum, neriifolia, 451; Caput medusæ, viminalis, mauritanica, Tirucalli, 452; tithymaloides, heterophylla, cotinifolia, ocymoides, origanoides, 453; hypericifolia, hirta, pilulifera, thymifolia, 454; maculata, Chamæsyce, Peplis, polygonifolia, Ipecacuanha, 455; portulacoides, Peplus, falcata, exigua, tuberosa, 456; Lathyrus, spinosa, Apios, dulcis, 457; Pithyusa, portlandica, Paralias, aleppica, segetalis, 458; Helioscopia, serrata, verrucosa, corollata, 459; corallioides, pilosa, orientalis, platyphyllos, 460; Esula, Cyparissias, Myrsinites, 461; palustris, hyberna, dendroides, 462; amygdaloides, sylvatica, Characias, 463.

EUPHRASIA—latifolia, officinalis, tricuspidata, Odontites, lutea, linifolia, 604.

EXACUM—sessile, pedunculatum, 112.

FAGONIA—cretica, hispanica, arabica, 386.

FAGUS—Castanea, 997; pumila, sylvatica, 998.

FERULA—communis, 246; glauca, tingitana, Ferulago, orientalis, meoides, nodiflora, canadensis, 247; Assafetida, 248.

FESTUCA—ovina, 73; duriuscula, rubra, amethystina, myuros, 74; maritima, bromoides, decumbens, elatior, fluitans, 75; cristata, 76.

FEVILLEA—cordifolia, 1013; trilobata, 1014.

FICUS—Carica, Sycomorus, religiosa, benghalensis, 1059; indica, racemosa, pumila, 1060.

FILAGO—pygmea, maritima, 927; pyramidata, 1199.

FLAGELLARIA—indica, 333.

FONTINALIS—antipyretica, minor, 1107; squamosa, pennata, 1108.

FRAGARIA—vesca, 494; muricata, sterilis, 495.

FRANKENIA—lævis, hirsuta, 331; pulverulenta, 332.

FRAXINUS—exelsior, Ornus, americana, 1057.

FRITILLARIA—imperialis, regia, 803; persica, pyrenaica, Meleagris, 304.

FUCHSIA—triphylla, 1191.

FUCUS—serratus, vesiculosus, ceranoides, 1158; spiralis, inflatus, divaricatus, elongatus, excisus, nodosus, 1159; concatenatus, natans, acinarius, lendigerus, turbinatus, siliquosus, 1160; barbatus, feniculaceus, abrotanifolius, muscoides, cartilagineus, saccharinus, 1161; palmatus, rubens, pavonicus, fastigiatus, filum, tendo, 1162.

FUMARIA—Cucullaria, spectabilis, bulbosa, 699; sempervirens, capnoides, enneaphylla, officinalis, spicata, 790; capreolata, claviculata, vesicaria, 701.

GALANTHUS—nivalis, 288.

GALAX—aphylla, 200.

GALEGA—officinalis, 714.

GALENIA—africana, 359.

GALEOPSIS—Ladanum, Tetrahit, 579; hirsuta, Galeobdolon, 580.

GALIUM—rubioides, palustre, bermudense, trifidum, 105; tinctorium, uliginosum, spurium, saxatile, minutum, pusillum, 106; verum, mollugo, glaucum, purpureum, rubrum, 107; boreale, scabrum, rotundifolium, Aparine, parisiense, 157.

GARCINIA—Mangostana, 443.

GARIDELLA—Nigellastrum, 425.

GAURA—biennis, 493.

GAULTHERIA—procumbens, 895.

GENISTA—canariensis, 709; sagittalis, tridentata, tinctoria, pilosa, anglica, germanica, 710; hispanica, lusitanica, 711.

GENTIANA—lutea, purpurea, punctata, asclepiadea, 227; Pneumonanthe, saponaria, villosa, acaulis, verna, 228; bavarica, nivalis, aquatica, utriculosa, Centaurium, 229; spicata, quinquefolia, Amarella, 230; campestris, ciliata, cruciata, sessilis, filiformis, 231; perfoliata, 232.

GERANIUM—fulgidum, triste, inquinans, papilionaceum, 676; myrrhifolium, pinnatum, cucullatum, gibbosum, 677; peltatum, acetosum, zonale, vitifolium, capitatum, alchemilloides, 678; odoratissimum, grossularioides, auritum, glaucophyllum, althæoides, betulinum, 679; cicutarium, malacoides, gruinum, tuberosum, macrorrhizum, 680; phæum, nodosum, sylvaticum, pratense, maculatum, robertianum, 681; lucidum, molle, carolinianum, columbinum, 682; rotundifolium, sibiricum, sanguineum, grandiflorum, 683.

GERARDIA—tuberosa, purpurea, flava, 610; pedicularia, glutinosa, 611.

GESNERIA—humilis, tomentosa, 612.

GETHYLLIS—afra, 442.

GEUM—virginianum, 500; urbanum, rivale, montanum, reptans, 501.

GLADIOLUS—communis, 36; imbricatus, spicatus, angustus, ramosus, capitatus, 37.

GLAUX—maritima, 207.

GLECOMA—hederacea, arvensis, belgica, 578.

GLEDITSIA—triacanthos, 1056.

GLINUS—lotoides, 463.

GLOBULARIA—Alypum, 95; bisnagarica, vulgaris, spinosa, cordifolia, 96; nudicaulis, orientalis, 97.

GLORIOSA—superba, 305.

GLYCINE—Apios, frutescens, Abrus, 753; tomentosa, comosa, javanica, bracteata, bituminosa, 754.

GLYCYRRHIZA—echinata, 741; glabra, hirsuta, 742.

GMELINA—asiatica, 626.

GNAPHALIUM—dioicum, plantaginifolium, margaritaceum, grandiflorum, 850; foetidum, helianthemifolium, luteo-album, obtusifolium, 851; undulatum, indicum, niveum, muricatum, 852; orientale, Stœchas, sordidum, 853; teretifolium, petiolatum, dentatum, arenarium, rutilans, ignescens, purpureum, 854; cymosum, imbricatum, scabrum, patulum, odoratissimum, Leontopodium, 855; alpinum, uliginosum, sylvaticum, arvense, 856; montanum, gallicum, germanicum, saxatile, 857.

GNIDIA—pinifolia, tomentosa, oppositifolia, 358.

GOMPHRENA—globosa, perennis, serrata, interrupta, flava, vermicularis, 224; sessilis, ficoidea, polygonoides, 225.

GOSSYPIUM—herbaceum, barbadense, arboreum, 693.

GRATIOLA—officinalis, dubia, virginiana, peruviana, 17.

GREWIA—occidentalis, orientalis, 964.

GRISLEA—secunda, 348.

GRONOVIA—scandens, 202.

GUAJACUM—officinale, 381; sanctum, afrum, 382.

GUETTARDA—speciosa, 991.

GUILANDINA—Bonduc, Moringa, dioica, 381.

GUNDELIA—Tournefortii, 814.

GYPSOPHILA—aggregata, 406; repens, paniculata, altissima, fastigiata, 407; perfoliata, rigida, muralis, 408; prostrata, 1195.

HÆMATOXYLUM—Campechianum, 384.

HALLERIA—lucida, 625.

HAMAMELIS—virginiana, 124.

HEBENSTRETIA—dentata, integrifolia, 629.

HEDERA—Helix, quinquefolia, 202.

HEDYOTIS—fruticosa, Auricularia, 101; herbacea, 102.

HEDYSARUM—Alhagi, bupleurifolium, 745; nummularifolium, maculatum, gangeticum, vaginale, triquetrum, strobiliferum, 746; diphyllum, pulchellum, umbellatum, biarticulatum, heterocarpon, viscidum, 747; canadense, canescens, marilandicum, frutescens, viridiflorum, hirtum, 748; violaceum, paniculatum, nudiflorum, repens, triflorum, 749; volubile, alpinum, coronarium, spinosissimum, flexuosum, virginicum, 750; Onobrychis, Caput galli, 751; lagopodioides, 1198.

HELENIUM—autumnale, 886.

HELIANTHUS—annuus, 904; multiflorus, tuberosus, decapetalus, strumosus, giganteus, 905; levis, angustifolius, divaricatus, atrorubens, 906.

- HELIOCARPUS**—americana, 448.
HELICTERES—Isora, angustifolia, 963.
HELIOTROPIMUM—indicum, europæum, supinum, curassavicum, 130; orientale, 131.
HELONIAS—bullata, 342.
HELLEBORUS—hyemalis, 557; niger, viridis, fetidus, trifolius, 558.
HEMEROCALLIS—Lilio-Asphodelus, Liliastrum, 324.
HEMIONITIS—lanceolata, palmata, 1077.
HERACLEUM—Sphondylium, sibiricum, Panaces, austriacum, 249; alpinum, 250.
HERMANNIA—althæifolia, grossularifolia, 673; alnifolia, hyssopifolia, lavendulifolia, trifoliata, pinnata, 774.
HERNANDIA—sonora, 981.
HERNIARIA—glabra, hirsuta, lenticulata, 218.
HESPERIS—tristis, matronalis, sibirica, africana, 663; provincialis, dentata, verna, 664.
HEUCHERA—americana, 226.
HIBISCUS—Moscheutos, palustris, 693; populneus, tiliaceus, Rosa sinensis, hirtus, mutabilis, Malvaviscus, 694; syriacus, ficulneus, Sabdariffa, 695; surattensis, Manihot, Abelmoschus, esculentus, vitifolius, 696; zeylonicus, virginicus, pentacarpos, Trionum, 697.
HIERACTIUM—incanum, 799; hedyrnoides, alpinum, venosum, Pilosella, dubium, Auricula, 800; præmorsum, aurantiacum, chondrilloides, 801; Gronovii, Gmelini, paniculatum, porrifolium, murorum, 802; paludosum, lyratum, cerinthoides, amplexicaule, 803; pyrenaicum, blattarioides, glutinosum, Kalmii, Sprengerianum, sabaudum, umbellatum, 804.
HIPPOCRATEA—volubilis, 1191.
HIPPOCREPIS—unisiliquosa, multisiliquosa, comosa, 744.
HIPPOMANE—Mancinella, glandulosa, spinosa, 1191.
HIPPOPHAE—rhamnoides, 1023; canadensis, 1024.
HIPPURIS—vulgaris, 4.
HIRTELLA—americana, 34.
HOLCUS—Sorghum, saccharatus, halepensis, 1047; lanatus, odoratus, laxis, striatus, 1048.
HOLOSTEUM—cordatum, succulentum, hirsutum, umbellatum, 88.
HORDEUM—vulgare, 84; hexastichon, distichon, zeocriton, murinum, jubatum, 85.
HORMINUM—pyrenaicum, virginicum, 596.
HOTTONIA—palustris, 145.
HUGONIA—Mystax, 675.
HUMULUS—Lupulus, 1028.
HURA—crepitans, 1008.
HYACINTHUS—non scriptus, 316; cernuus, serotinus, amethystinus, orientalis, Muscari, 317; monstrosus, comosus, botryoides, racemosus, orchioides, lanatus, 318.

HYDNUM—imbricatum, repandum, tomentosum, auriscalpium, 1178.

HYDRANGÆA—arborescens, 397.

HYDROCHARIS—Morsus rane, 1036.

HYDROCOTYLE—vulgaris, umbellata, americana, asiatica, chinensis, 234.

HYDROPHYLLUM—virginianum, 146.

HYMENÆA—Courbaril, 1192.

HYOSCYAMUS—niger, 179; albus, aureus, pusillus, physaloides, 180.

HYOSERIS—fœtida, radiata, 808; scabra, virginica, minima, Hedypnois, rhagadioloides, 809; cretica, 810.

HYPECOUM—procumbens, pendulum, erectum, 124.

HYPERICUM—balearicum, Kalmianum, Lasianthus, Ascyron, 783; Androsæmum, olympicum, canariense, hircinum, ægyptiacum, 784; orientale, ericoides, canadense, quadrangulum, perforatum, humifusum, 785; hirsutum, tomentosum, pulchrum, 786; nummularium, Coris, mutilum, setosum, 787.

HYPNUM—spinaeforme, taxifolium, denticulatum, 1122; bryoides, acacioides, adiantoides, complanatum, ornithopodioides, 1123; lucens, undulatum, crispum, triquetrum, rutabulum, 1124; filicinum, proliferum, delicatulum, parietinum, prælongum, crista castrensis, 1125; abietinum, cupressiforme, aduncum, 1126; scorpioides, viticulosum, squarrosum, loreum, 1127; dendroides, alopecurum, curtispiculum, purum, 1128; illecebrum, riparium, cuspidatum, sericeum, velutinum, 1129; serpens, sciuroides, myosuroides, clavelatum, julaceum, 1130.

HYPOCHERIS—urens, Achyrophorus, pontana, maculata, 810; glabra, radicata, 811.

HYSSOPUS—officinalis, Lophanthus, nepetoides, 569.

IBERIS—semperflorens, sempervirens, 648; gibraltarica, rotundifolia, umbellata, cretica, amara, odorata, 649; nudicaulis, 650.

ILEX—Aquifolium, Cassine, asiatica, cuneifolia, Dodonæa, 125.

ILLECEBRUM—verticillatum, suffruticosum, cymosum, Paronychia, 206; capitatum, 207.

IMPATIENS—chinensis, latifolia, oppositifolia, cornuta, 937; Balsamina, triflora, noli tangere, 938.

IMPERATORIA—Ostruthium, 259.

INDIGOFERA—tinctoria, hirsuta, glabra, 751.

INULA—Helenium, odora, Oculas Christi, 881; Britannica, dysenterica, Pulicaria, salicina, 882; germanica, ensifolia, crithmoides, 883; provincialis, montana, 884.

IPOMÆA—Quamoclit, 159; Nyctelea, carolina, coccinea, tuberosa, campanulata, 160; alba, violacea, solanifolia, lacunosa, glaucifolia, triloba, hepaticæfolia, 161; tamnifolia, Pestigridis, ægyptia, quinquefolia, 162.

IRIS—susiana, germanica, aphylla, variegata, biflora, pumila, Pseudacorus, 38; fetidissima, sibirica, versicolor, virginica, spuria, graminea, verna, 39; tuberosa, Xiphium, persica, Sisyrinchium, 40.

ISATIS—tinctoria, lusitanica, armena, 670; ægyptica, 671.

ISCHÆMUM—muticum, aristatum, 1049.

ISNARDIA—palustris, 120.

ISOETES—lacustris, 1100.

ISOPYRUM—fumarioides, thalictroides, aquilegioides, 557.

ITEA—virginica, 199.

IVA—annua, 988; frutescens, 989.

IXIA—africana, chinensis, 36.

IXORA—coccinea, alba, 110.

JAMBOLIFERA—pedunculata, 349.

JASIONE—montana, 928.

JASMINUM—officinale, azoricum, fruticans, humile, odoratissimum, 7.

JATROPHA—gossypifolia, moluccana, Curcas, multifida, 1006; Manihot, urens, herbacea, 1007.

JUGLANS—regia, alba, nigra, 997.

JUNCUS—acutus, 325; conglomeratus, effusus, inflexus, filiformis, trifidus, 326; squarrosus, articulatus, bulbosus, 327; bufonius, biglumis, triglumis, 328; pilosus, campestris, 329; spicatus, 330.

JUNGERMANNIA—asplenoides, viticulosa, polyanthes, lanceolata, 1131; bidentata, bicuspidata, undulata, resupinata, 1132; albicans, trilobata, reptans, complanata, dilatata, 1133; tamarisci, platyphylla, ciliaris, 1134; varia, gulacea, rupestris, trichophylla, alpina, epiphylla, 1135; pinguis, multifida, furcata, pusilla, 1136.

JUNIPERUS—Oxycedrus, 1038; thurifera, lycia, barbadensis, bermudiana, Sabina, virginiana, 1039; communis, phœnicea, 1040.

JUSSIÆA—repens, peruviana, suffruticosa, erecta, 388.

JUSTICIA—Adhatoda, Ecbolium, Betonica, hyssopifolia, procumbens, repens, 15; chinensis, echiioides, sexangularis, nasuta, purpurea, 16.

KALMIA—latifolia, angustifolia, 391.

KAEMPFERIA—Galanga, 2; rotunda, 3.

KIGGELARIA—africana, 1037.

KNAUTIA—orientalis, 101.

KNOXIA—zeylanica, 104.

LACHNÆA—eriocephala, conglomerata, 560.

LACTUCA—quercina, sativa, virosa, 795; canadensis, saligna, perennis, 796.

LAGOECIA—cuminoides, 203.

LAGURUS—ovatus, 81.

- LAMIUM—album, purpureum, amplexicaule, multifidum, 579.
- LANTANA—trifolia, 626; annua, Camara, aculeata, bullata, 627; corymbosa, africana, 628.
- LAPSANA—communis, Zacintha, stellata, 811; Rhagadiolus, chondrilloides, capillaris, 812.
- LASERPITIUM—latifolium, trilobum, gallicum, angustifolium, prutenicum, 248; Siler, Chironium, 249.
- LATHRÆA—clandestina, 605; Phelypæa, Anblatum, Squamaria, 606.
- LATHYRUS—Aphaca, Nissolia, amphicarpos, 729; Cicera, sativus, inconspicuus, 730; setifolius, angulatus, bithynicus, articulatus, 731; odoratus, hirsutus, tingitanus, Clymenum, tuberosus, 732; pratensis, sylvestris, latifolius, heterophyllus, palustris, 733; pisiformis, 734.
- LAVANDULA—Spica, multifida, dentata, 572; Stœchas, 573.
- LAVATERA—arborea, micans, olbia, 690; triloba, lusitanica, thuringiaca, cretica, 691; trimestris, 692.
- LAURUS—Cinnamomum, Cassia, Camphora, nobilis, 369; indica, Persea, Borbonia, æstivalis, Benzoin, 370; Sassafras, Winterana, 371.
- LAWSONIA—inermis, spinosa, 349.
- LECHEA—minor, major, 90.
- LEMNA—trisolca, minor, gibba, polyrhiza, 970.
- LEONTICE—Chrysogonum, Leontopetalum, thalictroides, 312; leontopetaloides, 313.
- LEONTODON—Taraxacum, bulbosum, Dandelion, autumnale, 798; tuberosum, hispidum, 799.
- LEONURUS—Cardiaca, Marrubiastrum, tataricus, sibiricus, 584.
- LEPIDIUM—perfoliatum, vesicarium, nudicaule, procumbens, 643; petraeum, sativum, lyratum, latifolium, subulatum, 644; ruderales, Virginicum, Iberis, Bonariense, Draba, 645.
- LEUCADENDRON—racemosum, proteoides, cancellatum, Lepidocarpodendron, repens, 91; acaulon, Scolymocephalum, cinaroides, 92; cucullatum, Hypophyllocarpodendron, Conocarpodendron, cyanoides, Serraria, 93.
- LEUCOJUM—vernum, autumnale, 289.
- LICHEN—scriptus, geographicus, rugosus, sanguinarius, fuscoater, calcareus, 1140; atro-virens, atro-albus, ventosus, fagineus, ericetorum, candelarius, tartareus, 1141; pallens, subfuscus, upsaliensis, centrifugus, saxatilis, 1142; omphaloides, olivaceus, fahlunensis, stygius, cristatus, parietinus, 1143; physodes, stellaris, ciliaris, cylindricus, 1144; islandicus, nivalis, pulmonarius, 1145; furfuraceus, ampullaceus, farinaceus, calicaris, fraxineus, 1146; fuciformis, prunastri, juniperinus, caperatus, 1147; glaucus, aquaticus, resupinatus, venosus, aphtosus, arcticus, 1148; caninus, croceus, miniatus, 1149; velleus, pustulatus, proboscideus, deustus, polyphyllus, 1150; polyrhizos, cocci-

ferus, cornucopioides, pyxidatus, 1151; fimbriatus, gracilis, digitatus, cornutus, deformis, 1152; rangiferinus, uncialis, subulatus, paschalis, 1153; fragilis, Roccella, plicatus, 1154; barbatus, jubatus, lanatus, pubescens, chalybeiformis, hirtus, vulpinus, 1155; articulatus, floridus, 1156.

LIGUSTICUM—Levisticum, scothieum, peleponnesiacum, austriacum, 250.

LIGUSTRUM—vulgare, 7.

LILIUM—candidum, bulbiferum, pomponium, chalcedonicum, 302; Martagon, canadense, camtschaticense, 303.

LIMODORUM—tuberosum, 950.

LIMOSELLA—aquatica, 631.

LINNÆA—borealis, 631.

LINUM—usitatissimum, perenne, hirsutum, 277; narbonense, tenuifolium, austriacum, 278; virginianum, trigynum, flavum, strictum, suffruticosum, arboreum, 279; campanulatum, maritimum, africanum, nodiflorum, 280; catharticum, Radiola, quadrifolium, verticillatum, 281.

LIPPIA—americana, 633.

LIQUIDAMBAR—styraciflua, peregrina, 999.

LIRODENDRON—Tulipifera, 535.

LITHOSPERMUM—officinale, arvense, virginianum, purpureo-cæruleum, tinctorium, 132; fruticosum, 133.

LOBELIA—Plumierii, pinifolia, Dortmanna, Trapa, 929; Kalmii, paniculata, cornuta, Phyteuma, longiflora, cardinalis, 930; siphilitica, inflata, Cliffortiana, urens, Laurentia, 931; Erinus, erinoides, zeylanica, hirta, lutea, hirsuta, 932; coronopifolia, comosa, Cheiranthus, bulbosa, 933.

LOEFLINGIA—hispanica, 35.

LOESELIA—ciliata, 628.

LOLIUM—perenne, temulentum, 83.

LONCHITIS—hirsuta, aurita, repens, 1078.

LONICERA—Caprifolium, sempervirens, Peri-Clymemum, nigra, tatarica, 173; Xylosteum, pyrenaica, alpigena, cærulea, 174; marilandica, Symphoricarpos, parasitica, alba, Diervilla, corymbosa, 175.

LORANTHUS—americanus, 331.

LOTUS—maritimus, tetragonolobus, 773; conjugatus, erectus edulis, peregrinus, angustissimus, 774; ornithopodioides, jacobæus, creticus, hirsutus, rectus, corniculatus, 775 tenuifolius, cytisoides, Dorycnium, 776.

LUDWIGIA—alternifolia, 118; perennis, 119.

LUNARIA—rediviva, annua, 653.

LUPINUS—perennis, albus, varius, hirsutus, angustifolius, 721 luteus, 722.

LYCHNIS—chalcedonica, Flos cuculi, Viscaria, alpina, 436; sibirica, dioica, apetala, 437.

LYCIUM—afrum, 191; barbarum, europæum, 192.

- LYCOPERDON—Tuber, cervinum, Bovista, 1183; aurantium, stellatum, Carpobolus, pedunculatum, Epidendrum, 1184; epiphyllum, 1185.
- LYCOPodium—linifolium, nudum, 1100; Phlegmaria, clavatum, rupestre, selaginoides, 1101; alopecuroides, inundatum, Selago, obscurum, 1102; annotinum, cernuum, Bryopteris, 1103; sanguinolentum, complanatum, carolinianum, helveticum, 1104; apodum, flabellatum, canaliculatum, plumosum, ornithopodioides, 1105; denticulatum, 1106.
- LYCOPSIS—vesicaria, variegata, ægyptiaca, 138; arvensis, orientalis, virginica, 139.
- LYCOPUS—europæus, virginicus, 21.
- LYSIMACHIA—vulgaris, Ephemerum, 146; atropurpurea, thyrsiflora, quadrifolia, punctata, ciliata, 147; Linum stellatum, nemorum, Nummularia, tenella, 148.
- LYTHRUM—Salicaria, verticillatum, petiolatum, 446; lineare, Hysopifolia, Thymifolia, virgatum, 447.
- MAGNOLIA—virginiana, 535.
- MALOPE—malacoides, 692.
- MALPIGHIA—glabra, 425; urens, crassifolia, verbascifolia, aquifolia, coccigera, 426.
- MALVA—toментosa, coromandeliana, americana, 687; peruviana, byronifolia, capensis, caroliniana, rotundifolia, 688; sylvestris, mauritiana, hispanica, verticillata, Alcea, 689; moschata, ægyptia, 690.
- MAMMEA—americana, asiatica, 512.
- MANDRAGORA—officinarum, 181.
- MANGIFERA—indica, 200.
- MARANTA—arundinacea, 2.
- MARCGRAVIA—umbellata, 503.
- MARCHANTIA—polymorpha, chenopoda, cruciata, tenella, 1137; hemisphærica, conica, androgyna, 1138.
- MARRUBIUM—Alysson, peregrinum, 582; candidissimum, supinum, vulgare, africanum, hispanicum, Pseudo-Dictamnus, 583; acetabulosum, 584.
- MARSILEA—natans, quadrifolia, 1099.
- MARTYNIA—perennis, annua, 618.
- MATRICARIA—Parthenium, 890; maritima, Chamomilla, argentea, recutita, 891.
- MATTHIOLA—scabra, 1192.
- MEDEOLA—aculeata, virginiana, asparagoides, 339.
- MEDICAGO—arborea, virginica, radiata, circinnata, sativa, 778; falcata, lupulina, marina, polymorpha, 779.
- MELAMPODIUM—americanum, 921.
- MELAMPYRUM—cristatum, arvense, nemorosum, pratense, sylvaticum, 605.
- MELANTHIUM—virginicum, sibiricum, 339.

- MELASTOMA—*Acinodendron*, 389; *grossularoides*, *hirta*, *holosericea*, *malabathrica*, *lævigata*, 390; *aspera*, *octandra*, 391.
- MELIA—*Azedarach*, 384; *Azadirachta*, 385.
- MELIANTHUS—*major*, *minor*, 639.
- MELISSA—*officinalis*, *grandiflora*, 592; *Calamintha*, *Nepeta*, *cretica*, *fruticosa*, *pulegioides*, 593.
- MELITTIS—*melissophyllum*, 597.
- MELOCHIA—*pyramidata*, *depressa*, 774; *concatenata*, *corchorifolia*, *supina*, 675.
- MELOTHRIA—*pendula*, 35.
- MEMECYLON—*capitellatum*, 349.
- MENISPERMUM—*canadense*, *virginicum*, *carolinum*, *Cocculus*, 340; *orbiculatum*, *hirsutum*, *myosotoides*, 341.
- MENTHA—*crispa*, *spicata*, *aquatica*, *piperita*, 576; *gentilis*, *arvensis*, *canadensis*, *Pulegium*, 577; *cervina*, *canariensis*, 578.
- MENTZELIA—*aspera*, 516.
- MENYANTHES—*nymphoides*, *indica*, *trifoliata*, 145.
- MERCURIALIS—*perennis*, *annua*, *tomentosa*, 1035; *procumbens*, 1036.
- MESEMBRYANTHEMUM—*nodiflorum*, *crystallinum*, 480; *geniculiflorum*, *noctiflorum*, *umbellatum*, *calamiforme*, *Tripolium*, 481; *bellidiflorum*, *deltoides*, *barbatum*, *hispidum*, 482; *villosum*, *scabrum*, *uncinatum*, *spinosum*, 483; *tuberosum*, *tenuifolium*, *stipulaceum*, *crassifolium*, *falcatum*, 484; *acinaciforme*, *purpureum*, *flavum*, *bicolor*, *serratum*, *micans*, 485; *splendens*, *rostratum*, *verruculatum*, *glaucum*, *loreum*, 486; *tortuosum*, *ringens*, *dolabriforme*, *difforme*, 487; *linguiforme*, *pugioniforme*, 488.
- MESPILUS—*germanica*, *Pyracantha*, *arbutifolia*, *Amelanchier*, *canadensis*, 478; *Cotoneaster*, *Chamæ-Mespilus*, 479.
- MESUA—*ferrea*, 515.
- MICHELIA—*Champaca*, 536.
- MICROCOS—*paniculata*, *lateriflora*, 514.
- MICROPUS—*supinus*, 927.
- MILIUM—*effusum*, *confertum*, 61.
- MILLERIA—*quinqueflora*, *biflora*, 919.
- MIMOSA—*Lebeck*, *Inga*, *fagifolia*, *nodosa*, 516; *bigemina*, *Unguis cati*, *tergemina*, *circinalis*, *purpurea*, *cineraria*, 517; *casta*, *sensitiva*, *pudica*, *Entada*, 518; *plena*, *virgata*, *pernambucana*, *arborea*, *vaga*, *latisiliqua*, 519; *polystachia*, *peregrina*, *glauca*, *cinerca*, *cornigera*, 520; *horrida*, *scorpioides*, *Senegal*, *farnesiana*, *nilotica*, 521; *cæsia*, *pennata*, *Intsia*, *semispinosa*, *quadrivalvis*, 522; *tenuifolia*, *ceratonia*, *tamarindifolia*, 523.
- MIMULUS—*ringens*, 634.
- MIMUSOPS—*Elengi*, *Kauki*, 349.
- MINUARTIA—*dichotoma*, *campestris*, 89; *montana*, 90.
- MIRABILIS—*Jalapa*, 177.
- MITCHELLA—*repens*, 111.

MITELLA—diphylla, 406.

MNIUM—pellucidum, 1109; fontanum, palustre, androgynum, hygrometricum, 1110; purpureum, setacum, cirratum, annotinum, 1111; hornum, crudum, pyriforme, polychrithoides, 1112; serpyllifolium, 1113; triquetrum, trichomanis, fissum, jungermannia, 1114.

MOEHRINGIA—muscosa, 359.

MOLLUGO—oppositifolia, tetraphylla, pentaphylla, verticillata, 89.

MOLUCCELLA—lævis, spinosa, frutescens, 587.

MOMORDICA—Balsamina, Charantia, Luffa, cylindrica, pedata, 1009; Elaterium, 1010.

MONARDA—fistulosa, didyma, clinopodia, punctata, 22; ciliata, 23.

MONOTROPA—Hypopithys, uniflora, 387.

MONTIA—fontana, 87.

MORINA—persica, 28.

MORINDA—umbellata, citrifolia, Royoc, 176.

MORISONIA—americana, 503.

MORUS—alba, nigra, papyrifera, rubra, indica, tatarica, tinctoria, 986.

MUCOR—sphærocephalus, lichenoides, Embolus, fulvus, furfuraceus, Mucedo, leprosus, 1185; glaucus, crustaceus, cespitosus, Erysiphe, 1186.

MUNTINGIA—Calabura, 509.

MUSA—paradisiaca, Bihai, 1043.

MUSSÆNDA—frondosa, 177.

MYAGRUM—perenne, orientale, rugosum, hispanicum, perfoliatum, 640; sativum, paniculatum, ægyptium, 641.

MYOSOTIS—scorpioides, virginiana, Lappula, apula, 131.

MYOSURUS—minimus, 284.

MYRIOPHYLLUM—spicatum, verticillatum, 992.

MYRSINE—africana, 196.

MYRTUS—communis, brasiliana, cumini, 471; Zeylanica, androsæmoides, caryophyllata, Pimenta, 472.

NAJAS—marina, 1015.

NAMA—Zaylanica, 226.

NAPÆA—hermaphrodita, dioica, 686.

NARCISSUS—poeticus, Pseudo-Narcissus, Bulbocodium, 289; serotinus, Jonquilla, Tazetta 290.

NARDUS—stricta, gangitis, ciliaris, articulata, 58.

NEPENTHES—distillatoria, 955.

NEPETA—cataria, pannonica, violacea, ucranica, nuda, 570; hirsuta, italica, tuberosa, virginica, indica, 571; sibirica, multifida, 572.

NERIUM—Oleander, divaricatum, antidysentericum, 209.

NEURADA—procumbens, 441.

NICOTIANA—Tabacum, rustica, paniculata, 180; glutinosa, 181.

- NIGELLA—damascena, arvensis, hispanica, orientalis, 584.
NYCTANTHES—arbor tristis, Sambac, undulata, hirsuta, angustifolia, 6.
NYMPHÆA—lutea, alba, 510 ; Lotus, Nelumbo, 511.
NYSSA—aquatica, 1058.

OBOLARIA—virginica, 632.
OCHNA—jabotapita, 513.
OCIMUM—frutescens, Basilicum, minimum, tenuiflorum, 597 ;
menthoides, 598 ; gratissimum, 1197.
OENANTHE—fistulosa, crocata, prolifera, 254 ; globulosa, pimpinell-
loides, 255.
OENOTHERA—biennis, mollissima, fruticosa, 346.
OLAX—zeylanica, 34.
OLDENLANDIA—uniflora, biflora, umbellata, corymbosa, 119.
OLEA—europæa, capensis, 8.
ONOCLEA—sensibilis, 1062.
ONONIS—spinosa, 716 ; repens, minutissima, mitissima, alopecu-
roides, variegata, Natrix, 717 ; viscosa, ornithopodioides,
tridentata, fruticosa, 718 ; rotundifolia, 719.
ONOPORDON—acanthium, illyricum, arabicum, 827.
OPHIOXYLON—serpentinum, 1043.
OPHIOGLOSSUM—vulgatum, 1062 ; lusitanicum, reticulatum, palma-
tum, scandens, flexuosum, 1063.
OPHIORRHIZA—Mungos, Mitreola, 150.
OPHRYS—Nidus avis, Corallorbiza, spiralis, 945 ; cernua, ovata,
cordata, lilifolia, 946 ; Loeseli, paludosa, monophyllos,
Monorchis, 947 ; alpina, camtschatea, anthropophora,
insectifera, 948.
ORCHIS—susannæ, ciliaris, bifolia, cucullata, 939 ; pyramidalis,
coriophora, cubitalis, morio, 940 ; ustulata, militaris, lati-
folia, 941 ; maculata, conopsea, flava, 942 ; fuscescens,
strateumatica, abortiva, psycodes, spectabilis, 943.
ORIGANUM—ægyptiacum, 588 ; Dictamnus, sipyleum, creticum,
smyrnæum, heracleoticum, 589 ; vulgare, onites, syriacum,
Majorana, 590.
ORNITHOGALUM—luteum, minimum, hirsutum, bivalve, pyrenaicum,
306 ; latifolium, pyramidale, arabicum, umbellatum, 307 ;
nutans, capense, canadense, 308.
ORNITHOPUS—perpusillus, 743 ; compressus, scorpioides, 744.
OROBANCHE—levis, major, 632 ; ramosa, virginiana, uniflora, 633.
OROBUS—lathyroides, hirsutus, luteus, vernus, tuberosus, 728 ;
angustifolius, niger, pyrenaicus, 729.
ORONTIUM—aquaticum, 324.
ORTEGA—hispanica, 560.
ORVALA—garganica, 578.
ORYZA—sativa, 333.
OSBECKIA—chinensis, 345.

- OSMUNDA—zeylanica, 1063; Lunaria, virginiana, phyllitidis, hirta, hirsuta, 1064; adiantifolia, verticillata, cervina, bipinnata, filiculifolia, regalis, 1065; Claytoniana, cinnamomea, Struthiopteris, Spicant, 1066; crispa, 1067.
- OSTEOSPERMUM—Uvedalia, spinosum, moniliferum, 923; polygaloides, 924.
- OSTRIS—alba, 1022.
- OTHONNA—geifolia, bulbosa, sonchifolia, sibirica, palustris, 924; integrifolia, helenitis, Cineraria, maritima, 925; pectinata, abrotanifolia, coronopifolia, cheirifolia, dentata, 926.
- OVIDEA—spinosa, 637.
- OXALIS—Acetosella, purpurea, longiflora, flava, incarnata, 433; violacea, Pes capræ, sensitiva, versicolor, hirta, 434; corniculata, stricta, frutescens, 435.
- PÆONIA—officinalis, 530.
- PANAX—quinquefolium, 1058; trifolium, 1059.
- PANCRATIUM—zeylanicum, mexicanum, 290; caribæum, maritimum, carolinianum, illyricum, amboinense, 291.
- PANICUM—alopecuroides, 55; glaucum, americanum, italicum, Crus galli, 56; dissectum, dimidiatum, sanguinale, filiforme, compositum, 57; dichotomum, clandestinum, capillare, patens, dactylon, miliaceum, latifolium, 58; brevifolium, arborescens, virgatum, 59.
- PAPAVER—hybridum, Argemone, 506; alpinum, nudicaule, Rhœas, 507; somniferum, cambricum, orientale, 508; dubium, 1196.
- PARIETARIA—officinalis, lusitanica, cretica, zeylanica, 1052.
- PARIS—quadrifolia, 367.
- PARKINSONIA—aculeata, 375.
- PARNASSIA—palustris, 273.
- PARTHENIUM—Hysterophorus, integrifolium, 988.
- PASSERINA—filiformis, hirsuta, ciliata, 559; uniflora, 560.
- PASSIFLORA—serratifolia, pallida, cuprea, 955; tiliaefolia, maliformis, laurifolia, multiflora, perfoliata, rubra, 956; Murucuja, vespertilio, capsularis, rotundifolia, punctata, 957; lutca, suberosa, holosericea, hirsuta, 958; foetida, minima, incarnata, cærulea, 959; serratodigitata, pedata, 960.
- PASTINACCA—sativa, Opopanax, 262.
- PATAGONULA—americana, 149.
- PAVETTA—indica, 110.
- PAULLINIA—asiatica, Seriana Cururu, 365; mexicana, curassavica, polyphylla, pinnata, 366.
- PEDICULARIS—palustris, sylvatica, rostrata, 607; Sceptrum Carolinum, verticillata, resupinata, reculita, tristis, 608; flammea, hirsuta, incarnata, lapponica, comosa, 609; tuberosa, 610.
- PEGANUM—Harmala, 444; daurica, 445.
- PENÆA—Sarcocolla, mucronata, 111; squamosa, 112.

- PENTAPETES—phœnicea, suberifolia, acerifolia, 698.
 PENTHORUM—sedoides, 620.
 PEPLIS—Portula, 332.
 PERIPLOCA—græca, indica, africana, 211 ; tenuifolia, 212.
 PETIVERIA—alliacea, 342.
 PETRÆA—volubilis, 626.
 PEUCEDANUM—officinale, 245 ; alpestre, Silaus, nodosum, 246.
 PEZIZA—lentifera, punctata, 1180 ; cornucopioides. Acetabulum,
 cyathoides, cupularis, scutellata, cochleata, 1181.
 PHACA—bætica, alpina, sibirica, 755.
 PHALARIS—canariensis, 54 ; phleoides, arundinacea, cruceiformis,
 oryzoides, 55.
 PHALLUS—esculentus, 1178 ; impudicus, 1179.
 PHARNACEUM—Cerviana, incanum, 272.
 PHASCUM—acaulon, 1106 ; caulescens, repens, 1107.
 PHASEOLUS — vulgaris, 723 ; coccineus, lunatus, inamœnus,
 farinosus, vexillatus, helvulus, 724 ; alatus, Caracalla,
 radiatus, Max, 725.
 PHELLANDRIUM—aquaticum, Mutellina, 255.
 PHILADELPHUS—coronarius, inodorus, 470.
 PHILLYREA—angustifolia, 7 ; latifolia, 8.
 PHLEUM—pratense, alpinum, 59 ; arenarium, schœnoides, 60.
 PHLOMIS—fruticosa, 584 ; purpurea, Nissolii, Lychnitis, laciniata,
 samia, 585 ; herba venti, tuberosa, zeylanica, indica, nepe-
 tifolia, 586 ; Leonurus, 587.
 PHLOX—paniculata, 151 ; maculata, pilosa, glaberrima, divaricata,
 ovata, subulata, 152 ; sibirica, setacea, 153.
 PHŒNIX—dactylifera, 1188.
 PHRYMA—leptostachya, 601.
 PHYLICA—ericoides, plumosa, buxifolia, 195.
 PHYLLANTHUS—grandifolia, Epiphyllanthus, Niruri, 981 ; Urinaria,
 maderaspatensis, Emblica, 982.
 PHYLLIS—nobla, indica, 232.
 PHYSALIS—somniafera, flexuosa, curassavica, 182 ; viscosa, Alke-
 kengi, angulata, pubescens, minima, 183 ; pruinosa, 184.
 PHYTEUMA—pauciflora, hemisphærica, orbicularis, 170 ; spicata,
 comosa, pinnata, 171.
 PHYTOLACCA—americana, asiatica, 441.
 PICRIS—echioides, hieracioides, pyrenaica, 792 ; asplenioides, 793.
 PILULARIA—globulifera, 1100.
 PIMPINELLA—saxifraga, 163 ; glauca, peregrina, Anisum, 264.
 PINGUICULA—lusitanica, vulgaris, alpina, villosa, 17.
 PINUS—sylvestris, Pineæ, Tæda, Cembra, 1000 ; Strobis, Cedrus,
 Larix, Picea, 1001 ; Balsamea, Abies, 1002.
 PIPER—nigrum, Betle, 28 ; Malamiris, Siriboa, longum, Amalago,
 reticulatum, aduncum, 29 ; pellucidum, acuminatum, obtusi-
 folium, rotundifolium, maculosum, peltatum, distachyon,
 umbellatum, trifolium, 30.

- PISONIA—aculeata, mitis, 1026.
- PISTACIA—trifolia, narbonensis, vera, Terebinthus, 1025 ; Lentiscus, Simaruba, 1026.
- PISTIA—Stratiotes, 963.
- PISUM—sativum, arvense, maritimum, Ochrus, 727.
- PLANTAGO—major, 112 ; asiatica, media, virginica, lanceolata, 113 ; lagopus, albicans, alpina, cretica, maritima, 114 ; subulata, Coronopus, Læflingii, uniflora, Psyllium, 115 ; Cynops, 116.
- PLATANUS—orientalis, occidentalis, 999.
- PLINIA—pennata, 516.
- PLUKENETIA—volubilis, 1192.
- PLUMBAGO—europæa, zeylanica, 151.
- PLUMERIA—rubra, 209 ; alba, obtusa, 210.
- POA—aquatica, alpina, trivialis, angustifolia, pratensis, 67 ; annua, flava, pilosa, amabilis, Eragrostis, capillaris, 68 ; malabarica, chinensis, tenella, compressa, nemoralis, 69 ; bulbosa, 70.
- PODOPHYLLUM—peltatum, diphyllum, 505.
- POINCIANA—pulcherrima, 380.
- POLEMONIUM—cæruleum, 162 ; rubrum, dubium, 163.
- POLIANTHES—tuberosa, 316.
- POLYCNEMUM—arvense, 35.
- POLYGALA — incarnata, 701 ; vulgaris, monspeliaca, sibirica, bracteolata, 702 ; scabra, myrtifolia Penæa, diversifolia, 703 ; chinensis, Chamæbuxus, spinosa, Heisteria, Senega, 704 ; lutea, viridescens, triflora, glaucoides, ciliata, sanguinea, 705 ; verticillata, cruciata, 706.
- POLYGONUM—frutescens, 359 ; Bistorta, viviparum, serratum, virginianum, lapathifolium, 360 ; amphibium, maritimum, ocreatum, Hydropiper, Persicaria, 361 ; barbatum, orientale, pensylvanicum, aviculare, 362 ; erectum, articulatum, divaricatum, chinense, sagittatum, 363 ; arifolium, Tataricum, Fagopyrum, Convolvulus, scandens, 364 ; Uvifera, 365.
- POLYMNIA—canadensis, 926.
- POLYPODIUM—lanceolatum, lycopodioides, 1082 ; piloselloides, heterophyllum, crassifolium, phyllitidis, 1083 ; comosum, trifurcatum, crispatum, suspensum, asplenifolium, 1084 ; scolopendrioides, vulgare, virginianum, Otites, pectinatum, 1085 ; taxifolium, struthionis, squamatum, loriceum, alatum, cambricum, 1086 ; aureum, quercifolium, trifoliatum, 1087 ; Lonchitis, auriculatum, triangulum, 1088.
- POLYPREMUM—procumbens, 111.
- POLYTRICHUM—commune, alpinum, urnigerum, 1109.
- PONTERERIA—ovata, cordata, hastata, 288.
- POPULUS—alba, tremula, nigra, balsamifera, heterophylla, 1034.
- PORELLA—pinnata, 1106.
- PORTULACA—oleracea, pilosa, Anacampseros, 445 ; Portulacastrum, 446.

- POTAMOGETON—natans, perfoliatum, densum, lucens, crispum, serratum, 126; compressum, pectinatum, setaceum, graminum, marinum, pusillum, 127.
- POTENTILLA—fruticosa, Anserina, 495; multifida, fragarioides, rupestris, 496; bifurca, pimpinelloides, supina, recta, argentea, hirta, 497; stipularis, verna, canadensis, alba, 498; reptans, monspeliensis, norvegica, nivea, grandiflora, 499; acaulis, 500.
- POTERIUM—Sanguisorba, hybridum, spinosum, 994.
- POTHOS—scandens, 968.
- PRASIMUM—majus, minus, 601.
- PRENANTHES—tenuifolia, viminea, purpurea, muralis, altissima, 797; alba, 798.
- PRIMULA—veris, 142; farinosa, Auricula, minima, vitaliana, 143; integrifolia, cortusoides, 144.
- PRINOS—verticillatus, glaber, 330.
- PROSERPINACA—palustris, 88.
- PROTEA—argentea, 94; fusca, 95.
- PRUNELLA—vulgaris, hyssopifolia, 600; lusitanica, 601.
- PRUNUS—Padus, Virginiana, lusitanica, 473; Lauro-Cerasus, Mahaleb, Armeniaca, sibirica, Cerasus, 474; domestica, spinosa, 475.
- PSIDIUM—Guajava, 470.
- PSORALEA—pinnata, 762; aculeata, tenuifolia, bituminosa, americana, 763; corylifolia, pentaphylla, Dalea, 764.
- PTELEA—trifoliata, viscosa, 118.
- PTERIS—lanceolata, lineata, tricuspidata, furcata, arborea, grandifolia, 1073; longifolia, vittata, stipularis, trichomanoides, ruffa, 1074; pedata, aquilina, caudata, 1075; mutilata, atropurpurea, biaurita, semipinnata, dichotoma, 1076.
- PULMONARIA—angustifolia, officinalis, virginica, sibirica, 135; maritima, 136.
- PUNICA—Granatum, 472.
- PYROLA—rotundifolia, minor, secunda, umbellata, maculata, 396; uniflora, 397.
- PYRUS—communis, Malus, 479; coronaria, Cydonia, 480.
- QUERCUS—Phellos, Smilax, 994: Ilex, Suber, gramuntia, coccifera, Prinus, nigra, 995; rubra, alba, Escalus, Robuz, Ægilops, 996; Cerris, 997; molurra, 1199.
- QUERIA—hispanica, canadensis, 90.
- RAJANIA—hastata, cordata, quinquefolia, 1032.
- RANDIA—mitis, aculeata, 1192.
- RANUNCULUS—Flammula, 548; reptans, Lingua, gramineus, parnassifolius, amplexicaulis, 549; bullatus, Ficaria, Thora, arcticus, 550; cassubicus, auricomus, abortivus, sceleratus, aconitifolius, 551; illyricus, asiaticus, rutafolius, 552;

- glacialis, nivalis, alpestris, Lapponicus, monspeliacus, 553 ;
bulbosus, repens, polyanthemus, acris, lanuginosus, 554 ;
cherophyllos, arvensis, muricatus, orientalis, grandiflorus,
555 ; falcatus, hederaceus, aquatilis, 556.
- RAPHANUS—sativus, Raphanistrum, sibiricus, 669.
- RAUVOLFIA—tetraphylla, 208.
- RENEALMIA—paniculata, polystachia, 286 ; monostachia, recurvata,
usneoides, 287.
- RESEDA—Luteola, canescens, 448 ; glauca, purpurascens, sesa-
moides, alba, lutea, Phyteuma, 449.
- RIHAMNUS — catharticus, alpinus, Frangula, Alaternus, 193 ;
Paliurus, Lotus, Napeca, Jujuba, Oenopolia, Zizyphus,
194 ; Spina Christi, 195.
- RHEEDIA—lateriflora, 1193.
- RHEUM—Rhaponticum, 371 ; Rhabarbarum, Ribes, 372.
- RHEDIA—virginica, mariana, 346.
- RHINANTHUS—orientalis, Elephas, Crista galli, indica, virginica, 603.
- RHIZOPHORA—conjugata, gymnorhiza, Candel, Mangle, cylindrica,
443.
- RHODIOLA—rosea, 1035.
- RHODODENDRON—ferrugineum, hirsutum, Chamæcistus, maximum,
392.
- RHUS—Coriaria, javanica, glabra, Vernix, 265 ; Copallinum,
radicans, Toxicodendron, tomentosum, 266 ; Cobbe, angusti-
folium, lucidum, Cotinus, 267.
- RIBES—rubrum, alpinum, 200 ; nigrum, reclinatum, Grossularia,
oxyacanthoides, Uva crispa, 201 ; Cynosbati, 202.
- RICCIA—crystallina, 1138 ; minima, glauca, fluitans, 1139.
- RICHARDIA—scabra, 330.
- RICINUS—communis, 1007.
- RIVINA—humilis, 121.
- ROBINIA—Pseudo-Acacia, grandiflora, Caragana, 722 ; frutex,
pygmæa, 723.
- ROELLA—ciliata, reticulata, 170.
- RONDOLETIA—americana, asiatica, 172.
- ROSA — cinnamomea, eglanteria, villosa, canina, spinosissima,
centifolia, 491 ; alba, gallica, indica, sempervirens, pendu-
lina, carolina, 492.
- ROSMARINUS—officinalis, 23.
- ROYENA—lucida, glabra, hirsuta, 397.
- RUBIA—tinctorum, peregrina, 109.
- RUBUS—idæus, 492 ; occidentalis, hispidus, cæsius, fruticosus, 493 ;
canadensis, odoratus, saxatilis, arcticus, Chamæmorus, 494 ;
parvifolius, 1197 ; moluccanus, 1197.
- RUDECKIA—laciniata, 906 ; triloba, hirta, purpurea, oppositifolia,
907.
- RUELLIA—strepens, clandestina, 634 ; paniculata, tuberosa, biflora,
crispa, ringens, antipoda, 635.

- RUMEX**—*Patientia*, 333; *sanguineus*, *alpinus*, *verticillatus*, *Britanica*, 334; *egyptiacus*, *persicarioides*, *maritimus*, *crispus*, *acutus*, *obtusifolius*, 335; *pulcher*, *bucephalophorus*, *aquaticus*, *Lunaria*, *vesicarius*, 336; *roseus*, *scutatus*, *digynus*, *spinosus*, *Acetosa*, 337; *Acetosella*, 338.
- RHUMPHIA**—*amboinensis*, 1193.
- RUPPIA**—*maritima*, 127.
- RUSCUS**—*aculeatus*, *Hypophyllum*, *Hypoglossum*, *androgynus*, *racemosus*, 1041.
- RUTA**—*graveolens*, 383; *patavina*, *linifolia*, 384.
- SACCHARUM**—*officinarum*, *spicatum*, 54.
- SAGINA**—*procumbens*, *erecta*, *virginica*, 128.
- SAGITTARIA**—*sagittifolia*, *obtusifolia*, *trifolia*, 993.
- SALICORNIA**—*europaea*, *arabica*, 3; *virginia*, *caspica*, 4.
- SALIX**—*hermaphroditica*, 1015; *triandra*, *pentandra*, *phylicifolia*, *vitellina*, *amygdalina*, 1016; *hastata*, *fragilis*, *babylonica*, *purpurea*, *Helix*, 1017; *myrsinites*, *arbuscula*, *herbacea*, *reticulata*, 1018; *myrtilloides*, *glauca*, *aurita*, *lanata*, *lapponum*, *arenaria*, 1019; *incubacea*, *repens*, *fusca*, *rosmarinifolia*, *caprea*, 1020; *viminalis*, *cinerea*, *alba*, 1021.
- SALSOLA**—*kali*, *rosacea*, *prostrata*, 222; *vermiculata*, *Soda*, 223.
- SALVADORA**—*persica*, 122.
- SALVIA**—*egyptiaca*, *cretica*, *lyrata*, *officinalis*, 23; *pomifera*, *urticifolia*, *viridis*, *Horminum*, *sylvestris*, *hæmatodes*, 24; *pratensis*, *dominica*, *verbenacea*, *pyrenaica*, *mexicana*, *hispanica*, 25; *indica*, *verticillata*, *glutinosa*, *canariensis*, *cærulea*, *lutea*, 26; *Sclarea*, *ceratophylla*, *Æthiopis*, *pinnata*, *nutans*, 27.
- SAMBUCUS**—*Ebulus*, *canadensis*, *nigra*, 269; *racemosa*, 270.
- SAMOLUS**—*valerandi*, 171.
- SAMYDA**—*Guidonia*, 443.
- SANGUINARIA**—*canadensis*, 505.
- SANGUISORBA**—*officinalis*, 116; *canadensis*, 117.
- SANICULA**—*europæa*, *canadensis*, *marilandica*, 235.
- SANTALUM**—*album*, 349.
- SANTOLINA**—*Chamae-Cyparissus*, *rosmarinifolia*, *crenata*, *annua*, 842; *dentata*, *trifurcata*, *crithmifolia*, 843.
- SAPINDUS**—*Saponaria*, *trifoliata*, 367.
- SAPONARIA**—*officinalis*, 408; *Vaccaria*, *ocymoides*, *orientalis*, 409.
- SARRACENIA**—*purpurea*, *flava*, 510.
- SAROTHTRA**—*gentianoides*, 272.
- SATUREJA**—*virginiana*, *juliana*, *Thymbra*, *mastichina*, 567; *græca*, *montana*, *hortensis*, *capitata*, *origanoides*, 568.
- SATYRIUM**—*hircinum*, *viride*, *nigrum*, *albidum*, 944; *Epipogium*, *repens*, 945.
- SAURURUS**—*cernuus*, 341.
- SAUVAGESIA**—*erecta*, 203.

- SAXIFRAGA**—*Cotyledon*, 398; *pennsylvanica*, *androsacea*, *cæsia*, 399; *Burseriana*, *bryoides*, *bronchialis*, *stellaris*, 400; *crassifolia*, *nivalis*, *Geum*, *rotundifolia*, *punctata*, 401; *oppositifolia*, *aspera*, *autumnalis*, *Hirculus*, 402; *aizoides*, *rotundifolia*, *granulata*, *bulbifera*, *cernua*, 403; *rivularis*, *groenlandica*, *tridactylites*, *sedoides*, *cæspitosa*, 404; *cymbalaria*, *hederacea*, *hypnoides*, *adscendens*, 405.
- SCABIOSA**—*alpina*, *transylvanica*, *leucantha*, *Succisa*, *syriaca*, 98; *integrifolia*, *tatarica*, *arvensis*, *triandra*, *columbaria*, 99; *stellata*, *atropurpurea*, *argentea*, *africana*, *cretica*, *Pterocephala*, 100; *ochroleuca*, *papposa*, 101.
- SCANDIX**—*odorata*, *Pecten*, 256; *Cerefolium*, *Anthriscus*, *australis*, *nodosa*, *grandiflora*, *procumbens*, 257.
- SCHEUCHZERIA**—*palustris*, 338.
- SCHINUS**—*myricoides*, *Molle*, 388; *Areira*, *Fagara*, *tragodes*, *Limonia*, 389.
- SCHOENUS**—*Mariscus*, *aculeatus*, *mucronatus*, 42; *nigricans*, *ferrugineus*, *coloratus*, *compressus*, 43; *glomeratus*, *albus*, 44.
- SCHWALBEA**—*americana*, 606.
- SCILLA**—*maritima*, *Lilio Hyacinthus*, *italica*, 308; *peruviana*, *amœna*, *bifolia*, *autumnalis*, *unifolia*, 309.
- SCIRPUS**—*articulatus*, *palustris*, 47; *geniculatus*, *cespitosus*, *capitatus*, *acicularis*, *fluitans*, *lacustris*, 48; *Holoschœnus*, *romanus*, *setaceus*, *supinus*, *capillaris*, 49; *mucronatus*, *dichotomus*, *echinatus*, *retrofractus*, *ferrugineus*, 50; *spadicæus*, *maritimus*, *lithospermus*, *sylvaticus*, 51; *glomeratus*, *Michelianus*, 52.
- SCHLERANTHUS**—*annuus*, *perennis*, 406.
- SCOLYMUS**—*maculatus*, *hispanicus*, 813.
- SCOPARIA**—*dulcis*, 116.
- SCORPIURUS**—*vermiculata*, 744; *muricata*, *sulcata*, *subvillosa*, 745.
- SCORZONERA**—*humilis*, 790; *hispanica*, *graminifolia*, *purpurea*, *angustifolia*, *laciniata*, *tingitana*, 791; *picroides*, 792; *resedifolia*, 1198.
- SCROPHULARIA**—*marilandica*, *nodosa*, 619; *aquatica*, *auriculata*, *Scorodonia*, *orientalis*, *vernalis*, *sumbucifolia*, 620; *canina*, *peregrina*, *frutescens*, *coccinea*, 621.
- SCURRULA**—*parasitica*, 110.
- SCUTELLARIA**—*orientalis*, *supina*, *lateriflora*, 598; *galericulata*, *hastifolia*, *integrifolia*, *hyssopifolia*, *peregrina*, *alpina*, 599; *indica*, *altissima*, *cretica*, 600.
- SECALE**—*cereale*, *villosum*, *orientale*, *creticum*, 84.
- SECURIDACA**—*volubilis*, 707.
- SEDUM**—*verticillatum*, *Telephium*, *Anacampteros*, *Aizoon*, 430; *hybridum*, *stellatum*, *Cepæa*, *dasyphyllum*, *rupestre*, 431; *album*, *rubens*, *acre*, *sexangulare*, *annuum*, *villosum*, 432.
- SELAGO**—*corymbosa*, *spuria*, *dubia*, 629.
- SELINUM**—*sylvestre*, *palustre*, 244; *cervaria*, 1194.

- SEMPERVIVUM—arborescens, canariense, tectorum, globiferum, 464; arachnoideum, montanum, 465.
- SENECIO—hieracifolius, divaricatus, 866; Pseudo-China, vulgaris, triflorus, ægypticus, lividus, 867; trilobus, viscosus, sylvaticus, glaucus, hastatus, 868; elegans, squalidus, incanus, abrotanifolius, canadensis, 869; Jacobæa, aureus, paludosus, nemorensis, 870; saracenicus, halimifolius, byzantinus, ilicifolius, 871; rigidus, 872.
- SERAPIAS—Helleborine, 949; Lingua, 950.
- SERIPHIDIUM—cinereum, plumosum, fuscum, 928.
- SERRATULA—tinctoria, alpina, 816; salicifolia, multiflora, 817; noveboracensis, præalta, glauca, squarrosa, scariosa, 818; spicata, Chamae-Peuce, amara, 819; centauroides, arvensis, 820.
- SESAMUM—orientale, indicum, 634.
- SESELI—pimpinelloides, 259; montanum, glaucum, annuum, ammoides, tortuosum, Carvifolia, 260; pyrenæum, saxifragum, 261.
- SHERARDIA—arvensis, 102; muralis, fruticosa, 103.
- SIBBALDIA—procumbens, erecta, 284.
- SIBTHORPIA—europæa, africana, peregrina, 631.
- SICYOS—angulata, laciniata, trifoliata, 1013.
- SIDA—spinosa, 683; rhombifolia, alnifolia, cordifolia, periplocifolia, 684; amplissima, Abutilon, crispa, cristata, capitata, 685.
- SIDERITIS—canariensis, cretica, syriaca, 574; perfoliata, montana, romana, hyssopifolia, hirsuta, 575.
- SIDEROXYLON—inermis, 192; spinosum, 193.
- SIGESBECKIA—orientalis, occidentalis, 900.
- SILENE—anglica, lusitanica, quinquevulnera, nocturna, 416; gallica, cerastoides, nutans, amœna, fruticosa, 417; gigantea, conoidea, conica, Behen, pendula, 418; noctiflora, virginica, antirrhina, rubella, inaperta, 419; cretica, portensis, Muscipula, polyphylla, Armeria, 420; rupestris, Saxifraga, bupleuroides, 421.
- SILPHIUM—laciniatum, 919; Asteriscus, helianthoides, solidaginoides, trifoliatum, 920.
- SINAPIS—arvensis, alba, nigra, juncea, 668; hispanica, 669.
- SIPHONANTHUS—indica, 109.
- SISON—Anomum, segetum, canadense, Ammi, 252; inundatum, verticillatum, 253.
- SISYMBRIUM—Nasturtium, sylvestre, amphibium, supinum, 657; polyceratum, murale, vimineum, arenosum, monense, 658; asperum, Sophia, tanacetifolium, altissimum, Irio, 659; strictissimum, integrifolium, 660.
- SISYRINCHIUM—Bermudiana, 954.
- SICUM—latifolium, nodiflorum, Sisarum, Ninsi, rigidius, 251; Falcaria, græcum, siculum, 252.

- SLOANEA**—dentata, emarginata, 512.
- SMILAX**—aspera, 1028; excelsa, zeylanica, Sarsaparilla, China, 1029; rotundifolia, laurifolia, tamnoides, caduca, bona nox, herbacea, 1030; lanceolata, Pseudo-China, 1031.
- SMYRNIUM**—perfoliatum, Olusatrum, aureum, 262; integerrimum, 263.
- SOLANUM**—verbascifolium, guineense, Pseudo-Capsicum, diphylum, 184; Dulcamara, quercifolium, bonariense, tuberosum, Lycopersicum, 185; peruvianum, montanum, nigrum, Melongena, 186; Campechiense, mammosum, virginianum, indicum, carolinense, Sodomeum, 187; incanum, tomentosum, bahamense, trilobatum, 188.
- SOLDANELLA**—alpina, 144.
- SOLIDAGO**—sempervirens, canadensis, altissima, 878; lateriflora, caesia, mexicana, flexicaulis, latifolia, 879; Virgaurea, rigida, noveboracensis, alpina, Doronicum, 880; linifolia, montana, 881.
- SONCHUS**—canadensis, palustris, arvensis, 793; oleraceus, tenerimus, alpinus, floridanus, 794; sibiricus, 795.
- SOPHORA**—alopecuroides, tomentosa, heptaphylla, genistoides, tinctoria, 373; lupinoides, 374.
- SORBUS**—aucuparia, domestica, 477.
- SPARGANIUM**—erectum, natans, 971.
- SPARTIUM**—junceum, radiatum, monospermum, Scorpius, 708; angulatum, complicatum, scoparium, spinosum, 709.
- SPERGULA**—arvensis, pentandra, nodosa, 440; laricina, saginoides, 441.
- SPERMACOCE**—tenuior, verticillata, hispida, 102.
- SPHERANTHUS**—indicus, 927.
- SPHAGNUM**—palustre, alpinum, 1106.
- SPIGELIA**—Anthelmia, 149.
- SPINACIA**—oleracea, 1027.
- SPIRÆA**—salicifolia, tomentosa, hypericifolia, chamædrifolia, crenata, opulifolia, 489; sorbifolia, Aruncus, Filipendula, Ulmaria, trifoliata, 490.
- SPLACHNUM**—rubrum, luteum, ampullaceum, 1108.
- SPONDIAS**—Mombin, 371.
- SPONGIA**—officinalis, 1169; oculata, nodosa, flabelliformis, fistulosa, tubulosa, aculeata, muricata, infundibuliformis, 1170; lacustris, fluviatilis, 1171.
- STACHYS**—sylvatica, palustris, 580; alpina, germanica, cretica, glutinosa, spinosa, 581; orientalis, 582.
- STÆHELINA**—gnaphaloides, centauroides, dubia, 840.
- STAPELIA**—variegata, hirsuta, 217.
- STAPHYLEA**—pinnata, trifolia, 270.
- STATICE**—Armeria, Limonium, 274; cordata, echiioides, reticulata, speciosa, tatarica, 275; Echinus, flexuosa, suffruticosa, monopetala, aurea, sinuata, 276.

STELLARIA—nemorum, dichotoma, 421 ; radians, Holostea, graminea, cerastoides, biflora, 422 ; arenaria, 1196.

STELLERA—Passerina, Chamæjasme, 559.

STERCULIA—Balanghas, 1007 ; fetida, crepitans, 1008.

STEWARTIA—Malacodendron, 698.

STIPA—pennata, juncea, avenacea, 78 ; membranæca, 560.

STOEBE—æthiopica, 831.

STRATIOTES—aloides, alismoides, 535.

STRYCHNOS—Nux vomica, colubrina, 189.

STYRAX—officinale, 444.

SUBULARIA—aquatica, 642.

SURIANA—maritima, 284.

SWERTIA—perennis, difformis, rotata, 226 ; corniculata, dichotoma, 227.

SYMPHYTUM—officinale, tuberosum, orientale, 136.

SYRINGA—vulgaris, persica, 9.

TABERNÆMONTANA—citrifolia, laurifolia, 210 ; alternifolia, 211.

TAGETES—patula, erecta, minuta, 887.

TAMARINDUS—indica, 34.

TAMARIX—gallica, 270 ; germanica, 271.

TAMUS—communis, cretica, 1028.

TANACETUM—crithmifolium, suffruticosum, 843 ; frutescens, sibiricum, incanum, annuum, vulgare, 844 ; Balsamita, 845.

TARCHONANTHUS—camphoratus, 842.

TARGIONIA—hypophylla, 1136.

TAXUS—baccata, nucifera, 1040.

TELEPHIUM—Imperati, 271.

TETRACERA—volubilis, 533.

TETRAGONIA—fruticosa, herbacea, 480.

TETRAGONOTHECA—helianthoides, 903.

TEUCRIUM—campanulatum, orientale, Botrys, Pseudochamaepitys, Chamaepitys, 562 ; nissolianum, Iva, mauritanum, fruticans, latifolium, creticum, 563 ; Marum, multiflorum, sibiricum, canadense, virginicum, Scrodonia, 564 ; Scordium, Chamaedrys, flavum, montanum, 565 ; supinum, pyrenaicum, Polium, capitatum, spinosum, mucronatum, 566.

THALIA—geniculata, 1193.

THALICTRUM—alpinum, fetidum, tuberosum, Cornuti, dioicum, 545 ; minus, sibiricum, purpurascens, angustifolium, flavum, lucidum, 546 ; aquilegifolium, contortum, 547.

THAPSLA—villosa, fetida, Asclepium, 261 ; trifoliata, 262.

THEA—sinensis, 515.

THELIGONUM—Cynocrambe, 993.

THEOBROMA—Cacao, Guazama, 782.

THEOPHRASTA—americana, 149.

THESIUM—Linophyllon, alpinum, capitatum, 207 ; umbellatum, 208.

- THLASPI—peregrinum, 645; arvense, alliaceum, saxatile, perfoliatum, hirtum, campestre, 641; montanum, Bursa pastoris, 647.
 THUJA—occidentalis, orientalis, 1002.
 THYMBRA—spicata, verticillata, 569.
 THYMUS—Serpyllum, 590; vulgaris, Zygis, Acinos, alpinus, 591; cephalotus, villosus, pulegioides, 592.
 TIARELLA—cordifolia, 405; trifoliata, 406.
 TILIA—europæa, americana, 514.
 TILLÆA—aquatica, 128; rubra, muscosa, 129.
 TILLANDSIA—utriculata, serrata, lingulata, tenuifolia, 286.
 TOLUIFERA—Balsamum, 384.
 TOMEX—tomentosa, 118.
 TORDYLIUM—syriacum, officinale, apulum, 239; maximum, latifolium, Anthriscus, nodosum, 240.
 TORENIA—asiatica, 619.
 TORMENTILLA—erecta, reptans, 500.
 TOURNEFORTIA—serrata, hirsutissima, volubilis, foetidissima, 140; humilis, glabra, Sibirica, 141.
 TOZZIA—alpina, 607.
 TRACHELIUM—cœruleum, 171.
 TRADESCANTIA—virginiana, 288.
 TRAGIA—volubilis, involucrata, Mercurialis, 980; chamælea, 981.
 TRAGOPOGON—pratense, orientale, porrifolium, hybridum, virginicum, 789; Dalechampii, picroides, asperum, 790.
 TRAPA—natans, 120.
 TREMELLA—juniperina, Nostoc, Auricula, lichenoides, 1157; verrucosa, hemispherica, purpurea, 1158.
 TREVIA—nudiflora, 1193.
 TRIANTHEMA—Portulacastrum, 223.
 TRIBULUS—maximus, lanuginosus, terrestres, cistoides, 387.
 TRICHOMANES—membranaceum, crispum, 1097; polypodioides, hirsutum, pixydiferum, tunbrigense, adiantoides, scandens, 1098; chinensis, canariensis, capillaceum, 1099.
 TRICHOSANTHES—Anguina, nervifolia, cucumerina, amara, 1008.
 TRIDAX—procumbens, 900.
 TRIENTALIS—europæa, Capensis, 344.
 TRIFOLIUM—Melilotus cœrulea, 764; Melilotus indica, Melilotus polonica, Melilotus officinalis, Melilotus italica, Melilotus cretica, 765; Melilotus corniculata, Melilotus ornithopodioides, Lupinaster, reflexum, hybridum, 766; repens, comosum, alpinum, subterraneum, globosum, 778; rubens, pratense, squarrosus, lappaceum, 768; incarnatum, angustifolium, arvense, stellatum, clypeatum, 769; scabrum, glomeratum, striatum, montatum, fruticans, uniflorum, spumosum, resupinatum, tomentosum, 771; fragiferum, agrarium, montanum, procumbens, 772; filiforme, biflorum, 773.

- TRIGLOCHIN—palustre, 338 ; maritimum, 339.
TRIGONELLA—ruthenica, platycarpus, 766 ; polyceratia, spinosa, monspeliaca, Fœnum græcum, 777 ; indica, 778.
TRILLIUM—cernuum, 339 ; erectum, sessile, 340.
TRIOPTERIS—jamaicensis, 428.
TRIOSTEUM—perfoliatum, angustifolium, 176.
TRITICUM—æstivum, 85 ; hybernium, turgidum, Spelta, monococcum, repens, caninum, 86.
TRIUMFETTA—Lappula, 444.
TROLLUIS—europæus, 556 ; asiaticus, 557.
TROPÆOLUM—majus, minus, peregrinum, 345.
TULIPA—sylvestris, 305 ; Gesneriana, Breyniana, 306.
TURNERA—ulmifolia, 271.
TURRITIS—glabra, hirsuta, 666.
TUSSILAGO—Anandria, alpina, Farfara, frigida, 865 ; alba, hybrida, Petasites, 866.
TYPHA—latifolia, angustifolia, 971.

ULEX—europæus, capensis, 741.
ULMUS—campestris, 225 ; americana, pumila, 226.
ULVA—intestinalis, compressa, confervoides, Lactuca, umbilicalis, Linza, 1163 ; pruniformis, granulata, 1164.
UNIOLA—paniculata, spicata, 71.
URENA—lobata, sinuata, procumbens, 692.
URTICA—pilulifera, 983 ; pumila, urens, dioica, cannabina, cylindrica, 984 ; parietaria, capitata, divaricata, canadensis, interrupta, nivea, 985.
UTRICULARIA—vulgaris, minor, subulata, gibba, bifida, cœrulea, foliosa, 18.
UVARIA—zeylanica, japonica, 536.
UVULARIA—amplexifolia, perfoliata, 304 ; sessilifolia, 305.

VACCINIUM—Myrtillus, 349 ; stamineum, uliginosum, album, mucronatum, corymbosum, 350 ; frondosum, ligustrinum, Aretostaphylos, Vitis idæa, Oxycoccus, 351 ; hispidulum, 352.
VALANTIA—muralis, Aparine, 1051 ; articulata, Cruciata, 1052.
VALERIANA—rubra, calcitrapa, cornucopiæ, dioica, officinalis, 31 ; Phu, tripteris, montana, celtica, 32 ; tuberosa, saxatilis, pyrenaica, Chinensis, Locusta, 33 ; mixta, Sibirica, 34.
VALLISNERIA—spiralis, 1015.
VATERIA—indica, 515.
VELEZIA—rigida, 332.
VELLA—annua, Pseudo-Cytisus, 641.
VERATRUM—album, nigrum, luteum, 1044.
VERBASCUM—Thapsus, Lychnitis, 177 ; nigrum, Blattaria, Areturus, sinuatum, phœniceum, 178 ; Osbeckii, myconi, 179 ; phlomoïdes, 1194.

- VERBENA**—*orubica*, 18; *jamaicensis*, *stœchadifolia*, *prismatica*, *mexicana*, *lappulacea*, *curassavica*, 19; *nodiflora*, *bonariensis*, *hastata*, *urticifolia*, *spuria*, *officinalis*, 20; *supina*, 21.
VERBESINA—*alata*, *chinensis*, *virginica*, *Pseudo-Acmella*, *Acmella*, 901; *Lavenia alba*, *prostrata*, *calendulacea*, *asteroides*, 902.
VERONICA—*virginica*, 9; *spuria*, *maritima*, *longifolia*, *incana*, *spicata*, 10; *hybrida*, *officinalis*, *aphylla*, *bellidioides*, *Bonarota*, *alpina*, 11; *serpyllifolia*, *Beccabunga*, *Anagallis*, *scutellata*, 12; *multifida*, *Chamædrys*, *latifolia*, *agrestis*, *arvensis*, *hederæfolia*, 13; *triphyllus*, *verna*, *romana*, *peregrina*, *marilandica*, 14.
VIBURNUM—*Tinus*, 267; *nudum*, *prunifolium*, *dentatum*, *Lantana*, *acerifolium*, *Opulus*, *Lentago*, 268.
VICIA—*pisiformis*, *dumetorum*, *sylvatica*, 734; *cassubica*, *Cracca*, *onobrychioides*, *nissoliana*, 735; *biennis*, *benghalensis*, *sativa*, *lathyroides*, *lutea*, 736; *hybrida*, *peregrina*, *sepium*, *narbonensis*, *Faba*, 737.
VINCA—*minor*, *major*, 209.
VIOLA—*palmata*, *pedata*, 933; *pinnata*, *lanceolata*, *primulifolia*, *hirta*, *palustris*, *odorata*, 934; *canina*, *montana*, *arborescens*, *calcarata*, *tricolor*, 935; *canadensis*, *mirabilis*, *biflora*, *uniflora*, 936; *enneasperma*, *suffruticosa*, 937.
VISCUM—*album*, *rubrum*, *purpureum*, *opuntiioides*, *verticillatum*, *terrestre*, 1023.
VITEX—*Agnus Castus*, *trifolia*, *Negundo*, *pinnata*, 638.
VITIS—*vinifera*, *indica*, 202; *Labrusca*, *vulpina*, *trifolia*, *laciniosa*, *arborea*, 203.
VOLKAMERIA—*aculeata*, *inermis*, 637.
WALTHERIA—*americana*, *indica*, 637.
XANTHIUM—*strumarium*, *spinosum*, 987.
XERANTHEMUM—*annuum*, 957; *crucifolium*, *vestitum*, *speciosissimum*, *proliferum*, *retortum*, 858; *ciliatum*, *spinosum*, *sesamoides*, *paniculatum*, 859.
XIMENIA—*americana*, 1193; *ægyptiaca*, 1194.
XYRIS—*indica*, 42.
YUCCA—*gloriosa*, *aloifolia*, *draconis*, *filamentosa*, 319.
ZANNICHELLIA—*palustris*, 969.
ZANTHOXYLUM—*Clava herculis*, *trifoliatum*, 270.
ZEA—*Mays*, 971.
ZIZANIA—*aquatica*, *terrestris*, 991.
ZIZIPHORA—*capitata*, *tenuior*, 21; *acinoides*, 22.
ZOSTERA—*marina*, 968.
ZYGOPHYLLUM—*Fabago*, *Morgsana*, *sessilifolium*, 385 *fulvum*, *coccineum*, *spinosum*, 386.