Resolution test chart showing patterns of vertical and horizontal lines with numerical values ranging from 1.0 to 2.5.

6"

Photographic Sciences Corporation

**23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503**

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1984

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☒ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
						✓					

The copy filmed here has been reproduced thanks to the generosity of:

Université de Montréal

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol ➡ (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Université de Montréal

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole ➡ signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

F C

A

DEPARTMENT OF THE INTERIOR.
TENTH CENSUS OF THE UNITED STATES.
FORESTRY.

A CATALOGUE
OF THE
FOREST TREES
OF
NORTH AMERICA.

BY
CHARLES S. SARGENT,
ARNOLD PROFESSOR OF ARBORICULTURE IN HARVARD COLLEGE,
SPECIAL AGENT TENTH CENSUS.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1880.

SD
143
537

It is
United
Trees of
distrib
Know
that it
the ass
ducts, I
Infor
1. Th
2. Th
plied a
3. Th
develop
4. Di
5. Th
already
6. Th
species
7. Pr
dyes, pe
Any
publicat
acknowl
To fac
present
intended
whole ca
most cor

It is proposed to join to the Report on the Forest Wealth of the United States, now in course of preparation, a Catalogue of the Forest Trees of North America, with special reference to their geographical distribution and economic properties and uses.

Knowledge of this nature in regard to our trees is still so imperfect that it is impossible to make such a catalogue at all exhaustive without the assistance of botanists, and others interested in trees and their products, in every part of the country.

Information on the following points is particularly needed.

1. The extreme geographical range of any species.
2. The region and elevation where any species is principally multiplied and reaches its greatest perfection.
3. The geological formation most favorable to the multiplication and development of any species.
4. Dimensions of remarkably developed specimens of any species.
5. The common or local name of any species in addition to those already given.
6. The purposes, however unimportant, for which the wood of any species is employed.
7. Products of any species other than wood, such as tannin, charcoal, dyes, potash, edible fruit, forage, &c.

Any information or corrections which will serve to make the final publication more exact and complete will be gratefully received and duly acknowledged.

To facilitate the collection and preservation of such information the present preliminary catalogue is now published. The blank pages are intended for field-notes and corrections. After these are written in, the whole catalogue, or the notes and observations separately, as may be most convenient, should be returned to—

CHARLES S. SARGENT,
Brookline, Mass.

==
F
==

FOREST TREES OF NORTH AMERICA.

28 July 81

1.

West
the All
Wood
A lar
diameter

2.

Ashe
Mounta
A sm

3.

M.

Along
ward to
"Wood

4.

Essex
to Louis
A sm

5.

Cape
and asce
Wood
work an
A lar
diameter

MAGNOLIACEÆ.

1. **Magnolia acuminata, L.**
CUCUMBER TREE.

Western New York to Jefferson County, Indiana; southward along the Alleghany Mountains to Georgia and Middle Tennessee.

Wood soft, close-grained; preferred for pump logs.

A large tree, 60 to 80 feet in height, with a trunk 2 to 4 feet in diameter.

2. **Magnolia cordata, Michx.**

Ashe County, North Carolina, along the flanks of the Alleghany Mountains to the Savannah River, and in Northern Alabama.

A small or medium-sized tree.

3. **Magnolia Fraseri, Walt.**

M. auriculata, Lam.

LONG-LEAVED CUCUMBER TREE.

Along the flanks of the Alleghany Mountains, from Virginia southward to Central Alabama.

"Wood soft, spongy, very light, and unfit for use."—(*Michaux f.*)

4. **Magnolia glauca, L.**

SWEET BAY. WHITE BAY.

Essex County, Massachusetts, and from Queens County, Long Island, to Louisiana and Southern Arkansas; generally near the coast.

A small tree; in swamps; the roots yielding a yellow dye.

5. **Magnolia grandiflora, L.**

BIG LAUREL.

Cape Fear River, North Carolina, south to Florida; west to Texas, and ascending the Mississippi River as far as Natchez.

Wood soft, easily worked, very white; probably valuable for interior work and cabinet-making.

A large tree, 60 to 90 feet in height, with a trunk 2 to 3 feet in diameter.

6.

I
wes
war
A
foot

7.

Y
Alle
Ala
A

8.

B
Kar
W
cons
A
dian
fore

9.

B
(Ga

10.

M
sylv
Indi
W
A
sweet

6.

Magnolia macrophylla, Michx.

LARGE-LEAVED MAGNOLIA TREE.

Iredell and Lincoln Counties, North Carolina, to Middle Florida; and west of the Alleghany Mountains, from Southeastern Kentucky southward through Tennessee to Central Alabama.

A small tree, 20 to 40 feet in height, with trunk rarely exceeding one foot in diameter. Rare.

7.

Magnolia Umbrella, Lam.*M. tripetala*, L.

UMBRELLA TREE.

York and Lancaster Counties, Pennsylvania, and southward along the Alleghany Mountains; throughout the Carolinas, Georgia, Northern Alabama, and westward through Kentucky and Tennessee.

A small tree, rarely exceeding 40 feet in height.

8.

Liriodendron Tulipifera, L.

TULIP TREE. YELLOW POPLAR. WHITE WOOD.

Bennington County, Vermont, south to Florida, and west to Eastern Kansas.

Wood light, close-grained, strong, easily worked; extensively used for construction, interior work, shingles, carriage panels, &c.

A large tree, 70 to 100 feet in height, with a trunk $\frac{1}{2}$ to 7 feet in diameter; one of the largest and most valuable trees of the Atlantic forests.

ANONACEÆ.

9.

Anona glabra, L.

DC. Prodr., i. 85. Coult. Bot. Gazette, iii. 2.

Banks of the Caloosa River, and near Miami, Southern Florida (*Garber*), and in the West Indies.

10.

Asimina triloba, Dunal.*Anona triloba*, L.*Uvaria triloba*, Torr. & Gray.

PAPAW.

Monroe County, New York, and North Erwinna, Bucks County, Pennsylvania; south to Florida; west to Fremont County, Iowa, and the Indian Territory.

Wood light and spongy.

A small tree, sometimes 30 feet in height, or more often a shrub; fruit sweet and edible.

11.

South

12.

South
Wood
A tree
eter; i

13.

From
A small

14.

New
Manitowish
Allegheny
ern Tex
Wood
rior wood
A tree
the inner
matting

T.
North
Small

GUTTIFERÆ.

11. *Clusia flava*, L.

Southern Florida, and in the West Indies.

TERNSTRÆMIACEÆ.

12. *Gordonia Lasianthus*, L.

LOBLOLLY BAY.

Southern Virginia to Louisiana, near the coast.

Wood reddish, light, brittle, close-grained, of little value.

A tree 50 to 60 feet in height, with a trunk 18 to 20 inches in diameter; in swamps; bark rich in tannin.

13. *Gordonia pubescens*, L'Her.

From the Altamaha River, Georgia, near the coast, south to ?

A small tree, rarely exceeding 30 feet in height. Not common.

TILIACEÆ.

14. *Tilia Americana*, L.

LIME TREE. WHITE WOOD. BASS WOOD.

New Brunswick to the northern shores of Lake Superior, Southern Manitoba, and through the Northern States to Virginia; south along the Alleghany Mountains to Georgia; west to the Missouri River and Eastern Texas.

Wood white, tough, pliable, easily worked; largely employed in interior work, turnery, and the manufacture of wooden ware.

A tree 60 to 80 feet in height, with a trunk 3 to 4 feet in diameter; the inner bark, macerated, is manufactured into coarse cordage and matting. Very common in the forests of Eastern America.

var. pubescens, Gray.

T. pubescens, Ait.

North Carolina to Florida, near the coast.

Smaller than the species; in swamps or low ground.

15.

Al
valley
A

16.

So
W
A

17.

So
Pede
A
"T
Salti

18.

So
A

19.

So
and
W
A
and

15. *Tilia heterophylla*, Vent.

T. alba, Michx. f.
T. laxiflora, Pursh.

WHITE BASS WOOD.

Alleghany Mountains, Pennsylvania, to Georgia, and westward to the valley of the lower Wabash River.

A medium-sized tree, rarely exceeding 50 feet in height.

ZYGOPHYLLACEÆ.

16. *Guaiacum sanctum*, L.

LIGNUM VITÆ.

Southern Florida, and through the West Indies.

Wood exceedingly hard and heavy.

A small tree.

17. *Porliera angustifolia*, Gray, Pl. Wright. i. 28.

Guaiacum angustifolium, Engelm.

Southern Texas (San Pedro River, Eagle Pass, Deadman's Hole, Pedernales River), and southward into Mexico.

A small tree.

"The hard and heavy yellowish-brown wood is called *Guajacum* about Saltillo, and is used as a sudorific and in venereal diseases."—(Gregg.)

RUTACEÆ.

18. *Xanthoxylum Caribæum*, Lam.

X. Floridanum, Nutt.

SATIN WOOD.

Southern Florida.

A small tree.

19. *Xanthoxylum Clava-Herculis*, L.

X. Carolinianum, Lam.

TOOTH-ACHE TREE. PRICKLY ASH.

Southern Virginia to Florida, near the coast; west to Eastern Texas and Arkansas.

Wood yellow, solid, close-grained.

A small tree, 12 to 20 feet in height; bark, leaves, and fruit aromatic and intensely pungent, exciting salivation.

20.

Sou
to Bra
Wo
A s

21.

Sou
A la

22.

Sout
Woo
(Nuttal
A lar
nishing

23.

A.
Sout
Woo
polish.
A sn

24.

Lign
through
Woo
for cabl
A lar

20. Xanthoxylum Pterota, H.B.K.

Southern Florida, Southern Texas (Fort McIntosh), and southward to Brazil.

Wood yellow, dense, exceedingly hard and heavy.

A small tree.

SIMARUBEÆ.**21. Simarubra glauca, H.B.K.**

BITTER WOOD.

Southern Florida, and southward through the West Indies to Brazil.

A large tree.

BURSERACEÆ.**22. Bursera gummifera, Jacq.**

WEST INDIAN BIRCH.

Southern Florida, and southward through the West Indies.

Wood "white, soft, brittle, and seldom put to any use but as fuel."—(Nuttall.)

A large tree; abounding in resinous gum soluble in alcohol and furnishing a transparent and valuable varnish.

23. Amyris sylvatica, Jacq.

A. Floridana, Nutt.

TORCH WOOD.

Southern Florida, and southward through the West Indies.

Wood "yellowish-white, close-grained, and capable of receiving a high polish."—(Nuttall.)

A small tree; exceedingly balsamiferous.

MELIACEÆ.**24. Swietenia Mahogoni, L.**

MAHOGANY.

Lignum Vitæ Key, east coast of Florida (*Garber*), Key West, and through the West Indies and Central America.

Wood reddish brown, hard, heavy, very durable, and highly prized for cabinet work.

A large and very valuable timber tree.

25.

South
Wood
A sm

26.

Bank
Indies.
A sm

27.

South
A sh

28.

Quin
Missouri
Wood
cabinet
A sm

29.

c.
North
A sm
2

OLACINEÆ.

25.

Ximenia Americana, L.

MOUNTAIN PLUM. HOG PLUM.

Southern Florida, and southward through the West Indies.

Wood yellow.

A small tree; fruit an edible, plum-shaped, yellow drupe.

26.

Schœpfia arborescens, R. & S.

DC. Prodr. iv. 319. Coult. Bot. Gazette, iii. 3.

Banks of the Caloosa River, Southern Florida, and through the West Indies.

A small tree.

ILICINEÆ.

27.

Ilex Dahoon, Nutt.

DAHOON HOLLY.

Southeastern Virginia to Florida, and west to Louisiana near the coast.

A shrub or small tree, sometimes 25 feet in height.

28.

Ilex opaca, Ait.

AMERICAN HOLLY.

Quincy, Massachusetts, south to Florida; west to Arkansas, Southern Missouri, and Eastern Texas; at the north only near the coast.

Wood white; the heart-wood brown, close-grained, heavy; used in cabinet work, turnery, &c.

A small tree, rarely 40 feet in height.

CYRILLACEÆ.

29.

Cyrilla racemiflora, Walt.*C. Caroliniana*, Richard.

North Carolina to Florida and Alabama, near the coast.

A small tree, 20 to 30 feet in height.

30.

From
A s
border

31.

S
S
Sout
Woo
A sm

32.

Pa
New
A sm

33.

Comm
ico.
A sm

34.

Fr
Quee
Mounta
A sm

30. *Cliftonia ligustrina*, Banks.
Mylocartum ligustrinum, Willd.

BUCKWHEAT TREE.

From the Savannah River, Georgia, south to Florida and Alabama.
A shrub or sometimes a small tree, 10 to 20 feet in height; along the borders of streams and swamps in the low districts.

CELASTRACEÆ

31. *Schæfferia frutescens*, Jacq.
S. completa, Swartz.
S. buxifolia, Nutt.

CRAB WOOD. FALSE BOX.

Southern Florida, and in the West Indies.
Wood hard and close-grained.
A small tree.

RHAMNACEÆ.

32. *Zizyphus obtusifolius*, Gray.
Paliurus Texensis, Scheele.

New Braunfels, Texas, to New Mexico.
A small tree or shrub.

33. *Condalia obovata*, Hook. Icon., t. 28.

BLUE WOOD. LOG WOOD.

Common in Eastern Texas, Western Texas, and Southern New Mexico.
A small tree.

34. *Rhamnus Caroliniana*, Walt.
Frangula Caroliniana, Gray.

Queens County, New York, south to Florida; west to the Rocky Mountains and Western Texas.
A small tree, or more commonly a shrub.

35.

Men
A s

36.

Calif
A s

37.

Calif
A s

38.

Calif
Luis O
Woo
A s

39.

P
A

Mou
Georgi
and the
tains.
A tr

40.

A

Wes
Missou
A s

35.

Rhamnus Purshiana, DC.*Frangula Purshiana*, Cooper.

BEAR BERRY.

Mendocino County, California, north to Puget Sound.

A small tree, sometimes 20 feet in height.

36.

Ceanothus spinosus, Nutt.

RED WOOD.

California, in the Coast Ranges, from Santa Barbara to Los Angeles.

A small tree.

37.

Ceanothus thyrsiflorus, Eschscholtz.

CALIFORNIA LILAC.

California, in the Coast Ranges, from Monterey to Humboldt County.

A small tree.

SAPINDACEÆ.

38.

Æsculus Californica, Nutt.

California, from Mendocino County and Mount Shasta, south to San Luis Obispo, and east to the foot-hills of the Sierra Nevada.

Wood "soft and brittle."

A small tree, or more often a wide-spreading shrub.

39.

Æsculus flava, Ait.*Pavia flava*, Moench.*Æ. sarguta?* Buckley, Proc. Acad. Phil. 1860, 443.

SWEET BUCKEYE.

Mountains of Virginia, southward along the Alleghany Mountains to Georgia and Northern Alabama; westward to Jefferson County, Indiana, and the Indian Territory; most common west of the Alleghany Mountains.

A tree, sometimes 60 feet in height, with a trunk 2 to 3 feet in diameter.

40.

Æsculus glabra, Willd.*Æ. Ohioensis*, Mich. f.

FETID BUCKEYE. OHIO BUCKEYE.

Western Pennsylvania, Virginia, and Tennessee, and west to Western Missouri.

A small or medium-sized tree; along streams.

41.

Tex

A su

42.

Geor

Southe

A su

43.

Sout

A su

as a su

44.

M

Sout

A su

45.

Sout

46.

North

"Wo

polish."

A tre

trable

they to

47.

A.

North

Nebras

ghany

Wood

A lan

eter; a

the sap

41. *Ugnadia speciosa*, Endl.
Texas and Eastern New Mexico.
A small tree, or often a shrub.
42. *Sapindus marginatus*, Willd.
SOAP BERRY.
Georgia to Southern Florida, near the coast; west to Arkansas, Texas, Southern New Mexico, Arizona, and in Sonora.
A small tree.
43. *Sapindus Saponaria*, L.
SOAP BERRY.
Southern Florida, and through the West Indies.
A small tree; the fruit rich in saponin, and used in the West Indies as a substitute for soap.
44. *Hypelate paniculata*, Cambess.
Melicocca paniculata, Juss.
MADEIRA WOOD. HONEY BERRY. GENIP TREE.
Southern Florida, and through the West Indies.
A small tree.
45. *Hypelate trifoliata*, Swartz.
Southern Florida, and through the West Indies.
46. *Acer circinatum*, Pursh.
VINE MAPLE.
Northern California to Puget Sound.
"Wood fine, white, close-grained, very tough, and susceptible of a good polish."
A tree, 30 to 40 feet in height, or sometimes a shrub forming impenetrable thickets along streams, the vine-like stems taking root wherever they touch the ground.
47. *Acer dasycarpum*, Ehrh.
A. eriocarpum, Michx.
WHITE MAPLE. SILVER MAPLE.
Northern Vermont, south to Florida; west to Minnesota, Eastern Nebraska, and the Indian Territory; most common west of the Alleghany Mountains.
Wood soft, white; of little value.
A large tree, 60 to 80 feet in height, with a trunk 6 to 8 feet in diameter; along streams. Maple-sugar is occasionally manufactured from the sap of this species.

48.

Head
ains, and
Wood
A sim

49.

Santa
the Coa
and Wa
Wood
best su
A tre
eter; in
baskets
the sap

50.

4.

Lake
New En
gia, and
consin.
Wood
A tre

51.

4.

Latitu
Eastern
Wood
ceptible
ery, and
"curled"
A lar
the Mis

52.

North
southw

48. Acer grandidentatum, Nutt.

Headwaters of the Columbia River, cañons of the Wasatch Mountains, and Southern Utah to Ash Creek, Arizona.

Wood resembling that of the Sugar Maple.

A small tree.

49. Acer macrophyllum, Pursh.

Santa Barbara, California, to latitude 55° north. In California, in the Coast Ranges and on the western slope of the Sierras; in Oregon and Washington Territory, west into the Cascade Mountains.

Wood valuable, hard, close-grained, susceptible of a good polish; the best substitute in the Pacific forests for eastern hickory.

A tree, 80 to 100 feet in height, with a trunk sometimes 5 feet in diameter; in California much smaller. From the inner bark, mats, hats, and baskets of excellent quality are made; maple-sugar is manufactured from the sap of this species.

50. Acer Pennsylvanicum, L.

A. striatum, DuRoi.

STRIPED MAPLE. MOOSE WOOD. STRIPED DOGWOOD.

Lake Saint John, latitude 47° N. (*Michaux*); southward throughout New England, and along the Alleghany Mountains to Northern Georgia, and west along the northern boundary of the United States to Wisconsin.

Wood white, close-grained, very hard.

A tree, 20 to 30 feet in height, with a trunk 6 to 8 inches in diameter

51. Acer rubrum, L.

A. Drummondii, Hook. & Arn.

RED MAPLE. SWAMP MAPLE.

Latitude 47° N. (*Michaux*); southward to Florida; west to Minnesota, Eastern Nebraska, the Indian Territory, and Eastern Texas.

Wood whitish or rose-colored, close-grained, moderately hard, susceptible of a fine polish; largely used in cabinet-making, for turnery, and wooden ware; the variety with undulating grain, known as "curled maple," is highly valued.

A large tree; generally in swamps. Common in all the forests east of the Mississippi River.

52. Acer saccharinum, Wang.

SUGAR MAPLE. ROCK MAPLE.

Northern New Brunswick to the western shores of Lake Superior southward through the Northern States and along the Alleghany

Mountai
Arkansa
Wood

polish ;
ferred fo
eye map

A tree
uplands.
the ashe
potash.

53.

Acet

Shores
ern Penn
to Wisco
to the W
Wood

A tree
along str

54.

Californ
A sma

55.

C

Southe
A sma

56.

From
sin, Ark
Wood

Mountains to Georgia; west to Minnesota, Eastern Nebraska, and Arkansas. Most common at the North.

Wood hard, close-grained, smooth, compact, susceptible of a fine polish; extensively used for flooring, cabinet-work, and turnery; preferred for shoe-lasts. Two accidental forms, "curled maple" and "bird's-eye maple", are highly valued for cabinet-work.

A tree, 60 to 80 feet in height, with a trunk 2 to 4 feet in diameter; in uplands. Maple-sugar is principally made from the sap of this species; the ashes of its wood are rich in alkali, yielding large quantities of potash.

53.

Negundo aceroides, Mönch.*Acer Negundo*, L.

BOX ELDER. ASH-LEAVED MAPLE.

Shores of Lake Champlain in Vermont, near Ithaca, New York, Eastern Pennsylvania, and south to Florida and Southern Texas; northwest to Wisconsin, Minnesota, and the Saskatchewan in latitude 54° N.; west to the Wasatch Mountains, Utah, New Mexico, and Arizona.

Wood soft and of little value.

A tree, 30 to 50 feet in height, with a trunk rarely 2 feet in diameter; along streams.

54.

Negundo Californicum, Torr. & Gray.

BOX ELDER.

California, northward in the Coast Ranges to ?

A small tree. Common along streams.

ANACARDIACEÆ.

55.

Rhus Metopium, L.

CORAL SUMACH. MOUNTAIN MANCHINEEL. BUMWOOD.

Southern Florida, and through the West Indies.

A small tree; like many of the genus, poisonous to the touch.

56.

Rhus typhina, L.

STAGHORN SUMACH.

From Northern New England south to Georgia, and west to Wisconsin, Arkansas, and Louisiana.

Wood orange-colored, aromatic, brittle.

A sma
and bar

57.

Near
southwa
A sma

58.

South
to ? wes
Wood
hard, str
tecture,
for treen
A tree

59.

In the
Wood
A tree

60.

Comm
western
A sma

61.

South
"Woo
light br
tall.)
A sma
cotic.

A small tree, rarely 30 feet in height, or more often a shrub; leaves and bark astringent, rich in tannin.

57. *Pistacia Mexicana*, HBK.

Near the mouth of the river Pecos, Western Texas (*Bigelow*), and southward into Mexico.

A small tree.

LEGUMINOSÆ.

58. *Robinia Pseudacacia*, L.

LOCUST.

Southern Pennsylvania, southward along the Alleghany Mountains to ? west to ? Now extensively naturalized in all the Eastern States.

Wood reddish, greenish-yellow, or white, according to locality; very hard, strong, and impervious to decay; largely employed in naval architecture, for posts, construction, and turnery; preferred to all other woods for treenails, and in this form largely exported.

A tree, 70 to 80 feet in height, with a trunk 3 to 4 feet in diameter.

59. *Robinia viscosa*, Vent.

CLAMMY LOCUST.

In the high mountains of the Carolinas and Georgia, west to ?

Wood said to possess the same qualities as that of the last species.

A tree, 40 to 50 feet in height.

60. *Olneya Tesota*, Gray.

ARBOL DE HIERRO.

Common in the valleys of the lower Colorado and Gila Rivers, South-western Arizona, and the adjacent portions of California.

A small tree.

61. *Piscidia Erythrina*, L.

JAMAICA DOGWOOD.

Southern Florida, and through the West Indies to Central America.

"Wood heavy, hard and resinous, coarse, cross-grained, and of a light brown color; it is very durable either in or out of water."—(*Nuttall*.)

A small tree; a tincture prepared from the bark is an intense narcotic.

62.

Vr

From
to Midd
Wood
valuable
A sma
hillsides

63.

Sty

"Pra
Texas.
"A sm
eter; ra
Pl. Lind

64.

S. &

West
"A sm
heavy, c
ing near
shores o
yellow."
An ex
has been
Coul. Bo

65.

From
nessee, v
Wood
wood; s
to season
A tree
eter.

62.

Cladrastis tinctoria, Raf.*Virgilia lutea*, Michx. f.

YELLOW WOOD.

From Central Kentucky, on the banks of the Kentucky River, south to Middle and Eastern Tennessee.

Wood of a clear yellow color, said to split with difficulty, and to make valuable fuel.

A small or medium-sized tree; principally along streams, or on rich hillsides. Rare, and in danger of extermination for fuel.

63.

Sophora affinis, Torr. & Gray.*Styphnolobium affine*, Walp.

"Prairies of Arkansas on the Red River"; Eastern and Southern Texas.

"A small tree, 10 to 12 feet in height; the trunk 4 to 8 inches in diameter; rarely a small shrub; the wood very heavy."—(*Lindheimer*. Gray, Pl. Lindh. 178.)

64.

Sophora secundiflora, Lag.*S. speciosa*, Benth.

Western shores of Matagorda Bay to Western Texas.

"A small tree, about 30 feet in height; the wood yellow, hard, and heavy, called *Lignum Vitæ*. Flowers showy, blue, sweet-scented, exhaling nearly the odor of violets. The tree forms small groves on the shores of Matagorda Bay, where it is the only firewood. The wood dyes yellow."—(*Lindheimer*. Gray, Pl. Lindh. 178.)

An exceedingly poisonous alkaloid, to which the name of Sophorin has been given, is produced from the seed of this species.—(*Rothrock*, Coult. Bot. Gazette, ii. 133.)

65.

Gymnocladus Canadensis, Lam.

KENTUCKY COFFEE TREE.

From Western New York and the province of Ontario, south to Tennessee, west to Wisconsin, Eastern Nebraska, and the Indian Territory.

Wood rose-colored, close-grained, compact, very tough, with little sapwood; susceptible of a high polish, although cross-grained and difficult to season and work. Its specific gravity .609.

A tree, 60 to 80 feet in height, with a trunk sometimes 2 feet in diameter.

66.

South
to North
A sm

67.

West
Louisian
Wood
A lar

68.

Cer
South
A sma

69.

Cer
Comm
portions
Wood
A sma

70.

New
and the
Wood
A sma

71.

C.
Califo
the foot
3

66. *Gleditschia monosperma*, Nutt.

WATER LOCUST.

South Carolina to Florida, near the coast; and from Southern Illinois to Northern Alabama, Louisiana, and Eastern Texas.

A small tree; in deep swamps.

67. *Gleditschia triacanthos*, L.

HONEY LOCUST. THREE-THORNED ACACIA.

Western Pennsylvania to Eastern Nebraska, the Indian Territory, Louisiana, and Florida; probably not east of the Alleghany Mountains.

Wood hard, heavy, coarse-grained.

A large or medium-sized tree; in rich bottom land.

68. *Parkinsonia florida*, Watson, Proc. Amer. Acad. xi. 135.

Cercidium floridum, Benth.

Southern Texas.

A small tree or shrub; not to be confounded with the next species.

69. *Parkinsonia Torreyana*, Watson, Proc. Amer. Acad. xi. 135.

Cercidium floridum, Torr.

PALO VERDE. GREEN-BARK ACACIA.

Common in the valleys of Southeastern Arizona and the adjacent portions of California.

Wood hard, furnishing a valuable fuel.

A small tree, often 30 feet in height.

70. *Cercis Canadensis*, L.

RED BUD. JUDAS TREE.

New York, south to Florida; west to Minnesota, Wyoming, Louisiana, and the Indian Territory.

Wood hard, compact, susceptible of a good polish.

A small tree, rarely exceeding 30 feet in height.

71. *Cercis occidentalis*, Torr.

C. Californicum, Torr.

RED BUD. JUDAS TREE.

California, Mount Shasta and Mendocino County, southward along the foothills of the Sierras to San Diego.

A sm
variety
Mexico

72.

Vall
Cañon,
Nevada

Wood
and ex
able fo
and the

"Tre
often f
dark re
portant
its edit

73.

Str

South
San D
Nevada

Wood
A sm
flour, Ir

74.

West
Diego,
A sm

75.

Ing
P.

South
A sm

A small tree, or more frequently a large shrub. A small shrubby variety (*O. reniformis*, Engelm.) occurs in Southern Texas and New Mexico.

72.

Prosopis juliflora, DC.*Algarobia glandulosa*, Torr. & Gray.

ALGAROBIA. MESKIT. HONEY LOCUST.

Valley of the Guadalupe, plains of Western Texas, to San Felipe Cañon, Southern California; north to Southern Colorado and Southern Nevada; and southward through Mexico.

Wood hard, very heavy and durable, affording fuel of the best quality and excellent charcoal. The unripe and pulpy pods edible and a valuable forage. A gum resembling gum arabic is produced by this tree, and the seeds are rich in grape-sugar.

"Trees 30 to 40 feet high, with few and large erect branches; the trunk often from one to two and one half feet in diameter; the heartwood dark reddish-brown; but often occurring as a small tree or shrub. Important as furnishing the only firewood in Western Texas, and also for its edible fruit."—(*Lindheimer*. Gray, Pl. Lindh. 181.)

73.

Prosopis pubescens, Benth.*Strombocarpa pubescens*, Gray.

TORNILLA. SCREW BEAN. SCREW-POD MESQUIT.

Southern New Mexico, along the valley of the Rio Grande; west to San Diego County, California; north to Ash Meadows, Southern Nevada; and southward into Mexico.

Wood resembling that of the last species.

A small tree; the seeds affording excellent forage; or ground into flour, Indian food.

74.

Acacia Greggii, Gray.

Western Texas, through Southern New Mexico and Arizona to San Diego, California.

A small tree, 10 to 20 feet in height.

75.

Pithecolobium Unguis-Cati, Benth.*Inga Unguis-Cati*, Willd.*P. Guadalupense*, Nutt.

CAT'S-CLAW.

Southern Florida, and through the West Indies.

A small tree, 10 to 20 feet in height.

76.

From
Shawnee
Wood
A small

77.

Cere

North
Arkansas
Wood
A small
ment.

78.

Cere

Probably
Rocky M
south of
A small
red and

79.

P. n
Cere

North
Mountain
A small
Washington
The sh

80.

Cere
Cere

From
out the
North O

ROSACEÆ.

76.

Prunus Americana, Marshall.

WILD PLUM. CANADA PLUM.

From Hudson's Bay to Florida; west to Denver City, Colorado, Shawneetown, Indian Territory, and Central Texas.

Wood reddish, hard.

A small tree; often cultivated for its red or yellow acid fruit.

77.

Prunus Caroliniana, Ait.*Cerasus Caroliniana*, Michx.

MOCK ORANGE.

North Carolina to Florida, near the coast, and west to Louisiana, Arkansas, and Eastern Texas.

Wood rose-colored, fine-grained, brittle.

A small tree, sometimes 40 feet in height; often cultivated for ornament.

78.

Prunus Chicasa, Michx.*Cerasus Chicasa*, Sering.

CHICKASAW PLUM.

Probably native in the regions immediately east and southeast of the Rocky Mountains, but now widely naturalized in all the Atlantic States south of Pennsylvania and Illinois.

A small tree, or often a shrub; frequently cultivated for its globose, red and yellowish fruit.

79.

Prunus emarginata, Walpers, var. *mollis*, Brewer.*P. mollis*, Walpers.*Cerasus mollis*, Dougl.

Northern California to Puget Sound, and east into the Cascade Mountains.

A small tree, sometimes 30 feet in height. Common in Oregon and Washington Territory.

The shrubby *P. emarginata*, Walpers, is the common form of California.

80.

Prunus Pennsylvanica, L.*Cerasus borealis*, Michx.*Cerasus Pennsylvanica*, Sering.

WILD RED CHERRY.

From Newfoundland to the headwaters of the Saskatchewan; throughout the New England and Northern States; on the high mountains of North Carolina, and in the Rocky Mountains of Colorado.

A small
land tall
coniferous

81.

Cer
Cer
P.

Hudson
ern Nebraska
southwestern
Wood
light, easily
largely
valuable

A tree
reaching

82.

South
A small

83.

From
Coast Range
into the
A small

84.

Wasatch
Nevada
Wood
ble of a
be useful
its specific
A small
Very common
to 8,000

A small tree, sometimes 30 to 40 feet in height. In Northern New England taking possession of the immense tracts annually cleared of the coniferous forests by fire.

81. *Prunus serotina*, Ehrh.

Cerasus Virginiana, Michx.

Cerasus serotina, Loisel.

P. Capollin, Zucc. ?

WILD BLACK CHERRY.

Hudson's Bay, south to Florida, and from the Atlantic coast to Eastern Nebraska, the Indian Territory, Eastern Texas, and probably further southwest.

Wood light red, becoming darker with age, close-grained, compact, light, easily worked, and not liable to warp; its specific gravity .454; largely employed in cabinet-making, for which it is one of the most valuable of North American woods.

A tree, 60 to 80 feet in height, with a trunk often 4 feet in diameter; reaching its greatest perfection in the valley of the Ohio.

82. *Prunus umbellata*, Elliott.

South Carolina, to Florida and Alabama.

A small tree, often a shrub; "in very dry and sandy soils."—(Elliott.)

83. *Nuttallia cerasiformis*, Torr. & Gray.

OSO BERRY.

From San Luis Obispo, California, north to Puget Sound; along the Coast Ranges in California; in Oregon and Washington Territory, east into the Cascade Mountains.

A small tree, or often a shrub.

84. *Cercocarpus ledifolius*, Nutt.

MOUNTAIN MAHOGANY.

Wasatch Mountains, Utah, west to the eastern slopes of the Sierra Nevada; and from the 36th parallel north into Oregon and Idaho.

Wood mahogany-colored, very hard, remarkably heavy, and susceptible of a beautiful polish, although too brittle and difficult to work to be useful in the arts; furnishing the most valuable fuel of Nevada; its specific gravity 1.117.

A small tree, sometimes 40 feet in height, and often only a shrub. Very common in all the mountain ranges of the "Great Basin" at 6,000 to 8,000 feet elevation.

85.

Sorb

Green
ern State
Carolina.
A sma

86.

Mal

From -
confined
ghany M
A sma

87.

Mal

From
Georgia,
along the
A sma
and exce

88.

Mal

From
Washing
Wood
A sma
forming
sweet, ed

89.

Sorb

On the
the north
Colorado
Sierra N
ranges n
A sma

85. *Pirus Americana*, DC.*Sorbus Americana*, Marsh.

AMERICAN MOUNTAIN ASH.

Greenland and Labrador, south through the New England and Northern States, to Wisconsin; on the high peaks of the mountains of North Carolina.

A small tree; in swamps and moist woods.

86. *Pirus angustifolia*, Ait.*Malus angustifolia*, Michx.

NARROW-LEAVED CRAB APPLE.

From ———? Pennsylvania, to Florida and Mississippi; probably confined to the low country and not ascending or crossing the Alleghany Mountains.

A small tree.

87. *Pirus coronaria*, L.*Malus coronaria*, Mill.

AMERICAN CRAB APPLE.

From Oneida County, New York, west to Wisconsin, and south to Georgia, Arkansas, and Louisiana; in the South Atlantic States, only along the Alleghany Mountains.

A small tree, sometimes 30 feet in height; fruit small, yellowish green, and exceedingly austere.

88. *Pirus rivularis*, Dougl.*Malus rivularis*, Desne.

OREGON CRAB APPLE.

From Sonoma County, California, north to Alaska; in Oregon and Washington Territory, east into the Cascade Mountains.

Wood hard, tough, susceptible of a good polish.

A small tree, sometimes 30 feet in height; more often shrubby, and forming low, impenetrable thickets; fruit small (the size of a pea), sweet, edible. Common along streams in moist ground.

89. *Pirus sambucifolia*, Cham. & Schlecht.*Sorbus sambucifolia*, Rœm.

On the high mountains of New England, and far northward; along the northern frontier of the United States; in the Rocky Mountains of Colorado and Utah; on the East Humboldt Range of Nevada; in the Sierra Nevada, from "Big Tree Road" northward, and in all mountain ranges north to Sitka, and in Kamtschatka.

A small tree.

90.

South O
A small
ponds, in

91.

Virginia
and Eastern
A small

92.

Near Fo
Louisiana,
A small

93.

Prairies
A small

94.

Canada
Eastern N
A small
best mark
& Gray, l. c

95.

Virginia
A small

96.

Canada
Arkansas,
A small
best mark
Lindl. Bot.
folia, Torr.

90.

Cratægus æstivalis, Torr. & Gray.

MAY HAW. APPLE HAW.

South Carolina to Florida; west to Louisiana and Arkansas.

A small tree, sometimes 30 feet in height; margins of streams and ponds, in sandy soil.

91.

Cratægus apiifolia, Michx.

Virginia ? to Florida, near the coast; west to Louisiana, Arkansas, and Eastern Texas.

A small tree.

92.

Cratægus arborescens, Elliott.Near Fort Argyle, on the Ogeechee River, Georgia (*Elliott*), to Florida, Louisiana, and Eastern Texas.

A small tree, 20 to 30 feet in height; on banks of streams.

93.

Cratægus berberifolia, Torr. & Gray, Fl. i. 469.Prairies of Opelousas, Louisiana. (*Prof. Carpenter*.)

A small tree, 20 to 25 feet in height.

94.

Cratægus coccinea, L.

SCARLET-FRUITED THORN.

Canada and Northern Vermont, southward to Florida, and west to Eastern Nebraska.

A small tree, 10 to 20 feet in height, running into various forms; the best marked var. *populifolia*, Torr. & Gray, Fl. i. 465, and var. *viridis*, Torr. & Gray, l. c.

95.

Cratægus cordata, Ait.

WASHINGTON THORN.

Virginia and Kentucky, southward to Georgia.

A small tree.

96.

Cratægus Crus-galli, L.

COCKSPUR THORN.

Canada and Northern Vermont, south to Florida; west to Missouri, Arkansas, and Eastern Texas.

A small tree, 10 to 20 feet in height, running into various forms; the best marked var. *pyricanthifolia*, Ait. Hort. Kew. ii. 170; var. *ovalifolia*, Lindl. Bot. Reg. xxii. t. 1860; var. *linearis*, DC. Prodr. 2, 626; and var. *prunifolia*, Torr. & Gray, Bot. Reg. xxii. t. 1868.

97.

C. s.

On Pi
Montana
A sma
Territory

98.

Virgin
A sma
rey & Gr

99.

Sierra
probably
A sma

100.

C. m.

Virgin
Eastern
A sma

101.

C. co

C. to

C. m.

Daven
of the M
tonio, T
A sma

102.

North
A sma

Canad
Wiscons
Wood
A sma

97.

Cratægus Douglasii, Lindl.*C. sanguinea*, var. *Douglasii*, Torr. & Gray.

On Pit River, California, northward to Puget Sound, and east to Montana.

A small tree, 10 to 20 feet high; common in Oregon and Washington Territory along streams.

98.

Cratægus flava, Ait.

SUMMER HAW.

Virginia, southward to Florida, and west to Southern Arkansas.

A small tree, 10 to 20 feet in height; "in shady, sandy places."—(*Torrey & Gray*.)

99.

Cratægus rivularis, Nutt.

Sierra and Plumas Counties, California; north to Puget Sound, and probably east to Montana.

A small tree, 10 to 20 feet in height.

100.

Cratægus spathulata, Michx.*C. microcarpa*, Lindl.

Virginia, southward to Florida, and west to Louisiana, Arkansas, and Eastern Texas.

A small tree, 10 to 20 feet in height, or often a shrub.

101.

Cratægus subvillosa, Schrad.*C. coccinea*, var. *mollis*, Torr. & Gray.*C. tomentosa*, var. *mollis*, Gray.*C. mollis*, Scheele.

Davenport and in Fremont County, Iowa; south through the valley of the Mississippi River; Shawneetown, Indian Territory, and San Antonio, Texas; the range of this species still obscure.

A small tree.

102.

Cratægus tomentosa, L.

BLACK THORN. PEAR THORN.

Northern Vermont, to Georgia; west to Iowa and Arkansas.

A small tree, or more often a shrub.

var. *punctata*, Gray. (*C. punctata*, Jacq.)

Canada and Northern Vermont, to Georgia and Alabama; west to Wisconsin, Eastern Nebraska, and Arkansas.

Wood hard, heavy, close-grained.

A small tree, sometimes 30 feet in height.

103.

A *Cra*
ing, and
ferred to

104.

Cra
Aro
Pho
Mes
Pho
H. I

Califor
and east
A shrub

105.

Mes

Hudson
dian Ter
Wood
A small
into man
oblongifol

106.

Greenw
southwes
Wood
A tree,

103. *Crataegus* species.

A *Crataegus* of the Rocky Mountains of Colorado, Utah and Wyoming, and the Clover Mountains of Nevada, which has been generally referred to *C. rivularis*, Nutt., will probably be found to be a distinct species.

104. *Heteromeles arbutifolia*, Rømer.

Crataegus arbutifolia, Poir.

Aronia arbutifolia, Nutt.

Photinia arbutifolia, Lindl.

Mespilus arbutifolia, Link.

Photinia salicifolia, Presl.

H. Fremontiana, Desne.

TOYON. TOLLON.

California, Mendocino County to San Diego, in the Coast Ranges, and east to the foothills of the Sierra Nevada.

A shrub, or near San Diego a "tree 12 to 20 feet high."—(*Rothrock*.)

105. *Amelanchier Canadensis*, Torr. & Gray.

Mespilus arborea, Michx. f.

JUNE BERRY. SHAD BUSH. SERVICE TREE.

Hudson's Bay, south to Florida, and west to Nebraska and the Indian Territory.

Wood exceedingly hard, heavy, strong.

A small tree, sometimes 40 feet in height, or often a shrub, running into many forms, the best marked var. *Botryapium*, Torr. & Gray; var. *oblongifolia*, Torr. & Gray. The small fruit sweet and edible.

HAMAMELACEÆ.

106. *Liquidambar styraciflua*, L.

LIQUIDAMBER. SWEET GUM. BILSTED.

Greenwich, Fairfield County, Connecticut, south to Florida, and southwest to Missouri and Arkansas; in Mexico and Central America.

Wood reddish, compact, fine-grained, moderately tough and solid.

A tree, 40 to 60 feet in height, with a trunk 3 to 5 feet in diameter.

107.

Southe
America
A sma

108.

Tampa
Brazil.
A sma

109.

Southe
A sma

110.

Southe
A sma

111.

Southe
A sma

112.

Southe
A sma

113.

Valley
A tree

RHIZOPHORACEÆ.

107.

Rhizophora Mangle, L.

MANGROVE.

Southern Florida, Louisiana, Texas, and southward through Tropical America.

A small tree; always in maritime swamps.

108.

Conocarpus erecta, L.

BUTTON TREE.

Tampa Bay, Florida, and southward through the West Indies to Brazil.

A small tree or shrub; along muddy marine shores.

109.

Laguncularia racemosa, Gertn.

BLACK BUTTON WOOD. WHITE MANGROVE.

Southern Florida, and through the West Indies to Brazil.

A small tree, or more often a shrub.

MYRTACEÆ.

110.

Eugenia buxifolia, Willd.

Southern Florida, and through the West Indies.

A small tree.

111.

Eugenia dichotoma, DC.

Southern Florida, and through the West Indies to Central America.

A small tree.

112.

Eugenia procera, Poir.

Southern Florida, and through the West Indies.

A small tree.

CACTACEÆ.

113.

Cereus giganteus, Engelm.

Am. Jour. Sci. (2 ser.), 14. 335, and 17. 231.

Valley of the Gila River, Southwestern Arizona; and in Sonora.

A tree 25 to 60 feet in height, with a trunk sometimes 2 feet in diameter.

114.

Penns
Eastern
A shr
of 30 to
fessor Co

115.

Canad
and Eas
Wood
A sma
tonic and

116.

In Cal
County r
east into
Wood
In Cal

117.

N. c

Ogeec
Southern
A sma
streams.
large, ac

118.

N. c

North
Wood
wheels, 1
A sma

ARALIACEÆ.

114.

Aralia spinosa, L.

ANGELICA TREE. HERCULES' CLUB.

Pennsylvania and Kentucky; south to Florida, west to Missouri and Eastern Texas.

A shrub or "tree, which in rich soils (Louisiana) attains the height of 30 to 40 or even 60 feet, with a diameter of 3 to 12 inches" (*Professor Carpenter*); the bark yielding a diaphoretic stimulant.

CORNACEÆ.

115.

Cornus Florida, L.

FLOWERING DOGWOOD.

Canada to Florida, west to Eastern Kansas; southwest to Arkansas and Eastern Texas.

Wood hard, heavy, fine-grained, susceptible of a beautiful polish.

A small tree, sometimes 30 to 40 feet in height; the bark used as a tonic and astringent.

116.

Cornus Nuttallii, Audubon.

In California, Monterey and Mendocino Counties, and from Mariposa County north to Puget Sound; in Oregon and Washington Territory east into the Cascade Mountains.

Wood very hard, close-grained, strong.

In California, a small tree; at the north, often 70 to 80 feet in height.

117.

Nyssa capitata, Walt.*N. candicans*, Michx.

OGEECHEE LIME. SOUR TUPELO.

Ogeechee River, Georgia, south to Florida, and west to Louisiana and Southern Arkansas.

A small tree, rarely 30 feet in height; in swamps and on the banks of streams. A conserve, known as "Ogeechee Limes," is prepared from the large, acid fruit of this species.

118.

Nyssa Caroliniana, Poir.*N. aquatica*.

GUM TREE.

North Carolina to Florida, and west to ?

Wood firm, close-grained, very unwedgable; employed for hubs of wheels, hatters' blocks, and similar uses.

A small or medium-sized tree; in swamps and wet ground.

119.

N. a.
N. l.

West
and Ark
Wood
A sma

120.

N. a.
N. a.

Banks
to Florid
A larg

121.

N. a.
N. t.
N. g.

Southe
tucky ?,
Wood
that of t
A larg

122.

Throu
Montana
to the W
A sma

123.

Hudsc
ern Stat
ghany M
A sma

119. *Nyssa multiflora*, Wang.*N. aquatica*, L. in part.*N. biflora*, Michx.

TUPELO. SOUR GUM. PEPPERIDGE.

West Milton, Vermont, south to Florida; west to Michigan, Missouri, and Arkansas.

Wood very unwedgable; employed for hubs of wheels, &c.

A small or medium-sized tree; in swamps and low ground.

120. *Nyssa sylvatica*, Marsh.*N. villosa*, Michx.*N. multiflora*, var. *sylvatica*, Watson, Index.

BLACK GUM.

Banks of the Schuylkill River, Philadelphia (*Michaux f.*); southward to Florida, and west through Kentucky and Tennessee.

A large tree; its specific characters not yet satisfactorily defined.

121. *Nyssa uniflora*, Wang.*N. aquatica*, L. in part.*N. tomentosa*, Michx.*N. grandidentata*, Michx.f.

LARGE TUPELO. COTTON GUM.

Southeastern Virginia, south to Florida, near the coast; west to Kentucky?, Louisiana, and Southern Arkansas.

Wood light, soft, unwedgable; somewhat employed for wooden ware; that of the roots very light, supplying a substitute for cork.

A large tree; in water or deep swamps.

CAPRIFOLIACEÆ.

122. *Sambucus glauca*, Nutt.

ELDER.

Throughout California, Oregon, and Washington Territory; east into Montana and Idaho; on the mountain ranges of the "Great Basin"; east to the Wasatch Mountains, and in Southern New Mexico.

A small tree, sometimes 20 feet in height, or often a shrub.

123. *Viburnum Lentago*, L.

SHEEP BERRY.

Hudson's Bay and the Saskatchewan, southward through the Northern States; west to Fremont County, Iowa, and south along the Alleghany Mountains to Georgia.

A small tree, 15 to 20 feet in height. Most common at the North.

124.

Fairfie
to Florie
Eastern
A sma

125.

South
A sma
Cinchon

126.

A. i
A. j
A. .

Puget
to South
Wood
A larg

127.

South
Wood
polish;
A shr

Are
Oreg
Wasate
The c

124.

Viburnum prunifolium, L.

BLACK HAW.

Fairfield County, Connecticut, and Fishkill Landing, New York, south to Florida, and west to Saint Louis County, Missouri, Arkansas, and Eastern Texas.

A small tree, 15 to 20 feet in height.

RUBIACEÆ.

125.

Pinckneya pubens, Michx.

GEORGIA BARK.

South Carolina to Middle Florida; in swamps near the coast.

A small tree; the bark with the taste and medicinal properties of Cinchona.

ERICACEÆ.

126.

Arbutus Menziesii, Pursh.*A. laurifolia*, Lindl.*A. procera*, Dougl.*A. Texana*, Buckley.

MADRONA.

Puget Sound, southward through the Coast Ranges of California to Southern Arizona, and in Western Texas and Mexico.

Wood white, hard, brittle.

A large tree at the North, rarely more than a shrub at the South.

127.

Arctostaphylos pungens, HBK.

MANZANITA.

Southern California, Southern Utah, Arizona, and south into Mexico.

Wood hard, heavy, mahogany-colored, and susceptible of a brilliant polish; employed in the best cabinet work.

A shrub, often 20 feet in height, or probably sometimes a small tree.

var. platyphylla, Gray.

Arctostaphylos glauca, Watson, King Rep. v. 210 [not Lindl.].

Oregon, south through California to Western Arizona, and in the Wasatch Mountains.

The common Manzanita of Northern and Central California.

128.

Californ
Wood p
A shrub
foot or more

129.

Andr

Pennsy
principall
A small

130.

Canada
and Alab
Tennessee
Wood c
of tools, a
Genera
a tree 30

131.

Nova S
along the
Wood
Genera
tree 30 to

132.

M. J
M. L
Rap
Sam

Southe
A shrub

128.

Arctostaphylos glauca, Lindl.

MANZANITA.

California, Monterey and through the southern portion of the State.

Wood probably similar to that of the last species.

A shrub or small tree, sometimes 25 feet in height, with a trunk a foot or more in diameter.

129.

Oxydendrum arboreum, DC.*Andromeda arborea*, L.

SORREL WOOD. SOUR WOOD.

Pennsylvania and Ohio, south to Florida, Mississippi, and Arkansas; principally in the Alleghany Mountains.

A small tree, sometimes 40 to 60 feet in height.

130.

Kalmia latifolia, L.

LAUREL. CALICO BUSH. SPOON WOOD. IVY.

Canada, Maine, and Northern Vermont; south to Western Florida and Alabama; west to Wisconsin (*Lapham*), and through Kentucky and Tennessee to Arkansas.

Wood exceedingly hard, heavy, close-grained, strong; used for handles of tools, and furnishing a valuable fuel.

Generally a shrub; in the southern Alleghany Mountains sometimes a tree 30 to 40 feet in height, with a trunk 1 to 2 feet in diameter.

131.

Rhododendron maximum, L.

GREAT LAUREL. ROSE BAY.

Nova Scotia, Southern Canada, Northern New England, and south along the Alleghany Mountains; never on limestone.

Wood hard, heavy, very close-grained.

Generally a shrub; in the southern Alleghany Mountains often a tree 30 to 40 feet in height, with a trunk a foot or more in diameter.

MYRSINACEÆ.

132.

Myrsine Rapanea, Reem. & Schult.*M. floribunda*, Griseb.*M. Floridana*, A.DC.*Rapanea Guyanensis*, Aubl.*Samara floribunda*, Willd.

Southern Florida, and through the West Indies to Southern Brazil.

A shrub or small tree.

133

Cyrt
Pick

Easter
Genera

134.

Southe
through
A sma

135.

C. n

Southe
A sma

136.

S. p
Bum
Bum

Charlo
West In

137.

Ach
Bum

Keys
A tree

138.

B. n
B. f
B. c
B. n

Southe
the Rio
A sma

133

Ardisia Pickeringia*, Torr. & Gray.Cyrilla paniculata*, Nutt.*Pickeringia paniculata*, Nutt.

Eastern and Southern Florida, and through the West Indies to Mexico.
Generally a shrub; on the Florida Keys a small tree 20 feet in height.

SAPOTACEÆ

134.

***Chrysophyllum microphyllum*, DC.**

Southern Florida, Caloosa River, and near Miami (*Garber*); and
through the West Indies.

A small tree.

135.

Chrysophyllum oliviforme*, Lam.C. monopyrenum*, Swartz.

Southern Florida, and through the West Indies.

A small tree.

136.

Sideroxylon mastichodendron* Jacq.S. pallidum*, Spreng.*Bumelia pallida*, Swartz.*Bumelia foetidissima*, Nutt.

Charlotte Harbor and Key West, Southern Florida, and through the
West Indies.

137.

Dipholis salicifolia*, A. DC.Achras salicifolia*, L.*Bumelia salicifolia*, Swartz.

Keys of Southern Florida, and through the West Indies to Brazil.

A tree, 60 feet in height.

138.

Bumelia cuneata*, Swartz.B. myrsinifolia*, A. DC.*B. parvifolia*, A. DC.*B. angustifolia*, Nutt.*B. reclinata*, Torr.

Southern Florida, Tampa Bay to Key West; Texas, from Laredo on
the Rio Grande to the mouth of that river, and southward into Mexico.

A small tree, 20 to 30 feet in height.

139.

B. tom
B. obla
B. ferr

Georgia
bama; Mi

A small
diameter.

140.

Coast of
A small

141.

North C
Wood 1
A small

142.

M. di
Acras

Keys of
A small
fruit the

143.

Light-
Alabama
Wood
ery, for s
A tree
austere t

139.

Bumelia lanuginosa, Pers.

B. tomentosa, A.DC.
B. oblongifolia, Nutt.
B. ferruginea, Nutt.

Georgia and Florida; Southern Illinois (opposite Saint Louis) to Alabama; Missouri, Arkansas, and Eastern Texas.

A small tree, 20 to 30 feet in height, with a trunk sometimes 2 feet in diameter.

140.

Bumelia lycioides, Gaertn.

IRON WOOD. SOUTHERN BUCKTHORN.

Coast of Virginia and Southern Illinois, to Florida and Eastern Texas.

A small tree, 20 to 30 feet in height.

141.

Bumelia tenax, Willd.

North Carolina to Florida, near the coast; in sandy soil.

Wood hard, heavy, very tough.

A small tree, 20 to 30 feet in height.

142.

Mimusops Sieberi, A.DC.

M. dissecta, Griseb.
Aceras Zapotilla, var. *parriflora*, Nutt.

NASEBERRY.

Keys of Southern Florida, and through the West Indies.

A small tree, sometimes 30 feet in height; the edible and agreeable fruit the size of a pigeon's egg.

EBENACEÆ.

143.

Diospyros Virginiana, L.

PERSIMMON.

Light-House Point, New Haven, Connecticut, south to Florida and Alabama; Ohio to Iowa, Missouri, Kansas, and south to Louisiana.

Wood brownish, hard, heavy, very close-grained; employed in turnery, for shoe lasts, &c.

A tree, 20 to 70 feet in height; the yellow edible fruit exceedingly austere until after frost, then becoming sweet and luscious.

144.

Southern
Wood v
A small
ripe in Au

145.

Hoppe

Southern
kansas.
A small
cattle and

146.

Georgia
A small

147.

West V
and Flori
A small
times exc

148.

F. ac
F. a
F. ju
F. ep
F. C

Nova S
perior; s
Kansas.

144.

Diospyros Texana, Scheele.

MEXICAN PERSIMMON.

Southern and Western Texas, and southward into Mexico.

Wood white and heavy.

A small tree, 10 to 30 feet in height; "fruit globose, black, luscious, ripe in August."—(Gray, Syn. Fl. 1. 70.)

 STYRACACEÆ.

145.

Symplocos tinctoria, L'Her.*Hopca tinctoria*, L.

HORSE SUGAR. SWEET LEAF.

Southern Delaware to Florida; west to Louisiana and Southern Arkansas.

A small tree or shrub; leaves sweet to the taste, greedily eaten by cattle and horses, and yielding a yellow dye.

146.

Halesia diptera, L.

Georgia to Florida, Louisiana, and Southern Arkansas.

A small tree or shrub.

147.

Halesia tetraptera, L.

SNOW-DROP TREE. SILVER-BELL TREE.

West Virginia to Southern Illinois; south to Arkansas, Louisiana, and Florida; principally along the southern Alleghany Mountains.

A small or, in the mountains, medium-sized tree, with a trunk sometimes exceeding 18 inches in diameter.

 OLEACEÆ.

148.

Fraxinus Americana, L.*F. acuminata*, Lam.*F. alba*, Marsh.*F. juglandifolia*, Lam.*F. euptera*, Michx.*F. Curtissii*, Vasey.

WHITE ASH.

Nova Scotia and New Brunswick, to the western shores of Lake Superior; south to Florida and Louisiana; west to Eastern Nebraska and Kansas.

Wood
the man
work, &c
A tree,
the first o

149.

Labyrin
Vergen, I
A sma

150.

Ornu

A sma

151.

F. p

F. g

Puget
borhood
Wood
A large
nia.

152.

Southe
A sma
Wheeler. H

F. r

F. o

Ash M

A sma

153.

F. C

F. A

F. P

F. H

F. I

Southe
and Sou
A sma

Wood light, tough, very strong, elastic; extensively employed in the manufacture of agricultural implements, carriages, oars, cabinet work, &c.

A tree, 60 to 80 feet in height, with a trunk 4 to 6 feet in diameter; of the first economic value.

149. *Fraxinus anomala* Torr.

Watson, King Rep. v. 283.

Labyrinth Cañon, Colorado River, and near Saint George on the Rio Virgen, Southern Utah.

A small tree, 10 to 20 feet in height.

150. *Fraxinus dipetala*, Hook & Arn.

Ornus dipetala, Nutt.

A small tree. Common in California, west of the Sierra Nevada.

151. *Fraxinus Oregana*, Nutt.

F. pubescens, var., Hook, Fl. Bor. Am. ii. 51.

F. grandifolia, Benth. Bot. Sulph. 33.

OREGON ASH.

Puget Sound; south near the coast to Fresno County and the neighborhood of San Francisco, California.

Wood said to equal that of the White Ash.

A large tree in Oregon and Washington Territory, smaller in California.

152. *Fraxinus pistaciæfolia*, Torr.

Southern and Western Texas, to Ash Creek, Southern Arizona.

A small tree, "20 feet high, with a diameter of 18 inches."—(Rothrock, Wheeler. Rep. vi, 186.)

var. *coriacea*, Gray, Syn. Fl. i. 74.

F. retulina, Torr. in Emory Rep. 1848, 1849.

F. coriacea, Watson. Am. Nat. vii, 302. Rothrock Wheeler, Rep. vi. 186, t. 22.

Ash Meadows, Nevada, and Southern Arizona.

A small tree.

153. *Fraxinus platycarpa*, Michx.

F. Caroliniana, Lam.

F. Americana, Mursh.

F. pallida, Bosc.

F. pauciflora, Nutt.

F. triptera, Nutt.

WATER ASH.

Southeastern Virginia to Florida, near the coast, and west to Louisiana and Southern Arkansas; in the West Indies.

A small tree, 30 to 40 feet in height; in deep river swamps.

154.

F. I

F. n

F. to

Canada
States.

A med

155.

Newfo
mountain

Wood

employed

A sma

156.

Michig

Wood

A larg

157.

F. co

F. ju

F. O

F. ea

Canada

A sma

F. B

Texas.

158.

Lanca

Pennsyl

A slur

159.

Ole

South

Wood

A sma

154.

Fraxinus pubescens, Lam.*F. Pennsylvanica*, Marsh.*F. nigra*, DuRoi.*F. tomentosa*, Michx.f.

Canada to Florida; west to Dakota; most common in the Eastern States.

A medium-sized tree; borders of swamps, and in low ground.

155.

Fraxinus sambucifolia, Lam.

BLACK ASH.

Newfoundland to the southern shores of James Bay; south to the mountains of Virginia; west to Wisconsin and Arkansas.

Wood brownish, very tough, elastic; easily separable into thin layers; employed in basket-making, &c.

A small or medium-sized tree; in swamps and along low river banks.

156.

Fraxinus quadrangulata, Michx.

BLUE ASH.

Michigan and Wisconsin; south to Northern Alabama.

Wood said to equal that of the White Ash.

A large tree.

157.

Fraxinus viridis, Michx.f.*F. concolor*, Muhl.*F. juglandifolia*, Willd.*F. Caroliniana*, Willd. †*F. expansa*, Willd.

Canada to Florida; west to Dakota, Texas, and Arizona.

A small or medium-sized tree; along streams, or in low ground.

var. Berlandieriana, Gray, Syn. Fl. i. 75.

F. Berlandieriana, DC. Prodr. vii. 273.

Texas.

158.

Chionanthus Virginica, L.

FRINGE TREE.

Lancaster County, and banks of the Brandywine, Chester County, Pennsylvania; Southern Ohio (*Newberry*), south to Florida and Texas.

A shrub or small tree, sometimes 20 to 30 feet in height.

159.

Osmanthus Americanus, Benth. & Hook.*Olea Americana*, L.

DEVIL WOOD.

Southeastern Virginia to Florida and Alabama, near the coast.

Wood exceedingly hard, close-grained, difficult to split or cut.

A small tree or shrub.

160.

Extrem
and in M
A sma

161

C. s

Southe
A sma

162.

Ehr
B. t
Ehr
Pitt
Ehr
B. s

Florid
A sma

B. n
B. t
Ehr
Cor

Keys

163.

Texas
A sm
diamete

164.

B
C.
C.

Wes
Woo
ity.405
A m

BORRAGINACEÆ

160. *Cordia Boissieri*, DC.

Extreme Southwestern Texas, the adjacent portion of New Mexico, and in Mexico.

A small tree, 15 to 20 feet in height.

161 *Cordia Sebestena*, L.

C. speciosa, Willd.

Southern Florida, and in the West Indies.

A small tree, or often a shrub.

162. *Bourreria Havanensis*, Miers.

Ehretia Haranensis, Willd.

B. tomentosa, var. *Havanensis*, Griseb.

Ehretia tomentosa, Lam.

Pittonia similis, Catesb.

Ehretia Bourreria, Chapman, [not L.]

B. succulenta, Jacq.

Florida Keys and in the West Indies.

A small tree.

var. *radula*, Gray, Syn. Fl. i. 181.

B. radula, Don.

B. virgata, Griseb. [not Swartz ex Miers.]

Ehretia radula, Poir.

Cordia Floridana, Nutt. Sylv. ii. 147, t. 107.

Keys of Southern Florida, and in the West Indies.

163. *Ehretia elliptica*, DC.

Texas, Corpus Christi, and along the valley of the lower Rio Grande.

A small tree, 20 to 30 feet in height, with a trunk often a foot in diameter.

BIGNONIACEÆ.

164. *Catalpa bignonioides*, Walt.

Gray, Manual, 5 ed., 321, and Syn. Fl. i. 319, in part.

Bignonia Catalpa, L.

C. cordifolia, Jaume.

C. syriacæfolia, Sims.

Western Georgia, Florida, and perhaps west to Louisiana.

Wood very light, close-grained, remarkably durable; its specific gravity .405; valuable for fence-posts and cabinet work.

A medium-sized tree.

165.

South
Southea
Wood
ity .462
placed in
posts, &
A lar
4 feet i
forest.

166.

C.
Big
C.

South
A sh
courses

167.

A.
A.

Sout
and so
A sn

168.

Sou

165.

Catalpa speciosa, Warder.

Engelm. in Coult. Bot. Gazette, v. 1.

WESTERN CATALPA.

Southern Indiana and Illinois, Western Kentucky and Tennessee, Southeastern Missouri, and possibly southward through Louisiana.

Wood rather heavier than that of the last species its, specific gravity .462; valuable for cabinet work, and almost imperishable when placed in contact with the soil; largely employed for railway ties, fence-posts, &c.

A large tree in rich bottom-lands, often 80 feet in height, with a trunk 4 feet in diameter; one of the most valuable trees of the American forest.

166.

Chilopsis saligna, Don.*C. linearis*, DC.*Bignonia linearis*, Cav.*C. glutinosa*, Engelm.

DESERT WILLOW.

Southern Texas to Southern California, and south into Mexico.

A shrub or small tree, sometimes 20 feet in height; along water courses in the dry districts.

VERBENACEÆ.

167.

Avicennia nitida, Jacq.*A. tomentosa*, Meyer [not Jacq.]*A. oblongifolia*, Nutt.?

WHITE MANGROVE.

Southern Florida; Louisiana, at the mouth of the Mississippi River; and southward to Brazil.

A small tree; along the sea-coast in saline marshes.

POLYGONACEÆ.

168.

Coccoloba Floridana, Meisner.*C. parvifolia*, Nutt. [not Poir.]

PIGEON PLUM.

Southern Florida; Miami River (*Garber*), Key West, &c.

169.

Southe
West Ind
Wood
A large

170.

Laur
Laur
P. B.

Southe
Wood
brilliant
cabinet-m
A tree,
15 to 20 i

171.

Laur
Perse

Canada
sas, and
Wood
aromatic
A tree
bark, ent
ulant. T
in impar

172.

Ore
Teth
Dri

MOUNTA

Orego
the wes
Wood

169.

Coccoloba unifera, Jacq.

SEA GRAPE.

Southern Florida, Miami River (*Garber*), Key West; and through the West Indies.

Wood violet-colored, very hard, heavy, valuable for cabinet-making.

A large tree; the edible fruit of an agreeable subacid flavor.

LAURACEÆ.

170.

Persea Carolinensis, Nees.*Laurus Borbonica*, L.*Laurus Carolinensis*, Catesb.*P. Borbonica*, Spr.

RED BAY.

Southern Delaware to Florida and Eastern Texas; near the coast.

Wood rose-colored, very durable, strong, compact, susceptible of a brilliant polish; formerly somewhat employed in ship-building and for cabinet-making.

A tree, in the Gulf States, sometimes 70 feet in height, with a trunk 15 to 20 inches in diameter.

171.

Sassafras officinale, Nees.*Laurus Sassafras*, L.*Persea Sassafras*, Spreng.

SASSAFRAS.

Canada and Northern Vermont, to Florida; west to Missouri, Arkansas, and Eastern Texas.

Wood white or reddish, according to soil, light, very durable, slightly aromatic.

A tree, sometimes 50 feet in height; the roots, and especially their bark, enter largely into commerce, and afford a powerful aromatic stimulant. The oil of sassafras, distilled from the roots, is largely employed in imparting a pleasant flavor to many articles of domestic use.

172.

Umbellularia Californica, Nutt.*Oreodaphne Californica*, Nees.*Tetranthera Californica*, Hook & Arn.*Drimyphyllum pauciflorum*, Nutt.

MOUNTAIN LAUREL. CALIFORNIA LAUREL. SPICE TREE. CAJEPUT.
CALIFORNIA OLIVE.

Oregon to San Diego, California, in the Coast Ranges, and along the western flank of the Sierra Nevada.

Wood brownish, close-grained, susceptible of a fine polish, and highly

esteemed,
for this
forests.

In Oreg
leaves yie

173.

Scheuchzeria

Souther
A shrub

174.

Gymnocladus
Excelsa

Souther
"Wood
A small

175.

Southe
to the Pa
Wood
shades of
ing.

A tree,
caustic,

176.

U. p.

South
Territor
Wood
A small

esteemed, especially that of the roots, for cabinet-making, and yielding for this purpose the most valuable material produced by the Pacific forests.

In Oregon a tree, 60 to 100 feet in height, smaller in California; the leaves yield a volatile oil, *Oreodaphne* (Am. Journ. of Pharm. xlvii. 105.)

EUPHORBIACEÆ.

173. *Drypetes crocea*, Polt.

Schafferia lateriflora, Sw.

Southern Florida, Key West, and through the West Indies.
A shrub, or on Key West becoming a large tree (*Blodgett*).

174. *Sebastiania lucida*, Mnell.

Gymnanthes lucida, Sw.

Eseecaria lucida, Sw.

POISON WOOD.

Southern Florida and through the West Indies.
"Wood yellowish white, hard, and close-grained."—(*Nuttall*).
A small tree.

175. *Hippomane Mancinella*, L.

MANCHINEEL.

Southern Florida, and through the West Indies and Central America to the Pacific.

Wood heavy, durable, close-grained, and beautifully variegated with shades of brown, white, and yellow; highly esteemed for cabinet-making.

A tree, 30 to 40 feet in height; abounding in white, milky, exceedingly caustic, poisonous sap.

URTICACEÆ.

176. *Ulmus alata*, Michx.

U. pumila, Nutt.

WHAHOO. WINGED ELM. SMALL-LEAVED ELM.

Southern Virginia to Florida; west to Eastern Nebraska, the Indian Territory, and Southwestern Texas.

Wood hard, compact, unwedgable; employed for hubs of wheels, &c.
A small tree, 30 to 40 feet in height.

177.

U. a.

Southe
latitude
ida; wes
Wood
in the m
A tree
generally

178.

U. o.

Southe
ritory, an
River.
A smal

179.

U. r.

Canada
iana.
Wood
A smal
inner ba
nal prepa

130.

Provine
(*Robbins*)
Wood
tible of a
in the ma
all purpo
solidity.
A large

177.

Ulmus Americana*, Willd.U. Floridana*, Chapman.

WHITE ELM. AMERICAN ELM.

Southern Newfoundland, Northern New Brunswick, Lake Nipigon (in latitude 50° N.), south through all the Eastern United States to Florida; west to Nebraska, Kansas, and Eastern Texas.

Wood brown, moderately strong, very tough, unweigable; employed in the manufacture of hubs, water-pipes, &c.

A tree 60 to 80 feet in height, with a trunk 6 to 9 feet in diameter; generally in deep, moist soil, or low woods.

178.

Ulmus crassifolia*, Nutt. Trans. Am. Phil. Soc. (n. ser.).U. opaca*, Nutt.

Southern and Western Arkansas, adjacent portions of the Indian Territory, and south to Southern Texas, from San Antonio to the Pecos River.

A small tree.

179.

Ulmus fulva*, Michx.U. rubra*, Michx. f.

RED ELM. SLIPPERY ELM. MOOSE ELM.

Canada to Florida, west to Eastern Nebraska, Arkansas, and Louisiana.

Wood reddish, hard, heavy, very tough, durable.

A small or medium-sized tree; along streams and in low woods; the inner bark mucilaginous, and extensively employed in various medicinal preparations.

180.

***Ulmus racemosa*, Thunberg.**

ROCK ELM. AMERICAN CORK ELM.

Province of Ontario, south to Kentucky, and from Western Vermont (*Robbins*) to Eastern Nebraska.

Wood fine-grained, compact, flexible, very heavy, strong, susceptible of a beautiful polish; its specific gravity .832; largely employed in the manufacture of heavy agricultural implements, furniture, and for all purposes requiring a material combining strength, toughness, and solidity.

A large tree; of the first economic value.

181

P. G.
P. u.
Anon

Cape F
Florida n
A small

182.

Near C
"A sm

183.

C. oc
C. la
C. oc
C. tu
C. lo

Valley
tucky, so
A large

184.

C. cre
C. occ

Northern
the Indian
Wood v
as a subst

A small

The limits
attention of
and especial
investigation

185.

Celtis

In the v
ern New M

181

Planera aquatica, Gmel.*P. Gmelini*, L. C. Rich.*P. ulmifolia*, Michx.f.*Anonymos aquatica*, Walt.

PLANER TREE.

Cape Fear River, North Carolina, and Southern Kentucky, south to Florida and Louisiana.

A small tree, 30 to 50 feet in height; along streams. Rare.

182.

Celtis brevipes, Watson, Proc. Am. Acad. xiv. 297.

Rothrock, Wheeler Rep. vi. 238.

Near Camp Grant, Southern Arizona (*Rothrock*).

"A small tree, becoming 20 feet high and 18 inches in diameter."

183.

Celtis Mississippiensis, Bosc.*C. occidentalis*, var. *tennifolia*, Pers.*C. laevigata*, Willd.*C. occidentalis*, var. *integrifolia*, Nutt.*C. integrifolia*, Nutt.*C. longifolia*, Nutt.

Valley of the Mississippi River, from Southern Missouri and Kentucky, south and southwestward to Eastern Texas.

A large tree.

184.

Celtis occidentalis, L.*C. crassifolia*, Lam.*C. occidentalis*, var. *crassifolia*, Gray.

SUGAR BERRY. HACKBERRY. FALSE ELM.

Northern Vermont, south to Western Florida, and west to Nebraska, the Indian Territory, and Texas.

Wood white, soft, and probably of little value; somewhat employed as a substitute for American elm.

A small, or, at the West, often a very large tree.

The limits of this and the last species are not yet satisfactorily defined, and the attention of American botanists is called to the importance of studying in the field, and especially in the valley of the Mississippi, this difficult genus, to which further investigation may restore one or possibly two species, or reduce it even still further.

185.

Celtis Tala, Gillies, var. **pallida**, Planch.

DC. Prodr. xvii. 191.

Celtis (Mamisia) pallida, Torr. Bot. Mex. Bound. 203, t. 50.

In the valley of the lower Rio Grande, and westward through Southern New Mexico to Sonora; and in Southern Florida (*Garber*, 1879).

Gener
in South

186.

South
A larg

187.

South
A sma

188.

South
A larg

189.

M.

Weste
and sou
Mexico,

Wood
nails, &c

A sma
trunk 2
the larg

190.

South
west inte

Wood
construc

A med
2 to 3 fee
tion in t
extensiv

191.

Along
of Ontar

Generally a shrub, 6 to 10 feet in height; but as seen by Dr. Garber in Southern Florida, a small tree, sometimes 20 feet in height.

186. *Ficus aurea*, Nutt.

Southern Florida, Key West, Indian River (*Palmer*), Miami (*Garber*)
A large tree.

187. *Ficus brevifolia*, Nutt.

Southern Florida, Key West, Miami (*Garber*).
A small tree.

188. *Ficus pedunculata*, Ait.

Southern Florida, and common in the West Indies.
A large tree.

189. *Morus rubra*, L.

M. Canadensis, Lam.

RED MULBERRY.

Western Vermont, Western Massachusetts, Long Island, New York, and south to Florida; west to Dakota, Kansas, Western Texas, New Mexico, and Chihuahua.

Wood yellowish, heavy, exceedingly durable; valuable for posts, tree-nails, &c.; formerly somewhat employed in ship-building.

A small or medium-sized tree, sometimes 70 feet in height, with a trunk 2 feet in diameter, or in the far Southwest reduced to a shrub; the large, dark purple fruit sweet and edible.

190. *Maclura aurantiaca*, Nutt.

OSAGE ORANGE. BOIS D'ARC.

Southwestern Missouri, south to Natchitoches County, Louisiana, and west into the Indian Territory and Eastern Texas.

Wood yellow, solid, heavy, elastic, exceedingly durable; valuable for construction, railway ties, fence posts, &c.

A medium-sized tree, sometimes 50 to 60 feet in height, with a trunk 2 to 3 feet in diameter. Very common, and attaining its greatest perfection in the rich bottom lands of the Red and Kiamesha Rivers; now extensively planted as a hedge plant, especially in the Western States.

PLATANACEÆ.

191. *Platanus occidentalis*, L.

AMERICAN PLANE TREE. SYCAMORE. BUTTONWOOD.

Along the northern shores of Lakes Ontario and Erie in the Province of Ontario; Northern Vermont, Southern Maine, Eastern New Hamp-

shire, a
Kansas
Wood
liable to
The l
sions in
where s
in diam

192.

Sacra
Wood
A lar

193.

In So
A lar

194.

J. n

Valle
cisco, Ca
in Sono
A larg

195.

J. a

J. a

North
to North
South, e
Wood
polish, v
A sma
pared fr

shire, and Massachusetts; south to Florida; west to Eastern Nebraska, Kansas, and Texas (Devil River Valley, *Bigelow*).

Wood not durable when exposed to the weather, reddish, close-grained, liable to warp, very unwedgable.

The largest tree of the Atlantic forests, reaching its greatest dimensions in the rich bottom lands bordering the Ohio and Mississippi Rivers, where specimens occur 80 to 100 feet in height, with trunks 10 to 14 feet in diameter.

192.

Platanus racemosa, Nutt.

Sacramento Valley to Southern California and Arizona.

Wood said to be more valuable than that of the last species.

A large tree, sometimes 100 feet in height.

193.

Platanus Wrightii, Watson, Proc. Am. Acad. x. 349.

In Southeastern Arizona, near the San Pedro River.

A large tree (*Wright*).

JUGLANDACEÆ.

194.

Juglans Californica, Watson, Proc. Am. Acad. x. 349.

J. rupestris, var. *major*, Torr. in Sitgr. Rep. 171, t. 16.

Valley of the Sacramento River, and in the neighborhood of San Francisco, California; eastward through Southern Arizona, New Mexico; and in Sonora.

A large shrub, or sometimes a tree 40 to 60 feet in height.

195.

Juglans cinerea, L.

J. oblonga, Mill.

J. cathartica, Mich. f.

BUTTERNUT. WHITE WALNUT.

Northern shores of Lakes Erie and Ontario, Northern Vermont; south to Northern Alabama, and west to Missouri and Arkansas. Rare at the South, except along the mountains.

Wood brownish, light, soft, easily worked, susceptible of a beautiful polish, very durable; extensively used in cabinet-making.

A small or medium-sized tree; a tincture used as a cathartic is prepared from the inner bark, which also yields a valuable dye.

196.

Southern
south to I
tory, and

Wood d
polish, ve
cabinet-m

A tree,
the first e
of the M
scarce.

197.

Devil's
Arizona.

A shrub

198.

Canada
Northern

Wood
valuable
manufact
specific g

A medi
in diamet
the most

Carya n
tion be f
occurs fro
of Georgi

199.

Jugla
Jugla

Canada
ern Nebr

Wood v
and in ev

A sma
thin-shell

196.

Juglans nigra, L.

BLACK WALNUT.

Southern portions of the Province of Ontario, Western Vermont; south to Florida; west to Eastern Nebraska, Kansas, the Indian Territory, and Eastern Texas.

Wood dark brown, light, soft, easily worked, susceptible of a beautiful polish, very durable; its specific gravity .577; more extensively used in cabinet-making and for gun-stocks than that of any other American tree.

A tree, 60 to 80 feet in height, with a trunk 4 to 6 feet in diameter; of the first economic value. Rare at the east; most common in the valley of the Mississippi and its tributaries; but now everywhere becoming scarce.

197.

Juglans rupestris, Engelm.

Bot. Sitgr. Rep. 171, t. 15.

Devil's River, Western Texas; Southern Arizona, and Walnut Grove, Arizona.

A shrub, or small tree, sometimes 20 feet in height.

198.

Carya alba, Nutt.

SHELL-BARK HICKORY. SHAG-BARK HICKORY.

Canada; York County, Maine, to the upper districts of Georgia, and Northern Alabama; west to Eastern Nebraska, Kansas, and Arkansas.

Wood very heavy, strong, tenacious, elastic; furnishing the most valuable fire-wood of the Atlantic forests; extensively employed in the manufacture of agricultural implements, carriages, baskets, &c.; its specific gravity .838.

A medium-sized tree, 50 to 70 feet in height, with a trunk 2 to 5 feet in diameter; of the first economic value, producing, next to the Pecan, the most highly esteemed of North American nuts.

Carya microcarpa (Nutt. Gen. ii. 221), will probably on further investigation be found not specifically distinct from this species, with which it occurs from Pennsylvania and Delaware, south to the upper districts of Georgia.

199.

Carya amara, Nutt.*Juglans angustifolia*, Lam. Diet. iv. 504.*Juglans. amara*, Michx.

BITTER NUT. SWAMP HICKORY. WHITE HICKORY.

Canada and Northern Vermont, south to Florida, and west to Eastern Nebraska, Kansas, and Eastern Texas.

Wood with the general characteristics of the last species, but lighter, and in every way less valuable.

A small or medium-sized tree; generally in low grounds; the nut thin-shelled, exceedingly bitter, not edible.

200.

Juglan

North Ca
Southern A
Wood pr
species of
A small

201.

Juglan

"South
(*Ravenel*),
A small

202.

Juglan

Juglan

Juglan

C. glai

Canada
Eastern T
Wood v
A large

203.

WESTER

Lancast

Heart w

A large

tains; mo
thick-shell

204.

Canada
ern Nebra
Wood r
A medi
of stream
large, thin
River, Ne

200. *Carya aquatica*, Nutt.*Juglans aquatica*, Michx.**WATER HICKORY.**

North Carolina, in the low districts, to Florida, and Alabama; and in Southern Arkansas?

Wood probably of little value in comparison with that of the other species of the genus.

A small tree, 30 to 50 feet in height; in low swamps.

201. *Carya myristicæformis*, Nutt.*Juglans myristicæformis*, Michx.**NUTMEG HICKORY.**

"South Carolina, at Goose Creek" (*Michaux*), "Berkeley District" (*Ravenel*), and in Western Louisiana.

A small tree; in swamps or low ground.

202. *Carya porcina*, Nutt.*Juglans glabra*, Wang.*Juglans porcina*, Michx.f.*Juglans obcordata*, Willd.*C. glabra*, Torr. & Gray.**PIG NUT. BROWN HICKORY.**

Canada to Southern Florida, west to Eastern Nebraska, Kansas, and Eastern Texas.

Wood very similar to that of *Carya alba*.

A large or medium-sized tree; in dry uplands.

203. *Carya sulcata*, Nutt.**WESTERN SHELL-BARK HICKORY. THICK SHELL-BARK HICKORY.**

Lancaster County, Pennsylvania, and west to Eastern Kansas.

Heart wood lighter colored, but similar to that of *Carya alba*.

A large tree in rich bottom lands. Rare east of the Alleghany Mountains; more common in the valley of the Mississippi River; the large thick-shelled nuts sweet and edible.

204. *Carya tomentosa*, Nutt.**MOCKER NUT. WHITE-HEART HICKORY.**

Canada and Northern New England, south to Florida; west to Eastern Nebraska and Arkansas.

Wood resembling that of the last species.

A medium-sized tree; in dry uplands, or more rarely along the banks of streams in deep and often submerged soils; a fine variety, bearing large, thin-shelled, valuable nuts, is known in the valley of the Genesee River, New York, as "King Nut."

205.

Sacramento
A shrub
with a diam

206.

California
occasionally
"A large
to 21 feet,
a spread of
occurring a

207.

Southwest
latitude of
the northern
Florida, and
Wood lig
ity .662; l
cabinet-ma
preferred to
facture of
piles, posts

A large t
eter; of the
American c

208.

Maryland
Eastern Te
Wood to
A small t
ponds.

MYRICACEÆ.

205.

Myrica Californica, Cham. & Schl.

Sacramento River, California, north to Washington Territory.

A shrub or small tree, "sometimes attaining a height of 30 to 40 feet, with a diameter at base of two feet or more."—(*Watson*, Bot. Cal. ii. 81, *ined.*)

CUPULIFERÆ.

206.

Quercus agrifolia, Née.

ENCENO.

California, near the coast, principally south of San Francisco, and occasionally reaching Mendocino County.

"A large tree, with a stout, low trunk, often 8 to 12 feet, sometimes 16 to 21 feet, in circumference (base of Monte Diablo, *Brewer*), and with a spread of branches of 120 feet"—(*Engelm.* in Bot. Cal. ii. 98, *ined.*); also occurring as a small shrub.

207.

Quercus alba, L.

WHITE OAK.

Southwestern Nova Scotia, Southern New Brunswick, Canada in the latitude of Quebec (rare), and west along the Manitoulin Islands, and the northern shore of Lake Michigan to Wisconsin; south to Northern Florida, and west to Western Missouri, Arkansas, and Eastern Texas.

Wood light-colored, strong, heavy, elastic, durable; its specific gravity .662; largely employed in ship-building, construction of all sorts, cabinet-making, cooperage, for which purpose and basket-making it is preferred to all other American woods; also very largely in the manufacture of agricultural implements, carriages, &c., and for railway ties, piles, posts, and fuel.

A large tree, 60 to 80 feet in height, with a trunk 6 to 8 feet in diameter; of the very first economic value, and superior to all other North American Oaks in the quality and value of its wood.

208.

Quercus aquatica, Nutt.

WATER OAK.

Maryland, and Sebastian County, Arkansas, south to Florida and Eastern Texas.

Wood tough, but probably of little value.

A small tree, 30 to 50 feet in height; in low ground, along streams and ponds.

203.

Q. Principis
Q. Principis

Canada, 2
ern States,
Eastern Ne
quereux).

Wood said

A large t
feet in circ
and along s

var

Q. Principis
Q. Michauxii

From Del
In low gr

210.

TURK

North Ca

A small
rens, near t

211.

Q. Phellos

North Ca

A small
the bark yi

212.

Q. fulva
Q. craseoloba

California
the Sierra M

A large t
to a shrub
racciniifolia

209.

Quercus bicolor, Willd.*Q. Prinus*, var. *tomentosa*, Michx.*Q. Prinus*, var. *discolor*, Michx.f.

SWAMP WHITE OAK.

Canada, Northern Vermont, and Wisconsin, south through the Northern States, and along the Alleghany Mountains to Georgia; west to Eastern Nebraska and Arkansas ("bottoms of the Washita River," *Lesquerieux*).

Wood said to equal that of the White Oak.

A large tree, with a trunk sometimes, although rarely, exceeding 30 feet in circumference ("Wadsworth oak," Geneseo, N. Y.); in swamps and along streams, in deep alluvial soil.

var. **Michauxii**, Engelm. Trans. St. Louis Acad. iii. 390.

Q. Prinus palustris, Michx.*Q. Michauxii*, Nutt.

From Delaware and Southern Illinois, south to Northern Florida.
In low ground.

210.

Quercus Catesbæi, Michx.

TURKEY OAK. SCRUB OAK. FORKED-LEAF BLACK JACK.

North Carolina to Florida and Southern Alabama.

A small tree, rarely exceeding 25 feet in height; only in sandy barrens, near the coast.

211.

Quercus cinerea, Michx.*Q. Phellos*, var. *cinerea*, Spach.

UPLAND WILLOW OAK. BLUE JACK.

North Carolina to Florida and Eastern Texas, near the coast.

A small tree, rarely exceeding 30 feet in height; in sandy barrens; the bark yielding a yellow dye.

212.

Quercus chrysolepis, Liebm.*Q. fulrescens*, Kellogg.*Q. crassipocula*, Torr.

CALIFORNIA LIVE OAK.

California, in the Coast Ranges and along the western slopes of the Sierra Nevada.

A large tree, 3 to 5 feet in diameter; or, at higher elevations, reduced to a shrub, [var. ? *vacciniifolia*, Engelm. Trans. St. Louis Acad. iii. 393. *Q. vacciniifolia*, Kellogg].

IMAGE EVALUATION TEST TARGET (MT-3)

Photographic
Sciences
Corporation

53 WEST MAIN STREET
WEBSTER, N.Y. 14590
(716) 872-4503

0
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1
8.0
9.0
10.0
11.2
12.5
14.0
16.0
18.0
20.0
22.5
25.0
28.0
32.0
36.0
40.0
45.0
50.0
56.0
63.0
71.0
80.0
90.0
100.0

10
11.2
12.5
14.0
16.0
18.0
20.0
22.5
25.0
28.0
32.0
36.0
40.0
45.0
50.0
56.0
63.0
71.0
80.0
90.0
100.0

213.

Easte
and in M
The ran
deeply-en

214.

Q.

Califo
Coast I
region.
"A
Mounta
5 to 7 f

215.

Califo
and Mo
"It
its size
seen b
in Bot. C

216.

Q.

Q.

Calif
Ranges
Engelm)
County

217.

Q.

Com
Arizon
A sm

213.

Quercus coccinea, Wang.

SCARLET OAK.

Eastern Massachusetts, southward near the coast, in light sandy soils; and in Minnesota (*Engelmann*).

The range of this species, often confounded with the forms of *Q. tinctoria* with deeply-ent leaves, is still obscure, and especially deserves the attention of botanists.

214.

Quercus densiflora, Hook. & Arn.*Q. echinacea*, Torr.

California, "from the Santa Lucia Mountains (*Palmer*), through the Coast Ranges, and especially among the Red Woods, to the Shasta region.

"A pretty large tree, 50 to 60, or rarely 80, feet high (Santa Cruz Mountains, *Brewer*), and a foot or two in diameter; often a mere shrub, 5 to 7 feet high."—(*Engelm.* in Bot. Cal. ii. 99, *ined.*)

215.

Quercus Douglasii, Hook. & Arn.

MOUNTAIN WHITE OAK. BLUE OAK.

California, "in dry foothills of the Coast Ranges, from Monte Diablo and Mount Oso to Sacramento Valley.

"It resembles a middle-sized White Oak of the Eastern States in its size, pale, scaly bark, and quality of its timber. The largest tree seen by *Professor Brewer* has a circumference of 7 feet."—(*Engelm.* in Bot. Cal. ii. 95, *ined.*)

216.

Quercus dumosa, Nutt.*Q. berberidifolia*, Liebm.*Q. acutidens*, Torr.

California, "common in the cañons and on the arid slopes of the Coast Ranges from San Diego to San Francisco Bay; the variety (var. *bullata*, *Engelm.*) in the Santa Lucia Mountains (*Brewer*) and northward to Lake County (*Dr. Torrey*)."—(*Engelmann* in Bot. Cal. ii. 96, *ined.*)

217.

Quercus Emoryi, Torr.*Q. hastata*, Liebm.

Comal County, Texas, through Southern New Mexico to Rocky Cañon, Arizona (*Rothrock*).

A small tree, or often a shrub.

218.

Q.
Q.
Q.
Q.

New
most c
trict it
Woo
employ
A la
eter; i

219.

Q

Van
near th
Woo
A la
any o

220.

Q
Q

New
May (C
North
Hall).
A sh

221.

Q

"Sa
1874)
"A
rock
in Whe

222.

New
distric

218.

Quercus falcata, Michx.

- Q. elongata*, Willd.
Q. discolor, var. *foliata*, Spach.
Q. triloba, Michx.
Q. falcata, var. *triloba*, DC.

SPANISH OAK.

New Jersey to Missouri, and south to Florida and Eastern Texas; most common in the Southern Atlantic States, where in the middle district it is the most prevalent forest tree.

Wood reddish, coarse-grained, not durable, of little value; somewhat employed in cooperage.

A large tree, often 80 feet in height, with a trunk 4 to 5 feet in diameter; its bark rich in tannin.

219.

Quercus Garryana, Dougl.

Q. Newi, Liebm.

Vancouver Island and British Columbia, south to San Francisco Bay, near the coast.

Wood hard, brittle, probably of little value.

A large tree, 70 to 100 feet in height; extending farther north than any oak of the Pacific forest.

220.

Quercus heterophylla, Michx.

- Q. aquatica*, var. *heterophylla*, DC.
Q. Phellos $\times$ *coccinea*, Engelm. Trans. St. Louis Acad. iii. 385, 391, 541.

New Jersey, near Camden, Haddonfield, Mount Holly, and in Cape May County; Delaware, near Townsend Station and Wilmington; North Carolina (*M. A. Curtis* in Herb. Canby.); Eastern Texas (*E. Hall*).

A small tree, of uncertain origin.

221.

Quercus hypoleuca, Engelm.

Q. confertifolia, Torr. Bot. Mex. Bound. 207 [not HBK].

"Sanoita Valley, Southern Arizona, at 7,000 feet altitude (*Rothrock*, 1874); also found in the San Francisco Mountains.

"A very conspicuous and as yet little known species, which Dr. Rothrock found 30 feet in height and 1 foot in diameter."—(*Engelm.* in Wheeler Rep. vi. 251.)

222.

Quercus imbricaria, Michx.

SHINGLE OAK. LAUREL OAK.

New Jersey, south along the Alleghany Mountains, and in the upper districts to Georgia; west to Wisconsin and the Indian Territory.

Wood h
A small
Alleghany

223.

Q. ru
Q. tin
Q. So

Californ
Sierra Ne
foraia oal
A large

224.

Q. ag
Q. P

North
A large

225.

Q. H
Q. R

Californ
foothills;
mountain
"A ma
with a w
the grou
"The v

226.

OV

North
Arkansa
Wood
of *Q. all*
A larg

227.

Q. o
Q. m
B

Canad
vania; w
7

Wood hard and heavy, but probably of little value except as fuel.
A small tree, sometimes 50 feet in height. Most common west of the Alleghany Mountains.

223. **Quercus Kelloggii**, Newberry, Pacif. R. Rep. vi. 286, 6.

Q. rubra, Benth. Pl. Hartw. 337.

Q. tinctoria, var. *Californica*, Torr.

Q. Sonomensis, Benth.; DC. Prodr. xvi². 62.

California, in the Coast Ranges, and along the western slopes of the Sierra Nevada, reaching a higher elevation than any other of the California oaks.

A large tree, or often at high elevations reduced to a small shrub.

224. **Quercus laurifolia**, Michx.

Q. aquatica, var. *laurifolia*, DC.

Q. Phellos, var. *laurifolia*, Chap.

LAUREL OAK.

North Carolina, in the middle and lower districts, south to Florida.

A large tree.

225. **Quercus lobata**, Née.

Q. Hindii, Benth. Bot. Sulph. 55.

Q. Ransoni, Kellogg, Proc. Calif. Acad. i. 25?

California, "common throughout the State, in the plains or in the foothills; or in the southern part of the State somewhat higher in the mountains.

"A majestic tree, sometimes 15 to 20 feet in girth, 100 feet high, and with a wider spread of branches" (*Brewer*), which often hang down to the ground.

"The wood is said to be brittle." (*Engelm.* Bot. Cal. ii. 95, *ined.*)

226. **Quercus lyrata**, Walt.

OVER-CUP OAK. SWAMP POST OAK. WATER WHITE OAK.

North Carolina and the valley of the lower Ohio; south to Florida, Arkansas (rare), and Eastern Texas.

Wood moderately compact and resembling, though inferior to, that of *Q. alba*.

A large tree; in deep and often submerged swamps. Not common.

227. **Quercus macrocarpa**, Michx.

Q. oliviformis, Michx.

Q. macrocarpa, var. *oliviformis*, Gray.

BURE OAK. MOSSY-CUP WHITE OAK. OVER-CUP OAK.

Canada and Northern Vermont, south to Lancaster County, Pennsylvania; west to Wisconsin, Eastern Nebraska, and Kansas.

Wood
A large
diameter.

228. Qu

Q. ca

Q. P

Perrys
River, La
Arkansas
Mountain
Wood
posts, &c
A small

229.

Q. fe

Q. qu

Q. ni

Long
braska, th
A small
soil.

230.

Mounta
geles; an
"The v
feet in d
(*Engelm.*,

231.

Wester
Island, an
Wisconsin
Wood
A medi

232.

Long
and from

Wood probably of little value, except as fuel.

A large tree, 60 to 80 feet in height, with a trunk 4 to over 8 feet in diameter. Not common east of the Alleghany Mountains.

228. *Quercus Muhlenbergii*, Engelm. Trans. St. Louis Acad. iii. 391.

Q. castanea, Muhl. ap. Willd.

Q. Prinus, var. *acuminata*, Michx.

Perrysburg, Vermont, near Newburg, New York, on the Conestoga River, Lancaster County, Pennsylvania, and west to Eastern Nebraska, Arkansas, and the Indian Territory. Very common west of the Alleghany Mountains, and extending south to Western Florida and Mississippi.

Wood compact, strong, very durable; largely used for railway ties, posts, &c.

A small or medium-sized tree.

229. *Quercus nigra*, L.

Q. ferruginea, Michx.f.

Q. quinqueloba, Engelm.

Q. nigra, var. *quinqueloba*, A.DC.

BLACK JACK OAK. BARREN OAK.

Long Island, New York, south to Florida, and west to Eastern Nebraska, the Indian Territory, and Eastern Texas.

A small tree, rarely exceeding 25 feet in height; in gravelly, barren soil.

230. *Quercus oblongifolia*, Torr.

EVERGREEN WHITE OAK. LIVE OAK.

Mountains of Southwestern California, from San Diego to Los Angeles; and in Chihuahua.

"The wood is said to be hard, but brittle. A beautiful tree, 2 to 2½ feet in diameter (*Brewer*), with the aspect of the eastern Live Oak." (*Engelm.*, Bot. Cal. ii. 97, *ined.*)

231. *Quercus palustris*, DuRoi.

PIN OAK. SWAMP SPANISH OAK.

Western Massachusetts? (*Emerson*), New Haven, Connecticut, Long Island, and south to the District of Columbia; west and southwest to Wisconsin, Eastern Nebraska, Kansas, and Eastern Texas.

Wood coarse-grained, moderately strong, not durable.

A medium-sized tree; in low ground.

232. *Quercus Phellos*, L.

WILLOW OAK.

Long Island, New York, south to Florida, generally near the coast; and from Kentucky to Alabama, Arkansas, and Eastern Texas.

Wood
fellies o
A me
cool sit

233.

Q.
Q.

Vern
Livings
Allegha
of Ken
Wood
coopera
A lan

234.

North
northern
Florida
America
forests.

Wood
porous,
ern Wi
erally r
A lan

235.

Q.
Q.

Mart
Nebras
Wood
A sn

236.

Q
Q
Q

Can
Alaba
sas (ra

Wood reddish, coarse-grained, not durable; sometimes used for the felloes of wheels, but of little value.

A medium-sized tree; generally along the borders of swamps, in low, cool situations.

233.

Quercus prinus, L.*Q. prinus*, var. *monticola*, Michx.*Q. montana*, Willd.

CHESTNUT OAK. ROCK CHESTNUT OAK.

Vermont, shores of Lake Champlain, to the valley of the Genesee River, Livingston County, New York; south through the whole length of the Alleghany Mountains, and rarely eastward to the coast; in the mountains of Kentucky and Tennessee.

Wood reddish, porous, strong, somewhat employed in construction, cooperage, &c., although inferior to white oak.

A large or medium-sized tree.

234.

Quercus rubra, L.

RED OAK.

Northern Nova Scotia, New Brunswick, valley of the Saint Lawrence, northern shore of Lake Huron, western shore of Lake Superior, south to Florida, and Eastern Texas; the most widely distributed of the North American oaks, extending farther north than any species of the Atlantic forests.

Wood varying remarkably in different localities; at the east reddish, porous, light, not durable, principally employed in cooperage; in Northern Wisconsin and Minnesota heavier, durable, compact, and quite generally used in construction.

A large tree. Very common in all rich woodlands.

235.

Quercus stellata, Wang.*Q. obtusiloba*, Michx.*Q. Durandii*?, Buckley.

POST OAK.

Martha's Vineyard, Massachusetts, south to Florida; west to Missouri, Nebraska, Kansas, and Eastern Texas.

Wood resembling and probably equaling that of *Q. alba*.

A small or medium-sized tree, rarely exceeding 50 feet in height.

236.

Quercus tinctoria, Bartram.*Q. nigra*, Marsh. [not L.]*Q. velutina*, Lam.*Q. coccinea*, var. *tinctoria*, Gray.

BLACK OAK. YELLOW-BARKED OAK.

Canada and Northern New England, south to Tallapoosa County, Alabama, and west to Wisconsin, Eastern Nebraska, and Eastern Kansas (rare).

Woo
the oth
carriag
A lar
diamete
a valua

237.

East
ward, t
aid An
A sn
which

VA

VA

VA

VA

Sabian

VA

Bot. St

VA

VA

See I

238.

Mol
along
north
witho

Wo
ble; l
to all
A t
the fir
tata, C

239.

Cal
throu

Wood close-grained, strong, durable, and probably superior to that of the other North American Black Oaks; employed in the manufacture of carriages, cooperage, construction, &c.

A large tree, 80 to 100 feet in height, with a trunk often 4 to 5 feet in diameter; the bark rich in tannin; the intensely bitter inner bark yields a valuable yellow dye. Very common in all the Atlantic forests.

237.

Quercus undulata, Torr.

ROCKY MOUNTAIN SCRUB OAK.

Eastern slope of the Rocky Mountains of Colorado from Denver southward, through New Mexico into Western Texas; west through Utah and Arizona into Southern California.

A small tree, or often a shrub running into innumerable forms, of which the best marked are:

var. *Gambelii*, Engelm. (*Q. Gambelii*, Nutt., and *Q. Drummondii*, Liebm.).

var. *Jamesii*, Engelm.

var. *Wrightii*, Engelm.

var. *breviloba*, Engelm. (*Q. obtusiloba*, var. *breviloba*, Torr.; *Q. Sabiana*, Buckley?).

var. *oblongata*, Engelm. (*Q. oblongifolia*, Torr. in Bot. Mex. Bound. 206 [not Bot. Stgr.])

var. *grisea*, Engelm. (*Q. grisea*, Liebm.).

var. *pungens*, Engelm. (*Q. pungens*, Liebm.).

See Engelman in Trans. St. Louis Acad. iii. 372, 382, 392, and Bot. Cal. ii. 98, *ined*

238.

Quercus virens, Ait.

Q. sempervirens, Ait.

Q. oleoides, Cham. & Schl.

Q. retusa, Liebm.

LIVE OAK.

Mob Jack Bay, Virginia, south to Florida, near the coast; west along the Gulf coast to Mexico; in Texas penetrating to the high plateau north of San Antonio (*Engelmann* in Pl. Lindh. ii. 237), where it might without fruit be easily confounded with *Q. Emoryi*.

Wood yellowish, very heavy, compact, fine-grained, strong, and durable; largely employed in ship-building, for which purpose it is preferred to all other North American woods.

A tree, 50 to 60 feet in height, with a trunk 4 to 7 feet in diameter; of the first economic value; or reduced to a shrub (var. *maritima* and *dentata*, Clapman; *Q. maritima*, Willd.); the bark rich in tannin.

239.

Quercus Wislizeni, A.DC.

Q. Morehus, Kellogg.

California, "common in the valleys and in the lower mountains throughout the State, and ascending into the Sierra Nevada." The

variety
desert

"A r
sometin
and 50

The r
a place

Q.

Engelm.

Q.

Q.

Q.

Florida

Q.

southw

Q.

Michx. f

Q.

Chap.),

Ait.).

Q.

240.

Ca

C.

West
Nevada

A tre
fornia d

241.

Fa

Lanc
west to

Wood

A sh

Arkans

diamete

variety (var. *frutescens*, Engelm.) is the "Desert Oak" of the southeastern desert region, ranging northward to Mount Shasta.

"A magnificent tree, with very dense dark-green and shining foliage; sometimes 10 to 12 and even 18 feet in circumference (Shasta, *Brewer*), and 50 to 60 feet high." (*Engelm.* in Bot. Cal. ii. 98, *ined.*)

The following North American shrubby species do not properly find a place in this catalogue:

Q. Breweri, Engelm. in Bot. Cal. ii. 96, *ined.* (*Q. lobata*, var. *fruticosa*, Engelm.) Western slopes of high Sierra Nevada, California.

Q. Georgiana, M. A. Curtis. Stone Mountain, Georgia.

Q. myrtifolia, Willd. (*Q. Phellos*, var. *arenaria*, Chapman).

Q. aquatica, var. *myrtifolia*, A.DC. Sea coast, South Carolina to Florida.

Q. ilicifolia, Wang. (*Q. Banisteri*, Michx.). New England to Ohio and southward.

Q. prinoides, Willd. (*Q. Prinus pumila*, Michx.; *Q. Prinus Chinquapin*, Michx. f., A.DC.; *Q. Chinquapin*, Pursh.). New England to Arkansas.

Q. pumila, Nutt. (*Q. Phellos*, var. *pumila*, Michx.; *Q. cinerea*, var. *pumila*, Chap.), and var. *sericea*, Engelm (*Q. sericea*, Willd.; *P. Phellos*, var. *sericea*, Ait.). Pine barrens of South Carolina.

Q. reticulata, HBK. Southern Arizona and Mexico.

240. *Castanopsis chrysophylla*, A.DC.

Castanea chrysophylla, Hook.

C. sempervirens, Kellogg.

CHINQUAPIN.

Western Oregon and California, along the western flank of the Sierra Nevada, and in the Coast Ranges south to Santa Cruz.

A tree, 30 to 50 feet in height, in the Cascade Mountains, or in California often a low shrub.

241. *Castanea pumila*, Mill.

Fagus pumila, L.

CHINQUAPIN.

Lancaster County, Pennsylvania; Marietta, Ohio; south and southwest to Florida, Arkansas, the Indian Territory, and Eastern Texas.

Wood strong, compact, even-grained, very durable.

A shrub, or in the southern Alleghany Mountains, Florida, and Arkansas a tree, 30 to 50 feet in height, with a trunk often 18 inches in diameter; the sweet fruit smaller than that of the next species.

212.

Fa
C.
C.

North
Hampsh
southwe
in Tenn
Wood
but diffi
making
A larg
superior

213.

Fa

Nova
Lawrenc
and Mic
Wood
close-gr
employe
ery; use
A larg
sippi Ri

244.

Car
Car
O. 2
O. 1
Car

Nova
rence an
Huron, t
County,
Wood
A sma
than 12

245.

C. 4

AMERICA

North
Saint La

242. *Castanea vulgaris*, Lam., var. *Americana*, A. DC. Prodr. xvi². 114.*Fagus Castanea*, L.*C. vesca*, Gertn., var. *Americana*, Michx.*C. Americana*, Raf.

Northern shores of Lakes Erie and Ontario, Southern Maine, New Hampshire, and Vermont; south to Western Florida, and west and southwest to Michigan and Arkansas; reaching its greatest development in Tennessee, along the western slopes of the Alleghany Mountains.

Wood light-colored, coarse-grained, moderately strong, very durable, but difficult to season and liable to warp; largely employed in cabinet-making, and for railway ties, posts, fencing, &c.

A large tree; of the first economic value; the fruit, although smaller, superior in sweetness and flavor to that of the European chestnut.

243. *Fagus ferruginea*, Ait.*Fagus sylvestris*, Michx.

AMERICAN BEECH.

Nova Scotia and New Brunswick, through the valley of the Saint Lawrence and Ottawa Rivers, and the northern shores of Lakes Huron and Michigan to Missouri and Minnesota; south to Florida and Arkansas.

Wood light-colored or reddish, varying greatly with soil and location, close-grained, compact, heavy, and susceptible of a beautiful polish; employed in the manufacture of shoe-lasts, handles of tools and in turnery; used largely as fuel.

A large tree. Very common in all northern forests east of the Mississippi River, and in those of the southern Alleghany Mountains.

244. *Ostrya Virginica*, Willd.*Carpinus Ostrya*, L.*Carpinus Virginiana*, Lam.*O. Americana*, Michx.*O. vulgaris*, Watson.*Carpinus triflora*, Mench.

Nova Scotia, New Brunswick, through the valleys of the Saint Lawrence and the lower Ottawa Rivers, along the northern shores of Lake Huron, to Northern Wisconsin; south to Florida, and west to Fremont County, Iowa, Missouri, and Arkansas.

Wood white, compact, fine-grained, very heavy, durable.

A small tree, rarely exceeding 40 feet in height, or with a trunk more than 12 to 15 inches in diameter.

245. *Carpinus Caroliniana*, Walt.*C. Americana*, Michx.

AMERICAN HORNBEAM. BLUE BEECH. WATER BEECH. IRON WOOD.

Northern Nova Scotia and New Brunswick, through the valley of the Saint Lawrence and lower Ottawa Rivers, along the northern shores of

Lake Huron
and East
Wood
At the
southern
a trunk 2

246.

B. p.
B. a.
B. c.

New B
River sou
Wood
polish; e
cently lar
A small
gravelly
on abund

247.

B. c.
B. l.

CHERRY

Nova S
nois, and
Wood
of a brilli
and excel
A med

248.

B. e.
B. l.

Newfor
New Eng
Mountain
Wood

Lake Huron to Northern Wisconsin and Minnesota; south to Florida and Eastern Texas.

Wood resembling that of *Ostrya*.

At the North generally a shrub or small tree, but becoming, in the southern Alleghany Mountains, a tree sometimes 50 feet in height, with a trunk 2 to 3 feet in diameter.

BETULACEÆ.

246. *Betula alba*, L., var. *populifolia*, Spach.

B. populifolia, Willd.

B. acuminata, Ehrh.

B. cuspidata, Schrad.

WHITE BIRCH. OLD FIELD BIRCH. GRAY BIRCH.

New Brunswick, and from the valley of the lower Saint Lawrence River south to Delaware, near the coast.

Wood white, moderately hard, close-grained, susceptible of a good polish; extensively manufactured into spools, shoe-pegs, &c., and recently largely exported.

A small tree, rarely exceeding 20 to 30 feet in height; in dry and gravelly soil, or on the borders of swamps; springing up everywhere on abandoned land in New England.

247. *Betula lenta*, L.

B. carpinifolia, Ehrh.

B. lenta, Regel in DC. Prodr. xvi². 179, in part.

CHERRY BIRCH. BLACK BIRCH. SWEET BIRCH. MAHOGANY BIRCH.

Nova Scotia, Canada, and through the Northern States; west to Illinois, and south along the Alleghany Mountains to Georgia.

Wood reddish, close-grained, compact, moderately hard, susceptible of a brilliant polish; furnishing a valuable material for cabinet-making, and excellent fuel.

A medium-sized tree. Common at the North in rich woodlands.

248. *Betula lutea*, Michx.f.

B. excelsa, Pursh [not Ait.]

B. lenta, Regel in DC. Prodr. xvi². 179, in part.

YELLOW BIRCH. GRAY BIRCH.

Newfoundland to the western shore of Lake Superior, through the New England and Northwestern States, and south along the Alleghany Mountains to the high peaks of North Carolina.

Wood resembling, and perhaps surpassing, that of the last species

The lar
New Eng
diameter.

249.

Banks o
Counties,
Tallapoos
Texas.

A medi

250.

Californ
Valley, at
as abunda
fencing an
and comm
'Black B
katchewan
Bot. Cal. ii.

251.

Latitud
Northern
Eastern N

Wood w
extensivel
and now l

A large
latitude th
durable b
and is larg

252.

Newfoun
land, Wisc

Wood ha
in Northern

A shru
ground.

The largest deciduous tree of the forests of Canada and Northern New England, not rarely 80 feet in height, with a trunk 3 to 4 feet in diameter.

249.

Betula nigra, L.

RED BIRCH. RIVER BIRCH.

Banks of the Merrimac and Spicket Rivers, in Middlesex and Essex Counties, Massachusetts, and from New Jersey south to Florida and Tallapoosa County, Alabama; west to Missouri, Arkansas, and Eastern Texas.

A medium-sized tree; along the borders of streams and ponds.

250.

Betula occidentalis, Hook.

California, "in the eastern cañons of the Sierra Nevada, above Owen's Valley, at an altitude of from 4,500 to 10,000 feet, where it is reported as abundant and often the main reliance of the settlers for timber for fencing and other purposes; Surprise Valley, Modoc County (*Lemmon*), and common along streams in Siskiyou County, where it is known as 'Black Birch.' It is frequent from Washington Territory to the Saskatchewan and in the Rocky Mountains to New Mexico." (*Watson*, Bot. Cal. ii. 79, *ined.*)

251.

Betula papyracea, Ait.

CANOE BIRCH. WHITE BIRCH. PAPER BIRCH.

Latitude 65° N. (*Richardson*), south through British America and the Northern States to the mountains of Pennsylvania; west to Minnesota, Eastern Nebraska, and Dakota?; most common at the North.

Wood white, compact, moderately hard, furnishing an excellent fuel; extensively employed in the manufacture of spools, shoe-lasts, pegs, &c., and now largely exported.

A large tree, as far north as Hudson's Bay, and extending to a higher latitude than any deciduous tree of the Atlantic forests; the very tough, durable bark, is easily separated into thin layers impervious to water, and is largely used in the construction of canoes, tents, &c.

252.

Alnus incana, Willd.

SPECKLED ALDER. HOARY ALDER. BLACK ALDER.

Newfoundland to the Saskatchewan, and south to northern New England, Wisconsin, Minnesota, and Nebraska; and in Europe.

Wood hard and heavy; furnishing fuel preferred and largely employed in Northern New England for the final baking of bricks.

A shrub, or sometimes a small tree; along streams and in swampy ground.

var.
the Rock
New Me

253.

Delaw
A sma

254.

Bank
Arizona
Bernard
A tre
ter.

255.

From
(Palmer
30 feet
50 feet i
80, ined.)

256.

Sitka
hood of
A tre

257.

Great
the Nev
A sm
ground
var
var

258.

Calif
to San
8

var. virescens, Watson (Bot. Cal. ii. 81, *ined.*) extends from Oregon east to the Rocky Mountains, and south to the southern Sierra Nevada and New Mexico.

253. *Alnus maritima*, Muhl.

SEA-SIDE ALDER.

Delaware and Eastern Maryland; and in Japan?
A small tree, sometimes 20 feet in height; along streams.

254. *Alnus oblongifolia*, Torr.

Banks of the Mimbres River, and near Santa Barbara, New Mexico; Arizona; in the Cayumaca Mountains, San Diego County, and in the San Bernardino Mountains, California; also in Northern Mexico.

A tree, sometimes 80 feet in height with a trunk 2 or 3 feet in diameter.

255. *Alnus rhombifolia*, Nutt.

From Oregon to Southern California; at San Felipe, California (*Palmer*), known as White Alder. "The common California Alder, 20 to 30 feet in height, and 2 to 3 in diameter, according to *Bolander*; 30 to 50 feet in height (*Peckham*); bark light ash gray."—(*Watson*, Bot. Cal. ii. 80, *ined.*)

256. *Alnus rubra*, Bongard.

Sitka, south to Santa Barbara, California; common in the neighborhood of San Francisco.

A tree, 30 to 40 feet in height.

SALICACEÆ.

257. *Salix cordata*, Muhl.

Great Slave Lake, Saskatchewan, and Lake Winipeg; south through the New England States to the District of Columbia.

A small tree, rarely 20 feet in height; along streams and in wet ground; running into many forms of which the best marked are:—

var. rigida, Gray (*S. rigida*, Muhl. *S. Torreyana*, Barratt).

var. angustata, Anders. (*S. angustata*, Pursh).

258. *Salix lævigata*, Bebb.

California, Sierra County, and from the valley of the Sacramento River to San Diego.

"An e
near str
dark bre

259.

S. A
S. A
S. A

British
Californ

"A th
Cal. ii. 8

var

Anders.).

var

riana, A
Sierra M

260.

Mack
the New
A shr
streams

261.

S. A
S. A
S. A
S. J

Canal
the vall
ifornia;
A sim
inches

262.

P.
P.

In th
zona; i
to the v
Woo
A me

"An erect pyramidal tree, 15 to 50 feet high, growing in bottom lands near streams; trunk straight, a foot or two in diameter, with fissured dark brown bark."—(*C. L. Anderson*, in *Bot. Cal.* ii. 84, *ined.*)

259. *Salix lasiandra*, Benth.

S. Hoffmanniana, Hook. & Arn.

S. speciosa, Nutt.

S. arguta, var. *lasiandra*, Anders.

British Columbia, and south to the valley of the Sacramento River, California.

"A tree, 20 to 60 feet high, growing along streams."—(*Bebb*, in *Bot. Cal.* ii. 84, *ined.*)

var. *lancifolia*, Bebb. (*S. lancifolia*, Anders. *S. lucida*, var. *macrophylla*, Anders.). With the species.

var. *Fendleriana*, Bebb (*S. pentandra*, var. *caudata*, Nutt. *S. Fendleriana*, Anders. *S. arguta*, Anders.). Colorado, New Mexico, and in the Sierra Nevada of Central California.

260. *Salix lucida*, Muhl.

SHINING WILLOW.

Mackenzie River, in latitude 65° north, through British America and the New England States, south to Chester County, Pennsylvania.

A shrub or small tree, rarely exceeding 20 to 25 feet in height; along streams.

261. *Salix nigra*, Marsh.

S. ambigua, Pursh.

S. Houstoniana, Pursh.

S. Caroliniana, Michx.

S. falcata, Pursh. (*S. Purshiana*, Spr. *S. nigra*, var. *falcata*, Gray.)

Canada (rare) and Northern Vermont; south to Florida, and west to the valley of the Sacramento River, Clear Lake, and Fort Mohave, California; most common between the Alleghany and Rocky Mountains.

A small tree, 20 to 40 feet in height, with a trunk sometimes 10 to 18 inches in diameter.

262. *Populus angustifolia*, James.

P. Canadensis, var. *angustifolia*, Wesm. in DC. Prodr., xvi. 329.

P. balsamifera, var. *angustifolia*, Watson, Bot. King Rep. v. 327.

In the Rocky Mountains of Colorado and New Mexico; Central Arizona; in the Shoshone Mountains, Central Nevada, and northwestward to the valley of the Columbia River.

Wood considered of little value.

A medium-sized tree.

263.

Mac
Americ
A la
to Dr.
the A
va
phylla,
Arc
west t
A la
tion.

264.

Val
vada
A la
va
Torr. F
"TH
from
Color
Grand

265.

Nov
State
Wisc
Wo
specie
Engle
factu
A r
20 to

266.

We
the lo
South

263.

Populus balsamifera, L.

BALSAM POPLAR. TACAMAHAC. BALM OF GILEAD.

Mackenzie River and the Great Slave Lake; south through British America to Northern New England and Wisconsin.

A large tree. Common in Arctic America, and furnishing, according to *Dr. Richardson*, the greater part of the drift timber on the shores of the Arctic Sea.

var. *candicans*, Gray (*P. candicans*, Alt. *P. nigra*, Catesb. *P. macrophylla*, Lindl. *P. Ontariensis*, Desf.).

Arctic America to Northern New England, Wisconsin, and Kentucky; west to Colorado and Idaho.

A large tree. Rare in a wild state, although very common in cultivation.

264.

Populus Fremontii, Watson, Proc. Amer. Acad. x. 350.

P. monilifera, Newberry, Pacific R. Rep. vi. 89; Watson, Bot. King Rep. vi. 327.

Valley of the upper Sacramento River, California; eastward in Nevada and Southern Utah.

A large tree.

var. *Wializeni*, Watson, in Am. Jour. Sci. (3 ser.), xv. 137. (*P. monilifera*, Torr. Bot. Mex. Bound. 204.)

"The prevalent Cottonwood in the more southern districts, ranging, from San Diego County, California (Jamul Valley, *Palmer*), and the Colorado Valley (Fort Yuma, *Schott*), to Southern Utah and the Rio Grande."—(*Watson*, Bot. Cal. ii. 92, *ined.*)

265.

Populus grandidentata, Michx.

Nova Scotia, New Brunswick, Canada, and through the Northern States; along the Alleghany Mountains to North Carolina, and west to Wisconsin and Iowa. Rare at the South; common at the North.

Wood white, soft, very light; large quantities of the wood of this species have of late years been ground into pulp in Northern New England and Michigan, and used as a substitute for rags in the manufacture of paper.

A medium-sized tree, sometimes 70 to 80 feet in height, with a trunk 20 to 30 inches in diameter.

266.

Populus heterophylla, L.

P. argentea, Michx.f.

P. heterophylla, var. *argentea*, Wesm. in DC. Prodr. xvi. 326.

DOWNY POPLAR. COTTON TREE.

Western Massachusetts; Northport, Long Island; to the valley of the lower Ohio River; south to the Cape Fear River, North Carolina, and Southern Arkansas.

Woo
A la
diamet

267.

P
P
P
P
P
P

Wes
Idaho
Woo
A la
diame
stream

268.

Are
and th
the m
6,000
seen o
it mig

Wo
Utah
that o

A s
ing 1
can t

269.

"S
ing i
ingto
feet.
bank
Wat

Wood white, soft, probably of little value.

A large tree, often 70 to 80 feet in height, with a trunk 3 to 4 feet in diameter; in swamps and along river bottoms. Rare.

267.

Populus monilifera, Ait.

P. angulata, Ait.

P. angulosa, Michx.

P. Canadensis, Desf.

P. Marylandica, Bosc.

P. laevigata, Willd.

P. glandulosa, Mench.

COTTONWOOD. NECKLACE POPLAR. CAROLINA POPLAR.

Western New England, west to the Rocky Mountains of Colorado and Idaho?; south to Florida and Louisiana.

Wood white, soft, of little value.

A large tree, 80 to 100 feet in height, and with a trunk 4 to 8 feet in diameter; the common Cottonwood of the western plains, bordering all streams flowing east from the Rocky Mountains.

268.

Populus tremuloides, Michx.

AMERICAN ASPEN. QUAKING ASP.

Arctic America, south to the mountains of Pennsylvania, New Mexico, and the valley of the Sacramento River, California. Very common on all the mountain ranges from the Rocky Mountains, west and north, at 6,000 to 10,000 feet elevation, in moist slopes and bottoms. Not yet seen on the high peaks of the southern Alleghany Mountains, to which it might naturally extend.

Wood white, soft, easily worked; esteemed and somewhat used in Utah for flooring and in turnery, and in Northern New England with that of *P. grandidentata* in the manufacture of paper.

A small tree, sometimes 50 feet in height, with a trunk rarely exceeding 18 inches in diameter. The most widely distributed of North American trees.

269.

Populus trichocarpa, Torr. & Gray.

P. balsamifera, var. γ Hook. Flor. Bor. Am. ii. 154.

P. balsamifera, var. (?) *Californica*, Watson, Am. Jour. Sci. (3 ser.) xv. 136.

"San Diego, California, northward to British Columbia, and extending into Western Nevada. According to Douglas it attains in Washington Territory a height of 60 to 100 feet, with a diameter of 2 to 6 feet. It is generally found scattered, or in open spaces along stream banks and in river bottoms at an altitude not exceeding 6,000 feet."—*Watson*, Bot. Cal. ii. 91, *ined.*)

270.

T.

Calif
Wood
ably va
A tre
when cu

271.

Along
Wood
A sm
to 3 feet
the stum
extermi

272.

T.

T.

T.

Britis
Wood
of a bri
In Or
feet in

273.

Bank
A sm
known.

Tax

A sh
south t

TAXACEÆ.

270.

Torreya Californica*, Torr.T. Myristica*, Muir, Edinb. New Phil. Journal, x. 7, t. 3; Bot. Mag. t. 4780.

CALIFORNIA NUTMEG.

California, from Mendocino County to Yuba and Mariposa Counties.

Wood light-colored, close-grained, compact, heavy, odoriferous, probably valuable.

A tree, 50 to 75 feet in height, with a trunk 1 to 3 feet in diameter; when cut throwing up suckers very freely from the stump.

271.

***Torreya taxifolia*, Arn.**

STINKING CEDAR.

Along the eastern bank of the Apalachicola River, Middle Florida.

Wood exceedingly durable, odoriferous, especially when burned.

A small or medium-sized tree, 20 to 40 feet in height, with a trunk 1 to 3 feet in diameter; like the last throwing up suckers when cut from the stump; an exceedingly local species.
extermination.

272.

Taxus brevifolia*, Nutt.T. baccata*, Hook. Fl. Bor. Am. ii. 167, in part.*T. Boursieri*, Carrière. Rev. Hort. 1854, 228.*T. Lindleyana*, Muir, Edinb. New Phil. Journal, i. 294.

British Columbia, and south to the Sierra Nevada of Central California.

Wood reddish, hard, tough, elastic, very heavy, durable, susceptible of a brilliant polish.

In Oregon a tree, 40 to 60 feet in height, with a trunk sometimes 3 feet in diameter, in California rarely exceeding 20 to 30 feet in height.

273.

***Taxus Floridana*, Nutt.**

Banks of the Apalachicola River, Middle Florida.

A small tree, 10 to 20 feet in height; very local, and still imperfectly known.

***Taxus baccata*, L., var. *Canadensis*, Gray. (*T. Canadensis*, Willd.)**

A shrubby species; common in Canada and the Northeastern States, south to the mountains of Virginia.

274.

J.
J.
J.
J.

Calif
River, s
Wood
A sh
var
Watson,
On al
Utah;
Wood
ishing t
A sh
exceedi

275.

J.

Oreg
In O.
shrub.

var

Pike
Arizon
A sh

var

"We
tree, al
Cedar

276.

J.

New
"A
crackee
589.)

277.

New
ida, an

CONIFERÆ.

274. Juniperus Californica, Carrière.*J. Andina*, Nutt. ?*J. tetragona*, var. *osteosperma*, Torr.*J. Cerrosianus*, Kellogg.*J. occidentalis*, Purl. in DC. Prodr. xvi². 489, in part.

California, in the Coast Ranges, from the valley of the Sacramento River, south to San Diego.

Wood light-colored, slightly aromatic, close-grained, moderately heavy.

A shrub or small tree, sometimes 20 to 30 feet in height.

var. *Utahensis*, Engelm. Trans. Acad. St. Louis, iii. 588; (*J. occidentalis*, Watson, Bot. King Rep. v. 336, in part.)

On all the ranges of Central Nevada, south to Arizona and Southern Utah; very common at 5,000 to 8,000 feet elevation.

Wood resembling that of the species, and in Central Nevada furnishing the common and cheapest fuel.

A shrub or low bushy tree, 10 to 20 feet in height, with a trunk rarely exceeding 2 feet in diameter.

275. Juniperus occidentalis, Hook.*J. excelsa*, Pursh.

Oregon and Idaho, south to California, on the high Sierra Nevada.

In Oregon, a large tree; smaller in California, or often reduced to a shrub.

var. *monosperma*, Engelm. Trans. St. Louis Acad. iii. 590.

Pike's Peak, Colorado, through Western Texas and New Mexico to Arizona and Southern California.

A shrub or small tree.

var. ? *conjungens*, Engelm., l. c.

"Western Texas, where it forms forests and is an important timber tree, although not as large nor as easily worked and useful as the Red Cedar of the plains of Eastern Texas."—(*Lindheimer*.)

276. Juniperus pachyphloea, Torr.*J. ployderma*, Torr. in Sitgr. Rep. t. 16.

New Mexico and Arizona.

"A middle-sized tree, with a spreading, rounded top, thick and much cracked bark, and pale, reddish wood."—(*Engelm.*, Trans. St. Louis Acad. iii. 589.)

277. Juniperus Virginiana, L.

RED CEDAR. SAVIN.

New Brunswick and Canada up to latitude 45° north; south to Florida, and west to British Columbia, Washington Territory, and Eastern

Texas;
Utah, A
Heart
largely
&c.

A tree
reduced

The n
America

278.

"A sh

"Calif

County

"In M

feet. A

County

of dens

279.

Califo

by Jeff

"A s

Bot. Cal.

280.

C.

C.

Calif

Montere

measure

a heigh

A tre

These

botanists

Cupressu

281.

Cu

Cu

Cu

Cu

Oreg

region,

Texas; not in Western Texas, California, or probably Oregon; rare in Utah, Arizona, and Central Nevada.

Heart-wood red, aromatic, close-grained, compact, very durable; largely employed in cabinet-making, for fence posts, railway ties, pencils, &c.

A tree, sometimes 60 to 80 feet in height, or, near its northern limit, reduced to a low shrub or small tree.

The most widely-distributed and one of the most valuable of North American *Conifera*.

278. Cupressus Goveniana, Gordon.

"A shrub or small bushy tree, 6 to 10 feet high or more.

"California, in the Coast Ranges from about Monterey to Sonoma County.

"In Marin County it is said to sometimes attain a height of 40 to 80 feet. A doubtful form is reported from Cedar Mountain, Alameda County (*Dr. Kellogg*), described as a handsome tree, 30 to 40 feet high, of dense symmetrical growth."—(*Watson*, Bot. Cal. ii. 114, *ined.*)

279. Cupressus Macnabiana, Muir.

California, "about Clear Lake (*Torrey, Bolander*); originally reported by Jeffrey from Mount Shasta, at 5,000 feet altitude.

"A shrub or small tree, 6 to 10 feet high or more."—(*Watson*, Bot. Cal. ii. 114, *ined.*)

280. Cupressus macrocarpa, Hartw.

C. Lambertiana, Gord.

C. Hartwegii, Carrière.

MONTEREY CYPRESS.

California, "on granite rocks near the sea; from Point Pinos, near Monterey, southward 4 or 5 miles to Pescadero Ranch. The largest measurement recorded (*Brewer*) is a circumference of trunk 18½ feet at a height of 5 or 6 feet from the ground."—(*Watson*, Bot. Cal. ii. 113, *ined.*)

A tree, 40 to 70 feet in height.

These species are still very imperfectly known, and the attention of California botanists is called to the importance of studying, *in the field*, the various species of *Cupressus* native of their State.

281. Chamæcyparis Lawsoniana, Parl. in DC. Prodr. xvi. 464.

Cupressus Lawsoniana, Murr.

Cupressus Nutkaensis, Torr. Bot. Wilkes, t. 16.

Cupressus fragrans, Kellogg.

Cupressus attenuata, Gordon.

OREGON CEDAR. WHITE CEDAR.

Oregon and southward along the Coast Ranges to the Mount Shasta region, Northern California.

Wood
easily w
A lar
diamete

282.

Th
Cu
Cu
C.
Th
Th

Sitka
Wood
polish ;
A tre

283.

Cu
Th

Essex
in Wisc
Wood
very du
largely
A t
diamete

284.

T.
T.

Sitka
Mounta
Wood
for shin
warp w
A lar
diamete

285.

Jame
except

Wood white, fragrant, close-grained, compact, elastic, free of knots, easily worked, very durable.

A large tree, 100 to 150 feet in height, with a trunk 2 to 6 feet in diameter.

282. *mæcyparis Nutkaensis*, Spach.

Thuya excelsa, Bong.

Cupressus Nutkaensis, Lamb.

Cupressus Americana, Trautv.

C. excelsa, Fisch.

Thuyopsis borealis, Hort.

Thuyopsis Tchugutskoy, Hort.

Sitka; southward to the Cascade Mountains.

Wood white, soft, clear, easily worked; susceptible of a beautiful polish; probably very valuable.

A tree, sometimes 100 feet in height.

283. *Chamæcyparis sphæroidea*, Spach.

Cupressus Thyoides, L.

Thuya sphaeroidalis, Rich.

WHITE CEDAR.

Essex County, Massachusetts; south to Florida, near the coast; and in Wisconsin.

Wood reddish, light, soft, fine-grained, easily split and worked, very durable; employed for shingles, in boat-building, cooperage, and largely for railway ties, posts, fencing, &c.

A tree, 40 to 80 feet in height, with a trunk often 2 to 3 feet in diameter; always in deep, cold swamps.

284. *Thuya gigantea*, Nutt.

T. plicata, Donn.

T. Menziesii, Dougl.

WESTERN ARBOR VITÆ.

Sitka, and southward through the Coast Ranges and the Cascade Mountains to Northern California.

Wood light-colored, soft, easily worked, moderately durable; used for shingles, and often sawed into boards, although liable to split and warp when exposed to the sun.

A large tree, 100 to 150 feet in height, with a trunk 3 to 12 feet in diameter.

285. *Thuya occidentalis*, L.

ARBOR VITÆ. WHITE CEDAR.

James' Bay and the Saskatchewan, south through British America, except Newfoundland and Nova Scotia; common in the Northeastern

States
ains to
Wood
for post
A sm
eter; in

286.

Th
Th
He

Oreg
Nevada
Wood
A lar
diamete

287.

Ca

BALD

South
Carroll
barna, I
Wood
durable
timber,
A lar
the Sou
10 to 12
one of

288.

W
W
S.
T

Calif
4,000 ft
border
souther
length

States to Pennsylvania, and occasionally along the Alleghany Mountains to North Carolina; west to Northern Michigan and Wisconsin.

Wood light-colored, compact, light, very durable; largely employed for posts, railway ties, fencing, &c.

A small tree, 20 to 50 feet in height, with a trunk 1 to 3 feet in diameter; in swamps and along the rocky banks of streams.

286. Libocedrus decurrens, Torr.

Thuya Cruligiana, Balfour.

Thuya gigantea, Carrière.

Hedera decurrens, Koch.

WHITE CEDAR.

Oregon, to San Diego, California; in the Coast Ranges and in the Sierra Nevada, up to 8,500 feet elevation.

Wood light-colored, soft, and said to be durable.

A large tree, 100 to 150 feet in height, with a trunk 4 to 7 feet in diameter.

287. Taxodium distichum, Richard.

Cupressus disticha, L.

BALD CYPRESS. BLACK CYPRESS. WHITE CYPRESS. DECIDUOUS CYPRESS.

Southern Delaware to Southern Florida, near the coast; and from Carroll County, Indiana, Southern Illinois and Missouri, south to Alabama, Louisiana, and Eastern Texas.

Wood reddish, strong, light, compact, easily split and worked, very durable. Largely used in construction in the form of boards and square timber, for shingles, posts, railway ties, fencing, &c.

A large tree, sometimes reaching under favorable circumstances in the Southern States, a height of 150 feet, with a diameter of trunk of 10 to 12 feet or more; in swamps, or the inundated borders of streams; one of the most valuable trees of the North American forests.

288. Sequoia gigantea, DeCaisne.

Wellingtonia gigantea, Lindl.

Washingtonia Californica (*Taxodium Washingtonianum*), Winslow.

S. Wellingtoniana, Seem.

Taxodium giganteum, Kell. & Behr.

BIG TREE.

California, along the western slopes of the Sierra Nevada at about 4,000 feet elevation from Placer County to Deer Creek, on the southern borders of Tulare County; in small or isolated groves, except toward its southern limit where it forms an extensive forest, some 40 miles in length by 6 to 8 miles in width. Wood dull red, very light, and

remark
tree of
"It h
the larg
feet 8 in
in Bot. C

289.

Ta
Se

Calif
Coast I
Wood
ceptible
shingle
posts, &
The f
ifornia
danger
"In
from 20
the hei
This
roots th

290.

Pa
A
Pa

Can
Allegh
consin
Wood
value.
A tr
inches
high c

291.

P
P
P

Sout
tion of
A li

remarkably durable. (See Muir in Proc. Amer. Assoc. xxv. 242.) The largest tree of the American forests.

"It has an average height of 275 feet, with a trunk 20 feet in diameter; the largest measurement being 306 feet in height, and a diameter of 35 feet 8 inches within the bark, at four feet above the ground."—(Watson in Bot. Cal. ii. 117, *ined.*)

289.

Sequoia sempervirens*, Endl.Taxodium sempervirens*, Lamb.*Schubertii sempervirens*, Spach.

RED WOOD.

California, from the northern portion of the State, south only in the Coast Ranges to San Luis Obispo.

Wood red, light, close-grained, compact, easily split and worked, susceptible of a fine polish, and very durable; largely sawn into boards and shingles; and furnishing the common and cheapest lumber, railway ties, posts, and fencing, of the Pacific coast.

The forests of this species are economically the most valuable of California; but owing to their accessibility to tide-water, are in great danger of speedy extermination.

"In size the red wood usually averages 8 to 12 feet in diameter, and from 200 to 300 in height, with a straight cylindrical barrel, naked to the height of 70 to 100 feet or more." (Watson in Bot. Cal. ii. 117, *ined.*)

This species is remarkable for its tenacity of life, the stumps and roots throwing up for a long time great numbers of vigorous suckers.

290.

Abies balsamea*, Marshall.Pinus balsamea*, L.*A. balsamifera*, Michx.*Picea balsamea*, Lamb.

BALSAM FIR. BALM OF GILEAD FIR.

Canada, Nova Scotia, and the Northeastern States, south along the Alleghany Mountains to Virginia; west along the great lakes to Wisconsin and Minnesota.

Wood white and soft; occasionally made into shingles, but of little value.

A tree, sometimes 70 feet in height, with a trunk rarely exceeding 18 inches in diameter; in cold, damp woods and mountain swamps; or at high elevations reduced to a prostrate shrub (*A. Hudsoniana*, Hort.).

291.

Abies bracteata*, Nutt.Pinus venusta*, Dougl.*Pinus bracteata*, Don.*Picea bracteata*, Lindl.

Southern California, only in the Santa Lucia Mountains, at an elevation of 3,000 to 6,000 feet.

A little known tree, 100 to 150 feet in height.

292.

Fro
feet el
ern C
Wo
A h

233.

Onl
which
Wo
A s
inches

294.

Bri
coast.
Wo
The
with
v
Hood

295.

"T
to 10
the n
occu

292.

Abies concolor, Lindl.

- Picea concolor*, Gordon.
Pinus concolor, Engelm.
A. Lowiana, Murr.
A. grandis, of the California botanists.
A. amabilis, (?) Watson, King. Rep. v. 333.
A. lasiocarpa, Hort. [not Hook.]
A. Parsoniana, Hort.
A. amabilis, Hort.

WHITE FIR.

From Southern Oregon through the Sierra Nevada, at 3,000 to 8,000 feet elevation, and through the mountains of Oregon to Utah and Southern Colorado.

Wood probably of little value.

A large tree, 80 to 150 feet in height, with a trunk 2 to 4 in diameter

293.

Abies Fraseri, Lindl.

Pinus Fraseri, Pursh.

Only on the summits of the peaks of North Carolina and Tennessee, ? which exceed 6,000 feet in height.

Wood white, soft, of little value.

A small tree, 20 to 40 feet in height, with a trunk not exceeding 18 inches in diameter.

294.

Abies grandis, Lindl.

- Pinus grandis*, Dougl.
Pinus amabilis, Dougl. † [not of later authors].
Picea grandis, Lond.
A. Gordouiana, Carrière.

British Columbia, south to Mendocino County, California, near the coast.

Wood considered valuable.

The largest species of the genus, reaching 200 to 300 feet in height with a trunk 3 to 4 feet in diameter.

var. densiflora, Engelm., Trans. St. Louis Acad. iii. 594. Base of Mount Hood to British Columbia.

295.

Abies magnifica, Murr.

A. amabilis, of the California botanists.

RED FIR.

"The Red Fir of the higher Sierras is not rare at an altitude of 7,000 to 10,000 feet, but forms no forests by itself. Easily distinguished from the next species by the inclosed bracts. Forms, however, are said to occur (Mount Silliman, *Brewer*), with exserted bracts, and it remains to be

seen v
sufflo
A la
diame

236.

Bas
an el
Moun
Wo
genus
A h

297.

"It
parts
only s
ish C
alway
ing u
(Eng

Wo
A t
in dia

III
and i

298.

On
of th
vatic
New
W
into

seen whether the slight differences in the leaves, scales, and seeds will suffice to keep the species separate." (*Engelm.*, in Bot. Cal. ii. 119, *ined.*)

A large tree, 200 feet or more in height, with a trunk 8 to 10 feet in diameter.

236.

Abies nobilis*, Lindl.Pinus nobilis*, Dougl.*Picea nobilis*, Lond.

Base of Mount Shasta, California, where it forms extensive forests at an elevation of 6,000 to 8,000 feet, and north through the Cascade Mountains to the Columbia River.

Wood said to be more valuable than that of the other species of the genus.

A large tree, 200 feet in height.

297.

Abies subalpina*, Engelm.A. lasiocarpa*, Hook. Fl. Bor. Am. ii. 163 ? [not Hort.].*A. bifolia*, Murr.*A. amabilis*, Parl. in DC. Prodr. xvi². 426, in part.*A. grandis*, of the Colorado botanists.

"It extends from the higher mountains of Colorado and the adjoining parts of Utah, northward to Wyoming and Montana, where it is the only species, and westward to the mountains of Oregon, and into British Columbia (Fraser River), and southward probably to Mount Shasta; always scattered in the subalpine forests, and, at least in Colorado, coming up almost to the timber limit; but never alone constituting forests." (*Engelm.*, Trans. St. Louis Acad. iii. 597.)

Wood light-colored, soft, almost worthless.

A tree, 60 to 100 feet in height, with a trunk often more than 2 feet in diameter.

var. fallax, Engelm. l. c. (*A. amabilis*, Newberry, Pac. R. Rep. vi. 51.)

High summits of the Cascade Mountains, south of the Columbia River, and in the Wasatch Mountains, Utah.

298.

Pseudotsuga Douglasii*, Carrière.P. Douglasii*, Sabine.*Abies Douglasii*, Dougl.*Tsuga Douglasii*, Carrière.

DOUGLAS SPRUCE.

Oregon and California, in the Coast Ranges, and along the west flank of the Cascade and Sierra Nevada Ranges up to 6,000 to 8,000 feet elevation, extending south into Mexico, and east through Arizona and New Mexico to the Rocky Mountains of Colorado.

Wood yellow or reddish, coarse-grained, heavy, strong; largely sawn into boards and square timber; used for masts, spars, &c.

A tr
the m
velop

ve
Gard. 2

Sou
nardin

A s
with a
specie

299.

Nor
and up
throug
to Ha

Woo
splinte

A tr
in ratl
great c
than t

300.

In t
Count

Woo
A tr

301.

Cali
Nevad
Joaqui
Cresce
Cal. ii.

A tree, 200 to 300 feet in height, with a trunk 8 to 15 feet in diameter; the most valuable timber tree of Oregon, reaching there its greatest development, and forming probably the heaviest forest growth known.

var. macrocarpa, Engelm., Bot. Cal. ii. 120, *ined.* (*Abies macrocarpa*, Vasey in Gard. Monthly, June, 1876.).

Southern California, in the cañons of the foothills of the San Bernardino Mountains and in the San Felipe Cañon.

A small and little known tree, 40 to 50 or rarely 80 feet in height, with a trunk 2 to 3 feet in diameter; cones much larger than in the species.

299. Tsuga Canadensis, Carrière.

Pinus Canadensis, L.

Abies Canadensis, Michx.

Picea Canadensis, Link.

HEMLOCK.

Northern New Brunswick, through the valleys of the Saint Lawrence and upper Ottawa Rivers to the western shore of Lake Superior; south through the Northern States and along the Alleghany Mountains south to Habershaw County, Georgia.

Wood light-colored, coarse and crooked-grained, light, very liable to splinter; largely sawn into boards of an inferior quality.

A tree, 70 to 80 feet in height, with a trunk 2 to 3 feet in diameter; in rather dry, rocky situations, generally on the north side of hills; of great economic value on account of its bark, which is richer in tannin than that of any common tree of the Northeastern States.

300. Tsuga Mertensiana, Carrière.

Pinus Mertensiana, Bong.

Abies Mertensiana, Lindl.

Abies Albertiana, Murr.

Abies Bridgesii, Kellogg.

In the coast regions, from Alaska south to Mendocino and Marin Counties, California.

Wood less coarse and straighter-grained than in the last species.

A tree, 100 to 200 feet in height.

301. Tsuga Pattoniana, Engelm.

Abies Pattonii, or *Pattoniana*, Jeffrey.

Abies Hookeriana, Murr.

Abies Williamsonii, Newberry.

Pinus Pattoniana, Parl.

California and Oregon, "in the highest timber regions of the Sierra Nevada, at 8,000 to 10,000 feet altitude; from the head of the San Joaquin River, northward and through the Cascade Mountains, near Crescent City descending to near the coast. (*Brewer.*)" (*Engelm.*, Bot. Cal. ii. 121, *ined.*)

A
diane

302.

From
North
nesota

Wo
for the
the li
A s
exceed

303.

Brit
to Ari
and ex
Wo
A la
the ti
tensiv
valuab

304.

New
States
Moun
Wo
into
buildi
of pap
this sp

A large tree, 100 to 150 feet in height, with a trunk 2 to 4 feet in diameter, or at high elevations reduced to a low shrub.

302.

Picea alba, Link.*Pinus alba*, Ait.*Abies alba*, Michx.

WHITE SPRUCE. SINGLE SPRUCE.

From about latitude 67½° north, south through British America to Northern Maine, the southern shores of Lake Superior, Northern Minnesota, and Dakota?

Wood light-colored, lighter than that of the Black Spruce; preferred for the masts of boats, small spars, &c., but probably little used within the limits of the United States.

A small tree, sometimes 50 feet in height, with a trunk rarely, if ever, exceeding 18 to 24 inches in diameter.

303.

Picea Engelmanni, Engelm.*Abies nigra*, Engelm. [not Poir.].*Abies Engelmanni*, Purry.*Pinus commutata*, Parl.

British Columbia, and Oregon, south through the Rocky Mountains to Arizona (San Francisco Mountains, Sierra Blanca, Mount Graham), and east to the Black Hills of Dakota.

Wood resembling that of the eastern Black Spruce.

A large tree, with a trunk sometimes 2 to 3 feet in diameter, or above the timber line reduced to a prostrate shrub; in Colorado forming extensive forests at 8,500 to 11,500 feet elevation, and furnishing the most valuable timber of the central Rocky Mountain region.

304.

Picea nigra, Link.*Pinus nigra*, Ait.*Abies nigra*, Michx.*Pinus rubra*, Lamb.*Abies rubra*, Poir.*Abies nigra*, var. *rubra*, Michx.f.*P. rubra*, Link.

Newfoundland, Nova Scotia, and Canada; through the Northern States, from Maine to Wisconsin, and south along the Alleghany Mountains to the high peaks of North Carolina.

Wood light-colored or reddish, light, elastic, strong; largely sawn into boards and square timber; formerly somewhat used in ship-building, for spars, &c.; also now largely employed in the manufacture of paper. The Spruce lumber of the eastern markets is derived from this species.

A s
2 to 3
deep s

305.

Roe
Idaho
A l
diamet
scatter

306.

Alas
east to
Woo
ably su
A tr
in wet
range
A pec
slopes
nothing
and its
thirds p
and wit

307.

P
L
L
L
P
AM
Lati
States
sylvan
Woo
ferred
In L

A small or medium-sized tree, 50 to 70 feet in height, with a trunk 2 to 3 feet in diameter; in high mountain woods; sometimes in cold, deep swamps, when it is small, stunted, and of little value.

305.

Picea pungens, Engelm.*Abies Menziesii* of Colorado botanists.

Rocky Mountains of Colorado, extending into Wyoming and perhaps Idaho.

A large tree, 100 to 150 feet in height, with a trunk 2 to 3 feet in diameter; at 6,000 to 8,500 feet elevation; never forming forests but scattered along streams, in damp, moist soil.

306.

Picea Sitchensis, Carrière.*Pinus Sitchensis*, Bong.*Pinus Menziesii*, Dougl.*Abies Menziesii*, Lindl.

Alaska, south to Mendocino County, California, near the coast, and east to ?

Wood light-colored, straight-grained, valuable; resembling and probably surpassing that of the eastern Black Spruce.

A tree, 150 to 200 feet in height, with a trunk 6 to 9 feet in diameter; in wet, sandy soil, generally near the mouths of streams. Rare. Its range to the east still uncertain.

A peculiar Spruce should be looked for in Strawberry Valley and other valleys and slopes about Mount Shasta, California, at 3,500 to 4,000 feet elevation; about which nothing is known but "that its lower branches are very long, slender, and handsome, and its leaves much narrower than those of *P. Sitchensis*; 7 to 9 lines long, and two-thirds of a line wide, quite obtuse, strongly keeled, and stomatose on the upper side and without stomata beneath." (*Engelm., Bot. Cal. ii. 123, ined.*)

307.

Larix Americana, Michx.*Pinus pendula*, Ait.*L. pendula*, Salisb.*L. macrocarpa*, Forbes.*L. intermedia*, Lodd.*Pinus macrocarpa*, Lamb.

AMERICAN LARCH. BLACK LARCH. TAMARACK. HACKMATAC.

Latitude 65° north, south through British America; in the Northern States from Maine to Wisconsin, and south to the mountains of Pennsylvania.

Wood light-colored, strong, very durable; extensively used and preferred for the upper knees of ships, and for posts, railway ties, &c.

In Labrador and Newfoundland, a tree 80 to 100 feet in height, with

a true
lands
and

308.

Ore
vation
A s

309.

Ore
5,000
Mount
A li
2 to 3

310.

On
of that
A li
eter ;

311.

LONG-

Sou
ley of
more t
Woo
compa
ble ;
for few
time, t
A tr
2 to 4

a trunk sometimes 2 to 3 feet in diameter; on moist uplands or interval lands; within the limits of the United States, smaller, less valuable, and always in cold, damp swamps.

308.

Larix Lyallii, Parl.*Pinus Lyallii*, Parl.

Oregon, in the Cascade and Galton Ranges, at 6,000 to 7,000 feet elevation.

A small and little known tree.

309.

Larix occidentalis, Nutt.*L. Americana*, var. *brevipolia*, Carrière.*Pinus Nuttallii*, Parl.

Oregon and Washington Territory, in the Cascade Mountains up to 5,000 feet elevation, and eastward to the western slopes of the Rocky Mountains.

A little known tree, said to attain a height of 150 feet, with a trunk 2 to 3 feet in diameter.

310.

Pinus Arizona, Engelm.

Wheeler's Rep. vi. 260.

On the Santa Rita Mountain, Southern Arizona. "The best lumber of that region; there called Yellow Pine."—(*Rothrock*.)

A little known tree, 40 feet in height, with a trunk 2 to 3 feet in diameter; only collected by *Dr. Rothrock* in 1874.

311.

Pinus australis, Michx.*P. palustris*, Mill.

LONG-LEAVED PINE. SOUTHERN PINE. GEORGIA PINE. BROWN PINE. YELLOW PINE. HARD PINE.

Southern Virginia to Florida and Mississippi, Louisiana, in the Valley of the Red River, and probably in Eastern Texas; not extending more than 100 miles from the coast.

Wood superior to that of any other North American Pine; strong, compact, straight-grained, remarkably free from sap-wood, very durable; largely employed in construction of all sorts, ship-building, and for fencing, railway ties, &c. From this species nearly all the turpentine, tar, pitch, and rosin produced in the United States is derived.

A tree of the first economic value, 60 to 80 feet in height, with a trunk 2 to 4 feet in diameter; in dry, sandy soil, or more rarely in low swamps.

312.

Cal
ain, at
mon);
River
A n
somet

Journ.
Mou
Nevad
feet, a
Wo
prefer
A t

313.

Fro
ern b
Dakot
Woo
what
A lo

314.

San
mon i
A t

315.

Ala
A s
inches
R. Rep
P. Ma
vi. 331,
T

312.

Pinus Balfouriana, Jeffrey.

FOX-TAIL PINE. HICKORY PINE.

California, in the Mount Shasta region, on the flanks of Scott Mountain, at 5,000 to 8,000 feet elevation, forming an extensive forest (*Lemon*); on Mount Whitney and on the headwaters of King and Kerr Rivers.

A medium-sized tree, rarely exceeding 50 feet in height, with a trunk sometimes 5 feet in diameter.

var. aristata, Engelm., Bot. Cal. ii. 125, *ined.* (*Pinus aristata*, Engelm. Am. Journ. Sci. (2 ser.) xxxiv. 332, and Trans. Acad. St. Louis, ii. 205, t. 5, 6.)

Mountains of Southeastern California; on the high mountains through Nevada, Northern Arizona, and Southern Utah to Colorado, above 7,500 feet, and in Colorado reaching 12,000 feet elevation.

Wood reddish, close-grained, tough, very strong; in Central Nevada preferred for the timbering of mines.

A tree, 50 to 100 feet in height.

313.

Pinus Banksiana, Lamb.*P. Hudsonica*, Poir.*P. rupestris*, Michx. f.

SCRUB PINE. GRAY PINE.

From latitude 65° north, south through British America to the northern borders of Maine, Michigan, Wisconsin; and in Minnesota and Dakota?

Wood hard, very resinous, of little value; in New Brunswick somewhat used for railway ties.

A low shrub or tree, rarely exceeding 20 feet in height.

314.

Pinus Chihuahuana, Engelm.

Sanoita Valley, Southern Arizona, at 6,500 feet elevation, and common in Western Chihuahua.

A tree, 30 to 50 feet in height.

315.

Pinus contorta, Dougl.*P. inops*, Bong. Veg. Sitch. 45.*P. Bolanderi*, Parl. in DC. Prodr. xvi. 379.

Alaska, south to Mendocino County, California, near the coast.

A small tree, 5 to 25 feet in height, with a trunk rarely exceeding 6 inches in diameter; in wet, sandy soil.

var. Murrayana, Engelm. Bot. Cal. ii. 126, *ined.* (*P. contorta*, Newberry, Pacif. R. Rep. iv. 34, t. 5, and of the Californian botanists. *P. inops*, Benth. Pl. Hartw. *P. Murrayana*, Murr. *P. contorta*, var. *latifolia*, Engelm. in Bot. King Rep. vi. 331, &c.)

TAMARACK.

Oreg
Califor
sive fo
Wood
A tr

316.

Calif
southe
Wood
A tr

317.

Cañ
Wood
A s
inches
valual

318.

Sout
A la

319.

In t
mount
on the
Wood
interm
A tr
the mo
board

va
cembro
Mou
Nevad
Califor
A tr
a low

Oregon, in the Cascade Mountains; common in the high Sierras of California, where, at an elevation of 8,000 to 9,000 feet, it forms extensive forests; in the Rocky Mountains of Colorado and Southern Utah.

Wood white, very light, straight-grained, valuable.

A tree, 60 to 80 feet in height, with a trunk 2 to 4 feet in diameter.

316.

Pinus Coulteri, Don.*P. macrocarpa*, Lindl.

California, in the Coast Ranges, from Monte Diablo south to the southern border of the State.

Wood said to be brittle.

A tree, 50 to 70 feet in height, with a trunk 1 to 2 feet in diameter.

317.

Pinus edulis, Engelm.

PIÑON. NUT PINE.

Cañon City, Colorado, south through New Mexico and Arizona.

Wood supplying a valuable fuel.

A small tree, rarely reaching 30 feet in height, with a trunk 8 to 12 inches in diameter; the large edible seeds furnishing to the Indians a valuable article of food.

318.

Pinus Elliottii, Engelm. *ined.*

South Carolina, to Florida and Southern Alabama, near the coast.

A large tree, probably often confounded with *P. Taeda*.

319.

Pinus flexilis, James.

WHITE PINE.

In the Rocky Mountains, from Montana to New Mexico; on the high mountain ranges of Nevada (above 8,000 feet elevation), Arizona, and on the Inyo Mountains and Mount Silliman, California.

Wood white, soft, and, although not free from knots, of fair quality; intermediate between eastern white pine and sugar pine.

A tree, 50 to 60 feet in height, with a trunk 2 to 4 feet in diameter; the most valuable timber tree of Central Nevada, where it is sawn into boards.

var. albicaulis, Engelm. Bot. Cal. ii. 124, *ined.* (*P. albicaulis*, Engelm. *P. cembroides*, Newberry. *P. Shasta*, Carrière.)

Montana, British Columbia, and on the alpine peaks of the Sierra Nevada, from Mount Shasta to Mono Pass, and in the Scott Mountains, California.

A tree, 40 to 50 feet in height, or at the highest elevations reduced to a low shrub.

320.

South
Wood
A tre
eter; in

321.

Middl
New Y
kansas
Wood
A sm
diameter
doned t
A va
Chap.) h

322.

P.
P.
P.
P.

Seac
Simeon
A tre

323.

Califo
north t
length
feet elev
Columb
Wood
coarser-
A tre

320.

Pinus glabra, Walt.

SPRUCE PINE.

South Carolina, to Florida and Mississippi, near the coast.

Wood soft and white.

A tree, 40 to 60 feet in height, with a trunk 12 to 18 inches in diameter; in swampy soil. Rare.

321.

Pinus inops, Ait.

JERSEY PINE. SCRUB PINE.

Middle Island, Long Island, Tottenville and Clifton, Staten Island, New York, south to Cedar Keys, Florida, and from Kentucky to Arkansas (*Nuttall*).

Wood probably of little value, except as inferior fuel.

A small tree, 10 to 40 feet in height, with a trunk rarely 2 feet in diameter; in sterile, sandy soil; springing up everywhere on the abandoned tobacco-lands of Virginia and North Carolina.

A variety with serotinous cones (*P. clausa* and *P. inops*, var. *clausa*, Chap.) has been detected in Florida by *Dr. Chapman*.

322.

Pinus insignis, Dougl.*P. Californica*, Lois. ?*P. adunca*, Bose.*P. radiata*, Don.*P. tuberculata*, Don [not Gordon].

MONTEREY PINE.

Seacoast of California, from Pescadero south to Monterey and San Simeon Bay.

A tree, 80 to 100 feet in height, with a trunk 2 to 3 feet in diameter.

323.

Pinus Lambertiana, Dougl.

SUGAR PINE.

California, on the Coast Ranges, from the Santa Lucia Mountains north to Humboldt County, along the Sierra Nevada throughout the length of the State, especially on the western flank, at 4,000 to 8,000 feet elevation; and in the Cascade Mountains of Oregon north to the Columbia River.

Wood resembling that of the eastern white pine, but heavier, stronger, coarser-grained, and probably less easily worked.

A tree, 150 to 300 feet in height, with a trunk 10 to 20 feet in diameter.

324.

Gift
Tallah
where
intern
Wo
for th
A t

325.

Th
easter
about
Wo
Centr
charce
A s
feet in
"Crea

326.

Wa
south
to 10,
Wo
A tr

327.

Cali
and fo
tallest
terey
A sl
trunk

328.

Only

324.

Pinus mitis, Michx.*P. variabilis*, Pursh.

YELLOW PINE. SHORT-LEAVED PINE. SPRUCE PINE.

Gifford's, Staten Island (a single specimen), south to Florida and Tallapoosa County, Alabama; on the Ozark Mountains of Missouri, where it is the only Pine, and south into Arkansas; doubtless in many intermediate stations.

Wood yellow, hard, compact, durable; inferior to, although employed for the same purpose as that of *P. australis*.

A tree, 40 to 70 feet in height, with a trunk rarely 2 feet in diameter.

325.

Pinus monophylla, Torr. & Frenl.*P. Fremontiana*, Endl.

NUT PINE.

Through Central Nevada, Southern Utah, and Arizona; along the eastern slope of Sierra Nevada; and in the Californian Coast Ranges about Fort Tejon.

Wood white, soft, very resinous, furnishing valuable fuel; and in Central Nevada, where it will soon be exterminated, largely made into charcoal.

A small bushy tree, 10 to 20 feet in height, with a trunk sometimes 2 feet in diameter; the large edible seeds invaluable to the Indians of the "Great Basin," and their principal article of food.

326.

Pinus monticola, Dougl.

Washington Territory and Oregon in the Cascade Mountains, and south along the Sierra Nevada to Calaveras County, California, at 7,000 to 10,000 feet elevation.

Wood said to resemble that of the eastern white pine.

A tree, 60 to 80 feet in height, with a trunk 2 to 3 feet in diameter.

327.

Pinus muricata, Don.*P. Edgariana*, Hartw.

California, "only near the coast, where it is exposed to the sea winds and fogs, to an altitude of 2,000 feet from Mendocino, where it grows tallest (in peat bogs) to Tomalis Point (in the most sterile soil), Monterey and San Luis Obispo." (*Engelm.*, Bot. Cal. ii. 128, *ined.*)

A slender tree, 25 to 50, or rarely 80 to 120 feet in height, with a trunk 1 to 3 feet in diameter.

328.

Pinus Parryana, Engelm.*P. Llaveana*, Torr.

Only collected by Dr. C. C. Parry, 40 miles southeast of San Diego,

Califor
ever, f
A s
diame

329.

Thre
slopes
Wo
A la
diame
on any
the w

Torr., i
Ore
Sierra
A tr
eter;

Thre
ico an
A tr

330.

In t
risbur
A s
diame

331.

Fro
and N
to Min
Wo
struct
A t

California, and beyond the limits of the United States, to which, however, it may yet perhaps be found to extend.

A small tree, 20 to 30 feet in height, with a trunk 10 to 18 inches in diameter.

329.

Pinus ponderosa, Dougl.*P. Benthamiana*, Hartw.*P. Beardsleyi*, Murr.*P. Craigana*, Murr.

YELLOW PINE.

Throughout Oregon and California, especially along the western slopes of the Sierra Nevada.

Wood yellow, hard, heavy, strong, durable, very valuable.

A large tree, 200 to 300 feet in height, with a trunk 12 to 15 feet in diameter; with its varieties the most widely distributed (not yet seen on any of the mountain ranges of Nevada), and the most valuable of the western Pines.

var. *Jeffreyi*, Engelm. Bot. Cal. ii. 120, ined. (*P. Jeffreyi*, Murr. *P. deflexa*, Torr., in part.)

Oregon and California, principally along the eastern slopes of the Sierra Nevada, above 5,000 feet elevation.

A tree, 100 to 200 feet in height, with a trunk 10 to 15 feet in diameter; often in the most arid situations.

var. *scopulorum*, Engelm. l. c. (*P. ponderosa* of the Colorado botanists.)

Throughout the Rocky Mountains from British Columbia to New Mexico and Arizona.

A tree, 80 to 100 feet in height.

330.

Pinus pungens, Michx.

TABLE MOUNTAIN PINE.

In the Alleghany Mountains, from Pennsylvania (Port Clinton, Harrisburg, &c.,) to North Carolina.

A small tree, 30 to 50 feet in height, with a trunk 18 to 20 inches in diameter. Rare.

331.

Pinus resinosa, Ait.*P. rubra*, Michx.f.

RED PINE. NORWAY PINE.

From about latitude 50° north, south through the extreme Northern and New England States to the mountains of Pennsylvania, and west to Minnesota.

Wood light-colored, resinous, hard, heavy, durable; employed in construction, ship-building, &c.

A tree, 60 to 80 feet in height, or in Michigan 100 to 150 feet in

height
Now
few

332.

M
of G
W
comp
saw
A
diam

333.

Ca
Sierr
rame
A
feet
artic

334.

No
A
in di

335

Ne
ewan
the A
W
ible
soil,
ally
ings,
A
exce

height (*Bessey*), with a trunk 2 to 3 feet in diameter; in light sandy soil. Nowhere very common; forming scattered groves, rarely exceeding a few hundred acres in extent.

332.

Pinus rigida, Mill.

PITCH PINE.

Mount Desert, Maine, and Northern Vermont to the upper districts of Georgia, not extending west of the Alleghany Mountain region.

Wood heavy, resinous, or when grown in low ground soft and largely composed of sap wood; little used except as fuel, although sometimes sawed into cheap boards.

A tree, 40 to 80 feet in height, with a trunk sometimes 30 inches in diameter; in the driest and most barren, sandy soil, or in deep swamps.

333.

Pinus Sabiana, Dougl.

California, throughout the Coast Ranges; on the foothills of the Sierra Nevada, up to 4,000 feet elevation, and in the valley of the Sacramento River; east of the Sierras only seen in Owen's Valley.

A small tree, 40 to 50 feet in height, with a trunk rarely exceeding 2 feet in diameter; the edible seeds supplying the Indians with a valuable article of food.

334.

Pinus serotina, Michx.*P. Teda*, var. *alopeuroidea*, Ait. Hort. Kew.

POND PINE.

North Carolina, to middle Florida, near the coast.

A tree, 40 to 80 feet in height, with a trunk rarely exceeding 20 inches in diameter; in low, swampy, peaty soil.

335

Pinus Strobus, L.

WHITE PINE. WEYMOUTH PINE.

Newfoundland, the northern shores of Lake Nipigon and the Saskatchewan; south through the New England and Northern States, and along the Alleghany Mountains to Georgia.

Wood white, soft, clear, free of knots; easily worked, and susceptible of a beautiful polish; durable when not placed in contact with the soil, although lacking in strength; immense quantities of boards annually sawed from this species are used for the outside covering of buildings, packing cases, cabinet work, and many domestic purposes.

A tree, 80 to 150 feet in height, with a trunk sometimes, though rarely, exceeding 4 feet in diameter.

336.

So
bam
W
deca
A
in lo
dry,
coas
rior
In
Lobl
and
"Sw

337.

Ca
Bern
Sierr
(Boh
A

338.

No
W
able
A

339.

Sal
A
dian
in a
very

336.

Pinus Teda, L.

LOBLOLLY PINE. OLD FIELD PINE.

Southern Delaware and Fredericksburg, Virginia, to Florida, Alabama, Eastern Texas, and in Arkansas.

Wood "sappy, coarse-grained, liable to warp and shrink, and soon decays on exposure."

A tree, 50 to 70 feet in height, with a trunk 2 to 3 feet in diameter; in low, moist situations where it reaches its greatest developement, or in dry, sandy soil; everywhere springing up in abandoned lands near the coast in the Southern Atlantic and Gulf States. Turpentine of inferior quality is produced from this species.

In the vicinity of Albemarle Sound, in low, swampy districts, the Loblolly Pine is said to occasionally attain a height of 150 to 170 feet, and to produce timber of great value, and is there locally known as "Swamp Pine," "Slash Pine," "Rosemary Pine."

337.

Pinus tuberculata, Gordon.*P. Culifornica*, Hartw.

California, from the Shasta Region through the Coast Ranges to San Bernardino and the Santa Lucia Mountains, and on the foot-hills of the Sierra Nevada at 2,500 feet elevation, near Forest Hills, Placer County (*Bolander*).

A small tree or bush, 3 to 20 or rarely 40 feet in height.

PALMACEÆ.

338.

Sabal Palmetto, R. S.*Chamarops Palmetto*, Michx.

CABBAGE TREE. CABBAGE PALMETTO.

North Carolina (rare), and south to Florida, near the coast.

Wood porous, resisting the attacks of the Terebra, and almost imperishable under water; highly valued for piles, wharfs, &c.

A tree, 20 to 40 feet in height.

339.

Washingtonia filifera, Wendl. Bot. Zeit. xxxvii. 68.*Brahea dulcis* (?), Cooper, Smith. Rep. 1860, 442.*Brahea filamentosa*, Hort.*Pritchardia filamentosa*, Wendl.

San Bernardino County, California, to Western Arizona.

A tree, 20 to 40 feet in height, with a trunk sometimes 2 to 3 feet in diameter; "in rocky localities, in dry sheltered cañons, solitary, or few in a group." (*Watson*, in Bot. Cal. ii. 211, *ined.*) Some other species, as yet very imperfectly known, possibly occur in Southern California.

340.

"F
Cape
A

311.

So
Sout
plate
W
A
diam

342.

So
Rive
A
eter;

Un
v
W
A
whic

340.

Thrinax parviflora, Sw.

"Keys along the Florida reefs, extending up the west coast as far as Cape Rowano."—(*Chapman*, in *Concl. Bot. Gaz.* iii. 12.)

A small tree, 10 to 30 feet in height.

LILIACEÆ.

341.

Yucca brevifolia, Engelm.

Y. Draconis L, var. *arborescens*, Torr.

Southwestern Utah, Northwestern Arizona to Southern Nevada, and Southeastern California; forming near the Mohave River, on the desert plateau, at 2,000 to 4,000 feet elevation, straggling forests.

Wood, as in the whole genus, brittle and fibrous.

A small tree, 15 to 30 feet in height, with a trunk often 2 feet in diameter.

342.

Yucca Treculiana, Carrière.

Southern Texas, Matagorda Bay, and from the Brazos and Guadalupe Rivers south into Mexico.

A small tree, 15 to 25 feet in height, with a trunk 1 to 2 feet in diameter; the bitter-sweetish fruit cooked and eaten by the Indians.

ADDENDUM.

Under *Acer saccharinum*, No. 52, insert :

var. *nigrum*, Torr. & Gray (*A. nigrum*, Michx. f.). Black Sugar Maple.
Western Vermont to Missouri, and south to ?

A large tree; along streams in lower situations than the species, from which it is perhaps specifically distinct.

Abies a
Abies A
Abies a
Abies a
Abies a
Abies a
fulla
Abies l
Abies b
Abies b
Abies H
Abies C
Abies c
Abies L
Abies E
Abies h
Abies G
Abies g
Abies g
Abies g
Abies H
Abies l
Abies l
Abies L
Abies m
Abies M
Abies M
Abies n
Abies n
Abies n
Abies P
Abies P
Abies r
Abies s
Abies S
Abies W
Acacia,
Acacia,
Acacia,
Acer ci
Acer du
Acer eri
Acer gr
Acer m
Acer ne
Acer ny
Acer ru
Acer sa
Acer sc
Acer str

INDEX.

Name.	No.	Page.	Name.	No.	Page.
A.			<i>Achras salicifolia</i>	137	30
<i>Abies alba</i>	302	70	<i>Aceras Zapotilla</i> , var. <i>parriflora</i>	142	31
<i>Abies Albertiana</i>	300	69	<i>Esculus arguta</i>	39	11
<i>Abies amabilis</i> ? (<i>Abies concolor</i>)	292	67	<i>Esculus Californica</i>	38	11
<i>Abies amabilis</i> (<i>Abies concolor</i>)	292	67	<i>Esculus flava</i>	39	11
<i>Abies amabilis</i> (<i>Abies magnifica</i>)	295	67	<i>Esculus glabra</i>	40	11
<i>Abies amabilis</i> (<i>Abies subalpina</i>)	297	68	<i>Esculus Ohioensis</i>	40	11
<i>Abies amabilis</i> (<i>Abies subalpina</i> , var. <i>fullax</i>)	297	68	Alder, Black	252	56
<i>Abies balsamea</i>	290	66	Alder, Hoary	252	56
<i>Abies balsamifera</i>	290	66	Alder, Seaside	253	57
<i>Abies bifolia</i>	297	68	Alder, Speckled	252	56
<i>Abies bracteata</i>	291	66	Algaroba	72	18
<i>Abies Bridgesii</i>	300	69	<i>Algaroba glandulosa</i>	72	18
<i>Abies Canadensis</i>	299	69	<i>Alnus incana</i>	252	56
<i>Abies concolor</i>	292	67	<i>Alnus incana</i> , var. <i>viridescens</i>	252	57
<i>Abies Douglasii</i>	298	68	<i>Alnus maritima</i>	253	57
<i>Abies Engelmanni</i>	303	70	<i>Alnus oblongifolia</i>	254	57
<i>Abies Fraseri</i>	293	67	<i>Alnus rhombifolia</i>	255	57
<i>Abies Gordoniana</i>	294	67	<i>Alnus rubra</i>	256	57
<i>Abies grandis</i>	294	67	<i>Amelanchier Canadensis</i>	105	24
<i>Abies grandis</i> , var. <i>densiflora</i>	294	67	<i>Amelanchier Canadensis</i> , var. <i>Botry-</i>		
<i>Abies grandis</i> (<i>Abies concolor</i>)	292	67	<i>apinum</i>	105	24
<i>Abies grandis</i> (<i>Abies subalpina</i>)	297	68	<i>Amelanchier Canadensis</i> , var. <i>oblon-</i>		
<i>Abies Hookeriana</i>	301	69	<i>gifolia</i>	105	24
<i>Abies lasiocarpa</i> (<i>Abies concolor</i>)	292	67	American Aspen	268	60
<i>Abies lasiocarpa</i> (<i>Abies subalpina</i>)	297	68	American Beech	243	54
<i>Abies Lovelana</i>	292	67	American Cork Elm	180	39
<i>Abies magnifica</i>	295	67	American Crab Apple	87	21
<i>Abies macrocarpa</i>	298	69	American Elm	177	39
<i>Abies Menziesii</i> (<i>Picea pungens</i>)	305	71	American Holly	28	9
<i>Abies Menziesii</i> (<i>Picea Sitichensis</i>)	306	71	American Hornbeam	245	54
<i>Abies Mertensiana</i>	300	69	American Larch	307	71
<i>Abies nigra</i> (<i>Picea Engelmanni</i>)	303	70	American Mountain Ash	85	21
<i>Abies nigra</i> (<i>Picea nigra</i>)	304	70	American Plane Tree	191	41
<i>Abies nigra</i> , var. <i>rubra</i>	304	70	<i>Amyris Floridana</i>	23	8
<i>Abies nobilis</i>	296	68	<i>Amyris sylvatica</i>	23	8
<i>Abies Parsoniana</i>	292	67	ANACARDIACEÆ	14	
<i>Abies Pattonii</i> or <i>Pattoniana</i>	301	69	<i>Andromeda arborea</i>	129	29
<i>Abies rubra</i>	304	70	Angelica Tree	114	26
<i>Abies subalpina</i>	297	68	<i>Anona glabra</i>	9	5
<i>Abies subalpina</i> , var. <i>fullax</i>	297	68	<i>Anona triloba</i>	10	5
<i>Abies Williamsii</i>	301	69	ANONACEÆ	5	
Acacia, Green-bark	69	17	<i>Anonymos aquatica</i>	181	40
Acacia Greggii	74	18	Apple, American Crab	87	21
Acacia, Three-thorned	67	17	Apple Haw	90	22
<i>Acer circinatum</i>	46	12	Apple, Narrow-leaved Crab	86	21
<i>Acer dasycarpum</i>	47	12	Apple, Oregon Crab	88	21
<i>Acer Drummondii</i>	51	13	Aralia spinosa	114	26
<i>Acer eriocarpum</i>	47	12	ARALIACEÆ	26	
<i>Acer grandidentatum</i>	48	13	Arbol de Hierro	60	15
<i>Acer macrophyllum</i>	49	13	Arbor Vitæ	285	64
<i>Acer Negundo</i>	53	14	Arbor Vitæ, Western	284	64
<i>Acer nigrum</i>	52	80	<i>Arbutus laurifolia</i>	126	28
<i>Acer Pennsylvanicum</i>	50	13	<i>Arbutus Menziesii</i>	126	28
<i>Acer rubrum</i>	51	13	<i>Arbutus procera</i>	126	28
<i>Acer saccharinum</i>	52	13	<i>Arbutus Texana</i>	126	28
<i>Acer saccharinum</i> , var. <i>nigrum</i>	52	80	Arctostaphylos glauca (Arctostaphylos	128	29
<i>Acer striatum</i>	50	13	<i>pungens</i> , var. <i>platyphylla</i>)	127	28
			Arctostaphylos pungens	127	28

Name.	No.	Page.	Name.	No.	Page.
<i>Arctostaphylos pungens</i> , var. <i>platy-</i>			Birch, Red.....	249	56
phylla.....	127	28	Birch, River.....	249	56
<i>Ardisia Pickeringia</i>	133	30	Birch, Sweet.....	247	55
<i>Aronica arbutifolia</i>	104	24	Birch, West Indian.....	22	8
Ash, American Mountain.....	85	21	Birch, White (<i>Betula alba</i> , var. <i>popu-</i>		
Ash, Black.....	155	34	lifolia).....	246	55
Ash, Blue.....	156	34	Birch, White (<i>Betula papyracea</i>).....	251	56
Ash, Oregon.....	151	33	Birch, Yellow.....	248	55
Ash, Prickly.....	19	7	Bitter Nut.....	199	43
Ash, Water.....	153	33	Bitter Wood.....	21	8
Ash, White.....	148	32	Black Alder.....	252	56
Ash-leaved Maple.....	53	14	Black Ash.....	155	34
<i>Asimina triloba</i>	10	5	Black Birch.....	247	55
Asp, Quaking.....	268	60	Black Button Wood.....	109	25
Aspen, American.....	268	60	Black Cypress.....	287	65
<i>Avicennia nitida</i>	167	36	Black Gum.....	120	27
<i>Avicennia oblongifolia</i>	167	36	Black Haw.....	124	28
<i>Avicennia tomentosa</i>	167	36	Black Jack, Forked-leaf.....	210	46
B.			Black Jack Oak.....	229	50
Bald Cypress.....	287	65	Black Larch.....	307	71
Balm of Gilead.....	263	59	Black Oak.....	236	51
Balm of Gilead Fir.....	290	66	Black Sugar Maple.....	52	80
Balsam Fir.....	290	66	Black Thorn.....	102	23
Balsam Poplar.....	263	59	Black Walnut.....	196	43
Barren Oak.....	229	50	Blue Ash.....	156	34
Bass Wood.....	14	6	Blue Beech.....	245	54
Bass Wood, White.....	15	7	Blue Jack.....	211	46
Bay, Loblolly.....	12	6	Blue Oak.....	215	47
Bay, Red.....	170	37	Blue Wood.....	33	10
Bay, Rose.....	131	29	<i>Brahea dulcis</i>	339	79
Bay, Sweet.....	4	4	<i>Brahea filamentosa</i>	339	79
Bay, White.....	4	4	Brown Hickory.....	202	44
Bear Berry.....	35	11	Brown Pine.....	311	72
Beech, American.....	243	54	Bois d'Arc.....	190	41
Beech, Blue.....	245	54	BORRAGINACEÆ.....	35	
Beech, Water.....	245	54	<i>Bourreria havanensis</i>	162	35
<i>Betula acuminata</i>	248	55	<i>Bourreria havanensis</i> , var. <i>radula</i>	162	35
<i>Betula alba</i> , var. <i>populifolia</i>	246	55	<i>Bourreria radula</i>	162	35
<i>Betula carpinifolia</i>	247	55	<i>Bourreria succulenta</i>	162	35
<i>Betula cuspidata</i>	246	55	<i>Borveria tomentosa</i> , var. <i>havanensis</i>	162	35
<i>Betula excelsa</i>	248	55	<i>Bourreria virgata</i>	162	35
<i>Betula lenta</i>	247	55	Box Elder (<i>Negundo aceroides</i>).....	53	14
<i>Betula lenta</i>	247	55	Box Elder (<i>Negundo Californicum</i>).....	54	14
<i>Betula lenta</i> (Betula <i>lutea</i>).....	248	55	Box, False.....	31	10
Betula <i>lutea</i>	248	55	Buckeye, Fetid.....	40	11
Betula <i>nigra</i>	249	56	Buckeye, Ohio.....	40	11
Betula <i>occidentalis</i>	250	56	Buckeye, Sweet.....	39	11
Betula <i>papyracea</i>	251	56	Buckthorn, Southern.....	140	31
<i>Betula populifolia</i>	246	55	Buckwheat Tree.....	30	10
BETULACEÆ.....	55		<i>Bumelia angustifolia</i>	138	30
Big Laurel.....	5	4	<i>Bumelia cuneata</i>	138	30
Big Tree.....	288	65	<i>Bumelia ferruginea</i>	139	31
<i>Bignonia Catalpa</i>	164	35	<i>Bumelia fatidissima</i>	136	30
<i>Bignonia linearis</i>	166	36	<i>Bumelia lanuginosa</i>	139	31
BIGNONIACEÆ.....	35		<i>Bumelia lycioides</i>	140	31
Bilsted.....	106	24	<i>Bumelia myrsinifolia</i>	138	30
Birch, Black.....	247	55	<i>Bumelia oblongifolia</i>	139	31
Birch, Canoe.....	251	56	<i>Bumelia pallida</i>	135	30
Birch, Cherry.....	247	55	<i>Bumelia parvifolia</i>	138	30
Birch, Gray (<i>Betula alba</i> , var. <i>popu-</i>			<i>Bumelia reclinata</i>	138	30
lifolia).....	246	55	<i>Bumelia salicifolia</i>	137	30
Birch, Gray (<i>Betula lutea</i>).....	248	55	<i>Bumelia tenax</i>	141	31
Birch, Mahogany.....	247	55	<i>Bumelia tomentosa</i>	139	31
Birch, Old Field.....	246	55	Bumwood.....	55	14
Birch, Paper.....	251	56	Burr Oak.....	227	49
			Bursera <i>gummifera</i>	22	8

BRUSE
Button
Button
Button
Buttern

Cabbag
Cabbag
CACTAC
Cajepu
Calico
Californ
Californ
Californ
Californ
Californ
Californ
Canada
Canoe
CAPRIE
CAPRIE
Carolin
Carpinu
Carpinu
Carpinu
Carpinu
Carpinu
Carya a
Carya a
Carya a
Carya a
Carya g
Carya n
Carya p
Carya s
Carya t
Caryatid
Castanea
Castanea
Castanea
Castanea
Castanea
Castano
Castano
Catalpa
Catalpa
Catalpa
Catalpa
Catalpa
Cat's-cla
Ceanoth
Ceanoth
Cedar, C
Cedar, F
Cedar, S
Cedar, V
sonium
Cedar, V
roiden
Cedar, W
Cedar, W
CELASTI
Celtis br
Celtis cre
Celtis int
Celtis lex
Celtis lon
Celtis M

Name.	No.	Page.	Name.	No.	Page.
BURSERACEÆ.....	8		<i>Celtis occidentalis</i>	184	40
Button Tree.....	108	25	<i>Celtis occidentalis</i> , var. <i>crassifolia</i>	184	40
Buttonwood.....	191	41	<i>Celtis occidentalis</i> , var. <i>integrifolia</i>	183	40
Buttonwood, Black.....	109	25	<i>Celtis occidentalis</i> , var. <i>tennifolia</i>	183	40
Butternut.....	195	42	<i>Celtis (Momisia) pallida</i>	185	40
C.			<i>Celtis</i> Tala, var. <i>pallida</i>	185	40
Cabbage Palmetto.....	338	79	<i>Cercanus borealis</i>	80	19
Cabbage Tree.....	338	79	<i>Cercanus Caroliniana</i>	77	19
CACTACEÆ.....	25		<i>Cercanus Chicau</i>	78	19
Cajuput.....	172	37	<i>Cercanus mollis</i>	79	19
Calico Bush.....	130	29	<i>Cercanus Pennsylvanica</i>	80	19
California Laurel.....	172	37	<i>Cercanus serotina</i>	81	20
California Lilac.....	37	11	<i>Cercanus Virginiana</i>	81	20
California Live Oak.....	212	46	<i>Cercidium floridum</i> (Parkinsonia floridum).....	68	17
California Nutmeg.....	270	61	<i>Cercidium floridum</i> (Parkinsonia Torreyana).....	69	17
California Olive.....	172	37	<i>Cercis Californicum</i>	71	17
Canada Plum.....	76	19	<i>Cercis Canadensis</i>	70	17
Canoe Birch.....	251	56	<i>Cercis occidentalis</i>	71	17
CAPHIFOLIACEÆ.....	27		<i>Cercis reniformis</i>	71	18
Carolina Poplar.....	267	60	<i>Cercocarpus ledifolius</i>	84	20
<i>Carpinus Americana</i>	245	54	<i>Cereus giganteus</i>	113	25
<i>Carpinus Caroliniana</i>	245	54	<i>Chamaecyparis attenuata</i>	281	63
<i>Carpinus Ostrya</i>	244	54	<i>Chamaecyparis excelsa</i>	282	64
<i>Carpinus triflora</i>	244	54	<i>Chamaecyparis fragrans</i>	281	63
<i>Carpinus Virginiana</i>	244	54	<i>Chamaecyparis Lawsoniana</i>	281	63
<i>Carya alba</i>	198	43	<i>Chamaecyparis Nutkaensis</i>	282	64
<i>Carya amara</i>	199	43	<i>Chamaecyparis Nutkaensis</i> (Chamaecyparis Lawsoniana).....	281	63
<i>Carya aquatica</i>	200	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Carya glabra</i>	202	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Carya myristicifolia</i>	201	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Carya porcina</i>	202	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Carya sulcata</i>	203	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Carya tomentosa</i>	204	44	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanea Americana</i>	242	54	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanea chrysophylla</i>	240	53	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanea pumila</i>	241	53	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanea vesca</i> , var. <i>Americana</i>	242	54	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanea vulgaris</i> , var. <i>Americana</i>	242	54	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanopsis chrysophylla</i>	240	53	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Castanopsis sempervirens</i>	240	53	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Catalpa bigonioides</i>	164	35	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Catalpa cordifolia</i>	164	35	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Catalpa speciosa</i>	165	36	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Catalpa syriaca</i>	164	35	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Catalpa, Western</i>	165	36	<i>Chamaecyparis sphaeroides</i>	283	64
Cat's-claw.....	75	18	<i>Chamaecyparis sphaeroides</i>	283	64
Ceanothus spinosus.....	36	11	<i>Chamaecyparis sphaeroides</i>	283	64
Ceanothus thyrsiflorus.....	37	11	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, Oregon.....	281	63	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, Red.....	277	62	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, Stinking.....	271	61	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, White (Chamaecyparis Lawsoniana).....	281	63	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, White (Chamaecyparis sphaeroides).....	283	64	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, White (Libocedrus decurrens).....	286	65	<i>Chamaecyparis sphaeroides</i>	283	64
Cedar, White (Thuya occidentalis).....	285	64	<i>Chamaecyparis sphaeroides</i>	283	64
CELASTRACEÆ.....	10		<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis brevipes</i>	182	40	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis crassifolia</i>	184	40	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis integrifolia</i>	183	40	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis levigata</i>	183	40	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis longifolia</i>	183	40	<i>Chamaecyparis sphaeroides</i>	283	64
<i>Celtis Mississippensis</i>	183	40	<i>Chamaecyparis sphaeroides</i>	283	64

Name.	No.	Page.	Name.	No.	Page.
CORNACEÆ	26		Desert Willow	166	36
Cornus Florida	115	26	Devil Wood	159	34
Cornus Nuttallii	116	26	Diospyros Texana	144	32
Cotton Gum	121	27	Diospyros Virginiana	143	31
Cotton Tree	266	59	Diphollis salicifolia	137	30
Cottonwood	267	60	Dogwood, Flowering	115	26
Crab Apple, American	87	21	Dogwood, Januena	61	15
Crab Apple, Narrow-leaved	86	21	Dogwood, Striped	50	13
Crab Apple, Oregon	88	21	Douglas Spruce	298	68
Crab Wood	31	10	Downy Poplar	266	59
Crataegus arvensis	90	22	Drimysphyllum pauciflorum	172	37
Crataegus apifolia	91	22	Drypetes crocea	173	38
Crataegus arborescens	92	22			
Crataegus arbutifolia	104	24	E.		
Crataegus berberifolia	93	22	EUENACEÆ	31	
Crataegus coccinea	94	22	Ehretia Beaureria	162	35
Crataegus coccinea, var. populifolia	94	22	Ehretia elliptica	163	35
Crataegus coccinea, var. viridis	94	22	Ehretia Harauensis	162	35
Crataegus coccinea, var. mollis	101	23	Ehretia radula	162	35
Crataegus cordata	95	22	Ehretia tomentosa	162	35
Crataegus Crus-galli	96	22	Elder	122	27
Crataegus Crus-galli, var. linearis	96	22	Elm, American	177	39
Crataegus Crus-galli, var. ovalifolia	96	22	Elm, American Cork	180	39
Crataegus Crus-galli, var. prunifolia	96	22	Elm, False	184	40
Crataegus Crus-galli, var. pyreanthifolia	96	22	Elm, Moose	179	39
Crataegus Douglasii	97	23	Elm, Rock	180	39
Crataegus flava	98	23	Elm, Slippery	179	39
Crataegus microcarpa	100	23	Elm, Small-leaved	176	38
Crataegus mollis	101	23	Elm, Red	179	39
Crataegus punctata	102	23	Elm, White	177	39
Crataegus rivularis	99	23	Elm, Winged	176	38
Crataegus sanguinea, var. Douglasii	97	23	Enceno	206	45
Crataegus spathulata	100	23	EUCACEÆ	28	
Crataegus species	103	24	Eugenia luxifolia	110	25
Crataegus subvillosa	101	23	Eugenia dichotoma	111	25
Crataegus tomentosa	102	23	Eugenia procera	112	25
Crataegus tomentosa, var. punctata	102	23	EUPHORIACEÆ	38	
Crataegus tomentosa, var. mollis	101	23	Evergreen White Oak	230	50
Cucumber Tree	1	4	Excoecaria lucida	174	38
Cucumber Tree, Long-leaved	3	4			
Cupressus Americana	282	64	F.		
Cupressus disticha	287	65	Fagus Castanea	242	54
Cupressus Goveniana	278	63	Fagus ferruginea	243	54
Cupressus Hartwegii	280	63	Fagus pumila	241	53
Cupressus Lambertiana	280	63	Fagus sylvestris	243	54
Cupressus Lawsoniana	281	63	False Box	31	10
Cupressus Macnabiana	279	63	False Elm	184	40
Cupressus macrocarpa	280	63	Fetid Buckeye	40	11
Cupressus Nutkaensis	282	64	Ficus aurea	186	41
Cupressus Thyoides	283	64	Ficus brevifolia	187	41
CYPULIFERÆ	45		Ficus pedunculata	188	41
Cypress, Bald	287	65	Fir, Balm of Gilead	290	66
Cypress, Black	287	65	Fir, Balsam	290	66
Cypress, Deciduous	287	65	Fir, Red	295	67
Cypress, Monterey	280	63	Fir, White	292	67
Cypress, White	287	65	Flowering Dogwood	115	26
Cyrilla Caroliniana	29	9	Forked-leaf Black Jack	210	46
Cyrilla paniculata	133	30	Fox-tail Pine	312	73
Cyrilla racemiflora	29	9	Frangula Caroliniana	34	10
CYRILLACEÆ	9		Frangula Purshiana	35	11
			Fraxinus acuminata	148	32
			Fraxinus alba	148	32
			Fraxinus Americana	148	32
			Fraxinus Americana (Fraxinus platycarpa)	153	33
Dahoon Holly	27	9			
Deciduous Cypress	287	65			

Name.	No.	Page.	Name.	No.	Page.
<i>Fraxinus anomala</i>	149	33	<i>Halesia diptera</i>	146	32
<i>Fraxinus Berlandierana</i>	157	34	<i>Halesia tetraptera</i>	147	32
<i>Fraxinus Caroliniana</i> (<i>Fraxinus platycarpa</i>)	153	33	HAMAMELACEÆ	24	
<i>Fraxinus Caroliniana</i> (<i>Fraxinus viridis</i>)	157	34	Hard Pine	311	72
<i>Fraxinus concolor</i>	157	34	Haw, Apple	90	22
<i>Fraxinus cuneata</i>	152	33	Haw, Black	124	28
<i>Fraxinus Curtissii</i>	148	32	Haw, May	90	22
<i>Fraxinus dipetala</i>	150	33	Haw, Summer	98	23
<i>Fraxinus euptera</i>	148	32	Hemlock	299	69
<i>Fraxinus expanna</i>	157	34	Herules' Club	114	26
<i>Fraxinus grandifolia</i>	151	33	<i>Heteromeles arbutifolia</i>	104	24
<i>Fraxinus juglandifolia</i> (<i>Fraxinus Americana</i>)	148	32	<i>Heteromeles Fremontiana</i>	104	24
<i>Fraxinus juglandifolia</i> (<i>Fraxinus viridis</i>)	157	34	<i>Hedysia decurrens</i>	286	65
<i>Fraxinus nigra</i>	154	34	Hickory, Brown	202	44
<i>Fraxinus Oregona</i>	151	33	Hickory, Nutmeg	201	44
<i>Fraxinus pallida</i>	153	33	Hickory Pine	312	73
<i>Fraxinus paniculata</i>	153	33	Hickory, Shag-bark	198	43
<i>Fraxinus pennsylvanica</i>	154	34	Hickory, Shell-bark	198	43
<i>Fraxinus platycarpa</i>	152	33	Hickory, Swamp	199	43
<i>Fraxinus pubescens</i>	154	34	Hickory, Thick Shell-bark	203	44
<i>Fraxinus pubescens</i> , var.	151	33	Hickory, Water	200	44
<i>Fraxinus quadrangulata</i>	156	34	Hickory, Western Shell-bark	203	44
<i>Fraxinus sambucifolia</i>	155	34	Hickory, White	199	43
<i>Fraxinus tomentosa</i>	154	34	Hickory, White-heart	204	44
<i>Fraxinus triptera</i>	153	33	Hippomane Mancinella	175	38
<i>Fraxinus velutina</i>	152	33	Horny Alder	252	56
<i>Fraxinus viridis</i>	157	34	Hog Plum	25	9
<i>Fraxinus viridis</i> , var. <i>Berlandierana</i>	157	34	Holly, American	28	9
Fringe Tree	158	34	Holly, Dahoon	27	9
G.			Honey Berry	44	12
Gaul Tree	44	12	Honey Locust (<i>Gleditsia trinanthos</i>)	67	17
Georgia Bark	125	28	Honey Locust (<i>Prosopis juliflora</i>)	72	18
Georgia Pine	311	72	<i>Hopea tinctoria</i>	145	32
<i>Gleditsia monosperma</i>	66	17	Hornbeam, American	245	54
<i>Gleditsia triacanthos</i>	67	17	Horse Sugar	145	32
<i>Gordonia lasianthus</i>	12	6	Hypelate paniculata	44	12
<i>Gordonia pubescens</i>	13	6	Hypelate trifoliata	45	12
Grape, Sea	169	37	I.		
Gray Birch (<i>Betula alba</i> , var. <i>populifolia</i>)	246	55	Hex Dahoon	27	9
Gray Birch (<i>Betula lutea</i>)	248	55	Hex opaca	28	9
Gray Pine	313	73	ILICINÆ	9	
Great Laurel	131	29	<i>Inga unguis-cati</i>	75	18
Green-bark Acacia	69	17	Iron Wood (<i>Bumelia lycioides</i>)	140	31
<i>Guaicum angustifolium</i>	17	7	Iron Wood (<i>Carpinus Caroliniana</i>)	245	54
<i>Guaicum sanctum</i>	16	7	Ivy	130	29
<i>Guaicum</i>	17	7	J.		
Gum, Black	120	27	Jack, Blue	211	46
Gum, Cotton	121	27	Jack, Forked-leaf Black	210	46
Gum, Sour	119	27	Jamaica Dogwood	61	15
Gum, Sweet	106	24	Jersey Pine	321	75
Gum Tree	118	26	Judas Tree (<i>Cercis canadensis</i>)	70	17
GUTTIFERÆ	6		Judas Tree (<i>Cercis occidentalis</i>)	71	17
<i>Gymnanthes lucida</i>	174	38	JUGLANDACEÆ	42	
<i>Gymnocladus Canadensis</i>	65	16	<i>Juglans amara</i>	199	43
H.			<i>Juglans angustifolia</i>	199	43
Hackberry	184	40	<i>Juglans aquatica</i>	200	44
Hackmatac	307	71	<i>Juglans Californica</i>	194	42
			<i>Juglans cathartica</i>	195	42
			<i>Juglans cinerea</i>	195	42
			<i>Juglans glabra</i>	202	44
			<i>Juglans myristiciformis</i>	201	41
			<i>Juglans nigra</i>	196	43
			<i>Juglans obcordata</i>	202	44

Juglans
Juglans
Juglans
Juglans
June Be
Juniperu
Juniperu
Juniperu
Juniperu
Juniperu
Juniperu
Juniperu
Horn
Juniperu
gens)
Juniperu
spermi
Juniperu
Juniperu
Juniperu
Juniperu

Kalmia
Kentuck

Lagnum
Larch, A
Larch, B
Large Tu
Large-le
Larix A
Larix A
Larix int
Larix Ly
Larix ma
Larix oc
Larix pen
LAURACE
Laurel
Laurel, B
Laurel, C
Laurel, C
Laurel, M
Laurel O
Laurel O
Laurus B
Laurus C
Laurus S
LEGUMIN
Libocedr
Lignum
Lilac, Ca
LILIACE
Lime, Op
Lime Tre
Liquidam
Liquidam
Liriodendr
Live Oak
Live Oak
Live Oak
Loblolly

Name.	No.	Page.	Name.	No.	Page.
<i>Juglans oblonga</i>	195	42	Loblolly Pine	336	79
<i>Juglans porcina</i>	202	44	Loenst	58	15
<i>Juglans rupestris</i>	197	43	Loenst, Chummy	59	15
<i>Juglans rupestris</i> , var. <i>major</i>	194	42	Loenst, Honey (Gleditschia triacanthos)	67	17
June Berry	105	24	Loenst, Honey (Prosopis juliflora)	72	18
<i>Juniperus Andina</i>	274	62	Loenst, Water	60	17
<i>Juniperus Californica</i>	274	62	Log Wood	33	17
<i>Juniperus Californica</i> , var. <i>Utahensis</i>	274	62	Long-leaved Cucumber Tree	3	4
<i>Juniperus Cerroslanum</i>	274	62	Long-leaved Pine	311	72
<i>Juniperus excedua</i>	275	62			
<i>Juniperus occidentalis</i>	275	62	M.		
<i>Juniperus occidentalis</i> (<i>Juniperus Californica</i>)	274	62	Machera aurantiaca	190	41
<i>Juniperus occidentalis</i> , var. ? conjungens)	275	62	Madeira Wood	41	12
<i>Juniperus occidentalis</i> , var. monosperma)	275	62	Madrone	126	28
<i>Juniperus pachyphloea</i>	276	62	Magnolia acuminata	1	4
<i>Juniperus plichyderma</i>	276	62	Magnolia auriculata	3	4
<i>Juniperus tetragona</i> , var. <i>osteosperma</i>	274	62	Magnolia cordata	2	4
<i>Juniperus Virginiana</i>	277	62	Magnolia Fraseri	3	4
K.			Magnolia glauca	4	4
Kalmia latifolia	130	29	Magnolia grandiflora	5	4
Kentucky Coffee Tree	65	16	Magnolia macrophylla	6	5
			Magnolia Tree, Large-leaved	6	5
L.			Magnolia tripetala	7	5
Laguncularia racemosa	109	25	Magnolia Umbrella	7	5
Larch, American	307	71	MAGNOLIACEE	4	
Larch, Black	307	71	Mahogany	24	8
Large Tupelo	121	27	Mahogany Birch	247	55
Large-leaved Magnolia Tree	6	5	Mahogany, Mountain	83	20
Larix Americana	307	71	Malus angustifolia	86	21
Larix Americana, var. brevifolia	309	72	Malus coronaria	87	21
Larix intermedia	307	71	Malus rivalaris	88	21
Larix Lyallii	308	72	Manchineel	175	38
Larix macrocarpa	308	71	Manchineel, Mountain	55	14
Larix occidentalis	308	72	Mangrove	107	25
Larix pendula	307	71	Mangrove, White (Avicennia nitida)	167	36
LACRACEE	37		Mangrove, White (Laguncularia racemosa)	109	25
Laurel	130	29	Manzanita (Arctostaphylos glauca)	128	29
Laurel, Big	5	4	Manzanita (Arctostaphylos pungens)	127	28
Laurel, California	172	37	Maple, Ash-leaved	53	14
Laurel, Great	131	29	Maple, Black Sugar	52	20
Laurel, Mountain	172	37	Maple, Red	51	13
Laurel Oak (Quercus imbricaria)	222	48	Maple, Rock	52	13
Laurel Oak (Quercus laurifolia)	224	49	Maple, Silver	47	12
Laurus Borbonica	170	37	Maple, Striped	50	13
Laurus Carolinensis	170	37	Maple, Sugar	52	13
Laurus Sassafras	171	37	Maple, Swamp	51	13
LEGUMINOSAE	15		Maple, Vine	46	12
Libocedrus decurrens	286	65	May Haw	90	22
Lignum Vitae	16	7	MELIACEE	8	
Lilac, California	37	11	Melicocca paniculata	44	12
LILIACEE	80		Mesquit	72	18
Lime, Ogechee	117	26	Mespilus arborea	105	24
Lime Tree	14	6	Mespilus arbutifolia	104	24
Liquidambar Styraeflua	106	24	Mesquit, Screw-pod	73	18
Liquidamber	106	24	Mexican Persimmon	144	32
Liriodendron Tulipifera	8	5	Mimusops discata	142	31
Live Oak (Quercus oblongifolia)	230	50	Mimusops Sieberi	142	31
Live Oak (Quercus virens)	238	52	Mock Orange	77	19
Live Oak, California	212	46	Mocker Nut	204	44
Loblolly Bay	12	6	Momisia (Celtis) pallida	185	40
			Monterey Cypress	280	63
			Monterey Pine	322	75

Moose E
 Moose W
 Muses C
 Mucus r
 Mossy-c
 Mountal
 Mountal
 Mountal
 Mountal
 Mountal
 Mountal
 Mountal
 Mulberry
 Mylocari
 Myrica C
 Myricac
 MYRSIN
 Myrsine
 Myrsine
 Myrsine
 MYRTAC

Narrow-l
 Nase Ber
 Negundo
 Negundo
 Necklace
 Norway I
 Nut, Bitt
 Nut, Moc
 Nut Pine
 Nut Pine
 Nut, Pig
 Nutmeg,
 Nutmeg F
 Nuttallia
 Nyssa aqu
 Nyssa aqu
 Nyssa aqu
 Nyssa bifl
 Nyssa can
 Nyssa can
 Nyssa Can
 Nyssa gra
 Nyssa mu
 Nyssa mul
 Nyssa syl
 Nyssa tom
 Nyssa uni
 Nyssa vill

Oak, Bar
 Oak, Blac
 Oak, Blac
 Oak, Blue
 Oak, Burr
 Oak, Cul
 Oak, Ches
 Oak, Ever
 Oak, Lam
 Oak, Lam
 Oak, Live
 Oak, Live

Name.	No.	Page.	Name.	No.	Page.
Moose Elm	179	39	Oak, Mossy-cup White	227	49
Moose Wood	50	13	Oak, Mountain White	215	47
<i>Morus Canadensis</i>	189	41	Oak, Over-cup (<i>Quercus lyrata</i>)	226	49
<i>Morus rubra</i>	189	41	Oak, Over-cup (<i>Quercus macrocarpa</i>)	227	49
Mossy-cup White Oak	227	49	Oak, Pin	231	50
Mountain Ash, American	85	21	Oak, Post	235	51
Mountain Laurel	172	37	Oak, Red	234	51
Mountain Mahogany	84	20	Oak, Rock Chestnut	233	51
Mountain Manchineel	55	14	Oak, Rocky Mountain Scrub	237	52
Mountain Plum	25	9	Oak, Scarlet	213	47
Mountain White Oak	215	47	Oak, Scrub	210	46
Mulberry, Red	189	41	Oak, Shingle	222	48
<i>Mylocarum ligustrinum</i>	30	10	Oak, Spanish	218	48
<i>Myrica Californica</i>	205	45	Oak, Swamp Post	226	49
MYRICACEAE	45		Oak, Swamp Spanish	231	50
MYRSINACEAE	29		Oak, Swamp White	209	46
<i>Myrsine floribunda</i>	132	29	Oak, Turkey	210	46
<i>Myrsine Floridae</i>	132	29	Oak, Upland Willow	211	46
<i>Myrsine Rapaensis</i>	132	29	Oak, Water	208	45
MYRTACEAE	25		Oak, Water White	226	49
N.			Oak, White	207	45
Narrow-leaved Crab Apple	86	21	Oak, Willow	232	50
Nase Berry	142	31	Oak, Yellow-barked	236	51
<i>Negundo aceroides</i>	53	14	Ogeechee Lime	117	26
<i>Negundo Californicum</i>	54	14	Ohio Buckeye	40	11
Necklace Poplar	267	60	OLACINAE	9	
Norway Pine	331	77	OLEACEAE	32	
Nut, Bitter	199	43	Old Field Birch	246	55
Nut, Mocker	204	44	Old Field Pine	336	79
Nut Pine (<i>Pinus edulis</i>)	317	74	<i>Olea Americana</i>	159	34
Nut Pine (<i>Pinus monophylla</i>)	325	76	Olive, California	172	37
Nut, Pig	202	44	Olneya Tesota	60	15
Nutmeg, California	270	61	Oregon Ash	151	33
Nutmeg Hickory	201	44	Oregon Cedar	281	63
<i>Nuttallia cernuiformis</i>	83	20	Oregon Crab Apple	88	21
<i>Nyssa aquatica</i> (<i>Nyssa Caroliniana</i>)	118	26	<i>Oreodaphne Californica</i>	172	37
<i>Nyssa aquatica</i> (<i>Nyssa multiflora</i>)	119	27	<i>Ornus dipetala</i>	150	33
<i>Nyssa aquatica</i> (<i>Nyssa uniflora</i>)	121	27	Osage Orange	190	41
<i>Nyssa biflora</i>	119	27	<i>Osmanthus Americanus</i>	159	34
<i>Nyssa candicans</i>	117	26	Oso Berry	83	20
<i>Nyssa capitata</i>	117	26	<i>Ostrya Americana</i>	244	54
<i>Nyssa Caroliniana</i>	118	26	<i>Ostrya Virginica</i>	244	54
<i>Nyssa grandidentata</i>	121	27	<i>Ostrya vulgaris</i>	244	54
<i>Nyssa multiflora</i>	119	27	Over-cup Oak (<i>Quercus lyrata</i>)	226	49
<i>Nyssa multiflora</i> , var. <i>syriatica</i>	120	27	Over-cup Oak (<i>Quercus macrocarpa</i>)	227	49
<i>Nyssa sylvatica</i>	120	27	Oxydendrum arboreum	120	20
<i>Nyssa tomentosa</i>	121	27	P.		
<i>Nyssa uniflora</i>	121	27	<i>Palinurus Texensis</i>	32	10
<i>Nyssa villosa</i>	120	27	PALMACEAE	79	
O.			Palmetto, Cabbage	338	79
Oak, Barren	229	50	Palo Verde	69	17
Oak, Black	236	51	Papaw	10	5
Oak, Black Jack	229	50	Paper Birch	251	56
Oak, Blue	215	47	<i>Parkinsonia florida</i>	68	17
Oak, Burr	227	49	<i>Parkinsonia Torreyana</i>	69	17
Oak, California Live	212	46	<i>Paria flava</i>	39	11
Oak, Chestnut	233	51	Pear Thorn	102	23
Oak, Evergreen White	230	50	Pepperidge	119	27
Oak, Laurel (<i>Quercus imbricaria</i>)	222	48	<i>Persea Borbonica</i>	170	37
Oak, Laurel (<i>Quercus laurifolia</i>)	224	49	<i>Persea Carolinensis</i>	170	37
Oak, Live (<i>Quercus oblongifolia</i>)	230	50	<i>Persea Sassafras</i>	171	37
Oak, Live (<i>Quercus virens</i>)	238	52	Persimmon	143	31
			Persimmon, Mexican	144	32

Photinia

Photinia

Picea al

Picea ba

Picea br

Picea Ca

Picea co

Picea E

Picea gr

Picea n

Picea no

Picea pu

Picea ru

Picea Si

Pickerin

Pig Nut

Pigeon I

Pin Oak

Pinckne

Piñon . .

Pine, Ba

Pine, Fo

Pine, Ge

Pine, Gr

Pine, Ha

Pine, Hi

Pine, Je

Pine, Lo

Pine, Lo

Pine, Me

Pine, No

Pine, Nu

Pine, Ol

Pine, P

Pine, Po

Pine, Re

Pine, Ro

Pine, Se

Pine, Sh

Pine, Sl

Pine, So

Pine, Sp

Pine, Sp

Pine, Su

Pine, Sw

Pine, Ta

Pine, W

Pine, W

Pine, W

Pine, Ye

Pine, Ye

Pine, Ye

Pinus ad

Pinus alb

Pinus all

Pinus am

Pinus ar

Pinus At

Pinus au

Pinus Bu

Pinus Ba

Pinus ba

Pinus Ba

Pinus Be

Name.	No.	Page.	Name.	No.	Page.
<i>Photinia arbutifolia</i>	104	24	<i>Pinus Benthamiana</i>	329	77
<i>Photinia salicifolia</i>	104	24	<i>Pinus Bolanderi</i>	315	73
<i>Picea alba</i>	302	70	<i>Pinus bracteata</i>	291	66
<i>Picea balsamea</i>	290	66	<i>Pinus Californica</i> (<i>Pinus insignis</i>).....	322	75
<i>Picea bracteata</i>	291	66	<i>Pinus Californica</i> (<i>Pinus tuberculata</i>).....	337	79
<i>Picea Canadensis</i>	290	69	<i>Pinus Canadensis</i>	299	69
<i>Picea concolor</i>	292	67	<i>Pinus cembroides</i>	319	74
<i>Picea Engelmanni</i>	303	70	<i>Pinus Chihuahuana</i>	314	73
<i>Picea grandis</i>	294	67	<i>Pinus clausa</i>	321	75
<i>Picea nigra</i>	304	70	<i>Pinus commutata</i>	303	70
<i>Picea nobilis</i>	296	68	<i>Pinus concolor</i>	292	67
<i>Picea pungens</i>	305	71	<i>Pinus contorta</i>	315	73
<i>Picea rubra</i>	304	70	<i>Pinus contorta</i> , var. <i>Murrayana</i>	315	73
<i>Picea Sitchensis</i>	306	71	<i>Pinus contorta</i> , var. <i>latifolia</i>	315	73
<i>Pickeringia paniculata</i>	133	30	<i>Pinus contorta</i> (<i>Pinus contorta</i> , var. <i>Murrayana</i>).....	315	73
Pig Nut.....	202	44	<i>Pinus Coulteri</i>	316	74
Pigeon Plum.....	168	36	<i>Pinus Craigiana</i>	329	77
Pin Oak.....	231	50	<i>Pinus deflexa</i>	329	77
Pinckneya pubens.....	125	28	<i>Pinus Edgariana</i>	327	76
Piñon.....	317	74	<i>Pinus edulis</i>	317	74
Pine, Brown.....	311	72	<i>Pinus Elliottii</i>	318	74
Pine, Fox-tail.....	312	73	<i>Pinus flexilis</i>	319	74
Pine, Georgia.....	311	72	<i>Pinus flexilis</i> , var. <i>albicaulis</i>	319	74
Pine, Gray.....	313	73	<i>Pinus Fraseri</i>	293	67
Pine, Hard.....	311	72	<i>Pinus Fremontiana</i>	325	76
Pine, Hickory.....	312	73	<i>Pinus glabra</i>	320	75
Pine, Jersey.....	321	75	<i>Pinus grandis</i>	294	67
Pine, Loblolly.....	336	79	<i>Pinus Hudsonica</i>	313	73
Pine, Long-leaved.....	311	72	<i>Pinus inops</i>	321	75
Pine, Monterey.....	322	75	<i>Pinus inops</i> , var. <i>clausa</i>	321	75
Pine, Norway.....	331	77	<i>Pinus inops</i> (<i>Pinus contorta</i>).....	315	73
Pine, Nut (<i>Pinus edulis</i>).....	317	74	<i>Pinus inops</i> (<i>Pinus contorta</i> , var. <i>Murrayana</i>).....	315	73
Pine, Nut (<i>Pinus monophylla</i>).....	325	76	<i>Pinus insignis</i>	322	75
Pine, Old Field.....	336	79	<i>Pinus Jeffreyi</i>	329	77
Pine, Pitch.....	332	78	<i>Pinus Lambertiana</i>	323	75
Pine, Pond.....	334	78	<i>Pinus Llaveana</i>	328	76
Pine, Red.....	331	77	<i>Pinus Lyallii</i>	308	72
Pine, Rosemary.....	336	79	<i>Pinus macrocarpa</i> (<i>Larix Americana</i>).....	307	71
Pine, Scrub (<i>Pinus Banksiana</i>).....	313	73	<i>Pinus macrocarpa</i> (<i>Pinus Coulteri</i>).....	316	74
Pine, Scrub (<i>Pinus inops</i>).....	321	75	<i>Pinus Menziesii</i>	306	71
Pine, Short-leaved.....	324	76	<i>Pinus Mortensiana</i>	300	69
Pine, Slash.....	336	79	<i>Pinus mitis</i>	324	76
Pine, Southern.....	311	72	<i>Pinus monophylla</i>	325	76
Pine, Spruce (<i>Pinus glabra</i>).....	320	75	<i>Pinus monticola</i>	326	76
Pine, Spruce (<i>Pinus mitis</i>).....	324	76	<i>Pinus muricata</i>	327	76
Pine, Sugar.....	323	75	<i>Pinus Murrayana</i>	315	73
Pine, Swamp.....	336	79	<i>Pinus nigra</i>	304	70
Pine, Table Mountain.....	330	77	<i>Pinus nobilis</i>	296	68
Pine, Weymouth.....	335	78	<i>Pinus Nuttallii</i>	309	72
Pine, White (<i>Pinus flexilis</i>).....	319	74	<i>Pinus palustris</i>	311	72
Pine, White (<i>Pinus Strobus</i>).....	335	78	<i>Pinus Parryana</i>	328	76
Pine, Yellow (<i>Pinus australis</i>).....	311	72	<i>Pinus Pattoniana</i>	301	69
Pine, Yellow (<i>Pinus mitis</i>).....	324	76	<i>Pinus pendula</i>	307	71
Pine, Yellow (<i>Pinus ponderosa</i>).....	329	77	<i>Pinus ponderosa</i>	329	77
<i>Pinus adanac</i>	322	75	<i>Pinus ponderosa</i> , var. <i>Jeffreyi</i>	329	77
<i>Pinus alba</i>	302	70	<i>Pinus ponderosa</i> , var. <i>scopulorum</i>	329	77
<i>Pinus albicaulis</i>	319	74	<i>Pinus pungens</i>	330	77
<i>Pinus amabilis</i>	294	67	<i>Pinus radiata</i>	322	75
<i>Pinus aristata</i>	312	73	<i>Pinus resinosa</i>	331	77
<i>Pinus Arizonica</i>	310	72	<i>Pinus rigida</i>	332	78
<i>Pinus australis</i>	311	72	<i>Pinus rubra</i> (<i>Picea nigra</i>).....	304	70
<i>Pinus Balfouriana</i>	312	73	<i>Pinus rubra</i> (<i>Pinus resinosa</i>).....	331	77
<i>Pinus Balfouriana</i> , var. <i>aristata</i>	312	73	<i>Pinus rupestris</i>	313	73
<i>Pinus balsamea</i>	290	66			
<i>Pinus Banksiana</i>	313	73			
<i>Pinus Beardsleyi</i>	329	77			

Pinus Sab
Pinus serot
Pinus Sha
Pinus Sitch
Pinus Stro
Pinus Tie
Pinus Tod
Pinus tube
Pinus tube
Pinus varie
Pinus venu
Pirus Ame
Pirus ang
Pirus coro
Pirus rivu
Pirus sam
Piscidia E
Pistacia M
Pitch Pine
Pithecolob
Pithecolob
Pittonia si
Plane Tre
Planer Tr
Planera ac
Planera G
Planera G
Planera ul
PLATANAC
Platanus
Platanus
Platanus
Plum, Can
Plum, Chil
Plum, Hog
Plum, Mo
Plum, Pig
Plum, Wil
Poison W
POLYGONA
Pond Pine
Poplar, Ba
Poplar, Ca
Poplar, De
Poplar, Ne
Poplar, Ye
Populus ar
Populus ar
Populus a
Populus ur
Populus b
Populus b
Populus ba
Populus be
Populus be
Populus Ca
Populus Ca
Populus ca
Populus F
Populus F
Populus gl
Populus g
Populus h
Populus he
Populus la
Populus m

Name.	No.	Page.	Name.	No.	Page.
<i>Pinus Sabiana</i>	333	78	<i>Populus Marylandica</i>	267	60
<i>Pinus serotina</i>	334	78	<i>Populus monilifera</i>	267	60
<i>Pinus Shasta</i>	319	74	<i>Populus monilifera</i> (<i>Populus Fremontii</i>)	264	59
<i>Pinus Sitchensis</i>	306	71	<i>Populus monilifera</i> (<i>Populus Fremontii</i> , var. <i>Wislizeni</i>)	264	59
<i>Pinus Strobus</i>	335	78	<i>Populus nigra</i>	263	59
<i>Pinus Teda</i>	336	79	<i>Populus Ontarioensis</i>	263	59
<i>Pinus Teda</i> , var. <i>alopeuroidea</i>	334	78	<i>Populus tremuloides</i>	263	60
<i>Pinus tuberculata</i>	337	79	<i>Populus trichocarpa</i>	269	60
<i>Pinus tuberculata</i> (<i>Pinus insignis</i>)	322	75	<i>Porlieria angustifolia</i>	17	7
<i>Pinus variabilis</i>	324	76	<i>Post Oak</i>	235	51
<i>Pinus venusta</i>	291	66	<i>Post Oak, Swamp</i>	226	49
<i>Pirus Americana</i>	85	21	<i>Prickly Ash</i>	19	7
<i>Pirus angustifolia</i>	83	21	<i>Pritchardia filamentosa</i>	339	79
<i>Pirus coronaria</i>	87	21	<i>Prosopis juliflora</i>	72	18
<i>Pirus rivularis</i>	88	21	<i>Prosopis pubescens</i>	73	18
<i>Pirus sambucifolia</i>	89	21	<i>Prunus Americana</i>	76	19
<i>Piscidia Erythrina</i>	61	15	<i>Prunus Capollin</i>	81	20
<i>Pistacia Mexicana</i>	57	15	<i>Prunus Caroliniana</i>	77	19
<i>Pitch Pine</i>	332	78	<i>Prunus Chicasa</i>	78	19
<i>Pithecolobium Guadalupeense</i>	75	18	<i>Prunus emarginata</i>	79	19
<i>Pithecolobium Unguis-Cati</i>	75	18	<i>Prunus emarginata</i> , var. <i>mollis</i>	79	19
<i>Pittonia similis</i>	162	35	<i>Prunus mollis</i>	79	19
<i>Plane Tree, American</i>	191	41	<i>Prunus Pennsylvanica</i>	80	19
<i>Planer Tree</i>	181	40	<i>Prunus serotina</i>	81	20
<i>Planera aquatica</i>	181	40	<i>Prunus umbellata</i>	82	20
<i>Planera Gmelini</i>	181	40	<i>Pseudotsuga Douglasii</i>	298	68
<i>Planera ulmifolia</i>	181	40	<i>Pseudotsuga Douglasii</i>	298	68
PLATANACEÆ	41		<i>Pseudotsuga Douglasii</i> , var. <i>macrocarpa</i>	298	69
<i>Platanus occidentalis</i>	191	41			
<i>Platanus racemosa</i>	192	42	Q.		
<i>Platanus Wrightii</i>	193	42	<i>Quaking Asp</i>	268	60
<i>Plum, Canada</i>	76	19	<i>Quercus acutidens</i>	216	47
<i>Plum, Chickasaw</i>	78	19	<i>Quercus agrifolia</i>	206	45
<i>Plum, Hog</i>	25	9	<i>Quercus alba</i>	207	45
<i>Plum, Mountain</i>	25	9	<i>Quercus aquatica</i>	208	45
<i>Plum, Pigeon</i>	168	36	<i>Quercus aquatica</i> , var. <i>myrtifolia</i>	239	53
<i>Plum, Wild</i>	76	19	<i>Quercus aquatica</i> , var. <i>heterophylla</i>	220	48
<i>Poison Wood</i>	174	38	<i>Quercus aquatica</i> , var. <i>laurifolia</i>	224	49
POLYGONACEÆ	36		<i>Quercus Banisteri</i>	239	53
<i>Pond Pine</i>	334	78	<i>Quercus berberidifolia</i>	216	47
<i>Poplar, Balsam</i>	263	59	<i>Quercus bicolor</i>	209	45
<i>Poplar, Carolina</i>	257	60	<i>Quercus bicolor</i> , var. <i>Michauxii</i>	209	46
<i>Poplar, Downy</i>	266	59	<i>Quercus Breweri</i>	239	53
<i>Poplar, Necklace</i>	267	60	<i>Quercus castanea</i>	228	50
<i>Poplar, Yellow</i>	8	5	<i>Quercus Catesbaei</i>	210	46
<i>Populus angulata</i>	267	60	<i>Quercus Chinquapin</i>	239	53
<i>Populus angulosa</i>	267	60	<i>Quercus chrysolepis</i>	212	46
<i>Populus angustifolia</i>	262	58	<i>Quercus chrysolepis</i> , var. <i>vacciniifolia</i>	212	46
<i>Populus argentea</i>	266	59	<i>Quercus cinerea</i>	211	46
<i>Populus balsamifera</i>	263	59	<i>Quercus cinerea</i> , var. <i>pumila</i>	239	53
<i>Populus balsamifera</i> , var. <i>candicans</i>	263	59	<i>Quercus coccinea</i>	213	47
<i>Populus balsamifera</i> , var. <i>y.</i>	269	60	<i>Quercus coccinea</i> , var. <i>tinctoria</i>	236	51
<i>Populus balsamifera</i> , var. <i>angustifolia</i>	262	58	<i>Quercus confertifolia</i>	221	48
<i>Populus balsamifera</i> , var. <i>Californiaca</i>	269	60	<i>Quercus crassipocula</i>	212	46
<i>Populus Canadensis</i>	267	60	<i>Quercus densiflora</i>	214	47
<i>Populus Canadensis</i> , var. <i>angustifolia</i>	262	58	<i>Quercus discolor</i> , var. <i>foliata</i>	218	48
<i>Populus candicans</i>	263	59	<i>Quercus Douglasii</i>	215	47
<i>Populus Fremontii</i>	264	59	<i>Quercus Drummondii</i>	237	52
<i>Populus Fremontii</i> , var. <i>Wislizeni</i>	264	59	<i>Quercus dumosa</i>	216	47
<i>Populus glandulosa</i>	267	60	<i>Quercus Durandii</i>	235	51
<i>Populus grandidentata</i>	265	59	<i>Quercus echinacea</i>	214	47
<i>Populus heterophylla</i>	266	59	<i>Quercus elongata</i>	218	48
<i>Populus heterophylla</i> , var. <i>argentea</i>	266	59			
<i>Populus terigata</i>	267	60			
<i>Populus macrophylla</i>	263	59			

[illegible]

Name.	No.	Page.	Name.	No.	Page.
<i>Quercus Emoryi</i>	217	47	<i>Quercus sempervirens</i>	238	52
<i>Quercus falcata</i>	218	48	<i>Quercus sericea</i>	239	53
<i>Quercus falcata</i> , var. <i>triloba</i>	218	48	<i>Quercus Sonomensis</i>	223	49
<i>Quercus ferruginea</i>	229	50	<i>Quercus stellata</i>	235	51
<i>Quercus fulvescens</i>	212	46	<i>Quercus tinctoria</i>	236	51
<i>Quercus Gambelii</i>	237	52	<i>Quercus tinctoria</i> , var. <i>Californica</i>	223	49
<i>Quercus Garryana</i>	219	48	<i>Quercus triloba</i>	218	48
<i>Quercus Georgiana</i>	239	53	<i>Quercus undulata</i>	237	52
<i>Quercus grisea</i>	237	52	<i>Quercus undulata</i> , var. <i>breviloba</i>	237	52
<i>Quercus hastata</i>	217	47	<i>Quercus undulata</i> , var. <i>Gambelii</i>	237	52
<i>Quercus heterophylla</i>	220	48	<i>Quercus undulata</i> , var. <i>grisea</i>	237	52
<i>Quercus Hindii</i>	225	49	<i>Quercus undulata</i> , var. <i>Jamesii</i>	237	52
<i>Quercus hypoleuca</i>	221	48	<i>Quercus undulata</i> , var. <i>oblongata</i>	237	52
<i>Quercus ilicifolia</i>	239	53	<i>Quercus undulata</i> , var. <i>pungens</i>	237	52
<i>Quercus imbricaria</i>	222	48	<i>Quercus undulata</i> , var. <i>Wrightii</i>	237	52
<i>Quercus Kelloggii</i>	223	49	<i>Quercus vaccinifolia</i>	212	46
<i>Quercus laurifolia</i>	224	49	<i>Quercus velutina</i>	236	51
<i>Quercus lobata</i>	225	49	<i>Quercus virens</i>	238	52
<i>Quercus lobata</i> , var. <i>fruticosa</i>	239	53	<i>Quercus virens</i> , var. <i>dentata</i>	238	52
<i>Quercus lyrata</i>	226	49	<i>Quercus virens</i> , var. <i>maritima</i>	238	52
<i>Quercus macrocarpa</i>	227	49	<i>Quercus Wislizeni</i>	239	52
<i>Quercus macrocarpa</i> , var. <i>oliveiformis</i>	227	49	<i>Quercus Wislizeni</i> , var. <i>frutescens</i>	239	53
<i>Quercus maritima</i>	238	52			
<i>Quercus Michauxii</i>	209	46	R.		
<i>Quercus montana</i>	233	51			
<i>Quercus Morehus</i>	239	52	<i>Rapanea Guyanensis</i>	132	29
<i>Quercus Muhlenbergii</i>	228	50	Red Bay	170	37
<i>Quercus myrtifolia</i>	229	53	Red Birch	249	56
<i>Quercus Neeri</i>	219	48	Red Bud (<i>Cercis Canadensis</i>)	70	17
<i>Quercus nigra</i>	229	50	Red Bud (<i>Cercis occidentalis</i>)	71	17
<i>Quercus nigra</i> (<i>Quercus tinctoria</i>)	236	51	Red Cedar	277	62
<i>Quercus nigra</i> , var. <i>quingueloba</i>	229	50	Red Elm	179	39
<i>Quercus oblongifolia</i>	230	50	Red Fir	295	67
<i>Quercus oblongifolia</i> (<i>Quercus undulata</i> , var. <i>oblongata</i>)	237	52	Red Maple	51	13
<i>Quercus obtusiloba</i>	235	51	Red Mulberry	189	41
<i>Quercus obtusiloba</i> , var. <i>breviloba</i>	237	52	Red Oak	234	51
<i>Quercus oleoides</i>	238	52	Red Pine	331	77
<i>Quercus olivaceiformis</i>	227	49	Red Wood (<i>Ceanothus spinosus</i>)	36	11
<i>Quercus palustris</i>	231	50	Red Wood (<i>Sequoia sempervirens</i>)	289	66
<i>Quercus Phellos</i>	232	50	RHAMNACEÆ	10	
<i>Quercus Phellos</i> , var. <i>arenaria</i>	239	53	<i>Rhamnus Caroliniana</i>	34	10
<i>Quercus Phellos</i> , var. <i>cinerea</i>	211	46	<i>Rhamnus obtusifolius</i>	32	10
<i>Quercus Phellos</i> × <i>coccinea</i>	220	48	<i>Rhamnus Purshiana</i>	35	11
<i>Quercus Phellos</i> , var. <i>laurifolia</i>	224	49	<i>Rhizophora Mangle</i>	107	25
<i>Quercus Phellos</i> , var. <i>pumila</i>	239	53	RHIZOPHORACEÆ	25	
<i>Quercus Phellos</i> , var. <i>sericea</i>	239	53	<i>Rhododendron maximum</i>	131	29
<i>Quercus prinoides</i>	239	53	<i>Rhus Metopium</i>	55	14
<i>Quercus Prinus</i>	233	51	<i>Rhus typhina</i>	56	14
<i>Quercus Prinus</i> , var. <i>acuminata</i>	228	50	River Birch	249	56
<i>Quercus Prinus Chiquapiu</i>	239	53	<i>Robinia Pseudacacia</i>	58	15
<i>Quercus Prinus</i> , var. <i>discolor</i>	209	46	<i>Robinia viscosa</i>	59	15
<i>Quercus Prinus</i> , var. <i>monticola</i>	233	51	Rock Chestnut Oak	233	51
<i>Quercus Prinus pelustris</i>	209	46	Rock Elm	180	39
<i>Quercus Prinus pumila</i>	239	53	Rock Maple	52	13
<i>Quercus Prinus</i> , var. <i>tomentosa</i>	209	46	Rocky Mountain Scrub Oak	237	52
<i>Quercus pumila</i>	239	53	ROSACEÆ	19	
<i>Quercus pumila</i> , var. <i>sericea</i>	239	53	Rose Bay	131	29
<i>Quercus pungens</i>	237	52	Rosemary Pine	336	79
<i>Quercus quingueloba</i>	229	50	RUBIACEÆ	28	
<i>Quercus Ransomi</i>	225	49	RUTACEÆ	7	
<i>Quercus reticulata</i>	239	53			
<i>Quercus retusa</i>	238	52	S.		
<i>Quercus rubra</i>	234	51	<i>Sabal Palmetto</i>	338	79
<i>Quercus rubra</i> (<i>Quercus Kelloggii</i>)	223	49	SALICACEÆ	57	
<i>Quercus San Sabana</i>	237	52	<i>Salix ambigua</i>	261	58

[illegible]

Name.	No.	Page.	Name.	No.	Page.
<i>Salix angustata</i>	257	57	<i>Sideroxylon pallidum</i>	136	30
<i>Salix arguta</i>	259	58	Silver Maple	47	12
<i>Salix arguta</i> , var. <i>lasiandra</i>	259	58	Silver-bell Tree	147	32
<i>Salix Caroliniana</i>	261	58	SIMARUBEAE	8	8
<i>Salix cordata</i>	257	57	<i>Simarubra glauca</i>	21	8
<i>Salix cordata</i> , var. <i>angustata</i>	257	57	Single Spruce	302	70
<i>Salix cordata</i> , var. <i>rigida</i>	257	57	Slash Pine	336	79
<i>Salix falcata</i>	261	58	Slippery Elm	179	39
<i>Salix Fendleriana</i>	259	58	Small-leaved Elm	176	38
<i>Salix Hoffmanniana</i>	259	58	Snow-drop Tree	147	32
<i>Salix Houstoniana</i>	261	58	Soap Berry (<i>Sapindus marginatus</i>)	42	12
<i>Salix levigata</i>	258	57	Soap Berry (<i>Sapindus Saponaria</i>)	43	12
<i>Salix lancifolia</i>	259	58	<i>Sophora affinis</i>	63	16
<i>Salix lasiandra</i>	259	58	<i>Sophora secundiflora</i>	64	16
<i>Salix lasiandra</i> , var. <i>Fendleriana</i>	259	58	<i>Sophora speciosa</i>	64	16
<i>Salix lasiandra</i> , var. <i>lancifolia</i>	259	58	<i>Sorbus Americana</i>	85	21
<i>Salix lucida</i>	260	58	<i>Sorbus sambucifolia</i>	89	21
<i>Salix lucida</i> , var. <i>macrophylla</i>	259	58	Sorrel Wood	129	29
<i>Salix nigra</i>	261	58	Sour Gum	119	27
<i>Salix nigra</i> , var. <i>falcata</i>	261	58	Sour Tupelo	117	26
<i>Salix pentandra</i> , var. <i>caudata</i>	259	58	Sour Wood	129	29
<i>Salix Purshiana</i>	261	58	Southern Buckthorn	140	31
<i>Salix rigida</i>	257	57	Southern Pine	311	72
<i>Salix speciosa</i>	259	58	Spanish Oak	218	48
<i>Salix Torrejana</i>	257	57	Spanish Oak, Swamp	231	50
<i>Samara floribunda</i>	132	29	Speckled Alder	252	56
<i>Sambucus glauca</i>	122	27	Spice Tree	172	37
SAPINDACEAE	11	11	Spoon Wood	130	29
<i>Sapindus marginatus</i>	42	12	Spruce, Douglas	298	68
<i>Sapindus Saponaria</i>	43	12	Spruce Pine (<i>Pinus glabra</i>)	320	75
SAPOTACEAE	30	30	Spruce Pine (<i>Pinus mitis</i>)	324	76
<i>Sassafras</i>	171	37	Spruce, Single	302	70
<i>Sassafras officinale</i>	171	37	Spruce, White	302	70
Satin Wood	18	7	Staghorn Sumach	56	14
Savin	277	62	Stinking Cedar	271	61
Scarlet Oak	213	47	Striped Dogwood	50	13
Scarlet-fruited Thorn	94	22	Striped Maple	50	13
<i>Schefferia bursifolia</i>	31	10	<i>Strombocarpa pubescens</i>	73	18
<i>Schefferia completa</i>	31	10	<i>Styphnolobium affine</i>	63	16
<i>Schefferia frutescens</i>	31	10	STYRACACEAE	32	32
<i>Schefferia lateriflora</i>	173	38	Sugar Berry	184	40
<i>Schoepfia arborescens</i>	26	9	Sugar Maple	52	13
<i>Schubertia sempervirens</i>	289	66	Sugar Maple, Black	52	80
Screw Bean	73	18	Sugar Pine	323	75
Screw-pod Mesquit	73	18	Sumach, Coral	55	14
Serub Oak	210	46	Sumach, Staghorn	56	14
Serub Oak, Rocky Mountain	237	52	Summer Haw	98	23
Serub Pine (<i>Pinus Banksiana</i>)	313	73	Swamp Hickory	199	43
Serub Pine (<i>Pinus inops</i>)	321	75	Swamp Maple	51	13
Sea Grape	169	37	Swamp Pine	336	79
Sea-side Alder	253	57	Swamp Post Oak	226	49
Sebastiania lucida	174	38	Swamp Spanish Oak	231	50
Sequoia gigantea	288	65	Swamp White Oak	209	46
Sequoia sempervirens	289	66	Sweet Bay	4	4
<i>Sequoia Wellingtoniana</i>	288	65	Sweet Birch	247	55
Service Tree	105	24	Sweet Buckeye	39	11
Shad Bush	105	24	Sweet Gum	106	24
Shag-bark Hickory	198	43	Sweet Leaf	145	32
Sheep Berry	123	27	Swietenia Mahogany	24	8
Shell-bark Hickory	198	43	Sycamore	191	41
Shell-bark Hickory, Thick	203	44	<i>Symplocos tinctoria</i>	145	32
Shell-bark Hickory, Western	203	44			
Shingle Oak	222	48			
Shining Willow	260	58			
Short-leaved Pine	324	76			
<i>Sideroxylon mastichodendron</i>	136	30			

T.

Table Mountain Pine	330	77
Tacamahac	263	59

Name.	No.	Page.	Name.	No.	Page.
Tamarack (<i>Larix Americana</i>)	307	71	<i>Ulmus Florida</i>	177	39
Tamarack (<i>Pinus contorta</i> , var. <i>Murrayana</i>)	315	73	<i>Ulmus fulva</i>	179	39
TAXACEÆ	61		<i>Ulmus opaca</i>	178	39
<i>Taxodium distichum</i>	287	65	<i>Ulmus pumila</i>	176	39
<i>Taxodium giganteum</i>	288	65	<i>Ulmus racemosa</i>	180	39
<i>Taxodium sempervirens</i>	289	66	<i>Ulmus rubra</i>	179	39
<i>Taxodium Washingtonianum</i>	288	65	<i>Umbellularia Californica</i>	172	37
<i>Taxus baccata</i>	272	61	<i>Umbrella Tree</i>	7	5
<i>Taxus baccata</i> , var. <i>Canadensis</i>	273	61	<i>Ungnadia speciosa</i>	41	12
<i>Taxus Bourseri</i>	272	61	<i>Upland Willow Oak</i>	211	46
<i>Taxus brevifolia</i>	273	61	URTICACEÆ	38	
<i>Taxus Canadensis</i>	273	61	<i>Urtica triloba</i>	10	5
<i>Taxus Florida</i>	273	61			
<i>Taxus Lindleyana</i>	272	61	V.		
TEENSTREMIACEÆ	6		VERBENACEÆ	36	
<i>Tetranthera Californica</i>	172	37	<i>Viburnum Lentago</i>	123	27
Thick Shell-bark Hickory	203	44	<i>Viburnum prunifolium</i>	124	28
Thorn, Black	102	23	Vine Maple	46	12
Thorn, Cockspur	96	22	<i>Virgilia lutea</i>	62	16
Thorn, Pear	102	23			
Thorn, Scarlet-fruited	94	22	W.		
Thorn, Washington	95	22			
Three-thorned Acacia	67	17	Walnut, Black	196	43
<i>Thrinax parviflora</i>	340	80	Walnut, White	195	42
<i>Thuja Craigiana</i>	286	65	Washington Thorn	95	22
<i>Thuja excelsa</i>	282	64	<i>Washingtonia Californica</i>	288	65
<i>Thuja gigantea</i>	284	64	<i>Washingtonia filifera</i>	339	79
<i>Thuja gigantea</i> (<i>Libocedrus decurrens</i>)	286	65	Water Ash	153	33
<i>Thuja Menziesii</i>	284	64	Water Beech	245	54
<i>Thuja occidentalis</i>	285	64	Water Hickory	200	44
<i>Thuja plicata</i>	284	64	Water Locust	63	17
<i>Thuja spheroidalis</i>	283	64	Water Oak	208	45
<i>Thuyopsis borealis</i>	282	64	Water White Oak	226	49
<i>Thuyopsis Tchugatskoy</i>	282	64	<i>Wellingtonia gigantea</i>	288	65
<i>Tilia alba</i>	15	7	West Indian Birch	22	8
<i>Tilia Americana</i>	14	6	Western Arbor Vitæ	284	64
<i>Tilia Americana</i> , var. <i>pubescens</i>	14	6	Western Catalpa	165	36
<i>Tilia heterophylla</i>	15	7	Western Shell-bark Hickory	203	44
<i>Tilia laxiflora</i>	15	7	Weymouth Pine	335	72
<i>Tilia pubescens</i>	14	6	Whahoo	176	38
TILIACEÆ	6		White Ash	148	32
Tollon	104	24	White Bass Wood	15	7
Toothache Tree	19	7	White Bay	4	4
Torch Wood	23	8	White Birch (<i>Betula alba</i> , var. <i>populifolia</i>)	246	55
Tornilla	73	18	White Birch (<i>Betula papyracea</i>)	251	56
Torreya Californica	270	61	White Cedar (<i>Chamaecyparis Lawsoniana</i>)	281	63
<i>Torreya Myrsinica</i>	270	61	White Cedar (<i>Chamaecyparis sphaeroides</i>)	283	64
<i>Torreya taxifolia</i>	271	61	White Cedar (<i>Libocedrus decurrens</i>)	286	65
Toyon	104	24	White Cedar (<i>Thuja occidentalis</i>)	285	64
<i>Tsuga Canadensis</i>	299	63	White Cypress	287	65
<i>Tsuga Douglasii</i>	298	63	White Elm	177	39
<i>Tsuga Mertensiana</i>	300	63	White Fir	292	67
<i>Tsuga Pattoniana</i>	301	63	White Hickory	199	43
Tulip Tree	8	5	White Mangrove (<i>Avicennia nitida</i>)	167	36
Tupelo	119	27	White Mangrove (<i>Laguncularia racemosa</i>)	109	25
Tupelo, Large	121	27	White Maple	47	12
Tupelo, Sour	117	26	White Oak	207	45
Turkey Oak	210	46	White Oak, Evergreen	230	50
U.			White Oak, Mossy-cup	227	49
<i>Ulmus alata</i>	176	38	White Oak, Mountain	215	47
<i>Ulmus Americana</i>	177	39	White Oak, Swamp	209	46
<i>Ulmus crassifolia</i>	178	39			

White
White
White
White
White
White
fera
White
White
Wild
Wild
Wild
Willow
Willow
Willow
Willow
Wings

Xanth
Xanth

Name.	No.	Page.	Name.	No.	Page.
White Oak, Water.....	226	49	Xanthoxylum Clava-Herculis	19	7
White Pine (Pinus flexilis).....	319	74	Xanthoxylum Floridanum	18	7
White Pine (Pinus Strobus).....	335	78	Xanthoxylum Pterota.....	20	8
White Spruce	302	70	Ximenia Americana.....	25	9
White Walnut	195	42			
White Wood (Liriodendron Tulipifera).....	8	5	Y.		
White Wood (Tilia Americana).....	14	6	Yellow Birch	248	55
White-heart Hickory	204	44	Yellow Pine (Pinus australis)	311	72
Wild Black Cherry	81	20	Yellow Pine (Pinus mitis).....	324	76
Wild Plum	76	19	Yellow Pine (Pinus ponderosa).....	329	77
Wild Red Cherry	80	19	Yellow Poplar	8	5
Willow, Desert	166	36	Yellow Wood	62	16
Willow Oak	232	50	Yellow-barked Oak	236	51
Willow Oak, Upland.....	211	46	Yucca brevifolia	341	80
Willow, Shining.....	260	58	Yucca Draconis, var. arborescens.....	341	80
Winged Elm.....	176	38	Yucca Treculiana.....	342	80
X.			Z.		
Xanthoxylum Caribaeum	18	7	Zizyphus obtusifolius	32	10
Xanthoxylum Carolinianum.....	19	7	ZYGOPHYLLACEÆ.....	...	7