W H O I
DOCUMENT
COLLECTION

Coast. Eng. Res. Ctr.
MR 81-3

Beach Changes at Atlantic City, New Jersey (1962-73)

by
Dennis P. McCann

MISCELLANEOUS REPORT NO. 81-3

MARCH 1981

Approved for public release;
distribution unlimited.

U.S. ARMY, CORPS OF ENGINEERS
COASTAL ENGINEERING
RESEARCH CENTER

Kingman Building
Fort Belvoir, Va. 22060

TC
203
1. U581
MR 81-3

Reprint or republication of any of this material shall give appropriate credit to the U.S. Army Coastal Engineering Research Center.

Limited free distribution within the United States of single copies of this publication has been made by this Center. Additional copies are available from:

*National Technical Information Service
ATTN: Operations Division
5285 Port Royal Road
Springfield, Virginia 22161*

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM								
1. REPORT NUMBER MR 81-3	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER								
4. TITLE (and Subtitle) BEACH CHANGES AT ATLANTIC CITY, NEW JERSEY (1962-73)		5. TYPE OF REPORT & PERIOD COVERED Miscellaneous Report								
		6. PERFORMING ORG. REPORT NUMBER								
7. AUTHOR(s) Dennis P. McCann		8. CONTRACT OR GRANT NUMBER(s)								
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of the Army Coastal Engineering Research Center (CERRE-CS) Kingman Building, Fort Belvoir, Virginia 22060		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS D31194								
11. CONTROLLING OFFICE NAME AND ADDRESS Department of the Army Coastal Engineering Research Center Kingman Building, Fort Belvoir, Virginia 22060		12. REPORT DATE March 1981								
14. MONITORING AGENCY NAME & ADDRESS (If different from Controlling Office)		13. NUMBER OF PAGES 142 139								
		15. SECURITY CLASS. (of this report) UNCLASSIFIED								
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE								
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited.										
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)										
18. SUPPLEMENTARY NOTES										
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)										
<table border="0"> <tbody> <tr> <td>Atlantic City</td> <td>Beach profiles</td> </tr> <tr> <td>Beach erosion</td> <td>Beaches</td> </tr> <tr> <td>Beach Erosion Program</td> <td>Shoreline changes</td> </tr> <tr> <td>Beach nourishment</td> <td>Shore structures</td> </tr> </tbody> </table>			Atlantic City	Beach profiles	Beach erosion	Beaches	Beach Erosion Program	Shoreline changes	Beach nourishment	Shore structures
Atlantic City	Beach profiles									
Beach erosion	Beaches									
Beach Erosion Program	Shoreline changes									
Beach nourishment	Shore structures									
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)										
<p>Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, on the northeast end of Absecon Island, New Jersey, from 1962 to 1973. Major beach-fill projects were accomplished in 1963 and 1970 which introduced approximately 428,000 and 635,000 cubic meters of fill material, respectively, to the northernmost half of the study area; movements of this material are discussed. Seventeen storms were reasonably well</p> <p>(continued)</p>										

documented during the study and their effects are reported. Measured storm changes were highly variable. For a given storm, adjacent profiles often indicated opposite changes, with one accreting and one eroding. This is attributed to structural effects, as well as wave refraction effects near Absecon Inlet. Storm changes of the MSL shoreline position were often opposite in sign from beach volume changes. Frequently, the shoreline change indicated accretion, while the beach volume actually suffered a net loss. The largest beach changes measured resulted from the storm of 23 September 1964, which eroded an average of about 23 cubic meters per meter of beach face above MSL, and the storms of 16 September 1967 and 25 February 1968, which caused an average shoreline recession of 5.9 meters. Beach changes were found to be seasonal, with the greatest volume of sand above MSL from May to October. The data collected provide no information on the profile changes occurring below MSL.

PREFACE

This report is published to provide coastal engineers with a description of beach changes at Atlantic City, New Jersey. The 11-year study was designed to measure beach responses to storm events as well as seasonal variations, and was begun shortly after, and as a consequence of the devastating storm of 5 to 9 March 1962. The work was carried out under the coastal processes program of the U.S. Army Coastal Engineering Research Center (CERC).

The report was prepared by Dennis P. McCann with the assistance of A.E. DeWall, under the general supervision of C. Mason, former Chief of the Coastal Processes Branch, Research Division.

The U.S. Army Engineer District, Philadelphia, performed all survey work except for a period in 1963-64 when data collection was contracted to Mauzy, Morrow & Associates of Lakewood, New Jersey. All data analyses and interpretations were made at CERC with assistance by M. Fleming, T. Lawler, D. French, A.E. DeWall, and W.A. Birkemeier.

Special thanks are extended to the visual observers from the City Engineer's Office of Atlantic City: J. Dolan, R. Badger, C. Turner, and C. McDonnell. Thanks are also extended to C.H. Everts, C. Galvin, K. Jacobs, M.T. Czerniak, and A.E. DeWall for their substantial contributions to this report from previous work on this subject. The author acknowledges the helpful review comments from A.E. DeWall, W.A. Birkemeier, C. Galvin, R.M. Sorensen, and R.J. Hallermeier.

Comments on this publication are invited.

Approved for publication in accordance with Public Law 166, 79th Congress, approved 31 July 1945, as supplemented by Public Law 172, 88th Congress, approved 7 November 1963.

TED E. BISHOP

Colonel, Corps of Engineers
Commander and Director

CONTENTS

	Page
CONVERSION FACTORS, U.S. CUSTOMARY TO METRIC (SI).....	7
I INTRODUCTION.....	9
II STUDY AREA.....	9
1. Location.....	9
2. Civil Works History.....	10
3. Beach Material.....	15
4. Wind, Wave, and Tide Data.....	17
III DATA COLLECTION AND ANALYSIS.....	23
1. Establishment of Profile Lines.....	23
2. Frequency of Surveys.....	27
3. Field Survey Technique.....	28
4. Accuracy of Field Surveys.....	29
5. Data Reduction and Quality Control.....	30
6. Data Analysis.....	30
IV RESULTS.....	31
1. Short-Term Changes.....	31
2. Long-Term Changes.....	45
V DISCUSSION.....	48
1. Profile Changes.....	48
2. Seasonal Changes and Wave Climate.....	50
3. Coastal Engineering Implications.....	51
VI SUMMARY.....	52
LITERATURE CITED.....	54
APPENDIX	
A PROFILE LINE DOCUMENTATION.....	57
B PROFILE LINE SURVEY DATA.....	65
C STORM CHANGE PLOTS - PROFILE COMPARISON FOR SURVEY OF SEVEN PROFILE LINES AT ATLANTIC CITY.....	118
D MSL SHORELINE CHANGES.....	128
E ABOVE MSL UNIT VOLUME CHANGES.....	133
F PROFILE ENVELOPES.....	138

TABLES

1 Structures along Absecon Inlet and the coast off Atlantic City.....	13
2 Height of storm tides at Atlantic City.....	24
3 Extreme high tides at Atlantic City.....	24

CONTENTS

TABLES--Continued

4	Summary of physical characteristics at Atlantic City.....	Page 26
5	Atlantic City storm data.....	33

FIGURES

1	Study area showing profile line locations.....	10
2	Bathymetry off Absecon Island.....	11
3	Structures along Absecon Inlet and Atlantic City ocean front.....	12
4	Aerial view of Absecon Inlet and Atlantic City.....	14
5	Southward decrease in median grain size at Atlantic City.....	15
6	Median grain-size variation across profile at Atlantic City.....	16
7	Median grain-size variation across profile at Atlantic City.....	16
8	Monthly median grain-size variation at Atlantic City.....	16
9	Wind data for Atlantic City.....	18
10	Mean monthly wind speed and direction at Atlantic City.....	18
11	Annual wind distribution by percent frequency and mean speed for Atlantic City.....	19
12	Wave approach at Steel Pier.....	20
13	Mean wave direction by month for visual observations obtained from January 1968 to October 1974.....	20
14	Average significant wave height and average wave period by month from April 1964 to December 1967.....	21
15	Means of wave periods for Atlantic City.....	21
16	Maximums and means of significant wave height for Atlantic City.....	22
17	Average number of tropical cyclones occurring per month in the North Atlantic Ocean.....	22
18	Frequency of maximum monthly high tides at Atlantic City.....	25
19	Change in sea level with respect to adjacent land for Atlantic City...	25
20	Frequency of surveys at Atlantic City.....	27
21	Total number of beach profile surveys, by month, at Atlantic City....	27
22	Surveying crew setting up for another reading.....	28
23	Rodman in the surf.....	29
24	BEP data processing.....	31
25	Change in MSL shoreline at profile line, Δs	31
26	Change in unit storage volume at profile line, Δv	32
27	Mean and standard deviation of unit volume changes by profile for 17 selected storms at Atlantic City.....	34

CONTENTS

FIGURES--Continued

	Page
28 Mean and standard deviation of unit volume changes by contour for 17 selected storms at Atlantic City.....	35
29 Comparison of unit volume changes and MSL shoreline position changes by profile for 17 selected storms.....	36
30 Trends in volume change versus shoreline change for 17 selected storms.....	38
31 Limits of 1963 and 1970 beach fills at Atlantic City.....	38
32 Cross section of beach from profiles taken before and after beach nourishment in 1963 and 1970.....	39
33 Sediment volume measurements between surveys relative to first survey.....	39
34 View of scarp just north of profile line 2.....	40
35 View landward from waterline at profile line 2.....	40
36 View of groin at Vermont Avenue from under the Boardwalk at Rhode Island Avenue.....	41
37 View of groin south of Rhode Island Avenue from under the Boardwalk at profile line 2.....	41
38 View of erosion-scour at the base of the convalescent home on the south side of Rhode Island Avenue.....	42
39 Looking shoreward from waterline at California Avenue on 9 March 1979.....	42
40 Borrow site under Boardwalk at Richmond Avenue on 9 March 1979.....	43
41 Trucks waiting to be filled with sand near Raleigh Avenue.....	43
42 Front loader filling truck with sand excavated from under the Boardwalk near Raleigh Avenue.....	44
43 Site of beach fill near St. James and New York Avenues.....	44
44 MSL shoreline changes in time.....	46
45 Mean above MSL unit volume changes and MSL shoreline position changes by month.....	46
46 Cumulative yearly change in unit volume and MSL shoreline at Atlantic City.....	47
47 Long-term changes in unit volume and MSL shoreline from 1963-69 to eliminate effects of 1970 beach fill.....	47
48 Shoreline changes at Atlantic City, 1841-1948.....	49
49 Profile changes along Atlantic City, 1936-48.....	50
50 Mean monthly gage and visual data for wave heights and periods for Atlantic City.....	51

CONVERSION FACTORS, U.S. CUSTOMARY TO METRIC (SI) UNITS OF MEASUREMENT

U.S. customary units of measurement used in this report can be converted to metric (SI) units as follows:

Multiply	by	To obtain
inches	25.4	millimeters
	2.54	centimeters
square inches	6.452	square centimeters
cubic inches	16.39	cubic centimeters
feet	30.48	centimeters
	0.3048	meters
square feet	0.0929	square meters
cubic feet	0.0283	cubic meters
yards	0.9144	meters
square yards	0.836	square meters
cubic yards	0.7646	cubic meters
miles	1.6093	kilometers
square miles	259.0	hectares
knots	1.852	kilometers per hour
acres	0.4047	hectares
foot-pounds	1.3558	newton meters
millibars	1.0197×10^{-3}	kilograms per square centimeter
ounces	28.35	grams
pounds	453.6	grams
	0.4536	kilograms
ton, long	1.0160	metric tons
ton, short	0.9072	metric tons
degrees (angel)	0.01745	radians
Fahrenheit degrees	5/9	Celsius degrees or Kelvins

To obtain Celsius (C) temperature readings from Fahrenheit (F) readings, use formula: $C = (5/9) (F - 32)$.

To obtain Kelvin (K) readings, use formula: $K = (5/9) (F - 32) + 273.15$.

BEACH CHANGES AT ATLANTIC CITY, NEW JERSEY (1962-73)

by
Dennis P. McCann

I. INTRODUCTION

Beach changes observed during repetitive surveys at Atlantic City, New Jersey, conducted by or for the Corps of Engineers in a 11-year study of seven profile lines from October 1962 to May 1973, are analyzed as part of the U.S. Army Coastal Engineering Research Center (CERC) Beach Evaluation Program (BEP) (formerly known as the Pilot Program for Improving Coastal Storm Warnings or Storm Warning Program). The BEP's objective is to measure beach and dune changes due to erosion and accretion at selected localities and relate these changes to the coastal processes producing them. The BEP was a direct outcome of investigations into the effects of the Great East Coast Storm of 1962 (see U.S. Congress, 1962).

Although this report meets the objective of the BEP, the program encountered many difficulties, including relatively few documented storms in the study area from 1962 to 1973 (the duration of the study), the difficulty in obtaining surveys immediately before and after the storms which did occur, and the difficulty and expense of obtaining continuous wave data. However, numerous data were collected of related wave, tide, and beach conditions, thus providing a substantial base for a long-term study of beach response having useful engineering applications.

This report presents both quantitative and qualitative analyses of beach profile changes and supporting data obtained at Atlantic City, and describes the survey procedures used and accuracy obtained. The three categories of beach profile changes analyzed are: (a) short-term changes, including storm-induced changes and other changes between surveys; (b) long-term changes, including seasonal and yearly changes; and (c) artificial effects, which include the effects of manmade structures such as groins and jetties as well as beach fill placed during the study period. The mean sea level (MSL) shoreline position and the volumes of sand stored on the beach above the MSL datum are the two principal variables analyzed. Observed wave conditions and climatic conditions are used to explain apparent trends in beach changes.

II. STUDY AREA

1. Location.

Atlantic City is located on Absecon Island, a barrier island off the Atlantic coast of southern New Jersey, 161 kilometers south of New York City (Fig. 1). The island is bounded on the south by Great Egg Harbor Inlet, and on the north by Absecon Inlet, and has a straight coastline oriented 64° east of north. Lakes Bay is the main body of water separating the island from the mainland.

Absecon Island is situated in an open section of coastline, partially sheltered by Long Island and Cape Cod from waves out of the north and north-east and by the Outer Banks of North Carolina from waves out of the south-southeast (Fig. 1). Bathymetry off the coast of Absecon Island is shown in

Figure 1. Study area showing profile line locations.

Figure 2. Most of the depth contours tend to be roughly shore-parallel, with linear shoals that trend toward the east off the central part of the island. The distance from the edge of the Continental Shelf, located at a depth of about 128 meters (420 feet), to the center of the island is approximately 125 kilometers.

2. Civil Works History.

Absecon Inlet is of great economic importance to Atlantic City as a result of its extensive use by recreational and commercial fishing fleets. During the early 1960's the inlet handled approximately 91,000 metric tons of water-borne commerce annually; however, this has recently tapered off to average

Figure 2. Bathymetry off Absecon Island.

less than 46,000 metric tons. Absecon Inlet has been maintained by the Federal Government since 1910.

Groin construction along the ocean frontage of Atlantic City, funded jointly by the City and State, began in 1928; 12 groins and 1 jetty were built between Absecon Inlet and Illinois Avenue. Eight of these groins and the jetty are still in existence, as shown in Figure 3 and in Table 1 which lists the coastal structures at Atlantic City. Other major structures (see Table 1 and Fig. 3) include the Boardwalk, which extends along the entire length of the ocean and inlet frontage, and five piers. Some of these structures are shown in Figure 4.

The only beach-fill project before 1962 consisted of about 816,000 cubic meters of material placed along the ocean frontage in 1948. However, an off-shore sand-dumping test was conducted from 1935 to 1943 in which 2.7 million cubic meters was dumped into 5 to 6 meters of water southwest of Steel Pier which resulted in no measurable benefit to the shoreline (Yasso and Hartman, 1975). Approximately 428,000 cubic meters of sand was placed between Oriental and Virginia Avenues between February and May 1963. During the summer of 1970, approximately 635,000 cubic meters of fill was dumped along the beaches

Table 1. Structures along Absecon Inlet and the coast off Atlantic City¹.

Location	Construction type	Top elevation (MLW)		Top width (m)	Length (m)	Year built	Condition 1972
		inner (m)	outer (m)				
N. side of Absecon Inlet	Stone ¹ jetty	2.44	2.44	4.57	1,137.00	1952-66	Good
Between Caspian and Melrose Aves.	Timber bulkhead	----	----	0.76	588.00	1935	Good
Adriatic Ave.	Timber and stone groin	2.44	2.13	4.27	86.56	1932-58	Good
Drexel Ave.	Timber and stone groin	2.44	2.13	4.27	50.29	1930-46	Fair
Melrose Ave.	Timber and stone groin	2.44	2.13	4.27	81.38	1954	Good
Melrose Ave. to 91 m south	Stone revetment	----	----	----	----	----	----
Madison Ave.	Timber and stone groin	2.74	2.13	4.27	68.58	1954	Good
Between Madison and Euclid Aves.	Timber bulkhead groin	----	----	0.61	457.20	1935-61	Good
Grammercy Ave.	Timber and stone groin	2.74	2.13	4.27	79.25	1954	Good
Between Grammercy and Atlantic Aves.	Stone groin	3.05	2.13	4.27	102.41	1946-56	Good
Between Atlantic and Euclid Aves.	Stone groin	2.74	2.13	4.27	94.49	1946-58	Good
Pacific Ave.	Stone groin	2.44	2.13	4.27	102.41	1946-58	Good
Oriental Ave. (36.6 m N. of profile 1)	Stone jetty	3.35	2.13	4.27	358.75	1946-61	Good
Vermont Ave.	Stone groin	3.05	0.30	4.27	121.92	1930-61	Good
Massachusetts Ave.	Stone groin	3.05	2.13	4.57	167.64	1948	Good
Between Vermont and Massachusetts Aves.	Sandbag breakerwater	Top is approx. 1.2 m below MLW					
Between Connecticut and Massachusetts Aves.	Timber bulkhead	----	----	----	----	1932	Poor
Connecticut Ave.	0.5-m outfall	----	----	----	----	----	----
Under N. edge of Garden Pier	Timber and stone groin	----	----	----	----	----	Poor
New Jersey Ave.	Garden Pier (0.76-m outfall)	----	----	----	----	----	----
Delaware Ave. (4.6 m N. of profile 3)	Timber groin	2.44	2.13	1.22	182.88	1950	Fair
Virginia Ave.	Timber and stone groin (0.76-m outfall)	2.44	2.13	1.22	167.64	1950	Good
Between Presbyterian and Virginia Aves.	Steel Pier (old timber groin beneath)	----	----	----	----	----	----
Between North Carolina and Pennsylvania Aves.	Steeplechase Pier (0.91-m outfall to S.)	----	----	----	----	----	----
Between North and South Carolina Aves.	Timber groin (60 m S. of profile 4)	2.44	2.13	1.22	182.88	1950	Good
Tennessee Ave. (N. of Central Pier)	Stone groin	2.44	2.13	4.27	43.59	1928	Poor
Between Tennessee Ave. and St. James Place	Central Pier-Timber groin (0.76-m outfall)	----	----	----	----	----	----
St. James Place	Timber groin	2.44	0.61	1.22	147.83	1950	Fair
Illinois Ave.	Timber and stone groin (0.91-m outfall)	2.44	0.61	1.22	182.88	1950	Poor
Arkansas Ave.	0.91-m outfall at N. edge of Million Dollar Pier	----	----	----	----	----	----
Mississippi Ave.	0.61-m double outfall	----	----	----	----	----	----
Florida Ave.	0.61-m outfall	----	----	----	----	----	----
California Ave.	0.91-m outfall	----	----	----	----	----	----
Boston Ave.	0.91-m outfall	----	----	----	----	----	----
Raleigh Ave.	1.5-m sewage pipe extending 457 m to diffuser	----	----	----	----	----	----

¹Updated from U.S. Army Engineer District, Philadelphia (1974).

between Oriental and Illinois Avenues (Fig. 3). The source of this dredged material has been Absecon Inlet, just inside the Brigantine jetty (Fig. 4) (Everts, DeWall, and Czerniak, 1974).

A detailed discussion of civil works affecting the beaches on Absecon Island is presented by U.S. Army Engineer District, Philadelphia (1974).

3. Beach Material.

New Jersey beaches consist mainly of medium- to fine-grained sand, composed mostly of quartz. The Piedmont and Highlands of the Appalachian Province provide the ultimate source of the beach sands. Presently, due to the low terrain and gentle slopes of the Coastal Plain, the rivers draining the higher areas become sluggish and deposit much of their sediment load along the way before reaching the coast. What little sediment does reach the coast becomes trapped in the lagoons behind the barrier islands, and never reaches the beaches. The only natural sources of beach material now appear to be the ocean floor and the beaches themselves.

Ramsey and Galvin (1977) found the median grain size at Atlantic City to be 0.27 millimeter (1.9 phi), with a sample range of 0.22 to 0.33 millimeter, which agrees with the values obtained from surveys taken in 1936 and 1947 (Beach Erosion Board, 1950). They also determined that the grain size decreased from the north to the south, the direction of net littoral transport. This trend of decreasing grain size from north to south is shown in Figure 5 which indicates the southward decrease in grain size across three profiles at Atlantic City. A spatial trend in grain-size variation from the berm to mean low water (MLW) is also indicated in Figure 6 for the sample averages and in Figure 7 for the profile averages. These plots show an increase in grain size from the berm to MSL, and then a slight decrease from MSL to MLW. A seasonal grain-size variation shown in Figure 8 indicates that the grain size increases from about 0.25 millimeter in October to 0.30 millimeter in December while decreasing from about 0.30 millimeter in December to 0.26 millimeter in March. This trend suggests an increase in the slope of a stable foreshore from October to December when the sizes are increasing and a decrease in foreshore slope when the grain sizes are decreasing from December to March.

Figure 5. Southward decrease in median grain size at Atlantic City; sample averages are by profile line (from Ramsey and Galvin, 1977).

Figure 6. Median grain-size variation across profile at Atlantic City; data consisted of 238 samples collected between January 1968 and March 1969 (from Ramsey and Galvin, 1977).

Figure 7. Median grain-size variation across profile at Atlantic City (from Ramsey and Galvin, 1977).

Figure 8. Monthly median grain-size variation at Atlantic City; samples were taken from the berm to below MSL (from Ramsey and Galvin, 1977).

The net littoral transport rate along Absecon Island is estimated to be 115,000 cubic meters annually in a southwesterly direction as determined from estimated gross northerly and southerly annual rates of 191,000 and 306,000 cubic meters, respectively (U.S. Army Engineer District, Philadelphia, 1974). Further evidence for southwest littoral transport is shown by Everts (1975) in the pattern of deposition that decreased the width of Great Egg Harbor Inlet (Fig. 1) 30 percent from 1949 to 1974. Everts also concludes that possibly 25 percent of the longshore transport could be accounted for by sand movement on bars.

Taking into consideration the previously mentioned lack of supply of beach material from natural sources along with the net littoral transport to the southwest, it is obvious that this imbalance of material leaving and entering the area results in erosion of the beaches. These circumstances, in turn, would require occasional beach nourishment to sustain the beach. Two such beach-fill projects were accomplished during the study period, as previously mentioned, with the fill material having a mean grain size of 0.3 millimeter (Everts, DeWall, and Czerniak, 1974). A buildup of sand occurred from 1877 to 1939 on the northern end of Absecon Island, which resulted in the Absecon Lighthouse being so far inland today.

4. Wind, Wave, and Tide Data.

Wind data shown in Figure 9 consist of hourly records obtained before the profile study period by the National Weather Service (NWS) from an anemometer atop the now abandoned Absecon Lighthouse (Fig. 4). Analysis of these data indicates that the predominant wind directions are from the south and west. The corresponding wind velocity from these directions is generally in the 22.5- to 45-kilometer-per-hour range (Fig. 9,b). This agrees with the resultant wind direction determined from data taken 16 kilometers inland at the Aviation Facilities Experimental Station from 1968-72 (Fig. 10). Figure 9,b also shows that most of the high-velocity winds (46.7+ kilometers per hour) were from the northeast. The *resultant* wind direction, as shown in Figure 10, is the magnitude of the vector sum of wind directions, and the average wind-speed indicated is the sum of the recorded windspeeds divided by the number of observations.

Winds are from the west-northwest during the winter months of November to March. From March to July the winds shift to the south with a shift back to the west from July to September. After an abrupt shift back to due south in October, the winds return to the west-northwest direction of the winter (Fig. 10).

Data from the Summary of Synoptic and Meteorological Observations (SSMO) (U.S. Naval Weather Service Command, 1970) show the predominant wind directions offshore of Atlantic City throughout the year (Fig. 11). Monthly data indicate that the winter winds of November to March are from the west and northwest, whereas the spring and summer winds of April to August are from the south and southwest. These trends are in general agreement with those indicated above for winds measured inland, except that neither September nor October show directions nearly as predominant as the other months.

The bearing of a line normal to the Atlantic City beach at Steel Pier is approximately 26° east of south. Waves impinging from east of the normal

a. WIND DATA, 1923 - 1952

— PCT OF TOTAL WIND MOVEMENT
 - - - PCT OF TOTAL DURATION
 - - - AVG VELOCITY IN KM/HR

b. WIND DATA, 1936 - 1952

Km / hr
 — 0 to 21
 — 22.5 to 45
 — 46.7+

Figure 9. Wind data (yearly averages) for Atlantic City (from U.S. Army Engineer District, Philadelphia, 1974).

Figure 10. Mean monthly wind speed and direction at Atlantic City (1968-72).

Figure 11. Annual wind distribution by percent frequency and mean speed for Atlantic City. Data obtained from SSMO (U.S. Naval Weather Service Command, 1970) collected during 1949-68 and covering the area from 38° to 40° N. latitude and 72° W. longitude to the coast.

result in a southwest, or "down-beach drift"; waves from west of the normal produce a northeast, or "up-beach drift." Results from visual wave observations obtained at different times at Atlantic City indicate that waves east of the normal occur greater than 50 percent of the time (Figs. 12 and 13). An earlier report by the U.S. Army Engineer District, Philadelphia (1938), also indicated a predominant down-beach drift occurring about 48 percent of the time compared to about 24 percent up-beach drift and 28 percent onshore-offshore drift.

CERC maintained a relay-type wave gage on the end of Steel Pier (5.2 meters mean water depth) from 1962 to 1969, which measured water surface elevations in 6-centimeter increments. These data, analyzed by Thompson (1977), indicate that during 1964 to 1967 the average significant wave height and average wave period increased substantially in September (Fig. 14). This is also in general agreement with Figure 4-10 in the Shore Protection Manual (SPM) (U.S. Army, Corps of Engineers, Coastal Engineering Research Center, 1977). The explanation for this behavior during this particular period is shown in Figures 15 and 16 which give the values by month for each of the years considered. The peak in values of period and height during September 1964 can be attributed to Hurricanes Dora, Ethel, and Gladys offshore along the Atlantic coast. Although none of these hurricanes directly hit New Jersey, they generated large waves which reached the shore. Historically, there is a substantial increase in tropical cyclones and hurricanes in the North Atlantic Ocean during September (Fig. 17); however, only a few

Figure 12. Wave approach at Steel Pier. Length of arrows indicates the percentage of wave approach from the various directions as determined by periodic observations at the end of Steel Pier during November 1935 to May 1937, and July 1947 to March 1948 (from Beach Erosion Board, 1950).

Figure 13. Mean wave direction by month for visual observations obtained from January 1968 to October 1974.

Figure 14. Average significant wave height and average wave period by month from April 1964 to December 1967.

Figure 15. Means of wave periods for Atlantic City; determined from 7-minute pen-and-ink records taken six times daily during 1964, 1965, and 1967 (from Thompson, 1977).

Figure 16. Maximums and means of significant wave height for Atlantic City; determined from 7-minute pen-and-ink records taken six times daily during 1964-65 and 1967. Values for September were obtained by determining the mean from the respective plot for height and period for 1965 and 1967, then weighted by the number of observations during 1964, 1965, and 1967 to arrive at an average for the years 1965 and 1967; all other average values include the monthly values for 1964, 1965, and 1967 (from Thompson, 1977).

Figure 17. Average number of tropical cyclones occurring per month (1886-1977) in the North Atlantic Ocean (excluding depressions but including subtropical systems) (from National Weather Service, 1978).

hurricanes directly impact on Atlantic City (two "direct hits" from 1899-1977 were recorded by the National Weather Service, 1978). Most hurricanes remain offshore in this area, producing indirect effects such as increased wave heights. Extratropical storms, particularly northeasters, are second only to hurricanes in their destructive intensity causing considerable damage to the beaches and structures along the New Jersey coast. The resultant damage from these storms is largely due to the high winds, waves, and increased water levels they generate.

The astronomical tides at Atlantic City are semidiurnal and have been monitored almost continuously since 1912 from a primary tide station located on Steel Pier. The mean tidal range is 1.25 meters, with the normal tidal range varying from 0.98 meter for neap tides to 1.52 meters for spring tides. The highest recorded storm tide at Atlantic City, 2.32 meters above MSL (Table 2), occurred during a hurricane in September 1944. The March 1962 storm caused the second highest storm tide, 2.19 meters above MSL (Table 2). Additional information on extreme high tides and frequency of maximum monthly high tides is provided in Table 3 and Figure 18, respectively (U.S. Congress, 1964a).

The National Ocean Survey's (NOS) accepted mean tidal heights for this location, based on the timespan 1948 to 1966, referenced to the ocean MLW datum, are: mean high water (MHW), 1.25 meters; mean tide level, 0.62 meter; National Geodetic Vertical Datum (NGVD), 0.50 meter; and MSL, 0.63 meter. During the period 1912 to 1969, the apparent secular trend for the change in sea level at Atlantic City was a rise of 0.283 centimeter per year (Hicks, 1972). Approximately 0.1 centimeter per year of this change is due to the glacial-eustatic rise in sea level, with the remainder attributed to subsidence.

The seemingly minor, but never-ending changes in sea level (Fig. 19), spanning years and decades, are masked by the more dramatic changes due to the meteorological and oceanographic parameters affecting the yearly variability in sea level. These include variations in wind, currents, water temperature, salinity, river discharge, and direct atmospheric pressure (Hicks, 1972).

Table 4 provides a summary of physical characteristics relating to Atlantic City.

III. DATA COLLECTION AND ANALYSIS

1. Establishment of Profile Lines.

Seven profile lines were established along azimuths normal to the shoreline in 1962 (Fig. 1). The spacing between adjacent profile monuments generally increased from profile lines 1 to 7 with the smallest distance between profile lines 1 and 2 at 426 meters, and the greatest distance between profile lines 6 and 7 at 1.62 kilometers. Some of these monuments were, however, offset from the actual profile lines. Standard bronze Corps of Engineers' disks were placed on or near profile lines 1 to 4, and 6 in 1975, and profile lines 5 and 7 in 1976. Each monument was then referenced horizontally to the New Jersey Transverse Mercator and vertically to NGVD (sea level datum of

Table 2. Height of storm tides at Atlantic City.

Yr	Mo	Elevation to MSL (m)
1933	Jan.	1.71
1933	Aug.	1.52
1936	Sept.	1.43
1944	Sept.	2.32
1944	Nov.	1.77
1947	Nov.	1.80
1950	Nov.	2.13
1953	Oct.	1.86
1953	Nov.	1.52
1960	Sept.	1.86
1962	Mar.	2.19
1963	Nov.	1.46
1964	Feb.	1.43
1965	Jan.	1.19
1966	Jan.	1.83
1967	Feb.	1.53
1968	Nov.	1.92
1969	Nov.	1.37
1971	Aug.	2.13
1972	Dec.	1.71

Note--Data for 1933-62 from U.S. Congress (1964a); data for 1963-72 compiled by subtracting predicted tides from recorded tides (NOS) to determine highest for the year.

Table 3. Extreme high tides at Atlantic City (from U.S. Congress, 1964a).

3-yr period	Heights above MSL (m)																
	1.01	1.07	1.13	1.19	1.25	1.31	1.37	1.43	1.49	1.55	1.61	1.77	1.80	1.86	2.13	2.32	
	No. of occurrences																
1936-38	205	126	77	44	25	15	7	3	1	--	--	--	--	--	--	--	
1939-41	287	194	129	73	34	20	11	8	5	3	2	--	--	--	--	--	
1942-44	326	213	143	89	43	28	16	10	8	4	3	2	1	1	1	1	
1945-47	338	234	157	99	61	44	19	9	6	3	1	1	1	--	--	--	
1948-50	290	189	126	82	46	37	21	11	5	2	2	1	1	1	1	--	
1951-53	311	203	130	88	52	30	16	7	4	3	1	1	1	1	--	--	
1954-56	344	233	150	98	55	38	19	13	6	1	--	--	--	--	--	--	
1957-59	356	231	140	83	56	29	14	7	4	2	1	--	--	--	--	--	
1960-61 ¹	409	294	213	143	96	66	51	29	18	14	12	3	3	1	--	--	

¹ Adjusted by fraction 3/2 to represent a 3-year period for purposes of comparison.

Figure 18. Frequency of maximum monthly high tides at Atlantic City (from U.S. Congress, 1964a).

Figure 19. Change in sea level with respect to adjacent land for Atlantic City, 1912 to 1969 (Hicks, 1973).

Table 4. Summary of physical characteristics at Atlantic City.

Characteristic	Description	Source						
Location	Absecon Island, 13 km long; coastline orientation of N. 64° E.							
Length of study area	5 km, from Absecon Inlet Jetty SW.							
Mean tidal range	1.25 m	National Oceanic and Atmospheric Administration (1979)						
Spring tidal range	1.52 m	National Oceanic and Atmospheric Administration (1979)						
Maximum storm surge ¹	2.13 m (Aug. 1971)	National Oceanic and Atmospheric Administration (1972)						
Mean significant wave height	0.81 m (less than 1 pct exceed 3 m)	Thompson and Harris (1972)						
Standard deviation	0.53 m	Thompson (1977)						
Mean wave period	8.18 s	Thompson and Harris (1972)						
Standard deviation	2.43 s	Thompson (1977)						
Breaker type	44.7 pct plunging (PL) 32.0 pct spilling (SP)	Visual obsns. (Jan. 1968 to Oct. 1974)						
Breaker approach	57.7 pct within 5° either side of shore-normal 33.0 pct 5° to 25° left of shore-normal	Visual obsns. (Jan. 1968 to Oct. 1974)						
Beach material	Fine-to-medium grain quartz sand	Ramsey and Galvin (1977)						
Median diameter	0.27 mm	Ramsey and Galvin (1977)						
	Profile							
	1	2	3	4	5	6	7	Avg.
Foreshore slope	0.039	0.066	0.047	0.046	0.046	0.039	0.045	0.047
Berm width from Boardwalk (m)	180	5	75	50	60	90	110	80
Berm height above MSL (m)	1.3	2.3	3.0	2.4	2.2	2.1	2.0	2.2

¹During BEP program.

1929). All survey work for profile documentation was performed by the U.S. Army Engineer District, Philadelphia. Profile line documentation is discussed further in Appendix A.

2. Frequency of Surveys.

The general criteria considered in establishing survey frequencies were the periods of maximum beach change caused by seasonal effects as well as weather forecasts indicating a high probability of beach erosion due to storms. Survey frequency was greatest during the fall and winter months with a particularly large number of surveys taken during the first quarter of 1963, at the beginning of the project, and in 1968-70 when a series of 10 weekly surveys was done. Figures 20 and 21 show the number of surveys at Atlantic City by quarter (3 months) and by month, respectively.

Figure 20. Frequency of surveys at Atlantic City.

Figure 21. Total number of beach profile surveys, by month, at Atlantic City.

Surveys were initially intended to be conducted every 2 weeks and after significant storms. However, an examination of the initial surveys showed that the engineering significance generally associated with beach changes in a 2-week period was of limited value. Therefore, the interval between regularly scheduled surveys was extended to 1 month or even longer during the summer.

3. Field Survey Technique.

The general data collection procedure consisted of setting up a surveyor's level at or near a previously established point of known elevation or "bench mark," usually located on the seaward side of the Boardwalk (Figs. 22 and 23). Then, using a tape and Philadelphia rod, readings were taken along each profile line at approximately every 15 meters or at breaks in slope. Profile alinement was maintained by sighting on preestablished predominant landmarks such as telephone poles or buildings along the Boardwalk. Horizontal distances were recorded to the nearest 0.3 meter and elevations to the nearest 0.03 meter, except when hand leveling was used.

Figure 22. Surveying crew setting up for another reading (16 January 1968).

When the Philadelphia rod reached an elevation where it was out of view through the level, the general procedure was to hand level down to the surf with the rodman wading out as far as possible. Occasionally, the rod was "boosted" (or raised) a known distance to the top of the rodman's boot or belt to obtain the last point without hand leveling. Turning points were also used; however, before 1972 the leveling was not closed back to either the turning points or to the starting bench mark, so the reliability of the turning points could not be determined.

The surveying party consisted of a six-man hydrographic surveying crew from the Philadelphia District, except for a period in 1963 and 1964 when a private firm was contracted to do the work. The six-man crew either worked as

Figure 23. Rodman in the surf (16 January 1968).

a single crew or split into two three-man crews to expedite the work. The crew also collected sand samples at various times at selected profile lines.

In addition to surveys by conventional surveying methods, an experimental program was conducted to test a method of obtaining profiles by observing sand levels on pipes located at approximately 15-meter intervals along selected profile lines (Urban and Galvin, 1969). Profile lines 5 and 7 at Atlantic City were selected for this program.

To establish the pipe profiles, 6.4-meter-long iron pipes (marked at 0.15-meter intervals and usually marked before emplacement) with 3.8-centimeter (inside) diameters were jettied 4 meters into the sand. A type of reflecting material or a sign was displayed on the pipes as a safety measure for beach buggy traffic at night.

Unpaid local observers enlisted by the Philadelphia District made weekly observations of the sand elevation at each pipe. These observations were recorded on forms and mailed weekly to CERC. At CERC, the sand elevations were converted to elevations above MSL and the data were stored in the standard survey format. These data are available in Urban and Galvin (1969).

4. Accuracy of Field Surveys.

A certain degree of error is inherent in any data collection procedure, even under the most ideal conditions. Some of the possible errors encountered throughout these surveys are discussed below.

Random reading errors were minimized by using a rod graduated in tenths of a foot. Since the only readings requiring a greater precision (to the nearest hundredth of a foot) were at the bench mark and at turning points, and these sight lengths were usually less than 76 meters (250 feet), no significant random error should occur (Czerniak, 1972).

Systematic errors due to condition of the level, rod out of plumb, temperature of tape, slope of tape, and tape not on line were considered insignificant and had no great effect on the data collected. Bad turning points undoubtedly resulted in some error, but since the leveling was not closed back to the bench mark, there is no definite method of determining specifically when an error might have occurred or to what extent. Another source of systematic error results from the sag of the tape and wind effects on taping. The magnitude of this error is assumed to be an average maximum of -0.1 foot per 200 feet of tape length.

Taking into account these error possibilities and various other errors due to human and environmental causes, the data were considered "accurate" if every point on the profile was within ± 0.05 foot vertically and ± 0.5 foot horizontally of the actual values. The data were also considered "dependable" if sufficient checks on the survey data were performed to ensure that no personal errors affected the data. Based on these criteria, it was concluded that the data obtained were of acceptable accuracy and dependability.

5. Data Reduction and Quality Control.

Until 1968, survey data were recorded in field notebooks, reduced and hand-plotted by the surveyors, and then forwarded to CERC. These plots were later digitized and placed in a punchcard format. After 1968, the survey data were still recorded in fieldbooks, but the data were then transferred to optical scanning forms before being sent to CERC. At CERC the data were logged and scanned with an optical mark page reader (OMPR) to produce punchcards. The cards were then read into a computer where the data were processed using an editing program which plotted profile points. From these plots, apparent errors were identified and returned to the surveyors for correction or comment. A final edit check was made and the data were stored in a magnetic-tape format when all detectable errors were satisfactorily corrected.

A quality control study by Czerniak (1973) indicated a 25 percent probability that there would be an error of ± 0.1 foot in the recorded elevation of a surveyed point due to rounding by the survey party in the field. Because of the improbability of this rounding error occurring numerous times on the same profile, this error, if present, should have no adverse affect on any data analysis.

Figure 24 diagrams the basic steps taken throughout the BEP program from the initial observation in the field to the final computer output.

Appendix B provides a tabulation, by profile, of all the survey data collected during the study.

6. Data Analysis.

Two primary parameters calculated from the profile data are (a) the change in MSL shoreline (ΔS) and (b) the change in unit storage volume (ΔV). The first parameter, ΔS , is the horizontal change, between surveys, of the position of MSL at a profile line. If the beach at MSL prograded during the time between surveys, a positive number would result for ΔS ; a negative value would result if the beach receded. The second parameter, ΔV , is the change in volume above MSL between two surveys for a unit width parallel to the shoreline at a profile line. If accretion occurs between surveys, ΔV will have a positive value, and if erosion occurs, ΔV will be negative.

Figure 24. BEP data processing.

The values for ΔS and ΔV are limited in two significant ways (see Figs. 25 and 26). The lower limiting elevation of the surveys for computational purposes is MSL and therefore the values do not provide any indication of changes below MSL. The volume computations are also based on a landward boundary, common to most of the surveys, for each profile line. As a result of these two limiting factors, there generally exists a landward region of change as well as the probably more substantial below-MSL region of change which are not included in the computed volume.

Figure 25. Change in MSL shoreline at profile line, ΔS .

IV. RESULTS

1. Short-Term Changes.

a. Changes During Storms. Storms contribute substantially to short-term beach profile changes by their very nature of short duration and high

Figure 26. Change in unit storage volume at profile line, ΔV .

intensity. Seventeen storms, predominantly northeasters, were selected for analysis based on the following criteria (see Table 5):

- (1) Existence of prestorm surveys no more than 4 weeks before the storm and poststorm surveys no more than 1 week after the storm;
- (2) data indicating wave heights of 1.22 meters or greater during the storm (this value was arbitrarily chosen due to the 0.85-meter value for mean wave height determined by Thompson and Harris, 1972); and
- (3) no other known significant weather events occurring between surveys.

Visual observations indicate that the predominant breaking wave directions during storms are from the east and southeast. Wave breaker types most commonly observed were either plunging or spilling (Urban and Galvin, 1969). Analysis of the selected storms for which actual tide data were available demonstrated an average maximum storm-generated surge at high water of 0.57 meter.

An effect which must be considered is the timelag between the storm and the poststorm survey which varies from 0 to 6 days. The greater the lag, the more probable that the beach has already begun recovering, thereby not indicating the total storm change (Birkemeier, 1979). (See App. C for plots of prestorm and poststorm surveys.)

Figure 27 depicts the mean and standard deviation of unit volume changes above MSL, by profile, for the selected storms. Due to the relatively few storms analyzed, this information provides only a possible trend of unit volume changes at each profile line. Profile lines 2, 5, 6, and 7 underwent the greatest average unit volume loss of 6 cubic meters per meter or greater during these storms. This is partly explained by the fact that the general direction of longshore transport during storms is from northeast to southwest in this area. Consequently, profile lines 2 and 5 are in littorally depleted locations as a result of updrift groins and other manmade obstructions to littoral drift (see Fig. 3). However, profile lines 6 and 7 are on relatively unobstructed beach, so their changes in unit volume are presumably due to onshore-offshore sand movement, or possibly movement downshore into the unsurveyed part of Absecon Island.

The wide deviation at profile line 1 is undoubtedly a direct consequence of its location immediately downdrift of the Absecon Inlet jetty. Profile line 4, on the other hand, indicates a zero average unit volume change in

Table 5. Atlantic City storm data.

Storm date	Survey dates	Days before survey (No.)	Days after survey (No.)	Max. HW surge		HW surge >0.61 m (20.5 in)	HW surge >0.91 m (36 in)	Dates of max. HW surge	Source	Date of max. wave hgt.	MSL shoreline elev. avg. 1 sed. dev. (m)	Above MSL unit vol. elev. sed. dev. (m ² /m)	
				(m)	(ft)							(m ² /m)	(m ² /m)
13 Jan. 1964	31 Dec. 1963 to 17 Jan. 1964 ²	13	4	0.66	2.17	13 Jan. 1964	1	3	3-96	13-00	Gage	2.72	4.89
23 Sept. 1964	31 Aug. to 25 Sept. 1964 ²	23	2	0.23	0.77	22-23 Sept. 1964	0	0	4-88	16-00	Gage	-2.68	12.99
16 Sept. 1967	15-19 Sept. 1967	1	3	0.73	2.38	16 Sept. 1967	1	2	2-74	9-00	Gage	-5.90	10.70
25 Jan. 1968	24-30 Jan. 1968	1	5	0.54	1.78	25 Jan. 1968	0	3	1-22	4-00	Visual	0.14	5.11
8 Feb. 1968	30 Jan. to 8 Feb. 1968 ²	9	0	0.66	2.18	8 Feb. 1968	1	1	1-98	6-50	Visual	-0.27	4.48
25 Feb. 1968	21-26 Feb. 1968	4	1	0.24	0.78	25 Feb. 1968	0	0	1-22	4-00	Visual	-5.90	13.19
1 Mar. 1968	26 Feb. to 7 Mar. 1968	4	6	0.63	2.08	29 Feb. 1968	1	1	1-83	6-00	Visual	1-83	11-00
13 Mar. 1968	7-13 Mar. 1968	6	0	0.45	1.48	12 Mar. 1968	0	1	1-83	6-00	Visual	-4.90	8.19
22 Jan. 1969	13-22 Jan. 1969	9	0	0.38	1.26	21 Jan. 1969	0	3	1-52	5-00	Visual	-3.83	8.33
10 Feb. 1969	5-12 Feb. 1969	5	2	0.51	1.66	9 Feb. 1969	0	1	1-22	4-00	Visual	-2.03	5.17
18 Feb. 1969	12-19 Feb. 1969	6	1	0.48	1.56	18 Feb. 1969	0	4	1-52	5-00	Visual	0.40	6.24
2 Mar. 1969	26 Feb. to 5 Mar. 1969	4	3	0.75	2.46	2 Mar. 1969	3	10	2-73	8-96	Gage	6.99	8.65
7 Mar. 1969	5-12 Mar. 1969	2	5	0.48	1.56	7 Mar. 1969	0	3	1-22	4-00	Visual	-3.43	7.17
11 Dec. 1969	20 Nov. to 16 Dec. 1969	21	5	No tide data	No tide data	-----	---	---	1-37	4-50	Visual	0.80	10.16
17 Dec. 1970	9-18 Dec. 1970 ²	8	1	0.91	3.00 ³	-----	---	---	3-35	11-00	Gage	3-60	10.14
19 Feb. 1972	14-22 Feb. 1972	5	3	1-07	3-50	19 Feb. 1972	1	5	2-13	7-00 ⁴	Visual	2.64	6.89
22 Mar. 1973	16-25 Mar. 1973 ²	6	2	0.78	2.57	22 Mar. 1973	4	8	1-37	4-50 ⁴	Visual	11-80	7.47
AVG.		7.47	2.53	0.57	1.88		0.8	3	2-08	6-13			

¹ Simple average of profile values (negative values indicate recession-erosion).² Not all profiles reached MSL.³ Data from Sandy Hook, New Jersey.⁴ Data from Ludlam Island, New Jersey.

Figure 27. Mean and standard deviation of unit volume changes by profile for 17 selected storms at Atlantic City.

addition to having the smallest deviation of all profiles. Profile line 4, therefore, appears to maintain a reasonably stable unit volume throughout storms. This apparent anomaly may possibly be related to the number and type of structures near the profile; i.e., Steel Pier and Steeplechase Pier updrift of the profile, as well as two groins located on either side of Steel Pier (Table 1). In addition, another groin located just downdrift of the profile causes a "boxed-in" effect which could possibly contain a bulk of the littoral material.

Figure 28 illustrates the mean unit volume changes and standard deviations by contour above MSL for all profile lines during the selected storms. The greatest average unit volume loss occurs between the +0.5- and +1.0-meter contours. The figure also shows that the greatest deviations from the mean occur between the 0.0- and +2.0-meter contours. This is to be expected because wave action is concentrated in the foreshore region and thereby lends to greater variations in volumes of material moved. Also, it is possible that the maximum average unit volume loss occurs between the +0.5- and +1.0-meter contours because the average maximum surge above high water, which allows waves to concentrate, during those storms is 0.57 meter. Alternately, the variation in volume change generally decreases with increasing elevation above +2.0 meters because this part of the profile remains relatively stable, except in severe storms, due to its increased distance from the scouring effects of wave action. This higher part of the beach not only remains relatively stable, but it accretes an average of 0.21 cubic meter per meter per storm between the 3.0- and 3.5-meter contours.

Since losses from the lower contours clearly exceed gains along the upper contours, sand is moving either offshore or alongshore. The most intense storms resulted in -20 cubic meters per meter volume changes above MSL, which

Figure 28. Mean and standard deviation of unit volume changes by contour for 17 selected storms at Atlantic City profile lines.

is -100,000 cubic meters over the 5-kilometer study area compared to the gross annual longshore transport rate of about 500,000 cubic meters (for the entire littoral zone); this short-term beach erosion indicates that most of the sediment transport during storms is offshore.

In Figure 29 the unit volume changes at each profile, as determined from prestorm and poststorm survey data, are compared to the changes in MSL shoreline position (0.0 contour) for the same storm data. In this way, volume changes resulting in accretion and erosion are compared to shoreline changes resulting in progression (advancement) and recession (retreat). Figure 30, which depicts trends in volume change versus shoreline change for selected storms, shows considerable differences between these two values, indicating, at least during storms, that volume accretion is not necessarily accompanied by MSL shoreline progression nor is volume erosion always accompanied by MSL shoreline recession. These data demonstrate the need for caution when evaluating short-term beach changes from aerial photos.

b. Beach-Fill Changes. Two major beach-fill projects at Atlantic City during the BEP study (in 1963 and 1970) used a combination of stockpiling and direct placement. Stockpiling entails periodically placing beach material at a concentrated updrift location in the depleted area, and allowing natural processes to move the fill downdrift to nourish the beach. Direct placement involves placing the fill along the entire area to be nourished.

As mentioned previously, the 1963 fill project consisted of 428,000 cubic meters of fill placed between Oriental and Virginia Avenues to replenish the greatly eroded beach resulting from the March 1962 storm. Figures 31 and 32 indicate the 1963 and 1970 beach-fill limits and the beach profiles before and after both fills. Figure 33 shows the unit volume change from 1963 to 1972 for each profile line. These data indicate that the 1963 fill remained for approximately 4 years on profile line 3 and provided nourishment to profile lines 4 to 7 at later times as a result of natural processes, as indicated by the dashline tracing volume increases along the profile lines. However, those same natural processes caused a continued erosion problem that required the

Figure 29. Comparison of unit volume changes and MSL shoreline position changes by profile for 17 selected storms.

Unit Vol. Changes (m^3/m)

Change in Dist. (m) to MSL Contour

Figure 29. Comparison of unit volume changes and MSL shoreline position changes by profile for 17 selected storms.--Continued

Figure 30. Trends in volume change versus shoreline change for 17 selected storms.

Figure 31. Limits of 1963 and 1970 beach fills at Atlantic City (Everts, DeWall, and Czerniak, 1974).

Figure 32. Cross section of beach from profiles taken before and after beach nourishment in 1963 and 1970 (from Everts, DeWall, and Czerniak, 1974).

Figure 33. Sediment volume measurements between surveys relative to first survey ("zero" unit volume is the volume during the first survey in October 1962). Dashline indicates probable alongshore movement of some volume of the beach fill as determined by volume increases along profile lines 4 to 7 (Everts, DeWall, and Czerniak, 1974).

placement in 1970 of an additional 635,000 cubic meters of beach material between Oriental and Illinois Avenues (see Figs. 31 and 32). The fill material in each case was similar to the natural beach material, with a mean grain size of 0.3 millimeter. Again in 1970, profile line 3 indicated a trend to maintain much of the fill for an extended time period (Fig. 33). Although surveys were not conducted after 1973, it can be assumed that some of the fill migrated down the beach to the other profile lines as did some of the 1963 fill. Some information supporting this assumption is shown by comparing the photos in Figures 34 and 35 (taken in November 1970) with the photos in Figures 36, 37, and 38 (taken in March 1979 at profile line 2). Note the considerable amount of beach after the beach fill in 1970, compared to the practically nonexistent beach in 1979. Also, note the wide beach in Figure 39 (taken at profile line 6 in March 1979) compared to the lack of beach in Figures 36 and 37.

Figure 34. View of scarp just north of profile line 2 (24 November 1970).

Figure 35. View landward from waterline at profile line 2. Building at left, behind Boardwalk, is convalescent home shown in Figure 38 (24 November 1970).

Figure 36. View of groin at Vermont Avenue from under the Boardwalk at Rhode Island Avenue (profile line 2) (9 March 1979).

Figure 37. View of groin south of Rhode Island Avenue from under the Boardwalk at profile line 2 (9 March 1979).

Figure 38. View of erosion-scour at the base of the convalescent home on the south side of Rhode Island Avenue (8 March 1979).

Figure 39. Looking shoreward from waterline at California Avenue (profile line 6) on 9 March 1979. Note width of beach compared to that at profile line 2 in Figures 23 and 34.

Additional short-term changes that primarily affect the upper sections of the profiles result from the periodic removal of sand from under the Boardwalk (see Figs. 40, 41, and 42) for use as fill elsewhere on the beach (see Fig. 43). Although this procedure has been observed, it is not well documented in terms of frequency or quantities of material transferred. The project during the winter and spring of 1979 was done by the City and called for the removal of 36,600 cubic meters of sand from under the Boardwalk near profile line 7 (Richmond to Raleigh Avenues) (M. Ingram, City Engineer, personal communication, March 1979). This material was then placed on the foreshore midway between profile lines 4 and 5. Because of the relatively fine size of this well-sorted sand (0.18 millimeter compared with 0.27 millimeter reported by Ramsey and Galvin, 1977, for average foreshore sand size in March), the material would probably be easily eroded from the beach face.

Figure 40. Borrow site under Boardwalk at Richmond Avenue on 9 March 1979. Note amount of sand removed by comparison to sand still evident behind and under Boardwalk (compare also to Fig. 39).

Figure 41. Trucks waiting to be filled with sand near Raleigh Avenue (9 March 1979).

Figure 42. Front loader filling truck with sand excavated from under the Boardwalk near Raleigh Avenue (9 March 1979).

Figure 43. Site of beach fill near St. James and New York Avenues (9 March 1979).

2. Long-Term Changes.

Long-term changes include the cyclic seasonal changes (U.S. Army, Corps of Engineers, Coastal Engineering Research Center, 1977) along with longer range trends which may or may not be cyclic in nature. Changes in the MSL shoreline position during 1962-73 are shown in Figure 44. The 1963 and 1970 beach fills are evident on profile lines 1, 2, and 3 with subsequent progradation on the downdrift profiles, which was also shown in the unit volume changes (Fig. 33). Figure 45 depicts the average unit volume and MSL shoreline position by month for each of the profile lines. The mean of the monthly averages for each profile is indicated by the "zero" unit volume, whereas the "zero" MSL shoreline position is the shoreline position during the first survey. Figure 45 shows that seasonal changes do occur at Atlantic City, with the least volume of sand on the beach from January to March and the greatest volume of sand generally from June to August. This large quantity of sand also appears predominantly on profile lines 1, 2, and 3 with profile lines 5, 6, and 7 showing a loss of sand during June and July. These extremely large volumes at profile lines 1, 2, and 3 predominantly reflect the beach fill of 1963 in which the bulk of the fill material was placed along these profile lines as shown in Figure 32. These values may also be misleading since only four surveys were conducted in June and two in July throughout the 11-year study period, with each of the profile lines surveyed twice during June, July, and August of 1963 after the 1963 beach fill. June and July were the least surveyed months during the study period (Fig. 21). In addition, all profile lines were surveyed in August 1970 after the 1970 beach fill, thereby adding a bias to the six surveys conducted in August throughout the study. Therefore, the information for these months is less representative of average summer conditions.

To evaluate the entire Atlantic City locality as a whole, ΔS and ΔV were averaged by year in the alongshore direction. The averaged alongshore change in MSL shoreline, $\Delta \bar{S}$, is computed by summing the alongshore distance-weighted yearly average values of ΔS at each profile line and dividing by the total length of the study area. Similarly, the averaged alongshore change in storage volume, $\Delta \bar{V}$, is computed using the alongshore distance-weighted values of ΔV (Czerniak, 1974).

A comparison of the mean yearly changes in storage volume and MSL shoreline (Fig. 46) shows that the long-term trends are influenced more by the *magnitude* of the accretion-erosion and progression-recession occurring in these years than by the *number* of net accretionary or erosional years. This is clearly indicated by the high dependency on the two artificial beach fills in 1963 and 1970 for the shape of the cumulative yearly change in storage volume, $\Delta \bar{V}$ (Fig. 46). In conjunction with this, yearly changes in the MSL shoreline and storage volume vary considerably and appear to suggest no clear pattern.

Figure 47 shows the changes in unit volume and shoreline position for the years between the beach nourishment projects in 1963 and 1970. The slope of a least square fit line drawn through the points on the plot of cumulative average yearly change in storage volume for the seven profile lines (Fig. 47) provides a single number which best describes the rate of "natural" change in the above MSL storage volume during this period. The line only provides a general description of the trend in the data due to the wide yearly variation

Figure 44. MSL shoreline changes in time (missing data shown by dashline).

Figure 45. Mean above MSL unit volume changes and MSL shoreline position changes by month (24 October 1962 to 1 May 1973).

Figure 46. Cumulative yearly change in unit volume and MSL shoreline at Atlantic City.

Figure 47. Long-term changes in unit volume and MSL shoreline from 1963-69 to eliminate effects of 1970 beach fill.

(Fig. 33). Under these conditions, Figure 47 indicates that Atlantic City has remained stable at 0.00 cubic meter per meter per year change above MSL during the period from 1963 to 1969.

Applying the same procedure to the change in MSL shoreline over the same period, the rate of change in the MSL shoreline indicates a progression of 0.73 meter per year. However, this line likewise represents only a general trend and only roughly approximates the actual rates of change in MSL shoreline for the locality.

Further information on the MSL shoreline changes and the above MSL unit volume changes through time by profile line is provided in Appendixes D and E, which are large-scale figures by profile of Figures 44 and 33, respectively.

V. DISCUSSION

1. Profile Changes.

In a study by the Beach Erosion Board (1950), various shoreline positions from 1841 to 1947 were compared to determine a trend in shoreline advance and retreat along the beaches at Atlantic City. It was found that considerable shoreline retreat occurred at the inlet entrance from 1841 to 1936. After 1936 the inlet shoreline remained reasonably stable due to the installation of protective structures such as bulkheads and groins. The greatest natural change at the inlet entrance from 1936 to 1947 was a progressive lowering of the beach.

The ocean shoreline beginning 300 meters northeast of Garden Pier and extending 1.2 kilometers southwest to Central Pier receded between 1936 and 1947 with a greatly accelerating rate after 1939 (Fig. 48). After the placement of a beach fill in 1948, from July 1948 to August 1960, the shoreline between the Oriental Avenue jetty and New Hampshire Avenue experienced progression ranging from a maximum of about 52 meters at the jetty to about 6 meters at New Hampshire Avenue. During this same period the shoreline between New Hampshire Avenue and Steel Pier receded, with few exceptions, from a maximum of about 40 meters between Vermont and Rhode Island Avenues to a maximum of 3 meters in the region east of Steel Pier. The recession between Vermont and Rhode Island Avenues duplicated the shoreline position of 1936 (Fig. 48).

Surveys in July and October 1948, February and May 1949, January 1950, December 1958, August 1959 and 1960, and March 1962 provide detailed profile data for the area between the Oriental Avenue jetty and Steel Pier (U.S. Congress, 1964b). There are no indications, from the previous data, of any definite quantitative trends in volumetric changes along this reach extending from the Boardwalk to approximately 1.8 meters below MLW. Likewise, for the 11-year BEP study, there appears to be no clearly defined trend in volumetric changes throughout the seven selected profiles. The two most significant events are the 1963 and 1970 beach fills and the natural transport of that material downdrift, as shown in Figure 33.

Figure 49 depicts four sets of profiles of the beach and offshore regions from January 1936 to February 1948 (before the 1948 beach fill). These profiles indicate that relative stability increases with distance southwest from the Oriental Avenue jetty and Absecon Inlet.

Profile envelopes for each profile line throughout the study period (App. F) depict the entire range of maximum and minimum elevations surveyed at given distances along the profile line and do not appear to indicate any clear trend to greater stability from profile line 1 to profile line 7.

Figure 49. Profile changes along Atlantic City, 1936-48 (Beach Erosion Board, 1950).

2. Seasonal Changes and Wave Climate.

Figure 50 combines mean monthly wave height and period information obtained from Atlantic City and the Toms River Coast Guard Station (Fig. 1) for comparison. Of these sources, the gage data are considered more reliable although the visual observations provide important nearshore wave direction information. The gage data (Thompson and Harris, 1972) were obtained from 7-minute pen-and-ink records taken six times daily from a 7.62-meter relay-type gage located on the seaward end of Steel Pier. The visual observations (made by local volunteers) include estimations of nearshore wave period, height, direction, and breaker type. The Cooperative Surf Observation Program (COSOP) data were also obtained visually by cooperating personnel from U.S. Coast Guard Stations at Atlantic City and Toms River. As shown in Figure 50, there is considerable variation between these sources of wave data.

Figure 50. Mean monthly gage and visual data for wave heights and periods for Atlantic City.

The visual observation data indicate that the breaker approach is predominantly from within a sector of 5° to the left of shore-normal to an observer on the beach.

3. Coastal Engineering Implications.

The data in this study largely indicate the far-reaching influence of the two beach fills of 1963 and 1970. Judging from the volumetric and MSL shore-line changes through time, shown in Figures 33 and 44, respectively, the beach fills accomplished their purpose of rebuilding the beach, not only where the fill was directly placed, but also downdrift, as the result of natural littoral processes. The severe erosional condition at profile line 2, however, bears closer examination to determine the specific causes as well as possible solutions to this critical problem.

Among the greatest difficulties in determining how and where the sand is transported are the incomplete surveying of the entire Absecon Island and the

relatively shallow surveying out to only 2 feet below MSL. Therefore, the amount of sand transported offshore or alongshore to the southwest cannot be determined. To better understand the complex and dynamic sediment movement in this area, and thereby arrive at a functional solution, the entire island should be studied as a complete system from Absecon Inlet to Great Egg Harbor Inlet. This would enable a more reliable description of the processes involved along this coastline. More information should also be obtained relating to the processes of the inlets at both ends of the island to enhance the understanding of the impact these inlets have on Absecon Island.

Prestorm and poststorm surveys played an important role in understanding some of the storm-related processes taking place along this coast. Additional surveys of this type would significantly increase the awareness of just how much sand is moved and where during storms, which would then enable the area to plan accordingly before the storm season. Again, this points out the need to survey farther offshore to locate where some of the sand is being transported.

The implications of the beach-fill project in March 1979 indicate the need for careful planning of the time, location, and grain size of the fill material when undertaking such a project. The grain size of the fill material taken from under the Boardwalk for this project was much smaller than the median grain size of the beach material in the vicinity of the nourishment project. This factor, in conjunction with the time of year (March being a highly susceptible time for storm waves), resulted in most of the fill being washed away almost immediately on placement, according to a bulldozer operator on the site. This beach-fill project, then, appeared to be much less successful than the two fills conducted in 1963 and 1970.

VI. SUMMARY

Each of the seven profile lines at Atlantic City, spaced from a minimum of 467 meters to a maximum of 1.62 kilometers apart, was surveyed a minimum of 118 times, generally from the seaward edge of the Boardwalk to wading depth. Frequency of surveys ranged from weekly to quarterly (Figs. 20 and 21). During the study there were 17 reasonably well-documented storms with prestorm and poststorm surveys (Table 5).

The study area extends 5 kilometers southwest from the Absecon Inlet jetty and is comprised of 0.27-millimeter median grain-size quartz sand. The fore-shore slope ranges from 0.039 to 0.066 with an average of 0.047 over the seven profile lines. The berm width, measured from the Boardwalk, extends between 5 meters at profile line 2 and 180 meters at profile line 1 with an overall average of 80 meters. The average berm elevation above MSL is 2.2 meters with a range between 1.3 and 3.0 meters.

Winds are generally out of the southwest quadrant with mean speeds ranging from 20 to 45 kilometers per hour (Figs. 9, 10, and 11). The mean significant wave height is 0.81 meter with a mean wave period of 8.18 seconds consisting predominantly of plunging waves. The area also has a mean tidal range of 1.2 meters.

Among the largest natural changes measured between surveys at a single profile line were a volume loss of 51.39 cubic meters per meter during the

storm of 2 March 1969 at profile line 5 and a shoreline recession of 30.18 meters during the 25 February 1968 storm at profile line 7. Storm changes (Fig. 30) indicate no clear correlation between shoreline recession and erosion, as might be expected. For example, during the 2 March 1969 storm, the average shoreline accreted 6.99 meters, whereas the average above MSL unit volume eroded 11.01 cubic meters per meter. However, profile line 2 shows the most critical erosion, as shown in Figures 36, 37, and 38.

Major beach-fill projects were completed in 1963 and 1970, introducing approximately 428,000 and 635,000 cubic meters of fill material, respectively, to the northern end of the study area (see Fig. 31). These fills were reasonably successful in nourishing the beach, as shown in Figure 33.

Seasonal changes are indicated with a maximum volume of sand above MSL from May through October (Fig. 45). The net volume change above MSL along the beach, disregarding the 1970 beach fill, is near zero. Although the beach, as a whole, experienced a near zero net change during the period 1963-69, there was a shift of beach storage volume from the 1963 fill site on the northern end of the study area toward the southwest, along the beach (Fig. 33). This shift of beach volume was expected with time and resulted in an effective beach-fill project.

In conclusion, this study was extremely valuable for the quantitative determination of some of the shore processes taking place at Atlantic City as well as to indicate how such studies may be accomplished more effectively and efficiently in the future.

LITERATURE CITED

- BEACH EROSION BOARD, "Atlantic City, N.J., Beach Erosion Control Study," H.Doc. 538, 81st Congress, 2d sess., U.S. Army, Corps of Engineers, Washington, D.C., 1950.
- BIRKEMEIER, W.A., "The Effects of the 19 December 1977 Coastal Storm on Beaches in North Carolina and New Jersey," *Shore and Beach*, Jan. 1979 (also Reprint 79-2, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., NTIS A070 554).
- CZERNIAK, M.T., "Review of Survey Procedure: BEP Profiles in New Jersey," Memorandum for Record, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., Apr. 1972
- CZERNIAK, M.T., "Evaluation of Quality Control on BEP Surveys," U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., unpublished, 1973.
- CZERNIAK, M.T., "Magnitude of Changes on Three New Jersey Beaches," draft speech submitted to SEPM-AAPG, Apr. 1974.
- EVERTS, C.H., "Sediment Budget, Great Egg Harbor Inlet to Townsends Inlet, New Jersey," U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., unpublished, 1975.
- EVERTS, C.H., DeWALL, A.E., and CZERNIAK, M.T., "Magnitude of Changes on Three New Jersey Beaches," unpublished draft of presentation to annual convention of the Society of Economic Paleontologists and Mineralogists, San Antonio, Tex., Apr. 1974.
- EVERTS, C.H., DeWALL, A.E., and CZERNIAK, M.T., "Behavior of Beach Fill at Atlantic City, New Jersey," *Proceedings of the 14th Conference on Coastal Engineering*, American Society of Civil Engineers, Vol. 2, 1974, pp. 1370-1388 (also Reprint 12-74, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., NTIS A010 752).
- HICKS, S.D., "On the Classification and Trends of Long Period Sea Level Series," *Shore and Beach*, Vol. 4, No. 1, Apr. 1972, pp. 20-23.
- HICKS, S.D., "Trends and Variability of Yearly Mean Sea Level (1893-1971)," Technical Memorandum No. 12, National Oceanic and Atmospheric Administration, National Ocean Survey, Rockville, Md., Mar. 1973.
- NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, "Tide Records from Steel Pier, Atlantic City, N.J., 1963-1972," unpublished, National Ocean Survey, Rockville Md., 1972.
- NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, "Tide Tables, East Coast of North and South America, Including Greenland," National Ocean Survey, Rockville, Md., 1979.
- NEUMANN, C.J., et al., "Tropical Cyclones of the North Atlantic Ocean, 1871-1977," U.S. Department of Commerce, National Climatic Center, Asheville, N.C., June 1978.

- RAMSEY, M.D. and GALVIN, C.J., Jr., "Size Analysis of Sand Samples from Southern New Jersey Beaches," MR 77-3, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., Mar. 1977.
- THOMPSON, E.F., "Wave Climate at Selected Locations Along U.S. Coasts," TR 77-1, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., Jan. 1977.
- THOMPSON, E.F., and HARRIS, D.L., "A Wave Climatology for U.S. Coastal Waters," *Proceedings of the Fourth Offshore Technology Conference*, Vol. 2, 1972, pp. 675-688 (also Reprint 1-72, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., NTIS 746 365).
- URBAN, H.D., and GALVIN, C.J., Jr., "Pipe Profile Data and Wave Observations from the CERC Beach Evaluation Program, January-March 1968," MP 3-69, U.S. Army, Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va., Sept. 1969.
- U.S. ARMY, CORPS OF ENGINEERS, COASTAL ENGINEERING RESEARCH CENTER, *Shore Protection Manual*, 3d ed., Vols. I, II, and III, Stock No. 008-022-00113-1, U.S. Government Printing Office, Washington, D.C., 1977, 1,262 pp.
- U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA, "Technical Studies of Inlets," Philadelphia, Pa., Apr. 1938.
- U.S. ARMY ENGINEER DISTRICT, PHILADELPHIA, "New Jersey Coastal Inlets and Beaches, Barnegat Inlet to Longport," Interim Report, Philadelphia, Pa., Sept. 1974.
- U.S. CONGRESS, "Improvement of Storm Forecasting Procedures," Hearing of the Subcommittee on Oceanography of the Committee on Merchant Marine and Fisheries, 87th Congress, 2d sess., Apr. 1962.
- U.S. CONGRESS, "Interim Hurricane Survey of Atlantic City, New Jersey," H.Doc. 298, 88th Congress, 2d sess., 1964a.
- U.S. CONGRESS, "Atlantic City, New Jersey, Beach Erosion Control Study," H.Doc. 325, 88th Congress, 2d sess., 1964b.
- U.S. NAVAL WEATHER SERVICE COMMAND, "Summary of Synoptic Meteorological Observations (SSMO), North American Coastal Marine Areas," Vol. 2, May 1970.
- YASSO, W.E. and HARTMAN, E.M., Jr., "Beach Forms and Coastal Processes," New York Bight Atlas Monograph 11, New York Sea Grant Institute, Albany, N.Y., Jan. 1975.

APPENDIX A

PROFILE LINE DOCUMENTATION

The station description forms in this appendix provide a summary of all data needed to recover or reestablish a survey point.

The horizontal and vertical control was first established when Atlantic City was surveyed for the Storm Warning Program, the forerunner of the Beach Evaluation Program. Most of the bronze disks were placed on the profile lines in 1975; a few were placed in 1976. All survey work was done by the U.S. Army Engineer District, Philadelphia. The given elevations are referenced to sea level datum.

The data on these forms are subject to change due to the reestablishment of survey points, or the updating of culture shown. CERC should be contacted for any updating of these data.

COUNTRY U.S.A.	TYPE OF MARK Standard Bronze Disk		STATION BE-A Sta. 0+00		Profile line 1
LOCALITY Atlantic City, NJ	STAMPING ON MARK BE-A 0+00		AGENCY (CAST IN MARKS) Corps of Engrs.		ELEVATION (FT) 7.20 7.20
LATITUDE 39°21'57.72"	LONGITUDE 74°24'36.57"		DATUM		S.L.D. 1929
(NORTHING)(EASTING) 194 120	(FT) XXXX	(EASTING)(NORTHING) 2 072 524	(FT) XXXX	GRID AND ZONE NJ Trans Merc.	ESTABLISHED BY (AGENCY) Corps of Engineers
(NORTHING)(EASTING) (M)	(FT) (M)	(EASTING)(NORTHING) (M)	(FT) (M)	GRID AND ZONE	DATE 19 Nov 75

TO OBTAIN	GRID AZIMUTH, ADD	TO THE GEODETIC AZIMUTH
TO OBTAIN	GRID AZ. (ADD)(SUB.)	TO THE GEODETIC AZIMUTH

OBJECT	AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)
	° ' "	° ' "		

The station is located in Atlantic City, NJ at the east end of Oriental Avenue, and the north end of the west jetty of Absecon Inlet; 52.04 feet north of PK (elevation 7.58') nail in the lower end of diagonal brace under the NE corner of Coast Guard Lookout Tower; 11.69 feet east of NE corner of light stand on east side of boardwalk; 10.0 feet east of east side of boardwalk; 9.97 feet east of a PK nail in vertical side of the east stringer of boardwalk on centerline of Oriental Avenue extended; 3.0 feet north of centerline of stone groin, and 1.0 feet south of centerline Oriental Avenue extended.

The station is marked by a standard disk grouted into the top of stone groin.

NJ Grid Azimuth of Line BE-A 321°-30'

DA FORM 1959
1 OCT 64

REPLACES DA FORMS 1959
AND 1960, 1 FEB 57, WHICH
ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION
For use of this form, see TM 5-237; the proponent
agency is U.S. Continental Army Command.

COUNTRY U. S. A.	TYPE OF MARK Standard Bronze Disk		STATION BE-B Sta. 0+10 Profile line 2	
LOCALITY Atlantic City, NJ	STAMPING ON MARK BE-B 0+10		AGENCY (CAST IN MARKS) Corps of Engrs.	ELEVATION (FT) 8.03
LATITUDE 39° 21' 44.56"	LONGITUDE 74° 24' 46.26"		DATUM	DATUM S.L.D. 1929
(NORTHING)(EASTING) 192 786	(FT) EASTING 2 071 767	(NORTHING)(EASTING) XXXX	GRID AND ZONE NJ Trans Merc.	ESTABLISHED BY (AGENCY) Corps of Engineers
(NORTHING)(EASTING) (M)	(FT) (M)	(NORTHING)(EASTING) (M)	GRID AND ZONE	DATE 19 Nov 75
TO OBTAIN GRID AZIMUTH, ADD TO THE GEODETIC AZIMUTH				
TO OBTAIN GRID AZ. (ADD)(SUB.) TO THE GEODETIC AZIMUTH				
OBJECT	AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)

The station is located in Atlantic City, NJ on the west sidewalk of Rhode Island Avenue; 130.40 feet north of a square cut in the top of concrete reinforcement on south side of boardwalk of Rhode Island Avenue (elevation 12.43'); 53.86 feet east of inner corner of Beachview convalescent home building; 48.5 feet north of a timber bulkhead at the ocean end of avenue; 39.97 feet NE of outer corner of Beachview convalescent home building; 10.00 feet south of top of fire hydrant and 1.5 feet west of the west curb of Rhode Island Avenue.

Station is marked by a standard disk grouted flush with sidewalk.

NJ Grid Azimuth of Line. BE-B 332°-18'

DA FORM 1959
1 OCT 64

REPLACES DA FORMS 1959
AND 1960, 1 FEB 57, WHICH
ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION
For use of this form, see TM 5-237; the proponent
agency is U.S. Continental Army Command.

COUNTRY U. S. A.	TYPE OF MARK Standard Bronze Disk		STATION BE-C Sta. (-)2+00 20' west		Profile line 3
LOCALITY Atlantic City, NJ	STAMPING ON MARK BE-C -2+00 20'W		AGENCY (CAST IN MARKS) Corps of Engineers		ELEVATION (FT) 7.85 XMK
LATITUDE 39°21'36.91"	LONGITUDE 74°25'04.15"		DATUM		DATUM S.L.D. 1929
(NORTHING)(EASTING) 192 008	(FT) XMK	(EASTING)(NORTHING) 2 070 364	(FT) XMK	ESTABLISHED BY (AGENCY) Corps of Engineers	
(NORTHING)(EASTING) (M)	(FT) (M)	(EASTING)(NORTHING) (FT) (M)	(FT) (M)	DATE 19 Nov 75	

TO OBTAIN	GRID AZIMUTH, ADD	TO THE GEODETTIC AZIMUTH
TO OBTAIN	GRID AZ. (ADD)(SUB.)	TO THE GEODETTIC AZIMUTH

OBJECT	AZIMUTH OR DIRECTION (GEODETTIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)

The station is located in Atlantic City, NJ on the west side of Delaware Avenue in an area due for redevelopment; 45.23 feet north of south west corner of sewer main cover; 32.25 feet north of a fire hydrant; 4.92 feet west of a PK nail in the seam of west curb of Delaware Avenue.

Station is marked by a standard disk grouted flush into sidewalk, and is 20' west of profile line.

NJ Grid Azimuth of Line BE-C 333°-26'

DA FORM 1959

REPLACES DA FORMS 1959 AND 1960, 1 FEB 57, WHICH ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION
For use of this form, see TM 5-237; the proponent agency is U.S. Continental Army Command.

COUNTRY U. S. A.		TYPE OF MARK Standard Bronze Disk		STATION BE - D Sta. 0+00 Profile line 4	
LOCALITY Atlantic City, NJ		STAMPING ON MARK BE-D 0+00		AGENCY (CAST IN MARKS) Corps of Engrs.	
LATITUDE 39°21'27.78"		LONGITUDE 74°25'20.50"		DATUM S.L.D. 1929	
(NORTHING)(EASTING) 191 081	(FT) XXX	(EASTING)(NORTHING) 2 069 082	(FT) XXX	GRID AND ZONE NJ Trans merc.	
(NORTHING)(EASTING) (M)		(EASTING)(NORTHING) (M)		GRID AND ZONE	
TO OBTAIN		GRID AZ. (ADD)(SUB.)		TO THE GEODETIC AZIMUTH	
TO OBTAIN		GRID AZ. (ADD)(SUB.)		TO THE GEODETIC AZIMUTH	
OBJECT	AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)	

Station is located in Atlantic City, NJ at the beach (south) end of North Carolina Avenue, under the boardwalk; 87.88 feet south east of the SE corner of Chalfont Building, 72.29 feet south west of SW corner of Resorts International; 29.52 feet southwest of the top center bolt of fire hydrant.

Station is marked by a standard disk grouted flush into the top step of a pedestrian ramp.

NJ Grid Azimuth of Line BE-D 332°-01'

DA FORM 1959 REPLACES DA FORMS 1959 AND 1960, 1 FEB 57, WHICH ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION For use of this form, see TM 5-237; the proponent agency is U.S. Continental Army Command.

COUNTRY U. S. A.	TYPE OF MARK Standard Bronze Disk		STATION BE-E (-)2+75 20' west Profile line 5	
LOCALITY Atlantic City, NJ	STAMPING ON MARK BE-E -2+75 20'W		AGENCY (CAST IN MARKS) Corps of Engrs.	ELEVATION 6.56 (FT) XXXX
LATITUDE 39°21'22.90"	LONGITUDE 74°25'52.27"		DATUM S.L.D. 1929	
(NORTHING)(EASTING) 190 580	(FT) XXXX	(EASTING)(NORTHING) 2 066 588	(FT) XXXX	GRID AND ZONE NJ Trans Merc
(NORTHING)(EASTING) (M)	(FT) (M)	(EASTING)(NORTHING) (FT) (M)	GRID AND ZONE	DATE 24 Aug 76

TO OBTAIN GRID AZIMUTH, ADD TO THE GEODETIC AZIMUTH
TO OBTAIN GRID AZ. (ADD)(SUB.) TO THE GEODETIC AZIMUTH

OBJECT	AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)

Station is located in Atlantic City, NJ on the west side of Indiana Avenue, south of the Claridge Hotel, 49.60 feet west of the SE corner of sewer cover on the east side of Indiana Avenue; 18.79 feet north west of the NW corner of A.C.D.S. cover, just west of the centerline of street, and 12.85 feet north east of top center of pillar on NE side of steps leading to lawn.

Station is marked by a standard disk grouted flush into sidewalk, and is 20' west of profile line.

NJ Grid Azimuth of Line BE-E 332°-36'

DA FORM 1959
1 OCT 64 REPLACES DA FORMS 1959
AND 1960, 1 FEB 57, WHICH
ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION
For use of this form, see TM 5-237; the proponent
agency is U.S. Continental Army Command.

COUNTRY U. S. A.	TYPE OF MARK Standard Bronze Disk	STATION BE-F Sta. (-) 0+75 Profile line 6	
LOCALITY Atlantic City, NJ	STAMPING ON MARK BE-F -0+75	AGENCY (CAST IN MARKS) Corps of Engrs.	ELEVATION 5.20 (FT) 5.20
LATITUDE 39°21'08.93"	LONGITUDE 74°26'34.43"	DATUM	DATUM S.L.D. 1929
(NORTHING)(EASTING) 189 159	(EASTING)(NORTHING) 2 063 280	GRID AND ZONE NJ Trans Merc.	ESTABLISHED BY (AGENCY) Corps of Engineers
(NORTHING)(EASTING) (M)	(EASTING)(NORTHING) (M)	GRID AND ZONE	DATE 19 Nov 75

TO OBTAIN	GRID AZIMUTH, ADD	TO THE GEODETIC AZIMUTH
TO OBTAIN	GRID AZ. (ADD)(SUB.)	TO THE GEODETIC AZIMUTH

OBJECT	AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)	BACK AZIMUTH	GEOD. DISTANCE (METERS) (FEET)	GRID DISTANCE (METERS) (FEET)

Station is located in Atlantic City, NJ under the boardwalk at the ocean, or south end of California Avenue, 49.38 feet south of the SE corner of sewer cover, just west of centerline of California Avenue, 12.0 feet SW of NE corner of east wall for ramp, 8.08 SE of the NW corner of west wall and 1.3 feet east of W. wall.

Station is marked by a standard disk grouted flush with surface of a pedestrian ramp.

NJ Grid Azimuth of Line BE-F 332°-55'

COUNTRY U. S. A.		TYPE OF MARK Standard Bronze Disk		STATION. BE-G Sta. (-) 0+75 25.5' East		Profile line 7	
LOCALITY Atlantic City, NJ		STAMPING ON MARK BE-G -0+75 25.5' E		AGENCY (CAST IN MARKS) Corps of Engrs.		ELEVATION (FT) 11.64	
LATITUDE 39°20'45.28"		LONGITUDE 74°27'34.82"		DATUM		DATUM S.L.D. 1929	
(NORTHING)(EASTING) (FT)		(EASTING)(NORTHING) (FT)		GRID AND ZONE NJ Trans Merc		ESTABLISHED BY (AGENCY) Corps of Engineers	
(NORTHING)(EASTING) (FT)		(EASTING)(NORTHING) (FT)		GRID AND ZONE		DATE 27 Aug 76	
(M)		(M)				ORDER	
TO OBTAIN				GRID AZIMUTH, ADD			
TO OBTAIN				GRID AZ. (ADD)(SUB.)			
OBJECT		AZIMUTH OR DIRECTION (GEODETIC)(GRID) (MAGNETIC)		BACK AZIMUTH		GEOD. DISTANCE (METERS) (FEET)	
						GRID DISTANCE (METERS) (FEET)	

The station is located in Atlantic City, NJ on the east side of south (ocean) end of Raleigh Avenue; 52.59' south of north end of concrete wall; 44.31 feet southeast of fire hydrant; 38.20 feet north of reference B.M. which is a square cut in the southwest corner of concrete wall (elevation 11.52); and 11.0 feet east of east curb of Raleigh Avenue.

Station is marked by a standard disk grouted flush in concrete wall on east side of Raleigh Avenue, and is 25.5' east of profile line.

NJ Grid Azimuth of Line BE-G 328°-14'

DA FORM 1959
1 OCT 64

REPLACES DA FORMS 1959
AND 1960, 1 FEB 57, WHICH
ARE OBSOLETE.

DESCRIPTION OR RECOVERY OF HORIZONTAL CONTROL STATION
For use of this form, see TM 5-237; the proponent
agency is U.S. Continental Army Command.

APPENDIX B

PROFILE LINE SURVEY DATA

The survey data for the Atlantic City beach study are tabulated by profile line number and survey date (in the form YRMODA). Distances are in feet from the profile line bench mark; elevations are in feet above MSL.

DATE 630523	DATE 630611	DATE 630626	DATE 630712	DATE 630724	DATE 630807	DATE 630823	DATE 630903
SRVY 17	SRVY 1A	SRVY 19	SRVY 20	SRVY 21	SRVY 22	SRVY 23	SRVY 24
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
18. 0.4	0. 7.1	200. 9.2	-1. 7.1	50. 6.6	0. 7.1	0. 7.1	350. 6.7
26. 7.0	18. 7.1	250. 6.1	14. 6.5	100. 7.8	12. 7.1	5. 6.2	400. 5.2
150. 6.3	15. 6.5	300. 7.0	10. 6.5	250. 9.1	15. 6.5	10. 6.2	450. 5.5
250. 6.8	150. 7.0	350. 5.3	5. 6.1	280. 8.6	18. 6.1	15. 5.9	500. 5.4
300. 7.3	150. 6.1	400. 5.0	100. 6.0	250. 8.6	200. 6.0	180. 5.9	550. 5.4
350. 7.3	200. 9.2	450. 5.4	180. 6.0	300. 7.3	150. 8.8	250. 8.5	600. 5.3
351. 6.9	250. 9.4	500. 5.0	9. 0	350. 7.3	300. 9.0	300. 7.3	650. 5.0
400. 6.3	300. 9.4	550. 5.1	250. 8.5	351. 6.5	251. 8.8	350. 6.7	700. 2.9
450. 5.9	350. 7.4	600. 4.7	350. 7.3	400. 6.5	300. 7.8	402. 6.1	750. 1.9
500. 5.3	400. 6.2	650. 4.0	450. 6.7	450. 5.9	351. 6.7	451. 5.2	
550. 5.3	450. 5.5	690. 4.5	480. 5.9	500. 5.2	400. 6.0	502. 5.2	
600. 4.6	500. 5.4	702. 0.8	530. 5.3	551. 5.2	551. 5.8	551. 5.2	
626. 4.1	550. 5.4	751. 0.8	560. 5.3	601. 5.2	501. 5.2	574. 5.1	
651. 3.3	551. 5.2	801. -0.1	551. 5.3	625. 5.4	602. 5.3	602. 5.3	
700. 1.3	601. 4.7		601. 4.9	701. 2.2	601. 5.2	621. 4.4	
728. 1.2	651. 2.9		625. 4.3	728. 1.8	626. 3.1	652. 4.3	
801. -0.0	701. 1.4		651. 2.9	751. 0.9	676. 2.9	676. 2.9	
826. -0.2	751. 0.8		701. 1.2	771. 0.7	702. 1.8	723. 1.8	
	771. 0.0		751. 1.2	851. 0.7	751. 0.8	751. 0.8	
	826. -1.0		776. -0.7		852. -1.0	776. -0.2	
						801. -0.7	

DATE 630923	DATE 631009	DATE 631026	DATE 631114	DATE 631231	DATE 640117	DATE 640214	DATE 640312
SRVY 25	SRVY 12A	SRVY 27	SRVY 2A	SRVY 29	SRVY 30	SRVY 31	SRVY 32
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 7.2	-0. 1.5	9. 0	-0. 1.5	15. 6.2	0. 7.0	0. 7.0	0. 7.0
14. 7.1	-25. 7.5	6.2 6.2	-25. 7.5	50. 6.5	21. 4.9	22. 4.9	22. 4.9
15. 0.4	1. 7.0	6.7 0.	0. 6.9	76. 6.6	31. 5.8	32. 5.8	32. 5.8
25. 5.8	14. 7.0	5.6 13.	14. 7.0	101. 6.7	41. 5.8	42. 5.8	42. 5.8
30. 7.0	1. 6.1	5.2 15.	6.0 6.0	127. 5.0	50. 7.2	51. 7.2	51. 7.2
101. 6.8	25. 5.8	4.8 4.8	25. 5.8	151. 5.9	60. 4.5	61. 4.5	61. 4.5
132. 5.0	50. 6.4	5.0 4.3	5.0 4.3	151. 5.9	70. 4.5	71. 4.5	71. 4.5
152. 5.0	50. 6.4	5.0 4.3	5.0 4.3	257. 4.2	80. 4.5	81. 4.5	81. 4.5
202. 6.8	100. 6.0	4.8 4.3	151. 5.9	257. 4.2	90. 4.5	91. 4.5	91. 4.5
252. 6.7	151. 6.0	4.8 4.3	151. 5.9	257. 4.2	100. 4.5	101. 4.5	101. 4.5
302. 6.7	252. 6.4	5.3 4.8	202. 6.0	282. 4.4	110. 4.5	111. 4.5	111. 4.5
352. 6.4	352. 6.4	5.3 4.8	202. 6.0	282. 4.4	120. 4.5	121. 4.5	121. 4.5
402. 6.0	402. 6.0	5.3 4.8	252. 6.0	302. 4.1	130. 4.5	131. 4.5	131. 4.5
452. 5.8	452. 5.8	5.3 4.8	352. 6.0	352. 4.1	140. 4.5	141. 4.5	141. 4.5
502. 5.4	502. 5.4	5.3 4.8	402. 6.0	352. 4.1	150. 4.5	151. 4.5	151. 4.5
552. 5.4	552. 5.4	5.3 4.8	452. 6.0	402. 4.2	160. 4.5	161. 4.5	161. 4.5
602. 5.0	602. 5.0	5.3 4.8	502. 6.0	452. 4.2	170. 4.5	171. 4.5	171. 4.5
652. 4.6	652. 4.6	5.3 4.8	552. 6.0	502. 4.2	180. 4.5	181. 4.5	181. 4.5
702. 4.1	702. 4.1	5.3 4.8	602. 6.0	552. 4.0	190. 4.5	191. 4.5	191. 4.5
752. 3.7	752. 3.7	5.3 4.8	652. 6.0	602. 3.9	200. 4.5	201. 4.5	201. 4.5
802. 3.3	802. 3.3	5.3 4.8	702. 6.0	652. 3.7	210. 4.5	211. 4.5	211. 4.5
852. 2.9	852. 2.9	5.3 4.8	752. 6.0	702. 3.7	220. 4.5	221. 4.5	221. 4.5
902. 2.5	902. 2.5	5.3 4.8	802. 6.0	752. 3.7	230. 4.5	231. 4.5	231. 4.5
952. 2.1	952. 2.1	5.3 4.8	852. 6.0	802. 3.7	240. 4.5	241. 4.5	241. 4.5
1002. 1.7	1002. 1.7	5.3 4.8	902. 6.0	852. 3.7	250. 4.5	251. 4.5	251. 4.5
1052. 1.3	1052. 1.3	5.3 4.8	952. 6.0	902. 3.7	260. 4.5	261. 4.5	261. 4.5
1102. 0.9	1102. 0.9	5.3 4.8	1002. 6.0	952. 3.7	270. 4.5	271. 4.5	271. 4.5
1152. 0.5	1152. 0.5	5.3 4.8	1052. 6.0	1002. 3.7	280. 4.5	281. 4.5	281. 4.5
1202. 0.1	1202. 0.1	5.3 4.8	1102. 6.0	1052. 3.7	290. 4.5	291. 4.5	291. 4.5
1252. -0.3	1252. -0.3	5.3 4.8	1152. 6.0	1102. 3.7	300. 4.5	301. 4.5	301. 4.5
1302. -0.7	1302. -0.7	5.3 4.8	1202. 6.0	1152. 3.7	310. 4.5	311. 4.5	311. 4.5
1352. -1.1	1352. -1.1	5.3 4.8	1252. 6.0	1202. 3.7	320. 4.5	321. 4.5	321. 4.5
1402. -1.5	1402. -1.5	5.3 4.8	1302. 6.0	1252. 3.7	330. 4.5	331. 4.5	331. 4.5
1452. -1.9	1452. -1.9	5.3 4.8	1352. 6.0	1302. 3.7	340. 4.5	341. 4.5	341. 4.5
1502. -2.3	1502. -2.3	5.3 4.8	1402. 6.0	1352. 3.7	350. 4.5	351. 4.5	351. 4.5
1552. -2.7	1552. -2.7	5.3 4.8	1452. 6.0	1402. 3.7	360. 4.5	361. 4.5	361. 4.5
1602. -3.1	1602. -3.1	5.3 4.8	1502. 6.0	1452. 3.7	370. 4.5	371. 4.5	371. 4.5
1652. -3.5	1652. -3.5	5.3 4.8	1552. 6.0	1502. 3.7	380. 4.5	381. 4.5	381. 4.5
1702. -3.9	1702. -3.9	5.3 4.8	1602. 6.0	1552. 3.7	390. 4.5	391. 4.5	391. 4.5
1752. -4.3	1752. -4.3	5.3 4.8	1652. 6.0	1602. 3.7	400. 4.5	401. 4.5	401. 4.5
1802. -4.7	1802. -4.7	5.3 4.8	1702. 6.0	1652. 3.7	410. 4.5	411. 4.5	411. 4.5
1852. -5.1	1852. -5.1	5.3 4.8	1752. 6.0	1702. 3.7	420. 4.5	421. 4.5	421. 4.5
1902. -5.5	1902. -5.5	5.3 4.8	1802. 6.0	1752. 3.7	430. 4.5	431. 4.5	431. 4.5
1952. -5.9	1952. -5.9	5.3 4.8	1852. 6.0	1802. 3.7	440. 4.5	441. 4.5	441. 4.5
2002. -6.3	2002. -6.3	5.3 4.8	1902. 6.0	1852. 3.7	450. 4.5	451. 4.5	451. 4.5
2052. -6.7	2052. -6.7	5.3 4.8	1952. 6.0	1902. 3.7	460. 4.5	461. 4.5	461. 4.5
2102. -7.1	2102. -7.1	5.3 4.8	2002. 6.0	1952. 3.7	470. 4.5	471. 4.5	471. 4.5
2152. -7.5	2152. -7.5	5.3 4.8	2052. 6.0	2002. 3.7	480. 4.5	481. 4.5	481. 4.5
2202. -7.9	2202. -7.9	5.3 4.8	2102. 6.0	2052. 3.7	490. 4.5	491. 4.5	491. 4.5
2252. -8.3	2252. -8.3	5.3 4.8	2152. 6.0	2102. 3.7	500. 4.5	501. 4.5	501. 4.5
2302. -8.7	2302. -8.7	5.3 4.8	2202. 6.0	2152. 3.7	510. 4.5	511. 4.5	511. 4.5
2352. -9.1	2352. -9.1	5.3 4.8	2252. 6.0	2202. 3.7	520. 4.5	521. 4.5	521. 4.5
2402. -9.5	2402. -9.5	5.3 4.8	2302. 6.0	2252. 3.7	530. 4.5	531. 4.5	531. 4.5
2452. -9.9	2452. -9.9	5.3 4.8	2352. 6.0	2302. 3.7	540. 4.5	541. 4.5	541. 4.5
2502. -10.3	2502. -10.3	5.3 4.8	2402. 6.0	2352. 3.7	550. 4.5	551. 4.5	551. 4.5
2552. -10.7	2552. -10.7	5.3 4.8	2452. 6.0	2402. 3.7	560. 4.5	561. 4.5	561. 4.5
2602. -11.1	2602. -11.1	5.3 4.8	2502. 6.0	2452. 3.7	570. 4.5	571. 4.5	571. 4.5
2652. -11.5	2652. -11.5	5.3 4.8	2552. 6.0	2502. 3.7	580. 4.5	581. 4.5	581. 4.5
2702. -11.9	2702. -11.9	5.3 4.8	2602. 6.0	2552. 3.7	590. 4.5	591. 4.5	591. 4.5
2752. -12.3	2752. -12.3	5.3 4.8	2652. 6.0	2602. 3.7	600. 4.5	601. 4.5	601. 4.5
2802. -12.7	2802. -12.7	5.3 4.8	2702. 6.0	2652. 3.7	610. 4.5	611. 4.5	611. 4.5
2852. -13.1	2852. -13.1	5.3 4.8	2752. 6.0	2702. 3.7	620. 4.5	621. 4.5	621. 4.5
2902. -13.5	2902. -13.5	5.3 4.8	2802. 6.0	2752. 3.7	630. 4.5	631. 4.5	631. 4.5
2952. -13.9	2952. -13.9	5.3 4.8	2852. 6.0	2802. 3.7	640. 4.5	641. 4.5	641. 4.5
3002. -14.3	3002. -14.3	5.3 4.8	2902. 6.0	2852. 3.7	650. 4.5	651. 4.5	651. 4.5
3052. -14.7	3052. -14.7	5.3 4.8	2952. 6.0	2902. 3.7	660. 4.5	661. 4.5	661. 4.5
3102. -15.1	3102. -15.1	5.3 4.8	3002. 6.0	2952. 3.7	670. 4.5	671. 4.5	671. 4.5
3152. -15.5	3152. -15.5	5.3 4.8	3052. 6.0	3002. 3.7	680. 4.5	681. 4.5	681. 4.5
3202. -15.9	3202. -15.9	5.3 4.8	3102. 6.0	3052. 3.7	690. 4.5	691. 4.5	691. 4.5
3252. -16.3	3252. -16.3	5.3 4.8	3152. 6.0	3102. 3.7	700. 4.5	701. 4.5	701. 4.5
3302. -16.7	3302. -16.7	5.3 4.8	3202. 6.0	3152. 3.7	710. 4.5	711. 4.5	711. 4.5
3352. -17.1	3352. -17.1	5.3 4.8	3252. 6.0	3202. 3.7	720. 4.5	721. 4.5	721. 4.5
3402. -17.5	3402. -17.5	5.3 4.8	3302. 6.0	3252. 3.7	730. 4.5	731. 4.5	731. 4.5
3452. -17.9	3452. -17.9	5.3 4.8	3352. 6.0	3302. 3.7	740. 4.5	741. 4.5	741. 4.5
3502. -18.3	3502. -18.3	5.3 4.8	3402. 6.0	3352. 3.7	750. 4.5	751. 4.5	751. 4.5
3552. -18.7	3552. -18.7	5.3 4.8	3452. 6.0	3402. 3.7	760. 4.5	761. 4.5	761. 4.5
3602. -19.1	3602. -19.1	5.3 4.8	3502. 6.0	3452. 3.7	770. 4.5	771. 4.5	771. 4.5
3652. -19.5	3652. -19.5	5.3 4.8	3552. 6.0	3502. 3.7	780. 4.5	781. 4.5	781. 4.5
3702. -19.9	3702. -19.9	5.3 4.8	3602. 6.0	3552. 3.7	790. 4.5	791. 4.5	791. 4.5
3752. -20.3	3752. -20.3	5.3 4.8	3652. 6.0	3602. 3.7	800. 4.5	801. 4.5	801. 4.5
3802. -20.7	3802. -20.7	5.3 4.8	3702. 6.0	3652. 3.7	810. 4.5	811. 4.5	811. 4.5
3852. -21.1	3852. -21.1	5.3 4.8	3752. 6.0	3702. 3.7	820. 4.5	821. 4.5	821. 4.5
3902. -21.5	3902. -21.5	5.3 4.8	3802. 6.0	3752. 3.7	830. 4.5	831. 4.5	831. 4.5
3952. -21.9	3952. -21.9	5.3 4.8	3852. 6.0	3802. 3.7	840. 4.5	841. 4.5	841. 4.5
4002. -22.3	4002. -22.3	5.3 4.8	3902. 6.0	3852. 3.7	850. 4.5	851. 4.5	851. 4.5
4052. -22.7	4052. -22.7	5.3 4.8	3952. 6.0	3902. 3.7	860. 4.5	861. 4.5	861. 4.5
4102. -23.1	4102. -23.1	5.3 4.8	4002. 6.0	3952. 3.7	870. 4.5	871	

DATE 670503	DATE 670915	DATE 670919	DATE 671213	DATE 680115	DATE 680124	DATE 680130	DATE 680208
SRVY 49	SRVY 50	SRVY 51	SRVY 52	SRVY 53	SRVY 54	SRVY 55	SRVY 56
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
23	23	26	24	24	24	25	0
40	50	50	49	41	42	39	25
101	100	100	100	100	100	100	50
151	150	150	150	150	150	150	150
201	200	200	200	200	200	200	200
250	250	250	250	250	250	250	250
300	300	300	300	300	300	300	300
350	350	350	350	350	350	350	350
400	400	400	400	400	400	400	400
450	450	450	450	450	450	450	450
500	500	500	500	500	500	500	500
550	550	550	550	550	550	550	550
600	600	600	600	600	600	600	600
650	650	650	650	650	650	650	650
700	700	700	700	700	700	700	700
750	750	750	750	750	750	750	750
800	800	800	800	800	800	800	800
850	850	850	850	850	850	850	850
900	900	900	900	900	900	900	900

DATE 680215	DATE 680221	DATE 680226	DATE 680507	DATE 680513	DATE 680522	DATE 681007	DATE 681025
SRVY 57	SRVY 58	SRVY 59	SRVY 60	SRVY 61	SRVY 62	SRVY 63	SRVY 64
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
23	23	26	24	24	24	25	0
40	50	50	49	41	42	39	25
101	100	100	100	100	100	100	50
151	150	150	150	150	150	150	150
201	200	200	200	200	200	200	200
250	250	250	250	250	250	250	250
300	300	300	300	300	300	300	300
350	350	350	350	350	350	350	350
400	400	400	400	400	400	400	400
450	450	450	450	450	450	450	450
500	500	500	500	500	500	500	500
550	550	550	550	550	550	550	550
600	600	600	600	600	600	600	600
650	650	650	650	650	650	650	650
700	700	700	700	700	700	700	700
750	750	750	750	750	750	750	750
800	800	800	800	800	800	800	800
850	850	850	850	850	850	850	850
900	900	900	900	900	900	900	900

DATE 681115	SRVY 65	TIME 1200	DATE 690113	SRVY 67	TIME 1200	DATE 690120	SRVY 69	TIME 1200	DATE 690205	SRVY 70	TIME 1200	DATE 690212	SRVY 71	TIME 1200	DATE 690219	SRVY 72	TIME 1200
25	4.1	25	0	7.2	0	0	7.2	0	7.2	0	7.2	25	3.9	25	0	7.2	0
50	4.6	35	0	4.0	25	0	25	4.5	25	4.5	4.1	150	3.6	150	25	3.7	150
100	3.0	50	0	4.0	50	0	50	4.1	50	4.1	50	100	2.9	100	50	3.6	100
150	2.8	100	0	3.0	100	0	100	3.0	100	3.0	100	150	2.7	150	100	3.0	150
200	2.7	150	0	2.8	150	0	150	2.7	150	2.7	150	200	2.7	200	150	2.7	200
250	2.6	200	0	2.9	200	0	200	2.6	200	2.6	200	250	2.6	250	200	2.6	250
300	2.6	250	0	2.9	250	0	250	2.6	250	2.6	250	300	2.9	300	250	2.6	300
350	3.1	300	0	3.0	300	0	300	2.9	300	2.9	300	350	3.0	350	300	3.0	350
400	3.7	350	0	3.2	350	0	350	3.4	350	3.4	350	400	3.5	400	350	3.5	400
450	3.7	400	0	3.5	400	0	400	4.0	400	4.0	400	450	3.9	450	400	3.9	450
500	3.6	450	0	3.7	450	0	450	4.5	450	4.5	450	500	4.0	500	450	3.7	500
550	3.7	500	0	4.1	500	0	500	4.6	500	4.6	500	550	3.9	550	500	3.9	550
600	3.2	550	0	4.0	550	0	550	4.2	550	4.2	550	600	3.7	600	550	3.7	600
650	2.6	600	0	3.8	600	0	600	3.0	600	3.0	600	650	2.8	650	600	2.8	650
700	1.8	650	0	2.9	650	0	650	2.2	650	2.2	650	700	2.6	700	650	2.6	700
750	0.6	700	0	2.7	700	0	700	1.9	700	1.9	700	750	2.1	750	700	2.1	750
800	0.6	750	0	2.9	750	0	750	1.9	750	1.9	750	800	2.1	800	750	2.1	800
850	-1.6	800	0	-1.7	800	0	800	-1.6	800	-1.6	800	850	-2.1	850	800	-1.6	850
900	-3.8	850	0	-3.3	850	0	850	-2.3	850	-2.3	850	900	-3.0	900	850	-2.0	900

DATE 690226	SRVY 73	TIME 1200	DATE 690305	SRVY 74	TIME 1200	DATE 690312	SRVY 75	TIME 1200	DATE 690319	SRVY 76	TIME 1200	DATE 690326	SRVY 77	TIME 1200	DATE 690333	SRVY 78	TIME 1200	DATE 690340	SRVY 79	TIME 1200	DATE 690347	SRVY 80	TIME 1200
0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2	0	7.2
25	3.6	25	0	3.3	25	0	3.3	25	3.3	25	3.3	25	3.4	25	3.9	25	3.4	25	3.9	25	3.4	25	3.6
50	3.0	50	0	3.5	50	0	3.5	50	3.3	50	3.5	50	2.5	50	2.5	50	2.5	50	2.5	50	2.5	50	3.0
100	2.6	100	0	2.8	100	0	2.8	100	2.5	100	2.5	100	2.5	100	2.5	100	2.5	100	2.5	100	2.5	100	2.7
150	2.0	150	0	2.0	150	0	2.0	150	2.7	150	2.7	150	2.5	150	2.5	150	2.5	150	2.5	150	2.5	150	2.9
200	2.0	200	0	2.1	200	0	2.1	200	2.9	200	2.9	200	2.5	200	2.5	200	2.5	200	2.5	200	2.5	200	2.9
250	3.1	250	0	3.2	250	0	3.2	250	2.9	250	2.9	250	2.4	250	2.4	250	2.4	250	2.4	250	2.4	250	3.1
300	3.6	300	0	3.5	300	0	3.5	300	3.1	300	3.1	300	2.4	300	2.4	300	2.4	300	2.4	300	2.4	300	3.6
350	3.1	350	0	3.2	350	0	3.2	350	3.1	350	3.1	350	2.4	350	2.4	350	2.4	350	2.4	350	2.4	350	3.1
400	3.6	400	0	3.6	400	0	3.6	400	2.8	400	2.8	400	2.4	400	2.4	400	2.4	400	2.4	400	2.4	400	3.6
450	3.0	450	0	2.8	450	0	2.8	450	2.8	450	2.8	450	2.4	450	2.4	450	2.4	450	2.4	450	2.4	450	3.0
500	3.7	500	0	2.4	500	0	2.4	500	2.8	500	2.8	500	2.5	500	2.5	500	2.5	500	2.5	500	2.5	500	3.7
550	3.0	550	0	2.3	550	0	2.3	550	2.3	550	2.3	550	2.5	550	2.5	550	2.5	550	2.5	550	2.5	550	3.0
600	3.1	600	0	2.4	600	0	2.4	600	2.4	600	2.4	600	2.4	600	2.4	600	2.4	600	2.4	600	2.4	600	3.1
650	2.0	650	0	2.4	650	0	2.4	650	2.3	650	2.3	650	2.4	650	2.4	650	2.4	650	2.4	650	2.4	650	2.0
700	7.0	700	0	7.0	700	0	7.0	700	2.1	700	2.1	700	2.4	700	2.4	700	2.4	700	2.4	700	2.4	700	7.0
750	7.0	750	0	7.0	750	0	7.0	750	2.2	750	2.2	750	2.4	750	2.4	750	2.4	750	2.4	750	2.4	750	7.0
800	8.0	800	0	8.0	800	0	8.0	800	2.2	800	2.2	800	2.4	800	2.4	800	2.4	800	2.4	800	2.4	800	8.0
850	-1.3	850	0	-1.8	850	0	-1.8	850	2.2	850	2.2	850	2.4	850	2.4	850	2.4	850	2.4	850	2.4	850	-1.3
900	-2.3	900	0	-3.2	900	0	-3.2	900	2.2	900	2.2	900	2.4	900	2.4	900	2.4	900	2.4	900	2.4	900	-2.3

DATE 7101210	DATE 7101113	DATE 7102009	DATE 7103111	DATE 7104112	DATE 7104007	DATE 7103110	DATE 7110008
SRVY 99	SRVY 98	SRVY 99	SRVY 100	SRVY 101	SRVY 102	SRVY 103	SRVY 104
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 7.2	25. 5.0	25. 5.2	25. 4.9	25. 5.0	25. 5.2	25. 5.2	25. 4.9
25. 6.1	50. 5.9	50. 6.0	50. 5.7	50. 5.1	50. 5.2	50. 5.1	50. 5.2
100. 6.0	100. 6.0	100. 6.4	100. 6.0	100. 4.5	100. 4.8	100. 4.3	100. 4.5
150. 7.2	150. 6.2	150. 5.6	150. 5.4	150. 4.1	150. 4.5	150. 3.9	150. 4.0
200. 6.5	200. 4.9	200. 5.2	200. 4.7	200. 5.9	200. 4.1	200. 3.8	200. 3.9
250. 5.0	250. 4.7	250. 4.8	250. 4.2	250. 5.6	250. 3.9	250. 3.7	250. 3.7
300. 5.3	300. 4.3	300. 4.5	300. 4.0	300. 5.6	300. 3.6	300. 3.5	300. 3.5
350. 5.1	350. 4.2	350. 4.2	350. 3.7	350. 5.4	350. 3.7	350. 3.5	350. 3.5
400. 4.9	400. 3.9	400. 3.9	400. 3.5	400. 5.4	400. 3.7	400. 3.5	400. 3.5
450. 4.6	450. 4.2	450. 4.2	450. 3.1	450. 5.4	450. 3.4	450. 3.4	450. 3.4
500. 4.7	500. 4.7	500. 4.7	500. 3.1	500. 5.4	500. 3.4	500. 3.4	500. 3.4
550. 4.6	550. 4.6	550. 4.6	550. 2.9	550. 5.5	550. 3.5	550. 3.5	550. 3.5
600. 4.6	600. 4.1	600. 4.1	600. 2.8	600. 5.5	600. 4.6	600. 4.6	600. 4.6
650. 4.2	650. 3.1	650. 3.1	650. 2.8	650. 5.5	650. 4.6	650. 4.6	650. 4.6
700. 2.9	700. 1.8	700. 1.8	700. 2.0	700. 1.9	700. 2.6	700. 2.6	700. 2.3
750. 1.7	750. 1.3	750. 1.3	750. 1.0	750. 1.6	750. 1.7	750. 1.7	750. 1.7
800. 1.3	800. 1.1	800. 1.1	800. 1.0	800. 1.3	800. 1.1	800. 1.1	800. 1.1
850. 1.5	850. 1.2	850. 1.2	850. 1.0	850. 1.3	850. 1.1	850. 1.1	850. 1.1
900. 1.3	900. 1.2	900. 1.2	900. 1.0	900. 1.3	900. 1.1	900. 1.1	900. 1.1

DATE 7112113	DATE 7201110	DATE 7202114	DATE 7202212	DATE 7203117	DATE 7204110	DATE 7205211	DATE 7102120
SRVY 105	SRVY 106	SRVY 107	SRVY 108	SRVY 109	SRVY 110	SRVY 111	SRVY 112
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1300	TIME 1000
25. 4.7	25. 4.6	25. 5.0	25. 3.7	25. 4.0	25. 4.4	25. 4.4	25. 4.0
50. 5.1	50. 4.8	50. 4.6	50. 4.3	50. 4.4	50. 4.5	50. 4.5	50. 4.1
100. 4.4	100. 4.1	100. 4.2	100. 4.0	100. 4.0	100. 4.2	100. 4.2	100. 3.8
150. 4.1	150. 4.0	150. 4.0	150. 3.9	150. 3.9	150. 3.9	150. 3.8	150. 3.8
200. 4.1	200. 4.0	200. 4.1	200. 3.9	200. 3.9	200. 3.9	200. 3.8	200. 3.8
250. 3.9	250. 3.8	250. 4.1	250. 3.9	250. 3.9	250. 3.9	250. 3.8	250. 3.8
300. 3.6	300. 3.6	300. 4.0	300. 3.9	300. 3.9	300. 3.9	300. 3.8	300. 3.8
350. 3.5	350. 3.5	350. 4.0	350. 3.9	350. 3.9	350. 3.9	350. 3.8	350. 3.8
400. 3.5	400. 3.5	400. 4.1	400. 3.7	400. 3.7	400. 3.7	400. 3.7	400. 3.7
450. 3.7	450. 3.6	450. 4.1	450. 3.7	450. 3.7	450. 3.7	450. 3.7	450. 3.7
500. 3.5	500. 3.7	500. 5.2	500. 3.7	500. 3.7	500. 4.1	500. 3.8	500. 3.8
550. 3.2	550. 4.2	550. 4.8	550. 3.5	550. 3.7	550. 4.8	550. 3.8	550. 3.8
600. 4.5	600. 5.3	600. 4.0	600. 2.2	600. 3.1	576. 5.5	600. 3.2	600. 3.2
650. 4.3	650. 6.1	650. 2.1	650. 1.8	650. 2.3	620. 4.1	650. 3.3	650. 3.3
700. 3.7	700. 1.9	700. 1.6	700. 1.3	700. 1.3	620. 4.1	700. 3.2	700. 3.2
750. 1.7	750. 1.6	750. 1.6	750. 1.7	750. 1.7	700. 1.6	750. 1.6	750. 1.6
800. 1.7	800. 1.6	800. 1.6	800. 1.6	800. 1.6	700. 1.6	800. 1.6	800. 1.6
850. 1.8	850. 1.8	850. 1.8	850. 1.8	850. 1.8	725. 1.8	850. 1.8	850. 1.8

DATE 721208	DATE 730105	DATE 730216	DATE 730316	DATE 730324	DATE 730403	DATE 730518
SRVY 113	SRVY 118	SRVY 113	SRVY 116	SRVY 117	SRVY 118	SRVY 119
TIME 1300	TIME 1000	TIME 1000	TIME 0900	TIME 7000	TIME 1200	TIME 1100
25. 4.3	25. 3.5	25. 3.5	25. 3.7	25. 3.2	25. 3.2	25. 3.5
50. 3.3	50. 3.4	50. 3.5	50. 3.2	50. 3.1	50. 3.1	50. 3.2
100. 3.2	100. 3.4	100. 3.0	100. 2.8	100. 2.5	100. 2.5	100. 2.8
150. 3.2	150. 3.2	150. 3.0	150. 2.8	150. 2.4	150. 2.2	150. 2.4
200. 3.0	200. 3.1	200. 3.0	200. 2.8	200. 2.4	200. 2.2	200. 2.3
250. 3.0	250. 3.1	250. 3.0	250. 2.8	250. 2.3	250. 2.4	250. 2.2
300. 3.0	300. 3.1	300. 3.0	300. 2.8	300. 2.2	300. 2.3	300. 2.3
350. 3.0	350. 3.1	350. 3.0	350. 2.8	350. 2.2	350. 2.5	350. 2.2
400. 3.0	400. 3.4	400. 2.9	400. 3.2	400. 2.3	400. 2.6	400. 2.2
450. 3.0	450. 3.4	450. 2.9	450. 3.4	450. 2.1	450. 2.4	450. 2.2
500. 3.0	500. 3.4	500. 2.9	500. 3.7	500. 1.9	500. 2.3	500. 2.2
550. 3.0	550. 4.4	550. 2.6	550. 3.8	550. 1.3	550. 4.0	550. 2.4
600. 3.4	600. 4.7	600. 2.1	600. 3.3	600. 1.0	600. 4.3	600. 2.9
650. 3.8	650. 4.5	650. 1.7	650. 1.8	650. 1.2	650. 3.9	650. 4.5
700. 4.0	700. 4.8	700. 1.8	700. 1.1	700. 1.1	700. 2.1	700. 1.8
750. 4.0	750. 4.2	750. 1.5	750. 0.8	750. 0.6	750. 0.3	750. 0.5
800. 4.0	800. 4.2	800. 1.2	800. 0.3	800. 0.6	800. 0.3	800. 0.5
850. 4.0	850. 4.3	850. 1.2	850. 0.2	850. 0.6	850. 0.3	850. 0.1
900. 4.0	900. 4.3	900. 1.2	900. 0.2	900. 0.6	900. 0.3	900. 0.1

DATE 621024	DATE 621101	DATE 621109	DATE 621212	DATE 630109	DATE 630116	DATE 630122
SRVY 1	SRVY 2	SRVY 3	SRVY 4	SRVY 5	SRVY 6	SRVY 7
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
60. 7.3	60. 5.1	60. 6.1	71. 3.3	65. 5.9	65. 5.8	65. 5.8
80. 2.3	80. 5.1	111. 3.3	82. 4.0	75. 2.3	75. 3.0	75. 3.0
100. 2.0	100. 1.6	100. 1.2	100. 1.8	100. 1.3	100. 1.7	100. 1.7
120. 2.0	120. 1.6	120. 1.2	120. 1.8	120. 1.3	120. 1.7	120. 1.7
140. 2.0	140. 1.6	140. 1.2	140. 1.8	140. 1.3	140. 1.7	140. 1.7
160. 2.0	160. 1.6	160. 1.2	160. 1.8	160. 1.3	160. 1.7	160. 1.7
180. 2.0	180. 1.6	180. 1.2	180. 1.8	180. 1.3	180. 1.7	180. 1.7
200. 2.0	200. 1.6	200. 1.2	200. 1.8	200. 1.3	200. 1.7	200. 1.7
220. 2.0	220. 1.6	220. 1.2	220. 1.8	220. 1.3	220. 1.7	220. 1.7
240. 2.0	240. 1.6	240. 1.2	240. 1.8	240. 1.3	240. 1.7	240. 1.7
260. 2.0	260. 1.6	260. 1.2	260. 1.8	260. 1.3	260. 1.7	260. 1.7
280. 2.0	280. 1.6	280. 1.2	280. 1.8	280. 1.3	280. 1.7	280. 1.7
300. 2.0	300. 1.6	300. 1.2	300. 1.8	300. 1.3	300. 1.7	300. 1.7
320. 2.0	320. 1.6	320. 1.2	320. 1.8	320. 1.3	320. 1.7	320. 1.7
340. 2.0	340. 1.6	340. 1.2	340. 1.8	340. 1.3	340. 1.7	340. 1.7
360. 2.0	360. 1.6	360. 1.2	360. 1.8	360. 1.3	360. 1.7	360. 1.7
380. 2.0	380. 1.6	380. 1.2	380. 1.8	380. 1.3	380. 1.7	380. 1.7
400. 2.0	400. 1.6	400. 1.2	400. 1.8	400. 1.3	400. 1.7	400. 1.7
420. 2.0	420. 1.6	420. 1.2	420. 1.8	420. 1.3	420. 1.7	420. 1.7
440. 2.0	440. 1.6	440. 1.2	440. 1.8	440. 1.3	440. 1.7	440. 1.7
460. 2.0	460. 1.6	460. 1.2	460. 1.8	460. 1.3	460. 1.7	460. 1.7
480. 2.0	480. 1.6	480. 1.2	480. 1.8	480. 1.3	480. 1.7	480. 1.7
500. 2.0	500. 1.6	500. 1.2	500. 1.8	500. 1.3	500. 1.7	500. 1.7
520. 2.0	520. 1.6	520. 1.2	520. 1.8	520. 1.3	520. 1.7	520. 1.7
540. 2.0	540. 1.6	540. 1.2	540. 1.8	540. 1.3	540. 1.7	540. 1.7
560. 2.0	560. 1.6	560. 1.2	560. 1.8	560. 1.3	560. 1.7	560. 1.7
580. 2.0	580. 1.6	580. 1.2	580. 1.8	580. 1.3	580. 1.7	580. 1.7
600. 2.0	600. 1.6	600. 1.2	600. 1.8	600. 1.3	600. 1.7	600. 1.7
620. 2.0	620. 1.6	620. 1.2	620. 1.8	620. 1.3	620. 1.7	620. 1.7
640. 2.0	640. 1.6	640. 1.2	640. 1.8	640. 1.3	640. 1.7	640. 1.7
660. 2.0	660. 1.6	660. 1.2	660. 1.8	660. 1.3	660. 1.7	660. 1.7
680. 2.0	680. 1.6	680. 1.2	680. 1.8	680. 1.3	680. 1.7	680. 1.7
700. 2.0	700. 1.6	700. 1.2	700. 1.8	700. 1.3	700. 1.7	700. 1.7
720. 2.0	720. 1.6	720. 1.2	720. 1.8	720. 1.3	720. 1.7	720. 1.7
740. 2.0	740. 1.6	740. 1.2	740. 1.8	740. 1.3	740. 1.7	740. 1.7
760. 2.0	760. 1.6	760. 1.2	760. 1.8	760. 1.3	760. 1.7	760. 1.7
780. 2.0	780. 1.6	780. 1.2	780. 1.8	780. 1.3	780. 1.7	780. 1.7
800. 2.0	800. 1.6	800. 1.2	800. 1.8	800. 1.3	800. 1.7	800. 1.7
820. 2.0	820. 1.6	820. 1.2	820. 1.8	820. 1.3	820. 1.7	820. 1.7
840. 2.0	840. 1.6	840. 1.2	840. 1.8	840. 1.3	840. 1.7	840. 1.7
860. 2.0	860. 1.6	860. 1.2	860. 1.8	860. 1.3	860. 1.7	860. 1.7
880. 2.0	880. 1.6	880. 1.2	880. 1.8	880. 1.3	880. 1.7	880. 1.7
900. 2.0	900. 1.6	900. 1.2	900. 1.8	900. 1.3	900. 1.7	900. 1.7

[illegible][illegible]

DATE 650008 SRVY 49 TIME 1200 -----	DATE 651020 SRVY 52 TIME 1200 -----	DATE 651220 SRVY 51 TIME 1200 -----	DATE 660124 SRVY 53 TIME 1200 -----	DATE 660320 SRVY 53 TIME 1200 -----	DATE 660826 SRVY 54 TIME 1200 -----	DATE 661103 SRVY 55 TIME 1200 -----	DATE 670118 SRVY 56 TIME 1200 -----
62. 7.5 61. 7.4 116. 7.2 139. 4.5 139. 5.4 139. 2.7 150. 5.2 151. 6.9 141. 7.2 101. 7.0 175. 3.3 174. 3.5 169. 6.1 150. 4.8 151. 6.7 151. 5.9 152. 6.0 225. 2.5 200. 2.4 167. 6.7 200. 1.9 176. 7.0 176. 3.8 176. 4.4 250. 2.5 225. 2.4 225. 2.5 280. 2.3 202. 4.5 226. 1.0 201. 3.5 286. 2.5 276. 2.7 250. 2.3 276. 2.6 227. 2.0 302. 2.6 227. 1.8 300. 2.3 276. 2.7 276. 2.6 252. 2.4 324. 2.0 252. 2.8 385. 2.3 300. 2.0 300. 2.0 325. 2.8 277. 2.4 338. 2.4 277. 2.3 385. 2.3 350. 2.0 350. 2.0 277. 2.9 378. 2.9 302. 2.6 353. 2.6 378. 2.6 378. 2.6 377. 2.9 377. 2.9 378. 2.6 403. 2.6 403. 2.6							
DATE 670503 SRVY 49 TIME 1200 -----	DATE 670919 SRVY 50 TIME 1200 -----	DATE 670919 SRVY 51 TIME 1200 -----	DATE 671213 SRVY 52 TIME 1200 -----	DATE 680118 SRVY 53 TIME 1200 -----	DATE 680184 SRVY 54 TIME 1200 -----	DATE 680130 SRVY 55 TIME 1200 -----	DATE 680208 SRVY 56 TIME 1200 -----
139. 4.6 140. 5.8 196. 3.2 196. 4.3 139. 2.9 140. 3.9 140. 3.4 174. 2.7 152. 7.0 204. 2.5 175. 2.1 151. 2.6 150. 2.7 139. 4.0 225. 2.3 150. 7.0 204. 2.5 200. 1.1 181. 2.6 175. 3.4 150. 1.2 250. 2.9 200. 4.4 300. 2.5 225. 1.4 250. 2.0 200. 1.9 200. 1.2 300. 2.2 225. 2.2 350. 2.5 300. 2.1 300. 2.1 225. 2.4 275. 2.2 351. 2.9 351. 2.9 351. 2.9 351. 2.9 351. 2.9 351. 2.9 351. 2.9 376. 2.9 376. 2.9 376. 2.9 376. 2.9 376. 2.9 376. 2.9 376. 2.9							
DATE 680215 SRVY 57 TIME 1200 -----	DATE 680221 SRVY 58 TIME 1200 -----	DATE 680226 SRVY 59 TIME 1200 -----	DATE 680307 SRVY 60 TIME 1200 -----	DATE 680313 SRVY 61 TIME 1200 -----	DATE 680322 SRVY 62 TIME 1200 -----	DATE 681007 SRVY 63 TIME 1200 -----	DATE 681025 SRVY 64 TIME 1200 -----
139. 4.3 140. 4.7 150. 5.3 150. 5.3 140. 3.9 140. 3.9 140. 3.9 151. 3.8 150. 3.4 150. 4.2 150. 3.5 150. 3.5 150. 3.5 150. 3.5 200. 2.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 231. 0.0 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 301. 0.1 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 380. 0.1 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 400. 0.1 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5 150. 3.5							

DATE 061115	DATE 061220	DATE 060113	DATE 060122	DATE 060205	DATE 060212	DATE 060219
SRVY 85	SRVY 86	SRVY 87	SRVY 88	SRVY 70	SRVY 71	SRVY 72
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
----	----	----	----	----	----	----
140. 3.9	140. 5.1	140. 4.3	140. 2.1	140. 2.6	140. 2.9	140. 2.3
150. 3.6	150. 4.7	150. 3.7	150. 1.7	150. 2.0	150. 2.2	150. 1.8
175. 2.5	175. 3.5	175. 2.5	175. .9	175. .9	175. .7	175. 1.0
200. 1.6	200. 2.0	200. 1.0	200. -.2	200. .3	200. .2	200. .2
225. 1.6	225. .9	225. .6	225. -.8	230. .1	230. .7	230. .6
250. 0.0	250. .4	250. -.6	250. -.1	250. -.2	250. -.2	250. .1
275. -.2	275. -.7	280. -.2	280. -.1	300. -.3	300. -.3	295. -.1
300. -.1	300. -.3	350. -.8	275. -.6	300. -.3	300. -.3	300. -.1
325. -.2	325. -.3	350. -.8	275. -.6	300. -.3	300. -.3	300. -.1
350. -.3	350. -.3	350. -.8	325. -.6	400. -.4	300. -.3	325. -.2

DATE 060226	DATE 060304	DATE 060312	DATE 060319	DATE 060327	DATE 060333	DATE 060320
SRVY 73	SRVY 74	SRVY 75	SRVY 76	SRVY 77	SRVY 78	SRVY 80
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
----	----	----	----	----	----	----
140. 2.3	140. 1.4	140. 1.6	140. 2.4	140. 3.8	140. 9.9	140. 4.7
150. 1.4	150. 1.4	150. .9	150. 2.0	150. 3.1	150. 4.8	150. 3.6
175. .4	175. .7	175. .2	175. 1.1	200. .1	200. 1.9	175. 1.7
200. .8	200. .2	200. .2	200. .3	250. .2	230. .7	200. 1.8
225. -.1	225. -.2	225. .4	250. .5	300. .2	300. .2	225. .6
250. -.1	250. -.3	250. .1	300. .2	350. .2	300. .2	250. .0
275. -.1	275. -.3	275. .1	350. .5	350. .2	350. .2	275. .1
300. -.1	300. -.3	325. -.2	350. .5	350. .2	400. .2	300. .2
325. -.1	325. -.3	350. -.2	350. .5	350. .2	400. .2	325. -.1
350. -.1	350. -.3	350. -.2	350. .5	350. .2	400. .2	350. .2

DATE 061216	DATE 700114	DATE 700211	DATE 700204	DATE 700218	DATE 700225
SRVY 81	SRVY 82	SRVY 83	SRVY 84	SRVY 85	SRVY 86
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
----	----	----	----	----	----
140. 3.3	140. 3.2	140. 3.8	140. 3.9	140. 2.4	140. 3.3
150. 2.9	150. 2.9	150. 3.4	150. 1.1	150. 1.9	150. 2.9
200. .9	200. 1.1	200. 1.1	175. 1.8	200. .7	175. 1.7
250. -.2	250. -.6	250. .0	250. .9	250. .1	200. .9
300. -1.3	300. -.1	300. -1.9	250. .7	300. .1	225. .1
350. -.2	350. -.6	350. -.8	300. -.2	340. .2	250. .1
375. -.3	400. -.6	350. -.8	350. -.2	350. .2	275. .6
					300. .2
					350. .2

DATE 701314 SRVY 49 TIME 1200 -----	DATE 700318 SRVY 01 TIME 1200 -----	DATE 700518 SRVY 92 TIME 1200 -----	DATE 700826 SRVY 43 TIME 1200 -----	DATE 701015 SRVY 94 TIME 1200 -----	DATE 701106 SRVY 95 TIME 1200 -----	DATE 701200 SRVY 96 TIME 1200 -----
140. 4.3 150. 3.8 200. 1.3 250. 1.9 300. 1.9 350. 1.8 400. 1.8	140. 4.3 150. 3.5 200. 1.9 250. 1.9 300. 1.9 350. 1.9 400. 1.9	140. 5.1 150. 4.3 200. 0.0 250. 7.8 300. 6.1 350. 9.2 400. 9.2 450. 3.3 500. 1.0 550. 0.0 600. 1.2 650. 1.2 700. 1.2 750. 1.2 800. 1.2	140. 7.3 150. 7.0 200. 0.0 250. 7.8 300. 6.1 350. 9.2 400. 9.2 450. 3.3 500. 1.0 550. 0.0 600. 1.2 650. 1.2 700. 1.2 750. 1.2 800. 1.2	140. 7.4 150. 6.6 200. 7.9 250. 7.8 300. 8.3 350. 9.3 400. 6.2 450. 3.8 500. 0.0 550. 1.2 600. 1.2 650. 1.2 700. 1.2 750. 1.2 800. 1.2	140. 7.9 150. 6.1 200. 0.4 250. 6.2 300. 8.9 350. 9.9 400. 6.4 450. 3.8 500. 0.0 550. 1.2 600. 1.2 650. 1.2 700. 1.2 750. 1.2 800. 1.2	140. 7.8 150. 6.2 200. 0.3 250. 5.7 300. 2.7 350. 0.6 400. 0.6 450. 0.6 500. 0.6 550. 0.6 600. 0.6 650. 0.6 700. 0.6 750. 0.6 800. 0.6
DATE 701216 SRVY 07 TIME 1200 -----	DATE 710809 SRVY 99 TIME 1200 -----	DATE 710311 SRVY 100 TIME 1200 -----	DATE 710412 SRVY 101 TIME 1200 -----	DATE 710807 SRVY 102 TIME 1200 -----	DATE 710816 SRVY 103 TIME 1200 -----	DATE 711008 SRVY 104 TIME 1200 -----
140. 0.3 150. 0.4 175. 6.3 200. 6.2 250. 3.6 300. 1.5 350. 0.3 375. 0.6	140. 8.5 150. 8.4 161. 7.8 162. 7.2 200. 4.2 250. 1.5 300. 0.1 350. 0.1 375. 0.1	140. 6.5 150. 6.1 200. 0.9 250. 1.9 300. 1.7 350. 1.7 400. 1.7 450. 1.7 500. 1.7 550. 1.7 600. 1.7 650. 1.7 700. 1.7 750. 1.7 800. 1.7	140. 5.8 150. 5.3 200. 3.7 250. 3.9 300. 3.9 350. 3.9 400. 3.9 450. 3.9 500. 3.9 550. 3.9 600. 3.9 650. 3.9 700. 3.9 750. 3.9 800. 3.9	140. 6.1 150. 6.4 172. 5.0 200. 5.8 250. 3.8 300. 3.9 350. 3.9 400. 3.9 450. 3.9 500. 3.9 550. 3.9 600. 3.9 650. 3.9 700. 3.9 750. 3.9 800. 3.9	140. 6.7 150. 6.1 172. 5.0 200. 5.8 250. 3.8 300. 3.9 350. 3.9 400. 3.9 450. 3.9 500. 3.9 550. 3.9 600. 3.9 650. 3.9 700. 3.9 750. 3.9 800. 3.9	140. 8.1 150. 7.2 172. 5.0 200. 5.8 250. 3.8 300. 3.9 350. 3.9 400. 3.9 450. 3.9 500. 3.9 550. 3.9 600. 3.9 650. 3.9 700. 3.9 750. 3.9 800. 3.9
DATE 711213 SRVY 145 TIME 1200 -----	DATE 720814 SRVY 107 TIME 1200 -----	DATE 720222 SRVY 108 TIME 1200 -----	DATE 720317 SRVY 109 TIME 1200 -----	DATE 720410 SRVY 110 TIME 1200 -----	DATE 720821 SRVY 111 TIME 1300 -----	DATE 721020 SRVY 112 TIME 1300 -----
140. 8.2 150. 6.2 164. 7.5 200. 3.2 250. 0.0 300. 0.0 350. 0.0 400. 0.0 450. 0.0 500. 0.0 550. 0.0 600. 0.0 650. 0.0 700. 0.0 750. 0.0 800. 0.0	140. 4.0 150. 3.6 161. 3.6 200. 1.6 250. 1.6 300. 1.6 350. 1.6 400. 1.6 450. 1.6 500. 1.6 550. 1.6 600. 1.6 650. 1.6 700. 1.6 750. 1.6 800. 1.6	140. 3.3 150. 3.3 200. 1.1 250. 1.1 300. 1.1 350. 1.1 400. 1.1 450. 1.1 500. 1.1 550. 1.1 600. 1.1 650. 1.1 700. 1.1 750. 1.1 800. 1.1	140. 4.5 150. 3.9 200. 1.6 250. 1.6 300. 1.6 350. 1.6 400. 1.6 450. 1.6 500. 1.6 550. 1.6 600. 1.6 650. 1.6 700. 1.6 750. 1.6 800. 1.6	140. 5.0 150. 5.1 174. 4.8 200. 1.9 250. 1.9 300. 1.9 350. 1.9 400. 1.9 450. 1.9 500. 1.9 550. 1.9 600. 1.9 650. 1.9 700. 1.9 750. 1.9 800. 1.9	140. 7.1 150. 7.1 161. 7.4 172. 6.1 179. 5.8 200. 4.3 225. 1.2 250. 1.2 300. 1.2 350. 1.2 400. 1.2 450. 1.2 500. 1.2 550. 1.2 600. 1.2 650. 1.2 700. 1.2 750. 1.2 800. 1.2	140. 5.1 150. 4.6 161. 3.1 172. 1.7 179. 0.9 200. 0.9 225. 0.9 250. 0.9 300. 0.9 350. 0.9 400. 0.9 450. 0.9 500. 0.9 550. 0.9 600. 0.9 650. 0.9 700. 0.9 750. 0.9 800. 0.9

DATE 630205	DATE 630213	DATE 630221	DATE 630227	DATE 630307	DATE 630313	DATE 630321	DATE 630402
SRVY 9	SRVY 10	SRVY 11	SRVY 12	SRVY 13	SRVY 14	SRVY 15	SRVY 16
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 9.6	-1. 6.4	9.6	-1. 9.6	123. 6.7	9.6	73. 0.4	150. 6.1
26. 9.0	73. 4.8	0.8	28. 4.9	151. 6.0	23. 0.9	100. 7.3	173. 5.3
46. 8.6	99. 7.8	5.3	48. 4.6	176. 5.2	50. 0.5	150. 6.0	223. 3.0
73. 8.3	126. 6.9	100. 7.3	72. 4.3	200. 4.8	74. 0.4	171. 5.3	251. 1.7
100. 7.3	150. 6.0	150. 6.1	123. 4.8	227. 3.7	100. 7.5	200. 4.3	301. 0.3
126. 6.4	161. 5.0	176. 5.0	150. 6.1	250. 2.5	150. 6.2	230. 2.2	323. 0.8
177. 6.0	200. 4.9	202. 4.2	173. 4.1	273. 1.4	176. 5.5	301. 0.2	350. 0.0
177. 3.5	230. 3.0	227. 3.7	201. 4.2	301. 0.0	200. 2.9	323. 0.2	376. 0.0
221. 3.2	241. 2.8	259. 1.9	227. 4.1	351. 0.0	31. 0.0	351. 0.0	
251. 2.7	271. 1.9	271. 1.9	251. 0.0	376. 0.0	376. 0.0		
271. 1.7	301. 0.0	301. 0.0	301. 0.0				
301. 1.0	326. 0.4	326. 0.4	326. 0.0				
326. 0.2	350. 0.0	350. 0.0	350. 0.0				
351. 0.2	375. 0.7	375. 0.7	375. 0.0				
376. 0.7	400. 0.0	400. 0.0	400. 0.0				
400. 0.0							

DATE 630523	DATE 630611	DATE 630626	DATE 630712	DATE 630724	DATE 630807	DATE 630823	DATE 630908
SRVY 10	SRVY 10	SRVY 10	SRVY 20	SRVY 21	SRVY 22	SRVY 23	SRVY 24
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 10.0	0. 10.1	158. 10.4	0. 10.1	-1. 10.1	0. 10.0	126. 10.1	223. 10.0
48. 9.0	50. 9.9	200. 9.8	4.9	25. 9.9	23. 0.9	150. 10.4	255. 10.3
100. 9.3	100. 9.4	250. 10.2	100. 9.6	70. 9.9	51. 0.9	178. 10.4	300. 9.0
130. 10.4	149. 10.5	275. 9.6	150. 10.6	99. 9.5	100. 9.4	199. 9.9	328. 7.4
200. 9.9	200. 9.9	335. 7.9	173. 10.3	149. 10.3	133. 10.3	227. 10.0	350. 4.8
251. 10.3	250. 10.2	335. 5.2	200. 9.6	176. 10.3	150. 10.5	250. 10.1	373. 2.0
300. 8.3	273. 9.8	330. 3.6	250. 10.1	200. 9.8	200. 9.8	276. 9.3	401. 2.2
340. 6.0	330. 7.6	374. 1.9	250. 9.4	250. 10.3	250. 10.1	300. 8.7	
374. 4.3	352. 3.4	489. 0.0	310. 7.6	300. 8.6	276. 9.5	323. 7.1	
375. 1.0	375. 2.1	-1.0	328. 5.3	323. 7.0	301. 6.7	350. 5.0	
400. 0.9	427. 0.7		349. 2.4	349. 4.5	323. 6.9	377. 3.7	
431. 0.7	474. 0.7		373. 2.8	373. 2.8	350. 2.7	400. 1.2	
500. 0.0	500. 0.0		400. 1.0	400. 1.0	351. 2.5	423. 1.6	
			430. 0.0	430. 0.0	376. 1.6	450. 0.0	
			461. 0.0	461. 0.0	391. 0.2	481. 0.0	
			491. 0.0	491. 0.0	397. 0.0	501. 0.0	

DATE 630225	DATE 631028	DATE 631114	DATE 631231	DATE 640117	DATE 640214	DATE 640312
SHVY 25	SHVY 27	SHVY 28	SHVY 29	SHVY 30	SHVY 31	SHVY 32
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----
74. 9.2	175. 9.9	01. 9.9	01. 9.9	0. 10.0	50. 8.8	0. 9.9
101. 9.7	201. 9.8	25. 9.9	74. 9.8	50. 8.8	101. 9.4	50. 8.9
125. 10.5	227. 10.0	50. 9.0	50. 9.0	101. 9.5	151. 10.2	100. 9.4
175. 9.8	252. 9.9	74. 9.3	74. 9.9	151. 10.4	201. 9.7	151. 10.5
201. 9.8	276. 9.2	125. 10.3	100. 9.3	201. 9.5	252. 10.0	201. 9.5
227. 10.0	297. 4.3	151. 10.2	102. 9.3	252. 9.4	281. 9.8	251. 10.0
252. 9.5	324. 2.3	176. 9.7	177. 10.0	277. 8.1	302. 9.4	281. 9.0
277. 9.9	354. 2.3	201. 9.9	201. 9.3	277. 8.1	332. 9.9	302. 9.0
302. 9.3	384. 2.3	226. 9.9	237. 9.8	301. 9.8	362. 1.2	326. 2.1
326. 9.4	404. 2.3	251. 9.7	252. 9.9	332. 9.2	377. 1.9	377. 2.0
351. 9.4	424. 2.3	277. 9.9	276. 9.7	353. 9.2	392. 1.9	392. 1.9
377. 9.4	444. 2.3	302. 9.4	301. 9.9	377. 9.2	402. 1.9	402. 1.9
402. 9.4	464. 2.3	326. 9.4	327. 9.8	392. 9.2	412. 1.9	412. 1.9
424. 9.4	484. 2.3	351. 9.4	352. 9.8	412. 9.2	422. 1.9	422. 1.9
444. 9.4	504. 2.3	377. 9.4	378. 9.8	432. 9.2	432. 1.9	432. 1.9
464. 9.4	524. 2.3	402. 9.4	403. 9.8	452. 9.2	442. 1.9	442. 1.9
484. 9.4	544. 2.3	424. 9.4	427. 9.8	472. 9.2	452. 1.9	452. 1.9
504. 9.4	564. 2.3	444. 9.4	449. 9.4	492. 9.2	462. 1.9	462. 1.9
524. 9.4	584. 2.3	464. 9.4	479. 9.4	512. 9.2	472. 1.9	472. 1.9
544. 9.4	604. 2.3	484. 9.4	499. 9.4	532. 9.2	482. 1.9	482. 1.9
564. 9.4	624. 2.3	504. 9.4	519. 9.4	552. 9.2	492. 1.9	492. 1.9
584. 9.4	644. 2.3	524. 9.4	539. 9.4	572. 9.2	502. 1.9	502. 1.9
604. 9.4	664. 2.3	544. 9.4	559. 9.4	592. 9.2	512. 1.9	512. 1.9
624. 9.4	684. 2.3	564. 9.4	579. 9.4	612. 9.2	522. 1.9	522. 1.9
644. 9.4	704. 2.3	584. 9.4	599. 9.4	632. 9.2	532. 1.9	532. 1.9
664. 9.4	724. 2.3	604. 9.4	619. 9.4	652. 9.2	542. 1.9	542. 1.9
684. 9.4	744. 2.3	624. 9.4	639. 9.4	672. 9.2	552. 1.9	552. 1.9
704. 9.4	764. 2.3	644. 9.4	659. 9.4	692. 9.2	562. 1.9	562. 1.9
724. 9.4	784. 2.3	664. 9.4	679. 9.4	712. 9.2	572. 1.9	572. 1.9
744. 9.4	804. 2.3	684. 9.4	699. 9.4	732. 9.2	582. 1.9	582. 1.9
764. 9.4	824. 2.3	704. 9.4	719. 9.4	752. 9.2	592. 1.9	592. 1.9
784. 9.4	844. 2.3	724. 9.4	739. 9.4	772. 9.2	602. 1.9	602. 1.9
804. 9.4	864. 2.3	744. 9.4	759. 9.4	792. 9.2	612. 1.9	612. 1.9
824. 9.4	884. 2.3	764. 9.4	779. 9.4	812. 9.2	622. 1.9	622. 1.9
844. 9.4	904. 2.3	784. 9.4	799. 9.4	832. 9.2	632. 1.9	632. 1.9
864. 9.4	924. 2.3	804. 9.4	819. 9.4	852. 9.2	642. 1.9	642. 1.9
884. 9.4	944. 2.3	824. 9.4	839. 9.4	872. 9.2	652. 1.9	652. 1.9
904. 9.4	964. 2.3	844. 9.4	859. 9.4	892. 9.2	662. 1.9	662. 1.9
924. 9.4	984. 2.3	864. 9.4	879. 9.4	912. 9.2	672. 1.9	672. 1.9
944. 9.4	1004. 2.3	884. 9.4	899. 9.4	932. 9.2	682. 1.9	682. 1.9
964. 9.4	1024. 2.3	904. 9.4	919. 9.4	952. 9.2	692. 1.9	692. 1.9
984. 9.4	1044. 2.3	924. 9.4	939. 9.4	972. 9.2	702. 1.9	702. 1.9
1004. 9.4	1064. 2.3	944. 9.4	959. 9.4	992. 9.2	712. 1.9	712. 1.9
1024. 9.4	1084. 2.3	964. 9.4	979. 9.4	1012. 9.2	722. 1.9	722. 1.9
1044. 9.4	1104. 2.3	984. 9.4	999. 9.4	1032. 9.2	732. 1.9	732. 1.9
1064. 9.4	1124. 2.3	1004. 9.4	1019. 9.4	1052. 9.2	742. 1.9	742. 1.9
1084. 9.4	1144. 2.3	1024. 9.4	1039. 9.4	1072. 9.2	752. 1.9	752. 1.9
1104. 9.4	1164. 2.3	1044. 9.4	1059. 9.4	1092. 9.2	762. 1.9	762. 1.9
1124. 9.4	1184. 2.3	1064. 9.4	1079. 9.4	1112. 9.2	772. 1.9	772. 1.9
1144. 9.4	1204. 2.3	1084. 9.4	1099. 9.4	1132. 9.2	782. 1.9	782. 1.9
1164. 9.4	1224. 2.3	1104. 9.4	1119. 9.4	1152. 9.2	792. 1.9	792. 1.9
1184. 9.4	1244. 2.3	1124. 9.4	1139. 9.4	1172. 9.2	802. 1.9	802. 1.9
1204. 9.4	1264. 2.3	1144. 9.4	1159. 9.4	1192. 9.2	812. 1.9	812. 1.9
1224. 9.4	1284. 2.3	1164. 9.4	1179. 9.4	1212. 9.2	822. 1.9	822. 1.9
1244. 9.4	1304. 2.3	1184. 9.4	1199. 9.4	1232. 9.2	832. 1.9	832. 1.9
1264. 9.4	1324. 2.3	1204. 9.4	1219. 9.4	1252. 9.2	842. 1.9	842. 1.9
1284. 9.4	1344. 2.3	1224. 9.4	1239. 9.4	1272. 9.2	852. 1.9	852. 1.9
1304. 9.4	1364. 2.3	1244. 9.4	1259. 9.4	1292. 9.2	862. 1.9	862. 1.9
1324. 9.4	1384. 2.3	1264. 9.4	1279. 9.4	1312. 9.2	872. 1.9	872. 1.9
1344. 9.4	1404. 2.3	1284. 9.4	1299. 9.4	1332. 9.2	882. 1.9	882. 1.9
1364. 9.4	1424. 2.3	1304. 9.4	1319. 9.4	1352. 9.2	892. 1.9	892. 1.9
1384. 9.4	1444. 2.3	1324. 9.4	1339. 9.4	1372. 9.2	902. 1.9	902. 1.9
1404. 9.4	1464. 2.3	1344. 9.4	1359. 9.4	1392. 9.2	912. 1.9	912. 1.9
1424. 9.4	1484. 2.3	1364. 9.4	1379. 9.4	1412. 9.2	922. 1.9	922. 1.9
1444. 9.4	1504. 2.3	1384. 9.4	1399. 9.4	1432. 9.2	932. 1.9	932. 1.9
1464. 9.4	1524. 2.3	1404. 9.4	1419. 9.4	1452. 9.2	942. 1.9	942. 1.9
1484. 9.4	1544. 2.3	1424. 9.4	1439. 9.4	1472. 9.2	952. 1.9	952. 1.9
1504. 9.4	1564. 2.3	1444. 9.4	1459. 9.4	1492. 9.2	962. 1.9	962. 1.9
1524. 9.4	1584. 2.3	1464. 9.4	1479. 9.4	1512. 9.2	972. 1.9	972. 1.9
1544. 9.4	1604. 2.3	1484. 9.4	1499. 9.4	1532. 9.2	982. 1.9	982. 1.9
1564. 9.4	1624. 2.3	1504. 9.4	1519. 9.4	1552. 9.2	992. 1.9	992. 1.9
1584. 9.4	1644. 2.3	1524. 9.4	1539. 9.4	1572. 9.2	1002. 1.9	1002. 1.9
1604. 9.4	1664. 2.3	1544. 9.4	1559. 9.4	1592. 9.2	1012. 1.9	1012. 1.9
1624. 9.4	1684. 2.3	1564. 9.4	1579. 9.4	1612. 9.2	1022. 1.9	1022. 1.9
1644. 9.4	1704. 2.3	1584. 9.4	1599. 9.4	1632. 9.2	1032. 1.9	1032. 1.9
1664. 9.4	1724. 2.3	1604. 9.4	1619. 9.4	1652. 9.2	1042. 1.9	1042. 1.9
1684. 9.4	1744. 2.3	1624. 9.4	1639. 9.4	1672. 9.2	1052. 1.9	1052. 1.9
1704. 9.4	1764. 2.3	1644. 9.4	1659. 9.4	1692. 9.2	1062. 1.9	1062. 1.9
1724. 9.4	1784. 2.3	1664. 9.4	1679. 9.4	1712. 9.2	1072. 1.9	1072. 1.9
1744. 9.4	1804. 2.3	1684. 9.4	1699. 9.4	1732. 9.2	1082. 1.9	1082. 1.9
1764. 9.4	1824. 2.3	1704. 9.4	1719. 9.4	1752. 9.2	1092. 1.9	1092. 1.9
1784. 9.4	1844. 2.3	1724. 9.4	1739. 9.4	1772. 9.2	1102. 1.9	1102. 1.9
1804. 9.4	1864. 2.3	1744. 9.4	1759. 9.4	1792. 9.2	1112. 1.9	1112. 1.9
1824. 9.4	1884. 2.3	1764. 9.4	1779. 9.4	1812. 9.2	1122. 1.9	1122. 1.9
1844. 9.4	1904. 2.3	1784. 9.4	1799. 9.4	1832. 9.2	1132. 1.9	1132. 1.9
1864. 9.4	1924. 2.3	1804. 9.4	1819. 9.4	1852. 9.2	1142. 1.9	1142. 1.9
1884. 9.4	1944. 2.3	1824. 9.4	1839. 9.4	1872. 9.2	1152. 1.9	1152. 1.9
1904. 9.4	1964. 2.3	1844. 9.4	1859. 9.4	1892. 9.2	1162. 1.9	1162. 1.9
1924. 9.4	1984. 2.3	1864. 9.4	1879. 9.4	1912. 9.2	1172. 1.9	1172. 1.9
1944. 9.4	2004. 2.3	1884. 9.4	1899. 9.4	1932. 9.2	1182. 1.9	1182. 1.9
1964. 9.4	2024. 2.3	1904. 9.4	1919. 9.4	1952. 9.2	1192. 1.9	1192. 1.9
1984. 9.4	2044. 2.3	1924. 9.4	1939. 9.4	1972. 9.2	1202. 1.9	1202. 1.9
2004. 9.4	2064. 2.3	1944. 9.4	1959. 9.4	1992. 9.2	1212. 1.9	1212. 1.9
2024. 9.4	2084. 2.3	1964. 9.4	1979. 9.4	2012. 9.2	1222. 1.9	1222. 1.9
2044. 9.4	2104. 2.3	1984. 9.4	1999. 9.4	2032. 9.2	1232. 1.9	1232. 1.9
2064. 9.4	2124. 2.3	2004. 9.4	2019. 9.4	2052. 9.2	1242. 1.9	1242. 1.9
2084. 9.4	2144. 2.3	2024. 9.4	2039. 9.4	2072. 9.2	1252. 1.9	1252. 1.9
2104. 9.4	2164. 2.3	2044. 9.4	2059. 9.4	2092. 9.2	1262. 1.9	1262. 1.9
2124. 9.4	2184. 2.3	2064. 9.4	2079. 9.4	2112. 9.2	1272. 1.9	1272. 1.9
2144. 9.4	2204. 2.3	2084. 9.4	2099. 9.4	2132. 9.2	1282. 1.9	1282. 1.9
2164. 9.4	2224. 2.3	2104. 9.4	2119. 9.4	2152. 9.2	1292. 1.9	1292. 1.9
2184. 9.4	2244. 2.3	2124. 9.4	2139. 9.4	2172. 9.2	1302. 1.9	1302. 1.9
2204. 9.4	2264. 2.3	2144. 9.4	2159. 9.4	2192. 9.2	1312. 1.9	1312. 1.9
2224. 9.4	2284. 2.3	2164. 9.4	2179. 9.4	2212. 9.2	1322. 1.9	1322. 1.9
2244. 9.4	2304. 2.3	2184. 9.4	2199. 9.4	2232. 9.2	1332. 1.9	1332. 1.9
2264. 9.4	2324. 2.3	2204. 9.4	2219. 9.4	2252. 9.2	1342. 1.9	1342. 1.9
2284. 9.4	2344. 2.3	2224. 9.4	2239. 9.4	2272. 9.2	1352. 1.9	1352. 1.9
2304. 9.4	2364. 2.3	2244. 9.4	2259. 9.4	2292. 9.2	1362. 1.9	1362. 1.9
2324. 9.4	2384. 2.3	2264. 9.4	2279. 9.4	2312. 9.2	1372. 1.9	1372. 1.9
2344. 9.4	2404. 2.3	2284. 9.4	2299. 9.4	2332. 9.2	1382. 1.9	1382. 1.9
2364. 9.4	2424. 2.3	2304. 9.4				

DATE 650908	DATE 651026	DATE 660124	DATE 660326	DATE 660426	DATE 661103	DATE 670118
SRVY 51	SRVY 42	SRVY 43	SRVY 46	SRVY 46	SRVY 47	SRVY 48
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
50. 8.9	0. 10.1	0. 10.1	0. 10.2	0. 10.3	0. 10.4	0. 10.3
100. 7.6	50. 9.1	50. 9.1	50. 8.7	100. 10.3	50. 9.6	51. 9.9
150. 10.2	150. 10.1	150. 10.1	150. 10.3	150. 10.3	150. 10.3	150. 9.7
200. 10.1	200. 10.1	200. 10.1	200. 10.3	200. 10.3	200. 10.3	200. 10.3
250. 10.1	250. 10.1	250. 10.1	250. 10.3	250. 10.3	250. 10.3	250. 10.3
300. 10.1	300. 10.1	300. 10.1	300. 10.3	300. 10.3	300. 10.3	300. 10.3
350. 10.1	350. 10.1	350. 10.1	350. 10.3	350. 10.3	350. 10.3	350. 10.3
400. 10.1	400. 10.1	400. 10.1	400. 10.3	400. 10.3	400. 10.3	400. 10.3
450. 10.1	450. 10.1	450. 10.1	450. 10.3	450. 10.3	450. 10.3	450. 10.3
500. 10.1	500. 10.1	500. 10.1	500. 10.3	500. 10.3	500. 10.3	500. 10.3
550. 10.1	550. 10.1	550. 10.1	550. 10.3	550. 10.3	550. 10.3	550. 10.3
600. 10.1	600. 10.1	600. 10.1	600. 10.3	600. 10.3	600. 10.3	600. 10.3
650. 10.1	650. 10.1	650. 10.1	650. 10.3	650. 10.3	650. 10.3	650. 10.3
700. 10.1	700. 10.1	700. 10.1	700. 10.3	700. 10.3	700. 10.3	700. 10.3
750. 10.1	750. 10.1	750. 10.1	750. 10.3	750. 10.3	750. 10.3	750. 10.3
800. 10.1	800. 10.1	800. 10.1	800. 10.3	800. 10.3	800. 10.3	800. 10.3
850. 10.1	850. 10.1	850. 10.1	850. 10.3	850. 10.3	850. 10.3	850. 10.3
900. 10.1	900. 10.1	900. 10.1	900. 10.3	900. 10.3	900. 10.3	900. 10.3
950. 10.1	950. 10.1	950. 10.1	950. 10.3	950. 10.3	950. 10.3	950. 10.3
1000. 10.1	1000. 10.1	1000. 10.1	1000. 10.3	1000. 10.3	1000. 10.3	1000. 10.3

DATE 670503	DATE 670915	DATE 671213	DATE 680115	DATE 680184	DATE 680130	DATE 680208
SRVY 49	SRVY 50	SRVY 51	SRVY 53	SRVY 54	SRVY 55	SRVY 56
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 10.6	0. 10.4	0. 10.1	0. 10.5	0. 10.5	0. 10.5	0. 10.5
50. 9.0	50. 9.0	50. 9.0	50. 9.0	50. 9.0	50. 9.1	50. 9.0
100. 9.3	100. 9.4	100. 9.4	100. 9.5	100. 9.7	100. 9.7	100. 9.7
150. 9.3	150. 9.4	150. 9.4	150. 9.5	150. 9.7	150. 9.7	150. 9.7
200. 9.3	200. 9.4	200. 9.4	200. 9.5	200. 9.7	200. 9.7	200. 9.7
250. 9.3	250. 9.4	250. 9.4	250. 9.5	250. 9.7	250. 9.7	250. 9.7
300. 9.3	300. 9.4	300. 9.4	300. 9.5	300. 9.7	300. 9.7	300. 9.7
350. 9.3	350. 9.4	350. 9.4	350. 9.5	350. 9.7	350. 9.7	350. 9.7
400. 9.3	400. 9.4	400. 9.4	400. 9.5	400. 9.7	400. 9.7	400. 9.7
450. 9.3	450. 9.4	450. 9.4	450. 9.5	450. 9.7	450. 9.7	450. 9.7
500. 9.3	500. 9.4	500. 9.4	500. 9.5	500. 9.7	500. 9.7	500. 9.7
550. 9.3	550. 9.4	550. 9.4	550. 9.5	550. 9.7	550. 9.7	550. 9.7
600. 9.3	600. 9.4	600. 9.4	600. 9.5	600. 9.7	600. 9.7	600. 9.7
650. 9.3	650. 9.4	650. 9.4	650. 9.5	650. 9.7	650. 9.7	650. 9.7
700. 9.3	700. 9.4	700. 9.4	700. 9.5	700. 9.7	700. 9.7	700. 9.7
750. 9.3	750. 9.4	750. 9.4	750. 9.5	750. 9.7	750. 9.7	750. 9.7
800. 9.3	800. 9.4	800. 9.4	800. 9.5	800. 9.7	800. 9.7	800. 9.7
850. 9.3	850. 9.4	850. 9.4	850. 9.5	850. 9.7	850. 9.7	850. 9.7
900. 9.3	900. 9.4	900. 9.4	900. 9.5	900. 9.7	900. 9.7	900. 9.7
950. 9.3	950. 9.4	950. 9.4	950. 9.5	950. 9.7	950. 9.7	950. 9.7
1000. 9.3	1000. 9.4	1000. 9.4	1000. 9.5	1000. 9.7	1000. 9.7	1000. 9.7

DATE 680215	DATE 680226	DATE 680307	DATE 680313	DATE 680322	DATE 681007	DATE 681025
SRVY 57	SRVY 59	SRVY 60	SRVY 61	SRVY 62	SRVY 63	SRVY 66
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
00 10.2	-1.0 10.8	00 10.3	00 10.9	-1.0 10.2	00 10.4	00 10.4
50 8.0	50.0 8.9	50.0 8.9	50.0 9.4	50.0 8.6	50.0 8.9	50.0 9.0
100 9.7	100.0 9.7	100.0 9.7	100.0 9.4	100.0 9.6	100.0 9.4	100.0 9.5
150 9.6	137.0 10.0	138.0 10.1	138.0 10.0	138.0 9.8	133.0 9.8	133.0 9.9
180 6.4	146.0 6.5	142.0 6.7	141.0 7.0	143.0 7.1	153.0 7.4	153.0 7.4
200 4.2	150.0 6.0	141.0 6.3	141.0 6.3	147.0 6.9	200.0 5.8	200.0 6.0
225 3.8	201.0 4.1	200.0 4.4	200.0 4.8	250.0 4.9	250.0 5.8	222.0 6.1
250 2.1	250.0 1.9	250.0 3.0	250.0 2.4	250.0 .9	275.0 2.6	225.0 3.5
275 1.1	300.0 1.1	300.0 .7	300.0 .7	300.0 .4	300.0 1.1	250.0 2.3
300 1.1	300.0 0.0	331.0 .2	300.0 .2	300.0 .4	300.0 1.1	300.0 2.3
325 1.1	400.0 0.0	428.0 -1.6	450.0 -3.3	400.0 -1.6	400.0 -2.0	300.0 1.3
400 1.1	500.0 -1.9	450.0 -3.3	450.0 -3.3	450.0 -1.6	450.0 -2.6	300.0 1.3
450 1.0	500.0 -1.9	450.0 -3.3	450.0 -3.3	450.0 -1.6	450.0 -2.6	300.0 1.3

DATE 681115	DATE 690113	DATE 690122	DATE 690130	DATE 690205	DATE 690212	DATE 690219
SRVY 65	SRVY 67	SRVY 68	SRVY 69	SRVY 70	SRVY 71	SRVY 72
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
00 10.5	00 10.4	00 10.4	00 10.7	00 10.4	00 10.6	00 10.5
50 9.0	50.0 9.1	50.0 9.4	50.0 9.5	50.0 9.0	50.0 9.0	50.0 9.0
100 9.3	100.0 9.4	100.0 9.4	100.0 9.5	100.0 9.3	100.0 9.3	100.0 9.4
150 6.9	106.0 9.2	107.0 9.4	106.0 9.4	106.0 8.9	106.0 8.8	101.0 7.2
200 4.0	125.0 8.0	106.0 8.5	108.0 6.4	110.0 6.5	111.0 6.4	150.0 9.6
250 3.0	150.0 6.4	130.0 9.4	150.0 5.1	150.0 5.2	125.0 6.0	200.0 8.2
300 1.4	175.0 5.2	200.0 3.8	200.0 3.4	3.7 150.0	150.0 5.2	250.0 2.6
350 1.1	200.0 2.5	250.0 2.3	230.0 2.6	1.5 250.0	175.0 4.9	300.0 .0
400 1.1	250.0 1.8	300.0 .6	1.6 300.0	1.5 300.0	200.0 4.1	350.0 .0
450 1.1	300.0 .1	375.0 -1.7	350.0 -1.4	1.9 400.0	250.0 1.5	400.0 .0
500 1.1	350.0 -1.0	400.0 -1.7	400.0 -1.4	1.9 450.0	300.0 .2	450.0 .0
550 1.1	400.0 -1.0	450.0 -1.7	450.0 -1.4	1.9 500.0	350.0 .2	500.0 .0
600 1.1	450.0 -1.0	500.0 -1.7	450.0 -1.4	1.9 550.0	400.0 .2	550.0 .0

DATE 690226	DATE 690305	DATE 690312	DATE 690319	DATE 690325	DATE 691023	DATE 691120	DATE 691216
SRVY 75	SRVY 74	SRVY 75	SRVY 7A	SRVY 7A	SRVY 79	SRVY 80	SRVY 81
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 10.4	0. 10.4	0. 10.4	0. 10.7	0. 10.2	0. 10.3	0. 10.3	0. 10.3
50. 9.0	50. 8.7	50. 8.0	50. 8.9	50. 8.9	50. 8.9	50. 8.9	50. 8.9
98. 9.3	97. 9.0	96. 8.2	94. 9.0	100. 9.3	94. 9.1	90. 9.1	91. 9.1
100. 7.6	100. 7.9	98. 8.2	98. 7.8	150. 8.7	100. 7.4	102. 8.2	150. 8.4
150. 5.6	150. 5.8	150. 5.9	150. 4.7	200. 8.5	148. 6.4	100. 6.6	200. 8.4
200. 3.9	200. 4.9	200. 4.8	200. 4.5	350. 5.2	200. 5.2	200. 5.7	250. 5.4
250. 1.6	250. 1.9	250. 1.5	250. 1.8	350. 3.4	210. 5.6	210. 5.1	300. 5.9
300. 0.0	300. 1.2	300. 1.0	300. 1.5	400. 1.4	242. 4.6	250. 3.5	300. 4.0
350. 0.1	350. 0.3	350. 0.1	350. 0.8	400. 0.0	295. 4.9	250. 3.0	350. 4.9
400. 0.1	400. 0.3	400. 0.1	400. 0.5	450. 0.0	300. 3.2	300. 1.8	400. 4.0
450. 0.3	450. 0.5	450. 0.3	450. 0.5	500. 0.0	350. 1.2	350. 1.4	450. 4.0
500. 0.9	500. 0.9	500. 0.7	500. 0.9	550. 0.0	400. 0.7	400. 0.4	500. 4.0
550. 0.7	550. 0.7	550. 0.4	550. 0.7	600. 0.0	450. 0.3	450. 0.3	550. 4.0
600. 0.5	600. 0.5	600. 0.5	600. 0.5	650. 0.0	500. 0.3	500. 0.3	600. 4.0

DATE 700114	DATE 700121	DATE 700128	DATE 700204	DATE 700211	DATE 700218	DATE 700225	DATE 700308
SRVY 82	SRVY 83	SRVY 84	SRVY 85	SRVY 86	SRVY 87	SRVY 88	SRVY 89
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 10.5	0. 10.7	0. 10.5	0. 10.5	0. 10.5	0. 10.6	0. 10.4	0. 10.5
50. 8.9	50. 9.1	50. 8.0	50. 8.9	50. 8.6	50. 9.0	50. 8.6	50. 8.9
91. 9.1	91. 9.1	91. 9.1	91. 9.0	91. 9.1	100. 8.6	90. 8.6	90. 8.6
100. 8.5	100. 8.7	100. 8.4	99. 9.2	100. 8.4	125. 7.1	100. 8.3	100. 8.3
150. 5.0	150. 5.0	150. 5.3	150. 4.6	150. 5.3	150. 5.9	189. 6.2	150. 5.7
200. 4.3	200. 4.3	200. 4.3	200. 4.6	200. 4.3	175. 5.1	150. 5.5	175. 5.9
250. 2.0	250. 2.3	250. 2.0	250. 2.3	250. 2.0	200. 3.8	172. 4.6	200. 4.6
300. 0.6	300. 0.8	300. 0.6	300. 0.8	300. 0.6	250. 1.8	200. 1.8	200. 1.8
350. 0.6	350. 0.8	350. 0.6	350. 0.8	350. 0.6	300. 1.8	250. 1.7	300. 1.8
400. 0.6	400. 0.8	400. 0.6	400. 0.8	400. 0.6	350. 1.8	300. 1.8	350. 1.8
450. 0.6	450. 0.8	450. 0.6	450. 0.8	450. 0.6	400. 1.8	350. 1.8	400. 1.8
500. 0.6	500. 0.8	500. 0.6	500. 0.8	500. 0.6	450. 1.8	400. 1.8	450. 1.8
550. 0.6	550. 0.8	550. 0.6	550. 0.8	550. 0.6	600. 1.8	500. 1.8	600. 1.8
600. 0.6	600. 0.8	600. 0.6	600. 0.8	600. 0.6	650. 1.8	600. 1.8	650. 1.8

DATE 700311	DATE 700318	DATE 700424	DATE 701015	DATE 701106	DATE 701209	DATE 701218
SRVY 90	SRVY 92	SRVY 91	SRVY 94	SRVY 95	SRVY 96	SRVY 97
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----
0. 10.4	0. 10.5	0. 10.3	0. 10.2	0. 10.4	0. 10.4	0. 10.4
50. 9.0	50. 8.8	50. 8.9	50. 8.9	50. 8.8	50. 8.9	50. 8.9
63. 9.0	67. 9.0	68. 8.9	66. 8.9	66. 8.9	66. 8.9	66. 8.9
100. 8.8	100. 8.1	115. 7.5	100. 6.2	100. 6.0	100. 7.8	100. 7.8
150. 8.8	171. 8.3	150. 7.5	150. 6.8	150. 7.5	150. 7.8	150. 7.8
200. 8.8	171. 8.3	171. 8.3	171. 6.8	171. 7.5	200. 8.8	200. 8.8
250. 8.8	200. 8.3	169. 9.8	200. 6.2	192. 6.2	250. 8.8	250. 8.8
300. 8.8	200. 8.3	200. 9.8	200. 6.2	200. 6.2	300. 8.8	300. 8.8
350. 8.8	200. 8.3	200. 10.2	200. 6.8	200. 10.1	350. 8.8	350. 8.8
400. 8.8	200. 8.3	222. 10.1	200. 9.1	200. 9.1	400. 8.8	400. 8.8
450. 8.8	200. 8.3	244. 9.8	330. 6.9	238. 6.9	450. 8.8	450. 8.8
500. 8.8	200. 8.3	300. 9.3	350. 5.2	288. 5.9	500. 8.8	500. 8.8
550. 8.8	200. 8.3	313. 8.8	400. 3.0	300. 4.9	550. 8.8	550. 8.8
		350. 7.6	450. 0.0	350. 1.8		
		400. 1.3	500. -1.7	400. 0.2		
		450. 0.3	550. -3.1	450. -1.4		
		500. -2.9				
		550. -3.8				
		600. -3.8				

DATE 710113	DATE 710209	DATE 710311	DATE 710412	DATE 710816	DATE 711004	DATE 711213
SRVY 98	SRVY 99	SRVY 100	SRVY 101	SRVY 103	SRVY 104	SRVY 105
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----
0. 10.5	0. 10.4	0. 10.5	0. 10.4	0. 10.4	0. 10.4	0. 10.4
50. 8.8	50. 8.9	50. 8.8	50. 8.9	50. 7.9	50. 8.8	50. 8.8
100. 8.0	100. 8.0	100. 8.0	100. 8.1	100. 8.0	100. 8.0	100. 8.0
120. 7.2	115. 7.4	125. 7.1	150. 7.8	150. 7.7	150. 7.7	150. 7.7
150. 7.9	150. 8.1	150. 7.9	200. 9.6	200. 9.8	200. 9.8	200. 9.8
200. 9.9	200. 10.0	200. 9.6	200. 9.6	210. 9.8	250. 9.8	250. 9.8
220. 9.6	200. 9.8	210. 9.8	250. 9.6	250. 9.8	300. 9.8	300. 9.8
250. 9.6	210. 9.9	250. 9.8	300. 9.6	300. 9.8	350. 9.8	350. 9.8
300. 9.9	210. 9.9	300. 9.8	350. 9.6	350. 9.8	400. 9.8	400. 9.8
350. 9.9	210. 9.9	350. 9.8	400. 9.6	400. 9.8	450. 9.8	450. 9.8
400. 9.9	210. 9.9	400. 9.8	450. 9.6	450. 9.8	500. 9.8	500. 9.8
450. 9.9	210. 9.9	450. 9.8	500. 9.6	500. 9.8	550. 9.8	550. 9.8
500. 9.9	210. 9.9	500. 9.8	550. 9.6	550. 9.8		
550. 9.9	210. 9.9	550. 9.8	600. 9.6	600. 9.8		

DATE 720110	DATE 720214	DATE 720222	DATE 720317	DATE 720410	DATE 720821	DATE 721020	DATE 721208
SRVY 116	SRVY 113	SRVY 106	SRVY 109	SRVY 110	SRVY 111	SRVY 112	SRVY 113
TIME 1200	TIME 1400	TIME 1200	TIME 1200	TIME 1200	TIME 1400	TIME 1000	TIME 1400
0. 10.4	0. 10.8	0. 10.9	0. 10.6	0. 10.8	0. 10.3	0. 10.5	0. 10.7
90. 8.0	15. 7.0	10. 9.3	25. 8.7	50. 8.8	30. 8.9	50. 8.8	50. 8.6
100. 8.0	50. 8.0	50. 8.7	50. 8.8	50. 8.0	50. 8.7	100. 8.2	100. 7.7
150. 7.7	100. 8.0	80. 8.0	100. 7.9	150. 7.3	150. 7.9	150. 7.6	150. 6.4
200. 9.3	150. 7.0	150. 7.2	150. 7.2	200. 5.1	200. 7.8	200. 8.1	175. 6.7
240. 5.3	180. 6.0	200. 6.3	180. 6.5	250. 3.2	250. 6.2	250. 4.8	200. 2.9
300. 2.8	200. 6.0	250. 4.7	200. 5.5	300. 1.4	250. 5.3	300. 2.9	250. 2.9
350. 1.4	250. 4.0	300. 1.7	250. 3.1	350. .0	350. 2.5	350. 2.7	300. .0
400. -1.0	300. 2.0	350. 0.0	300. 1.2	387. -1.0	380. 2.2	380. 2.7	380. -1.0
450. -1.0	350. .0	400. -1.0	375. -1.0	450. -2.1	450. -2.1	450. -1.0	450. -1.1
	SRVY 113						
	TIME 1400						
	0. 10.8						
	15. 7.0						
	50. 8.0						
	80. 8.0						
	150. 7.0						
	150. 7.2						
	180. 6.0						
	200. 6.0						
	250. 4.0						
	300. 2.0						
	350. .0						
	400. -1.0						
	450. -1.0						

DATE 730105	DATE 730216	DATE 730325	DATE 730405	DATE 730418
SRVY 114	SRVY 115	SRVY 117	SRVY 116	SRVY 119
TIME 1000	TIME 1000	TIME 800	TIME 1300	TIME 1200
0. 10.7	0. 10.3	17. 9.2	0. 11.0	0. 11.1
50. 8.6	50. 8.6	50. 8.6	50. 9.2	15. 9.1
100. 8.0	100. 7.9	100. 8.2	50. 8.6	50. 8.6
150. 8.0	150. 8.0	150. 8.2	100. 8.0	150. 8.0
180. 7.8	180. 8.1	180. 8.2	150. 7.0	150. 7.2
200. 5.4	200. 2.7	250. 2.6	150. 7.0	150. 7.1
250. 7.6	250. 4.1	300. .0	200. 4.5	200. 4.7
300. 3.0	300. .3	350. -1.0	250. 1.8	250. 2.5
350. -1.0	350. -1.0	400. -1.0	300. .2	300. .7
375. -1.0	400. -1.0	415. -2.0	400. -1.0	400. -2.3

DATE 621024	SRVY 1	TIME 1200	DATE 621101	SRVY 2	TIME 1200	DATE 621109	SRVY 3	TIME 1200	DATE 621212	SRVY 4	TIME 1200	DATE 630109	SRVY 5	TIME 1200	DATE 630116	SRVY 6	TIME 1200	DATE 630122	SRVY 7	TIME 1200	DATE 630130	SRVY 8	TIME 1200
59.	10.7	71.	10.7	39.	10.0	65.	10.1	-1.	10.8	277.	5.9	277.	5.9	277.	5.9	277.	5.9	277.	5.9	277.	5.9	277.	5.9
44.	10.5	93.	10.6	72.	10.3	121.	9.9	28.	10.6	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2
137.	7.7	140.	9.6	114.	10.1	121.	9.9	28.	10.6	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2	300.	3.2
236.	6.6	203.	9.7	164.	8.0	226.	8.7	49.	11.9	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5
50.	6.3	210.	9.7	170.	8.0	226.	8.7	49.	11.9	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5
36.	6.3	210.	9.7	170.	8.0	226.	8.7	49.	11.9	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5	48.	1.5
37.	2.9	363.	3.2	374.	4.2	408.	2.6	99.	10.5	115.	10.4	115.	10.5	115.	10.4	115.	10.5	115.	10.4	115.	10.5	115.	10.4
425.	2.7	401.	1.0	364.	2.8	408.	2.6	109.	10.5	124.	9.4	124.	10.5	124.	9.4	124.	10.5	124.	9.4	124.	10.5	124.	9.4
581.	-8.2	488.	-1.4	364.	2.8	408.	2.6	114.	10.4	123.	9.6	123.	10.4	123.	9.6	123.	10.4	123.	9.6	123.	10.4	123.	9.6
				423.	3.3	545.	-2.1	150.	9.4	174.	8.9	174.	9.4	174.	8.9	174.	9.4	174.	8.9	174.	9.4	174.	8.9
				519.	-8.8			199.	8.1	225.	7.7	225.	8.1	225.	7.7	225.	8.1	225.	7.7	225.	8.1	225.	7.7
								240.	6.7	344.	2.9	344.	6.7	344.	2.9	344.	6.7	344.	2.9	344.	6.7	344.	2.9
								479.	5.9	401.	9	401.	5.9	401.	9	401.	5.9	401.	9	401.	5.9	401.	9
								300.	5.0	482.	9.1	482.	5.0	482.	9.1	482.	5.0	482.	9.1	482.	5.0	482.	9.1
								480.	2.9	517.	9.3	517.	2.9	517.	9.3	517.	2.9	517.	9.3	517.	2.9	517.	9.3
								479.	-1.2	325.	-1.2	325.	-1.2	325.	-1.2	325.	-1.2	325.	-1.2	325.	-1.2	325.	-1.2
								520.	-1.9			520.	-1.9			520.	-1.9			520.	-1.9		

DATE 630205	SRVY 9	TIME 1200	DATE 630213	SRVY 10	TIME 1200	DATE 630221	SRVY 11	TIME 1200	DATE 630227	SRVY 12	TIME 1200	DATE 630307	SRVY 13	TIME 1200	DATE 630313	SRVY 14	TIME 1200	DATE 630321	SRVY 15	TIME 1200	DATE 630402	SRVY 16	TIME 1200
69.	10.8	278.	3.9	25.	10.6	174.	6.8	25.	10.0	99.	10.1	99.	10.1	99.	10.1	99.	10.1	99.	10.1	99.	10.1	99.	10.1
48.	10.0	300.	2.9	25.	10.0	224.	7.5	40.	11.1	122.	9.3	122.	9.3	122.	9.3	122.	9.3	122.	9.3	122.	9.3	122.	9.3
151.	9.0	376.	2.9	502.	10.7	257.	7.0	150.	10.6	350.	9.2	350.	9.2	350.	9.2	350.	9.2	350.	9.2	350.	9.2	350.	9.2
175.	6.9	408.	2.1	180.	10.1	300.	6.7	100.	10.0	100.	10.1	100.	10.0	100.	10.1	100.	10.0	100.	10.1	100.	10.0	100.	10.1
200.	7.9	428.	0.1	204.	8.3	326.	4.3	180.	9.5	173.	8.8	173.	8.8	173.	8.8	173.	8.8	173.	8.8	173.	8.8	173.	8.8
280.	6.4	451.	-0.6	225.	7.6	350.	2.9	174.	8.9	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8
276.	5.9	479.	-1.1	225.	7.6	350.	2.9	174.	8.9	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8	201.	8.8
300.	4.8			249.	5.0	400.	9	224.	7.8	225.	7.4	225.	7.4	225.	7.4	225.	7.4	225.	7.4	225.	7.4	225.	7.4
350.	3.3			350.	3.1	425.	-5	250.	6.8	276.	5.9	276.	5.9	276.	5.9	276.	5.9	276.	5.9	276.	5.9	276.	5.9
375.	2.0			400.	1.3	481.	-0.2	261.	5.7	301.	5.0	301.	5.0	301.	5.0	301.	5.0	301.	5.0	301.	5.0	301.	5.0
400.	1.0			450.	0.1	500.	-1.7	301.	4.9	350.	2.8	350.	2.8	350.	2.8	350.	2.8	350.	2.8	350.	2.8	350.	2.8
425.	0.3			480.	-0.1			351.	3.1	401.	9	401.	9	401.	9	401.	9	401.	9	401.	9	401.	9
451.	-0.2			560.	-1.4			451.	1.0	451.	-0.5	451.	-0.5	451.	-0.5	451.	-0.5	451.	-0.5	451.	-0.5	451.	-0.5
476.	-0.9							477.	-1.1	473.	-1.1	473.	-1.1	473.	-1.1	473.	-1.1	473.	-1.1	473.	-1.1	473.	-1.1

DATE 630523	DATE 630611	DATE 630626	DATE 630712	DATE 630726	DATE 630807	DATE 630823	DATE 630909
SRVY 17	SRVY 18	SRVY 19	SRVY 20	SRVY 21	SRVY 22	SRVY 23	SRVY 24
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
87. 10.1	10.5	26. 10.1	21. 10.7	23. 10.2	21. 10.7	72. 10.2	175. 6.8
103. 9.8	24. 10.1	50. 10.3	25. 10.2	49. 10.6	85. 10.2	100. 10.1	200. 6.8
150. 9.0	50. 10.2	100. 10.1	89. 10.3	100. 10.3	49. 10.4	150. 9.4	250. 6.9
201. 7.9	74. 10.2	141. 9.0	100. 10.3	124. 9.7	100. 10.3	200. 8.3	290. 6.8
226. 7.3	100. 10.1	201. 8.0	149. 9.1	150. 9.4	124. 9.5	250. 6.7	300. 6.3
251. 6.2	150. 9.0	229. 7.0	201. 8.1	174. 8.5	150. 9.0	278. 6.0	325. 3.3
273. 5.8	173. 8.4	251. 6.5	225. 6.9	200. 6.1	200. 9.0	300. 5.2	350. 2.9
301. 5.0	200. 7.2	301. 6.6	250. 6.5	228. 6.0	200. 9.0	325. 3.2	375. 2.8
323. 4.7	223. 7.9	327. 5.9	300. 5.5	250. 6.0	228. 6.0	350. 2.7	
347. 3.7	247. 7.0	352. 5.3	350. 5.2	278. 5.7	250. 6.0	375. 2.5	
370. 3.0	270. 6.2	376. 4.8	378. 4.6	300. 5.0	278. 6.0	400. 2.4	
400. 1.1	300. 9.1	401. 4.2	378. 4.5	325. 5.3	300. 5.0	425. 2.2	
423. 1.2	323. 8.1	424. 3.9	378. 4.5	350. 5.3	325. 5.0	450. 2.1	
447. 0.8	347. 7.2	448. 3.6	400. 4.2	375. 5.1	350. 5.0	475. 2.0	
470. 0.8	370. 6.3	471. 3.2	423. 3.8	390. 4.8	375. 5.0	500. 1.9	
493. 0.7	393. 5.4	494. 2.9	447. 3.5	415. 4.5	400. 4.4	525. 1.8	
516. 0.6	416. 4.5	517. 2.6	470. 3.2	440. 4.2	425. 4.1	550. 1.7	
539. 0.5	439. 3.6	540. 2.3	493. 2.9	465. 3.9	450. 3.8	575. 1.6	
562. 0.4	462. 2.7	563. 2.0	516. 2.6	490. 3.6	475. 3.5	600. 1.5	
585. 0.3	485. 1.8	586. 1.7	539. 2.3	515. 3.3	500. 3.2	625. 1.4	
608. 0.2	508. 0.9	609. 1.4	562. 2.0	540. 3.0	525. 2.9	650. 1.3	
631. 0.1	531. 0.0	632. 1.1	585. 1.7	565. 2.7	550. 2.6	675. 1.2	
654. 0.0	554. 0.0	655. 0.8	608. 1.4	590. 2.4	575. 2.3	700. 1.1	
677. 0.0	577. 0.0	678. 0.5	631. 1.1	615. 2.1	600. 2.0	725. 1.0	
700. 0.0	600. 0.0	701. 0.2	654. 0.8	640. 1.8	625. 1.7	750. 0.9	
723. 0.0	623. 0.0	724. 0.0	677. 0.5	665. 1.5	650. 1.4	775. 0.8	
746. 0.0	646. 0.0	747. 0.0	700. 0.2	690. 1.2	675. 1.1	800. 0.7	
769. 0.0	669. 0.0	770. 0.0	723. 0.0	715. 0.9	700. 0.8	825. 0.6	
792. 0.0	692. 0.0	793. 0.0	746. 0.0	740. 0.6	725. 0.5	850. 0.5	
815. 0.0	715. 0.0	816. 0.0	769. 0.0	765. 0.3	750. 0.2	875. 0.4	
838. 0.0	738. 0.0	839. 0.0	792. 0.0	790. 0.0	775. 0.0	900. 0.3	
861. 0.0	761. 0.0	862. 0.0	815. 0.0	815. 0.0	800. 0.0	925. 0.2	
884. 0.0	784. 0.0	885. 0.0	838. 0.0	840. 0.0	825. 0.0	950. 0.1	
907. 0.0	807. 0.0	908. 0.0	861. 0.0	865. 0.0	850. 0.0	975. 0.0	
930. 0.0	830. 0.0	931. 0.0	884. 0.0	890. 0.0	875. 0.0	1000. 0.0	

DATE 640025	DATE 640117	DATE 640218	DATE 640312
SRVY 25	SRVY 30	SRVY 31	SRVY 32
TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----
50. 10.4	10.4	01. 10.4	0. 10.7
70. 10.4	30. 10.1	20. 10.4	20. 10.8
101. 9.4	50. 10.3	50. 10.0	50. 10.2
126. 9.4	100. 10.1	100. 9.3	101. 9.2
151. 8.3	150. 9.1	151. 8.2	151. 9.2
176. 7.9	200. 8.0	201. 8.0	201. 8.0
200. 6.7	250. 6.9	250. 6.9	228. 7.0
225. 5.9	300. 5.5	300. 5.5	252. 6.6
249. 4.9	350. 4.7	350. 4.7	276. 5.9
274. 4.2	400. 3.9	400. 3.9	300. 4.0
299. 3.8	450. 3.1	450. 3.1	324. 3.3
324. 3.0	500. 2.3	500. 2.3	348. 2.6
349. 2.4	550. 1.5	550. 1.5	372. 1.9
374. 1.7	600. 0.7	600. 0.7	396. 1.2
400. 1.1	650. 0.0	650. 0.0	420. 0.5
425. 0.4			444. 0.0
450. 0.0			468. 0.0
475. 0.0			492. 0.0
500. 0.0			516. 0.0
525. 0.0			540. 0.0
550. 0.0			564. 0.0
575. 0.0			588. 0.0
600. 0.0			612. 0.0
625. 0.0			636. 0.0
650. 0.0			660. 0.0
675. 0.0			684. 0.0
700. 0.0			708. 0.0
725. 0.0			732. 0.0
750. 0.0			756. 0.0
775. 0.0			780. 0.0
800. 0.0			804. 0.0
825. 0.0			828. 0.0
850. 0.0			852. 0.0
875. 0.0			876. 0.0
900. 0.0			900. 0.0
925. 0.0			924. 0.0
950. 0.0			948. 0.0
975. 0.0			972. 0.0
1000. 0.0			996. 0.0

DATE 650009	DATE 650027	DATE 650028a	DATE 650031	DATE 650025	DATE 651203	DATE 650120	DATE 650426
SRVY 33	SRVY 34	SRVY 35	SRVY 36	SRVY 37	SRVY 38	SRVY 39	SRVY 40
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
50. 10.8	0. 10.8	0. 10.8	0. 10.4	50. 10.2	0. 10.4	50. 10.1	0. 10.8
100. 10.0	0. 10.8	50. 10.5	50. 10.5	101. 9.9	10. 10.4	9.9 9.9	50. 10.5
151. 9.0	100. 10.2	101. 9.1	101. 9.1	152. 9.0	101. 10.0	151. 10.0	100. 10.1
201. 7.9	151. 9.1	151. 9.1	151. 9.1	202. 8.6	151. 9.4	201. 8.7	151. 9.6
252. 7.0	201. 8.4	201. 8.4	201. 8.4	252. 6.9	201. 8.6	252. 7.4	201. 8.9
303. 5.9	252. 7.0	252. 7.0	252. 7.1	303. 5.0	252. 7.0	302. 5.7	251. 6.1
353. 4.7	302. 6.0	302. 6.0	302. 6.1	352. 3.3	302. 5.7	352. 4.0	301. 5.3
403. 3.6	352. 5.8	352. 5.8	352. 6.0	403. 1.9	352. 4.3	402. 2.9	352. 3.4
453. 1.7	403. 4.6	403. 4.6	403. 4.9	453. .7	403. 2.6	453. 1.8	403. 2.9
503. 0.0	453. 2.9	453. 2.9	453. 3.1	503. .1	453. .6	503. .6	453. .8
553. .1	503. .1	503. .1	503. .1	553. .1	503. .3	553. .3	503. .3
603. -2.3	553. -1.6	553. -1.6	553. -1.3	603. -2.3	553. -2.2	603. -2.0	553. -2.3
653. -3.7	603. -2.4	603. -2.4	603. -2.3	653. -3.7	603. -3.0	653. -2.6	603. -2.6

DATE 650908	DATE 651026	DATE 651220	DATE 660124	DATE 660329	DATE 660286	DATE 661103	DATE 670116
SRVY 41	SRVY 42	SRVY 43	SRVY 44	SRVY 45	SRVY 46	SRVY 47	SRVY 48
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
50. 10.3	9.9 9.9	0. 10.3	0. 9.7	0. 9.7	0. 9.7	50. 10.3	0. 10.6
101. 10.0	150. 9.1	101. 10.1	50. 10.3	50. 10.3	50. 10.7	100. 10.3	50. 10.5
151. 9.6	200. 8.4	151. 9.4	100. 10.0	100. 10.0	101. 10.3	150. 9.7	100. 10.3
201. 8.3	251. 7.1	201. 9.1	151. 9.4	151. 9.4	201. 9.3	201. 8.6	151. 9.8
251. 7.3	301. 6.2	251. 8.4	201. 9.6	201. 9.4	251. 7.3	277. 7.3	251. 7.9
301. 6.0	351. 5.1	301. 7.0	251. 7.0	251. 7.4	302. 6.3	302. 6.3	281. 5.8
351. 4.0	401. 4.3	351. 5.8	301. 5.0	301. 5.5	330. 4.9	330. 4.9	330. 4.3
401. 2.3	451. 1.9	401. 4.3	351. 3.4	351. 3.4	358. 2.8	402. 1.7	382. 2.6
451. 0.0	501. 0.0	451. 3.2	401. 1.7	401. 3.4	452. .5	452. .5	402. .9
501. 0.0	551. .7	501. .7	451. .4	451. .4	503. .6	503. .6	452. .6
551. .7	601. .6	551. .6	503. .6	503. .6	553. .6	553. .6	503. .6
601. -2.3	651. -2.3	601. -2.3	553. -1.1	553. -1.1	603. .6	603. .6	553. .6
651. -2.3	701. -2.3	651. -2.3	603. -2.0	603. -2.0	653. -2.2	653. -2.2	603. -2.2
701. -2.3	751. -2.3	701. -2.3	653. -1.1	653. -1.1	703. -1.1	703. -1.1	653. -1.1
751. -2.3	801. -2.3	751. -2.3	703. -1.1	703. -1.1	753. -1.1	753. -1.1	703. -1.1
801. -2.3	851. -2.3	801. -2.3	753. -1.1	753. -1.1	803. -2.2	803. -2.2	753. -1.1
851. -2.3	901. -2.3	851. -2.3	803. -2.2	803. -2.2	853. -2.2	853. -2.2	803. -2.2
901. -2.3	951. -2.3	901. -2.3	853. -2.2	853. -2.2	903. -2.2	903. -2.2	853. -2.2
951. -2.3	1001. -2.3	951. -2.3	903. -2.2	903. -2.2	953. -2.2	953. -2.2	903. -2.2
1001. -2.3	1051. -2.3	1001. -2.3	953. -2.2	953. -2.2	1003. -2.2	1003. -2.2	953. -2.2
1051. -2.3	1101. -2.3	1051. -2.3	1003. -2.2	1003. -2.2	1053. -2.2	1053. -2.2	1003. -2.2
1101. -2.3	1151. -2.3	1101. -2.3	1053. -2.2	1053. -2.2	1103. -2.2	1103. -2.2	1053. -2.2
1151. -2.3	1201. -2.3	1151. -2.3	1053. -2.2	1053. -2.2	1153. -2.2	1153. -2.2	1103. -2.2
1201. -2.3	1251. -2.3	1201. -2.3	1053. -2.2	1053. -2.2	1203. -2.2	1203. -2.2	1153. -2.2
1251. -2.3	1301. -2.3	1251. -2.3	1053. -2.2	1053. -2.2	1253. -2.2	1253. -2.2	1203. -2.2
1301. -2.3	1351. -2.3	1301. -2.3	1053. -2.2	1053. -2.2	1303. -2.2	1303. -2.2	1253. -2.2
1351. -2.3	1401. -2.3	1351. -2.3	1053. -2.2	1053. -2.2	1353. -2.2	1353. -2.2	1303. -2.2
1401. -2.3	1451. -2.3	1401. -2.3	1053. -2.2	1053. -2.2	1403. -2.2	1403. -2.2	1353. -2.2
1451. -2.3	1501. -2.3	1451. -2.3	1053. -2.2	1053. -2.2	1453. -2.2	1453. -2.2	1403. -2.2
1501. -2.3	1551. -2.3	1501. -2.3	1053. -2.2	1053. -2.2	1503. -2.2	1503. -2.2	1453. -2.2
1551. -2.3	1601. -2.3	1551. -2.3	1053. -2.2	1053. -2.2	1553. -2.2	1553. -2.2	1503. -2.2
1601. -2.3	1651. -2.3	1601. -2.3	1053. -2.2	1053. -2.2	1603. -2.2	1603. -2.2	1553. -2.2
1651. -2.3	1701. -2.3	1651. -2.3	1053. -2.2	1053. -2.2	1653. -2.2	1653. -2.2	1603. -2.2
1701. -2.3	1751. -2.3	1701. -2.3	1053. -2.2	1053. -2.2	1703. -2.2	1703. -2.2	1653. -2.2
1751. -2.3	1801. -2.3	1751. -2.3	1053. -2.2	1053. -2.2	1753. -2.2	1753. -2.2	1703. -2.2
1801. -2.3	1851. -2.3	1801. -2.3	1053. -2.2	1053. -2.2	1803. -2.2	1803. -2.2	1753. -2.2
1851. -2.3	1901. -2.3	1851. -2.3	1053. -2.2	1053. -2.2	1853. -2.2	1853. -2.2	1803. -2.2
1901. -2.3	1951. -2.3	1901. -2.3	1053. -2.2	1053. -2.2	1903. -2.2	1903. -2.2	1853. -2.2
1951. -2.3	2001. -2.3	1951. -2.3	1053. -2.2	1053. -2.2	1953. -2.2	1953. -2.2	1903. -2.2
2001. -2.3	2051. -2.3	2001. -2.3	1053. -2.2	1053. -2.2	2003. -2.2	2003. -2.2	1953. -2.2
2051. -2.3	2101. -2.3	2051. -2.3	1053. -2.2	1053. -2.2	2053. -2.2	2053. -2.2	2003. -2.2
2101. -2.3	2151. -2.3	2101. -2.3	1053. -2.2	1053. -2.2	2103. -2.2	2103. -2.2	2053. -2.2
2151. -2.3	2201. -2.3	2151. -2.3	1053. -2.2	1053. -2.2	2153. -2.2	2153. -2.2	2103. -2.2
2201. -2.3	2251. -2.3	2201. -2.3	1053. -2.2	1053. -2.2	2203. -2.2	2203. -2.2	2153. -2.2
2251. -2.3	2301. -2.3	2251. -2.3	1053. -2.2	1053. -2.2	2253. -2.2	2253. -2.2	2203. -2.2
2301. -2.3	2351. -2.3	2301. -2.3	1053. -2.2	1053. -2.2	2303. -2.2	2303. -2.2	2253. -2.2
2351. -2.3	2401. -2.3	2351. -2.3	1053. -2.2	1053. -2.2	2353. -2.2	2353. -2.2	2303. -2.2
2401. -2.3	2451. -2.3	2401. -2.3	1053. -2.2	1053. -2.2	2403. -2.2	2403. -2.2	2353. -2.2
2451. -2.3	2501. -2.3	2451. -2.3	1053. -2.2	1053. -2.2	2453. -2.2	2453. -2.2	2403. -2.2
2501. -2.3	2551. -2.3	2501. -2.3	1053. -2.2	1053. -2.2	2503. -2.2	2503. -2.2	2453. -2.2
2551. -2.3	2601. -2.3	2551. -2.3	1053. -2.2	1053. -2.2	2553. -2.2	2553. -2.2	2503. -2.2
2601. -2.3	2651. -2.3	2601. -2.3	1053. -2.2	1053. -2.2	2603. -2.2	2603. -2.2	2553. -2.2
2651. -2.3	2701. -2.3	2651. -2.3	1053. -2.2	1053. -2.2	2653. -2.2	2653. -2.2	2603. -2.2
2701. -2.3	2751. -2.3	2701. -2.3	1053. -2.2	1053. -2.2	2703. -2.2	2703. -2.2	2653. -2.2
2751. -2.3	2801. -2.3	2751. -2.3	1053. -2.2	1053. -2.2	2753. -2.2	2753. -2.2	2703. -2.2
2801. -2.3	2851. -2.3	2801. -2.3	1053. -2.2	1053. -2.2	2803. -2.2	2803. -2.2	2753. -2.2
2851. -2.3	2901. -2.3	2851. -2.3	1053. -2.2	1053. -2.2	2853. -2.2	2853. -2.2	2803. -2.2
2901. -2.3	2951. -2.3	2901. -2.3	1053. -2.2	1053. -2.2	2903. -2.2	2903. -2.2	2853. -2.2
2951. -2.3	3001. -2.3	2951. -2.3	1053. -2.2	1053. -2.2	2953. -2.2	2953. -2.2	2903. -2.2
3001. -2.3	3051. -2.3	3001. -2.3	1053. -2.2	1053. -2.2	3003. -2.2	3003. -2.2	2953. -2.2
3051. -2.3	3101. -2.3	3051. -2.3	1053. -2.2	1053. -2.2	3053. -2.2	3053. -2.2	3003. -2.2
3101. -2.3	3151. -2.3	3101. -2.3	1053. -2.2	1053. -2.2	3103. -2.2	3103. -2.2	3053. -2.2
3151. -2.3	3201. -2.3	3151. -2.3	1053. -2.2	1053. -2.2	3153. -2.2	3153. -2.2	3103. -2.2
3201. -2.3	3251. -2.3	3201. -2.3	1053. -2.2	1053. -2.2	3203. -2.2	3203. -2.2	3153. -2.2
3251. -2.3	3301. -2.3	3251. -2.3	1053. -2.2	1053. -2.2	3253. -2.2	3253. -2.2	3203. -2.2
3301. -2.3	3351. -2.3	3301. -2.3	1053. -2.2	1053. -2.2	3303. -2.2	3303. -2.2	3253. -2.2
3351. -2.3	3401. -2.3	3351. -2.3	1053. -2.2	1053. -2.2	3353. -2.2	3353. -2.2	3303. -2.2
3401. -2.3	3451. -2.3	3401. -2.3	1053. -2.2	1053. -2.2	3403. -2.2	3403. -2.2	3353. -2.2
3451. -2.3	3501. -2.3	3451. -2.3	1053. -2.2	1053. -2.2	3453. -2.2	3453. -2.2	3403. -2.2
3501. -2.3	3551. -2.3	3501. -2.3	1053. -2.2	1053. -2.2	3503. -2.2	3503. -2.2	3453. -2.2
3551. -2.3	3601. -2.3	3551. -2.3	1053. -2.2	1053. -2.2	3553. -2.2	3553. -2.2	3503. -2.2
3601. -2.3	3651. -2.3	3601. -2.3	1053. -2.2	1053. -2.2	3603. -2.2	3603. -2.2	3553. -2.2
3651. -2.3	3701. -2.3	3651. -2.3	1053. -2.2	1053. -2.2	3653. -2.2	3653. -2.2	3603. -2.2
3701. -2.3	3751. -2.3	3701. -2.3	1053. -2.2	1053. -2.2	3703. -2.2	3703. -2.2	3653. -2.2
3751. -2.3	3801. -2.3	3751. -2.3	1053. -2.2	1053. -2.2	3753. -2.2	3753. -2.2	3703. -2.2
3801. -2.3	3851. -2.3	3801. -2.3	1053. -2.2	1053. -2.2	3803. -2.2	3803. -2.2	3753. -2.2
3851. -2.3	3901. -2.3	3851. -2.3	1053. -2.2	1053. -2.2	3853. -2.2	3853. -2.2	3803. -2.2
3901. -2.3	3951. -2.3	3901. -2.3	1053. -2.2	1053. -2.2	3903. -2.2	3903. -2.2	3853. -2.2
3951. -2.3	4001. -2.3	3951. -2.3	1053. -2.2	1053. -2.2	3953. -2.2	3953. -2.2	3903. -2.2
4001. -2.3	4051. -2.3	4001. -2.3	1053. -2.2	1053. -2.2	4003. -2.2	4003. -2.2	3953. -2.2
4051. -2.3	4101. -2.3	4051. -2.3	10				

DATE 070503	DATE 070919	DATE 071213	DATE 080115	DATE 080124	DATE 080130	DATE 080208
SRVY 49	SRVY 51	SRVY 52	SRVY 53	SRVY 54	SRVY 55	SRVY 56
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----
0: 10.0	0: 11.4	0: 10.5	-1: 10.8	0: 10.4	-1: 10.8	0: 10.8
50: 10.5	50: 10.4	50: 10.5	50: 11.2	50: 10.7	50: 10.7	49: 10.7
151: 9.6	100: 11.0	100: 10.1	100: 10.1	100: 10.2	100: 10.2	49: 10.2
201: 6.8	150: 9.8	150: 9.8	150: 9.4	149: 9.7	149: 9.7	149: 9.5
251: 7.9	200: 9.2	200: 9.7	200: 8.7	200: 9.4	200: 9.5	199: 9.9
301: 8.6	250: 9.0	250: 9.7	250: 7.3	250: 8.4	250: 7.5	250: 7.9
352: 2.0	300: 7.2	300: 7.1	300: 7.0	300: 4.9	301: 9.7	300: 5.2
402: 2.5	350: 7.5	350: 3.6	350: 3.0	350: 4.1	350: 3.4	350: 2.9
402: 3.4	400: 7.2	401: 1.5	400: 1.6	401: 1.2	400: 1.6	401: 1.0
452: 1.5	450: 7.2	450: 0.0	450: 0.0	449: .7	450: .1	450: 0.0
503: 8.8	500: 7.5	500: 0.0	499: 0.0	499: .7	499: .1	499: 0.0
553: 9.4	550: 7.5	550: 2.0	550: 3.9	550: 2.7	550: 2.7	
603: 11.7			600: 2.1			
629: 2.7						

DATE 080219	DATE 080221	DATE 080226	DATE 080307	DATE 080313	DATE 080322	DATE 080325
SRVY 57	SRVY 58	SRVY 59	SRVY 60	SRVY 61	SRVY 62	SRVY 64
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----
-1: 10.8	-1: 10.4	-1: 10.8	0: 10.9	-1: 10.9	0: 10.8	0: 10.5
49: 10.8	50: 10.6	49: 10.9	49: 10.9	50: 10.9	50: 10.1	50: 10.4
100: 10.1	100: 10.1	100: 10.1	100: 10.1	100: 10.1	100: 9.5	100: 10.2
149: 9.4	149: 9.3	150: 9.3	150: 9.3	150: 9.3	150: 9.3	150: 9.3
200: 8.4	200: 8.4	200: 8.6	200: 8.7	200: 8.5	200: 8.6	200: 8.5
250: 7.9	250: 7.7	250: 7.7	250: 7.7	250: 7.8	250: 7.8	250: 7.8
300: 5.2	300: 5.3	300: 5.8	300: 5.1	300: 5.0	300: 6.8	250: 7.5
350: 3.4	350: 3.5	350: 3.0	350: 3.5	350: 2.9	323: 4.1	300: 5.7
400: 1.1	400: 1.2	400: .9	400: 1.1	400: .5	350: 4.1	350: 3.3
450: .1	450: .1	450: .3	450: 1.1	450: .5	400: 1.0	400: 1.2
500: 2.3	500: 2.1	499: 1.4	500: 2.2	500: 2.0	450: .1	450: .1
550: 2.3	550: 2.0	550: 2.5	500: 2.2	500: 2.0	500: 2.0	500: 2.3
600: 2.1					550: 2.1	550: 2.1
629: 2.1						

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
00	10.7	00	10.3	00	10.6	00	10.7	00	10.7	00	10.7
50	10.4	50	10.1	50	10.4	50	10.4	50	10.4	50	10.4
100	10.1	100	9.8	100	10.0	100	10.0	100	10.0	100	10.0
150	9.5	150	9.4	150	9.4	150	9.3	150	9.3	150	9.3
200	9.0	200	8.9	200	8.9	200	8.9	200	8.9	200	8.9
250	7.2	250	7.5	250	7.4	250	7.2	250	7.3	250	7.4
300	4.7	300	5.4	300	5.2	300	4.7	300	4.9	300	5.1
350	2.7	350	3.7	350	3.4	350	2.6	350	3.3	350	3.9
400	1.4	400	1.9	400	1.2	400	1.3	400	2.2	400	1.3
450	0.4	450	0.0	450	1.3	450	0.1	450	0.7	450	1.9
500	0.0	500	0.0	500	0.3	500	0.1	500	0.0	500	0.0
550	-1.9	550	-2.7	550	-0.7	550	-1.6	550	-1.1	550	-1.1
600	-3.2	600	-4.3	600	-2.7	600	-3.5	600	-2.5	600	-2.2

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
00	10.7	00	10.7	00	10.6	00	10.7	00	10.7	00	10.7
50	10.4	50	10.4	50	10.4	50	10.4	50	10.4	50	10.4
100	9.5	100	9.6	100	9.3	100	9.2	100	9.2	100	9.3
150	8.0	150	8.9	150	8.9	150	8.9	150	8.9	150	8.9
200	7.5	200	7.9	200	8.9	200	8.3	200	8.9	200	8.6
250	3.5	250	5.0	250	5.5	250	5.4	250	6.6	250	7.5
300	3.0	300	5.0	300	5.0	300	5.4	300	3.8	300	4.9
320	4.7	325	5.1	350	4.2	400	2.5	330	3.4	350	2.1
350	3.5	350	4.2	350	1.8	350	4.3	400	1.4	400	0.3
400	1.3	400	2.7	400	-0.3	400	1.7	400	0.0	400	0.0
450	0.2	450	0.7	450	-1.7	450	1.2	450	-2.0	450	-1.9
500	-1.0	500	-2.0	500	-0.6	500	-1.8	500	0.0	500	-2.1
550	-1.7	550	-2.1	550	-2.8	550	-2.5	550	0.0	550	-2.2
600	-3.2	600	-4.3	600	-2.7	600	-3.5	600	-2.5	600	-2.2

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
491216	10:5	700110	10:6	700121	10:4	700128	10:3	700204	10:3	700211	10:2	700218	10:2	700225	10:3		
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50		
100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150		
200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200		
250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250		
300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300		
350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350		
400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400		
450	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450		
500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500		
550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550		

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
700304	10:7	700311	10:4	700318	10:7	700318	10:7	700326	10:7	700318	10:7	700318	10:7	700318	10:7	700318	10:7
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150
200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250
300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300	300
350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350	350
400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400
450	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450	450
500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500	500
550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550	550

DATE 710218	DATE 710113	DATE 710209	DATE 710311	DATE 710412	DATE 710607	DATE 710816	DATE 711008
SRVY 97	SRVY 98	SRVY 99	SRVY 100	SRVY 101	SRVY 102	SRVY 103	SRVY 108
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 10.7	5. 10.7	50. 10.7	50. 10.5	0. 10.7	50. 10.0	50. 10.1	50. 10.3
100. 10.7	100. 10.7	100. 10.1	100. 10.0	50. 10.1	100. 10.2	100. 10.1	100. 10.2
150. 10.7	150. 10.7	150. 9.3	150. 9.2	100. 10.5	150. 9.4	150. 9.2	150. 9.4
200. 10.7	200. 10.7	200. 9.9	200. 9.9	150. 9.2	200. 8.9	200. 9.0	200. 9.0
250. 10.7	250. 10.7	250. 9.0	250. 8.9	100. 8.6	250. 7.0	250. 8.0	250. 8.0
300. 10.7	300. 10.7	300. 8.5	300. 8.4	150. 8.2	300. 5.6	300. 7.2	300. 6.2
350. 10.7	350. 10.7	350. 7.5	350. 7.4	200. 7.2	350. 5.6	350. 6.8	350. 5.5
400. 10.7	400. 10.7	400. 6.5	400. 6.3	250. 6.2	400. 4.8	400. 1.7	400. 3.4
450. 10.7	450. 10.7	450. 5.5	450. 5.3	300. 5.2	450. 2.4	450. -0.8	450. 1.6
500. 10.7	500. 10.7	500. 4.5	500. 4.3	350. 4.2	500. -0.7	500. -2.3	500. -0.5
550. 10.7	550. 10.7	550. 3.5	550. 3.3	400. 3.7	550. -2.6	550. -2.6	550. -2.6
600. 10.7	600. 10.7	600. 2.5	600. 2.3	450. 2.0	600. -3.4	600. -3.4	600. -3.4

DATE 711213	DATE 720110	DATE 720222	DATE 720410	DATE 720821	DATE 721020	DATE 721208
SRVY 105	SRVY 106	SRVY 108	SRVY 110	SRVY 111	SRVY 112	SRVY 113
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1400	TIME 1400	TIME 1400
90. 10.7	50. 10.5	50. 10.4	50. 10.4	50. 10.4	50. 10.3	50. 10.4
100. 10.7	100. 10.2	100. 10.1	100. 10.1	100. 10.4	100. 10.7	100. 10.7
150. 10.7	150. 9.2	150. 9.0	150. 9.1	150. 9.1	150. 9.2	150. 9.0
200. 10.7	200. 8.9	200. 8.6	200. 8.6	200. 8.7	200. 8.9	200. 8.6
250. 10.7	250. 8.5	250. 8.3	250. 8.3	250. 8.7	250. 7.5	250. 7.5
300. 10.7	300. 8.0	300. 7.5	300. 7.5	300. 7.1	300. 7.2	300. 7.3
350. 10.7	350. 7.5	350. 7.0	350. 7.0	350. 6.6	350. 5.2	350. 4.2
400. 10.7	400. 7.0	400. 6.5	400. 6.5	400. 5.1	400. 1.4	400. 1.6
450. 10.7	450. 6.5	450. 6.0	450. 6.0	450. 4.1	450. -0.8	450. 0.0
500. 10.7	500. 6.0	500. 5.5	500. 5.5	500. 4.0	475. -1.6	475. -1.6
550. 10.7	550. 5.5	550. 5.0	550. 5.0	550. 3.2	550. -2.2	550. -2.2

[illegible][illegible]

DATE 630205	DATE 630213	DATE 630221	DATE 630227	DATE 630307	DATE 630313	DATE 630321	DATE 630402
SRVY 10	SRVY 10	SRVY 11	SRVY 12	SRVY 13	SRVY 14	SRVY 15	SRVY 16
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
230. 5.0	141. 6.0	0.0	7.3	205. 5.0	0. 8.6	176. 5.0	0. 8.0
275. 2.0	150. 6.0	7.3	6.8	225. 5.0	20. 7.2	225. 5.0	6. 8.5
301. 2.0	176. 5.0	7.0	6.9	251. 5.1	50. 6.8	250. 5.3	10. 7.0
325. 1.3	200. 4.0	6.0	7.0	277. 4.0	100. 6.6	276. 4.5	17. 7.7
400. 0.5	227. 5.0	123. 7.0	7.9	300. 3.2	150. 6.8	301. 3.2	50. 6.6
451. 0.9	255. 4.1	131. 8.0	4.8	325. 2.0	175. 5.8	326. 1.9	100. 6.6
	277. 4.2	142. 8.0	5.8	350. 1.2	200. 5.6	351. 1.2	125. 7.5
	300. 3.0	150. 9.0	5.9	401. 0.0	225. 5.0	400. 0.0	150. 7.0
	327. 1.5	174. 7.0	5.0	450. 0.0	250. 4.1	448. 0.0	175. 7.9
	374. 1.0	219. 5.0	5.7	490. 0.0	275. 3.1	489. 0.0	200. 5.0
	401. 0.0	246. 5.0	5.7		300. 1.9	290. 5.0	225. 5.0
	431. 0.0	273. 3.9	5.5		326. 1.9	319. 4.8	250. 5.0
	451. 0.0	297. 3.9	4.0		350. 1.3	351. 3.5	275. 4.8
		301. 3.0	4.0		380. 1.3	381. 1.4	301. 3.5
		325. 2.5	0.9		400. 0.2	401. 0.5	351. 1.4
		350. 1.0	0.9		431. 0.2	431. 0.2	381. 0.5
		379. 1.0	0.9				401. 0.5
		399. 0.3	0.3				426. 0.0
		425. 0.2	0.2				451. 0.3
		450. 0.6	0.6				475. 0.2
		476. 0.6	0.6				

DATE 630323	DATE 630411	DATE 630507	DATE 630523	DATE 630607	DATE 630623	DATE 630629
SRVY 17	SRVY 18	SRVY 22	SRVY 23	SRVY 22	SRVY 23	SRVY 24
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
1. 8.0	0. 8.0	0. 0.0	0. 0.0	0. 0.0	0. 0.0	126. 7.3
20. 7.3	24. 6.0	25. 7.5	25. 7.5	25. 7.5	25. 7.5	151. 7.5
50. 6.6	49. 6.0	70. 6.0	70. 6.0	70. 6.0	70. 6.0	176. 6.0
101. 0.7	100. 6.0	100. 6.0	100. 6.0	100. 6.0	100. 6.0	200. 6.0
126. 7.0	111. 6.0	125. 7.0	125. 7.0	125. 7.0	125. 7.0	224. 6.6
141. 6.7	131. 6.0	151. 6.8	151. 6.8	151. 6.8	151. 6.8	251. 5.6
174. 5.7	150. 6.0	175. 5.0	175. 5.0	175. 5.0	175. 5.0	276. 5.0
225. 5.9	126. 7.1	200. 5.5	200. 5.5	200. 5.5	200. 5.5	300. 4.8
254. 5.3	150. 6.0	225. 5.0	225. 5.0	225. 5.0	225. 5.0	326. 3.8
300. 5.0	172. 5.8	250. 5.0	250. 5.0	250. 5.0	250. 5.0	350. 3.0
324. 3.4	201. 5.3	276. 5.0	276. 5.0	276. 5.0	276. 5.0	376. 0.0
350. 1.0	251. 5.4	300. 6.0	300. 6.0	300. 6.0	300. 6.0	400. 0.0
381. 0.0	276. 5.0	326. 5.0	326. 5.0	326. 5.0	326. 5.0	426. 0.0
400. 0.0	301. 0.0	351. 1.0	351. 1.0	351. 1.0	351. 1.0	451. 0.0
	326. 5.0	376. 0.0	376. 0.0	376. 0.0	376. 0.0	
	351. 0.0	400. 0.0	400. 0.0	400. 0.0	400. 0.0	
	376. 0.0	426. 0.0	426. 0.0	426. 0.0	426. 0.0	
	401. 0.0	451. 0.0	451. 0.0	451. 0.0	451. 0.0	
	426. 0.0	476. 0.0	476. 0.0	476. 0.0	476. 0.0	

DATE 630925	DATE 631009	DATE 631020	DATE 631114	DATE 640117	DATE 640218	DATE 640312	DATE 640809
SRVY 25	SRVY 26	SRVY 27	SRVY 28	SRVY 30	SRVY 31	SRVY 32	SRVY 33
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0101	6.3	201	8.2	0	0	0	0
077	4.2	227	8.2	7.9	8.0	8.4	9.1
051	4.5	242	8.6	7.9	8.1	8.0	7.3
0	4.9	276	8.3	7.5	7.5	24	31
100	6.7	302	8.3	7.5	7.5	71	178
126	7.3	328	8.3	6.3	6.0	74	104
178	7.2	354	8.3	6.3	6.1	107	7.2
178	7.2	379	8.3	6.3	6.1	127	151
178	6.5	404	8.3	6.6	6.3	151	6.7
178	6.5	429	8.3	6.6	6.3	151	201
100	6.8	454	8.3	6.6	6.3	151	3.0
126	7.5	479	8.3	6.6	6.3	178	328
126	7.5	504	8.3	6.6	6.3	201	354
151	6.8	529	8.3	6.6	6.3	227	380
178	6.8	554	8.3	6.6	6.3	252	405
201	6.8	579	8.3	6.6	6.3	277	430
227	6.8	604	8.3	6.6	6.3	302	455
252	6.8	629	8.3	6.6	6.3	328	480
277	6.8	654	8.3	6.6	6.3	354	505
302	6.8	679	8.3	6.6	6.3	380	530
328	6.8	704	8.3	6.6	6.3	405	555
354	6.8	729	8.3	6.6	6.3	430	580
380	6.8	754	8.3	6.6	6.3	455	605
405	6.8	779	8.3	6.6	6.3	480	630
430	6.8	804	8.3	6.6	6.3	505	655
455	6.8	829	8.3	6.6	6.3	530	680
480	6.8	854	8.3	6.6	6.3	555	705
504	6.8	879	8.3	6.6	6.3	580	730
529	6.8	904	8.3	6.6	6.3	605	755
554	6.8	929	8.3	6.6	6.3	630	780
579	6.8	954	8.3	6.6	6.3	655	805
604	6.8	979	8.3	6.6	6.3	680	830
629	6.8	1004	8.3	6.6	6.3	705	855
654	6.8	1029	8.3	6.6	6.3	730	880
679	6.8	1054	8.3	6.6	6.3	755	905
704	6.8	1079	8.3	6.6	6.3	780	930
729	6.8	1104	8.3	6.6	6.3	805	955
754	6.8	1129	8.3	6.6	6.3	830	980
779	6.8	1154	8.3	6.6	6.3	855	1005
804	6.8	1179	8.3	6.6	6.3	880	1030
829	6.8	1204	8.3	6.6	6.3	905	1055
854	6.8	1229	8.3	6.6	6.3	930	1080
879	6.8	1254	8.3	6.6	6.3	955	1105
904	6.8	1279	8.3	6.6	6.3	980	1130
929	6.8	1304	8.3	6.6	6.3	1005	1155
954	6.8	1329	8.3	6.6	6.3	1030	1180
979	6.8	1354	8.3	6.6	6.3	1055	1205
1004	6.8	1379	8.3	6.6	6.3	1080	1230
1029	6.8	1404	8.3	6.6	6.3	1105	1255
1054	6.8	1429	8.3	6.6	6.3	1130	1280
1079	6.8	1454	8.3	6.6	6.3	1155	1305
1104	6.8	1479	8.3	6.6	6.3	1180	1330
1129	6.8	1504	8.3	6.6	6.3	1205	1355
1154	6.8	1529	8.3	6.6	6.3	1230	1380
1179	6.8	1554	8.3	6.6	6.3	1255	1405
1204	6.8	1579	8.3	6.6	6.3	1280	1430
1229	6.8	1604	8.3	6.6	6.3	1305	1455
1254	6.8	1629	8.3	6.6	6.3	1330	1480
1279	6.8	1654	8.3	6.6	6.3	1355	1505
1304	6.8	1679	8.3	6.6	6.3	1380	1530
1329	6.8	1704	8.3	6.6	6.3	1405	1555
1354	6.8	1729	8.3	6.6	6.3	1430	1580
1379	6.8	1754	8.3	6.6	6.3	1455	1605
1404	6.8	1779	8.3	6.6	6.3	1480	1630
1429	6.8	1804	8.3	6.6	6.3	1505	1655
1454	6.8	1829	8.3	6.6	6.3	1530	1680
1479	6.8	1854	8.3	6.6	6.3	1555	1705
1504	6.8	1879	8.3	6.6	6.3	1580	1730
1529	6.8	1904	8.3	6.6	6.3	1605	1755
1554	6.8	1929	8.3	6.6	6.3	1630	1780
1579	6.8	1954	8.3	6.6	6.3	1655	1805
1604	6.8	1979	8.3	6.6	6.3	1680	1830
1629	6.8	2004	8.3	6.6	6.3	1705	1855
1654	6.8	2029	8.3	6.6	6.3	1730	1880
1679	6.8	2054	8.3	6.6	6.3	1755	1905
1704	6.8	2079	8.3	6.6	6.3	1780	1930
1729	6.8	2104	8.3	6.6	6.3	1805	1955
1754	6.8	2129	8.3	6.6	6.3	1830	1980
1779	6.8	2154	8.3	6.6	6.3	1855	2005
1804	6.8	2179	8.3	6.6	6.3	1880	2030
1829	6.8	2204	8.3	6.6	6.3	1905	2055
1854	6.8	2229	8.3	6.6	6.3	1930	2080
1879	6.8	2254	8.3	6.6	6.3	1955	2105
1904	6.8	2279	8.3	6.6	6.3	1980	2130
1929	6.8	2304	8.3	6.6	6.3	2005	2155
1954	6.8	2329	8.3	6.6	6.3	2030	2180
1979	6.8	2354	8.3	6.6	6.3	2055	2205
2004	6.8	2379	8.3	6.6	6.3	2080	2230
2029	6.8	2404	8.3	6.6	6.3	2105	2255
2054	6.8	2429	8.3	6.6	6.3	2130	2280
2079	6.8	2454	8.3	6.6	6.3	2155	2305
2104	6.8	2479	8.3	6.6	6.3	2180	2330
2129	6.8	2504	8.3	6.6	6.3	2205	2355
2154	6.8	2529	8.3	6.6	6.3	2230	2380
2179	6.8	2554	8.3	6.6	6.3	2255	2405
2204	6.8	2579	8.3	6.6	6.3	2280	2430
2229	6.8	2604	8.3	6.6	6.3	2305	2455
2254	6.8	2629	8.3	6.6	6.3	2330	2480
2279	6.8	2654	8.3	6.6	6.3	2355	2505
2304	6.8	2679	8.3	6.6	6.3	2380	2530
2329	6.8	2704	8.3	6.6	6.3	2405	2555
2354	6.8	2729	8.3	6.6	6.3	2430	2580
2379	6.8	2754	8.3	6.6	6.3	2455	2605
2404	6.8	2779	8.3	6.6	6.3	2480	2630
2429	6.8	2804	8.3	6.6	6.3	2505	2655
2454	6.8	2829	8.3	6.6	6.3	2530	2680
2479	6.8	2854	8.3	6.6	6.3	2555	2705
2504	6.8	2879	8.3	6.6	6.3	2580	2730
2529	6.8	2904	8.3	6.6	6.3	2605	2755
2554	6.8	2929	8.3	6.6	6.3	2630	2780
2579	6.8	2954	8.3	6.6	6.3	2655	2805
2604	6.8	2979	8.3	6.6	6.3	2680	2830
2629	6.8	3004	8.3	6.6	6.3	2705	2855
2654	6.8	3029	8.3	6.6	6.3	2730	2880
2679	6.8	3054	8.3	6.6	6.3	2755	2905
2704	6.8	3079	8.3	6.6	6.3	2780	2930
2729	6.8	3104	8.3	6.6	6.3	2805	2955
2754	6.8	3129	8.3	6.6	6.3	2830	2980
2779	6.8	3154	8.3	6.6	6.3	2855	3005
2804	6.8	3179	8.3	6.6	6.3	2880	3030
2829	6.8	3204	8.3	6.6	6.3	2905	3055
2854	6.8	3229	8.3	6.6	6.3	2930	3080
2879	6.8	3254	8.3	6.6	6.3	2955	3105
2904	6.8	3279	8.3	6.6	6.3	2980	3130
2929	6.8	3304	8.3	6.6	6.3	3005	3155
2954	6.8	3329	8.3	6.6	6.3	3030	3180
2979	6.8	3354	8.3	6.6	6.3	3055	3205
3004	6.8	3379	8.3	6.6	6.3	3080	3230
3029	6.8	3404	8.3	6.6	6.3	3105	3255
3054	6.8	3429	8.3	6.6	6.3	3130	3280
3079	6.8	3454	8.3	6.6	6.3	3155	3305
3104	6.8	3479	8.3	6.6	6.3	3180	3330
3129	6.8	3504	8.3	6.6	6.3	3205	3355
3154	6.8	3529	8.3	6.6	6.3	3230	3380
3179	6.8	3554	8.3	6.6	6.3	3255	3405
3204	6.8	3579	8.3	6.6	6.3	3280	3430
3229	6.8	3604	8.3	6.6	6.3	3305	3455
3254	6.8	3629	8.3	6.6	6.3	3330	3480
3279	6.8	3654	8.3	6.6	6.3	3355	3505
3304	6.8	3679	8.3	6.6	6.3	3380	3530
3329	6.8	3704	8.3	6.6	6.3	3405	3555
3354	6.8	3729	8.3	6.6	6.3	3430	3580
3379	6.8	3754	8.3	6.6	6.3	3455	3605
3404	6.8	3779	8.3	6.6	6.3	3480	3630
3429	6.8	3804	8.3	6.6	6.3	3505	3655
3454	6.8	3829	8.3	6.6	6.3	3530	3680
3479	6.8	3854	8.3	6.6	6.3	3555	3

[illegible][illegible]

DATE 060221	DATE 060226	DATE 060307	DATE 060313	DATE 060322	DATE 061007	DATE 061025	DATE 061115
SRVY 55	SRVY 56	SRVY 60	SRVY 61	SRVY 62	SRVY 63	SRVY 64	SRVY 65
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0	-1	0	250	250	0	0	0
50	8.1	7.1	300	301	6.4	50	50
100	6.6	6.6	350	350	5.3	100	100
150	7.0	150	400	400	7.0	150	150
200	7.2	200	451	450	7.2	200	200
250	7.1	251	500	500	7.0	250	250
300	5.1	300	550	550	5.8	300	300
350	2.3	350	600	600	5.1	350	350
400	1.0	400	650	650	3.8	400	400
450	-0.3	450	700	700	2.3	450	450
500	-1.2	500			0.0	500	500
550	0.0	550			0.0	550	550
600	-1.0	600			0.0	600	600
650	-1.8	650			0.0	650	650
700	-2.9	700			0.0	700	700

DATE 061220	DATE 060113	DATE 060122	DATE 060129	DATE 060205	DATE 060212	DATE 060219	DATE 060226
SRVY 66	SRVY 67	SRVY 68	SRVY 69	SRVY 70	SRVY 71	SRVY 72	SRVY 73
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0	0	0	0	0	0	0	0
50	8.3	8.5	50	6.6	6.6	50	6.7
100	6.8	7.0	100	6.5	6.5	100	6.5
150	7.3	7.6	150	6.7	6.7	150	6.8
200	7.7	200	200	7.5	200	200	7.8
250	6.9	250	250	7.1	250	250	7.5
300	5.1	300	300	5.2	300	300	5.1
350	4.7	350	350	3.8	350	350	2.6
400	2.8	400	400	2.8	400	400	1.0
450	1.0	450	450	1.2	450	450	0.4
500	-0.3	500	500	0.0	500	500	0.4
550	-1.0	550	550	-1.2	550	550	0.7
600	-1.8	600	600	-1.0	600	600	0.7
			700	-2.7			

DATE 000305	DATE 000312	DATE 000319	DATE 000327	DATE 000323	DATE 001083	DATE 001120	DATE 001216
SRVY 74	SRVY 73	SRVY 76	SRVY 77	SRVY 78	SRVY 79	SRVY 80	SRVY 81
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0. 0.5	0. 8.5	0. 0.5	50. 6.3	0. 6.2	0. 8.3	0. 8.4	0. 8.4
50. 6.7	50. 6.4	100. 6.7	100. 6.7	50. 6.7	15. 6.7	15. 7.5	50. 7.2
100. 6.5	100. 6.4	150. 6.7	150. 6.7	100. 6.7	30. 6.9	30. 6.9	100. 6.9
150. 6.8	150. 6.7	200. 7.2	200. 7.2	150. 6.7	100. 6.3	100. 6.3	100. 6.3
200. 7.5	200. 7.4	250. 7.3	250. 7.3	200. 7.4	114. 6.2	114. 6.2	118. 6.3
250. 7.3	250. 7.4	300. 5.0	300. 5.0	250. 7.3	150. 6.8	150. 6.8	150. 6.7
300. 3.3	300. 4.5	350. 4.3	350. 4.3	300. 6.2	200. 7.3	200. 7.3	200. 6.7
350. 2.3	350. 3.0	400. 1.1	400. 1.1	350. 6.6	233. 7.6	233. 7.6	233. 7.3
400. 1.4	400. 2.5	450. 1.2	450. 1.2	400. 2.9	250. 7.1	250. 7.1	250. 7.3
450. 0.0	450. 2.8	500. 1.2	500. 1.2	450. 1.0	264. 6.8	264. 6.8	276. 7.3
500. -1.9	500. 2.4	550. 1.2	550. 1.2	500. 0.3	300. 6.4	300. 6.4	300. 6.4
550. -3.0	550. 2.4	600. 1.2	600. 1.2	550. 0.3	330. 5.5	330. 5.5	350. 5.1
600. -3.3	600. 2.4	650. 1.2	650. 1.2	600. 0.3	350. 4.8	350. 4.8	400. 2.8
650. -2.7	650. 2.4	700. 1.2	700. 1.2	650. 0.3	400. 3.2	400. 3.2	450. 1.5
700. -2.5	700. 2.4	750. 1.2	750. 1.2	700. 0.3	450. 1.1	450. 1.1	500. 0.6
					500. 0.6	500. 0.6	550. 0.0
					550. 0.0	550. 0.0	600. -1.0
					600. -1.0	600. -1.0	650. -1.2
					650. -1.2	650. -1.2	700. -2.0
					700. -2.0	700. -2.0	750. -2.8
					750. -2.8	750. -2.8	800. -3.6

[illegible][illegible]

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
49.	10.2	276.	5.3	-1.	18.5	74.	9.4	275.	5.5	-1.	10.5
100.	8.9	300.	4.7	49.	16.1	100.	8.8	300.	3.0	49.	10.0
140.	7.8	350.	3.0	100.	8.8	125.	8.1	300.	3.0	100.	10.0
201.	7.0	400.	1.0	124.	6.0	150.	7.7	350.	2.7	150.	7.8
223.	6.9	423.	.2	150.	7.8	200.	7.0	373.	1.4	201.	7.0
250.	6.1	450.	0.6	174.	7.1	224.	6.8	429.	0.0	226.	6.8
276.	5.3	501.	0.18	200.	7.0	240.	6.3	450.	0.0	251.	6.2
301.	4.4			225.	6.8	275.	5.5	500.	-1.3	278.	5.5
350.	3.5			251.	6.3	300.	4.9			301.	5.0
373.	2.1			302.	5.3	325.	4.3			351.	2.5
400.	1.0			325.	4.0	373.	1.5			423.	0.5
423.	0.8			400.	0.2	423.	0.2			451.	0.0
501.	0.1			450.	0.0	450.	0.2			451.	0.0
				450.	0.0	450.	0.0			451.	0.0
				500.	-1.8	450.	-1.0			451.	0.0
						450.	-1.0			451.	0.0
						501.	-2.0			451.	0.0

DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME
100.	8.8	0.	10.0	-1.	10.1	0.	10.1	0.	10.1	49.	10.0
125.	7.5	49.	10.0	50.	9.8	50.	9.8	50.	9.8	100.	9.0
150.	6.8	100.	8.8	100.	8.8	100.	8.8	100.	8.8	150.	7.8
200.	6.0	150.	7.8	150.	7.8	150.	7.8	150.	7.8	200.	6.8
224.	5.0	200.	6.7	200.	6.8	201.	6.9	201.	6.9	251.	6.3
251.	5.0	224.	6.6	250.	6.2	250.	6.2	251.	6.3	277.	6.2
276.	5.6	250.	6.2	275.	6.0	276.	6.0	276.	6.0	301.	6.2
302.	5.0	276.	6.2	301.	5.3	301.	5.3	301.	5.3	301.	6.2
325.	3.8	302.	5.2	325.	4.2	325.	2.0	301.	6.3	351.	3.1
350.	1.8	325.	3.4	351.	1.9	351.	1.5	325.	4.9	377.	1.8
401.	0.8	350.	2.3	373.	0.8	379.	0.2	351.	3.2	401.	1.0
451.	0.1	401.	1.0	423.	0.3	423.	0.0	376.	1.5	423.	0.8
		450.	1.2	450.	0.3	450.	0.0	401.	0.5	451.	0.2
		450.	0.2	450.	0.3	450.	0.0	423.	0.1	501.	0.0
		450.	0.1	450.	0.1	450.	0.0	451.	0.1	501.	0.0

104

DATE 65109	DATE 65122A	DATE 66012A	DATE 660329	DATE 660426	DATE 661103	DATE 670118	DATE 670503
SRVY 50	SRVY 51	SRVY 52	SRVY 51	SRVY 50	SRVY 47	SRVY 44	SRVY 49
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
0. 12.2	0. 12.9	40. 10.7	0. 12.5	0. 12.5	0. 12.6	0. 12.5	0. 12.5
51. 10.3	50. 10.6	100. 9.7	49. 10.6	49. 10.4	49. 10.7	50. 10.5	50. 10.3
100.4 9.4	100. 9.5	150. 8.9	100. 9.5	100. 9.5	100. 9.7	100. 9.4	101. 9.2
153. 8.7	151. 8.7	200. 8.3	151. 8.6	150. 8.6	151. 8.6	151. 8.7	151. 8.7
203. 7.7	202. 7.8	251. 7.6	201. 8.0	201. 8.0	201. 8.1	201. 8.0	201. 8.0
252. 6.9	252. 7.0	301. 6.7	251. 7.5	251. 7.4	251. 7.4	251. 7.4	252. 7.4
302. 6.4	302. 6.4	351. 6.6	301. 7.1	301. 7.3	302. 7.3	302. 7.4	291. 6.1
352. 5.5	352. 5.6	402. 6.7	351. 5.4	351. 5.9	352. 7.3	352. 8.2	329. 2.9
377. 4.6	377. 4.6	452. 6.8	402. 5.3	402. 5.3	402. 7.3	402. 8.2	402. 8.9
403. 3.8	403. 3.8	503. 6.3	452. 4.2	452. 4.2	452. 4.2	452. 4.2	452. 4.2
478. 1.9	478. 1.9	553. 5.1	503. 3.8	503. 3.8	503. 3.8	503. 3.8	453. 4.3
504. 0.9	504. 0.9	603. 4.3	553. 3.8	553. 3.8	553. 3.8	553. 3.8	503. 4.3
538. 0.5	538. 0.5		603. 4.3	603. 4.3	603. 4.3	603. 4.3	553. 4.3
573. 0.5	573. 0.5						
603. 0.5	603. 0.5						
638. 0.5	638. 0.5						
673. 0.5	673. 0.5						
703. 0.5	703. 0.5						

DATE 670915	DATE 670915	DATE 680208	DATE 680215
SRVY 50	SRVY 51	SRVY 50	SRVY 57
TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----
0. 12.5	0. 12.5	-1. 12.0	-1. 12.0
10. 10.9	10. 10.9	49. 11.2	49. 11.1
140. 9.7	140. 9.7	149. 9.7	149. 9.6
180. 8.7	180. 8.7	190. 8.7	190. 8.6
220. 7.9	220. 7.9	240. 8.0	240. 8.0
260. 7.1	260. 7.1	290. 8.3	290. 8.2
300. 6.3	300. 6.3	340. 8.4	340. 8.4
350. 5.5	350. 5.5	390. 8.1	390. 8.1
400. 4.7	400. 4.7	440. 7.9	440. 7.9
450. 3.9	450. 3.9	490. 7.7	490. 7.7
500. 3.1	500. 3.1	540. 7.5	540. 7.5
550. 2.3	550. 2.3	600. 7.0	600. 7.0
600. 1.5	600. 1.5	650. 6.4	650. 6.4
650. 0.7	650. 0.7	700. 5.8	700. 5.8
700. 0.0	700. 0.0	750. 5.1	750. 5.1
		800. 4.4	800. 4.4
		850. 3.7	850. 3.7
		900. 3.0	900. 3.0
		950. 2.3	950. 2.3
		1000. 1.6	1000. 1.6
		1050. 0.9	1050. 0.9
		1100. 0.2	1100. 0.2
		1150. 0.0	1150. 0.0
		1200. 0.0	1200. 0.0

DATE 080221	DATE 080226	DATE 080307	DATE 080313	DATE 080322	DATE 081007	DATE 081025	DATE 081115
SRVY 58	SRVY 59	SRVY 60	SRVY 61	SRVY 62	SRVY 63	SRVY 64	SRVY 65
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
-1. 12.1	50. 11.1	-1. 12.1	199. 7.9	300. 6.9	0. 12.4	0. 12.4	0. 12.4
50. 11.6	101. 9.4	11.0 4.6	849. 7.9	350. 4.3	50. 11.2	50. 11.1	50. 11.1
100. 8.7	150. 9.1	9.9 4.9	300. 6.9	401. 2.0	100. 9.9	100. 9.9	100. 9.9
150. 9.0	201. 9.1	149. 5.1	350. 4.6	450. 0.0	150. 9.2	150. 9.2	150. 9.1
200. 9.1	250. 8.2	200. 9.2	400. 2.6	500. 0.0	200. 8.3	200. 8.3	200. 8.4
250. 8.1	300. 6.4	250. 8.2	450. 1.1	550. -0.8	250. 6.3	250. 6.2	250. 6.4
300. 6.6	350. 5.0	300. 7.0	499. 0.0	599. -1.1	300. 5.3	300. 4.8	300. 4.4
350. 4.8	400. 2.1	350. 4.3	550. -1.1	650. -1.7	350. 4.6	350. 4.6	350. 4.4
400. 1.9	450. 0.0	400. 2.4	600. -2.8		400. 3.9	400. 3.1	400. 2.0
450. 1.5	500. 0.0	450. 0.1			450. 3.2	450. 2.8	450. 2.0
500. 1.2	550. -0.0	500. 0.1			500. 1.1	500. 0.8	500. 0.9
550. -1.2	599. -0.2	550. -1.3			550. -0.3	550. -0.3	550. -0.4
600. -2.1	650. -2.9				600. -1.1	600. -1.1	600. -1.0

DATE 081220	DATE 090113	DATE 090122	DATE 090129	DATE 090205	DATE 090212	DATE 090219	DATE 090226
SRVY 66	SRVY 67	SRVY 68	SRVY 69	SRVY 70	SRVY 71	SRVY 72	SRVY 73
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
-----	-----	-----	-----	-----	-----	-----	-----
0. 12.3	0. 12.3	0. 12.4	0. 12.3	0. 12.3	0. 12.3	0. 12.4	0. 12.4
50. 11.1	50. 10.9	10.9 9.9	100. 10.6	100. 10.4	50. 10.6	50. 10.7	50. 10.7
100. 10.0	100. 9.9	9.9 9.9	150. 9.9	150. 9.9	100. 9.9	100. 9.9	100. 9.9
150. 9.1	150. 9.1	9.1 9.1	200. 8.1	200. 8.2	150. 9.2	150. 9.2	150. 9.2
200. 8.5	200. 8.4	8.5 8.5	250. 8.7	250. 8.4	200. 8.4	200. 8.4	200. 8.5
250. 8.6	250. 8.6	8.6 8.6	300. 6.8	300. 6.4	250. 6.7	250. 6.8	250. 6.8
300. 6.6	300. 6.6	6.6 6.6	350. 4.0	350. 3.5	300. 5.6	300. 6.1	300. 6.0
350. 4.9	350. 4.8	4.9 4.9	400. 2.7	400. 2.5	350. 3.6	350. 3.3	350. 3.2
400. 3.3	400. 3.3	3.3 3.3	450. 2.5	450. 2.1	400. 1.6	400. 1.7	400. 1.3
450. 1.6	450. 2.2	2.6 1.5	500. 1.3	500. 0.5	450. 1.3	450. 0.6	450. 0.6
500. 1.1	500. 1.1	1.1 0.3	550. 0.4	550. -0.7	500. -0.6	500. -0.6	500. -0.4
550. -1.8	599. 1.4	550. 0.9	600. -1.9	650. -3.4	550. -2.7	550. -1.9	600. -1.9

DATE 690305	DATE 690312	DATE 690319	DATE 690527	DATE 690923	DATE 691023	DATE 691120	DATE 691216
SRVY 74	SRVY 75	SRVY 76	SRVY 77	SRVY 78	SRVY 79	SRVY 80	SRVY 81
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0	0	0	0	0	0	0	0
12.4	12.4	12.4	12.4	10.6	12.3	12.6	12.4
10.7	10.7	10.7	10.7	10.6	10.6	10.6	11.2
14.0	14.0	14.0	14.0	9.3	9.6	11.1	16.0
150	150	150	150	150	100	11.1	50
140	140	140	140	8.6	9.1	10.0	10.0
200	200	200	200	250	200	9.2	150
6.5	6.5	6.5	6.5	7.7	7.7	8.5	200
240	240	240	240	286	250	220	8.7
300	300	300	300	300	300	232	6.5
2.6	2.6	2.6	2.6	3.8	3.8	7.6	250
340	340	340	340	400	400	300	3.8
3.0	3.0	3.0	3.0	2.0	2.3	4.2	4.1
400	400	400	400	1.2	1.6	2.8	2.7
0.0	0.0	0.0	0.0	300	350	400	1.7
450	450	450	450	350	400	450	1.7
500	500	500	500	350	400	450	1.7
550	550	550	550	350	400	450	1.7
600	600	600	600	350	400	450	1.7
650	650	650	650	350	400	450	1.7
700	700	700	700	350	400	450	1.7
750	750	750	750	350	400	450	1.7
800	800	800	800	350	400	450	1.7
850	850	850	850	350	400	450	1.7
900	900	900	900	350	400	450	1.7
950	950	950	950	350	400	450	1.7
1000	1000	1000	1000	350	400	450	1.7

DATE 700114	DATE 700121	DATE 700128	DATE 700204	DATE 700211	DATE 700218	DATE 700225	DATE 700304
SRVY A2	SRVY B3	SRVY A4	SRVY A5	SRVY B6	SRVY B7	SRVY B8	SRVY B9
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
0	0	0	0	0	0	0	0
12.5	12.4	12.6	12.7	12.6	12.4	12.6	12.4
10.8	10.7	10.6	11.2	10.7	10.7	10.7	10.7
14.0	14.0	14.0	14.0	10.7	10.7	10.7	10.7
150	150	150	150	10.7	10.7	10.7	10.7
140	140	140	140	9.5	9.5	9.5	9.5
200	200	200	200	8.7	8.7	8.7	8.7
6.5	6.5	6.5	6.5	8.7	8.7	8.7	8.7
240	240	240	240	8.7	8.7	8.7	8.7
300	300	300	300	8.7	8.7	8.7	8.7
2.6	2.6	2.6	2.6	8.7	8.7	8.7	8.7
340	340	340	340	8.7	8.7	8.7	8.7
3.0	3.0	3.0	3.0	8.7	8.7	8.7	8.7
400	400	400	400	8.7	8.7	8.7	8.7
450	450	450	450	8.7	8.7	8.7	8.7
500	500	500	500	8.7	8.7	8.7	8.7
550	550	550	550	8.7	8.7	8.7	8.7
600	600	600	600	8.7	8.7	8.7	8.7
650	650	650	650	8.7	8.7	8.7	8.7
700	700	700	700	8.7	8.7	8.7	8.7
750	750	750	750	8.7	8.7	8.7	8.7
800	800	800	800	8.7	8.7	8.7	8.7
850	850	850	850	8.7	8.7	8.7	8.7
900	900	900	900	8.7	8.7	8.7	8.7
950	950	950	950	8.7	8.7	8.7	8.7
1000	1000	1000	1000	8.7	8.7	8.7	8.7

DATE 720110	DATE 720214	DATE 720222	DATE 720317	DATE 720410	DATE 720421	DATE 721020	DATE 721206
SRVY 106	SRVY 107	SRVY 108	SRVY 109	SRVY 110	SRVY 111	SRVY 112	SRVY 113
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1400	TIME 1200	TIME 1400
-----	-----	-----	-----	-----	-----	-----	-----
0. 12.3	0. 12.2	0. 12.4	0. 12.3	0. 12.4	0. 12.0	0. 12.4	0. 12.4
50. 11.4	50. 10.3	50. 11.0	50. 11.4	50. 11.0	50. 11.0	50. 11.1	50. 11.0
150. 9.0	150. 9.0	150. 9.0	150. 9.1	150. 9.1	150. 9.1	150. 9.2	150. 9.1
200. 6.5	200. 6.5	200. 6.0	200. 6.0	200. 6.0	200. 6.0	200. 6.0	200. 6.7
250. 4.4	250. 4.3	250. 4.0	250. 4.6	250. 4.6	250. 4.2	250. 4.6	250. 4.7
300. 3.0	300. 3.0	300. 2.8	300. 3.0	300. 3.0	300. 3.0	300. 3.0	300. 3.0
325. 2.8	325. 2.8	350. 2.0	350. 3.5	350. 3.7	350. 3.4	350. 4.7	350. 3.7
350. 2.3	350. 2.3	400. 2.6	400. 2.3	400. 2.2	400. 2.2	400. 2.3	400. 2.3
400. 2.7	400. 2.7	450. 1.3	450. 1.7	450. 1.6	450. 1.4	450. 1.8	450. 1.8
450. 1.2	450. 1.2	500. 0.7	500. 0.7	500. 0.6	500. 0.7	500. 0.6	500. 0.6
500. 0.2	500. 0.2	500. 0.0	500. 0.0	500. 0.0	500. 0.0	500. 0.0	500. 0.0
550. 0.1	550. 0.1				525. 0.3		

DATE 730103	DATE 730216	DATE 730316	DATE 730325	DATE 730405	DATE 730418	DATE 730501
SRVY 114	SRVY 115	SRVY 116	SRVY 117	SRVY 118	SRVY 119	SRVY 120
TIME 1100	TIME 1000	TIME 900	TIME 700	TIME 1300	TIME 1200	TIME 1100
-----	-----	-----	-----	-----	-----	-----
0. 12.3	0. 12.3	0. 12.4	0. 12.4	0. 12.4	0. 12.4	0. 12.4
50. 10.9	50. 10.9	50. 10.8	50. 10.7	50. 10.7	50. 10.7	50. 10.7
100. 9.9	100. 10.0	100. 9.9	100. 9.9	100. 9.9	100. 9.9	100. 9.9
150. 9.0	150. 9.1	150. 9.1	150. 9.1	150. 9.1	150. 9.0	150. 9.1
200. 8.7	200. 8.7	200. 8.7	200. 8.6	200. 8.6	200. 8.6	200. 8.7
250. 7.9	250. 7.9	250. 7.7	250. 7.7	250. 7.7	250. 7.7	250. 7.7
300. 7.0	300. 7.0	350. 5.0	350. 5.7	350. 5.7	350. 5.7	350. 5.7
350. 4.9	350. 4.9	400. 3.3	400. 2.6	400. 2.6	400. 2.6	400. 2.6
400. 3.1	400. 3.1	450. 1.7	450. 1.3	450. 1.3	450. 1.3	450. 1.3
450. 0.9	450. 0.9	500. 0.5	500. 0.0	500. 0.0	500. 0.0	500. 0.0
500. 0.2	500. 0.2	500. 0.0	500. 0.0	500. 0.0	500. 0.0	500. 0.0
550. 0.1	550. 0.1				525. 0.3	

DATE 621024	DATE 621101	DATE 621109	DATE 621212	DATE 630109	DATE 630116	DATE 630122	DATE 630130
SRVY 1	SRVY 2	SRVY 3	SRVY 4	SRVY 5	SRVY 6	SRVY 7	SRVY 8
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
30. 7.2	3. 7.4	27. 7.8	-22. 7.0	0. 7.5	26. 7.6	100. 6.6	1. 7.6
63. 7.2	25. 7.7	84. 7.1	24. 6.0	27. 7.5	101. 6.5	126. 6.0	27. 7.3
120. 7.6	65. 7.3	146. 6.1	36. 7.8	75. 7.1	127. 6.5	176. 5.8	74. 7.0
180. 5.6	106. 6.0	184. 6.0	88. 6.6	150. 6.7	190. 5.8	201. 5.4	69. 6.5
236. 5.8	155. 5.7	234. 5.7	136. 7.2	160. 5.0	202. 6.6	241. 3.2	124. 6.0
300. 5.8	216. 5.5	304. 5.0	184. 6.0	180. 5.6	226. 5.2	278. 2.6	149. 5.9
364. 6.7	281. 6.3	368. 5.5	201. 6.7	187. 6.6	250. 3.1	301. 1.1	175. 6.4
427. 6.7	343. 6.2	434. 5.8	266. 2.9	400. 6.4	351. 1.1	351. 1.1	190. 6.7
492. 2.4	407. 5.9	493. 6.0	338. 3.3	426. 5.4	379. 1.7	426. -1.6	200. 6.5
556. 2.4	471. 5.7	557. 6.0	408. -7.7	480. 4.1	427. 1.6	480. 3.4	225. 5.8
621. -2.1	536. 6.0	622. 6.0	472. -2.3	530. 3.1	476. 1.3	530. 3.3	301. 3.3
			532. -3.1	574. -2.2	400. 3.3	574. -2.2	325. 2.4
				626. -2.7	432. 3.3	626. -2.7	350. 2.0
				676. -1.5	451. 3.3	676. -1.5	400. 3.3
					476. -1.5	476. -1.5	451. 3.3
							501. -1.0

DATE 630205	DATE 630213	DATE 630221	DATE 630227	DATE 630307	DATE 630313	DATE 630321	DATE 630402
SRVY 9	SRVY 10	SRVY 11	SRVY 12	SRVY 13	SRVY 14	SRVY 15	SRVY 16
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
144. 6.0	250. 4.7	-1. 7.6	300. 3.8	150. 6.0	7.6	300. 4.9	191. 6.7
176. 6.7	275. 4.4	40. 7.4	325. 3.5	175. 6.6	7.8	327. 5.1	225. 5.4
200. 6.7	300. 3.6	74. 7.1	400. 4.2	200. 6.6	7.2	351. 3.3	250. 4.8
224. 6.7	325. 3.5	146. 6.0	426. 4.5	225. 6.7	7.0	376. 3.6	275. 4.7
270. 4.2	400. 1.9	176. 6.0	481. 1.6	250. 4.7	6.5	400. 4.9	300. 5.4
301. 3.8	450. 0.0	176. 6.6	481. 0.0	275. 4.3	6.0	426. 2.2	326. 5.5
350. 1.8	475. -1.6	200. 6.4	476. -1.1	291. 4.4	6.0	451. -1.1	350. 3.0
401. 1.0	500. 5.0	241. 5.0	500. 4.9	300. 4.9	6.7	476. -1.1	375. 2.2
426. 5.7	525. 3.0	276. 4.3	525. 5.0	325. 5.0	5.0	501. -1.0	401. 1.3
476. -1.6	550. 3.0	350. 3.0	550. 3.2	351. 4.5	5.5		426. 5.8
		401. 3.0	575. 1.7	400. 5.0	5.0		475. -2.7
		425. 3.2	600. 0.8	451. 0.0	5.1		501. 6.7
			625. -1.1	475. 2.0	3.8		501. -1.7
					375. 2.0		
					400. 3.3		
					451. 3.3		
					476. -1.5		
					476. -1.5		

DATE 630523	DATE 630607	DATE 630724	DATE 630712	DATE 630626	DATE 630611	DATE 630523
BRVY 17	BRVY 22	BRVY 21	BRVY 20	BRVY 16	BRVY 1A	BRVY 17
TIME 1800	TIME 1800	TIME 1800	TIME 1800	TIME 1200	TIME 1800	TIME 1800
25. 8.0	0. 6.6	-1. 6.6	-1. 6.6	0. 7.9	0. 6.6	25. 8.0
151. 9.4	25. 7.6	159. 7.6	24. 7.6	25. 7.9	23. 7.6	151. 9.4
74. 7.3	50. 7.4	50. 7.4	50. 7.4	50. 7.4	50. 7.4	74. 7.3
99. 6.5	75. 7.1	75. 7.1	75. 7.1	75. 7.1	75. 7.1	99. 6.5
124. 6.0	100. 6.4	100. 6.4	100. 6.4	100. 6.4	100. 6.4	124. 6.0
151. 6.0	124. 6.0	124. 6.0	124. 6.0	124. 6.0	124. 6.0	151. 6.0
174. 6.2	151. 6.1	151. 6.1	151. 6.1	151. 6.1	151. 6.1	174. 6.2
200. 6.0	200. 6.3	200. 6.3	200. 6.3	200. 6.3	200. 6.3	200. 6.0
223. 5.6	224. 5.7	224. 5.7	224. 5.7	224. 5.7	224. 5.7	223. 5.6
251. 4.9	250. 6.3	250. 6.3	250. 6.3	250. 6.3	250. 6.3	251. 4.9
271. 4.7	271. 4.7	271. 4.7	271. 4.7	271. 4.7	271. 4.7	271. 4.7
285. 5.0	325. 5.0	300. 5.0	300. 5.0	325. 5.0	325. 5.0	285. 5.0
323. 5.6	351. 6.0	351. 6.0	351. 6.0	351. 6.0	351. 6.0	323. 5.6
350. 5.0	401. 1.7	385. 5.4	385. 5.4	401. 1.7	401. 1.7	350. 5.0
375. 3.2	426. 1.2	426. 1.2	426. 1.2	426. 1.2	426. 1.2	375. 3.2
408. 1.4	456. 1.4	456. 1.4	456. 1.4	456. 1.4	456. 1.4	408. 1.4
431. 1.5	481. 1.5	481. 1.5	481. 1.5	481. 1.5	481. 1.5	431. 1.5
451. 1.1	501. 1.1	501. 1.1	501. 1.1	501. 1.1	501. 1.1	451. 1.1
501. 1.3	526. 1.3	526. 1.3	526. 1.3	526. 1.3	526. 1.3	501. 1.3

DATE 630609	DATE 630612	DATE 630621	DATE 630617	DATE 631114	DATE 631108	DATE 631009
BRVY 33	BRVY 32	BRVY 31	BRVY 30	BRVY 2A	BRVY 27	BRVY 2A
TIME 1200	TIME 1800	TIME 1800	TIME 1800	TIME 1800	TIME 1800	TIME 1800
0. 7.6	0. 7.6	0. 7.6	0. 7.6	-23. 8.7	7.9	0. 7.3
50. 6.1	50. 6.5	50. 6.0	50. 6.1	7.3 8.1	6.4	24. 8.0
101. 6.4	101. 6.5	7.5 7.5	7.5 7.5	27. 8.1	6.6	51. 7.6
151. 6.2	151. 6.6	6.4 6.4	6.4 6.4	50. 7.6	6.0	76. 7.5
202. 7.0	202. 6.7	6.5 6.5	6.5 6.5	100. 6.5	6.0	124. 6.0
252. 5.2	252. 5.1	6.5 6.5	6.5 6.5	126. 5.9	5.2	151. 6.3
304. 3.9	304. 3.9	176. 6.9	176. 6.4	151. 6.5	6.3	176. 6.0
353. 2.2	353. 2.2	202. 6.8	202. 6.8	201. 6.8	5.2	226. 6.3
404. 1.7	404. 1.7	252. 5.3	252. 5.3	227. 6.4	5.4	252. 6.0
456. 1.3	456. 1.3	277. 4.6	277. 4.6	302. 1.9	4.0	302. 6.0
504. 1.0	504. 1.0	303. 3.0	303. 3.0	327. 1.3	3.7	327. 6.0
555. 1.2	555. 1.2	328. 2.1	328. 2.1	377. 1.6	3.7	377. 6.0
590. 1.0	590. 1.0	404. 1.7	404. 1.7	403. 1.6	1.6	403. 6.0
		426. 1.2	426. 1.2	456. 1.1	1.6	456. 6.0
		481. 1.5	481. 1.5	501. 1.1	1.6	501. 6.0
		526. 1.3	526. 1.3	551. 1.1	1.6	551. 6.0
		590. 1.0	590. 1.0	626. 1.3	1.6	626. 6.0

[illegible]

[illegible][illegible]

DATE 001220	DATE 000113	DATE 000122	DATE 000129	DATE 000205	DATE 000212	DATE 000219	DATE 000226
SRVY 66	SRVY 67	SRVY 68	SRVY 69	SRVY 70	SRVY 71	SRVY 72	SRVY 73
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
00	00	00	00	00	00	00	00
50	50	50	50	50	50	50	50
100	100	100	100	100	100	100	100
150	150	150	150	150	150	150	150
200	200	200	200	200	200	200	200
250	250	250	250	250	250	250	250
300	300	300	300	300	300	300	300
350	350	350	350	350	350	350	350
400	400	400	400	400	400	400	400
450	450	450	450	450	450	450	450
500	500	500	500	500	500	500	500
550	550	550	550	550	550	550	550
600	600	600	600	600	600	600	600
650	650	650	650	650	650	650	650
675	675	675	675	675	675	675	675

DATE 001315	DATE 000312	DATE 000319	DATE 000327	DATE 000333	DATE 001120	DATE 001214
SRVY 80	SRVY 81	SRVY 82	SRVY 83	SRVY 84	SRVY 85	SRVY 86
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200
00	00	00	00	00	00	00
50	50	50	50	50	50	50
100	100	100	100	100	100	100
150	150	150	150	150	150	150
200	200	200	200	200	200	200
250	250	250	250	250	250	250
300	300	300	300	300	300	300
350	350	350	350	350	350	350
400	400	400	400	400	400	400
450	450	450	450	450	450	450
500	500	500	500	500	500	500
550	550	550	550	550	550	550
600	600	600	600	600	600	600
650	650	650	650	650	650	650
675	675	675	675	675	675	675

DATE 700114				DATE 700121				DATE 700126				DATE 700204				DATE 700211				DATE 700218				DATE 700225				DATE 700304			
SRVY H3				SRVY H3				SRVY H4				SRVY H4				SRVY A6				SRVY 87				SRVY 88				SRVY 89			
TIME 1200				TIME 1200				TIME 1200				TIME 1200				TIME 1200				TIME 1200				TIME 1200				TIME 1200			
0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4	0	6.4
23	7.3	9	7.9	12	7.8	12	7.8	12	7.8	12	7.8	10	7.8	22	7.3	50	6.6	50	6.6	50	6.6	50	6.6	50	6.6	50	6.6	50	6.6	50	6.6
50	6.8	50	6.8	40	6.8	40	6.8	40	6.8	40	6.8	50	6.9	50	6.8	100	6.3	100	6.3	100	6.3	100	6.3	100	6.3	100	6.3	100	6.3	100	6.3
100	6.4	100	6.3	100	6.3	100	6.3	100	6.3	100	6.3	100	6.4	100	6.3	150	6.6	150	6.6	150	6.6	150	6.6	150	6.6	150	6.6	150	6.6	150	6.6
118	6.0	118	6.0	117	6.0	117	6.0	117	6.0	117	6.0	119	6.1	118	6.0	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1
118	6.4	120	6.2	150	6.6	150	6.6	150	6.6	150	6.6	150	6.7	150	6.6	250	6.9	250	6.9	250	6.9	250	6.9	250	6.9	250	6.9	250	6.9	250	6.9
130	6.7	150	6.7	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.0	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8
200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.1	200	7.0	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8	300	6.8
240	7.4	250	7.5	250	7.5	250	7.5	250	7.5	250	7.5	250	7.6	250	7.5	350	4.1	350	4.1	350	4.1	350	4.1	350	4.1	350	4.1	350	4.1	350	4.1
300	6.4	300	6.2	300	6.2	300	6.2	300	6.2	300	6.2	300	6.6	300	6.5	400	2.9	400	2.9	400	2.9	400	2.9	400	2.9	400	2.9	400	2.9	400	2.9
350	3.3	350	3.4	350	3.4	350	3.4	350	3.4	350	3.4	350	3.6	350	3.5	450	1.1	450	1.1	450	1.1	450	1.1	450	1.1	450	1.1	450	1.1	450	1.1
378	3.3	378	3.4	378	3.4	378	3.4	378	3.4	378	3.4	378	3.6	378	3.5	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1
400	3.4	400	3.2	400	3.2	400	3.2	400	3.2	400	3.2	400	3.5	400	3.4	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1
450	1.5	450	1.0	450	1.0	450	1.0	450	1.0	450	1.0	450	1.4	450	1.3	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1
500	0.0	500	0.0	500	0.0	500	0.0	500	0.0	500	0.0	500	1.6	500	1.5	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1	500	0.1
550	0.4	550	0.4	550	0.4	550	0.4	550	0.4	550	0.4	550	1.8	550	1.7	550	0.1	550	0.1	550	0.1	550	0.1	550	0.1	550	0.1	550	0.1	550	0.1
600	0.0	600	0.0	600	0.0	600	0.0	600	0.0	600	0.0	600	2.0	600	1.9	600	0.1	600	0.1	600	0.1	600	0.1	600	0.1	600	0.1	600	0.1	600	0.1
650	0.0	650	0.0	650	0.0	650	0.0	650	0.0	650	0.0	650	2.2	650	2.1	650	0.1	650	0.1	650	0.1	650	0.1	650	0.1	650	0.1	650	0.1	650	0.1
680	0.0	680	0.0	680	0.0	680	0.0	680	0.0	680	0.0	680	2.4	680	2.3	680	0.1	680	0.1	680	0.1	680	0.1	680	0.1	680	0.1	680	0.1	680	0.1
700	0.0	700	0.0	700	0.0	700	0.0	700	0.0	700	0.0	700	2.6	700	2.5	700	0.1	700	0.1	700	0.1	700	0.1	700	0.1	700	0.1	700	0.1	700	0.1

116

DATE 726110	DATE 726117	DATE 726122	DATE 726117	DATE 726410	DATE 726221	DATE 721020	DATE 721208
SRVY 106	SRVY 109	SRVY 108	SRVY 109	SRVY 110	SRVY 111	SRVY 112	SRVY 113
TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1200	TIME 1300	TIME 1100	TIME 1800
00	00	00	00	00	00	00	00
7.2	7.8	6.0	6.2	7.7	7.8	7.2	7.2
50	50	6.2	6.2	50	50	50	50
100	100	6.0	6.0	100	100	100	100
150	150	6.2	6.2	150	150	150	150
200	200	6.8	6.2	200	200	200	200
250	250	7.8	7.1	250	250	250	250
300	300	6.5	7.1	300	300	300	300
350	350	6.5	7.1	350	350	350	350
400	400	2.1	3.2	400	400	400	400
450	450	2.1	3.2	450	450	450	450
500	500	2.7	1.9	500	500	500	500
550	550	2.7	1.9	550	550	550	550
600	600	-1.3	-0.8	600	600	600	600
650	650	-1.3	-0.8	650	650	650	650
700	700	-1.3	-0.8	700	700	700	700
750	750	-1.3	-0.8	750	750	750	750
800	800	-1.3	-0.8	800	800	800	800
850	850	-1.3	-0.8	850	850	850	850
900	900	-1.3	-0.8	900	900	900	900
950	950	-1.3	-0.8	950	950	950	950
1000	1000	-1.3	-0.8	1000	1000	1000	1000

DATE 730105	DATE 730125	DATE 730316	DATE 730405	DATE 730418	DATE 730501
SRVY 114	SRVY 117	SRVY 116	SRVY 116	SRVY 116	SRVY 120
TIME 1100	TIME 0600	TIME 1000	TIME 1800	TIME 1300	TIME 1100
00	00	00	00	00	00
7.2	7.1	7.8	7.2	7.1	7.0
50	50	6.0	50	50	50
100	100	6.0	100	100	100
150	150	6.3	150	150	150
200	200	6.3	200	200	200
250	250	7.3	250	250	250
300	300	7.4	300	300	300
350	350	7.6	350	350	350
400	400	7.6	400	400	400
450	450	3.2	450	450	450
500	500	3.2	500	500	500
550	550	3.2	550	550	550
600	600	3.2	600	600	600
650	650	3.2	650	650	650
700	700	3.2	700	700	700
750	750	3.2	750	750	750
800	800	3.2	800	800	800
850	850	3.2	850	850	850
900	900	3.2	900	900	900
950	950	3.2	950	950	950
1000	1000	3.2	1000	1000	1000

APPENDIX C

STORM CHANGE PLOTS - PROFILE COMPARISON
FOR SURVEY OF SEVEN PROFILE LINES AT ATLANTIC CITY

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

PROFILE COMPARISON FOR SURVEYS OF 7 PROFILE LINES AT
 ATLANTIC CITY NJ

APPENDIX D

MSL SHORELINE CHANGES

CHANGE IN DISTANCE TO MSL SHORELINE AT
PROFILE LINE 3 ATLANTIC CITY, NEW JERSEY

CHANGE IN DISTANCE TO MSL SHORELINE AT
PROFILE LINE 4 ATLANTIC CITY, NEW JERSEY

CHANGE IN DISTANCE TO MSL SHORELINE AT
PROFILE LINE 5 ATLANTIC CITY, NEW JERSEY

CHANGE IN DISTANCE TO MSL SHORELINE AT
PROFILE LINE 6 ATLANTIC CITY, NEW JERSEY

CHANGE IN DISTANCE TO MSL SHORELINE AT
 PROFILE LINE 7 ATLANTIC CITY, NEW JERSEY

APPENDIX E

ABOVE MSL UNIT VOLUME CHANGES

UNIT VOLUME CHANGES FOR PROFILE LINE 1 AT
ATLANTIC CITY NJ

UNIT VOLUME CHANGES FOR PROFILE LINE 2 AT
ATLANTIC CITY NJ

UNIT VOLUME CHANGES FOR PROFILE LINE 3 AT
ATLANTIC CITY NJ

UNIT VOLUME CHANGES FOR PROFILE LINE 4 AT
ATLANTIC CITY NJ

APPENDIX F

PROFILE ENVELOPES

PROFILE ENVELOPE FOR PROFILE LINE 1 AT ATLANTIC CITY NJ
24OCT82 - 18APR73

PROFILE ENVELOPE FOR PROFILE LINE 2 AT ATLANTIC CITY NJ
24OCT82 - 18APR73

PROFILE ENVELOPE FOR PROFILE LINE 3 AT ATLANTIC CITY NJ
24OCT62 - 18APR73

PROFILE ENVELOPE FOR PROFILE LINE 4 AT ATLANTIC CITY NJ
24OCT62 - 18APR73

PROFILE ENVELOPE FOR PROFILE LINE 5 AT ATLANTIC CITY NJ
24OCT62 - 1MAY73

PROFILE ENVELOPE FOR PROFILE LINE 6 AT ATLANTIC CITY NJ
24OCT62 - 18APR73

PROFILE ENVELOPE FOR PROFILE LINE 7 AT ATLANTIC CITY NJ
24OCT82 - 1MAY73

<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U58lmr no. 81-3 627</p>
<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U58lmr no. 81-3 627</p>
<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U58lmr no. 81-3 627</p>

<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U581mr no. 81-3 627</p>
<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U581mr no. 81-3 627</p>
<p>McCann, Dennis P. Beach changes at Atlantic City, New Jersey (1962-73) / by Dennis P. McCann.--Fort Belvoir Va. : U.S. Army Coastal Engineering Research Center ; Springfield, Va. : available from NTIS, 1981. [142] p. : ill., maps : 27 cm.--(Miscellaneous report / U.S. Army Coastal Engineering Research Center ; no. 81-3) Cover title. "March 1981." Repetitive surveys of the above MSL beach were made along seven profile lines at Atlantic City, New Jersey, from 1962 to 1973. Major beach-fill projects accomplished in 1963 and 1970 are discussed, and the effects of 17 storms are documented. 1. Atlantic City (N.J.). 2. Beach erosion. 3. Beach nourishment. 4. Beach profile. 5. Beaches. 6. Shore protection. 7. Shoreline changes. I. Beach Evaluation Program. II. Title. III. Series: Miscellaneous report (Coastal Engineering Research Center (U.S.)) ; no. 81-3.</p>	<p>TC203 .U581mr no. 81-3 627</p>